

## Adults - Immunizations, for the State of Hawaii, for State and Selected Ethnicities, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; n/r (Not Reportable) - Represents cell size restriction based on unweighted respondents; n/a (Not Available) - Not asked of a subset of respondents*

*The Leading Health Indicators were developed as part of the Healthy People 2010 initiative. The Leading Health Indicators (LHI) were selected to reflect the major public health concerns in the United States. Ten indicators were chosen based upon their ability to motivate action, the availability of data to measure their progress and their relevance as broad public health issues.*

*This report looks at Immunizations for adults:*

*Adults 65 years and older who have been vaccinated against influenza in the past 12 months. (Source: BRFSS)*

*Adults 65 years and older who have ever been vaccinated against pneumococcal disease. (Source: BRFSS)*

*Suggested citation:*

*Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System (BRFSS), (report title and years), Report Created: 10/10/2013*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)


**(855) 946-5899 x15**

## Adults 65 Years and Older who Have Had a Flu Shot or Spray in the Past 12 Months, for State and Selected Ethnicities, Trend by Year, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have been vaccinated against influenza in the past 12 months.*

Year	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	64.7	62.0 - 67.5	125,400	60.0	55.6 - 64.5	35,100	64.8	55.0 - 74.6	10,000	69.2	60.8 - 77.6	20,400	67.7	63.1 - 72.3	45,600



## Adults 65 Years and Older who Have Had a Flu Shot or Spray in the Past 12 Months, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have been vaccinated against influenza in the past 12 months.*

**Year: 2011**

State	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Totals</b>	64.7	62.0 - 67.5	125,400	60.0	55.6 - 64.5	35,100	64.8	55.0 - 74.6	10,000	69.2	60.8 - 77.6	20,400	67.7	63.1 - 72.3	45,600

County	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Hawaii</b>	60.3	54.1 - 66.5	15,800	55.2	47.4 - 63.1	6,500	n/r	n/r	n/r	n/r	n/r	n/r	71.0	61.5 - 80.5	5,200
<b>Honolulu</b>	66.2	62.6 - 69.7	91,700	64.7	58.0 - 71.3	22,200	67.1	55.4 - 78.9	6,000	69.2	58.6 - 79.8	15,400	67.0	61.4 - 72.5	35,400
<b>Kauai</b>	59.4	51.8 - 67.0	6,000	47.7	37.1 - 58.4	1,900	n/r	n/r	n/r	n/r	n/r	n/r	63.1	48.6 - 77.6	2,100
<b>Maui</b>	63.1	57.1 - 69.1	11,900	53.7	45.0 - 62.3	4,500	59.2	41.9 - 76.4	1,200	76.5	63.1 - 89.8	2,800	75.1	64.1 - 86.0	2,900

## Adults 65 Years and Older who Have Had a Flu Shot or Spray in the Past 12 Months, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have been vaccinated against influenza in the past 12 months.*

**Year: 2011**

Gender	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Male</b>	62.0	57.4 - 66.6	51,300	60.7	53.7 - 67.7	18,600	61.0	43.4 - 78.6	4,300	66.8	52.1 - 81.4	6,900	62.4	54.3 - 70.5	15,600
<b>Female</b>	66.8	63.4 - 70.1	74,100	59.2	54.0 - 64.5	16,500	67.9	57.9 - 78.0	5,800	70.5	60.2 - 80.8	13,500	70.8	65.3 - 76.3	30,000

Education Level	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Never attended school/ Only Kindergarten to Grades 8</b>	74.4	61.5 - 87.4	8,200	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Grades 9 thru 11 (Some High School)</b>	61.3	48.5 - 74.1	12,700	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Grades 12 or GED (High School Grad)</b>	63.8	58.9 - 68.7	37,500	57.4	48.4 - 66.3	6,200	59.0	44.8 - 73.3	3,700	69.4	55.4 - 83.5	6,500	64.0	56.1 - 71.9	16,200
<b>College 1 to 3 years (Some College/ Tech)</b>	64.9	59.9 - 70.0	37,400	64.5	57.1 - 71.9	11,900	75.7	63.5 - 88.0	3,500	n/r	n/r	n/r	67.7	59.6 - 75.8	14,600
<b>College 4 years or more (College Grad)</b>	64.8	61.0 - 68.6	29,400	62.7	57.7 - 67.8	13,900	n/r	n/r	n/r	n/r	n/r	n/r	72.4	65.2 - 79.5	9,800

## Adults 65 Years and Older who Have Had a Flu Shot or Spray in the Past 12 Months, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have been vaccinated against influenza in the past 12 months.*

**Year: 2011**

Employment Status	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed for wages</b>	59.0	49.9 - 68.0	10,500	54.6	43.0 - 66.2	3,300	n/r	n/r	n/r	n/r	n/r	n/r	70.1	53.7 - 86.6	3,300
<b>Self-Employed</b>	54.5	43.4 - 65.6	5,400	49.6	37.0 - 62.2	2,600	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Not Employed</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Retired</b>	66.0	62.8 - 69.2	98,400	62.5	57.1 - 68.0	27,000	71.0	61.6 - 80.4	7,400	68.6	58.9 - 78.3	16,000	67.8	62.8 - 72.8	36,800
<b>Unable to work</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Homemaker</b>	67.8	56.0 - 79.5	7,800	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

## Adults 65 Years and Older who Have Had a Flu Shot or Spray in the Past 12 Months, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have been vaccinated against influenza in the past 12 months.*

**Year: 2011**

Employment Status (Grouped)	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	57.4	50.4 - 64.4	15,800	52.3	43.8 - 60.8	5,900	n/r	n/r	n/r	n/r	n/r	n/r	69.4	55.2 - 83.6	4,200
<b>Unemployed</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Retired/Unable to work</b>	66.0	62.9 - 69.1	100,600	62.2	56.9 - 67.6	27,600	71.7	62.6 - 80.9	7,700	68.9	59.3 - 78.4	16,400	67.5	62.5 - 72.6	37,300
<b>Student/Homemaker</b>	67.8	56.0 - 79.5	7,800	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

## Adults 65 Years and Older who Have Had a Flu Shot or Spray in the Past 12 Months, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have been vaccinated against influenza in the past 12 months.*

**Year: 2011**

Marital Status	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	64.6	60.6 - 68.6	65,900	64.1	57.5 - 70.7	20,400	51.5	35.6 - 67.4	3,400	67.0	55.4 - 78.5	9,800	69.4	63.1 - 75.6	25,400
<b>Unmarried Couple</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Separated</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Divorced</b>	54.3	46.4 - 62.2	9,900	47.8	38.1 - 57.5	3,900	n/r	n/r	n/r	n/r	n/r	n/r	59.5	41.5 - 77.5	3,000
<b>Widowed</b>	68.3	63.5 - 73.1	40,100	58.6	50.9 - 66.2	7,700	78.8	68.8 - 88.7	5,000	75.7	62.9 - 88.4	8,500	66.2	57.8 - 74.5	14,000
<b>Never Married</b>	63.4	52.5 - 74.3	6,600	65.1	47.6 - 82.5	2,400	n/r	n/r	n/r	n/r	n/r	n/r	68.8	54.2 - 83.5	3,000

Poverty Level	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	66.6	58.5 - 74.6	22,400	50.4	31.9 - 68.8	3,900	n/r	n/r	n/r	70.5	55.4 - 85.6	7,500	76.9	64.9 - 89.0	6,400
<b>131-185%</b>	63.8	57.4 - 70.3	20,200	52.5	41.7 - 63.3	4,300	n/r	n/r	n/r	57.1	37.4 - 76.9	2,400	71.6	61.4 - 81.8	9,500
<b>186+%</b>	64.1	60.4 - 67.8	61,300	64.2	59.2 - 69.3	21,800	59.6	41.4 - 77.7	3,300	64.1	46.8 - 81.5	4,500	67.0	60.8 - 73.2	23,400

**Adults 65 Years and Older who Have Had a Flu Shot or Spray in the Past 12 Months, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have been vaccinated against influenza in the past 12 months.*

**Year: 2011**

Health Care Coverage	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	65.3	62.6 - 68.1	123,500	61.0	56.8 - 65.2	34,700	65.8	55.9 - 75.7	9,900	68.8	60.2 - 77.3	19,900	68.2	63.6 - 72.8	45,100
<b>No</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r




## Adults 65 Years and Older who Have Ever Had a Pneumonia Shot, for State and Selected Ethnicities, Trend by Year, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have ever been vaccinated against pneumococcal disease.*

Year	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	67.8	64.9 - 70.7	124,000	69.4	64.9 - 73.9	38,400	50.7	40.3 - 61.0	7,500	57.3	47.3 - 67.2	16,000	75.4	71.1 - 79.8	47,300



## Adults 65 Years and Older who Have Ever Had a Pneumonia Shot, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have ever been vaccinated against pneumococcal disease.*

**Year: 2011**

State	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Totals</b>	64.7	62.0 - 67.5	125,400	60.0	55.6 - 64.5	35,100	64.8	55.0 - 74.6	10,000	69.2	60.8 - 77.6	20,400	67.7	63.1 - 72.3	45,600

County	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Hawaii</b>	60.3	54.1 - 66.5	15,800	55.2	47.4 - 63.1	6,500	n/r	n/r	n/r	n/r	n/r	n/r	71.0	61.5 - 80.5	5,200
<b>Honolulu</b>	66.2	62.6 - 69.7	91,700	64.7	58.0 - 71.3	22,200	67.1	55.4 - 78.9	6,000	69.2	58.6 - 79.8	15,400	67.0	61.4 - 72.5	35,400
<b>Kauai</b>	59.4	51.8 - 67.0	6,000	47.7	37.1 - 58.4	1,900	n/r	n/r	n/r	n/r	n/r	n/r	63.1	48.6 - 77.6	2,100
<b>Maui</b>	63.1	57.1 - 69.1	11,900	53.7	45.0 - 62.3	4,500	59.2	41.9 - 76.4	1,200	76.5	63.1 - 89.8	2,800	75.1	64.1 - 86.0	2,900

## Adults 65 Years and Older who Have Ever Had a Pneumonia Shot, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have ever been vaccinated against pneumococcal disease.*

**Year: 2011**

Gender	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Male</b>	62.0	57.4 - 66.6	51,300	60.7	53.7 - 67.7	18,600	61.0	43.4 - 78.6	4,300	66.8	52.1 - 81.4	6,900	62.4	54.3 - 70.5	15,600
<b>Female</b>	66.8	63.4 - 70.1	74,100	59.2	54.0 - 64.5	16,500	67.9	57.9 - 78.0	5,800	70.5	60.2 - 80.8	13,500	70.8	65.3 - 76.3	30,000

Education Level	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Never attended school/ Only Kindergarten to Grades 8</b>	74.4	61.5 - 87.4	8,200	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Grades 9 thru 11 (Some High School)</b>	61.3	48.5 - 74.1	12,700	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Grades 12 or GED (High School Grad)</b>	63.8	58.9 - 68.7	37,500	57.4	48.4 - 66.3	6,200	59.0	44.8 - 73.3	3,700	69.4	55.4 - 83.5	6,500	64.0	56.1 - 71.9	16,200
<b>College 1 to 3 years (Some College/ Tech)</b>	64.9	59.9 - 70.0	37,400	64.5	57.1 - 71.9	11,900	75.7	63.5 - 88.0	3,500	n/r	n/r	n/r	67.7	59.6 - 75.8	14,600
<b>College 4 years or more (College Grad)</b>	64.8	61.0 - 68.6	29,400	62.7	57.7 - 67.8	13,900	n/r	n/r	n/r	n/r	n/r	n/r	72.4	65.2 - 79.5	9,800

## Adults 65 Years and Older who Have Ever Had a Pneumonia Shot, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have ever been vaccinated against pneumococcal disease.*

**Year: 2011**

Employment Status	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed for wages</b>	59.0	49.9 - 68.0	10,500	54.6	43.0 - 66.2	3,300	n/r	n/r	n/r	n/r	n/r	n/r	70.1	53.7 - 86.6	3,300
<b>Self-Employed</b>	54.5	43.4 - 65.6	5,400	49.6	37.0 - 62.2	2,600	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Not Employed</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Retired</b>	66.0	62.8 - 69.2	98,400	62.5	57.1 - 68.0	27,000	71.0	61.6 - 80.4	7,400	68.6	58.9 - 78.3	16,000	67.8	62.8 - 72.8	36,800
<b>Unable to work</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Homemaker</b>	67.8	56.0 - 79.5	7,800	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

## Adults 65 Years and Older who Have Ever Had a Pneumonia Shot, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have ever been vaccinated against pneumococcal disease.*

**Year: 2011**

Employment Status (Grouped)	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	57.4	50.4 - 64.4	15,800	52.3	43.8 - 60.8	5,900	n/r	n/r	n/r	n/r	n/r	n/r	69.4	55.2 - 83.6	4,200
<b>Unemployed</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Retired/Unable to work</b>	66.0	62.9 - 69.1	100,600	62.2	56.9 - 67.6	27,600	71.7	62.6 - 80.9	7,700	68.9	59.3 - 78.4	16,400	67.5	62.5 - 72.6	37,300
<b>Student/Homemaker</b>	67.8	56.0 - 79.5	7,800	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

## Adults 65 Years and Older who Have Ever Had a Pneumonia Shot, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have ever been vaccinated against pneumococcal disease.*

**Year: 2011**

Marital Status	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	64.6	60.6 - 68.6	65,900	64.1	57.5 - 70.7	20,400	51.5	35.6 - 67.4	3,400	67.0	55.4 - 78.5	9,800	69.4	63.1 - 75.6	25,400
<b>Unmarried Couple</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Separated</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Divorced</b>	54.3	46.4 - 62.2	9,900	47.8	38.1 - 57.5	3,900	n/r	n/r	n/r	n/r	n/r	n/r	59.5	41.5 - 77.5	3,000
<b>Widowed</b>	68.3	63.5 - 73.1	40,100	58.6	50.9 - 66.2	7,700	78.8	68.8 - 88.7	5,000	75.7	62.9 - 88.4	8,500	66.2	57.8 - 74.5	14,000
<b>Never Married</b>	63.4	52.5 - 74.3	6,600	65.1	47.6 - 82.5	2,400	n/r	n/r	n/r	n/r	n/r	n/r	68.8	54.2 - 83.5	3,000

Poverty Level	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	66.6	58.5 - 74.6	22,400	50.4	31.9 - 68.8	3,900	n/r	n/r	n/r	70.5	55.4 - 85.6	7,500	76.9	64.9 - 89.0	6,400
<b>131-185%</b>	63.8	57.4 - 70.3	20,200	52.5	41.7 - 63.3	4,300	n/r	n/r	n/r	57.1	37.4 - 76.9	2,400	71.6	61.4 - 81.8	9,500
<b>186+%</b>	64.1	60.4 - 67.8	61,300	64.2	59.2 - 69.3	21,800	59.6	41.4 - 77.7	3,300	64.1	46.8 - 81.5	4,500	67.0	60.8 - 73.2	23,400

## Adults 65 Years and Older who Have Ever Had a Pneumonia Shot, for State and Selected Ethnicities, by County, Gender, Education Level, Employment Status, Marital Status, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Note: Adults 65 years and older who have ever been vaccinated against pneumococcal disease.*

**Year: 2011**

Health Care Coverage	Hawaii State			Caucasian			Native Hawaiian			Filipino			Japanese		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	65.3	62.6 - 68.1	123,500	61.0	56.8 - 65.2	34,700	65.8	55.9 - 75.7	9,900	68.8	60.2 - 77.3	19,900	68.2	63.6 - 72.8	45,100
<b>No</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r