

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- for the State of Hawaii, for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Drinking alcohol last 3 mos of pregnancy	Drinking alcohol during the last 3 months of pregnancy

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/24/15*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- for the State of Hawaii, for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**


*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	800	4.7	4.3 - 5.2	16,200	95.3	94.8 - 95.7	17,000
2001-2005	800	4.7	4.2 - 5.1	16,300	95.3	94.9 - 95.8	17,100
2002-2006	900	5.0	4.5 - 5.5	16,600	95.0	94.5 - 95.5	17,400
2003-2007	1,000	5.4	5.0 - 5.9	16,800	94.6	94.1 - 95.0	17,700
2004-2008	1,000	5.8	5.4 - 6.3	16,900	94.2	93.7 - 94.6	17,900
2005-2009	1,100	5.9	5.4 - 6.5	17,000	94.1	93.5 - 94.6	18,100
2006-2010	1,200	6.5	5.9 - 7.1	17,200	93.5	92.9 - 94.1	18,400
2007-2011	1,200	6.6	6.0 - 7.3	17,200	93.4	92.7 - 94.0	18,400
2008-2012	1,300	7.0	6.3 - 7.7	17,000	93.0	92.3 - 93.7	18,300

# PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,300	7.0	6.3 - 7.7	17,000	93.0	92.3 - 93.7	18,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	6.4	5.3 - 7.7	2,200	93.6	92.3 - 94.7	2,400
<b>Honolulu</b>	900	6.7	5.8 - 7.6	12,200	93.3	92.4 - 94.2	13,100
<b>Kauai</b>	100	11.5	9.5 - 13.8	700	88.5	86.2 - 90.5	800
<b>Maui</b>	200	8.1	6.9 - 9.4	1,900	91.9	90.6 - 93.1	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	11.8	10.2 - 13.7	3,800	88.2	86.3 - 89.8	4,400
Native Hawaiian	300	5.4	4.4 - 6.6	5,100	94.6	93.4 - 95.6	5,400
Chinese	<50	5.0	2.9 - 8.6	800	95.0	91.4 - 97.1	800
Filipino	200	5.9	4.5 - 7.6	3,100	94.1	92.4 - 95.5	3,300
Japanese	100	7.0	5.1 - 9.6	1,600	93.0	90.4 - 94.9	1,700
Other	100	4.4	3.1 - 6.2	2,700	95.6	93.8 - 96.9	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	3.0	1.6 - 5.5	1,300	97.0	94.5 - 98.4	1,300
20-24	200	5.3	4.1 - 6.7	3,900	94.7	93.3 - 95.9	4,100
25-34	700	7.6	6.6 - 8.6	8,900	92.4	91.4 - 93.4	9,700
35+	300	9.1	7.4 - 11.1	2,900	90.9	88.9 - 92.6	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	7.1	6.2 - 8.2	8,800	92.9	91.8 - 93.8	9,400
Female	600	6.9	6.0 - 7.9	8,300	93.1	92.1 - 94.0	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	7.3	6.5 - 8.3	10,500	92.7	91.7 - 93.5	11,300
No	500	6.5	5.5 - 7.6	6,600	93.5	92.4 - 94.5	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	5.4	4.5 - 6.5	6,200	94.6	93.5 - 95.5	6,600
131-185%	200	6.7	5.1 - 8.7	2,600	93.3	91.3 - 94.9	2,800
186+%	700	8.9	7.8 - 10.2	6,900	91.1	89.8 - 92.2	7,600

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.6	4.5 - 7.1	1,200	94.4	92.9 - 95.5	1,300
Normal birth weight	1,200	7.1	6.4 - 7.8	15,800	92.9	92.2 - 93.6	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.6	7.0 - 13.1	1,200	90.4	86.9 - 93.0	1,300
No	1,100	6.8	6.1 - 7.5	15,700	93.2	92.5 - 93.9	16,800

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.9	5.5 - 8.5	3,300	93.1	91.5 - 94.5	3,500
No	1,000	7.0	6.3 - 7.8	13,600	93.0	92.2 - 93.7	14,600

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	5.3	4.5 - 6.3	7,500	94.7	93.7 - 95.5	8,000
No	800	8.3	7.3 - 9.3	9,300	91.7	90.7 - 92.7	10,100



**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,200	6.6	6.0 - 7.3	17,200	93.4	92.7 - 94.0	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	6.4	5.3 - 7.8	2,200	93.6	92.2 - 94.7	2,400
<b>Honolulu</b>	800	6.3	5.5 - 7.2	12,200	93.7	92.8 - 94.5	13,100
<b>Kauai</b>	100	9.6	7.7 - 12.0	800	90.4	88.0 - 92.3	900
<b>Maui</b>	200	7.6	6.4 - 9.0	1,900	92.4	91.0 - 93.6	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.0	10.4 - 13.7	3,800	88.0	86.3 - 89.6	4,400
Native Hawaiian	300	5.0	4.0 - 6.1	5,100	95.0	93.9 - 96.0	5,300
Chinese	<50	4.2	2.5 - 7.0	700	95.8	93.0 - 97.5	700
Filipino	200	5.0	3.9 - 6.5	3,200	95.0	93.5 - 96.1	3,300
Japanese	100	6.6	4.9 - 8.9	1,700	93.4	91.1 - 95.1	1,900
Other	100	4.0	2.9 - 5.6	2,700	96.0	94.4 - 97.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.3	1.3 - 4.0	1,400	97.7	96.0 - 98.7	1,400
20-24	200	4.4	3.5 - 5.6	4,100	95.6	94.4 - 96.5	4,300
25-34	700	7.5	6.6 - 8.5	8,700	92.5	91.5 - 93.4	9,400
35+	300	9.0	7.4 - 10.8	2,900	91.0	89.2 - 92.6	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.7	5.9 - 7.7	8,900	93.3	92.3 - 94.1	9,600
Female	600	6.5	5.7 - 7.5	8,300	93.5	92.5 - 94.3	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	7.0	6.2 - 7.9	10,600	93.0	92.1 - 93.8	11,400
No	400	6.0	5.1 - 7.0	6,600	94.0	93.0 - 94.9	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.9	4.1 - 5.9	6,300	95.1	94.1 - 95.9	6,600
131-185%	200	6.8	5.2 - 8.7	2,600	93.2	91.3 - 94.8	2,800
186+%	700	8.6	7.6 - 9.8	7,000	91.4	90.2 - 92.4	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	4.2	3.1 - 5.6	3,100	95.8	94.4 - 96.9	3,200
\$10,000-\$24,999	200	5.5	4.4 - 6.9	3,500	94.5	93.1 - 95.6	3,700
\$25,000-\$49,999	300	7.3	6.0 - 8.8	3,900	92.7	91.2 - 94.0	4,300
>=\$50,000	500	8.7	7.5 - 10.0	5,600	91.3	90.0 - 92.5	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.2	4.0 - 6.7	1,300	94.8	93.3 - 96.0	1,400
Normal birth weight	1,100	6.7	6.1 - 7.4	15,900	93.3	92.6 - 93.9	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.1	6.7 - 12.2	1,300	90.9	87.8 - 93.3	1,400
No	1,100	6.4	5.8 - 7.1	15,700	93.6	92.9 - 94.2	16,800

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	6.5	5.3 - 8.0	3,500	93.5	92.0 - 94.7	3,700
<b>No</b>	1,000	6.6	5.9 - 7.4	13,600	93.4	92.6 - 94.1	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	5.2	4.4 - 6.1	7,500	94.8	93.9 - 95.6	7,900
<b>No</b>	800	7.7	6.9 - 8.7	9,500	92.3	91.3 - 93.1	10,300

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,200	6.5	5.9 - 7.1	17,200	93.5	92.9 - 94.1	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	6.5	5.3 - 7.9	2,200	93.5	92.1 - 94.7	2,400
<b>Honolulu</b>	800	6.0	5.3 - 6.8	12,300	94.0	93.2 - 94.7	13,100
<b>Kauai</b>	100	9.4	7.2 - 12.1	800	90.6	87.9 - 92.8	900
<b>Maui</b>	200	8.2	6.8 - 9.8	1,900	91.8	90.2 - 93.2	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	11.1	9.6 - 12.7	3,800	88.9	87.3 - 90.4	4,300
Native Hawaiian	300	5.6	4.6 - 6.8	5,000	94.4	93.2 - 95.4	5,300
Chinese	<50	4.1	2.7 - 6.1	700	95.9	93.9 - 97.3	700
Filipino	100	4.4	3.4 - 5.6	3,200	95.6	94.4 - 96.6	3,300
Japanese	100	5.9	4.3 - 8.0	1,800	94.1	92.0 - 95.7	1,900
Other	100	4.3	3.2 - 5.8	2,700	95.7	94.2 - 96.8	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.4	1.4 - 4.2	1,500	97.6	95.8 - 98.6	1,500
20-24	200	4.5	3.6 - 5.6	4,100	95.5	94.4 - 96.4	4,300
25-34	700	7.2	6.3 - 8.1	8,600	92.8	91.9 - 93.7	9,200
35+	300	8.8	7.4 - 10.5	3,000	91.2	89.5 - 92.6	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.1	5.3 - 6.9	9,000	93.9	93.1 - 94.7	9,500
Female	600	6.9	6.0 - 7.8	8,200	93.1	92.2 - 94.0	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	6.8	6.1 - 7.6	10,600	93.2	92.4 - 93.9	11,400
No	400	5.9	5.0 - 6.9	6,600	94.1	93.1 - 95.0	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	5.1	4.3 - 6.1	6,300	94.9	93.9 - 95.7	6,600
131-185%	200	6.3	4.9 - 8.0	2,500	93.7	92.0 - 95.1	2,700
186+%	600	8.2	7.3 - 9.3	7,100	91.8	90.7 - 92.7	7,700



**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	3.9	2.9 - 5.2	3,000	96.1	94.8 - 97.1	3,200
\$10,000-\$24,999	200	5.8	4.7 - 7.1	3,500	94.2	92.9 - 95.3	3,700
\$25,000-\$49,999	300	7.0	5.8 - 8.4	3,900	93.0	91.6 - 94.2	4,200
>=\$50,000	500	8.5	7.4 - 9.7	5,500	91.5	90.3 - 92.6	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.0	3.7 - 6.6	1,300	95.0	93.4 - 96.3	1,400
Normal birth weight	1,100	6.5	5.9 - 7.2	15,800	93.5	92.8 - 94.1	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.9	6.7 - 11.7	1,400	91.1	88.3 - 93.3	1,600
No	1,000	6.2	5.6 - 6.9	15,600	93.8	93.1 - 94.4	16,600

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.1	5.9 - 8.6	3,500	92.9	91.4 - 94.1	3,800
No	900	6.3	5.7 - 7.0	13,500	93.7	93.0 - 94.3	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	5.3	4.5 - 6.2	7,300	94.7	93.8 - 95.5	7,700
No	800	7.3	6.5 - 8.2	9,500	92.7	91.8 - 93.5	10,300

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,100	5.9	5.4 - 6.5	17,000	94.1	93.5 - 94.6	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	6.0	4.8 - 7.5	2,200	94.0	92.5 - 95.2	2,300
<b>Honolulu</b>	700	5.5	4.9 - 6.2	12,200	94.5	93.8 - 95.1	12,900
<b>Kauai</b>	100	7.9	5.8 - 10.7	800	92.1	89.3 - 94.2	900
<b>Maui</b>	100	7.4	6.0 - 9.1	1,900	92.6	90.9 - 94.0	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	10.5	9.1 - 12.0	3,700	89.5	88.0 - 90.9	4,200
Native Hawaiian	300	4.9	4.0 - 6.0	4,900	95.1	94.0 - 96.0	5,200
Chinese	<50	4.5	3.0 - 6.5	600	95.5	93.5 - 97.0	700
Filipino	100	3.6	2.8 - 4.5	3,200	96.4	95.5 - 97.2	3,300
Japanese	100	5.4	4.0 - 7.2	1,900	94.6	92.8 - 96.0	2,000
Other	100	4.6	3.5 - 6.1	2,600	95.4	93.9 - 96.5	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.7	1.7 - 4.4	1,500	97.3	95.6 - 98.3	1,600
20-24	200	4.6	3.7 - 5.7	4,100	95.4	94.3 - 96.3	4,300
25-34	600	6.2	5.5 - 7.0	8,500	93.8	93.0 - 94.5	9,100
35+	300	8.6	7.3 - 10.2	2,900	91.4	89.8 - 92.7	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.6	4.9 - 6.4	8,900	94.4	93.6 - 95.1	9,400
Female	500	6.3	5.6 - 7.1	8,100	93.7	92.9 - 94.4	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.2	5.5 - 6.9	10,600	93.8	93.1 - 94.5	11,300
No	400	5.5	4.7 - 6.5	6,500	94.5	93.5 - 95.3	6,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.7	3.9 - 5.6	6,300	95.3	94.4 - 96.1	6,600
131-185%	200	6.2	4.9 - 8.0	2,300	93.8	92.0 - 95.1	2,500
186+%	600	7.4	6.6 - 8.4	7,100	92.6	91.6 - 93.4	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	4.1	3.1 - 5.5	2,900	95.9	94.5 - 96.9	3,100
\$10,000-\$24,999	200	5.1	4.1 - 6.3	3,600	94.9	93.7 - 95.9	3,800
\$25,000-\$49,999	300	6.4	5.3 - 7.7	3,800	93.6	92.3 - 94.7	4,100
>=\$50,000	500	7.7	6.7 - 8.8	5,400	92.3	91.2 - 93.3	5,900

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.2	3.8 - 7.0	1,300	94.8	93.0 - 96.2	1,400
Normal birth weight	1,000	5.9	5.4 - 6.5	15,700	94.1	93.5 - 94.6	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.0	6.9 - 11.8	1,400	91.0	88.2 - 93.1	1,600
No	900	5.6	5.1 - 6.2	15,400	94.4	93.8 - 94.9	16,400

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	6.8	5.6 - 8.3	3,500	93.2	91.7 - 94.4	3,700
No	800	5.7	5.1 - 6.3	13,400	94.3	93.7 - 94.9	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	4.6	3.9 - 5.5	7,200	95.4	94.5 - 96.1	7,600
No	700	6.9	6.2 - 7.7	9,500	93.1	92.3 - 93.8	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	5.8	5.4 - 6.3	16,900	94.2	93.7 - 94.6	17,900

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	5.7	4.4 - 7.2	2,200	94.3	92.8 - 95.6	2,300
<b>Honolulu</b>	700	5.5	5.0 - 6.1	12,100	94.5	93.9 - 95.0	12,800
<b>Kauai</b>	100	7.1	5.0 - 10.1	800	92.9	89.9 - 95.0	900
<b>Maui</b>	100	7.6	6.1 - 9.5	1,800	92.4	90.5 - 93.9	1,900



**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	10.4	9.2 - 11.8	3,700	89.6	88.2 - 90.8	4,100
Native Hawaiian	200	5.0	4.1 - 6.0	4,700	95.0	94.0 - 95.9	5,000
Chinese	<50	4.3	3.3 - 5.6	600	95.7	94.4 - 96.7	600
Filipino	100	3.6	2.8 - 4.5	3,200	96.4	95.5 - 97.2	3,300
Japanese	100	5.2	4.1 - 6.7	2,000	94.8	93.3 - 95.9	2,200
Other	100	4.2	3.3 - 5.4	2,700	95.8	94.6 - 96.7	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.6	1.6 - 4.2	1,400	97.4	95.8 - 98.4	1,500
20-24	200	4.5	3.7 - 5.5	4,100	95.5	94.5 - 96.3	4,300
25-34	500	6.0	5.3 - 6.7	8,400	94.0	93.3 - 94.7	8,900
35+	300	8.8	7.5 - 10.2	2,900	91.2	89.8 - 92.5	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.5	4.9 - 6.2	8,800	94.5	93.8 - 95.1	9,400
Female	500	6.2	5.5 - 7.0	8,100	93.8	93.0 - 94.5	8,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.2	5.6 - 6.8	10,800	93.8	93.2 - 94.4	11,600
No	300	5.2	4.4 - 6.1	6,100	94.8	93.9 - 95.6	6,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.4	3.7 - 5.2	6,300	95.6	94.8 - 96.3	6,500
131-185%	100	5.2	4.1 - 6.7	2,200	94.8	93.3 - 95.9	2,300
186+%	600	7.7	6.9 - 8.6	7,100	92.3	91.4 - 93.1	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	3.9	3.0 - 5.1	2,900	96.1	94.9 - 97.0	3,000
\$10,000-\$24,999	200	4.6	3.7 - 5.7	3,700	95.4	94.3 - 96.3	3,900
\$25,000-\$49,999	200	5.7	4.8 - 6.8	4,000	94.3	93.2 - 95.2	4,200
>=\$50,000	500	8.3	7.4 - 9.3	5,200	91.7	90.7 - 92.6	5,600

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.6	3.2 - 6.5	1,300	95.4	93.5 - 96.8	1,300
Normal birth weight	1,000	5.9	5.4 - 6.5	15,600	94.1	93.5 - 94.6	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.7	6.8 - 11.0	1,400	91.3	89.0 - 93.2	1,500
No	900	5.6	5.1 - 6.1	15,400	94.4	93.9 - 94.9	16,300

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.8	5.7 - 8.1	3,400	93.2	91.9 - 94.3	3,600
No	800	5.6	5.1 - 6.1	13,400	94.4	93.9 - 94.9	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	4.3	3.6 - 5.0	7,300	95.7	95.0 - 96.4	7,600
No	700	7.1	6.4 - 7.8	9,300	92.9	92.2 - 93.6	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	5.4	5.0 - 5.9	16,800	94.6	94.1 - 95.0	17,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.8	3.7 - 6.1	2,100	95.2	93.9 - 96.3	2,200
<b>Honolulu</b>	700	5.2	4.6 - 5.8	12,100	94.8	94.2 - 95.4	12,800
<b>Kauai</b>	100	5.9	4.0 - 8.5	800	94.1	91.5 - 96.0	900
<b>Maui</b>	100	7.7	6.2 - 9.5	1,700	92.3	90.5 - 93.8	1,900

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.6	8.4 - 11.1	3,600	90.4	88.9 - 91.6	4,000
Native Hawaiian	200	4.9	4.1 - 5.9	4,600	95.1	94.1 - 95.9	4,900
Chinese	<50	4.1	2.6 - 6.6	600	95.9	93.4 - 97.4	600
Filipino	100	3.1	2.4 - 4.0	3,300	96.9	96.0 - 97.6	3,400
Japanese	100	4.1	3.0 - 5.4	2,100	95.9	94.6 - 97.0	2,200
Other	100	4.6	3.6 - 6.0	2,600	95.4	94.0 - 96.4	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.6	1.6 - 4.2	1,500	97.4	95.8 - 98.4	1,500
20-24	200	4.1	3.3 - 5.1	4,200	95.9	94.9 - 96.7	4,400
25-34	500	5.8	5.1 - 6.5	8,200	94.2	93.5 - 94.9	8,700
35+	200	7.8	6.6 - 9.2	2,900	92.2	90.8 - 93.4	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.1	4.5 - 5.8	8,800	94.9	94.2 - 95.5	9,300
Female	500	5.8	5.1 - 6.6	8,000	94.2	93.4 - 94.9	8,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	5.8	5.2 - 6.5	10,900	94.2	93.5 - 94.8	11,500
No	300	4.7	4.0 - 5.6	5,900	95.3	94.4 - 96.0	6,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.0	3.4 - 4.8	6,400	96.0	95.2 - 96.6	6,700
131-185%	100	5.3	4.1 - 6.8	2,200	94.7	93.2 - 95.9	2,300
186+%	500	7.3	6.5 - 8.2	6,700	92.7	91.8 - 93.5	7,300

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.0	2.7 - 5.8	1,300	96.0	94.2 - 97.3	1,300
Normal birth weight	900	5.5	5.0 - 6.1	15,500	94.5	93.9 - 95.0	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.7	6.8 - 11.1	1,400	91.3	88.9 - 93.2	1,500
No	800	5.1	4.7 - 5.6	15,200	94.9	94.4 - 95.3	16,100

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.3	5.2 - 7.6	3,400	93.7	92.4 - 94.8	3,700
No	700	5.3	4.7 - 5.8	13,200	94.7	94.2 - 95.3	13,900



**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	4.1	3.5 - 4.8	7,200	95.9	95.2 - 96.5	7,500
No	600	6.5	5.8 - 7.2	9,300	93.5	92.8 - 94.2	9,900

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	900	5.0	4.5 - 5.5	16,600	95.0	94.5 - 95.5	17,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.2	3.2 - 5.5	2,000	95.8	94.5 - 96.8	2,100
<b>Honolulu</b>	600	4.7	4.1 - 5.3	12,100	95.3	94.7 - 95.9	12,700
<b>Kauai</b>	<50	6.0	4.2 - 8.7	700	94.0	91.3 - 95.8	800
<b>Maui</b>	100	7.3	5.9 - 8.9	1,700	92.7	91.1 - 94.1	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.7	7.5 - 10.2	3,500	91.3	89.8 - 92.5	3,800
Native Hawaiian	200	4.6	3.8 - 5.5	4,600	95.4	94.5 - 96.2	4,800
Chinese	<50	3.6	2.1 - 6.2	600	96.4	93.8 - 97.9	600
Filipino	100	2.7	2.0 - 3.7	3,300	97.3	96.3 - 98.0	3,400
Japanese	100	3.2	2.3 - 4.4	2,100	96.8	95.6 - 97.7	2,200
Other	100	4.9	3.7 - 6.4	2,400	95.1	93.6 - 96.3	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.7	1.7 - 4.3	1,400	97.3	95.7 - 98.3	1,500
20-24	200	3.9	3.1 - 4.9	4,100	96.1	95.1 - 96.9	4,300
25-34	500	5.4	4.7 - 6.1	8,200	94.6	93.9 - 95.3	8,600
35+	200	6.4	5.3 - 7.7	2,900	93.6	92.3 - 94.7	3,000

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.5	3.9 - 5.1	8,600	95.5	94.9 - 96.1	9,000
Female	500	5.5	4.8 - 6.3	7,900	94.5	93.7 - 95.2	8,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.3	4.7 - 6.0	10,900	94.7	94.0 - 95.3	11,500
No	300	4.3	3.6 - 5.1	5,700	95.7	94.9 - 96.4	5,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	3.7	3.0 - 4.4	6,400	96.3	95.6 - 97.0	6,700
131-185%	100	5.2	3.9 - 6.7	2,300	94.8	93.3 - 96.1	2,400
186+%	500	6.7	5.9 - 7.6	6,400	93.3	92.4 - 94.1	6,800

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.8	2.6 - 5.7	1,200	96.2	94.3 - 97.4	1,200
Normal birth weight	800	5.0	4.6 - 5.6	15,400	95.0	94.4 - 95.4	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.9	6.9 - 11.4	1,400	91.1	88.6 - 93.1	1,500
No	700	4.6	4.1 - 5.1	15,000	95.4	94.9 - 95.9	15,800

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.2	5.1 - 7.5	3,400	93.8	92.5 - 94.9	3,600
No	600	4.7	4.2 - 5.2	13,000	95.3	94.8 - 95.8	13,600

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	3.6	3.0 - 4.3	7,200	96.4	95.7 - 97.0	7,400
<b>No</b>	600	6.0	5.3 - 6.7	9,200	94.0	93.3 - 94.7	9,800

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	800	4.7	4.2 - 5.1	16,300	95.3	94.9 - 95.8	17,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.3	3.3 - 5.4	2,000	95.7	94.6 - 96.7	2,000
<b>Honolulu</b>	600	4.5	3.9 - 5.1	12,000	95.5	94.9 - 96.1	12,500
<b>Kauai</b>	<50	5.1	3.6 - 7.1	700	94.9	92.9 - 96.4	800
<b>Maui</b>	100	6.3	5.1 - 7.7	1,700	93.7	92.3 - 94.9	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.7	7.5 - 10.2	3,400	91.3	89.8 - 92.5	3,700
Native Hawaiian	200	3.9	3.3 - 4.7	4,500	96.1	95.3 - 96.7	4,700
Chinese	<50	3.3	1.7 - 6.2	600	96.7	93.8 - 98.3	700
Filipino	100	2.3	1.6 - 3.2	3,400	97.7	96.8 - 98.4	3,400
Japanese	100	3.2	2.3 - 4.5	2,100	96.8	95.5 - 97.7	2,200
Other	100	4.9	3.7 - 6.5	2,300	95.1	93.5 - 96.3	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.4	1.5 - 3.8	1,400	97.6	96.2 - 98.5	1,500
20-24	100	3.5	2.8 - 4.4	4,100	96.5	95.6 - 97.2	4,300
25-34	400	5.1	4.5 - 5.9	8,000	94.9	94.1 - 95.5	8,400
35+	200	6.1	4.9 - 7.4	2,700	93.9	92.6 - 95.1	2,900



**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.4	3.8 - 5.1	8,400	95.6	94.9 - 96.2	8,800
Female	400	4.9	4.3 - 5.6	7,800	95.1	94.4 - 95.7	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.0	4.4 - 5.6	10,800	95.0	94.4 - 95.6	11,400
No	200	4.0	3.3 - 4.7	5,400	96.0	95.3 - 96.7	5,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	3.3	2.8 - 4.0	6,400	96.7	96.0 - 97.2	6,600
131-185%	100	4.6	3.6 - 6.0	2,500	95.4	94.0 - 96.4	2,700
186+%	400	6.4	5.6 - 7.4	5,900	93.6	92.6 - 94.4	6,300

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.5	2.2 - 5.3	1,100	96.5	94.7 - 97.8	1,100
Normal birth weight	800	4.7	4.3 - 5.2	15,200	95.3	94.8 - 95.7	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.5	6.6 - 10.8	1,300	91.5	89.2 - 93.4	1,500
No	700	4.3	3.8 - 4.8	14,800	95.7	95.2 - 96.2	15,400

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.0	4.9 - 7.2	3,300	94.0	92.8 - 95.1	3,500
No	600	4.3	3.8 - 4.8	12,700	95.7	95.2 - 96.2	13,300

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	3.3	2.8 - 4.0	7,100	96.7	96.0 - 97.2	7,300
No	500	5.7	5.0 - 6.4	9,000	94.3	93.6 - 95.0	9,600

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	800	4.7	4.3 - 5.2	16,200	95.3	94.8 - 95.7	17,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.5	3.6 - 5.6	1,900	95.5	94.4 - 96.4	2,000
<b>Honolulu</b>	500	4.3	3.8 - 4.9	11,900	95.7	95.1 - 96.2	12,500
<b>Kauai</b>	<50	6.1	4.5 - 8.1	700	93.9	91.9 - 95.5	800
<b>Maui</b>	100	6.9	5.8 - 8.3	1,700	93.1	91.7 - 94.2	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	9.1	7.8 - 10.5	3,400	90.9	89.5 - 92.2	3,700
Native Hawaiian	200	4.1	3.5 - 4.8	4,400	95.9	95.2 - 96.5	4,600
Chinese	<50	4.0	2.2 - 7.2	600	96.0	92.8 - 97.8	700
Filipino	100	2.2	1.6 - 3.1	3,400	97.8	96.9 - 98.4	3,500
Japanese	100	2.8	2.0 - 4.1	2,100	97.2	95.9 - 98.0	2,100
Other	100	4.6	3.4 - 6.2	2,300	95.4	93.8 - 96.6	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.2	1.4 - 3.5	1,500	97.8	96.5 - 98.6	1,500
20-24	200	3.6	2.9 - 4.4	4,100	96.4	95.6 - 97.1	4,200
25-34	400	5.3	4.6 - 6.1	7,800	94.7	93.9 - 95.4	8,300
35+	200	6.0	4.9 - 7.3	2,700	94.0	92.7 - 95.1	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.6	4.1 - 5.3	8,400	95.4	94.7 - 95.9	8,800
Female	400	4.8	4.2 - 5.5	7,800	95.2	94.5 - 95.8	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.0	4.5 - 5.6	10,900	95.0	94.4 - 95.5	11,500
No	200	4.1	3.4 - 4.8	5,200	95.9	95.2 - 96.6	5,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	3.4	2.8 - 4.0	6,600	96.6	96.0 - 97.2	6,800
131-185%	100	4.7	3.7 - 6.0	2,600	95.3	94.0 - 96.3	2,700
186+%	400	6.6	5.8 - 7.6	5,600	93.4	92.4 - 94.2	6,000

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.1	2.0 - 4.6	1,100	96.9	95.4 - 98.0	1,100
Normal birth weight	800	4.8	4.4 - 5.3	15,000	95.2	94.7 - 95.6	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.8	6.9 - 11.1	1,300	91.2	88.9 - 93.1	1,500
No	700	4.3	3.9 - 4.8	14,700	95.7	95.2 - 96.1	15,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.2	5.2 - 7.5	3,200	93.8	92.5 - 94.8	3,400
No	600	4.3	3.8 - 4.8	12,700	95.7	95.2 - 96.2	13,200

**PRAMS Health Indicator 5-Year Aggregate Report - Drinking alcohol last 3 mos of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.6	3.0 - 4.3	7,000	96.4	95.7 - 97.0	7,300
No	500	5.6	4.9 - 6.3	9,000	94.4	93.7 - 95.1	9,500