

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Drinking alcohol 3 months before pregnancy	Drinking alcohol 3 months before pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/8/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	6,900	41.6	39.4 - 43.8	9,700	58.4	56.2 - 60.6	16,500
2001	6,800	42.1	39.9 - 44.3	9,400	57.9	55.7 - 60.1	16,200
2002	6,700	40.3	37.6 - 43.1	9,900	59.7	56.9 - 62.4	16,600
2003	7,100	41.2	38.6 - 43.9	10,100	58.8	56.1 - 61.4	17,200
2004	7,300	42.1	40.0 - 44.2	10,100	57.9	55.8 - 60.0	17,400
2005	7,800	45.5	43.2 - 47.8	9,400	54.5	52.2 - 56.8	17,200
2006	8,600	47.4	45.0 - 49.8	9,500	52.6	50.2 - 55.0	18,100
2007	8,800	48.0	45.7 - 50.3	9,600	52.0	49.7 - 54.3	18,400
2008	9,100	49.2	46.9 - 51.6	9,400	50.8	48.4 - 53.1	18,400
2009	9,100	49.8	46.7 - 52.9	9,200	50.2	47.1 - 53.3	18,300
2010	9,500	51.6	48.4 - 54.8	8,900	48.4	45.2 - 51.6	18,400
2011	9,800	53.1	49.9 - 56.3	8,600	46.9	43.7 - 50.1	18,400
2012	9,600	53.8	50.5 - 57.1	8,300	46.2	42.9 - 49.5	17,900
2013	9,500	53.1	49.6 - 56.6	8,400	46.9	43.4 - 50.4	18,000

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	9,500	53.1	49.6 - 56.6	8,400	46.9	43.4 - 50.4	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	50.9	45.3 - 56.5	1,100	49.1	43.5 - 54.7	2,300
Honolulu	6,800	53.0	48.3 - 57.7	6,100	47.0	42.3 - 51.7	12,900
Kauai	400	55.6	50.2 - 61.0	400	44.4	39.0 - 49.8	800
Maui	1,100	54.9	49.3 - 60.3	900	45.1	39.7 - 50.7	2,000

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	64.7	57.6 - 71.2	1,700	35.3	28.8 - 42.4	4,700
Native Hawaiian	2,800	52.7	46.6 - 58.7	2,600	47.3	41.3 - 53.4	5,400
Chinese	400	43.3	27.9 - 60.1	500	56.7	39.9 - 72.1	900
Filipino	1,300	45.8	37.3 - 54.6	1,600	54.2	45.4 - 62.7	2,900
Japanese	1,100	59.0	47.4 - 69.7	700	41.0	30.3 - 52.6	1,800
Other	900	38.7	29.5 - 48.9	1,400	61.3	51.1 - 70.5	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	19.7	11.6 - 31.3	700	80.3	68.7 - 88.4	900
20-24	2,000	49.8	42.3 - 57.4	2,000	50.2	42.6 - 57.7	4,100
25-34	5,600	58.3	53.5 - 63.0	4,000	41.7	37.0 - 46.5	9,700
35+	1,700	50.8	43.0 - 58.5	1,700	49.2	41.5 - 57.0	3,400

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,600	52.0	47.1 - 57.0	4,200	48.0	43.0 - 52.9	8,800
Female	5,000	54.1	49.1 - 59.0	4,200	45.9	41.0 - 50.9	9,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,100	53.2	48.7 - 57.7	5,300	46.8	42.3 - 51.3	11,400
No	3,500	52.8	47.3 - 58.3	3,100	47.2	41.7 - 52.7	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,000	44.9	39.4 - 50.6	3,600	55.1	49.4 - 60.6	6,600
131-185%	1,400	58.9	49.3 - 67.9	1,000	41.1	32.1 - 50.7	2,500
186+%	4,500	62.2	56.6 - 67.6	2,700	37.8	32.4 - 43.4	7,200

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	1,700	40.2	33.6 - 47.2	2,500	59.8	52.8 - 66.4	4,200
\$17,001-\$26,000	1,200	51.8	42.1 - 61.3	1,100	48.2	38.7 - 57.9	2,400
\$26,001-\$51,000	2,400	61.5	53.9 - 68.5	1,500	38.5	31.5 - 46.1	3,900
>=\$51,001	3,700	60.8	54.6 - 66.6	2,400	39.2	33.4 - 45.4	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	50.7	45.7 - 55.7	600	49.3	44.3 - 54.3	1,300
Normal birth weight	8,900	53.3	49.5 - 57.1	7,800	46.7	42.9 - 50.5	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	54.6	41.0 - 67.5	500	45.4	32.5 - 59.0	1,000
No	9,000	53.0	49.3 - 56.6	8,000	47.0	43.4 - 50.7	17,000

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	67.3	59.3 - 74.4	1,100	32.7	25.6 - 40.7	3,300
No	7,300	49.9	46.0 - 53.8	7,400	50.1	46.2 - 54.0	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,600	44.6	39.6 - 49.8	4,400	55.4	50.2 - 60.4	8,000
No	6,000	60.2	55.5 - 64.8	3,900	39.8	35.2 - 44.5	9,900

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	9,600	53.8	50.5 - 57.1	8,300	46.2	42.9 - 49.5	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	55.7	50.3 - 61.0	1,000	44.3	39.0 - 49.7	2,200
Honolulu	6,800	52.8	48.4 - 57.2	6,100	47.2	42.8 - 51.6	12,900
Kauai	500	59.3	52.8 - 65.4	300	40.7	34.6 - 47.2	800
Maui	1,100	56.1	50.9 - 61.1	800	43.9	38.9 - 49.1	1,900

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	70.4	63.9 - 76.2	1,200	29.6	23.8 - 36.1	4,200
Native Hawaiian	2,900	57.1	51.0 - 62.9	2,100	42.9	37.1 - 49.0	5,000
Chinese	500	44.7	31.4 - 58.9	600	55.3	41.1 - 68.6	1,000
Filipino	1,200	36.0	28.9 - 43.8	2,000	64.0	56.2 - 71.1	3,200
Japanese	900	59.6	48.2 - 70.1	600	40.4	29.9 - 51.8	1,500
Other	1,300	44.2	35.9 - 52.8	1,600	55.8	47.2 - 64.1	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	22.6	12.8 - 36.8	800	77.4	63.2 - 87.2	1,000
20-24	2,100	59.7	52.3 - 66.7	1,400	40.3	33.3 - 47.7	3,600
25-34	5,600	55.8	51.4 - 60.2	4,400	44.2	39.8 - 48.6	10,100
35+	1,700	51.1	43.5 - 58.6	1,600	48.9	41.4 - 56.5	3,200

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,700	53.3	48.5 - 57.9	4,100	46.7	42.1 - 51.5	8,900
Female	4,900	54.3	49.7 - 58.9	4,100	45.7	41.1 - 50.3	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	50.4	46.1 - 54.6	5,500	49.6	45.4 - 53.9	11,000
No	4,100	59.3	54.1 - 64.3	2,800	40.7	35.7 - 45.9	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,000	47.2	41.8 - 52.7	3,400	52.8	47.3 - 58.2	6,400
131-185%	1,500	51.0	42.8 - 59.2	1,500	49.0	40.8 - 57.2	3,000
186+%	4,200	62.6	57.2 - 67.6	2,500	37.4	32.4 - 42.8	6,700

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	1,900	46.4	39.6 - 53.4	2,200	53.6	46.6 - 60.4	4,100
\$17,001-\$26,000	1,100	49.0	40.0 - 58.0	1,100	51.0	42.0 - 60.0	2,200
\$26,001-\$51,000	2,300	52.4	45.6 - 59.1	2,100	47.6	40.9 - 54.4	4,300
>=\$51,001	3,600	62.9	57.1 - 68.3	2,100	37.1	31.7 - 42.9	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	48.4	42.9 - 54.0	600	51.6	46.0 - 57.1	1,200
Normal birth weight	9,000	54.3	50.7 - 57.8	7,600	45.7	42.2 - 49.3	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	78.5	67.0 - 86.8	200	21.5	13.2 - 33.0	700
No	9,000	52.9	49.5 - 56.3	8,000	47.1	43.7 - 50.5	17,100

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	85.3	79.6 - 89.6	400	14.7	10.4 - 20.4	2,900
No	7,200	48.0	44.4 - 51.6	7,800	52.0	48.4 - 55.6	14,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,800	46.8	42.0 - 51.7	4,300	53.2	48.3 - 58.0	8,100
No	5,800	59.9	55.4 - 64.2	3,900	40.1	35.8 - 44.6	9,700

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	9,800	53.1	49.9 - 56.3	8,600	46.9	43.7 - 50.1	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	50.8	45.7 - 55.9	1,200	49.2	44.1 - 54.3	2,400
Honolulu	6,900	52.2	47.9 - 56.5	6,300	47.8	43.5 - 52.1	13,200
Kauai	500	57.5	51.2 - 63.5	400	42.5	36.5 - 48.8	900
Maui	1,200	60.0	55.3 - 64.4	800	40.0	35.6 - 44.7	2,000

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	68.7	62.5 - 74.4	1,400	31.3	25.6 - 37.5	4,500
Native Hawaiian	3,000	56.5	50.7 - 62.2	2,300	43.5	37.8 - 49.3	5,200
Chinese	300	34.3	20.9 - 50.9	500	65.7	49.1 - 79.1	700
Filipino	1,400	42.3	35.1 - 49.9	1,900	57.7	50.1 - 64.9	3,300
Japanese	1,000	54.6	44.1 - 64.6	900	45.4	35.4 - 55.9	1,900
Other	1,100	38.3	30.2 - 47.1	1,700	61.7	52.9 - 69.8	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	19.6	13.1 - 28.4	800	80.4	71.6 - 86.9	1,100
20-24	2,500	57.6	50.7 - 64.2	1,900	42.4	35.8 - 49.3	4,400
25-34	5,500	55.8	51.4 - 60.2	4,400	44.2	39.8 - 48.6	9,900
35+	1,600	49.5	42.0 - 57.0	1,600	50.5	43.0 - 58.0	3,100

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,000	53.7	49.1 - 58.1	4,300	46.3	41.9 - 50.9	9,400
Female	4,800	52.5	47.9 - 57.1	4,300	47.5	42.9 - 52.1	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,800	50.6	46.5 - 54.7	5,700	49.4	45.3 - 53.5	11,500
No	4,000	57.2	52.0 - 62.3	3,000	42.8	37.7 - 48.0	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,900	43.7	38.6 - 48.9	3,700	56.3	51.1 - 61.4	6,600
131-185%	1,600	57.7	49.1 - 65.9	1,200	42.3	34.1 - 50.9	2,800
186+%	5,000	61.7	56.8 - 66.4	3,100	38.3	33.6 - 43.2	8,000

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,500	44.4	37.2 - 51.7	1,900	55.6	48.3 - 62.8	3,400
\$10,000-\$24,999	1,700	48.9	41.6 - 56.2	1,700	51.1	43.8 - 58.4	3,400
\$25,000-\$49,999	2,700	58.1	51.5 - 64.5	1,900	41.9	35.5 - 48.5	4,600
>=\$50,000	3,700	59.6	54.0 - 65.0	2,500	40.4	35.0 - 46.0	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	53.6	48.1 - 59.0	600	46.4	41.0 - 51.9	1,300
Normal birth weight	9,100	53.2	49.7 - 56.6	8,000	46.8	43.4 - 50.3	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	52.4	39.7 - 64.8	400	47.6	35.2 - 60.3	900
No	9,200	53.1	49.8 - 56.4	8,100	46.9	43.6 - 50.2	17,300

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	74.0	67.5 - 79.7	900	26.0	20.3 - 32.5	3,500
No	7,100	48.1	44.5 - 51.7	7,600	51.9	48.3 - 55.5	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,000	48.1	43.4 - 52.9	4,300	51.9	47.1 - 56.6	8,300
No	5,700	57.3	52.9 - 61.6	4,300	42.7	38.4 - 47.1	10,000

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	9,500	51.6	48.4 - 54.8	8,900	48.4	45.2 - 51.6	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	53.7	48.6 - 58.7	1,100	46.3	41.3 - 51.4	2,300
Honolulu	6,700	50.2	46.0 - 54.5	6,600	49.8	45.5 - 54.0	13,300
Kauai	500	59.6	53.7 - 65.3	300	40.4	34.7 - 46.3	800
Maui	1,100	55.2	50.4 - 60.0	900	44.8	40.0 - 49.6	2,000

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	64.1	57.6 - 70.1	1,600	35.9	29.9 - 42.4	4,500
Native Hawaiian	3,200	57.3	51.7 - 62.8	2,400	42.7	37.2 - 48.3	5,500
Chinese	400	48.5	32.7 - 64.5	400	51.5	35.5 - 67.3	700
Filipino	1,400	41.4	34.2 - 49.0	1,900	58.6	51.0 - 65.8	3,300
Japanese	800	48.5	38.0 - 59.1	800	51.5	40.9 - 62.0	1,600
Other	900	34.3	26.5 - 43.1	1,800	65.7	56.9 - 73.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	26.6	17.7 - 38.0	800	73.4	62.0 - 82.3	1,100
20-24	2,400	53.5	46.9 - 60.0	2,100	46.5	40.0 - 53.1	4,500
25-34	5,200	55.2	50.7 - 59.6	4,300	44.8	40.4 - 49.3	9,500
35+	1,600	47.3	39.8 - 54.8	1,700	52.7	45.2 - 60.2	3,300

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,800	51.5	47.1 - 56.0	4,500	48.5	44.0 - 52.9	9,300
Female	4,700	51.7	47.1 - 56.3	4,400	48.3	43.7 - 52.9	9,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	51.7	47.5 - 55.8	5,600	48.3	44.2 - 52.5	11,500
No	3,600	51.5	46.5 - 56.6	3,400	48.5	43.4 - 53.5	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,900	45.6	40.3 - 50.9	3,500	54.4	49.1 - 59.7	6,400
131-185%	1,700	55.5	47.4 - 63.3	1,300	44.5	36.7 - 52.6	3,000
186+%	4,600	59.1	54.1 - 63.9	3,200	40.9	36.1 - 45.9	7,800

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,400	39.9	33.2 - 47.0	2,100	60.1	53.0 - 66.8	3,400
\$10,000-\$24,999	1,700	52.8	45.2 - 60.2	1,500	47.2	39.8 - 54.8	3,200
\$25,000-\$49,999	2,600	56.2	49.7 - 62.4	2,000	43.8	37.6 - 50.3	4,600
>=\$50,000	3,700	59.2	53.5 - 64.6	2,500	40.8	35.4 - 46.5	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	44.3	39.1 - 49.7	700	55.7	50.3 - 60.9	1,300
Normal birth weight	8,900	52.3	48.9 - 55.7	8,100	47.7	44.3 - 51.1	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	54.3	42.4 - 65.8	700	45.7	34.2 - 57.6	1,400
No	8,600	51.4	48.1 - 54.7	8,200	48.6	45.3 - 51.9	16,800

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	73.0	66.4 - 78.8	1,000	27.0	21.2 - 33.6	3,800
No	6,600	45.9	42.4 - 49.6	7,800	54.1	50.4 - 57.6	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,900	48.8	44.1 - 53.5	4,100	51.2	46.5 - 55.9	8,100
No	5,500	53.9	49.5 - 58.3	4,700	46.1	41.7 - 50.5	10,200

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	9,100	49.8	46.7 - 52.9	9,200	50.2	47.1 - 53.3	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	56.6	51.5 - 61.5	1,100	43.4	38.5 - 48.5	2,400
Honolulu	6,200	48.0	43.8 - 52.3	6,700	52.0	47.7 - 56.2	12,900
Kauai	500	58.4	52.4 - 64.2	400	41.6	35.8 - 47.6	900
Maui	1,000	49.6	45.0 - 54.2	1,100	50.4	45.8 - 55.0	2,100

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,800	64.3	58.0 - 70.1	1,500	35.7	29.9 - 42.0	4,300
Native Hawaiian	3,000	51.3	45.8 - 56.8	2,900	48.7	43.2 - 54.2	5,900
Chinese	400	44.0	29.0 - 60.2	400	56.0	39.8 - 71.0	800
Filipino	1,200	36.2	29.4 - 43.5	2,000	63.8	56.5 - 70.6	3,200
Japanese	800	46.9	36.6 - 57.4	900	53.1	42.6 - 63.4	1,600
Other	1,100	42.3	33.9 - 51.3	1,400	57.7	48.7 - 66.1	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	39.9	30.3 - 50.5	1,100	60.1	49.5 - 69.7	1,900
20-24	2,300	54.6	47.9 - 61.1	1,900	45.4	38.9 - 52.1	4,200
25-34	4,700	51.9	47.5 - 56.3	4,400	48.1	43.7 - 52.5	9,100
35+	1,300	43.0	35.8 - 50.5	1,800	57.0	49.5 - 64.2	3,100

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,700	48.0	43.6 - 52.3	5,100	52.0	47.7 - 56.4	9,800
Female	4,400	51.9	47.4 - 56.4	4,100	48.1	43.6 - 52.6	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	48.3	44.3 - 52.4	5,600	51.7	47.6 - 55.7	10,800
No	3,900	51.9	47.0 - 56.8	3,600	48.1	43.2 - 53.0	7,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,800	43.7	38.5 - 49.0	3,600	56.3	51.0 - 61.5	6,400
131-185%	1,500	54.8	46.7 - 62.7	1,300	45.2	37.3 - 53.3	2,800
186+%	4,200	57.4	52.5 - 62.2	3,100	42.6	37.8 - 47.5	7,400

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,300	41.0	33.5 - 48.9	1,800	59.0	51.1 - 66.5	3,100
\$10,000-\$24,999	1,900	50.1	43.4 - 56.7	1,900	49.9	43.3 - 56.6	3,900
\$25,000-\$49,999	1,900	53.6	46.7 - 60.5	1,700	46.4	39.5 - 53.3	3,600
>=\$50,000	3,400	55.9	50.4 - 61.2	2,700	44.1	38.8 - 49.6	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	46.1	41.0 - 51.3	700	53.9	48.7 - 59.0	1,300
Normal birth weight	8,400	49.9	46.6 - 53.3	8,500	50.1	46.7 - 53.4	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	52.8	42.4 - 62.9	800	47.2	37.1 - 57.6	1,700
No	8,000	49.7	46.3 - 53.0	8,100	50.3	47.0 - 53.7	16,100

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	68.5	62.0 - 74.4	1,300	31.5	25.6 - 38.0	4,000
No	6,200	44.6	41.1 - 48.2	7,700	55.4	51.8 - 58.9	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,400	46.3	41.5 - 51.1	4,000	53.7	48.9 - 58.5	7,400
No	5,400	52.4	48.1 - 56.6	4,900	47.6	43.4 - 51.9	10,300

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	9,100	49.2	46.9 - 51.6	9,400	50.8	48.4 - 53.1	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,100	45.9	39.3 - 52.7	1,300	54.1	47.3 - 60.7	2,400
Honolulu	6,300	48.4	45.6 - 51.1	6,700	51.6	48.9 - 54.4	13,000
Kauai	500	58.7	47.6 - 69.0	400	41.3	31.0 - 52.4	900
Maui	1,200	54.4	47.3 - 61.3	1,000	45.6	38.7 - 52.7	2,100

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	68.6	63.9 - 72.9	1,400	31.4	27.1 - 36.1	4,400
Native Hawaiian	2,500	48.4	43.5 - 53.3	2,600	51.6	46.7 - 56.5	5,100
Chinese	300	42.5	36.1 - 49.2	400	57.5	50.8 - 63.9	600
Filipino	1,400	40.7	35.8 - 45.9	2,100	59.3	54.1 - 64.2	3,500
Japanese	1,000	51.0	44.0 - 58.1	1,000	49.0	41.9 - 56.0	2,000
Other	900	32.0	26.7 - 37.7	2,000	68.0	62.3 - 73.3	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	36.9	28.7 - 45.9	900	63.1	54.1 - 71.3	1,400
20-24	2,400	60.3	55.1 - 65.4	1,600	39.7	34.6 - 44.9	4,000
25-34	4,600	47.4	44.2 - 50.6	5,100	52.6	49.4 - 55.8	9,600
35+	1,600	46.4	41.2 - 51.6	1,800	53.6	48.4 - 58.8	3,400

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,900	50.4	47.2 - 53.6	4,800	49.6	46.4 - 52.8	9,700
Female	4,200	47.9	44.5 - 51.4	4,600	52.1	48.6 - 55.5	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	48.5	45.7 - 51.4	6,000	51.5	48.6 - 54.3	11,600
No	3,500	50.4	46.4 - 54.5	3,400	49.6	45.5 - 53.6	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,800	41.1	37.2 - 45.1	4,000	58.9	54.9 - 62.8	6,900
131-185%	1,200	46.5	40.2 - 52.8	1,400	53.5	47.2 - 59.8	2,600
186+%	4,600	59.2	55.8 - 62.6	3,200	40.8	37.4 - 44.2	7,700

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,000	32.6	27.2 - 38.5	2,100	67.4	61.5 - 72.8	3,100
\$10,000-\$24,999	2,000	51.5	46.3 - 56.8	1,900	48.5	43.2 - 53.7	4,000
\$25,000-\$49,999	2,300	53.9	49.0 - 58.8	1,900	46.1	41.2 - 51.0	4,200
>=\$50,000	3,400	55.8	51.9 - 59.6	2,700	44.2	40.4 - 48.1	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	43.0	34.2 - 52.3	700	57.0	47.7 - 65.8	1,200
Normal birth weight	8,600	49.8	47.4 - 52.2	8,600	50.2	47.8 - 52.6	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	58.8	50.1 - 67.0	600	41.2	33.0 - 49.9	1,500
No	8,100	48.3	45.9 - 50.7	8,700	51.7	49.3 - 54.1	16,800

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	70.4	64.8 - 75.3	1,000	29.6	24.7 - 35.2	3,500
No	6,600	44.2	41.7 - 46.8	8,300	55.8	53.2 - 58.3	14,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,200	40.3	36.7 - 44.0	4,700	59.7	56.0 - 63.3	7,900
No	5,800	55.7	52.7 - 58.7	4,600	44.3	41.3 - 47.3	10,300

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	8,800	48.0	45.7 - 50.3	9,600	52.0	49.7 - 54.3	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	50.3	43.6 - 56.9	1,200	49.7	43.1 - 56.4	2,400
Honolulu	5,900	46.0	43.2 - 48.8	6,900	54.0	51.2 - 56.8	12,700
Kauai	600	57.9	47.7 - 67.4	500	42.1	32.6 - 52.3	1,100
Maui	1,100	52.4	45.3 - 59.4	1,000	47.6	40.6 - 54.7	2,200

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	70.7	66.0 - 75.1	1,200	29.3	24.9 - 34.0	4,100
Native Hawaiian	2,400	47.7	42.8 - 52.6	2,600	52.3	47.4 - 57.2	5,000
Chinese	200	30.6	24.8 - 37.0	500	69.4	63.0 - 75.2	700
Filipino	1,200	33.8	29.2 - 38.8	2,300	66.2	61.2 - 70.8	3,400
Japanese	1,100	49.8	43.0 - 56.6	1,100	50.2	43.4 - 57.0	2,200
Other	1,100	35.9	30.4 - 41.9	1,900	64.1	58.1 - 69.6	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	30.3	22.8 - 38.9	1,200	69.7	61.1 - 77.2	1,700
20-24	2,400	51.3	46.5 - 56.2	2,200	48.7	43.8 - 53.5	4,600
25-34	4,500	50.6	47.4 - 53.9	4,400	49.4	46.1 - 52.6	9,000
35+	1,400	45.0	39.7 - 50.3	1,700	55.0	49.7 - 60.3	3,100

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,500	47.0	43.8 - 50.3	5,100	53.0	49.7 - 56.2	9,500
Female	4,300	49.1	45.7 - 52.4	4,500	50.9	47.6 - 54.3	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	48.8	46.0 - 51.6	5,800	51.2	48.4 - 54.0	11,400
No	3,200	46.6	42.6 - 50.7	3,700	53.4	49.3 - 57.4	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,500	36.7	32.9 - 40.7	4,300	63.3	59.3 - 67.1	6,900
131-185%	1,400	50.6	44.6 - 56.6	1,300	49.4	43.4 - 55.4	2,700
186+%	4,600	61.1	57.6 - 64.4	2,900	38.9	35.6 - 42.4	7,500

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,000	33.8	28.2 - 39.8	2,100	66.2	60.2 - 71.8	3,100
\$10,000-\$24,999	1,700	44.2	39.0 - 49.4	2,100	55.8	50.6 - 61.0	3,800
\$25,000-\$49,999	2,400	56.0	51.1 - 60.7	1,900	44.0	39.3 - 48.9	4,200
>=\$50,000	3,400	56.6	52.7 - 60.4	2,600	43.4	39.6 - 47.3	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	45.7	37.7 - 53.9	800	54.3	46.1 - 62.3	1,600
Normal birth weight	8,100	48.2	45.8 - 50.6	8,700	51.8	49.4 - 54.2	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	54.9	46.3 - 63.2	700	45.1	36.8 - 53.7	1,500
No	7,900	47.4	45.1 - 49.8	8,800	52.6	50.2 - 54.9	16,700

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	70.2	64.9 - 75.0	1,100	29.8	25.0 - 35.1	3,700
No	6,200	42.5	40.0 - 45.1	8,400	57.5	54.9 - 60.0	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,200	42.1	38.4 - 45.9	4,400	57.9	54.1 - 61.6	7,600
No	5,500	52.5	49.5 - 55.5	4,900	47.5	44.5 - 50.5	10,400

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	8,600	47.4	45.0 - 49.8	9,500	52.6	50.2 - 55.0	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,100	51.0	43.8 - 58.2	1,100	49.0	41.8 - 56.2	2,200
Honolulu	6,000	45.9	43.1 - 48.7	7,100	54.1	51.3 - 56.9	13,200
Kauai	400	51.9	40.5 - 63.1	400	48.1	36.9 - 59.5	900
Maui	1,000	51.5	43.9 - 59.1	900	48.5	40.9 - 56.1	1,900

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,700	63.8	58.8 - 68.5	1,600	36.2	31.5 - 41.2	4,300
Native Hawaiian	2,600	53.2	48.1 - 58.2	2,300	46.8	41.8 - 51.9	5,000
Chinese	200	34.7	28.3 - 41.7	400	65.3	58.3 - 71.7	600
Filipino	1,000	28.9	24.3 - 34.1	2,400	71.1	65.9 - 75.7	3,300
Japanese	1,000	46.7	39.7 - 53.7	1,100	53.3	46.3 - 60.3	2,100
Other	1,100	37.1	31.3 - 43.4	1,800	62.9	56.6 - 68.7	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	30.9	23.1 - 40.0	1,100	69.1	60.0 - 76.9	1,500
20-24	2,400	53.8	48.6 - 58.9	2,100	46.2	41.1 - 51.4	4,400
25-34	4,300	48.5	45.2 - 52.0	4,600	51.5	48.0 - 54.8	8,900
35+	1,400	43.2	38.0 - 48.6	1,900	56.8	51.4 - 62.0	3,300

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,400	47.8	44.4 - 51.2	4,800	52.2	48.8 - 55.6	9,300
Female	4,200	46.9	43.5 - 50.4	4,700	53.1	49.6 - 56.5	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	47.6	44.7 - 50.5	6,000	52.4	49.5 - 55.3	11,500
No	3,100	46.9	42.7 - 51.2	3,500	53.1	48.8 - 57.3	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,500	39.3	35.2 - 43.6	3,800	60.7	56.4 - 64.8	6,300
131-185%	1,300	54.2	47.4 - 60.9	1,100	45.8	39.1 - 52.6	2,400
186+%	4,400	53.8	50.3 - 57.2	3,800	46.2	42.8 - 49.7	8,100

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,100	35.6	29.7 - 41.9	2,000	64.4	58.1 - 70.3	3,000
\$10,000-\$24,999	1,700	46.2	40.8 - 51.7	2,000	53.8	48.3 - 59.2	3,800
\$25,000-\$49,999	2,300	53.1	48.1 - 58.1	2,000	46.9	41.9 - 51.9	4,300
>=\$50,000	3,100	53.2	49.2 - 57.2	2,700	46.8	42.8 - 50.8	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	39.4	31.5 - 47.9	900	60.6	52.1 - 68.5	1,500
Normal birth weight	8,000	48.1	45.6 - 50.6	8,600	51.9	49.4 - 54.4	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	53.6	45.1 - 61.9	800	46.4	38.1 - 54.9	1,700
No	7,600	46.6	44.1 - 49.1	8,700	53.4	50.9 - 55.9	16,400

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	67.5	62.1 - 72.5	1,300	32.5	27.5 - 37.9	3,900
No	5,900	41.8	39.1 - 44.4	8,300	58.2	55.6 - 60.9	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,400	44.2	40.4 - 48.1	4,300	55.8	51.9 - 59.6	7,600
No	5,100	49.9	46.8 - 53.0	5,100	50.1	47.0 - 53.2	10,200

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,800	45.5	43.2 - 47.8	9,400	54.5	52.2 - 56.8	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,000	44.8	38.1 - 51.7	1,200	55.2	48.3 - 61.9	2,200
Honolulu	5,600	44.9	42.2 - 47.6	6,900	55.1	52.4 - 57.8	12,600
Kauai	300	44.1	33.0 - 55.9	400	55.9	44.1 - 67.0	700
Maui	900	51.9	44.3 - 59.4	800	48.1	40.6 - 55.7	1,700

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,400	64.4	59.3 - 69.2	1,300	35.6	30.8 - 40.7	3,700
Native Hawaiian	2,300	47.8	42.9 - 52.7	2,600	52.2	47.3 - 57.1	4,900
Chinese	200	31.4	25.8 - 37.6	400	68.6	62.4 - 74.2	600
Filipino	1,000	32.2	27.6 - 37.2	2,100	67.8	62.8 - 72.4	3,200
Japanese	1,000	42.4	36.3 - 48.7	1,300	57.6	51.3 - 63.7	2,300
Other	900	36.1	30.4 - 42.2	1,600	63.9	57.8 - 69.6	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	40.1	32.0 - 48.7	900	59.9	51.3 - 68.0	1,500
20-24	2,000	48.1	43.2 - 53.0	2,200	51.9	47.0 - 56.8	4,200
25-34	4,000	46.8	43.5 - 50.1	4,600	53.2	49.9 - 56.5	8,600
35+	1,200	40.8	35.6 - 46.2	1,800	59.2	53.8 - 64.4	3,000

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,900	44.6	41.3 - 47.9	4,900	55.4	52.1 - 58.7	8,800
Female	3,900	46.5	43.1 - 49.8	4,500	53.5	50.2 - 56.9	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,900	44.5	41.6 - 47.3	6,100	55.5	52.7 - 58.4	11,000
No	3,000	47.3	43.3 - 51.4	3,300	52.7	48.6 - 56.7	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,300	37.5	33.7 - 41.5	3,900	62.5	58.5 - 66.3	6,200
131-185%	800	42.9	35.7 - 50.4	1,000	57.1	49.6 - 64.3	1,800
186+%	4,300	55.6	52.2 - 58.9	3,400	44.4	41.1 - 47.8	7,700

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,200	40.7	35.0 - 46.7	1,700	59.3	53.3 - 65.0	2,900
\$10,000-\$24,999	1,300	35.1	30.3 - 40.2	2,300	64.9	59.8 - 69.7	3,600
\$25,000-\$49,999	2,100	51.6	46.6 - 56.5	1,900	48.4	43.5 - 53.4	4,000
>=\$50,000	2,900	54.8	50.7 - 58.8	2,400	45.2	41.2 - 49.3	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	42.7	34.2 - 51.7	700	57.3	48.3 - 65.8	1,200
Normal birth weight	7,300	45.7	43.3 - 48.1	8,700	54.3	51.9 - 56.7	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	55.3	46.7 - 63.6	600	44.7	36.4 - 53.3	1,400
No	7,000	44.6	42.2 - 47.0	8,700	55.4	53.0 - 57.8	15,700

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	67.8	62.6 - 72.6	1,200	32.2	27.4 - 37.4	3,600
No	5,300	39.6	37.0 - 42.2	8,100	60.4	57.8 - 63.0	13,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	38.5	34.9 - 42.2	4,500	61.5	57.8 - 65.1	7,300
No	4,900	51.2	48.1 - 54.2	4,700	48.8	45.8 - 51.9	9,600

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,300	42.1	40.0 - 44.2	10,100	57.9	55.8 - 60.0	17,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,000	45.3	39.0 - 51.7	1,200	54.7	48.3 - 61.0	2,200
Honolulu	5,200	41.0	38.5 - 43.5	7,500	59.0	56.5 - 61.5	12,700
Kauai	400	45.9	36.0 - 56.3	400	54.1	43.7 - 64.0	800
Maui	800	44.6	38.0 - 51.4	1,000	55.4	48.6 - 62.0	1,800

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,400	60.9	56.3 - 65.3	1,500	39.1	34.7 - 43.7	3,900
Native Hawaiian	2,100	44.5	40.0 - 49.1	2,700	55.5	50.9 - 60.0	4,800
Chinese	200	25.7	21.9 - 29.9	500	74.3	70.1 - 78.1	700
Filipino	900	27.1	23.2 - 31.4	2,400	72.9	68.6 - 76.8	3,300
Japanese	1,100	46.3	40.1 - 52.5	1,200	53.7	47.5 - 59.9	2,300
Other	800	29.1	24.1 - 34.6	1,800	70.9	65.4 - 75.9	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	32.4	25.1 - 40.8	900	67.6	59.2 - 74.9	1,300
20-24	2,100	47.0	42.6 - 51.6	2,300	53.0	48.4 - 57.4	4,400
25-34	3,500	41.9	38.9 - 44.9	4,900	58.1	55.1 - 61.1	8,500
35+	1,300	39.9	35.2 - 44.7	2,000	60.1	55.3 - 64.8	3,300

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,900	41.3	38.4 - 44.2	5,600	58.7	55.8 - 61.6	9,500
Female	3,400	43.1	39.9 - 46.3	4,500	56.9	53.7 - 60.1	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,100	41.5	39.1 - 44.0	7,200	58.5	56.0 - 60.9	12,300
No	2,300	43.4	39.4 - 47.6	2,900	56.6	52.4 - 60.6	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,000	31.7	28.4 - 35.3	4,400	68.3	64.7 - 71.6	6,400
131-185%	1,000	46.9	40.6 - 53.3	1,100	53.1	46.7 - 59.4	2,000
186+%	4,000	52.4	49.3 - 55.6	3,600	47.6	44.4 - 50.7	7,600

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	900	33.6	28.2 - 39.3	1,800	66.4	60.7 - 71.8	2,700
\$10,000-\$24,999	1,500	36.2	32.0 - 40.6	2,700	63.8	59.4 - 68.0	4,200
\$25,000-\$49,999	2,000	44.5	40.3 - 48.8	2,400	55.5	51.2 - 59.7	4,400
>=\$50,000	2,600	53.6	49.7 - 57.5	2,300	46.4	42.5 - 50.3	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	36.4	28.4 - 45.2	700	63.6	54.8 - 71.6	1,100
Normal birth weight	7,000	42.5	40.3 - 44.7	9,400	57.5	55.3 - 59.7	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	54.0	45.8 - 61.9	600	46.0	38.1 - 54.2	1,400
No	6,600	41.1	38.9 - 43.3	9,400	58.9	56.7 - 61.1	16,000

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	64.4	59.4 - 69.1	1,300	35.6	30.9 - 40.6	3,600
No	5,000	36.4	34.1 - 38.7	8,800	63.6	61.3 - 65.9	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	34.6	31.4 - 37.8	5,000	65.4	62.2 - 68.6	7,700
No	4,600	48.5	45.6 - 51.4	4,800	51.5	48.6 - 54.4	9,400

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,100	41.2	38.6 - 43.9	10,100	58.8	56.1 - 61.4	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	800	39.6	35.3 - 44.2	1,200	60.4	55.8 - 64.7	2,000
Honolulu	5,200	41.3	37.8 - 44.8	7,400	58.7	55.2 - 62.2	12,500
Kauai	300	39.9	32.8 - 47.3	500	60.1	52.7 - 67.2	800
Maui	800	43.4	38.6 - 48.2	1,100	56.6	51.8 - 61.4	1,900

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,400	62.8	56.6 - 68.6	1,400	37.2	31.4 - 43.4	3,700
Native Hawaiian	2,100	45.1	42.1 - 48.2	2,500	54.9	51.8 - 57.9	4,600
Chinese	200	32.7	19.7 - 48.9	500	67.3	51.1 - 80.3	700
Filipino	1,100	29.5	23.9 - 35.7	2,700	70.5	64.3 - 76.1	3,800
Japanese	600	30.8	23.2 - 39.6	1,400	69.2	60.4 - 76.8	2,000
Other	700	29.6	22.4 - 38.0	1,700	70.4	62.0 - 77.6	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	27.4	21.1 - 34.7	1,100	72.6	65.3 - 78.9	1,500
20-24	1,800	44.1	38.9 - 49.5	2,300	55.9	50.5 - 61.1	4,100
25-34	3,800	43.3	39.5 - 47.3	4,900	56.7	52.7 - 60.5	8,700
35+	1,100	38.2	31.9 - 44.9	1,800	61.8	55.1 - 68.1	2,900

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,900	42.5	38.9 - 46.2	5,300	57.5	53.8 - 61.1	9,100
Female	3,200	39.7	35.9 - 43.7	4,900	60.3	56.3 - 64.1	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,600	40.6	37.2 - 44.1	6,700	59.4	55.9 - 62.8	11,300
No	2,500	42.4	38.3 - 46.5	3,400	57.6	53.5 - 61.7	5,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,800	36.5	32.8 - 40.4	4,800	63.5	59.6 - 67.2	7,600
131-185%	1,000	40.3	33.6 - 47.5	1,500	59.7	52.5 - 66.4	2,500
186+%	2,800	51.4	46.3 - 56.5	2,600	48.6	43.5 - 53.7	5,400

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,300	31.8	27.2 - 36.8	2,800	68.2	63.2 - 72.8	4,200
\$15,001-\$25,000	1,000	44.9	37.7 - 52.3	1,200	55.1	47.7 - 62.3	2,200
\$25,001-\$40,000	1,300	41.7	35.5 - 48.2	1,800	58.3	51.8 - 64.5	3,200
>=\$40,001	3,100	47.1	42.6 - 51.7	3,500	52.9	48.3 - 57.4	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	30.8	22.1 - 41.0	800	69.2	59.0 - 77.9	1,200
Normal birth weight	6,700	42.0	39.3 - 44.8	9,300	58.0	55.2 - 60.7	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	49.5	41.0 - 58.0	800	50.5	42.0 - 59.0	1,600
No	6,200	40.2	37.4 - 43.0	9,200	59.8	57.0 - 62.6	15,400

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	57.3	51.5 - 62.9	1,500	42.7	37.1 - 48.5	3,500
No	4,900	36.6	33.6 - 39.6	8,500	63.4	60.4 - 66.4	13,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	36.9	33.1 - 40.8	4,600	63.1	59.2 - 66.9	7,300
No	4,400	44.4	40.7 - 48.1	5,500	55.6	51.9 - 59.3	9,800

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	6,700	40.3	37.6 - 43.1	9,900	59.7	56.9 - 62.4	16,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	900	44.4	39.9 - 48.9	1,100	55.6	51.1 - 60.1	1,900
Honolulu	4,800	39.2	35.7 - 42.8	7,400	60.8	57.2 - 64.3	12,200
Kauai	300	43.4	35.9 - 51.3	400	56.6	48.7 - 64.1	700
Maui	700	42.5	37.6 - 47.5	1,000	57.5	52.5 - 62.4	1,700

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,000	57.0	50.4 - 63.3	1,500	43.0	36.7 - 49.6	3,500
Native Hawaiian	2,000	44.5	41.5 - 47.6	2,500	55.5	52.4 - 58.5	4,500
Chinese	200	26.4	14.3 - 43.5	400	73.6	56.5 - 85.7	600
Filipino	800	25.0	19.6 - 31.3	2,500	75.0	68.7 - 80.4	3,300
Japanese	900	38.6	30.9 - 46.9	1,500	61.4	53.1 - 69.1	2,400
Other	800	34.0	25.9 - 43.0	1,500	66.0	57.0 - 74.1	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	28.6	22.0 - 36.2	1,100	71.4	63.8 - 78.0	1,500
20-24	2,000	46.9	41.6 - 52.4	2,200	53.1	47.6 - 58.4	4,200
25-34	3,500	42.4	38.4 - 46.4	4,800	57.6	53.6 - 61.6	8,300
35+	800	30.1	24.0 - 37.0	1,900	69.9	63.0 - 76.0	2,700

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,500	41.9	38.0 - 45.8	4,800	58.1	54.2 - 62.0	8,300
Female	3,200	38.8	35.0 - 42.7	5,100	61.2	57.3 - 65.0	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,500	39.2	35.8 - 42.7	6,900	60.8	57.3 - 64.2	11,400
No	2,200	42.8	38.5 - 47.2	3,000	57.2	52.8 - 61.5	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,500	38.7	34.7 - 42.8	4,000	61.3	57.2 - 65.3	6,500
131-185%	1,400	40.4	34.2 - 46.9	2,000	59.6	53.1 - 65.8	3,400
186+%	2,400	45.3	40.2 - 50.5	2,900	54.7	49.5 - 59.8	5,300

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,200	38.5	33.3 - 44.0	2,000	61.5	56.0 - 66.7	3,200
\$15,001-\$25,000	1,000	41.2	34.3 - 48.5	1,500	58.8	51.5 - 65.7	2,500
\$25,001-\$40,000	1,500	41.9	35.8 - 48.2	2,100	58.1	51.8 - 64.2	3,600
>=\$40,001	2,600	41.5	37.0 - 46.2	3,700	58.5	53.8 - 63.0	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	41.1	30.7 - 52.5	600	58.9	47.5 - 69.3	1,100
Normal birth weight	6,200	40.1	37.3 - 43.0	9,200	59.9	57.0 - 62.7	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	50.0	41.1 - 58.9	600	50.0	41.1 - 58.9	1,300
No	6,000	39.5	36.6 - 42.4	9,200	60.5	57.6 - 63.4	15,100

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	64.6	58.7 - 70.1	1,100	35.4	29.9 - 41.3	3,200
No	4,400	33.7	30.8 - 36.8	8,700	66.3	63.2 - 69.2	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	38.8	34.8 - 43.0	4,200	61.2	57.0 - 65.2	6,900
No	4,000	41.5	37.9 - 45.3	5,600	58.5	54.7 - 62.1	9,600

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	6,800	42.1	39.9 - 44.3	9,400	57.9	55.7 - 60.1	16,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	900	47.7	43.0 - 52.4	900	52.3	47.6 - 57.0	1,800
Honolulu	5,000	41.4	38.6 - 44.2	7,000	58.6	55.8 - 61.4	12,000
Kauai	300	39.9	32.7 - 47.6	500	60.1	52.4 - 67.3	800
Maui	700	41.6	36.6 - 46.7	1,000	58.4	53.3 - 63.4	1,600

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,000	58.4	53.3 - 63.3	1,400	41.6	36.7 - 46.7	3,400
Native Hawaiian	1,900	44.2	41.8 - 46.7	2,400	55.8	53.3 - 58.2	4,300
Chinese	200	26.0	16.4 - 38.6	500	74.0	61.4 - 83.6	700
Filipino	900	25.6	21.1 - 30.7	2,500	74.4	69.3 - 78.9	3,400
Japanese	1,000	48.7	41.2 - 56.2	1,000	51.3	43.8 - 58.8	2,000
Other	800	37.1	30.5 - 44.2	1,400	62.9	55.8 - 69.5	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	37.6	31.9 - 43.6	1,000	62.4	56.4 - 68.1	1,500
20-24	1,900	44.5	40.3 - 48.8	2,300	55.5	51.2 - 59.7	4,200
25-34	3,300	42.8	39.5 - 46.1	4,500	57.2	53.9 - 60.5	7,800
35+	1,000	38.9	33.2 - 44.9	1,600	61.1	55.1 - 66.8	2,600

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,400	42.1	39.0 - 45.3	4,700	57.9	54.7 - 61.0	8,200
Female	3,400	42.0	38.9 - 45.2	4,600	58.0	54.8 - 61.1	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,400	40.9	38.1 - 43.8	6,400	59.1	56.2 - 61.9	10,800
No	2,400	44.4	40.8 - 48.0	3,000	55.6	52.0 - 59.2	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,200	35.8	32.6 - 39.0	3,900	64.2	61.0 - 67.4	6,100
131-185%	1,400	40.7	36.1 - 45.5	2,100	59.3	54.5 - 63.9	3,500
186+%	2,900	53.7	49.5 - 58.0	2,500	46.3	42.0 - 50.5	5,300

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,200	35.0	30.8 - 39.5	2,100	65.0	60.5 - 69.2	3,300
\$15,001-\$25,000	1,000	46.0	40.3 - 51.8	1,200	54.0	48.2 - 59.7	2,200
\$25,001-\$40,000	1,400	39.4	34.8 - 44.1	2,100	60.6	55.9 - 65.2	3,500
>=\$40,001	3,000	48.3	44.5 - 52.2	3,200	51.7	47.8 - 55.5	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	29.7	22.5 - 38.1	700	70.3	61.9 - 77.5	1,000
Normal birth weight	6,500	42.9	40.6 - 45.2	8,600	57.1	54.8 - 59.4	15,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	55.9	49.2 - 62.5	700	44.1	37.5 - 50.8	1,500
No	5,900	40.5	38.2 - 42.9	8,600	59.5	57.1 - 61.8	14,500

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	62.1	57.5 - 66.5	1,200	37.9	33.5 - 42.5	3,300
No	4,600	36.5	34.0 - 39.0	7,900	63.5	61.0 - 66.0	12,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	39.3	36.2 - 42.5	4,200	60.7	57.5 - 63.8	6,900
No	4,100	44.2	41.1 - 47.3	5,200	55.8	52.7 - 58.9	9,300

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	6,900	41.6	39.4 - 43.8	9,700	58.4	56.2 - 60.6	16,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	900	46.3	41.6 - 51.0	1,000	53.7	49.0 - 58.4	1,900
Honolulu	5,000	40.4	37.7 - 43.1	7,300	59.6	56.9 - 62.3	12,300
Kauai	300	49.4	41.4 - 57.5	300	50.6	42.5 - 58.6	700
Maui	700	42.2	37.2 - 47.4	1,000	57.8	52.6 - 62.8	1,700

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,300	57.8	53.0 - 62.4	1,700	42.2	37.6 - 47.0	3,900
Native Hawaiian	2,000	44.5	42.0 - 47.0	2,400	55.5	53.0 - 58.0	4,400
Chinese	200	30.2	19.4 - 43.8	400	69.8	56.2 - 80.6	600
Filipino	900	26.6	22.1 - 31.6	2,500	73.4	68.4 - 77.9	3,400
Japanese	900	44.2	37.0 - 51.7	1,100	55.8	48.3 - 63.0	2,000
Other	700	31.0	24.8 - 38.0	1,500	69.0	62.0 - 75.2	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	39.8	33.9 - 46.0	1,100	60.2	54.0 - 66.1	1,800
20-24	1,900	47.0	42.7 - 51.3	2,100	53.0	48.7 - 57.3	4,000
25-34	3,200	40.1	36.9 - 43.3	4,700	59.9	56.7 - 63.1	7,900
35+	1,200	39.4	34.2 - 45.0	1,800	60.6	55.0 - 65.8	2,900

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,700	42.9	40.0 - 46.0	4,900	57.1	54.0 - 60.0	8,600
Female	3,200	40.1	37.0 - 43.3	4,800	59.9	56.7 - 63.0	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,500	39.3	36.6 - 42.0	7,000	60.7	58.0 - 63.4	11,500
No	2,400	46.9	43.2 - 50.6	2,700	53.1	49.4 - 56.8	5,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,400	34.2	31.2 - 37.2	4,600	65.8	62.8 - 68.8	7,000
131-185%	1,100	50.2	44.4 - 56.1	1,100	49.8	43.9 - 55.6	2,200
186+%	3,000	49.6	45.7 - 53.4	3,100	50.4	46.6 - 54.3	6,100

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,300	34.3	30.3 - 38.4	2,500	65.7	61.6 - 69.7	3,800
\$15,001-\$25,000	1,000	37.4	32.3 - 42.7	1,600	62.6	57.3 - 67.7	2,600
\$25,001-\$40,000	1,500	47.4	42.5 - 52.4	1,700	52.6	47.6 - 57.5	3,100
>=\$40,001	2,800	46.0	42.2 - 49.8	3,300	54.0	50.2 - 57.8	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	35.0	27.4 - 43.4	700	65.0	56.6 - 72.6	1,100
Normal birth weight	6,400	42.0	39.8 - 44.3	8,900	58.0	55.7 - 60.2	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	53.1	45.8 - 60.3	600	46.9	39.7 - 54.2	1,400
No	6,100	40.4	38.2 - 42.7	8,900	59.6	57.3 - 61.8	15,000

PRAMS Health Indicator Report - Drinking alcohol 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	65.1	60.3 - 69.5	1,100	34.9	30.5 - 39.7	3,200
No	4,600	35.5	33.2 - 38.0	8,400	64.5	62.0 - 66.8	13,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	37.8	34.8 - 40.9	4,500	62.2	59.1 - 65.2	7,200
No	4,100	44.7	41.7 - 47.8	5,100	55.3	52.2 - 58.3	9,300