

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- for the State of Hawaii, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Breastfeeding initiation	Breastfeeding initiation

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 4/3/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- for the State of Hawaii, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	14,400	89.5	88.6 - 90.3	1,700	10.5	9.7 - 11.4	16,100
2001-2003	14,600	89.5	88.5 - 90.4	1,700	10.5	9.6 - 11.5	16,300
2002-2004	15,100	89.9	89.0 - 90.8	1,700	10.1	9.2 - 11.0	16,800
2003-2005	15,400	90.2	89.3 - 91.0	1,700	9.8	9.0 - 10.7	17,100
2004-2006	15,900	91.1	90.2 - 91.8	1,600	8.9	8.2 - 9.8	17,500
2005-2007	16,200	91.5	90.7 - 92.3	1,500	8.5	7.7 - 9.3	17,700
2006-2008	16,700	92.3	91.5 - 93.0	1,400	7.7	7.0 - 8.5	18,100
2007-2009	16,800	92.7	91.8 - 93.5	1,300	7.3	6.5 - 8.2	18,200
2008-2010	17,000	93.2	92.3 - 94.1	1,200	6.8	5.9 - 7.7	18,200
2009-2011	17,200	94.3	93.3 - 95.1	1,000	5.7	4.9 - 6.7	18,200
2010-2012	17,200	94.8	93.8 - 95.6	900	5.2	4.4 - 6.2	18,200
2011-2013	17,300	95.5	94.6 - 96.3	800	4.5	3.7 - 5.4	18,100

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- for the State of Hawaii, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	17,300	95.5	94.6 - 96.3	800	4.5	3.7 - 5.4	18,100

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,200	95.2	93.6 - 96.4	100	4.8	3.6 - 6.4	2,300
<b>Honolulu</b>	12,400	95.3	94.1 - 96.3	600	4.7	3.7 - 5.9	13,000
<b>Kauai</b>	800	96.7	95.2 - 97.7	<50	3.3	2.3 - 4.8	800
<b>Maui</b>	1,900	97.0	95.8 - 97.8	100	3.0	2.2 - 4.2	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,300	96.9	95.2 - 98.1	100	3.1	1.9 - 4.8	4,400
Native Hawaiian	4,900	94.4	92.4 - 95.9	300	5.6	4.1 - 7.6	5,200
Chinese	800	92.9	86.2 - 96.5	100	7.1	3.5 - 13.8	900
Filipino	3,100	96.7	94.7 - 97.9	100	3.3	2.1 - 5.3	3,200
Japanese	1,700	98.2	95.3 - 99.3	<50	1.8	0.7 - 4.7	1,700
Other	2,500	93.3	90.1 - 95.6	200	6.7	4.4 - 9.9	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	96.2	90.2 - 98.6	<50	3.8	1.4 - 9.8	1,000
20-24	3,800	95.3	93.2 - 96.8	200	4.7	3.2 - 6.8	4,000
25-34	9,400	95.6	94.4 - 96.6	400	4.4	3.4 - 5.6	9,900
35+	3,100	95.3	93.1 - 96.9	200	4.7	3.1 - 6.9	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	8,600	95.7	94.4 - 96.7	400	4.3	3.3 - 5.6	9,000
<b>Female</b>	8,600	95.4	94.1 - 96.4	400	4.6	3.6 - 5.9	9,100

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	10,900	96.4	95.3 - 97.2	400	3.6	2.8 - 4.7	11,300
<b>No</b>	6,400	94.2	92.5 - 95.5	400	5.8	4.5 - 7.5	6,800

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	6,100	94.0	92.3 - 95.4	400	6.0	4.6 - 7.7	6,500
<b>131-185%</b>	2,600	94.1	91.1 - 96.2	200	5.9	3.8 - 8.9	2,800
<b>186+%</b>	7,100	97.6	96.4 - 98.4	200	2.4	1.6 - 3.6	7,300

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	96.3	94.9 - 97.4	<50	3.7	2.6 - 5.1	1,200
Normal birth weight	16,100	95.5	94.5 - 96.3	800	4.5	3.7 - 5.5	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	92.7	87.4 - 95.8	100	7.3	4.2 - 12.6	900
No	16,100	95.7	94.7 - 96.5	700	4.3	3.5 - 5.3	16,800

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	94.3	91.8 - 96.1	200	5.7	3.9 - 8.2	3,200
No	13,900	95.8	94.8 - 96.6	600	4.2	3.4 - 5.2	14,500

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	7,600	94.1	92.5 - 95.3	500	5.9	4.7 - 7.5	8,100
<b>No</b>	9,500	96.8	95.7 - 97.7	300	3.2	2.3 - 4.3	9,800



**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	17,200	94.8	93.8 - 95.6	900	5.2	4.4 - 6.2	18,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,200	95.5	94.1 - 96.6	100	4.5	3.4 - 5.9	2,300
<b>Honolulu</b>	12,400	94.2	92.9 - 95.3	800	5.8	4.7 - 7.1	13,100
<b>Kauai</b>	800	96.8	95.3 - 97.9	<50	3.2	2.1 - 4.7	800
<b>Maui</b>	1,900	96.9	95.8 - 97.8	100	3.1	2.2 - 4.2	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,100	95.3	93.2 - 96.8	200	4.7	3.2 - 6.8	4,300
Native Hawaiian	4,900	94.4	92.4 - 95.8	300	5.6	4.2 - 7.6	5,200
Chinese	800	93.8	87.1 - 97.1	100	6.2	2.9 - 12.9	800
Filipino	3,100	95.1	92.8 - 96.7	200	4.9	3.3 - 7.2	3,300
Japanese	1,700	98.7	96.3 - 99.5	<50	1.3	0.5 - 3.7	1,700
Other	2,600	92.4	88.9 - 94.9	200	7.6	5.1 - 11.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	95.0	89.1 - 97.8	100	5.0	2.2 - 10.9	1,100
20-24	3,900	93.4	91.0 - 95.2	300	6.6	4.8 - 9.0	4,100
25-34	9,300	95.2	93.9 - 96.2	500	4.8	3.8 - 6.1	9,700
35+	3,100	95.2	92.8 - 96.8	200	4.8	3.2 - 7.2	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,700	95.1	93.7 - 96.2	500	4.9	3.8 - 6.3	9,200
Female	8,500	94.5	93.1 - 95.6	500	5.5	4.4 - 6.9	9,000

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,800	95.8	94.6 - 96.7	500	4.2	3.3 - 5.4	11,300
No	6,400	93.1	91.3 - 94.6	500	6.9	5.4 - 8.7	6,900

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,000	93.4	91.5 - 94.9	400	6.6	5.1 - 8.5	6,400
131-185%	2,800	94.8	92.0 - 96.6	200	5.2	3.4 - 8.0	2,900
186+%	7,300	96.9	95.7 - 97.9	200	3.1	2.1 - 4.3	7,500

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	95.0	93.3 - 96.2	100	5.0	3.8 - 6.7	1,200
Normal birth weight	16,100	94.8	93.7 - 95.6	900	5.2	4.4 - 6.3	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	87.3	81.0 - 91.7	100	12.7	8.3 - 19.0	1,000
No	16,100	95.3	94.3 - 96.1	800	4.7	3.9 - 5.7	16,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	92.9	90.2 - 94.8	200	7.1	5.2 - 9.8	3,400
No	13,800	95.3	94.2 - 96.2	700	4.7	3.8 - 5.8	14,500

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	7,600	93.3	91.6 - 94.6	600	6.7	5.4 - 8.4	8,200
<b>No</b>	9,500	96.2	95.0 - 97.1	400	3.8	2.9 - 5.0	9,900

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	17,200	94.3	93.3 - 95.1	1,000	5.7	4.9 - 6.7	18,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,200	94.4	92.8 - 95.6	100	5.6	4.4 - 7.2	2,300
<b>Honolulu</b>	12,300	93.8	92.4 - 94.9	800	6.2	5.1 - 7.6	13,100
<b>Kauai</b>	800	96.5	94.9 - 97.6	<50	3.5	2.4 - 5.1	800
<b>Maui</b>	1,900	96.7	95.6 - 97.5	100	3.3	2.5 - 4.4	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,200	96.1	94.3 - 97.4	200	3.9	2.6 - 5.7	4,400
Native Hawaiian	5,100	92.2	90.1 - 93.9	400	7.8	6.1 - 9.9	5,500
Chinese	700	92.9	85.3 - 96.7	100	7.1	3.3 - 14.7	700
Filipino	3,100	94.5	92.2 - 96.1	200	5.5	3.9 - 7.8	3,300
Japanese	1,700	98.9	97.2 - 99.6	<50	1.1	0.4 - 2.8	1,700
Other	2,400	92.8	89.3 - 95.2	200	7.2	4.8 - 10.7	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	93.9	89.1 - 96.7	100	6.1	3.3 - 10.9	1,300
20-24	4,000	92.8	90.4 - 94.6	300	7.2	5.4 - 9.6	4,300
25-34	8,900	94.6	93.2 - 95.7	500	5.4	4.3 - 6.8	9,500
35+	3,000	95.7	93.5 - 97.2	100	4.3	2.8 - 6.5	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,900	94.1	92.6 - 95.3	600	5.9	4.7 - 7.4	9,400
Female	8,300	94.5	93.1 - 95.7	500	5.5	4.3 - 6.9	8,800

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,700	95.8	94.7 - 96.7	500	4.2	3.3 - 5.3	11,200
No	6,500	91.9	90.0 - 93.4	600	8.1	6.6 - 10.0	7,000

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,900	92.3	90.3 - 93.8	500	7.7	6.2 - 9.7	6,400
131-185%	2,700	94.9	92.1 - 96.7	100	5.1	3.3 - 7.9	2,800
186+%	7,400	96.7	95.4 - 97.6	300	3.3	2.4 - 4.6	7,700



**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	3,000	92.9	90.4 - 94.8	200	7.1	5.2 - 9.6	3,200
\$10,000-\$24,999	3,200	91.8	89.0 - 94.0	300	8.2	6.0 - 11.0	3,500
\$25,000-\$49,999	4,000	94.4	92.2 - 96.0	200	5.6	4.0 - 7.8	4,200
>=\$50,000	6,000	97.2	95.9 - 98.1	200	2.8	1.9 - 4.1	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	93.2	91.4 - 94.7	100	6.8	5.3 - 8.6	1,300
Normal birth weight	16,000	94.4	93.3 - 95.3	1,000	5.6	4.7 - 6.7	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	83.1	77.1 - 87.8	200	16.9	12.2 - 22.9	1,300
No	15,800	95.2	94.2 - 96.0	800	4.8	4.0 - 5.8	16,600

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	3,400	90.0	87.2 - 92.3	400	10.0	7.7 - 12.8	3,700
<b>No</b>	13,600	95.4	94.4 - 96.3	600	4.6	3.7 - 5.6	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	7,300	92.7	91.0 - 94.1	600	7.3	5.9 - 9.0	7,900
<b>No</b>	9,600	95.6	94.3 - 96.6	400	4.4	3.4 - 5.7	10,100

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	17,000	93.2	92.3 - 94.1	1,200	6.8	5.9 - 7.7	18,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,200	92.1	90.0 - 93.9	200	7.9	6.1 - 10.0	2,400
<b>Honolulu</b>	12,100	92.9	91.6 - 94.0	900	7.1	6.0 - 8.4	13,000
<b>Kauai</b>	800	96.5	94.5 - 97.9	<50	3.5	2.1 - 5.5	800
<b>Maui</b>	2,000	95.0	93.1 - 96.4	100	5.0	3.6 - 6.9	2,100

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,200	95.5	93.7 - 96.8	200	4.5	3.2 - 6.3	4,400
Native Hawaiian	4,900	90.9	88.8 - 92.6	500	9.1	7.4 - 11.2	5,400
Chinese	700	95.1	88.4 - 98.0	<50	4.9	2.0 - 11.6	700
Filipino	3,100	93.4	91.2 - 95.1	200	6.6	4.9 - 8.8	3,300
Japanese	1,700	98.5	96.9 - 99.3	<50	1.5	0.7 - 3.1	1,800
Other	2,400	89.9	86.7 - 92.5	300	10.1	7.5 - 13.3	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	92.7	88.7 - 95.3	100	7.3	4.7 - 11.3	1,500
20-24	3,800	91.9	89.6 - 93.7	300	8.1	6.3 - 10.4	4,200
25-34	8,700	93.4	92.0 - 94.5	600	6.6	5.5 - 8.0	9,300
35+	3,100	94.7	92.4 - 96.3	200	5.3	3.7 - 7.6	3,300

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	8,800	93.2	91.8 - 94.3	600	6.8	5.7 - 8.2	9,500
<b>Female</b>	8,200	93.3	91.9 - 94.4	600	6.7	5.6 - 8.1	8,700

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	10,700	95.3	94.3 - 96.2	500	4.7	3.8 - 5.7	11,200
<b>No</b>	6,300	89.9	88.0 - 91.5	700	10.1	8.5 - 12.0	7,000

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	5,900	90.4	88.5 - 91.9	600	9.6	8.1 - 11.5	6,500
<b>131-185%</b>	2,600	93.2	90.6 - 95.2	200	6.8	4.8 - 9.4	2,800
<b>186+%</b>	7,300	96.4	95.2 - 97.3	300	3.6	2.7 - 4.8	7,600

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,900	90.6	88.0 - 92.7	300	9.4	7.3 - 12.0	3,200
\$10,000-\$24,999	3,300	90.4	87.7 - 92.5	400	9.6	7.5 - 12.3	3,700
\$25,000-\$49,999	3,900	93.9	91.8 - 95.4	300	6.1	4.6 - 8.2	4,100
>=\$50,000	5,900	96.7	95.4 - 97.6	200	3.3	2.4 - 4.6	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	92.1	89.6 - 94.0	100	7.9	6.0 - 10.4	1,300
Normal birth weight	15,800	93.3	92.3 - 94.2	1,100	6.7	5.8 - 7.7	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	82.0	76.7 - 86.4	300	18.0	13.6 - 23.3	1,500
No	15,400	94.2	93.3 - 95.0	900	5.8	5.0 - 6.7	16,400

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	3,200	88.0	85.2 - 90.4	400	12.0	9.6 - 14.8	3,700
<b>No</b>	13,400	94.5	93.5 - 95.4	800	5.5	4.6 - 6.5	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	7,000	90.8	89.1 - 92.2	700	9.2	7.8 - 10.9	7,700
<b>No</b>	9,700	95.0	93.8 - 95.9	500	5.0	4.1 - 6.2	10,200

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	16,800	92.7	91.8 - 93.5	1,300	7.3	6.5 - 8.2	18,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,200	90.3	87.8 - 92.3	200	9.7	7.7 - 12.2	2,400
<b>Honolulu</b>	11,800	92.9	91.8 - 93.9	900	7.1	6.1 - 8.2	12,800
<b>Kauai</b>	900	94.1	90.5 - 96.4	100	5.9	3.6 - 9.5	900
<b>Maui</b>	2,000	93.7	91.4 - 95.4	100	6.3	4.6 - 8.6	2,100



**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,000	94.5	92.9 - 95.7	200	5.5	4.3 - 7.1	4,200
Native Hawaiian	4,800	90.4	88.3 - 92.1	500	9.6	7.9 - 11.7	5,300
Chinese	700	94.1	87.6 - 97.3	<50	5.9	2.7 - 12.4	700
Filipino	3,100	93.3	91.5 - 94.8	200	6.7	5.2 - 8.5	3,300
Japanese	1,900	97.7	95.8 - 98.7	<50	2.3	1.3 - 4.2	1,900
Other	2,500	89.9	87.1 - 92.1	300	10.1	7.9 - 12.9	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,500	91.2	87.6 - 93.8	100	8.8	6.2 - 12.4	1,600
20-24	3,800	91.1	89.1 - 92.8	400	8.9	7.2 - 10.9	4,200
25-34	8,500	92.8	91.6 - 93.9	700	7.2	6.1 - 8.4	9,100
35+	3,000	95.1	93.3 - 96.4	200	4.9	3.6 - 6.7	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,800	92.9	91.6 - 93.9	700	7.1	6.1 - 8.4	9,500
Female	8,000	92.5	91.2 - 93.6	600	7.5	6.4 - 8.8	8,600

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,600	94.6	93.6 - 95.4	600	5.4	4.6 - 6.4	11,200
No	6,300	89.7	87.9 - 91.2	700	10.3	8.8 - 12.1	7,000

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,900	89.2	87.5 - 90.8	700	10.8	9.2 - 12.5	6,600
131-185%	2,500	92.2	89.7 - 94.2	200	7.8	5.8 - 10.3	2,700
186+%	7,200	96.2	95.2 - 97.0	300	3.8	3.0 - 4.8	7,500

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	88.6	85.8 - 90.9	300	11.4	9.1 - 14.2	3,000
\$10,000-\$24,999	3,500	90.6	88.3 - 92.4	400	9.4	7.6 - 11.7	3,800
\$25,000-\$49,999	3,700	93.1	91.2 - 94.6	300	6.9	5.4 - 8.8	4,000
>=\$50,000	5,800	96.2	95.1 - 97.1	200	3.8	2.9 - 4.9	6,000

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	91.5	88.5 - 93.8	100	8.5	6.2 - 11.5	1,300
Normal birth weight	15,600	92.8	91.9 - 93.6	1,200	7.2	6.4 - 8.1	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	82.9	78.2 - 86.7	300	17.1	13.3 - 21.8	1,600
No	15,200	93.6	92.7 - 94.3	1,000	6.4	5.7 - 7.3	16,300

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	3,100	86.8	84.1 - 89.1	500	13.2	10.9 - 15.9	3,600
<b>No</b>	13,400	94.1	93.2 - 94.9	800	5.9	5.1 - 6.8	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,700	89.6	88.0 - 91.0	800	10.4	9.0 - 12.0	7,500
<b>No</b>	9,700	94.8	93.8 - 95.7	500	5.2	4.3 - 6.2	10,300

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	16,700	92.3	91.5 - 93.0	1,400	7.7	7.0 - 8.5	18,100

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,100	90.4	87.7 - 92.6	200	9.6	7.4 - 12.3	2,300
<b>Honolulu</b>	11,900	92.6	91.7 - 93.5	900	7.4	6.5 - 8.3	12,900
<b>Kauai</b>	800	93.5	89.2 - 96.1	100	6.5	3.9 - 10.8	900
<b>Maui</b>	1,900	91.6	88.9 - 93.7	200	8.4	6.3 - 11.1	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,000	93.0	91.4 - 94.3	300	7.0	5.7 - 8.6	4,300
Native Hawaiian	4,500	90.7	88.9 - 92.3	500	9.3	7.7 - 11.1	5,000
Chinese	600	97.7	96.0 - 98.6	<50	2.3	1.4 - 4.0	600
Filipino	3,100	92.6	90.8 - 94.0	200	7.4	6.0 - 9.2	3,300
Japanese	2,000	96.5	94.4 - 97.8	100	3.5	2.2 - 5.6	2,100
Other	2,600	89.3	86.8 - 91.5	300	10.7	8.5 - 13.2	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	90.2	86.5 - 93.0	100	9.8	7.0 - 13.5	1,500
20-24	3,900	90.5	88.6 - 92.2	400	9.5	7.8 - 11.4	4,300
25-34	8,400	92.9	91.8 - 93.9	600	7.1	6.1 - 8.2	9,000
35+	3,000	93.6	91.8 - 95.1	200	6.4	4.9 - 8.2	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,700	92.9	91.8 - 93.9	700	7.1	6.1 - 8.2	9,300
Female	8,000	91.6	90.4 - 92.7	700	8.4	7.3 - 9.6	8,800

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,700	93.5	92.6 - 94.3	700	6.5	5.7 - 7.4	11,400
No	6,000	90.2	88.6 - 91.5	700	9.8	8.5 - 11.4	6,700

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,800	89.0	87.3 - 90.4	700	11.0	9.6 - 12.7	6,500
131-185%	2,300	90.8	88.4 - 92.8	200	9.2	7.2 - 11.6	2,600
186+%	7,400	95.6	94.7 - 96.4	300	4.4	3.6 - 5.3	7,700

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	88.4	85.8 - 90.5	400	11.6	9.5 - 14.2	3,000
\$10,000-\$24,999	3,400	90.8	88.7 - 92.5	300	9.2	7.5 - 11.3	3,800
\$25,000-\$49,999	3,900	92.5	90.8 - 93.9	300	7.5	6.1 - 9.2	4,200
>=\$50,000	5,700	95.2	94.0 - 96.1	300	4.8	3.9 - 6.0	6,000

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	90.6	87.0 - 93.2	100	9.4	6.8 - 13.0	1,400
Normal birth weight	15,500	92.4	91.6 - 93.2	1,300	7.6	6.8 - 8.4	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	81.7	77.5 - 85.3	300	18.3	14.7 - 22.5	1,500
No	15,200	93.2	92.4 - 93.9	1,100	6.8	6.1 - 7.6	16,300



**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	3,100	87.1	84.7 - 89.2	500	12.9	10.8 - 15.3	3,500
<b>No</b>	13,400	93.4	92.6 - 94.2	900	6.6	5.8 - 7.4	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,800	89.3	87.8 - 90.6	800	10.7	9.4 - 12.2	7,600
<b>No</b>	9,700	94.4	93.4 - 95.2	600	5.6	4.8 - 6.6	10,200

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	16,200	91.5	90.7 - 92.3	1,500	8.5	7.7 - 9.3	17,700

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,000	89.7	86.9 - 92.0	200	10.3	8.0 - 13.1	2,200
<b>Honolulu</b>	11,700	91.7	90.7 - 92.6	1,100	8.3	7.4 - 9.3	12,700
<b>Kauai</b>	800	91.9	87.2 - 94.9	100	8.1	5.1 - 12.8	800
<b>Maui</b>	1,700	92.6	89.9 - 94.6	100	7.4	5.4 - 10.1	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	92.4	90.6 - 93.8	300	7.6	6.2 - 9.4	4,100
Native Hawaiian	4,400	89.5	87.6 - 91.2	500	10.5	8.8 - 12.4	4,900
Chinese	600	95.2	93.3 - 96.6	<50	4.8	3.4 - 6.7	600
Filipino	3,000	92.1	90.3 - 93.6	300	7.9	6.4 - 9.7	3,300
Japanese	2,100	95.9	93.9 - 97.3	100	4.1	2.7 - 6.1	2,200
Other	2,400	89.0	86.5 - 91.1	300	11.0	8.9 - 13.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	89.7	86.0 - 92.5	200	10.3	7.5 - 14.0	1,500
20-24	3,900	90.1	88.2 - 91.7	400	9.9	8.3 - 11.8	4,400
25-34	8,000	92.2	91.0 - 93.2	700	7.8	6.8 - 9.0	8,700
35+	2,900	92.8	90.8 - 94.3	200	7.2	5.7 - 9.2	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,300	92.0	90.8 - 93.0	700	8.0	7.0 - 9.2	9,100
Female	7,900	91.1	89.8 - 92.2	800	8.9	7.8 - 10.2	8,600

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,400	92.7	91.7 - 93.6	800	7.3	6.4 - 8.3	11,200
No	5,800	89.5	87.9 - 90.9	700	10.5	9.1 - 12.1	6,500

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,600	87.9	86.2 - 89.4	800	12.1	10.6 - 13.8	6,400
131-185%	2,100	90.6	88.1 - 92.7	200	9.4	7.3 - 11.9	2,300
186+%	7,300	95.2	94.2 - 96.0	400	4.8	4.0 - 5.8	7,700

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	88.1	85.5 - 90.2	400	11.9	9.8 - 14.5	3,000
\$10,000-\$24,999	3,300	89.4	87.3 - 91.2	400	10.6	8.8 - 12.7	3,700
\$25,000-\$49,999	3,800	92.3	90.6 - 93.7	300	7.7	6.3 - 9.4	4,100
>=\$50,000	5,400	94.8	93.6 - 95.8	300	5.2	4.2 - 6.4	5,700

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	90.6	87.2 - 93.2	100	9.4	6.8 - 12.8	1,400
Normal birth weight	15,000	91.6	90.8 - 92.4	1,400	8.4	7.6 - 9.2	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	79.1	74.7 - 82.9	300	20.9	17.1 - 25.3	1,500
No	14,800	92.7	91.8 - 93.4	1,200	7.3	6.6 - 8.2	16,000

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	86.3	83.9 - 88.4	500	13.7	11.6 - 16.1	3,600
No	12,900	92.9	92.0 - 93.6	1,000	7.1	6.4 - 8.0	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,600	88.8	87.3 - 90.2	800	11.2	9.8 - 12.7	7,400
No	9,300	93.5	92.6 - 94.4	600	6.5	5.6 - 7.4	10,000

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	15,900	91.1	90.2 - 91.8	1,600	8.9	8.2 - 9.8	17,500

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	89.1	86.3 - 91.4	200	10.9	8.6 - 13.7	2,200
<b>Honolulu</b>	11,600	90.8	89.8 - 91.7	1,200	9.2	8.3 - 10.2	12,800
<b>Kauai</b>	700	94.7	90.6 - 97.1	<50	5.3	2.9 - 9.4	800
<b>Maui</b>	1,700	93.8	91.3 - 95.7	100	6.2	4.3 - 8.7	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	93.7	92.2 - 95.0	200	6.3	5.0 - 7.8	4,000
Native Hawaiian	4,200	87.6	85.6 - 89.3	600	12.4	10.7 - 14.4	4,800
Chinese	600	94.2	92.4 - 95.6	<50	5.8	4.4 - 7.6	600
Filipino	3,000	91.7	89.9 - 93.2	300	8.3	6.8 - 10.1	3,200
Japanese	2,100	95.1	93.1 - 96.6	100	4.9	3.4 - 6.9	2,200
Other	2,300	88.4	85.9 - 90.6	300	11.6	9.4 - 14.1	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	88.6	84.8 - 91.5	200	11.4	8.5 - 15.2	1,400
20-24	3,900	90.0	88.2 - 91.6	400	10.0	8.4 - 11.8	4,300
25-34	7,900	91.6	90.4 - 92.6	700	8.4	7.4 - 9.6	8,600
35+	2,900	92.1	90.2 - 93.6	200	7.9	6.4 - 9.8	3,100



**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,300	91.0	89.9 - 92.1	800	9.0	7.9 - 10.1	9,100
Female	7,600	91.1	89.9 - 92.2	700	8.9	7.8 - 10.1	8,400

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,600	92.2	91.3 - 93.1	900	7.8	6.9 - 8.7	11,500
No	5,300	88.8	87.1 - 90.2	700	11.2	9.8 - 12.9	6,000

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,500	87.3	85.6 - 88.8	800	12.7	11.2 - 14.4	6,300
131-185%	1,900	89.3	86.6 - 91.5	200	10.7	8.5 - 13.4	2,100
186+%	7,400	95.1	94.2 - 95.9	400	4.9	4.1 - 5.8	7,800

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,500	88.2	85.6 - 90.3	300	11.8	9.7 - 14.4	2,900
\$10,000-\$24,999	3,400	87.9	85.8 - 89.7	500	12.1	10.3 - 14.2	3,900
\$25,000-\$49,999	3,900	92.8	91.2 - 94.1	300	7.2	5.9 - 8.8	4,200
>=\$50,000	5,000	94.5	93.2 - 95.5	300	5.5	4.5 - 6.8	5,300

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	90.2	86.6 - 92.9	100	9.8	7.1 - 13.4	1,200
Normal birth weight	14,800	91.1	90.3 - 91.9	1,400	8.9	8.1 - 9.7	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	77.9	73.4 - 81.9	300	22.1	18.1 - 26.6	1,400
No	14,500	92.2	91.4 - 93.0	1,200	7.8	7.0 - 8.6	15,800

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	3,100	86.1	83.8 - 88.2	500	13.9	11.8 - 16.2	3,600
<b>No</b>	12,600	92.3	91.4 - 93.1	1,000	7.7	6.9 - 8.6	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,700	88.8	87.3 - 90.1	800	11.2	9.9 - 12.7	7,500
<b>No</b>	9,000	92.9	91.9 - 93.8	700	7.1	6.2 - 8.1	9,600

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	15,400	90.2	89.3 - 91.0	1,700	9.8	9.0 - 10.7	17,100

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,800	85.9	83.1 - 88.2	300	14.1	11.8 - 16.9	2,100
<b>Honolulu</b>	11,200	90.1	89.0 - 91.1	1,200	9.9	8.9 - 11.0	12,500
<b>Kauai</b>	700	94.0	90.8 - 96.2	<50	6.0	3.8 - 9.2	800
<b>Maui</b>	1,700	94.3	92.3 - 95.8	100	5.7	4.2 - 7.7	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	94.3	92.7 - 95.6	200	5.7	4.4 - 7.3	3,800
Native Hawaiian	4,100	86.4	84.6 - 88.0	600	13.6	12.0 - 15.4	4,700
Chinese	600	94.0	90.8 - 96.1	<50	6.0	3.9 - 9.2	700
Filipino	3,000	89.5	87.2 - 91.4	400	10.5	8.6 - 12.8	3,400
Japanese	2,000	94.3	92.0 - 96.0	100	5.7	4.0 - 8.0	2,200
Other	2,100	87.2	84.2 - 89.7	300	12.8	10.3 - 15.8	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	86.9	83.3 - 89.8	200	13.1	10.2 - 16.7	1,400
20-24	3,700	88.3	86.4 - 90.0	500	11.7	10.0 - 13.6	4,200
25-34	7,700	90.6	89.3 - 91.7	800	9.4	8.3 - 10.7	8,500
35+	2,800	93.1	91.2 - 94.6	200	6.9	5.4 - 8.8	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,100	89.9	88.6 - 91.0	900	10.1	9.0 - 11.4	9,000
Female	7,300	90.5	89.2 - 91.6	800	9.5	8.4 - 10.8	8,100

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,500	92.4	91.5 - 93.3	900	7.6	6.7 - 8.5	11,400
No	4,900	85.6	83.8 - 87.3	800	14.4	12.7 - 16.2	5,700

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,700	85.5	83.8 - 87.1	1,000	14.5	12.9 - 16.2	6,700
131-185%	1,900	89.8	86.9 - 92.0	200	10.2	8.0 - 13.1	2,100
186+%	6,500	95.6	94.7 - 96.4	300	4.4	3.6 - 5.3	6,800

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	91.3	88.0 - 93.7	100	8.7	6.3 - 12.0	1,100
Normal birth weight	14,400	90.1	89.2 - 90.9	1,600	9.9	9.1 - 10.8	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	73.5	68.7 - 77.8	400	26.5	22.2 - 31.3	1,400
No	14,100	91.7	90.8 - 92.5	1,300	8.3	7.5 - 9.2	15,400

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	83.5	81.0 - 85.8	600	16.5	14.2 - 19.0	3,500
No	12,200	92.0	91.1 - 92.9	1,100	8.0	7.1 - 8.9	13,300

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,400	86.9	85.3 - 88.3	1,000	13.1	11.7 - 14.7	7,400
<b>No</b>	8,800	92.9	91.8 - 93.8	700	7.1	6.2 - 8.2	9,400



**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	15,100	89.9	89.0 - 90.8	1,700	10.1	9.2 - 11.0	16,800

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,700	86.7	84.4 - 88.7	300	13.3	11.3 - 15.6	2,000
<b>Honolulu</b>	11,000	89.7	88.5 - 90.8	1,300	10.3	9.2 - 11.5	12,300
<b>Kauai</b>	700	92.4	89.5 - 94.5	100	7.6	5.5 - 10.5	800
<b>Maui</b>	1,700	93.7	92.0 - 95.0	100	6.3	5.0 - 8.0	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	93.2	91.2 - 94.8	200	6.8	5.2 - 8.8	3,700
Native Hawaiian	3,900	85.7	84.1 - 87.1	700	14.3	12.9 - 15.9	4,600
Chinese	600	92.0	85.7 - 95.7	100	8.0	4.3 - 14.3	700
Filipino	3,100	90.4	88.0 - 92.3	300	9.6	7.7 - 12.0	3,400
Japanese	2,100	95.8	93.6 - 97.2	100	4.2	2.8 - 6.4	2,200
Other	2,000	86.4	82.6 - 89.4	300	13.6	10.6 - 17.4	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	84.8	80.7 - 88.2	200	15.2	11.8 - 19.3	1,400
20-24	3,600	88.7	86.7 - 90.4	500	11.3	9.6 - 13.3	4,100
25-34	7,600	90.4	89.1 - 91.7	800	9.6	8.3 - 10.9	8,400
35+	2,700	92.6	90.4 - 94.3	200	7.4	5.7 - 9.6	2,900

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	7,900	89.1	87.7 - 90.3	1,000	10.9	9.7 - 12.3	8,800
<b>Female</b>	7,200	90.8	89.5 - 92.0	700	9.2	8.0 - 10.5	8,000

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	10,500	92.3	91.3 - 93.3	900	7.7	6.7 - 8.7	11,400
<b>No</b>	4,600	84.7	82.8 - 86.5	800	15.3	13.5 - 17.2	5,400

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	5,700	85.4	83.7 - 87.0	1,000	14.6	13.0 - 16.3	6,700
<b>131-185%</b>	2,400	90.4	87.7 - 92.6	300	9.6	7.4 - 12.3	2,600
<b>186+%</b>	5,800	96.3	95.3 - 97.1	200	3.7	2.9 - 4.7	6,000

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	91.4	88.3 - 93.8	100	8.6	6.2 - 11.7	1,100
Normal birth weight	14,100	89.8	88.8 - 90.7	1,600	10.2	9.3 - 11.2	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	71.8	66.9 - 76.2	400	28.2	23.8 - 33.1	1,400
No	13,900	91.5	90.6 - 92.4	1,300	8.5	7.6 - 9.4	15,200

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	83.0	80.4 - 85.4	600	17.0	14.6 - 19.6	3,300
No	12,000	91.8	90.8 - 92.7	1,100	8.2	7.3 - 9.2	13,100

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,200	85.7	84.0 - 87.3	1,000	14.3	12.7 - 16.0	7,200
<b>No</b>	8,800	93.2	92.1 - 94.1	600	6.8	5.9 - 7.9	9,400

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,600	89.5	88.5 - 90.4	1,700	10.5	9.6 - 11.5	16,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,600	86.4	84.4 - 88.1	300	13.6	11.9 - 15.6	1,900
<b>Honolulu</b>	10,700	89.5	88.3 - 90.6	1,300	10.5	9.4 - 11.7	12,000
<b>Kauai</b>	700	91.7	88.8 - 93.8	100	8.3	6.2 - 11.2	700
<b>Maui</b>	1,600	91.7	89.9 - 93.1	100	8.3	6.9 - 10.1	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	92.5	90.3 - 94.2	300	7.5	5.8 - 9.7	3,500
Native Hawaiian	3,800	84.8	83.5 - 86.0	700	15.2	14.0 - 16.5	4,400
Chinese	600	92.5	85.4 - 96.3	<50	7.5	3.7 - 14.6	700
Filipino	3,100	90.4	88.0 - 92.4	300	9.6	7.6 - 12.0	3,400
Japanese	2,000	96.0	93.7 - 97.5	100	4.0	2.5 - 6.3	2,100
Other	1,900	85.5	81.5 - 88.7	300	14.5	11.3 - 18.5	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	84.1	80.5 - 87.2	200	15.9	12.8 - 19.5	1,500
20-24	3,500	88.0	86.0 - 89.7	500	12.0	10.3 - 14.0	4,000
25-34	7,300	90.3	88.9 - 91.5	800	9.7	8.5 - 11.1	8,100
35+	2,500	92.3	89.9 - 94.2	200	7.7	5.8 - 10.1	2,700

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	7,500	89.2	87.8 - 90.4	900	10.8	9.6 - 12.2	8,400
<b>Female</b>	7,100	89.8	88.4 - 91.0	800	10.2	9.0 - 11.6	7,900

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	10,100	92.5	91.4 - 93.4	800	7.5	6.6 - 8.6	10,900
<b>No</b>	4,500	83.5	81.6 - 85.2	900	16.5	14.8 - 18.4	5,400

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	5,600	84.6	82.9 - 86.2	1,000	15.4	13.8 - 17.1	6,600
<b>131-185%</b>	2,800	90.6	88.2 - 92.5	300	9.4	7.5 - 11.8	3,100
<b>186+%</b>	5,100	96.9	95.8 - 97.7	200	3.1	2.3 - 4.2	5,200



**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	2,800	81.3	78.7 - 83.6	600	18.7	16.4 - 21.3	3,400
<b>\$15,001-\$25,000</b>	2,000	87.6	84.8 - 90.0	300	12.4	10.0 - 15.2	2,200
<b>\$25,001-\$40,000</b>	3,000	90.5	88.4 - 92.2	300	9.5	7.8 - 11.6	3,400
<b>&gt;=\$40,001</b>	6,000	95.7	94.6 - 96.6	300	4.3	3.4 - 5.4	6,300

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	1,000	89.8	86.6 - 92.4	100	10.2	7.6 - 13.4	1,100
<b>Normal birth weight</b>	13,600	89.4	88.4 - 90.4	1,600	10.6	9.6 - 11.6	15,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,000	70.9	66.3 - 75.1	400	29.1	24.9 - 33.7	1,400
<b>No</b>	13,300	91.2	90.3 - 92.1	1,300	8.8	7.9 - 9.7	14,600

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	82.0	79.4 - 84.3	600	18.0	15.7 - 20.6	3,200
No	11,500	91.5	90.5 - 92.4	1,100	8.5	7.6 - 9.5	12,600

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,800	84.7	83.0 - 86.3	1,000	15.3	13.7 - 17.0	6,900
No	8,700	93.0	91.9 - 93.9	700	7.0	6.1 - 8.1	9,300

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,400	89.5	88.6 - 90.3	1,700	10.5	9.7 - 11.4	16,100

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,600	88.6	86.8 - 90.1	200	11.4	9.9 - 13.2	1,800
<b>Honolulu</b>	10,600	89.2	88.0 - 90.2	1,300	10.8	9.8 - 12.0	11,900
<b>Kauai</b>	600	92.6	89.8 - 94.8	<50	7.4	5.2 - 10.2	700
<b>Maui</b>	1,500	91.4	89.6 - 92.9	100	8.6	7.1 - 10.4	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	90.8	88.7 - 92.6	300	9.2	7.4 - 11.3	3,600
Native Hawaiian	3,700	85.3	84.1 - 86.4	600	14.7	13.6 - 15.9	4,400
Chinese	600	90.8	83.9 - 94.9	100	9.2	5.1 - 16.1	600
Filipino	3,000	92.2	90.1 - 93.9	300	7.8	6.1 - 9.9	3,200
Japanese	2,000	96.3	94.3 - 97.6	100	3.7	2.4 - 5.7	2,100
Other	1,900	84.6	80.8 - 87.8	300	15.4	12.2 - 19.2	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	85.3	82.0 - 88.1	200	14.7	11.9 - 18.0	1,600
20-24	3,600	88.6	86.8 - 90.2	500	11.4	9.8 - 13.2	4,000
25-34	7,100	90.3	89.1 - 91.5	800	9.7	8.5 - 10.9	7,800
35+	2,400	90.8	88.3 - 92.8	200	9.2	7.2 - 11.7	2,600

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	7,300	88.7	87.3 - 89.9	900	11.3	10.1 - 12.7	8,200
<b>Female</b>	7,100	90.3	89.1 - 91.4	800	9.7	8.6 - 10.9	7,900

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	10,000	91.4	90.4 - 92.4	900	8.6	7.6 - 9.6	10,900
<b>No</b>	4,400	85.4	83.7 - 87.0	800	14.6	13.0 - 16.3	5,200

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	5,500	85.7	84.1 - 87.1	900	14.3	12.9 - 15.9	6,400
<b>131-185%</b>	2,700	90.4	88.2 - 92.2	300	9.6	7.8 - 11.8	3,000
<b>186+%</b>	5,200	95.5	94.2 - 96.4	200	4.5	3.6 - 5.8	5,400

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	2,800	84.3	82.2 - 86.3	500	15.7	13.7 - 17.8	3,400
<b>\$15,001-\$25,000</b>	2,100	86.8	84.1 - 89.1	300	13.2	10.9 - 15.9	2,400
<b>\$25,001-\$40,000</b>	3,000	90.1	88.0 - 91.8	300	9.9	8.2 - 12.0	3,300
<b>&gt;=\$40,001</b>	5,800	94.6	93.4 - 95.6	300	5.4	4.4 - 6.6	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	900	88.6	85.2 - 91.2	100	11.4	8.8 - 14.8	1,000
<b>Normal birth weight</b>	13,500	89.6	88.6 - 90.4	1,600	10.4	9.6 - 11.4	15,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,000	73.1	69.0 - 76.9	400	26.9	23.1 - 31.0	1,300
<b>No</b>	13,100	91.1	90.1 - 91.9	1,300	8.9	8.1 - 9.9	14,400

**PRAMS Health Indicator 3-Year Aggregate Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,700	83.5	81.2 - 85.5	500	16.5	14.5 - 18.8	3,200
<b>No</b>	11,300	91.1	90.1 - 92.0	1,100	8.9	8.0 - 9.9	12,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,800	85.4	83.8 - 86.8	1,000	14.6	13.2 - 16.2	6,800
<b>No</b>	8,400	92.6	91.5 - 93.6	700	7.4	6.4 - 8.5	9,100