

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Discuss breastfeeding with HCW during PNC	During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby?

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- for the State of Hawaii,
for the Year(s)**

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013


Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	14,400	85.6	84.8 - 86.4	2,400	14.4	13.6 - 15.2	16,800
2001-2005	14,400	85.7	84.9 - 86.4	2,400	14.3	13.6 - 15.1	16,900
2002-2006	14,700	85.5	84.7 - 86.3	2,500	14.5	13.7 - 15.3	17,200
2003-2007	14,800	85.1	84.3 - 85.8	2,600	14.9	14.2 - 15.7	17,400
2004-2008	14,900	84.3	83.6 - 85.1	2,800	15.7	14.9 - 16.4	17,700
2005-2009	15,000	84.2	83.4 - 85.0	2,800	15.8	15.0 - 16.6	17,800
2006-2010	15,100	83.7	82.7 - 84.5	3,000	16.3	15.5 - 17.3	18,100
2007-2011	15,200	83.8	82.9 - 84.8	2,900	16.2	15.2 - 17.1	18,100
2008-2012	15,300	84.1	83.1 - 85.1	2,900	15.9	14.9 - 16.9	18,200
2009-2013	15,300	84.5	83.4 - 85.5	2,800	15.5	14.5 - 16.6	18,100

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- for the State of Hawaii,
for the Year(s)**

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,300	84.5	83.4 - 85.5	2,800	15.5	14.5 - 16.6	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,000	84.5	82.7 - 86.1	400	15.5	13.9 - 17.3	2,300
Honolulu	11,000	84.3	82.8 - 85.6	2,000	15.7	14.4 - 17.2	13,000
Kauai	700	85.4	83.4 - 87.2	100	14.6	12.8 - 16.6	800
Maui	1,700	85.9	84.2 - 87.3	300	14.1	12.7 - 15.8	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	84.3	82.1 - 86.2	700	15.7	13.8 - 17.9	4,400
Native Hawaiian	4,700	87.7	85.9 - 89.3	700	12.3	10.7 - 14.1	5,400
Chinese	600	77.0	70.6 - 82.4	200	23.0	17.6 - 29.4	800
Filipino	2,700	85.1	82.4 - 87.4	500	14.9	12.6 - 17.6	3,200
Japanese	1,200	72.3	67.7 - 76.5	500	27.7	23.5 - 32.3	1,700
Other	2,300	88.0	85.1 - 90.3	300	12.0	9.7 - 14.9	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	92.1	88.2 - 94.7	100	7.9	5.3 - 11.8	1,100
20-24	3,800	91.2	89.4 - 92.8	400	8.8	7.2 - 10.6	4,100
25-34	8,100	84.1	82.6 - 85.5	1,500	15.9	14.5 - 17.4	9,600
35+	2,400	74.4	71.3 - 77.3	800	25.6	22.7 - 28.7	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,700	83.8	82.2 - 85.2	1,500	16.2	14.8 - 17.8	9,200
Female	7,600	85.3	83.8 - 86.7	1,300	14.7	13.3 - 16.2	9,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	81.4	79.9 - 82.8	2,100	18.6	17.2 - 20.1	11,200
No	6,200	89.6	88.1 - 90.9	700	10.4	9.1 - 11.9	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,700	89.2	87.6 - 90.5	700	10.8	9.5 - 12.4	6,400
131-185%	2,400	87.2	84.4 - 89.5	400	12.8	10.5 - 15.6	2,800
186+%	5,900	78.9	77.0 - 80.8	1,600	21.1	19.2 - 23.0	7,400

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	82.0	80.0 - 83.7	200	18.0	16.3 - 20.0	1,300
Normal birth weight	14,200	84.7	83.6 - 85.8	2,600	15.3	14.2 - 16.4	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	87.6	83.5 - 90.8	100	12.4	9.2 - 16.5	1,100
No	14,000	84.4	83.2 - 85.5	2,600	15.6	14.5 - 16.8	16,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	85.9	83.5 - 88.0	500	14.1	12.0 - 16.5	3,400
No	12,100	84.3	83.0 - 85.4	2,300	15.7	14.6 - 17.0	14,300

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,100	90.1	88.8 - 91.3	800	9.9	8.7 - 11.2	7,900
No	8,100	80.3	78.6 - 81.8	2,000	19.7	18.2 - 21.4	10,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,300	84.1	83.1 - 85.1	2,900	15.9	14.9 - 16.9	18,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,000	84.8	82.9 - 86.4	400	15.2	13.6 - 17.1	2,300
Honolulu	10,900	84.0	82.6 - 85.3	2,100	16.0	14.7 - 17.4	13,000
Kauai	700	83.7	81.0 - 86.0	100	16.3	14.0 - 19.0	800
Maui	1,700	84.5	82.7 - 86.2	300	15.5	13.8 - 17.3	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,600	84.2	82.2 - 86.0	700	15.8	14.0 - 17.8	4,300
Native Hawaiian	4,700	86.9	85.1 - 88.6	700	13.1	11.4 - 14.9	5,400
Chinese	600	73.6	67.2 - 79.1	200	26.4	20.9 - 32.8	800
Filipino	2,800	85.2	82.8 - 87.4	500	14.8	12.6 - 17.2	3,300
Japanese	1,200	71.6	67.4 - 75.5	500	28.4	24.5 - 32.6	1,700
Other	2,400	88.2	85.6 - 90.3	300	11.8	9.7 - 14.4	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	91.4	87.8 - 94.0	100	8.6	6.0 - 12.2	1,200
20-24	3,800	90.8	88.9 - 92.3	400	9.2	7.7 - 11.1	4,100
25-34	8,000	83.5	82.1 - 84.8	1,600	16.5	15.2 - 17.9	9,600
35+	2,400	74.7	71.8 - 77.4	800	25.3	22.6 - 28.2	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	83.9	82.5 - 85.3	1,500	16.1	14.7 - 17.5	9,300
Female	7,500	84.4	82.9 - 85.7	1,400	15.6	14.3 - 17.1	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	81.2	79.9 - 82.6	2,100	18.8	17.4 - 20.1	11,300
No	6,100	88.8	87.4 - 90.1	800	11.2	9.9 - 12.6	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,700	88.9	87.4 - 90.2	700	11.1	9.8 - 12.6	6,400
131-185%	2,400	86.3	83.6 - 88.6	400	13.7	11.4 - 16.4	2,800
186+%	6,000	78.8	77.0 - 80.4	1,600	21.2	19.6 - 23.0	7,600

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	81.4	79.1 - 83.5	200	18.6	16.5 - 20.9	1,300
Normal birth weight	14,200	84.3	83.2 - 85.4	2,600	15.7	14.6 - 16.8	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	87.9	84.1 - 90.9	100	12.1	9.1 - 15.9	1,200
No	13,900	83.9	82.8 - 84.9	2,700	16.1	15.1 - 17.2	16,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	85.7	83.3 - 87.7	500	14.3	12.3 - 16.7	3,500
No	12,000	83.8	82.7 - 84.9	2,300	16.2	15.1 - 17.3	14,300

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,100	89.8	88.5 - 90.9	800	10.2	9.1 - 11.5	7,900
No	8,000	79.8	78.3 - 81.2	2,000	20.2	18.8 - 21.7	10,100

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,200	83.8	82.9 - 84.8	2,900	16.2	15.2 - 17.1	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,000	83.7	81.7 - 85.6	400	16.3	14.4 - 18.3	2,400
Honolulu	10,800	83.8	82.5 - 85.0	2,100	16.2	15.0 - 17.5	12,800
Kauai	800	84.1	81.2 - 86.7	100	15.9	13.3 - 18.8	900
Maui	1,700	84.1	82.1 - 86.0	300	15.9	14.0 - 17.9	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,600	84.2	82.2 - 85.9	700	15.8	14.1 - 17.8	4,300
Native Hawaiian	4,600	86.8	85.0 - 88.3	700	13.2	11.7 - 15.0	5,300
Chinese	500	71.2	65.1 - 76.7	200	28.8	23.3 - 34.9	700
Filipino	2,800	85.8	83.5 - 87.8	500	14.2	12.2 - 16.5	3,300
Japanese	1,300	71.7	67.9 - 75.2	500	28.3	24.8 - 32.1	1,800
Other	2,300	86.8	84.2 - 88.9	400	13.2	11.1 - 15.8	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	91.5	88.3 - 93.9	100	8.5	6.1 - 11.7	1,400
20-24	3,800	90.0	88.2 - 91.5	400	10.0	8.5 - 11.8	4,300
25-34	7,700	83.0	81.7 - 84.3	1,600	17.0	15.7 - 18.3	9,300
35+	2,400	74.6	71.9 - 77.2	800	25.4	22.8 - 28.1	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,900	83.7	82.4 - 85.0	1,500	16.3	15.0 - 17.6	9,400
Female	7,400	84.0	82.6 - 85.3	1,400	16.0	14.7 - 17.4	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	80.9	79.6 - 82.1	2,200	19.1	17.9 - 20.4	11,300
No	6,100	88.7	87.3 - 90.0	800	11.3	10.0 - 12.7	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,800	89.1	87.7 - 90.4	700	10.9	9.6 - 12.3	6,500
131-185%	2,300	85.4	82.8 - 87.7	400	14.6	12.3 - 17.2	2,700
186+%	6,000	78.3	76.6 - 79.9	1,700	21.7	20.1 - 23.4	7,600

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,800	90.6	88.6 - 92.3	300	9.4	7.7 - 11.4	3,100
\$10,000-\$24,999	3,200	88.3	86.4 - 90.1	400	11.7	9.9 - 13.6	3,600
\$25,000-\$49,999	3,500	83.5	81.4 - 85.4	700	16.5	14.6 - 18.6	4,200
>=\$50,000	4,700	77.1	75.2 - 78.9	1,400	22.9	21.1 - 24.8	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	81.1	78.5 - 83.4	300	18.9	16.6 - 21.5	1,300
Normal birth weight	14,100	84.1	83.0 - 85.1	2,700	15.9	14.9 - 17.0	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	87.0	83.4 - 89.9	200	13.0	10.1 - 16.6	1,400
No	13,800	83.6	82.6 - 84.6	2,700	16.4	15.4 - 17.4	16,500

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	85.9	83.7 - 87.8	500	14.1	12.2 - 16.3	3,600
No	11,900	83.3	82.2 - 84.4	2,400	16.7	15.6 - 17.8	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,000	89.6	88.3 - 90.7	800	10.4	9.3 - 11.7	7,800
No	8,100	79.5	78.1 - 80.9	2,100	20.5	19.1 - 21.9	10,200

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,100	83.7	82.7 - 84.5	3,000	16.3	15.5 - 17.3	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	82.9	80.7 - 84.9	400	17.1	15.1 - 19.3	2,300
Honolulu	10,700	83.8	82.6 - 84.9	2,100	16.2	15.1 - 17.4	12,800
Kauai	800	84.6	81.5 - 87.4	100	15.4	12.6 - 18.5	900
Maui	1,700	83.4	81.1 - 85.4	300	16.6	14.6 - 18.9	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,600	83.5	81.6 - 85.2	700	16.5	14.8 - 18.4	4,300
Native Hawaiian	4,500	86.5	84.8 - 88.1	700	13.5	11.9 - 15.2	5,200
Chinese	500	71.4	65.9 - 76.4	200	28.6	23.6 - 34.1	700
Filipino	2,800	85.1	82.9 - 87.1	500	14.9	12.9 - 17.1	3,300
Japanese	1,400	72.8	69.4 - 76.0	500	27.2	24.0 - 30.6	1,900
Other	2,300	87.2	84.8 - 89.2	300	12.8	10.8 - 15.2	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	89.8	86.6 - 92.3	200	10.2	7.7 - 13.4	1,500
20-24	3,800	88.6	86.8 - 90.2	500	11.4	9.8 - 13.2	4,300
25-34	7,600	83.0	81.7 - 84.3	1,500	17.0	15.7 - 18.3	9,100
35+	2,400	75.9	73.4 - 78.2	800	24.1	21.8 - 26.6	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	83.5	82.3 - 84.8	1,500	16.5	15.2 - 17.7	9,300
Female	7,300	83.8	82.4 - 85.0	1,400	16.2	15.0 - 17.6	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,200	81.3	80.0 - 82.4	2,100	18.7	17.6 - 20.0	11,300
No	6,000	87.6	86.2 - 88.9	800	12.4	11.1 - 13.8	6,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,600	87.8	86.3 - 89.1	800	12.2	10.9 - 13.7	6,400
131-185%	2,300	86.4	84.0 - 88.5	400	13.6	11.5 - 16.0	2,700
186+%	6,000	78.7	77.1 - 80.1	1,600	21.3	19.9 - 22.9	7,600

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	88.9	86.8 - 90.7	300	11.1	9.3 - 13.2	3,000
\$10,000-\$24,999	3,200	87.7	85.8 - 89.4	500	12.3	10.6 - 14.2	3,700
\$25,000-\$49,999	3,400	83.2	81.1 - 85.1	700	16.8	14.9 - 18.9	4,100
>=\$50,000	4,700	78.0	76.2 - 79.6	1,300	22.0	20.4 - 23.8	6,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	80.4	77.6 - 83.0	300	19.6	17.0 - 22.4	1,400
Normal birth weight	14,000	83.9	82.9 - 84.8	2,700	16.1	15.2 - 17.1	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	86.3	83.0 - 89.0	200	13.7	11.0 - 17.0	1,500
No	13,500	83.4	82.5 - 84.4	2,700	16.6	15.6 - 17.5	16,200

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	85.6	83.5 - 87.5	500	14.4	12.5 - 16.5	3,600
No	11,700	83.2	82.1 - 84.2	2,400	16.8	15.8 - 17.9	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	88.5	87.2 - 89.6	900	11.5	10.4 - 12.8	7,700
No	8,200	80.1	78.8 - 81.4	2,000	19.9	18.6 - 21.2	10,200

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,000	84.2	83.4 - 85.0	2,800	15.8	15.0 - 16.6	17,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	82.5	80.2 - 84.6	400	17.5	15.4 - 19.8	2,300
Honolulu	10,700	84.6	83.5 - 85.6	2,000	15.4	14.4 - 16.5	12,600
Kauai	800	85.9	82.5 - 88.8	100	14.1	11.2 - 17.5	900
Maui	1,700	83.2	80.7 - 85.3	300	16.8	14.7 - 19.3	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	84.0	82.2 - 85.6	700	16.0	14.4 - 17.8	4,100
Native Hawaiian	4,500	87.2	85.6 - 88.6	700	12.8	11.4 - 14.4	5,100
Chinese	500	74.0	69.5 - 78.1	200	26.0	21.9 - 30.5	600
Filipino	2,800	86.2	84.3 - 87.9	400	13.8	12.1 - 15.7	3,300
Japanese	1,500	73.8	70.8 - 76.6	500	26.2	23.4 - 29.2	2,000
Other	2,300	86.7	84.6 - 88.6	400	13.3	11.4 - 15.4	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	90.7	87.8 - 92.9	100	9.3	7.1 - 12.2	1,600
20-24	3,800	89.2	87.6 - 90.6	500	10.8	9.4 - 12.4	4,200
25-34	7,400	83.7	82.5 - 84.9	1,400	16.3	15.1 - 17.5	8,900
35+	2,300	75.5	73.2 - 77.7	800	24.5	22.3 - 26.8	3,100

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	84.2	83.0 - 85.3	1,500	15.8	14.7 - 17.0	9,200
Female	7,200	84.2	83.0 - 85.4	1,400	15.8	14.6 - 17.0	8,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	82.0	80.9 - 83.1	2,000	18.0	16.9 - 19.1	11,100
No	5,900	87.8	86.5 - 89.1	800	12.2	10.9 - 13.5	6,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,600	88.1	86.7 - 89.3	800	11.9	10.7 - 13.3	6,400
131-185%	2,100	86.8	84.6 - 88.8	300	13.2	11.2 - 15.4	2,400
186+%	6,000	79.5	78.1 - 80.8	1,600	20.5	19.2 - 21.9	7,600

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,600	89.4	87.4 - 91.1	300	10.6	8.9 - 12.6	2,900
\$10,000-\$24,999	3,300	87.7	85.9 - 89.3	500	12.3	10.7 - 14.1	3,700
\$25,000-\$49,999	3,400	84.5	82.7 - 86.1	600	15.5	13.9 - 17.3	4,000
>=\$50,000	4,600	78.2	76.6 - 79.8	1,300	21.8	20.2 - 23.4	5,800

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	81.2	78.3 - 83.9	300	18.8	16.1 - 21.7	1,300
Normal birth weight	13,900	84.5	83.6 - 85.3	2,600	15.5	14.7 - 16.4	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	88.7	86.0 - 91.0	200	11.3	9.0 - 14.0	1,500
No	13,400	83.8	82.9 - 84.6	2,600	16.2	15.4 - 17.1	15,900

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	87.9	86.0 - 89.5	400	12.1	10.5 - 14.0	3,600
No	11,500	83.3	82.3 - 84.2	2,300	16.7	15.8 - 17.7	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	88.7	87.5 - 89.8	900	11.3	10.2 - 12.5	7,500
No	8,100	80.9	79.7 - 82.0	1,900	19.1	18.0 - 20.3	10,100

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,900	84.3	83.6 - 85.1	2,800	15.7	14.9 - 16.4	17,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	82.6	80.2 - 84.8	400	17.4	15.2 - 19.8	2,200
Honolulu	10,700	84.7	83.8 - 85.6	1,900	15.3	14.4 - 16.2	12,600
Kauai	800	86.9	83.3 - 89.8	100	13.1	10.2 - 16.7	900
Maui	1,600	82.7	80.1 - 85.0	300	17.3	15.0 - 19.9	1,900

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	83.5	81.8 - 85.1	700	16.5	14.9 - 18.2	4,100
Native Hawaiian	4,300	87.3	85.8 - 88.7	600	12.7	11.3 - 14.2	4,900
Chinese	500	75.0	72.5 - 77.4	200	25.0	22.6 - 27.5	600
Filipino	2,800	86.7	85.1 - 88.2	400	13.3	11.8 - 14.9	3,300
Japanese	1,600	72.9	70.2 - 75.5	600	27.1	24.5 - 29.8	2,100
Other	2,400	88.4	86.6 - 90.0	300	11.6	10.0 - 13.4	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	90.9	88.3 - 92.9	100	9.1	7.1 - 11.7	1,500
20-24	3,800	89.4	87.9 - 90.7	500	10.6	9.3 - 12.1	4,300
25-34	7,300	83.6	82.5 - 84.7	1,400	16.4	15.3 - 17.5	8,800
35+	2,400	76.5	74.4 - 78.4	700	23.5	21.6 - 25.6	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	84.8	83.7 - 85.8	1,400	15.2	14.2 - 16.3	9,200
Female	7,100	83.9	82.7 - 85.0	1,400	16.1	15.0 - 17.3	8,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,400	82.5	81.5 - 83.4	2,000	17.5	16.6 - 18.5	11,400
No	5,500	87.8	86.5 - 88.9	800	12.2	11.1 - 13.5	6,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,600	88.3	87.0 - 89.4	800	11.7	10.6 - 13.0	6,400
131-185%	2,000	86.9	84.8 - 88.7	300	13.1	11.3 - 15.2	2,300
186+%	6,100	79.8	78.6 - 81.0	1,500	20.2	19.0 - 21.4	7,700

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,600	89.1	87.3 - 90.7	300	10.9	9.3 - 12.7	2,900
\$10,000-\$24,999	3,400	87.9	86.3 - 89.3	500	12.1	10.7 - 13.7	3,800
\$25,000-\$49,999	3,500	85.0	83.4 - 86.5	600	15.0	13.5 - 16.6	4,100
≥\$50,000	4,400	78.2	76.7 - 79.7	1,200	21.8	20.3 - 23.3	5,600

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	81.6	78.4 - 84.4	200	18.4	15.6 - 21.6	1,300
Normal birth weight	13,800	84.6	83.8 - 85.3	2,500	15.4	14.7 - 16.2	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	88.7	86.0 - 90.9	200	11.3	9.1 - 14.0	1,500
No	13,300	83.9	83.1 - 84.7	2,600	16.1	15.3 - 16.9	15,900

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	87.6	85.9 - 89.1	400	12.4	10.9 - 14.1	3,500
No	11,500	83.4	82.5 - 84.3	2,300	16.6	15.7 - 17.5	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	88.9	87.8 - 89.9	800	11.1	10.1 - 12.2	7,600
No	8,000	80.7	79.6 - 81.8	1,900	19.3	18.2 - 20.4	9,900

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,800	85.1	84.3 - 85.8	2,600	14.9	14.2 - 15.7	17,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	83.2	80.8 - 85.3	400	16.8	14.7 - 19.2	2,100
Honolulu	10,700	85.4	84.4 - 86.2	1,800	14.6	13.8 - 15.6	12,600
Kauai	800	88.6	85.3 - 91.2	100	11.4	8.8 - 14.7	900
Maui	1,600	83.7	81.3 - 85.9	300	16.3	14.1 - 18.7	1,900

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	84.3	82.6 - 85.9	600	15.7	14.1 - 17.4	3,900
Native Hawaiian	4,200	87.7	86.3 - 89.0	600	12.3	11.0 - 13.7	4,800
Chinese	500	78.1	74.7 - 81.1	100	21.9	18.9 - 25.3	600
Filipino	2,900	87.2	85.5 - 88.7	400	12.8	11.3 - 14.5	3,400
Japanese	1,600	74.5	71.6 - 77.1	500	25.5	22.9 - 28.4	2,100
Other	2,300	89.0	87.1 - 90.7	300	11.0	9.3 - 12.9	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	90.8	88.3 - 92.9	100	9.2	7.1 - 11.7	1,500
20-24	3,800	89.7	88.3 - 91.0	400	10.3	9.0 - 11.7	4,300
25-34	7,200	84.3	83.2 - 85.4	1,300	15.7	14.6 - 16.8	8,600
35+	2,400	77.8	75.7 - 79.8	700	22.2	20.2 - 24.3	3,100

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	85.7	84.7 - 86.7	1,300	14.3	13.3 - 15.3	9,100
Female	7,000	84.3	83.2 - 85.4	1,300	15.7	14.6 - 16.8	8,300

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,500	83.5	82.5 - 84.5	1,900	16.5	15.5 - 17.5	11,400
No	5,300	88.0	86.7 - 89.1	700	12.0	10.9 - 13.3	6,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,800	88.4	87.2 - 89.5	800	11.6	10.5 - 12.8	6,600
131-185%	2,000	86.4	84.2 - 88.4	300	13.6	11.6 - 15.8	2,300
186+%	5,900	81.3	80.0 - 82.5	1,300	18.7	17.5 - 20.0	7,200

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	81.6	78.3 - 84.5	200	18.4	15.5 - 21.7	1,300
Normal birth weight	13,800	85.4	84.5 - 86.1	2,400	14.6	13.9 - 15.5	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	87.7	84.9 - 90.0	200	12.3	10.0 - 15.1	1,500
No	13,300	84.8	84.0 - 85.6	2,400	15.2	14.4 - 16.0	15,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	87.3	85.5 - 88.8	400	12.7	11.2 - 14.5	3,500
No	11,500	84.5	83.6 - 85.3	2,100	15.5	14.7 - 16.4	13,600

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	89.2	88.1 - 90.2	800	10.8	9.8 - 11.9	7,500
No	8,000	81.8	80.7 - 82.9	1,800	18.2	17.1 - 19.3	9,800

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,700	85.5	84.7 - 86.3	2,500	14.5	13.7 - 15.3	17,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	84.6	82.5 - 86.5	300	15.4	13.5 - 17.5	2,100
Honolulu	10,700	85.6	84.7 - 86.6	1,800	14.4	13.4 - 15.3	12,500
Kauai	700	89.7	86.7 - 92.2	100	10.3	7.8 - 13.3	800
Maui	1,500	84.0	81.8 - 86.1	300	16.0	13.9 - 18.2	1,800

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	83.8	81.9 - 85.5	600	16.2	14.5 - 18.1	3,800
Native Hawaiian	4,200	87.8	86.4 - 89.0	600	12.2	11.0 - 13.6	4,700
Chinese	500	79.6	75.4 - 83.2	100	20.4	16.8 - 24.6	600
Filipino	3,000	88.4	86.6 - 89.9	400	11.6	10.1 - 13.4	3,400
Japanese	1,700	76.2	73.3 - 78.9	500	23.8	21.1 - 26.7	2,200
Other	2,200	90.0	87.9 - 91.7	200	10.0	8.3 - 12.1	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	91.2	88.7 - 93.1	100	8.8	6.9 - 11.3	1,500
20-24	3,800	89.9	88.5 - 91.1	400	10.1	8.9 - 11.5	4,200
25-34	7,200	85.1	83.9 - 86.2	1,300	14.9	13.8 - 16.1	8,500
35+	2,300	77.9	75.7 - 80.0	700	22.1	20.0 - 24.3	3,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,700	86.2	85.1 - 87.2	1,200	13.8	12.8 - 14.9	8,900
Female	7,000	84.8	83.6 - 85.9	1,300	15.2	14.1 - 16.4	8,300

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,600	83.9	82.9 - 84.9	1,800	16.1	15.1 - 17.1	11,400
No	5,100	88.7	87.5 - 89.9	600	11.3	10.1 - 12.5	5,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,800	88.4	87.2 - 89.5	800	11.6	10.5 - 12.8	6,500
131-185%	2,100	86.8	84.5 - 88.8	300	13.2	11.2 - 15.5	2,400
186+%	5,600	82.2	80.8 - 83.5	1,200	17.8	16.5 - 19.2	6,800

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	83.3	79.9 - 86.2	200	16.7	13.8 - 20.1	1,200
Normal birth weight	13,700	85.8	84.9 - 86.5	2,300	14.2	13.5 - 15.1	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	87.6	84.8 - 90.0	200	12.4	10.0 - 15.2	1,400
No	13,200	85.4	84.5 - 86.2	2,300	14.6	13.8 - 15.5	15,400

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	87.3	85.5 - 88.9	400	12.7	11.1 - 14.5	3,500
No	11,300	85.1	84.1 - 85.9	2,000	14.9	14.1 - 15.9	13,300

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,600	89.5	88.4 - 90.5	800	10.5	9.5 - 11.6	7,400
No	7,900	82.5	81.3 - 83.6	1,700	17.5	16.4 - 18.7	9,600

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,400	85.7	84.9 - 86.4	2,400	14.3	13.6 - 15.1	16,900

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	85.2	83.2 - 86.9	300	14.8	13.1 - 16.8	2,000
Honolulu	10,600	85.7	84.7 - 86.6	1,800	14.3	13.4 - 15.3	12,400
Kauai	700	89.2	86.4 - 91.5	100	10.8	8.5 - 13.6	800
Maui	1,500	84.5	82.4 - 86.4	300	15.5	13.6 - 17.6	1,700

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	83.7	81.8 - 85.4	600	16.3	14.6 - 18.2	3,700
Native Hawaiian	4,100	88.2	87.1 - 89.3	500	11.8	10.7 - 12.9	4,600
Chinese	500	80.4	75.8 - 84.3	100	19.6	15.7 - 24.2	700
Filipino	3,000	88.4	86.6 - 90.0	400	11.6	10.0 - 13.4	3,400
Japanese	1,700	76.2	73.2 - 79.0	500	23.8	21.0 - 26.8	2,200
Other	2,100	90.1	88.0 - 91.8	200	9.9	8.2 - 12.0	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	92.2	90.0 - 93.9	100	7.8	6.1 - 10.0	1,500
20-24	3,800	90.6	89.3 - 91.8	400	9.4	8.2 - 10.7	4,200
25-34	7,100	85.2	84.1 - 86.3	1,200	14.8	13.7 - 15.9	8,300
35+	2,200	76.4	74.0 - 78.6	700	23.6	21.4 - 26.0	2,900

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,500	86.0	84.9 - 87.1	1,200	14.0	12.9 - 15.1	8,800
Female	6,900	85.3	84.1 - 86.4	1,200	14.7	13.6 - 15.9	8,100

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,500	83.8	82.8 - 84.8	1,800	16.2	15.2 - 17.2	11,300
No	5,000	89.4	88.3 - 90.5	600	10.6	9.5 - 11.7	5,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,800	89.0	87.9 - 90.1	700	11.0	9.9 - 12.1	6,500
131-185%	2,300	85.0	82.7 - 86.9	400	15.0	13.1 - 17.3	2,700
186+%	5,200	82.5	81.1 - 83.8	1,100	17.5	16.2 - 18.9	6,300

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	85.2	81.9 - 88.0	200	14.8	12.0 - 18.1	1,100
Normal birth weight	13,500	85.8	85.0 - 86.6	2,200	14.2	13.4 - 15.0	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	88.0	85.3 - 90.3	200	12.0	9.7 - 14.7	1,400
No	13,000	85.5	84.6 - 86.3	2,200	14.5	13.7 - 15.4	15,200

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	87.3	85.6 - 88.9	400	12.7	11.1 - 14.4	3,400
No	11,100	85.2	84.3 - 86.1	1,900	14.8	13.9 - 15.7	13,100

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,500	90.0	89.0 - 90.9	700	10.0	9.1 - 11.0	7,300
No	7,800	82.3	81.2 - 83.5	1,700	17.7	16.5 - 18.8	9,400

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,400	85.6	84.8 - 86.4	2,400	14.4	13.6 - 15.2	16,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	84.6	82.8 - 86.2	300	15.4	13.8 - 17.2	2,000
Honolulu	10,600	85.6	84.6 - 86.5	1,800	14.4	13.5 - 15.4	12,400
Kauai	700	89.5	87.0 - 91.6	100	10.5	8.4 - 13.0	800
Maui	1,500	85.4	83.6 - 87.1	300	14.6	12.9 - 16.4	1,700

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	83.2	81.3 - 84.9	600	16.8	15.1 - 18.7	3,700
Native Hawaiian	4,000	87.9	86.8 - 88.8	600	12.1	11.2 - 13.2	4,600
Chinese	500	79.7	74.6 - 83.9	100	20.3	16.1 - 25.4	700
Filipino	3,100	88.9	87.1 - 90.5	400	11.1	9.5 - 12.9	3,400
Japanese	1,600	76.5	73.4 - 79.4	500	23.5	20.6 - 26.6	2,100
Other	2,100	90.4	88.3 - 92.2	200	9.6	7.8 - 11.7	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	91.6	89.5 - 93.4	100	8.4	6.6 - 10.5	1,500
20-24	3,800	90.6	89.4 - 91.7	400	9.4	8.3 - 10.6	4,100
25-34	7,000	85.2	84.1 - 86.3	1,200	14.8	13.7 - 15.9	8,300
35+	2,200	76.3	73.9 - 78.6	700	23.7	21.4 - 26.1	2,900

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,600	86.1	85.0 - 87.1	1,200	13.9	12.9 - 15.0	8,800
Female	6,900	85.1	83.9 - 86.2	1,200	14.9	13.8 - 16.1	8,100

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,600	83.7	82.7 - 84.7	1,900	16.3	15.3 - 17.3	11,500
No	4,800	89.7	88.6 - 90.7	500	10.3	9.3 - 11.4	5,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,000	88.9	87.8 - 89.9	700	11.1	10.1 - 12.2	6,700
131-185%	2,400	85.8	83.7 - 87.7	400	14.2	12.3 - 16.3	2,800
186+%	4,900	82.0	80.5 - 83.4	1,100	18.0	16.6 - 19.5	6,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	84.8	81.4 - 87.7	200	15.2	12.3 - 18.6	1,100
Normal birth weight	13,400	85.7	84.9 - 86.5	2,200	14.3	13.5 - 15.1	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	86.4	83.7 - 88.7	200	13.6	11.3 - 16.3	1,400
No	12,900	85.6	84.8 - 86.4	2,200	14.4	13.6 - 15.2	15,100

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	86.3	84.6 - 87.9	500	13.7	12.1 - 15.4	3,300
No	11,100	85.5	84.5 - 86.3	1,900	14.5	13.7 - 15.5	13,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,500	90.0	89.0 - 90.9	700	10.0	9.1 - 11.0	7,200
No	7,700	82.3	81.2 - 83.5	1,700	17.7	16.5 - 18.8	9,400