

**PRAMS Health Indicator Report - Breastfeeding initiation- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Breastfeeding initiation	Breastfeeding initiation

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/28/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Breastfeeding initiation- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	14,400	89.3	87.8 - 90.7	1,700	10.7	9.3 - 12.2	16,100
2001	14,300	89.8	88.5 - 91.0	1,600	10.2	9.0 - 11.5	15,900
2002	14,500	89.3	87.4 - 90.9	1,700	10.7	9.1 - 12.6	16,300
2003	14,900	89.3	87.5 - 90.9	1,800	10.7	9.1 - 12.5	16,700
2004	15,800	91.1	89.7 - 92.3	1,600	8.9	7.7 - 10.3	17,400
2005	15,500	90.1	88.5 - 91.4	1,700	9.9	8.6 - 11.5	17,200
2006	16,400	92.0	90.5 - 93.3	1,400	8.0	6.7 - 9.5	17,800
2007	16,800	92.5	91.1 - 93.7	1,400	7.5	6.3 - 8.9	18,100
2008	17,000	92.3	90.9 - 93.5	1,400	7.7	6.5 - 9.1	18,400
2009	16,800	93.3	91.5 - 94.8	1,200	6.7	5.2 - 8.5	18,000
2010	17,200	94.0	92.2 - 95.5	1,100	6.0	4.5 - 7.8	18,300
2011	17,500	95.6	93.9 - 96.8	800	4.4	3.2 - 6.1	18,400
2012	16,900	94.8	92.9 - 96.2	900	5.2	3.8 - 7.1	17,900
2013	17,400	96.3	94.8 - 97.4	700	3.7	2.6 - 5.2	18,000

PRAMS Health Indicator Report - Breastfeeding initiation- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	17,400	96.3	94.8 - 97.4	700	3.7	2.6 - 5.2	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,200	94.0	90.5 - 96.3	100	6.0	3.7 - 9.5	2,400
Honolulu	12,500	96.6	94.5 - 98.0	400	3.4	2.0 - 5.5	12,900
Kauai	800	95.5	92.7 - 97.2	<50	4.5	2.8 - 7.3	800
Maui	1,900	97.0	94.3 - 98.4	100	3.0	1.6 - 5.7	1,900

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,700	98.4	95.3 - 99.4	100	1.6	0.6 - 4.7	4,800
Native Hawaiian	5,000	93.8	90.1 - 96.2	300	6.2	3.8 - 9.9	5,400
Chinese	800	96.6	79.8 - 99.5	<50	3.4	0.5 - 20.2	900
Filipino	2,900	98.1	94.2 - 99.4	100	1.9	0.6 - 5.8	2,900
Japanese	1,700	98.3	89.0 - 99.7	<50	1.7	0.3 - 11.0	1,700
Other	2,200	93.8	87.8 - 96.9	100	6.2	3.1 - 12.2	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	98.7	91.9 - 99.8	<50	1.3	0.2 - 8.1	800
20-24	3,900	97.9	94.8 - 99.2	100	2.1	0.8 - 5.2	4,000
25-34	9,500	96.1	93.9 - 97.6	400	3.9	2.4 - 6.1	9,800
35+	3,100	94.1	89.2 - 96.8	200	5.9	3.2 - 10.8	3,300

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,500	95.8	93.5 - 97.3	400	4.2	2.7 - 6.5	8,900
Female	8,900	96.7	94.5 - 98.1	300	3.3	1.9 - 5.5	9,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	11,200	97.4	95.7 - 98.4	300	2.6	1.6 - 4.3	11,500
No	6,200	94.3	91.1 - 96.4	400	5.7	3.6 - 8.9	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,300	95.2	92.6 - 96.9	300	4.8	3.1 - 7.4	6,700
131-185%	2,300	93.3	86.4 - 96.8	200	6.7	3.2 - 13.6	2,500
186+%	7,000	97.6	94.8 - 98.9	200	2.4	1.1 - 5.2	7,100

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	3,900	95.2	91.4 - 97.4	200	4.8	2.6 - 8.6	4,100
\$17,001-\$26,000	2,300	95.7	91.4 - 97.9	100	4.3	2.1 - 8.6	2,400
\$26,001-\$51,000	3,700	95.2	90.7 - 97.6	200	4.8	2.4 - 9.3	3,900
>=\$51,001	5,900	97.2	94.0 - 98.7	200	2.8	1.3 - 6.0	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	96.8	94.3 - 98.2	<50	3.2	1.8 - 5.7	1,300
Normal birth weight	16,100	96.2	94.6 - 97.4	600	3.8	2.6 - 5.4	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	92.1	82.0 - 96.7	100	7.9	3.3 - 18.0	900
No	16,100	96.4	94.8 - 97.5	600	3.6	2.5 - 5.2	16,600

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	95.2	91.0 - 97.5	200	4.8	2.5 - 9.0	3,200
No	13,900	96.4	94.7 - 97.6	500	3.6	2.4 - 5.3	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,500	95.3	92.7 - 97.0	400	4.7	3.0 - 7.3	7,900
No	9,700	97.0	94.9 - 98.3	300	3.0	1.7 - 5.1	10,000

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	16,900	94.8	92.9 - 96.2	900	5.2	3.8 - 7.1	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,100	95.9	93.1 - 97.6	100	4.1	2.4 - 6.9	2,200
Honolulu	12,100	94.0	91.4 - 95.8	800	6.0	4.2 - 8.6	12,900
Kauai	800	96.5	93.0 - 98.3	<50	3.5	1.7 - 7.0	800
Maui	1,900	98.3	96.4 - 99.2	<50	1.7	0.8 - 3.6	1,900

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	94.5	89.8 - 97.1	200	5.5	2.9 - 10.2	3,900
Native Hawaiian	4,800	94.6	90.6 - 97.0	300	5.4	3.0 - 9.4	5,100
Chinese	1,000	91.6	78.9 - 97.0	100	8.4	3.0 - 21.1	1,100
Filipino	3,200	97.2	93.2 - 98.9	100	2.8	1.1 - 6.8	3,300
Japanese	1,600	98.4	89.6 - 99.8	<50	1.6	0.2 - 10.4	1,600
Other	2,700	92.1	85.7 - 95.7	200	7.9	4.3 - 14.3	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	96.9	81.5 - 99.5	<50	3.1	0.5 - 18.5	1,000
20-24	3,500	95.1	90.6 - 97.5	200	4.9	2.5 - 9.4	3,700
25-34	9,400	94.8	92.1 - 96.5	500	5.2	3.5 - 7.9	10,000
35+	3,000	93.8	88.5 - 96.8	200	6.2	3.2 - 11.5	3,200

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,500	95.7	93.0 - 97.4	400	4.3	2.6 - 7.0	8,900
Female	8,400	93.9	91.0 - 95.9	600	6.1	4.1 - 9.0	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,500	95.6	93.3 - 97.2	500	4.4	2.8 - 6.7	10,900
No	6,500	93.4	89.9 - 95.8	500	6.6	4.2 - 10.1	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,900	93.4	89.7 - 95.8	400	6.6	4.2 - 10.3	6,300
131-185%	2,900	93.8	87.8 - 96.9	200	6.2	3.1 - 12.2	3,000
186+%	6,600	98.2	95.7 - 99.2	100	1.8	0.8 - 4.3	6,700

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	3,800	94.2	89.8 - 96.8	200	5.8	3.2 - 10.2	4,000
\$17,001-\$26,000	2,100	97.0	91.2 - 99.0	100	3.0	1.0 - 8.8	2,100
\$26,001-\$51,000	4,000	91.2	85.9 - 94.7	400	8.8	5.3 - 14.1	4,300
>=\$51,001	5,700	98.3	95.6 - 99.4	100	1.7	0.6 - 4.4	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	96.2	93.4 - 97.8	<50	3.8	2.2 - 6.6	1,200
Normal birth weight	15,800	94.7	92.7 - 96.1	900	5.3	3.9 - 7.3	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	95.5	90.4 - 98.0	<50	4.5	2.0 - 9.6	700
No	15,700	94.8	92.8 - 96.2	900	5.2	3.8 - 7.2	16,500

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	94.3	88.6 - 97.2	200	5.7	2.8 - 11.4	2,800
No	13,800	94.9	92.8 - 96.4	700	5.1	3.6 - 7.2	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,600	92.9	89.8 - 95.1	600	7.1	4.9 - 10.2	8,200
No	9,200	96.7	94.3 - 98.1	300	3.3	1.9 - 5.7	9,500

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	17,500	95.6	93.9 - 96.8	800	4.4	3.2 - 6.1	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,300	95.7	93.0 - 97.3	100	4.3	2.7 - 7.0	2,400
Honolulu	12,600	95.4	93.1 - 96.9	600	4.6	3.1 - 6.9	13,200
Kauai	800	98.0	95.2 - 99.1	<50	2.0	0.9 - 4.8	900
Maui	1,900	95.8	93.5 - 97.3	100	4.2	2.7 - 6.5	2,000

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,400	97.5	94.3 - 98.9	100	2.5	1.1 - 5.7	4,500
Native Hawaiian	4,900	94.8	91.2 - 97.0	300	5.2	3.0 - 8.8	5,200
Chinese	600	90.5	73.3 - 97.1	100	9.5	2.9 - 26.7	700
Filipino	3,100	94.9	90.6 - 97.3	200	5.1	2.7 - 9.4	3,300
Japanese	1,900	98.0	92.7 - 99.5	<50	2.0	0.5 - 7.3	1,900
Other	2,600	94.3	87.5 - 97.5	200	5.7	2.5 - 12.5	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	93.5	79.1 - 98.2	100	6.5	1.8 - 20.9	1,000
20-24	4,000	93.1	88.4 - 96.0	300	6.9	4.0 - 11.6	4,300
25-34	9,400	96.0	93.8 - 97.5	400	4.0	2.5 - 6.2	9,800
35+	3,100	98.2	96.8 - 99.0	100	1.8	1.0 - 3.2	3,200

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,900	95.6	93.1 - 97.2	400	4.4	2.8 - 6.9	9,400
Female	8,600	95.6	93.2 - 97.2	400	4.4	2.8 - 6.8	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	11,000	96.0	93.9 - 97.4	500	4.0	2.6 - 6.1	11,500
No	6,500	94.8	91.8 - 96.8	400	5.2	3.2 - 8.2	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,100	93.5	89.9 - 95.9	400	6.5	4.1 - 10.1	6,500
131-185%	2,600	95.3	89.6 - 98.0	100	4.7	2.0 - 10.4	2,700
186+%	7,800	97.1	94.9 - 98.3	200	2.9	1.7 - 5.1	8,100

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	3,100	94.1	89.5 - 96.7	200	5.9	3.3 - 10.5	3,300
\$10,000-\$24,999	3,200	94.1	88.6 - 97.0	200	5.9	3.0 - 11.4	3,400
\$25,000-\$49,999	4,300	94.4	90.1 - 96.9	300	5.6	3.1 - 9.9	4,500
>=\$50,000	6,000	97.5	95.0 - 98.8	200	2.5	1.2 - 5.0	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	96.0	92.8 - 97.8	100	4.0	2.2 - 7.2	1,300
Normal birth weight	16,300	95.5	93.8 - 96.8	800	4.5	3.2 - 6.2	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	90.9	77.7 - 96.6	100	9.1	3.4 - 22.3	900
No	16,600	95.8	94.2 - 97.0	700	4.2	3.0 - 5.8	17,300

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,300	93.5	88.6 - 96.4	200	6.5	3.6 - 11.4	3,500
No	14,100	96.1	94.3 - 97.4	600	3.9	2.6 - 5.7	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,800	94.1	91.2 - 96.1	500	5.9	3.9 - 8.8	8,300
No	9,600	96.7	94.7 - 98.0	300	3.3	2.0 - 5.3	9,900

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	17,200	94.0	92.2 - 95.5	1,100	6.0	4.5 - 7.8	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,200	95.0	92.2 - 96.9	100	5.0	3.1 - 7.8	2,300
Honolulu	12,400	93.3	90.7 - 95.2	900	6.7	4.8 - 9.3	13,300
Kauai	800	96.0	92.9 - 97.8	<50	4.0	2.2 - 7.1	800
Maui	1,900	96.8	94.6 - 98.1	100	3.2	1.9 - 5.4	2,000

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,200	93.7	89.3 - 96.4	300	6.3	3.6 - 10.7	4,500
Native Hawaiian	5,100	93.7	90.0 - 96.1	300	6.3	3.9 - 10.0	5,500
Chinese	700	100.0	-	0	0.0	-	700
Filipino	3,100	93.3	88.2 - 96.3	200	6.7	3.7 - 11.8	3,300
Japanese	1,700	99.8	98.7 - 100.0	<50	0.2	0.0 - 1.3	1,700
Other	2,500	90.9	83.5 - 95.1	200	9.1	4.9 - 16.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	94.8	82.6 - 98.6	100	5.2	1.4 - 17.4	1,100
20-24	4,100	92.4	87.7 - 95.4	300	7.6	4.6 - 12.3	4,400
25-34	9,000	94.8	92.3 - 96.5	500	5.2	3.5 - 7.7	9,400
35+	3,100	93.7	88.0 - 96.7	200	6.3	3.3 - 12.0	3,300

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,700	94.0	91.3 - 96.0	600	6.0	4.0 - 8.7	9,300
Female	8,500	94.0	91.2 - 95.9	500	6.0	4.1 - 8.8	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	11,000	95.7	93.5 - 97.2	500	4.3	2.8 - 6.5	11,400
No	6,300	91.2	87.5 - 93.8	600	8.8	6.2 - 12.5	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,900	93.3	90.0 - 95.6	400	6.7	4.4 - 10.0	6,400
131-185%	2,800	95.3	90.2 - 97.8	100	4.7	2.2 - 9.8	3,000
186+%	7,400	95.7	92.8 - 97.5	300	4.3	2.5 - 7.2	7,800

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	3,200	95.1	91.6 - 97.1	200	4.9	2.9 - 8.4	3,400
\$10,000-\$24,999	2,900	90.6	84.3 - 94.5	300	9.4	5.5 - 15.7	3,200
\$25,000-\$49,999	4,300	94.6	90.7 - 96.9	200	5.4	3.1 - 9.3	4,500
>=\$50,000	6,000	96.5	93.2 - 98.2	200	3.5	1.8 - 6.8	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	92.8	89.3 - 95.2	100	7.2	4.8 - 10.7	1,300
Normal birth weight	16,100	94.1	92.1 - 95.6	1,000	5.9	4.4 - 7.9	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	80.7	69.5 - 88.5	300	19.3	11.5 - 30.5	1,400
No	15,900	95.2	93.4 - 96.6	800	4.8	3.4 - 6.6	16,700

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,500	91.3	86.4 - 94.5	300	8.7	5.5 - 13.6	3,800
No	13,600	94.8	92.7 - 96.3	700	5.2	3.7 - 7.3	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,400	92.8	89.7 - 95.0	600	7.2	5.0 - 10.3	8,000
No	9,600	95.2	92.6 - 96.9	500	4.8	3.1 - 7.4	10,100

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	16,800	93.3	91.5 - 94.8	1,200	6.7	5.2 - 8.5	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,200	92.5	89.2 - 94.8	200	7.5	5.2 - 10.8	2,400
Honolulu	11,800	92.7	90.1 - 94.6	900	7.3	5.4 - 9.9	12,800
Kauai	800	95.3	91.9 - 97.4	<50	4.7	2.6 - 8.1	800
Maui	2,000	97.5	95.5 - 98.6	100	2.5	1.4 - 4.5	2,100

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,100	97.3	94.1 - 98.8	100	2.7	1.2 - 5.9	4,200
Native Hawaiian	5,100	88.5	84.2 - 91.8	700	11.5	8.2 - 15.8	5,800
Chinese	700	88.3	71.5 - 95.8	100	11.7	4.2 - 28.5	800
Filipino	3,100	95.3	91.2 - 97.5	200	4.7	2.5 - 8.8	3,200
Japanese	1,600	99.1	96.7 - 99.8	<50	0.9	0.2 - 3.3	1,600
Other	2,300	93.1	86.7 - 96.5	200	6.9	3.5 - 13.3	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,700	93.6	86.6 - 97.1	100	6.4	2.9 - 13.4	1,800
20-24	3,800	92.9	88.5 - 95.7	300	7.1	4.3 - 11.5	4,100
25-34	8,400	92.8	89.9 - 94.9	700	7.2	5.1 - 10.1	9,100
35+	2,900	95.3	91.3 - 97.5	100	4.7	2.5 - 8.7	3,000

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,900	92.7	89.9 - 94.8	700	7.3	5.2 - 10.1	9,600
Female	7,900	94.0	91.3 - 95.9	500	6.0	4.1 - 8.7	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,200	95.8	93.7 - 97.2	500	4.2	2.8 - 6.3	10,700
No	6,600	89.8	86.1 - 92.5	800	10.2	7.5 - 13.9	7,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,700	90.0	86.1 - 92.8	600	10.0	7.2 - 13.9	6,300
131-185%	2,600	93.9	87.9 - 97.1	200	6.1	2.9 - 12.1	2,800
186+%	7,000	97.2	95.0 - 98.4	200	2.8	1.6 - 5.0	7,200

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	89.3	83.1 - 93.5	300	10.7	6.5 - 16.9	3,000
\$10,000-\$24,999	3,500	90.9	86.0 - 94.2	300	9.1	5.8 - 14.0	3,800
\$25,000-\$49,999	3,400	94.2	89.6 - 96.8	200	5.8	3.2 - 10.4	3,600
>=\$50,000	5,900	97.6	95.3 - 98.8	100	2.4	1.2 - 4.7	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	90.8	87.1 - 93.5	100	9.2	6.5 - 12.9	1,300
Normal birth weight	15,700	93.5	91.5 - 95.1	1,100	6.5	4.9 - 8.5	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	81.0	70.8 - 88.2	300	19.0	11.8 - 29.2	1,700
No	15,000	94.5	92.7 - 95.9	900	5.5	4.1 - 7.3	15,900

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,400	85.7	79.9 - 90.0	600	14.3	10.0 - 20.1	3,900
No	13,000	95.4	93.5 - 96.7	600	4.6	3.3 - 6.5	13,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,600	90.9	87.6 - 93.5	700	9.1	6.5 - 12.4	7,300
No	9,700	94.8	92.3 - 96.5	500	5.2	3.5 - 7.7	10,200

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	17,000	92.3	90.9 - 93.5	1,400	7.7	6.5 - 9.1	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,100	89.0	83.7 - 92.7	300	11.0	7.3 - 16.3	2,400
Honolulu	12,000	92.7	91.0 - 94.1	900	7.3	5.9 - 9.0	12,900
Kauai	900	98.2	89.0 - 99.7	<50	1.8	0.3 - 11.0	900
Maui	2,000	91.1	86.0 - 94.5	200	8.9	5.5 - 14.0	2,200

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,200	95.7	93.3 - 97.3	200	4.3	2.7 - 6.7	4,400
Native Hawaiian	4,600	90.5	87.1 - 93.1	500	9.5	6.9 - 12.9	5,000
Chinese	600	97.9	94.6 - 99.2	<50	2.1	0.8 - 5.4	600
Filipino	3,100	91.7	88.3 - 94.2	300	8.3	5.8 - 11.7	3,300
Japanese	2,000	97.1	92.7 - 98.8	100	2.9	1.2 - 7.3	2,000
Other	2,500	86.4	81.3 - 90.3	400	13.6	9.7 - 18.7	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	89.8	82.8 - 94.2	100	10.2	5.8 - 17.2	1,500
20-24	3,600	90.3	86.5 - 93.1	400	9.7	6.9 - 13.5	4,000
25-34	8,800	92.5	90.5 - 94.2	700	7.5	5.8 - 9.5	9,500
35+	3,300	95.1	92.1 - 97.0	200	4.9	3.0 - 7.9	3,400

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,900	92.8	90.8 - 94.4	700	7.2	5.6 - 9.2	9,600
Female	8,000	91.8	89.5 - 93.6	700	8.2	6.4 - 10.5	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,900	94.5	92.9 - 95.7	600	5.5	4.3 - 7.1	11,500
No	6,000	88.7	85.7 - 91.0	800	11.3	9.0 - 14.3	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,900	88.0	84.9 - 90.4	800	12.0	9.6 - 15.1	6,700
131-185%	2,400	90.1	85.4 - 93.4	300	9.9	6.6 - 14.6	2,600
186+%	7,500	96.3	94.7 - 97.5	300	3.7	2.5 - 5.3	7,800

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	87.0	82.1 - 90.7	400	13.0	9.3 - 17.9	3,000
\$10,000-\$24,999	3,500	89.7	85.8 - 92.6	400	10.3	7.4 - 14.2	3,900
\$25,000-\$49,999	3,900	92.8	89.6 - 95.0	300	7.2	5.0 - 10.4	4,200
>=\$50,000	5,900	95.9	93.9 - 97.2	300	4.1	2.8 - 6.1	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	92.6	85.6 - 96.4	100	7.4	3.6 - 14.4	1,200
Normal birth weight	15,800	92.3	90.8 - 93.6	1,300	7.7	6.4 - 9.2	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	84.5	76.9 - 90.0	200	15.5	10.0 - 23.1	1,500
No	15,400	92.9	91.5 - 94.2	1,200	7.1	5.8 - 8.5	16,500

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	87.1	82.6 - 90.6	400	12.9	9.4 - 17.4	3,400
No	13,700	93.4	91.9 - 94.7	1,000	6.6	5.3 - 8.1	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,900	88.6	85.9 - 90.9	900	11.4	9.1 - 14.1	7,800
No	9,800	94.9	93.3 - 96.2	500	5.1	3.8 - 6.7	10,400

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	16,800	92.5	91.1 - 93.7	1,400	7.5	6.3 - 8.9	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,100	89.4	84.2 - 92.9	300	10.6	7.1 - 15.8	2,400
Honolulu	11,700	93.3	91.6 - 94.6	800	6.7	5.4 - 8.4	12,600
Kauai	900	89.7	81.1 - 94.7	100	10.3	5.3 - 18.9	1,000
Maui	2,000	92.7	87.9 - 95.7	200	7.3	4.3 - 12.1	2,100

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	90.3	87.0 - 92.9	400	9.7	7.1 - 13.0	4,100
Native Hawaiian	4,600	92.4	89.2 - 94.7	400	7.6	5.3 - 10.8	5,000
Chinese	700	97.2	93.5 - 98.8	<50	2.8	1.2 - 6.5	700
Filipino	3,100	93.0	89.8 - 95.3	200	7.0	4.7 - 10.2	3,300
Japanese	2,000	97.2	92.9 - 98.9	100	2.8	1.1 - 7.1	2,100
Other	2,600	90.6	86.1 - 93.7	300	9.4	6.3 - 13.9	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,500	89.8	82.7 - 94.2	200	10.2	5.8 - 17.3	1,600
20-24	4,100	90.3	87.0 - 92.9	400	9.7	7.1 - 13.0	4,600
25-34	8,200	93.2	91.3 - 94.8	600	6.8	5.2 - 8.7	8,800
35+	2,900	95.0	91.6 - 97.0	200	5.0	3.0 - 8.4	3,100

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,700	93.1	91.1 - 94.7	600	6.9	5.3 - 8.9	9,400
Female	8,000	91.8	89.6 - 93.6	700	8.2	6.4 - 10.4	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,600	93.6	92.0 - 95.0	700	6.4	5.0 - 8.0	11,300
No	6,100	90.5	87.8 - 92.7	600	9.5	7.3 - 12.2	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,000	89.9	87.0 - 92.1	700	10.1	7.9 - 13.0	6,700
131-185%	2,500	92.6	88.6 - 95.2	200	7.4	4.8 - 11.4	2,700
186+%	7,000	95.0	93.1 - 96.4	400	5.0	3.6 - 6.9	7,400

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	89.5	85.0 - 92.7	300	10.5	7.3 - 15.0	3,100
\$10,000-\$24,999	3,400	91.1	87.3 - 93.9	300	8.9	6.1 - 12.7	3,700
\$25,000-\$49,999	3,800	92.4	89.2 - 94.7	300	7.6	5.3 - 10.8	4,100
>=\$50,000	5,700	95.2	93.1 - 96.7	300	4.8	3.3 - 6.9	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,300	91.2	85.1 - 95.0	100	8.8	5.0 - 14.9	1,500
Normal birth weight	15,400	92.6	91.1 - 93.8	1,200	7.4	6.2 - 8.9	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	83.4	76.1 - 88.8	200	16.6	11.2 - 23.9	1,500
No	15,300	93.3	91.8 - 94.5	1,100	6.7	5.5 - 8.2	16,400

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	87.7	83.5 - 91.0	400	12.3	9.0 - 16.5	3,500
No	13,400	93.6	92.1 - 94.8	900	6.4	5.2 - 7.9	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	89.4	86.7 - 91.6	800	10.6	8.4 - 13.3	7,500
No	9,700	94.8	93.2 - 96.1	500	5.2	3.9 - 6.8	10,300

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	16,400	92.0	90.5 - 93.3	1,400	8.0	6.7 - 9.5	17,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,000	93.2	88.1 - 96.1	100	6.8	3.9 - 11.9	2,100
Honolulu	12,000	91.9	90.1 - 93.4	1,100	8.1	6.6 - 9.9	13,100
Kauai	800	93.2	83.6 - 97.3	100	6.8	2.7 - 16.4	800
Maui	1,700	90.9	85.2 - 94.6	200	9.1	5.4 - 14.8	1,800

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,000	92.8	89.7 - 95.0	300	7.2	5.0 - 10.3	4,300
Native Hawaiian	4,400	89.2	85.6 - 92.0	500	10.8	8.0 - 14.4	4,900
Chinese	600	97.9	94.6 - 99.2	<50	2.1	0.8 - 5.4	600
Filipino	3,000	92.9	89.5 - 95.3	200	7.1	4.7 - 10.5	3,300
Japanese	2,000	95.1	90.6 - 97.5	100	4.9	2.5 - 9.4	2,100
Other	2,500	91.1	86.5 - 94.2	200	8.9	5.8 - 13.5	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	91.0	84.0 - 95.2	100	9.0	4.8 - 16.0	1,500
20-24	4,000	91.0	87.4 - 93.6	400	9.0	6.4 - 12.6	4,400
25-34	8,200	93.1	91.1 - 94.7	600	6.9	5.3 - 8.9	8,800
35+	2,900	90.8	86.9 - 93.6	300	9.2	6.4 - 13.1	3,200

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,400	92.8	90.7 - 94.4	700	7.2	5.6 - 9.3	9,100
Female	8,000	91.2	88.9 - 93.1	800	8.8	6.9 - 11.1	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,500	92.4	90.6 - 93.9	900	7.6	6.1 - 9.4	11,400
No	5,900	91.3	88.4 - 93.6	600	8.7	6.4 - 11.6	6,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,500	89.1	85.9 - 91.6	700	10.9	8.4 - 14.1	6,200
131-185%	2,100	89.6	84.7 - 93.1	200	10.4	6.9 - 15.3	2,400
186+%	7,700	95.5	93.8 - 96.8	400	4.5	3.2 - 6.2	8,000

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,600	88.6	83.8 - 92.2	300	11.4	7.8 - 16.2	3,000
\$10,000-\$24,999	3,400	91.6	87.9 - 94.3	300	8.4	5.7 - 12.1	3,700
\$25,000-\$49,999	3,900	92.4	89.2 - 94.7	300	7.6	5.3 - 10.8	4,300
>=\$50,000	5,400	94.4	92.0 - 96.1	300	5.6	3.9 - 8.0	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,300	88.1	80.9 - 92.9	200	11.9	7.1 - 19.1	1,400
Normal birth weight	15,200	92.3	90.8 - 93.6	1,300	7.7	6.4 - 9.2	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	77.5	69.2 - 84.0	400	22.5	16.0 - 30.8	1,600
No	14,900	93.3	91.8 - 94.5	1,100	6.7	5.5 - 8.2	16,000

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,200	86.5	82.0 - 90.0	500	13.5	10.0 - 18.0	3,700
No	13,000	93.3	91.7 - 94.6	900	6.7	5.4 - 8.3	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	89.8	87.1 - 92.0	800	10.2	8.0 - 12.9	7,400
No	9,400	93.4	91.5 - 94.9	700	6.6	5.1 - 8.5	10,100

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,500	90.1	88.5 - 91.4	1,700	9.9	8.6 - 11.5	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	86.8	81.1 - 90.9	300	13.2	9.1 - 18.9	2,200
Honolulu	11,300	89.9	88.1 - 91.5	1,300	10.1	8.5 - 11.9	12,600
Kauai	700	93.4	83.9 - 97.4	<50	6.6	2.6 - 16.1	700
Maui	1,600	94.3	89.2 - 97.1	100	5.7	2.9 - 10.8	1,700

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	94.1	91.1 - 96.1	200	5.9	3.9 - 8.9	3,800
Native Hawaiian	4,200	86.8	83.0 - 89.9	600	13.2	10.1 - 17.0	4,800
Chinese	600	90.7	86.3 - 93.8	100	9.3	6.2 - 13.7	600
Filipino	2,900	90.2	86.8 - 92.9	300	9.8	7.1 - 13.2	3,200
Japanese	2,200	95.5	91.8 - 97.6	100	4.5	2.4 - 8.2	2,300
Other	2,100	84.8	79.6 - 88.8	400	15.2	11.2 - 20.4	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	88.2	81.4 - 92.7	200	11.8	7.3 - 18.6	1,500
20-24	3,800	88.8	85.3 - 91.6	500	11.2	8.4 - 14.7	4,200
25-34	7,600	90.1	87.8 - 92.0	800	9.9	8.0 - 12.2	8,500
35+	2,800	92.6	89.2 - 95.0	200	7.4	5.0 - 10.8	3,000

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,900	89.9	87.7 - 91.8	900	10.1	8.2 - 12.3	8,800
Female	7,600	90.2	87.9 - 92.1	800	9.8	7.9 - 12.1	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,100	92.1	90.3 - 93.6	900	7.9	6.4 - 9.7	10,900
No	5,400	86.5	83.4 - 89.1	800	13.5	10.9 - 16.6	6,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,300	84.8	81.6 - 87.5	1,000	15.2	12.5 - 18.4	6,300
131-185%	1,600	89.2	83.5 - 93.0	200	10.8	7.0 - 16.5	1,800
186+%	7,300	95.0	93.2 - 96.3	400	5.0	3.7 - 6.8	7,600

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,600	86.1	81.3 - 89.7	400	13.9	10.3 - 18.7	3,000
\$10,000-\$24,999	3,000	85.3	81.2 - 88.7	500	14.7	11.3 - 18.8	3,600
\$25,000-\$49,999	3,600	92.1	88.8 - 94.4	300	7.9	5.6 - 11.2	4,000
>=\$50,000	5,100	94.7	92.4 - 96.4	300	5.3	3.6 - 7.6	5,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	92.9	86.8 - 96.3	100	7.1	3.7 - 13.2	1,200
Normal birth weight	14,300	89.9	88.3 - 91.3	1,600	10.1	8.7 - 11.7	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	76.3	67.9 - 83.0	300	23.7	17.0 - 32.1	1,400
No	14,100	91.4	89.8 - 92.7	1,300	8.6	7.3 - 10.2	15,500

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	84.6	80.2 - 88.2	500	15.4	11.8 - 19.8	3,600
No	12,200	91.6	89.9 - 93.0	1,100	8.4	7.0 - 10.1	13,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,400	87.2	84.4 - 89.5	900	12.8	10.5 - 15.6	7,300
No	8,800	92.3	90.4 - 93.9	700	7.7	6.1 - 9.6	9,500

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,800	91.1	89.7 - 92.3	1,600	8.9	7.7 - 10.3	17,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	87.5	82.4 - 91.3	300	12.5	8.7 - 17.6	2,200
Honolulu	11,400	90.5	88.8 - 92.0	1,200	9.5	8.0 - 11.2	12,600
Kauai	700	97.6	91.7 - 99.4	<50	2.4	0.6 - 8.3	800
Maui	1,700	96.3	92.8 - 98.2	100	3.7	1.8 - 7.2	1,800

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,600	94.4	91.9 - 96.2	200	5.6	3.8 - 8.1	3,900
Native Hawaiian	4,100	86.7	83.2 - 89.5	600	13.3	10.5 - 16.8	4,800
Chinese	600	94.2	91.6 - 96.0	<50	5.8	4.0 - 8.4	700
Filipino	3,000	92.0	89.0 - 94.2	300	8.0	5.8 - 11.0	3,300
Japanese	2,100	94.8	91.0 - 97.0	100	5.2	3.0 - 9.0	2,200
Other	2,300	89.0	84.6 - 92.3	300	11.0	7.7 - 15.4	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	86.1	78.6 - 91.2	200	13.9	8.8 - 21.4	1,300
20-24	4,000	90.2	87.2 - 92.6	400	9.8	7.4 - 12.8	4,400
25-34	7,800	91.5	89.5 - 93.2	700	8.5	6.8 - 10.5	8,500
35+	3,000	92.9	89.9 - 95.0	200	7.1	5.0 - 10.1	3,200

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,600	90.4	88.4 - 92.0	900	9.6	8.0 - 11.6	9,500
Female	7,300	91.9	89.9 - 93.5	600	8.1	6.5 - 10.1	7,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	11,200	92.3	90.7 - 93.6	900	7.7	6.4 - 9.3	12,200
No	4,600	88.2	85.2 - 90.7	600	11.8	9.3 - 14.8	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,600	88.1	85.4 - 90.4	800	11.9	9.6 - 14.6	6,400
131-185%	1,900	89.1	84.3 - 92.5	200	10.9	7.5 - 15.7	2,100
186+%	7,200	94.8	93.2 - 96.1	400	5.2	3.9 - 6.8	7,600

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	90.0	85.7 - 93.1	300	10.0	6.9 - 14.3	2,700
\$10,000-\$24,999	3,700	86.7	83.2 - 89.6	600	13.3	10.4 - 16.8	4,300
\$25,000-\$49,999	4,200	93.9	91.5 - 95.7	300	6.1	4.3 - 8.5	4,400
>=\$50,000	4,500	94.3	92.1 - 96.0	300	5.7	4.0 - 7.9	4,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	90.0	83.1 - 94.3	100	10.0	5.7 - 16.9	1,100
Normal birth weight	14,900	91.1	89.7 - 92.4	1,400	8.9	7.6 - 10.3	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	80.2	72.5 - 86.1	300	19.8	13.9 - 27.5	1,400
No	14,600	92.0	90.6 - 93.2	1,300	8.0	6.8 - 9.4	15,800

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	87.3	83.4 - 90.4	400	12.7	9.6 - 16.6	3,500
No	12,600	92.0	90.6 - 93.3	1,100	8.0	6.7 - 9.4	13,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,900	89.3	87.0 - 91.2	800	10.7	8.8 - 13.0	7,700
No	8,700	93.0	91.2 - 94.4	700	7.0	5.6 - 8.8	9,300

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,900	89.3	87.5 - 90.9	1,800	10.7	9.1 - 12.5	16,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	82.9	79.1 - 86.2	300	17.1	13.8 - 20.9	1,900
Honolulu	10,900	89.7	87.4 - 91.7	1,300	10.3	8.3 - 12.6	12,200
Kauai	800	91.4	86.3 - 94.8	100	8.6	5.2 - 13.7	900
Maui	1,600	92.2	89.1 - 94.4	100	7.8	5.6 - 10.9	1,800

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	94.5	90.8 - 96.8	200	5.5	3.2 - 9.2	3,600
Native Hawaiian	3,900	85.6	83.3 - 87.7	600	14.4	12.3 - 16.7	4,500
Chinese	700	96.7	80.8 - 99.5	<50	3.3	0.5 - 19.2	700
Filipino	3,200	86.6	81.4 - 90.5	500	13.4	9.5 - 18.6	3,700
Japanese	1,800	92.4	86.0 - 96.0	100	7.6	4.0 - 14.0	1,900
Other	2,000	87.8	80.6 - 92.6	300	12.2	7.4 - 19.4	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	86.2	80.2 - 90.7	200	13.8	9.3 - 19.8	1,500
20-24	3,300	85.6	81.6 - 88.9	600	14.4	11.1 - 18.4	3,900
25-34	7,600	90.0	87.3 - 92.2	800	10.0	7.8 - 12.7	8,400
35+	2,700	93.9	89.5 - 96.5	200	6.1	3.5 - 10.5	2,900

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,900	89.3	86.8 - 91.4	1,000	10.7	8.6 - 13.2	8,900
Female	7,000	89.3	86.6 - 91.5	800	10.7	8.5 - 13.4	7,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,200	93.0	91.0 - 94.5	800	7.0	5.5 - 9.0	11,000
No	4,700	82.3	78.6 - 85.4	1,000	17.7	14.6 - 21.4	5,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,300	83.9	80.8 - 86.6	1,200	16.1	13.4 - 19.2	7,500
131-185%	2,200	90.8	85.2 - 94.4	200	9.2	5.6 - 14.8	2,400
186+%	5,200	97.7	96.0 - 98.7	100	2.3	1.3 - 4.0	5,300

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,100	78.7	73.7 - 82.9	800	21.3	17.1 - 26.3	4,000
\$15,001-\$25,000	1,900	88.3	83.5 - 91.9	200	11.7	8.1 - 16.5	2,100
\$25,001-\$40,000	2,900	93.0	89.3 - 95.5	200	7.0	4.5 - 10.7	3,100
>=\$40,001	6,100	95.8	93.5 - 97.3	300	4.2	2.7 - 6.5	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	90.8	84.6 - 94.6	100	9.2	5.4 - 15.4	1,100
Normal birth weight	13,900	89.2	87.3 - 90.8	1,700	10.8	9.2 - 12.7	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	65.0	56.0 - 73.0	500	35.0	27.0 - 44.0	1,500
No	13,700	91.8	90.1 - 93.2	1,200	8.2	6.8 - 9.9	14,900

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	78.5	73.1 - 83.1	700	21.5	16.9 - 26.9	3,400
No	11,900	92.5	90.7 - 94.0	1,000	7.5	6.0 - 9.3	12,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	83.9	80.6 - 86.7	1,100	16.1	13.3 - 19.4	7,000
No	8,900	93.2	91.2 - 94.8	600	6.8	5.2 - 8.8	9,500

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,500	89.3	87.4 - 90.9	1,700	10.7	9.1 - 12.6	16,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	89.6	86.6 - 92.0	200	10.4	8.0 - 13.4	1,900
Honolulu	10,700	88.9	86.4 - 91.0	1,300	11.1	9.0 - 13.6	12,000
Kauai	600	87.5	81.1 - 92.0	100	12.5	8.0 - 18.9	700
Maui	1,600	92.4	89.3 - 94.7	100	7.6	5.3 - 10.7	1,700

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	90.5	85.4 - 93.9	300	9.5	6.1 - 14.6	3,500
Native Hawaiian	3,800	84.7	82.2 - 86.8	700	15.3	13.2 - 17.8	4,400
Chinese	500	84.4	66.6 - 93.6	100	15.6	6.4 - 33.4	600
Filipino	3,000	93.1	88.7 - 95.8	200	6.9	4.2 - 11.3	3,200
Japanese	2,300	99.5	98.1 - 99.9	<50	0.5	0.1 - 1.9	2,300
Other	1,800	81.8	72.9 - 88.2	400	18.2	11.8 - 27.1	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	82.3	73.3 - 88.7	300	17.7	11.3 - 26.7	1,500
20-24	3,600	90.0	86.2 - 92.8	400	10.0	7.2 - 13.8	4,000
25-34	7,300	89.8	87.1 - 92.0	800	10.2	8.0 - 12.9	8,200
35+	2,300	90.7	85.5 - 94.2	200	9.3	5.8 - 14.5	2,600

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,100	87.4	84.3 - 89.9	1,000	12.6	10.1 - 15.7	8,100
Female	7,400	91.2	88.8 - 93.2	700	8.8	6.8 - 11.2	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,200	91.8	89.6 - 93.6	900	8.2	6.4 - 10.4	11,100
No	4,400	84.0	80.2 - 87.2	800	16.0	12.8 - 19.8	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,400	84.5	81.1 - 87.4	1,000	15.5	12.6 - 18.9	6,300
131-185%	3,000	90.9	86.0 - 94.2	300	9.1	5.8 - 14.0	3,300
186+%	5,000	97.0	94.7 - 98.3	200	3.0	1.7 - 5.3	5,200

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,600	81.7	76.6 - 85.8	600	18.3	14.2 - 23.4	3,100
\$15,001-\$25,000	2,100	86.4	80.1 - 90.9	300	13.6	9.1 - 19.9	2,500
\$25,001-\$40,000	3,100	88.3	83.7 - 91.8	400	11.7	8.2 - 16.3	3,500
>=\$40,001	6,100	97.0	94.9 - 98.3	200	3.0	1.7 - 5.1	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	93.7	89.0 - 96.5	100	6.3	3.5 - 11.0	1,000
Normal birth weight	13,600	89.0	87.0 - 90.7	1,700	11.0	9.3 - 13.0	15,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	70.9	61.8 - 78.5	400	29.1	21.5 - 38.2	1,300
No	13,400	90.8	88.8 - 92.4	1,400	9.2	7.6 - 11.2	14,800

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	83.0	78.2 - 87.0	500	17.0	13.0 - 21.8	3,100
No	11,600	90.8	88.7 - 92.6	1,200	9.2	7.4 - 11.3	12,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,700	83.6	80.1 - 86.6	1,100	16.4	13.4 - 19.9	6,800
No	8,800	93.3	91.2 - 95.0	600	6.7	5.0 - 8.8	9,400

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,300	89.8	88.5 - 91.0	1,600	10.2	9.0 - 11.5	15,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	86.5	83.1 - 89.3	200	13.5	10.7 - 16.9	1,800
Honolulu	10,500	89.9	88.2 - 91.4	1,200	10.1	8.6 - 11.8	11,700
Kauai	700	95.7	91.0 - 98.0	<50	4.3	2.0 - 9.0	700
Maui	1,500	90.3	86.9 - 93.0	200	9.7	7.0 - 13.1	1,700

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	92.4	89.0 - 94.8	300	7.6	5.2 - 11.0	3,400
Native Hawaiian	3,600	84.1	82.2 - 85.8	700	15.9	14.2 - 17.8	4,300
Chinese	600	95.5	84.2 - 98.8	<50	4.5	1.2 - 15.8	700
Filipino	3,000	92.1	88.9 - 94.5	300	7.9	5.5 - 11.1	3,300
Japanese	1,900	95.6	91.0 - 97.9	100	4.4	2.1 - 9.0	2,000
Other	1,900	86.7	81.0 - 90.9	300	13.3	9.1 - 19.0	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	83.8	79.5 - 87.3	300	16.2	12.7 - 20.5	1,600
20-24	3,700	88.2	85.3 - 90.5	500	11.8	9.5 - 14.7	4,200
25-34	6,900	91.2	89.2 - 92.8	700	8.8	7.2 - 10.8	7,600
35+	2,400	92.3	88.0 - 95.1	200	7.7	4.9 - 12.0	2,600

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,400	90.9	89.2 - 92.4	700	9.1	7.6 - 10.8	8,100
Female	6,900	88.6	86.4 - 90.5	900	11.4	9.5 - 13.6	7,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,800	92.6	91.0 - 94.0	800	7.4	6.0 - 9.0	10,600
No	4,500	84.3	81.6 - 86.6	800	15.7	13.4 - 18.4	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	85.5	83.1 - 87.6	900	14.5	12.4 - 16.9	6,100
131-185%	3,200	90.2	87.0 - 92.7	300	9.8	7.3 - 13.0	3,500
186+%	5,000	95.8	93.6 - 97.3	200	4.2	2.7 - 6.4	5,200

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,700	84.1	80.6 - 87.0	500	15.9	13.0 - 19.4	3,200
\$15,001-\$25,000	1,900	88.4	84.6 - 91.4	300	11.6	8.6 - 15.4	2,200
\$25,001-\$40,000	3,100	90.3	87.2 - 92.7	300	9.7	7.3 - 12.8	3,500
>=\$40,001	5,800	94.2	92.1 - 95.8	400	5.8	4.2 - 7.9	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	85.1	78.1 - 90.1	200	14.9	9.9 - 21.9	1,000
Normal birth weight	13,400	90.1	88.8 - 91.4	1,500	9.9	8.6 - 11.2	14,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	77.2	71.6 - 82.0	300	22.8	18.0 - 28.4	1,400
No	12,900	91.2	89.7 - 92.4	1,200	8.8	7.6 - 10.3	14,100

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	84.7	81.4 - 87.5	500	15.3	12.5 - 18.6	3,200
No	11,100	91.2	89.6 - 92.5	1,100	8.8	7.5 - 10.4	12,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,800	86.7	84.5 - 88.6	900	13.3	11.4 - 15.5	6,700
No	8,300	92.3	90.5 - 93.8	700	7.7	6.2 - 9.5	9,000

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,400	89.3	87.8 - 90.7	1,700	10.7	9.3 - 12.2	16,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	89.5	86.3 - 92.0	200	10.5	8.0 - 13.7	1,900
Honolulu	10,600	88.7	86.8 - 90.4	1,300	11.3	9.6 - 13.2	12,000
Kauai	600	94.4	88.7 - 97.3	<50	5.6	2.7 - 11.3	700
Maui	1,500	91.4	87.9 - 94.0	100	8.6	6.0 - 12.1	1,600

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	89.7	86.4 - 92.3	400	10.3	7.7 - 13.6	3,900
Native Hawaiian	3,800	87.2	85.3 - 88.9	600	12.8	11.1 - 14.7	4,300
Chinese	600	92.1	81.6 - 96.8	100	7.9	3.2 - 18.4	600
Filipino	2,900	91.4	87.4 - 94.2	300	8.6	5.8 - 12.6	3,200
Japanese	1,800	93.3	88.3 - 96.2	100	6.7	3.8 - 11.7	2,000
Other	1,800	85.4	79.2 - 90.0	300	14.6	10.0 - 20.8	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,600	89.1	84.4 - 92.5	200	10.9	7.5 - 15.6	1,800
20-24	3,400	87.7	84.7 - 90.3	500	12.3	9.7 - 15.3	3,900
25-34	6,900	90.1	87.9 - 91.9	800	9.9	8.1 - 12.1	7,700
35+	2,400	89.5	85.1 - 92.8	300	10.5	7.2 - 14.9	2,700

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,300	87.7	85.4 - 89.7	1,000	12.3	10.3 - 14.6	8,300
Female	7,100	91.1	89.1 - 92.7	700	8.9	7.3 - 10.9	7,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,000	89.9	88.0 - 91.5	1,100	10.1	8.5 - 12.0	11,100
No	4,400	88.1	85.6 - 90.2	600	11.9	9.8 - 14.4	5,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,000	86.9	84.6 - 88.9	900	13.1	11.1 - 15.4	6,900
131-185%	2,000	90.0	86.0 - 93.0	200	10.0	7.0 - 14.0	2,200
186+%	5,400	93.8	91.3 - 95.6	400	6.2	4.4 - 8.7	5,800

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,200	86.8	83.8 - 89.3	500	13.2	10.7 - 16.2	3,700
\$15,001-\$25,000	2,200	85.9	81.7 - 89.3	400	14.1	10.7 - 18.3	2,600
\$25,001-\$40,000	2,800	91.8	88.6 - 94.2	200	8.2	5.8 - 11.4	3,000
>=\$40,001	5,500	92.5	90.0 - 94.5	400	7.5	5.5 - 10.0	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	87.0	80.5 - 91.6	100	13.0	8.4 - 19.5	1,000
Normal birth weight	13,400	89.5	88.0 - 90.9	1,600	10.5	9.1 - 12.0	15,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	70.7	63.5 - 77.1	400	29.3	22.9 - 36.5	1,300
No	13,100	91.3	89.8 - 92.5	1,300	8.7	7.5 - 10.2	14,300

PRAMS Health Indicator Report - Breastfeeding initiation- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	82.7	78.6 - 86.1	600	17.3	13.9 - 21.4	3,200
No	11,300	91.3	89.8 - 92.7	1,100	8.7	7.3 - 10.2	12,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	85.9	83.5 - 88.1	1,000	14.1	11.9 - 16.5	7,000
No	8,100	92.2	90.3 - 93.7	700	7.8	6.3 - 9.7	8,800