

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Discuss breastfeeding with HCW during PNC	Discuss breastfeeding with HCW during PNC

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/13/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	14,300	85.8	84.1 - 87.3	2,400	14.2	12.7 - 15.9	16,700
2001	14,000	85.2	83.5 - 86.8	2,400	14.8	13.2 - 16.5	16,400
2002	14,300	85.8	83.8 - 87.7	2,400	14.2	12.3 - 16.2	16,600
2003	14,900	87.3	85.4 - 89.0	2,200	12.7	11.0 - 14.6	17,100
2004	14,500	84.0	82.3 - 85.5	2,800	16.0	14.5 - 17.7	17,300
2005	14,500	86.0	84.3 - 87.5	2,400	14.0	12.5 - 15.7	16,900
2006	15,100	84.6	82.8 - 86.3	2,800	15.4	13.7 - 17.2	17,900
2007	15,000	83.6	81.7 - 85.2	3,000	16.4	14.8 - 18.3	18,000
2008	15,300	83.7	81.9 - 85.3	3,000	16.3	14.7 - 18.1	18,300
2009	15,000	83.3	80.9 - 85.5	3,000	16.7	14.5 - 19.1	17,900
2010	15,200	83.1	80.5 - 85.4	3,100	16.9	14.6 - 19.5	18,300
2011	15,600	85.5	83.1 - 87.6	2,600	14.5	12.4 - 16.9	18,200
2012	15,400	85.0	82.6 - 87.2	2,700	15.0	12.8 - 17.4	18,100
2013	15,500	85.6	83.0 - 87.9	2,600	14.4	12.1 - 17.0	18,100

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,500	85.6	83.0 - 87.9	2,600	14.4	12.1 - 17.0	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	84.0	79.3 - 87.7	400	16.0	12.3 - 20.7	2,300
Honolulu	11,200	85.6	82.1 - 88.6	1,900	14.4	11.4 - 17.9	13,000
Kauai	700	89.5	85.7 - 92.3	100	10.5	7.7 - 14.3	800
Maui	1,600	86.0	81.6 - 89.5	300	14.0	10.5 - 18.4	1,900

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,000	82.9	77.1 - 87.5	800	17.1	12.5 - 22.9	4,800
Native Hawaiian	4,900	89.8	85.8 - 92.8	600	10.2	7.2 - 14.2	5,400
Chinese	800	89.6	75.9 - 95.9	100	10.4	4.1 - 24.1	900
Filipino	2,500	85.3	78.3 - 90.4	400	14.7	9.6 - 21.7	3,000
Japanese	1,400	77.4	66.0 - 85.8	400	22.6	14.2 - 34.0	1,800
Other	1,900	86.8	78.3 - 92.3	300	13.2	7.7 - 21.7	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	96.0	90.4 - 98.4	<50	4.0	1.6 - 9.6	900
20-24	3,800	93.9	89.7 - 96.4	200	6.1	3.6 - 10.3	4,100
25-34	8,400	85.2	81.5 - 88.3	1,500	14.8	11.7 - 18.5	9,800
35+	2,500	74.2	66.7 - 80.5	900	25.8	19.5 - 33.3	3,300

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,200	81.4	77.1 - 85.0	1,600	18.6	15.0 - 22.9	8,800
Female	8,300	89.7	86.4 - 92.2	1,000	10.3	7.8 - 13.6	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,400	81.7	78.0 - 85.0	2,100	18.3	15.0 - 22.0	11,400
No	6,100	92.3	89.5 - 94.5	500	7.7	5.5 - 10.5	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,000	90.2	86.8 - 92.8	600	9.8	7.2 - 13.2	6,600
131-185%	2,300	92.1	86.0 - 95.6	200	7.9	4.4 - 14.0	2,500
186+%	5,700	78.4	73.3 - 82.7	1,600	21.6	17.3 - 26.7	7,200

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	3,800	91.8	88.0 - 94.5	300	8.2	5.5 - 12.0	4,100
\$17,001-\$26,000	2,200	89.3	81.7 - 94.0	300	10.7	6.0 - 18.3	2,400
\$26,001-\$51,000	3,500	91.0	86.3 - 94.2	400	9.0	5.8 - 13.7	3,900
>=\$51,001	4,700	75.9	70.2 - 80.8	1,500	24.1	19.2 - 29.8	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	84.3	80.2 - 87.6	200	15.7	12.4 - 19.8	1,300
Normal birth weight	14,400	85.7	82.9 - 88.1	2,400	14.3	11.9 - 17.1	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	88.5	78.9 - 94.0	100	11.5	6.0 - 21.1	1,000
No	14,200	85.4	82.6 - 87.8	2,400	14.6	12.2 - 17.4	16,700

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	88.3	82.4 - 92.4	400	11.7	7.6 - 17.6	3,200
No	12,300	84.9	81.9 - 87.5	2,200	15.1	12.5 - 18.1	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,200	90.8	87.6 - 93.2	700	9.2	6.8 - 12.4	7,900
No	8,300	81.6	77.7 - 85.0	1,900	18.4	15.0 - 22.3	10,200

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,400	85.0	82.6 - 87.2	2,700	15.0	12.8 - 17.4	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	84.0	79.7 - 87.5	400	16.0	12.5 - 20.3	2,300
Honolulu	11,100	85.1	81.7 - 87.9	2,000	14.9	12.1 - 18.3	13,100
Kauai	700	85.4	80.2 - 89.3	100	14.6	10.7 - 19.8	800
Maui	1,700	85.8	82.0 - 88.9	300	14.2	11.1 - 18.0	1,900

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	85.3	80.2 - 89.2	600	14.7	10.8 - 19.8	4,100
Native Hawaiian	4,500	89.1	84.8 - 92.4	600	10.9	7.6 - 15.2	5,100
Chinese	800	82.3	68.8 - 90.7	200	17.7	9.3 - 31.2	1,000
Filipino	2,600	81.0	74.2 - 86.4	600	19.0	13.6 - 25.8	3,300
Japanese	1,100	67.5	55.8 - 77.3	500	32.5	22.7 - 44.2	1,600
Other	2,800	92.1	87.0 - 95.3	200	7.9	4.7 - 13.0	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	90.2	77.3 - 96.2	100	9.8	3.8 - 22.7	1,000
20-24	3,500	93.1	89.1 - 95.8	300	6.9	4.2 - 10.9	3,700
25-34	8,600	84.8	81.4 - 87.6	1,500	15.2	12.4 - 18.6	10,100
35+	2,400	75.0	67.7 - 81.1	800	25.0	18.9 - 32.3	3,300

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,600	85.0	81.4 - 88.0	1,400	15.0	12.0 - 18.6	9,000
Female	7,700	85.1	81.5 - 88.0	1,400	14.9	12.0 - 18.5	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,300	83.2	79.9 - 86.1	1,900	16.8	13.9 - 20.1	11,200
No	6,000	87.9	84.2 - 90.9	800	12.1	9.1 - 15.8	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,600	87.8	84.0 - 90.9	800	12.2	9.1 - 16.0	6,400
131-185%	2,600	85.9	79.1 - 90.8	400	14.1	9.2 - 20.9	3,100
186+%	5,600	81.5	77.0 - 85.2	1,300	18.5	14.8 - 23.0	6,900

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	3,600	91.7	87.8 - 94.4	300	8.3	5.6 - 12.2	4,000
\$17,001-\$26,000	1,900	85.8	78.4 - 91.0	300	14.2	9.0 - 21.6	2,200
\$26,001-\$51,000	3,800	86.2	80.7 - 90.3	600	13.8	9.7 - 19.3	4,400
>=\$51,001	4,700	79.1	74.0 - 83.3	1,200	20.9	16.7 - 26.0	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	79.8	74.9 - 84.0	200	20.2	16.0 - 25.1	1,200
Normal birth weight	14,300	85.4	82.7 - 87.6	2,500	14.6	12.4 - 17.3	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	96.0	90.7 - 98.3	<50	4.0	1.7 - 9.3	700
No	14,200	84.7	82.1 - 87.0	2,600	15.3	13.0 - 17.9	16,700

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	87.3	81.2 - 91.7	400	12.7	8.3 - 18.8	2,800
No	12,400	84.8	82.0 - 87.2	2,200	15.2	12.8 - 18.0	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,400	90.1	86.9 - 92.5	800	9.9	7.5 - 13.1	8,200
No	8,000	80.9	77.1 - 84.1	1,900	19.1	15.9 - 22.9	9,900

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,600	85.5	83.1 - 87.6	2,600	14.5	12.4 - 16.9	18,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,100	86.6	82.8 - 89.7	300	13.4	10.3 - 17.2	2,400
Honolulu	11,100	84.9	81.5 - 87.7	2,000	15.1	12.3 - 18.5	13,100
Kauai	700	86.8	82.1 - 90.4	100	13.2	9.6 - 17.9	900
Maui	1,700	87.7	84.4 - 90.4	200	12.3	9.6 - 15.6	1,900

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,800	85.6	80.9 - 89.3	600	14.4	10.7 - 19.1	4,500
Native Hawaiian	4,600	87.3	82.6 - 90.8	700	12.7	9.2 - 17.4	5,300
Chinese	500	75.1	57.5 - 87.0	200	24.9	13.0 - 42.5	700
Filipino	3,100	92.8	88.2 - 95.7	200	7.2	4.3 - 11.8	3,300
Japanese	1,300	69.9	59.2 - 78.7	500	30.1	21.3 - 40.8	1,800
Other	2,300	86.2	78.6 - 91.4	400	13.8	8.6 - 21.4	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	98.3	95.1 - 99.5	<50	1.7	0.5 - 4.9	1,000
20-24	4,000	92.5	88.1 - 95.4	300	7.5	4.6 - 11.9	4,400
25-34	8,400	85.3	81.9 - 88.2	1,400	14.7	11.8 - 18.1	9,800
35+	2,300	72.3	64.9 - 78.7	900	27.7	21.3 - 35.1	3,100

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,100	86.8	83.4 - 89.5	1,200	13.2	10.5 - 16.6	9,300
Female	7,500	84.2	80.5 - 87.3	1,400	15.8	12.7 - 19.5	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,300	81.5	78.1 - 84.5	2,100	18.5	15.5 - 21.9	11,400
No	6,300	92.1	88.9 - 94.4	500	7.9	5.6 - 11.1	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,000	93.0	89.9 - 95.2	400	7.0	4.8 - 10.1	6,400
131-185%	2,400	86.3	79.3 - 91.2	400	13.7	8.8 - 20.7	2,700
186+%	6,300	78.7	74.4 - 82.5	1,700	21.3	17.5 - 25.6	8,000

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	3,100	94.5	90.4 - 96.9	200	5.5	3.1 - 9.6	3,300
\$10,000-\$24,999	3,000	90.9	85.7 - 94.3	300	9.1	5.7 - 14.3	3,300
\$25,000-\$49,999	4,000	87.3	82.3 - 91.0	600	12.7	9.0 - 17.7	4,500
>=\$50,000	4,700	75.9	70.6 - 80.4	1,500	24.1	19.6 - 29.4	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	84.6	80.3 - 88.1	200	15.4	11.9 - 19.7	1,300
Normal birth weight	14,500	85.7	83.1 - 88.0	2,400	14.3	12.0 - 16.9	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	89.5	78.4 - 95.2	100	10.5	4.8 - 21.6	900
No	14,600	85.2	82.6 - 87.4	2,500	14.8	12.6 - 17.4	17,100

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	87.5	81.8 - 91.6	400	12.5	8.4 - 18.2	3,500
No	12,400	84.9	82.1 - 87.3	2,200	15.1	12.7 - 17.9	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,600	93.1	90.5 - 95.1	600	6.9	4.9 - 9.5	8,100
No	7,900	79.2	75.3 - 82.6	2,100	20.8	17.4 - 24.7	10,000

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,200	83.1	80.5 - 85.4	3,100	16.9	14.6 - 19.5	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,000	88.2	84.5 - 91.0	300	11.8	9.0 - 15.5	2,300
Honolulu	10,800	82.0	78.5 - 85.1	2,400	18.0	14.9 - 21.5	13,200
Kauai	700	81.7	76.7 - 85.9	100	18.3	14.1 - 23.3	800
Maui	1,600	85.0	81.2 - 88.2	300	15.0	11.8 - 18.8	1,900

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race- Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	82.2	76.8 - 86.6	800	17.8	13.4 - 23.2	4,500
Native Hawaiian	4,700	87.0	82.6 - 90.5	700	13.0	9.5 - 17.4	5,400
Chinese	500	67.8	51.4 - 80.6	200	32.2	19.4 - 48.6	800
Filipino	2,700	81.4	74.4 - 86.8	600	18.6	13.2 - 25.6	3,300
Japanese	1,200	72.2	61.7 - 80.8	500	27.8	19.2 - 38.3	1,700
Other	2,400	89.9	83.0 - 94.3	300	10.1	5.7 - 17.0	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	90.7	78.8 - 96.2	100	9.3	3.8 - 21.2	1,100
20-24	3,900	87.7	82.3 - 91.7	500	12.3	8.3 - 17.7	4,400
25-34	7,700	81.9	78.2 - 85.0	1,700	18.1	15.0 - 21.8	9,400
35+	2,600	78.0	71.3 - 83.6	700	22.0	16.4 - 28.7	3,300

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,600	83.5	79.8 - 86.5	1,500	16.5	13.5 - 20.2	9,200
Female	7,500	82.8	78.9 - 86.0	1,600	17.2	14.0 - 21.1	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,200	80.1	76.6 - 83.2	2,300	19.9	16.8 - 23.4	11,500
No	6,000	88.2	84.4 - 91.1	800	11.8	8.9 - 15.6	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,500	88.0	83.8 - 91.1	800	12.0	8.9 - 16.2	6,300
131-185%	2,500	84.7	77.3 - 89.9	500	15.3	10.1 - 22.7	3,000
186+%	6,100	78.1	73.8 - 81.8	1,700	21.9	18.2 - 26.2	7,800

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,900	89.6	84.0 - 93.3	300	10.4	6.7 - 16.0	3,300
\$10,000-\$24,999	2,800	87.8	81.4 - 92.2	400	12.2	7.8 - 18.6	3,200
\$25,000-\$49,999	3,700	80.2	74.3 - 85.0	900	19.8	15.0 - 25.7	4,600
>=\$50,000	4,800	78.3	73.5 - 82.5	1,300	21.7	17.5 - 26.5	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	79.7	75.0 - 83.8	300	20.3	16.2 - 25.0	1,300
Normal birth weight	14,100	83.3	80.6 - 85.8	2,800	16.7	14.2 - 19.4	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	79.5	67.5 - 87.8	300	20.5	12.2 - 32.5	1,400
No	13,900	83.5	80.9 - 85.9	2,700	16.5	14.1 - 19.1	16,600

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	80.6	74.3 - 85.7	700	19.4	14.3 - 25.7	3,800
No	12,000	83.9	81.0 - 86.4	2,300	16.1	13.6 - 19.0	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,100	88.8	85.3 - 91.5	900	11.2	8.5 - 14.7	8,000
No	7,900	78.8	75.0 - 82.2	2,100	21.2	17.8 - 25.0	10,100

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,000	83.3	80.9 - 85.5	3,000	16.7	14.5 - 19.1	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	79.7	75.4 - 83.4	500	20.3	16.6 - 24.6	2,400
Honolulu	10,600	83.8	80.4 - 86.7	2,100	16.2	13.3 - 19.6	12,600
Kauai	700	83.7	78.7 - 87.6	100	16.3	12.4 - 21.3	800
Maui	1,800	84.9	81.3 - 87.9	300	15.1	12.1 - 18.7	2,100

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race- Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,600	85.7	81.3 - 89.2	600	14.3	10.8 - 18.7	4,200
Native Hawaiian	5,000	85.4	81.1 - 88.9	900	14.6	11.1 - 18.9	5,800
Chinese	500	66.7	49.8 - 80.2	300	33.3	19.8 - 50.2	800
Filipino	2,700	84.8	78.2 - 89.6	500	15.2	10.4 - 21.8	3,200
Japanese	1,200	74.2	64.1 - 82.3	400	25.8	17.7 - 35.9	1,600
Other	2,000	83.6	76.0 - 89.1	400	16.4	10.9 - 24.0	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,600	88.7	79.7 - 94.0	200	11.3	6.0 - 20.3	1,800
20-24	3,700	89.4	84.7 - 92.7	400	10.6	7.3 - 15.3	4,200
25-34	7,500	83.3	79.8 - 86.2	1,500	16.7	13.8 - 20.2	9,000
35+	2,200	72.1	64.7 - 78.5	800	27.9	21.5 - 35.3	3,000

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,900	82.2	78.7 - 85.3	1,700	17.8	14.7 - 21.3	9,600
Female	7,100	84.6	81.0 - 87.6	1,300	15.4	12.4 - 19.0	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,500	80.4	77.1 - 83.4	2,100	19.6	16.6 - 22.9	10,600
No	6,400	87.6	83.8 - 90.6	900	12.4	9.4 - 16.2	7,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,400	86.6	82.5 - 89.9	800	13.4	10.1 - 17.5	6,300
131-185%	2,500	87.9	81.8 - 92.1	300	12.1	7.9 - 18.2	2,800
186+%	5,700	78.3	74.0 - 82.0	1,600	21.7	18.0 - 26.0	7,200

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,600	87.6	81.3 - 92.1	400	12.4	7.9 - 18.7	3,000
\$10,000-\$24,999	3,400	87.9	82.8 - 91.7	500	12.1	8.3 - 17.2	3,800
\$25,000-\$49,999	3,000	82.9	77.1 - 87.4	600	17.1	12.6 - 22.9	3,700
>=\$50,000	4,700	77.9	73.2 - 81.9	1,300	22.1	18.1 - 26.8	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	81.3	76.9 - 85.0	300	18.7	15.0 - 23.1	1,300
Normal birth weight	13,800	83.5	80.8 - 85.8	2,700	16.5	14.2 - 19.2	16,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	89.3	82.2 - 93.8	200	10.7	6.2 - 17.8	1,600
No	13,100	82.9	80.3 - 85.3	2,700	17.1	14.7 - 19.7	15,800

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,300	86.5	81.4 - 90.4	500	13.5	9.6 - 18.6	3,900
No	11,300	82.7	79.8 - 85.3	2,400	17.3	14.7 - 20.2	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,400	87.4	83.9 - 90.3	900	12.6	9.7 - 16.1	7,300
No	8,200	80.8	77.3 - 83.9	1,900	19.2	16.1 - 22.7	10,100

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,300	83.7	81.9 - 85.3	3,000	16.3	14.7 - 18.1	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,100	85.4	79.8 - 89.6	400	14.6	10.4 - 20.2	2,400
Honolulu	10,800	84.2	82.1 - 86.1	2,000	15.8	13.9 - 17.9	12,900
Kauai	700	80.9	71.0 - 88.0	200	19.1	12.0 - 29.0	900
Maui	1,700	79.7	73.4 - 84.8	400	20.3	15.2 - 26.6	2,100

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race- Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,600	82.3	78.3 - 85.7	800	17.7	14.3 - 21.7	4,300
Native Hawaiian	4,500	86.0	82.3 - 89.1	700	14.0	10.9 - 17.7	5,200
Chinese	400	73.1	66.7 - 78.7	200	26.9	21.3 - 33.3	600
Filipino	2,900	86.1	82.1 - 89.4	500	13.9	10.6 - 17.9	3,400
Japanese	1,500	73.9	67.5 - 79.5	500	26.1	20.5 - 32.5	2,000
Other	2,400	88.0	83.8 - 91.2	300	12.0	8.8 - 16.2	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	91.5	85.2 - 95.2	100	8.5	4.8 - 14.8	1,400
20-24	3,700	91.5	88.0 - 94.0	300	8.5	6.0 - 12.0	4,000
25-34	7,800	82.1	79.5 - 84.5	1,700	17.9	15.5 - 20.5	9,500
35+	2,500	75.5	70.7 - 79.7	800	24.5	20.3 - 29.3	3,400

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,900	82.3	79.7 - 84.6	1,700	17.7	15.4 - 20.3	9,600
Female	7,400	85.2	82.7 - 87.5	1,300	14.8	12.5 - 17.3	8,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,400	80.9	78.6 - 83.1	2,200	19.1	16.9 - 21.4	11,600
No	6,000	88.4	85.6 - 90.8	800	11.6	9.2 - 14.4	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,900	88.9	86.1 - 91.2	700	11.1	8.8 - 13.9	6,700
131-185%	2,300	86.8	81.8 - 90.6	300	13.2	9.4 - 18.2	2,600
186+%	6,000	77.5	74.5 - 80.3	1,800	22.5	19.7 - 25.5	7,800

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	90.6	86.4 - 93.6	300	9.4	6.4 - 13.6	3,000
\$10,000-\$24,999	3,400	86.9	82.9 - 90.0	500	13.1	10.0 - 17.1	3,900
\$25,000-\$49,999	3,600	85.8	82.1 - 88.9	600	14.2	11.1 - 17.9	4,200
>=\$50,000	4,700	75.8	72.3 - 78.9	1,500	24.2	21.1 - 27.7	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	81.5	73.2 - 87.7	200	18.5	12.3 - 26.8	1,200
Normal birth weight	14,300	83.8	82.0 - 85.5	2,800	16.2	14.5 - 18.0	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	89.3	82.9 - 93.5	200	10.7	6.5 - 17.1	1,500
No	13,600	83.0	81.1 - 84.8	2,800	17.0	15.2 - 18.9	16,400

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	87.1	82.9 - 90.4	400	12.9	9.6 - 17.1	3,300
No	12,000	82.7	80.7 - 84.6	2,500	17.3	15.4 - 19.3	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,000	89.2	86.6 - 91.3	800	10.8	8.7 - 13.4	7,800
No	8,300	79.4	76.9 - 81.8	2,100	20.6	18.2 - 23.1	10,400

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,000	83.6	81.7 - 85.2	3,000	16.4	14.8 - 18.3	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	79.0	73.0 - 84.0	500	21.0	16.0 - 27.0	2,400
Honolulu	10,400	84.1	82.0 - 86.0	2,000	15.9	14.0 - 18.0	12,400
Kauai	900	86.9	78.5 - 92.3	100	13.1	7.7 - 21.5	1,100
Maui	1,800	83.8	77.9 - 88.4	300	16.2	11.6 - 22.1	2,100

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race- Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	85.1	81.2 - 88.3	600	14.9	11.7 - 18.8	4,100
Native Hawaiian	4,300	88.2	84.6 - 91.0	600	11.8	9.0 - 15.4	4,900
Chinese	500	74.4	68.1 - 79.9	200	25.6	20.1 - 31.9	600
Filipino	2,800	83.8	79.6 - 87.3	500	16.2	12.7 - 20.4	3,300
Japanese	1,400	68.8	62.0 - 74.8	600	31.2	25.2 - 38.0	2,100
Other	2,500	85.8	81.0 - 89.6	400	14.2	10.4 - 19.0	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,500	91.1	84.4 - 95.1	200	8.9	4.9 - 15.6	1,700
20-24	3,900	88.8	85.4 - 91.6	500	11.2	8.4 - 14.6	4,400
25-34	7,300	82.5	79.9 - 84.9	1,500	17.5	15.1 - 20.1	8,800
35+	2,300	74.7	69.6 - 79.1	800	25.3	20.9 - 30.4	3,100

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	83.9	81.4 - 86.2	1,500	16.1	13.8 - 18.6	9,300
Female	7,200	83.2	80.5 - 85.6	1,500	16.8	14.4 - 19.5	8,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,200	81.4	79.0 - 83.5	2,100	18.6	16.5 - 21.0	11,200
No	5,900	87.2	84.2 - 89.7	900	12.8	10.3 - 15.8	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,900	88.9	86.1 - 91.2	700	11.1	8.8 - 13.9	6,700
131-185%	2,100	81.2	76.0 - 85.5	500	18.8	14.5 - 24.0	2,600
186+%	5,800	79.0	75.9 - 81.7	1,500	21.0	18.3 - 24.1	7,400

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	90.5	86.2 - 93.5	300	9.5	6.5 - 13.8	3,000
\$10,000-\$24,999	3,300	88.5	84.7 - 91.5	400	11.5	8.5 - 15.3	3,800
\$25,000-\$49,999	3,300	81.0	76.8 - 84.6	800	19.0	15.4 - 23.2	4,100
>=\$50,000	4,600	77.7	74.3 - 80.8	1,300	22.3	19.2 - 25.7	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	78.7	71.5 - 84.5	300	21.3	15.5 - 28.5	1,500
Normal birth weight	13,800	84.0	82.1 - 85.7	2,600	16.0	14.3 - 17.9	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	87.6	80.6 - 92.3	200	12.4	7.7 - 19.4	1,500
No	13,500	83.2	81.2 - 84.9	2,700	16.8	15.1 - 18.8	16,300

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	88.0	83.9 - 91.2	400	12.0	8.8 - 16.1	3,500
No	11,700	82.4	80.3 - 84.3	2,500	17.6	15.7 - 19.7	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	89.2	86.6 - 91.4	800	10.8	8.6 - 13.4	7,600
No	8,100	79.3	76.7 - 81.7	2,100	20.7	18.3 - 23.3	10,300

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,100	84.6	82.8 - 86.3	2,800	15.4	13.7 - 17.2	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	82.4	76.2 - 87.2	400	17.6	12.8 - 23.8	2,100
Honolulu	11,000	84.8	82.6 - 86.7	2,000	15.2	13.3 - 17.4	13,000
Kauai	800	89.4	80.2 - 94.6	100	10.6	5.4 - 19.8	900
Maui	1,600	83.7	77.3 - 88.6	300	16.3	11.4 - 22.7	1,900

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race- Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	82.5	78.3 - 86.0	700	17.5	14.0 - 21.7	4,300
Native Hawaiian	4,200	86.0	82.1 - 89.2	700	14.0	10.8 - 17.9	4,900
Chinese	400	77.3	70.7 - 82.8	100	22.7	17.2 - 29.3	600
Filipino	3,000	89.6	85.8 - 92.4	300	10.4	7.6 - 14.2	3,300
Japanese	1,600	75.1	68.6 - 80.6	500	24.9	19.4 - 31.4	2,100
Other	2,400	88.2	83.5 - 91.7	300	11.8	8.3 - 16.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	87.2	79.6 - 92.3	200	12.8	7.7 - 20.4	1,500
20-24	3,800	86.0	81.9 - 89.2	600	14.0	10.8 - 18.1	4,400
25-34	7,500	85.6	83.0 - 87.8	1,300	14.4	12.2 - 17.0	8,700
35+	2,600	78.9	74.2 - 82.9	700	21.1	17.1 - 25.8	3,200

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	86.0	83.4 - 88.2	1,300	14.0	11.8 - 16.6	9,000
Female	7,300	83.2	80.4 - 85.6	1,500	16.8	14.4 - 19.6	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,500	83.4	81.1 - 85.5	1,900	16.6	14.5 - 18.9	11,400
No	5,600	86.7	83.5 - 89.4	900	13.3	10.6 - 16.5	6,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,300	86.3	83.0 - 89.1	800	13.7	10.9 - 17.0	6,100
131-185%	2,200	92.2	87.9 - 95.1	200	7.8	4.9 - 12.1	2,400
186+%	6,500	80.4	77.5 - 83.1	1,600	19.6	16.9 - 22.5	8,000

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,500	86.2	81.2 - 90.1	400	13.8	9.9 - 18.8	2,900
\$10,000-\$24,999	3,200	87.4	83.2 - 90.6	500	12.6	9.4 - 16.8	3,700
\$25,000-\$49,999	3,600	86.2	82.3 - 89.3	600	13.8	10.7 - 17.7	4,200
>=\$50,000	4,700	80.3	76.8 - 83.3	1,100	19.7	16.7 - 23.2	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	81.2	73.5 - 87.0	300	18.8	13.0 - 26.5	1,400
Normal birth weight	13,900	84.9	83.0 - 86.7	2,500	15.1	13.3 - 17.0	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	85.1	78.1 - 90.1	200	14.9	9.9 - 21.9	1,600
No	13,500	84.6	82.6 - 86.3	2,500	15.4	13.7 - 17.4	15,900

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,200	86.1	81.8 - 89.5	500	13.9	10.5 - 18.2	3,700
No	11,700	84.2	82.1 - 86.1	2,200	15.8	13.9 - 17.9	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,600	87.7	84.8 - 90.0	900	12.3	10.0 - 15.2	7,600
No	8,400	82.2	79.7 - 84.5	1,800	17.8	15.5 - 20.3	10,200

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,500	86.0	84.3 - 87.5	2,400	14.0	12.5 - 15.7	16,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	86.4	80.9 - 90.5	300	13.6	9.5 - 19.1	2,100
Honolulu	10,600	86.0	84.0 - 87.8	1,700	14.0	12.2 - 16.0	12,300
Kauai	600	89.3	79.6 - 94.7	100	10.7	5.3 - 20.4	700
Maui	1,400	84.0	77.7 - 88.8	300	16.0	11.2 - 22.3	1,700

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	84.6	80.5 - 88.0	600	15.4	12.0 - 19.5	3,700
Native Hawaiian	4,300	90.7	87.4 - 93.2	400	9.3	6.8 - 12.6	4,800
Chinese	500	80.6	74.9 - 85.3	100	19.4	14.7 - 25.1	600
Filipino	2,700	86.6	82.7 - 89.8	400	13.4	10.2 - 17.3	3,100
Japanese	1,700	76.8	71.0 - 81.8	500	23.2	18.2 - 29.0	2,200
Other	2,100	87.9	83.4 - 91.3	300	12.1	8.7 - 16.6	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	95.2	90.5 - 97.6	100	4.8	2.4 - 9.5	1,500
20-24	3,800	90.7	87.5 - 93.2	400	9.3	6.8 - 12.5	4,200
25-34	7,100	85.3	82.8 - 87.5	1,200	14.7	12.5 - 17.2	8,300
35+	2,200	76.3	71.3 - 80.6	700	23.7	19.4 - 28.7	2,900

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,500	87.0	84.6 - 89.0	1,100	13.0	11.0 - 15.4	8,600
Female	7,000	85.0	82.4 - 87.2	1,200	15.0	12.8 - 17.6	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,000	84.1	81.9 - 86.1	1,700	15.9	13.9 - 18.1	10,700
No	5,500	89.4	86.6 - 91.6	700	10.6	8.4 - 13.4	6,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,400	89.4	86.7 - 91.6	600	10.6	8.4 - 13.3	6,100
131-185%	1,500	86.3	80.3 - 90.6	200	13.7	9.4 - 19.7	1,800
186+%	6,300	82.1	79.4 - 84.6	1,400	17.9	15.4 - 20.6	7,600

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	92.1	88.3 - 94.7	200	7.9	5.3 - 11.7	2,900
\$10,000-\$24,999	3,100	87.8	84.0 - 90.8	400	12.2	9.2 - 16.0	3,500
\$25,000-\$49,999	3,400	86.3	82.5 - 89.3	500	13.7	10.7 - 17.5	3,900
>=\$50,000	4,200	79.9	76.4 - 83.0	1,100	20.1	17.0 - 23.6	5,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	84.4	76.8 - 89.8	200	15.6	10.2 - 23.2	1,200
Normal birth weight	13,500	86.2	84.4 - 87.8	2,200	13.8	12.2 - 15.6	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	92.9	87.0 - 96.3	100	7.1	3.7 - 13.0	1,300
No	13,000	85.3	83.5 - 86.9	2,200	14.7	13.1 - 16.5	15,200

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,200	91.8	88.3 - 94.3	300	8.2	5.7 - 11.7	3,500
No	11,000	84.4	82.4 - 86.2	2,000	15.6	13.8 - 17.6	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,600	89.9	87.4 - 91.9	700	10.1	8.1 - 12.6	7,300
No	7,800	82.9	80.4 - 85.1	1,600	17.1	14.9 - 19.6	9,400

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,500	84.0	82.3 - 85.5	2,800	16.0	14.5 - 17.7	17,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	79.9	74.3 - 84.6	400	20.1	15.4 - 25.7	2,200
Honolulu	10,600	84.5	82.7 - 86.3	1,900	15.5	13.7 - 17.3	12,500
Kauai	700	88.5	80.6 - 93.4	100	11.5	6.6 - 19.4	800
Maui	1,500	82.8	77.1 - 87.4	300	17.2	12.6 - 22.9	1,800

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	83.4	79.7 - 86.5	700	16.6	13.5 - 20.3	3,900
Native Hawaiian	4,100	85.9	82.4 - 88.8	700	14.1	11.2 - 17.6	4,800
Chinese	400	70.0	65.6 - 74.1	200	30.0	25.9 - 34.4	600
Filipino	2,800	87.6	84.2 - 90.4	400	12.4	9.6 - 15.8	3,200
Japanese	1,600	69.7	63.7 - 75.2	700	30.3	24.8 - 36.3	2,300
Other	2,400	92.7	89.7 - 94.9	200	7.3	5.1 - 10.3	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	89.1	82.8 - 93.2	100	10.9	6.8 - 17.2	1,300
20-24	3,900	90.1	87.0 - 92.5	400	9.9	7.5 - 13.0	4,400
25-34	6,900	82.7	80.2 - 84.9	1,500	17.3	15.1 - 19.8	8,400
35+	2,500	77.1	72.8 - 80.8	700	22.9	19.2 - 27.2	3,300

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,100	84.9	82.7 - 86.9	1,400	15.1	13.1 - 17.3	9,500
Female	6,400	82.8	80.3 - 85.1	1,300	17.2	14.9 - 19.7	7,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,000	82.6	80.6 - 84.4	2,100	17.4	15.6 - 19.4	12,100
No	4,500	87.2	84.2 - 89.7	700	12.8	10.3 - 15.8	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,600	87.6	84.9 - 89.9	800	12.4	10.1 - 15.1	6,400
131-185%	1,800	88.5	83.9 - 92.0	200	11.5	8.0 - 16.1	2,000
186+%	6,000	80.2	77.5 - 82.6	1,500	19.8	17.4 - 22.5	7,500

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	85.8	81.2 - 89.4	400	14.2	10.6 - 18.8	2,600
\$10,000-\$24,999	3,800	88.8	85.7 - 91.3	500	11.2	8.7 - 14.3	4,300
\$25,000-\$49,999	3,700	85.6	82.3 - 88.3	600	14.4	11.7 - 17.7	4,300
>=\$50,000	3,800	77.7	74.3 - 80.8	1,100	22.3	19.2 - 25.7	4,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	83.2	75.9 - 88.7	200	16.8	11.3 - 24.1	1,100
Normal birth weight	13,600	84.0	82.3 - 85.6	2,600	16.0	14.4 - 17.7	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	89.4	83.3 - 93.4	100	10.6	6.6 - 16.7	1,400
No	13,100	83.4	81.7 - 85.0	2,600	16.6	15.0 - 18.3	15,700

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	85.3	81.4 - 88.5	500	14.7	11.5 - 18.6	3,500
No	11,300	83.5	81.6 - 85.2	2,200	16.5	14.8 - 18.4	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,900	88.7	86.4 - 90.6	900	11.3	9.4 - 13.6	7,800
No	7,400	80.0	77.6 - 82.2	1,900	20.0	17.8 - 22.4	9,300

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,900	87.3	85.4 - 89.0	2,200	12.7	11.0 - 14.6	17,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	89.1	85.8 - 91.8	200	10.9	8.2 - 14.2	1,900
Honolulu	10,900	87.4	84.8 - 89.5	1,600	12.6	10.5 - 15.2	12,500
Kauai	800	89.3	83.7 - 93.1	100	10.7	6.9 - 16.3	800
Maui	1,500	84.3	80.4 - 87.6	300	15.7	12.4 - 19.6	1,800

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race- Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	86.2	81.5 - 89.8	500	13.8	10.2 - 18.5	3,700
Native Hawaiian	4,100	87.6	85.5 - 89.5	600	12.4	10.5 - 14.5	4,700
Chinese	600	87.3	72.4 - 94.8	100	12.7	5.2 - 27.6	700
Filipino	3,400	88.2	83.4 - 91.7	500	11.8	8.3 - 16.6	3,800
Japanese	1,600	82.5	74.1 - 88.6	300	17.5	11.4 - 25.9	2,000
Other	2,100	91.4	85.2 - 95.1	200	8.6	4.9 - 14.8	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	91.1	84.5 - 95.0	100	8.9	5.0 - 15.5	1,500
20-24	3,800	93.2	90.3 - 95.3	300	6.8	4.7 - 9.7	4,000
25-34	7,400	85.6	82.6 - 88.1	1,200	14.4	11.9 - 17.4	8,600
35+	2,400	82.3	76.6 - 86.8	500	17.7	13.2 - 23.4	2,900

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,900	87.1	84.5 - 89.4	1,200	12.9	10.6 - 15.5	9,000
Female	7,100	87.5	84.6 - 89.9	1,000	12.5	10.1 - 15.4	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,800	86.2	83.6 - 88.4	1,600	13.8	11.6 - 16.4	11,300
No	5,200	89.5	86.7 - 91.7	600	10.5	8.3 - 13.3	5,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,800	89.6	86.9 - 91.8	800	10.4	8.2 - 13.1	7,600
131-185%	2,100	84.7	78.6 - 89.3	400	15.3	10.7 - 21.4	2,500
186+%	4,700	86.1	82.3 - 89.2	800	13.9	10.8 - 17.7	5,400

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,800	92.3	89.0 - 94.6	300	7.7	5.4 - 11.0	4,100
\$15,001-\$25,000	1,900	85.7	79.6 - 90.3	300	14.3	9.7 - 20.4	2,200
\$25,001-\$40,000	2,800	87.1	82.1 - 90.9	400	12.9	9.1 - 17.9	3,200
>=\$40,001	5,500	84.9	81.3 - 87.9	1,000	15.1	12.1 - 18.7	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	81.6	72.2 - 88.3	200	18.4	11.7 - 27.8	1,200
Normal birth weight	14,000	87.8	85.8 - 89.5	1,900	12.2	10.5 - 14.2	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	84.5	77.0 - 89.9	200	15.5	10.1 - 23.0	1,500
No	13,400	87.8	85.7 - 89.5	1,900	12.2	10.5 - 14.3	15,300

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	85.3	80.3 - 89.2	500	14.7	10.8 - 19.7	3,400
No	11,700	88.2	86.1 - 90.0	1,600	11.8	10.0 - 13.9	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,600	90.8	88.2 - 92.8	700	9.2	7.2 - 11.8	7,300
No	8,200	84.6	81.8 - 87.1	1,500	15.4	12.9 - 18.2	9,700

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,300	85.8	83.8 - 87.7	2,400	14.2	12.3 - 16.2	16,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	85.8	82.2 - 88.7	300	14.2	11.3 - 17.8	1,900
Honolulu	10,500	85.6	82.8 - 87.9	1,800	14.4	12.1 - 17.2	12,300
Kauai	600	92.8	87.3 - 96.0	<50	7.2	4.0 - 12.7	700
Maui	1,500	85.3	81.3 - 88.6	300	14.7	11.4 - 18.7	1,700

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	82.4	77.0 - 86.7	600	17.6	13.3 - 23.0	3,500
Native Hawaiian	4,000	88.6	86.6 - 90.5	500	11.4	9.5 - 13.4	4,500
Chinese	500	81.8	65.6 - 91.4	100	18.2	8.6 - 34.4	600
Filipino	3,000	89.7	84.6 - 93.3	300	10.3	6.7 - 15.4	3,400
Japanese	1,800	77.5	69.6 - 83.8	500	22.5	16.2 - 30.4	2,400
Other	2,000	89.8	83.1 - 94.0	200	10.2	6.0 - 16.9	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	92.8	86.8 - 96.2	100	7.2	3.8 - 13.2	1,500
20-24	3,700	89.7	86.2 - 92.4	400	10.3	7.6 - 13.8	4,100
25-34	7,100	86.2	83.1 - 88.8	1,100	13.8	11.2 - 16.9	8,300
35+	2,000	74.9	68.1 - 80.7	700	25.1	19.3 - 31.9	2,700

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,100	86.2	83.1 - 88.8	1,100	13.8	11.2 - 16.9	8,200
Female	7,200	85.5	82.5 - 88.1	1,200	14.5	11.9 - 17.5	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,500	83.4	80.5 - 85.9	1,900	16.6	14.1 - 19.5	11,400
No	4,800	91.2	88.5 - 93.3	500	8.8	6.7 - 11.5	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,700	88.7	85.8 - 91.1	700	11.3	8.9 - 14.2	6,400
131-185%	2,900	83.7	78.1 - 88.0	600	16.3	12.0 - 21.9	3,400
186+%	4,400	83.8	79.7 - 87.3	900	16.2	12.7 - 20.3	5,300

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,800	87.0	83.0 - 90.2	400	13.0	9.8 - 17.0	3,200
\$15,001-\$25,000	2,200	90.6	85.7 - 94.0	200	9.4	6.0 - 14.3	2,400
\$25,001-\$40,000	3,100	85.7	80.4 - 89.8	500	14.3	10.2 - 19.6	3,600
>=\$40,001	5,300	83.5	79.7 - 86.7	1,000	16.5	13.3 - 20.3	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	86.9	77.9 - 92.6	100	13.1	7.4 - 22.1	1,100
Normal birth weight	13,300	86.0	83.9 - 87.9	2,200	14.0	12.1 - 16.1	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	87.1	79.4 - 92.2	200	12.9	7.8 - 20.6	1,300
No	12,900	85.9	83.6 - 87.8	2,100	14.1	12.2 - 16.4	15,100

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	88.0	83.3 - 91.5	400	12.0	8.5 - 16.7	3,100
No	11,100	85.1	82.6 - 87.3	1,900	14.9	12.7 - 17.4	13,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,300	90.5	87.7 - 92.8	700	9.5	7.2 - 12.3	7,000
No	7,800	82.4	79.4 - 85.1	1,700	17.6	14.9 - 20.6	9,500

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,000	85.2	83.5 - 86.8	2,400	14.8	13.2 - 16.5	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	85.1	81.4 - 88.2	300	14.9	11.8 - 18.6	1,800
Honolulu	10,300	85.0	82.8 - 87.0	1,800	15.0	13.0 - 17.2	12,200
Kauai	700	86.7	80.7 - 91.1	100	13.3	8.9 - 19.3	800
Maui	1,400	86.2	82.2 - 89.5	200	13.8	10.5 - 17.8	1,700

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race- Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	81.7	77.4 - 85.3	600	18.3	14.7 - 22.6	3,500
Native Hawaiian	3,900	88.4	86.7 - 89.8	500	11.6	10.2 - 13.3	4,400
Chinese	600	81.4	69.1 - 89.5	100	18.6	10.5 - 30.9	700
Filipino	3,100	89.6	85.6 - 92.5	400	10.4	7.5 - 14.4	3,500
Japanese	1,500	75.1	67.9 - 81.1	500	24.9	18.9 - 32.1	2,000
Other	2,000	88.5	83.2 - 92.3	300	11.5	7.7 - 16.8	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	92.2	88.5 - 94.8	100	7.8	5.2 - 11.5	1,600
20-24	3,800	89.4	86.8 - 91.6	400	10.6	8.4 - 13.2	4,200
25-34	6,900	86.5	84.1 - 88.6	1,100	13.5	11.4 - 15.9	7,900
35+	1,900	70.8	64.8 - 76.2	800	29.2	23.8 - 35.2	2,700

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,100	85.1	82.6 - 87.2	1,200	14.9	12.8 - 17.4	8,300
Female	6,900	85.4	82.9 - 87.6	1,200	14.6	12.4 - 17.1	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	82.9	80.6 - 85.0	1,900	17.1	15.0 - 19.4	11,000
No	4,800	89.9	87.6 - 91.9	500	10.1	8.1 - 12.4	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,500	89.8	87.7 - 91.6	600	10.2	8.4 - 12.3	6,100
131-185%	3,000	83.7	79.7 - 87.0	600	16.3	13.0 - 20.3	3,600
186+%	4,500	81.4	77.7 - 84.5	1,000	18.6	15.5 - 22.3	5,500

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,900	90.1	87.1 - 92.5	300	9.9	7.5 - 12.9	3,300
\$15,001-\$25,000	2,000	88.0	83.8 - 91.2	300	12.0	8.8 - 16.2	2,200
\$25,001-\$40,000	3,100	87.0	83.4 - 89.9	500	13.0	10.1 - 16.6	3,500
>=\$40,001	5,200	80.3	76.9 - 83.2	1,300	19.7	16.8 - 23.1	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	90.3	83.9 - 94.3	100	9.7	5.7 - 16.1	1,100
Normal birth weight	13,000	85.0	83.1 - 86.6	2,300	15.0	13.4 - 16.9	15,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	86.8	81.4 - 90.8	200	13.2	9.2 - 18.6	1,500
No	12,400	85.2	83.3 - 86.9	2,200	14.8	13.1 - 16.7	14,600

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	86.2	82.6 - 89.1	500	13.8	10.9 - 17.4	3,300
No	10,600	84.9	82.8 - 86.7	1,900	15.1	13.3 - 17.2	12,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,200	90.3	88.2 - 92.0	700	9.7	8.0 - 11.8	6,900
No	7,600	81.6	79.0 - 84.0	1,700	18.4	16.0 - 21.0	9,400

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,300	85.8	84.1 - 87.3	2,400	14.2	12.7 - 15.9	16,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	83.4	79.6 - 86.6	300	16.6	13.4 - 20.4	1,900
Honolulu	10,600	85.4	83.3 - 87.3	1,800	14.6	12.7 - 16.7	12,400
Kauai	600	91.1	85.4 - 94.6	100	8.9	5.4 - 14.6	700
Maui	1,500	88.6	84.8 - 91.6	200	11.4	8.4 - 15.2	1,700

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	82.3	78.4 - 85.6	700	17.7	14.4 - 21.6	4,000
Native Hawaiian	4,000	88.8	87.1 - 90.3	500	11.2	9.7 - 12.9	4,500
Chinese	500	76.9	63.7 - 86.4	100	23.1	13.6 - 36.3	600
Filipino	3,000	89.5	85.4 - 92.5	400	10.5	7.5 - 14.6	3,300
Japanese	1,600	78.6	71.9 - 84.0	400	21.4	16.0 - 28.1	2,000
Other	1,900	89.2	83.8 - 93.0	200	10.8	7.0 - 16.2	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,700	92.5	87.9 - 95.4	100	7.5	4.6 - 12.1	1,800
20-24	3,600	90.8	88.2 - 92.8	400	9.2	7.2 - 11.8	4,000
25-34	6,900	85.3	82.8 - 87.5	1,200	14.7	12.5 - 17.2	8,000
35+	2,200	75.8	70.5 - 80.4	700	24.2	19.6 - 29.5	2,800

**PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,600	87.3	85.2 - 89.2	1,100	12.7	10.8 - 14.8	8,700
Female	6,700	84.0	81.4 - 86.4	1,300	16.0	13.6 - 18.6	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,700	83.5	81.3 - 85.5	1,900	16.5	14.5 - 18.7	11,600
No	4,700	90.8	88.6 - 92.7	500	9.2	7.3 - 11.4	5,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,300	88.8	86.5 - 90.7	800	11.2	9.3 - 13.5	7,100
131-185%	2,100	91.0	87.7 - 93.5	200	9.0	6.5 - 12.3	2,300
186+%	4,900	79.4	76.0 - 82.5	1,300	20.6	17.5 - 24.0	6,100

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,400	90.6	87.5 - 92.9	400	9.4	7.1 - 12.5	3,800
\$15,001-\$25,000	2,300	86.3	81.9 - 89.7	400	13.7	10.3 - 18.1	2,600
\$25,001-\$40,000	2,900	89.1	85.9 - 91.7	400	10.9	8.3 - 14.1	3,200
>=\$40,001	5,000	80.5	77.2 - 83.4	1,200	19.5	16.6 - 22.8	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	82.3	74.2 - 88.3	200	17.7	11.7 - 25.8	1,000
Normal birth weight	13,300	85.9	84.2 - 87.4	2,200	14.1	12.6 - 15.8	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	84.4	78.3 - 89.0	200	15.6	11.0 - 21.7	1,300
No	12,800	86.1	84.3 - 87.7	2,100	13.9	12.3 - 15.7	14,900

PRAMS Health Indicator Report - Discuss breastfeeding with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	87.0	83.4 - 89.9	400	13.0	10.1 - 16.6	3,200
No	11,000	85.6	83.7 - 87.4	1,900	14.4	12.6 - 16.3	12,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,500	90.0	87.9 - 91.7	700	10.0	8.3 - 12.1	7,300
No	7,600	82.9	80.4 - 85.1	1,600	17.1	14.9 - 19.6	9,200