

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Family Planning

Contraception	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Contraceptive use since giving birth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
No contraception at conception- didn't mind getting pregnant	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
No contraception at conception- husband/partner didn't want to	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
No contraception at conception- problems getting it	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
No contraception at conception- side effects	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
No contraception at conception- thought couldn't get pregnant	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
No contraception at conception- thought her or partner was sterile	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Intendedness of Pregnancy	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Pregnancy intention	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Unwanted pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Health Care

Insurance	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Coverage for delivery	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Coverage for PNC	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Insurance prior to pregnancy (Medicaid/QUEST)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Insurance prior to pregnancy (non Medicaid/QUEST)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No

Other	2004	2005	2006	2007	2008	2009	2010	2011	2012
Had a postpartum care visit with a HCW	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Health Indicator Category: Healthy Lifestyles

Seat Belts	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Discuss seat belt use with HCW during PNC	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Weight Control	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Weight - BMI status (PRAMS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Injuries

Intimate Partner Violence	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Discuss physical abuse with HCW during PNC	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Physical abuse by husb/ptnr 12 mos before preg (2000-2003)	Yes	Yes	Yes	Yes	No	No	No	No	No	No	No	No	No
Physical abuse by husb/ptnr 12 mos before preg (2004-2008)	No	No	No	No	Yes	Yes	Yes	Yes	Yes	No	No	No	No
Physical abuse by husb/ptnr 12 mos before preg (2009-2011)	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes
Physical abuse by husb/ptnr during pregnancy (2000-2003)	Yes	Yes	Yes	Yes	No	No	No	No	No	No	No	No	No
Physical abuse by husb/ptnr during pregnancy (2004-2008)	No	No	No	No	Yes	Yes	Yes	Yes	Yes	No	No	No	No
Physical abuse by husb/ptnr during pregnancy (2009-2011)	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes

Health Indicator Category: Maternal and Child Health

Birth Outcomes	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Baby discharged within 48 hours	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Baby placed in ICU after birth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Birthweight	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Gestational age	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Preterm delivery	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Breastfeeding	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Breastfeeding (any) duration 8+ weeks	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Breastfeeding (any) duration 8+ weeks, among initiators	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Breastfeeding (any) duration (grouped)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Breastfeeding (any) duration (grouped), among initiators	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Breastfeeding (exclusive) duration 8+ weeks	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Breastfeeding (exclusive) duration 8+ weeks, among initiators	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Breastfeeding (exclusive) duration (grouped)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Breastfeeding (exclusive) duration (grouped), among initiators	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Breastfeeding initiation	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Breastfeeding liquid supplement 1st week	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes
Breastfeeding still	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Discuss breastfeeding with HCW during PNC	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

HIV/AIDS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Discuss HIV testing with HCW during PNC	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
HIV test during pregnancy	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Newborn Hearing Screening	2002	2003
Baby has hearing loss/problem	Yes	Yes
Newborn Hearing Reaction - Did not pay attention	Yes	Yes
Newborn Hearing Reaction - Little worried	Yes	Yes
Newborn Hearing Reaction - Not worried	Yes	Yes
Newborn Hearing Reaction - Other	Yes	Yes
Newborn Hearing Reaction - Own fault	Yes	Yes
Newborn Hearing Reaction - Very worried	Yes	Yes
Newborn Hearing Result - No problem	Yes	Yes
Newborn Hearing Result - Other	Yes	Yes
Newborn Hearing Result - Should have another test	Yes	Yes
Newborn Hearing Test at Birth	Yes	Yes
Newborn Hearing Test - Discussion	Yes	Yes

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Prenatal Care	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Attended childbirth class	No	No	No	No	No	No	No	No	No	No	No	No	Yes
Discussed preconception health before pregnancy	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	No
Discussed quitting smoking with HCW during PNC	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	No
Discuss health with HCW before pregnant	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	No
Entry into PNC	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Getting PNC as early as wanted	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Pregnancy confirmation after the first trimester	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Received early and adequate prenatal care	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes
Took multivitamins/folic acid month prior to pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Sleeping Position	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Baby co-sleeping	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	No
Sleeping position	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

WIC	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Baby participation in WIC services	No	No	Yes	Yes	No	No	No	No	No	No	No	No	No
Participation in WIC during pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Other	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Baby received 1-wk postnatal check up	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Experienced 2 or more stressors during pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Gained recommended amount of weight during pregnancy	No	No	No	No	No	No	No	No	No	No	No	No	Yes
Gestational diabetes	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes
Had high blood pressure before pregnancy	No	No	No	No	No	No	No	No	No	No	No	No	Yes
Maternal morbidities req 1+ night hospital	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
Number of previous live births	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Postpartum check-up	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Post-partum depression (Phase 6)	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	No
Postpartum depression (Phase 7)	No	No	No	No	No	No	No	No	No	No	No	No	Yes
Prevalence of diabetes	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes
Primiparous (first child)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Oral Health

Oral Health	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
During pregnancy, dentist talked about oral care	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
During pregnancy, had teeth cleaned	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes
During pregnancy, needed to see a dentist for a problem	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
During pregnancy, went to dentist	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Teeth cleaned in 12 months before pregnancy	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes

Health Indicator Category: Substance Abuse

Alcohol Consumption	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Binge drinking 3 mos before pregnancy (2000-2008)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
Binge drinking 3 mos before pregnancy (2009-2011)	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	Yes
Drinking alcohol 3 mos before pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Drinking alcohol last 3 mos of pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Drug Use	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Illicit drug use 1 month before pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Illicit drug use in pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Tobacco Use

Cessation	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Discuss effects of smoking with HCW during PNC	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Smoking cessation during pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Smoking - quit smoking during 1st trimester	No	No	No	No	No	No	No	No	No	Yes	Yes	Yes	No
Smoking - relapsed post-partum	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Prevalence	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Num cigs smoked per avg day before pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Num cigs smoked per avg day last 3 mos of preg	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Num cigs smoked per avg day now	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Smoke now (3-6 mo after birth)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Smoking 3 months before pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Smoking during last 3 months of pregnancy	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

PRAMS Health Indicator and Survey Item Documentation Report, by Category, sub-Category and Year

Health Indicator Category: Family Planning

Sub-Category: Contraception

Health Indicator	Health Indicator Description	Health Indicator Response
Contraceptive use since giving birth	Since your new baby was born, are you or your husband or partner doing anything now to keep from getting pregnant?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
No contraception at conception- didn't mind getting pregnant	Among women not on contraception at the time of conception, those who were not on it because they didn't mind if they got pregnant	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
No contraception at conception- husband/partner didn't want to	Among women not on contraception at the time of conception, those who were not on it because their husband/partner didn't want to	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
No contraception at conception- problems getting it	Among women not on contraception at the time of conception, those who were not on it because they had problems getting birth control	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
No contraception at conception- side effects	Among women not on contraception at the time of conception, those who were not on it because of side effects from birth control	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Family Planning

Sub-Category: Contraception

Health Indicator	Health Indicator Description	Health Indicator Response
No contraception at conception- thought couldn't get pregnant	Among women not on contraception at the time of conception, those who were not on it because they believed they could not get pregnant at that time	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
No contraception at conception- thought her or partner was sterile	Among women not on contraception at the time of conception, those who were not on it because they believed they or their husband/partner was sterile	Yes
		No

Sub-Category: Intendedness of Pregnancy

Health Indicator	Health Indicator Description	Health Indicator Response
Pregnancy intention	Births that were intended, mis-timed, or unwanted	Mis-timed
		Intended
		Unwanted
Health Indicator	Health Indicator Description	Health Indicator Response
Unwanted pregnancy	Unwanted pregnancy among women having a live birth	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Health Care

Sub-Category: Insurance

Health Indicator	Health Indicator Description	Health Indicator Response
Coverage for delivery	How was your delivery paid for?	Medicaid/QUEST
		Tricare
		Other
		Private insurance
		Self pay
Health Indicator	Health Indicator Description	Health Indicator Response
Coverage for PNC	How was your prenatal care paid for?	Medicaid/QUEST
		Tricare
		Other
		Private insurance
		Self pay
Health Indicator	Health Indicator Description	Health Indicator Response
Insurance prior to pregnancy (Medicaid/QUEST)	Just before you got pregnant, were you on Medicaid or QUEST?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Insurance prior to pregnancy (non Medicaid/QUEST)	Just before you got pregnant, did you have health insurance? (Do not count Medicaid or QUEST)	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Health Care

Sub-Category: Other

Health Indicator	Health Indicator Description	Health Indicator Response
Had a postpartum care visit with a HCW	Since your new baby was born, have you had a postpartum checkup for yourself?	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Healthy Lifestyles

Sub-Category: Seat Belts

Health Indicator	Health Indicator Description	Health Indicator Response
Discuss seat belt use with HCW during PNC	During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about using a seat belt during pregnancy?	Yes
		No

Sub-Category: Weight Control

Health Indicator	Health Indicator Description	Health Indicator Response
Weight - BMI status (PRAMS)	Mom's Body Mass Index (BMI) weight status prior to pregnancy	Recommended range (18.5 <= BMI < 25)
		Obese (BMI>=30)
		Underweight (BMI < 18.5)
		Overweight (25 <= BMI < 30)

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Injuries

Sub-Category: Intimate Partner Violence

Health Indicator	Health Indicator Description	Health Indicator Response
Discuss physical abuse with HCW during PNC	During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about physical abuse to women by their husbands or partners?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical abuse by husb/ptnr 12 mos before preg (2000-2003)	Physical abuse by husband or partner during the 12 months before pregnancy (2000-2003)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical abuse by husb/ptnr 12 mos before preg (2004-2008)	Physical abuse by husband or partner during the 12 months before pregnancy (2004-2008)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical abuse by husb/ptnr 12 mos before preg (2009-2011)	Physical abuse by husband or partner during the 12 months before pregnancy (2009-2011)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical abuse by husb/ptnr during pregnancy (2000-2003)	Physical abuse by husband or partner during pregnancy (2000-2003)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical abuse by husb/ptnr during pregnancy (2004-2008)	Physical abuse by husband or partner during pregnancy (2004-2008)	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Injuries

Sub-Category: Intimate Partner Violence

Health Indicator	Health Indicator Description	Health Indicator Response
Physical abuse by husb/ptnr during pregnancy (2009-2011)	Physical abuse by husband or partner during pregnancy (2009-2011)	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: Birth Outcomes

Health Indicator	Health Indicator Description	Health Indicator Response
Baby discharged within 48 hours	Babies discharged from the hospital within 48 hours (of all vaginal births)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Baby placed in ICU after birth	After your baby was born, was he or she put in an intensive care unit?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Birthweight	Birthweight	Low birth weight
		Normal birth weight
Health Indicator	Health Indicator Description	Health Indicator Response
Gestational age	Gestational age	Early Preterm
		Preterm
		Term/Post term
Health Indicator	Health Indicator Description	Health Indicator Response
Preterm delivery	Preterm delivery	Yes
		No

Sub-Category: Breastfeeding

Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding (any) duration 8+ weeks	Breastfeeding (any) duration 8+ weeks	Breastfed 8+ weeks
		Breastfed <8 weeks

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: Breastfeeding

Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding (any) duration 8+ weeks, among initiators	Breastfeeding (any) duration 8+ weeks, among those who initiated breastfeeding	Breastfed 8+ weeks
		Breastfed <8 weeks
Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding (any) duration (grouped)	Breastfeeding (any) duration (grouped)	Breastfed <1 week
		Breastfed 9+ weeks
		Breastfed 1-4 weeks
		Never breastfed
		Breastfed 5-8 weeks
Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding (any) duration (grouped), among initiators	Breastfeeding (any) duration (grouped), among those who initiated breastfeeding	Breastfed <1 week
		Breastfed 9+ weeks
		Breastfed 1-4 weeks
		Breastfed 5-8 weeks
Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding (exclusive) duration 8+ weeks	Breastfeeding (exclusive) duration 8+ weeks	Breastfed 8+ weeks
		Breastfed <8 weeks
Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding (exclusive) duration 8+ weeks, among initiators	Breastfeeding (exclusive) duration 8+ weeks, among those who initiated breastfeeding	Breastfed 8+ weeks
		Breastfed <8 weeks

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: Breastfeeding

Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding (exclusive) duration (grouped)	Breastfeeding (exclusive) duration (grouped)	Breastfed <1 week
		Breastfed 9+ weeks
		Breastfed 1-4 weeks
		Never breastfed
		Breastfed 5-8 weeks
Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding (exclusive) duration (grouped), among initiators	Breastfeeding (exclusive) duration (grouped), among those who initiated breastfeeding	Breastfed <1 week
		Breastfed 9+ weeks
		Breastfed 1-4 weeks
		Breastfed 5-8 weeks
Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding initiation	Did you ever breastfeed or pump breast milk to feed your new baby after delivery, even for a short period of time?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding liquid supplement 1st week	Breastfed babies who received liquid supplementation within the first week of life (such as formula, water, juice, tea, or cow's milk)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Breastfeeding still	Are you still breastfeeding or feeding pumped milk to your new baby?	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: Breastfeeding

Health Indicator	Health Indicator Description	Health Indicator Response
Discuss breastfeeding with HCW during PNC	During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby?	Yes
		No

Sub-Category: HIV/AIDS

Health Indicator	Health Indicator Description	Health Indicator Response
Discuss HIV testing with HCW during PNC	During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about getting tested for HIV (the virus that causes AIDS)?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
HIV test during pregnancy	At any time during your pregnancy or delivery, did you have a test for HIV?	Yes
		No

Sub-Category: Newborn Hearing Screening

Health Indicator	Health Indicator Description	Health Indicator Response
Baby has hearing loss/problem	Baby has hearing loss/problem	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Reaction - Did not pay attention	Newborn Hearing Reaction - Did not pay attention	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: Newborn Hearing Screening

Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Reaction - Little worried	Newborn Hearing Reaction - Little worried	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Reaction - Not worried	Newborn Hearing Reaction - Not worried	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Reaction - Other	Newborn Hearing Reaction - Other	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Reaction - Own fault	Newborn Hearing Reaction - Own fault	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Reaction - Very worried	Newborn Hearing Reaction - Very worried	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Result - No problem	Newborn Hearing Result - No problem	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Result - Other	Newborn Hearing Result - Other	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: Newborn Hearing Screening

Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Result - Should have another test	Newborn Hearing Result - Should have another test	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Test at Birth	Newborn Hearing Test at Birth	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Newborn Hearing Test - Discussion	Newborn Hearing Test - Discussion	Yes
		No

Sub-Category: Prenatal Care

Health Indicator	Health Indicator Description	Health Indicator Response
Attended childbirth class	During your most recent pregnancy, did you take a class or classes to prepare for childbirth and learn what to expect during labor and delivery?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Discussed preconception health before pregnancy	Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how to prepare for a healthy pregnancy and baby?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Discussed quitting smoking with HCW during PNC	During any of your prenatal care visits, did a doctor, nurse, or other healthcare worker advise you to quit smoking?	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: Prenatal Care

Health Indicator	Health Indicator Description	Health Indicator Response
Discuss health with HCW before pregnant	Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how to prepare for a healthy pregnancy and baby?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Entry into PNC	Entry into prenatal care	No PNC
		Received prenatal care but not in first trimester
		Received prenatal care in first trimester
Health Indicator	Health Indicator Description	Health Indicator Response
Getting PNC as early as wanted	Did you get prenatal care as early in your pregnancy as you wanted?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Pregnancy confirmation after the first trimester	Pregnancy confirmation after the first trimester	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Received early and adequate prenatal care	Kotelchuck (APNCU) index for appropriate prenatal care.	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: Prenatal Care

Health Indicator	Health Indicator Description	Health Indicator Response
Took multivitamins/folic acid month prior to pregnancy	During the month before you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?	None
		4 or more times per week
		1-3 times per week

Sub-Category: Sleeping Position

Health Indicator	Health Indicator Description	Health Indicator Response
Baby co-sleeping	Does your new baby ever sleep in the same bed with you or anyone else?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sleeping position	Sleeping position	Back
		More than 1 position
		Side
		Stomach

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: WIC

Health Indicator	Health Indicator Description	Health Indicator Response
Baby participation in WIC services	Baby participation in WIC services	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Participation in WIC during pregnancy	During your pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?	Yes
		No

Sub-Category: Other

Health Indicator	Health Indicator Description	Health Indicator Response
Baby received 1-wk postnatal check up	Babies who received a 1-week post natal checkup, among babies who were discharged within 48 hours of birth)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Experienced 2 or more stressors during pregnancy	Experienced 2 or more stressors during pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Gained recommended amount of weight during pregnancy	Women who gained the recommended amount of weight during pregnancy	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: Other

Health Indicator	Health Indicator Description	Health Indicator Response
Gestational diabetes	During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes (diabetes that started during this pregnancy)?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Had high blood pressure before pregnancy	Before you got pregnant with you new baby, did a doctor, nurse, or other HCW tell you that you had any of the following health conditions?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Maternal morbidities req 1+ night hospital	Maternal morbidities requiring at least 1 night hospital stay	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Number of previous live births	Number of previous live births	1 or 2
		3 or more
		None
Health Indicator	Health Indicator Description	Health Indicator Response
Postpartum check-up	Since your new baby was born, have you had a postpartum checkup for yourself?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Post-partum depression (Phase 6)	Among new mothers, those experiencing post-partum depression (Phase 6)	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Sub-Category: Other

Health Indicator	Health Indicator Description	Health Indicator Response
Postpartum depression (Phase 7)	Among new mothers, those experiencing post-partum depression (Phase 7)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Prevalence of diabetes	Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Primiparous (first child)	Primiparous (first child)	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Oral Health

Sub-Category: Oral Health

Health Indicator	Health Indicator Description	Health Indicator Response
During pregnancy, dentist talked about oral care	Women who, during their pregnancy, had a dentist or other health care worker talk to them about how to care for their teeth and gums	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
During pregnancy, had teeth cleaned	Women who had their teeth cleaned during their pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
During pregnancy, needed to see a dentist for a problem	Women who needed to see a dentist for a problem during their pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
During pregnancy, went to dentist	Women who went to a dentist or dental clinic during their pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Teeth cleaned in 12 months before pregnancy	Women who had their teeth cleaned by a dentist or dental hygienist in the 12 months before getting pregnant	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Substance Abuse

Sub-Category: Alcohol Consumption

Health Indicator	Health Indicator Description	Health Indicator Response
Binge drinking 3 mos before pregnancy (2000-2008)	Binge drinking 3 months before pregnancy (Having five or more drinks on one occasion) (2000-2008)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Binge drinking 3 mos before pregnancy (2009-2011)	Binge drinking 3 months before pregnancy (Having four or more drinks on one occasion) (2009-2011)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drinking alcohol 3 mos before pregnancy	Drinking alcohol 3 months before pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drinking alcohol last 3 mos of pregnancy	Drinking alcohol during the last 3 months of pregnancy	Yes
		No

Sub-Category: Drug Use

Health Indicator	Health Indicator Description	Health Indicator Response
Illicit drug use 1 month before pregnancy	Illicit drug use 1 month before pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Illicit drug use in pregnancy	Illicit drug use during pregnancy	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Tobacco Use

Sub-Category: Cessation

Health Indicator	Health Indicator Description	Health Indicator Response
Discuss effects of smoking with HCW during PNC	During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby?	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoking cessation during pregnancy	Among new mothers who smoked before pregnancy, those that quit during pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoking - quit smoking during 1st trimester	Among new mothers who smoked any cigarettes in the past two years, those that stopped smoking during their first trimester and stayed off cigarettes for the rest of their pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoking - relapsed post-partum	New mothers who relapsed, after quitting smoking during pregnancy	Yes
		No

Sub-Category: Prevalence

Health Indicator	Health Indicator Description	Health Indicator Response
Num cigs smoked per avg day before pregnancy	Number of cigarettes smoked on an average day 3 months before pregnancy among new mothers who reported smoking in the last 2 years	None (0 cigarettes)
		Less than 1 cigarette

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Tobacco Use

Sub-Category: Prevalence

		1 to 5 cigarettes
		6 to 10 cigarettes
		11 to 20 cigarettes
		21 to 40 cigarettes
		41 cigarettes or more
Health Indicator	Health Indicator Description	Health Indicator Response
Num cigs smoked per avg day last 3 mos of preg	Number of cigarettes smoked on an average day in the last 3 months of pregnancy among new mothers who reported smoking in the last 2 years	None (0 cigarettes)
		Less than 1 cigarette
		1 to 5 cigarettes
		6 to 10 cigarettes
		11 to 20 cigarettes
		21 to 40 cigarettes
		41 cigarettes or more

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Tobacco Use

Sub-Category: Prevalence

Health Indicator	Health Indicator Description	Health Indicator Response
Num cigs smoked per avg day now	Number of cigarettes smoked on an average day now among new mothers who reported smoking in the last 2 years	None (0 cigarettes)
		Less than 1 cigarette
		1 to 5 cigarettes
		6 to 10 cigarettes
		11 to 20 cigarettes
		21 to 40 cigarettes
		41 cigarettes or more
Health Indicator	Health Indicator Description	Health Indicator Response
Smoke now (3-6 mo after birth)	Smoke now (when survey is filled out, baby is 3-6 months old)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoking 3 months before pregnancy	Smoking 3 months before pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoking during last 3 months of pregnancy	Smoking during last 3 months of pregnancy	Yes
		No

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Family Planning

Contraception	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Contraceptive use since giving birth	BC_NOW4	BC_NOW4	BC_NOW4	BC_NOW4	BC_NOW4	BC_NOW4	BC_NOW4	BC_NOW4	BC_NOW4	BC_NOW4	BC_NOW4	BC_NOW4	BC_NOW4
No contraception at conception-didn't mind getting pregnant	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
No contraception at conception-husband/partner didn't want to	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
No contraception at conception-problems getting it	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
No contraception at conception-side effects	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
No contraception at conception-thought couldn't get pregnant	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
No contraception at conception-thought her or partner was sterile	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived

Intendedness of Pregnancy	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Pregnancy intention	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG
Unwanted pregnancy	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG	FEEL_PG

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Health Care

Insurance	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Coverage for delivery	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	
Coverage for PNC	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
Insurance prior to pregnancy (Medicaid/QUEST)	MEDICAD3	MEDICAD3	MEDICAD3	MEDICAD3	MEDICAD3	MEDICAD3	MEDICAD3	MEDICAD3	MEDICAD3	INSMED	INSMED	INSMED	INSMED
Insurance prior to pregnancy (non Medicaid/QUEST)	INSURE	INSURE	INSURE	INSURE	INSURE	INSURE	INSURE	INSURE	INSURE				

Other	2004	2005	2006	2007	2008	2009	2010	2011	2012
Had a postpartum care visit with a HCW	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK

Health Indicator Category: Healthy Lifestyles

Seat Belts	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Discuss seat belt use with HCW during PNC	TLK_BELT	TLK_BELT	TLK_BELT	TLK_BELT	TLK_BELT	TLK_BELT	TLK_BELT	TLK_BELT	TLK_BELT	TLK_BELT	TLK_BELT	TLK_BELT	TLK_BELT

Weight Control	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Weight - BMI status (PRAMS)	MOM_BMI	MOM_BMI	MOM_BMI	MOM_BMI	MOM_BMI	MOM_BMI	MOM_BMI	MOM_BMI	MOM_BMI	MOM_BMI	MOM_BMI	MOM_BMI	MOM_BMI

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Injuries

Intimate Partner Violence	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Discuss physical abuse with HCW during PNC	TLK_ABUS	TLK_ABUS	TLK_ABUS	TLK_ABUS	TLK_ABUS	TLK_ABUS	TLK_ABUS	TLK_ABUS	TLK_ABUS	TLK_ABUS	TLK_ABUS	TLK_ABUS	TLK_ABUS
Physical abuse by husb/ptnr 12 mos before preg (2000-2003)	PAB_HUS	PAB_HUS	PAB_HUS	PAB_HUS									
Physical abuse by husb/ptnr 12 mos before preg (2004-2008)					PAB_HUS	PAB_HUS	PAB_HUS	PAB_HUS	PAB_HUS				
Physical abuse by husb/ptnr 12 mos before preg (2009-2011)										PAB6HUS	PAB6HUS	PAB6HUS	PAB6HUS
Physical abuse by husb/ptnr during pregnancy (2000-2003)	PAD_HUS	PAD_HUS	PAD_HUS	PAD_HUS									
Physical abuse by husb/ptnr during pregnancy (2004-2008)					PAD_HUS	PAD_HUS	PAD_HUS	PAD_HUS	PAD_HUS				
Physical abuse by husb/ptnr during pregnancy (2009-2011)										PAD6HUS	PAD6HUS	PAD6HUS	PAD6HUS

Health Indicator Category: Maternal and Child Health

Birth Outcomes	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Baby discharged within 48 hours	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
Baby placed in ICU after birth	INF_ICU	INF_ICU	INF_ICU	INF_ICU	INF_ICU	INF_ICU	INF_ICU	INF_ICU	INF_ICU	INF_ICU	INF_ICU	INF_ICU	INF_ICU
Birthweight	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
Gestational age	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
Preterm delivery	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Breastfeeding	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Breastfeeding (any) duration 8+ weeks	BFDGRP2	BFDGRP2	BFDGRP2	BFDGRP2	BFDGRP2	BFDGRP2	BFDGRP2	BFDGRP2	BFDGRP2	BFDGRP2	BFDGRP2	BFDGRP2	BFDGRP2
Breastfeeding (any) duration 8+ weeks, among initiators	BFDGRP2I	BFDGRP2I	BFDGRP2I	BFDGRP2I	BFDGRP2I	BFDGRP2I	BFDGRP2I	BFDGRP2I	BFDGRP2I	BFDGRP2I	BFDGRP2I	BFDGRP2I	BFDGRP2I
Breastfeeding (any) duration (grouped)	BFDGRP	BFDGRP	BFDGRP	BFDGRP	BFDGRP	BFDGRP	BFDGRP	BFDGRP	BFDGRP	BFDGRP	BFDGRP	BFDGRP	BFDGRP
Breastfeeding (any) duration (grouped), among initiators	BFDGRPI	BFDGRPI	BFDGRPI	BFDGRPI	BFDGRPI	BFDGRPI	BFDGRPI	BFDGRPI	BFDGRPI	BFDGRPI	BFDGRPI	BFDGRPI	BFDGRPI
Breastfeeding (exclusive) duration 8+ weeks	BFEXGRP2	BFEXGRP2	BFEXGRP2	BFEXGRP2	BFEXGRP2	BFEXGRP2	BFEXGRP2	BFEXGRP2	BFEXGRP2	BFEXGRP2	BFEXGRP2	BFEXGRP2	BFEXGRP2
Breastfeeding (exclusive) duration 8+ weeks, among initiators	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I	BFEXGRP2I
Breastfeeding (exclusive) duration (grouped)	BFEXGRP	BFEXGRP	BFEXGRP	BFEXGRP	BFEXGRP	BFEXGRP	BFEXGRP	BFEXGRP	BFEXGRP	BFEXGRP	BFEXGRP	BFEXGRP	BFEXGRP
Breastfeeding (exclusive) duration (grouped), among initiators	BFEXGRPI	BFEXGRPI	BFEXGRPI	BFEXGRPI	BFEXGRPI	BFEXGRPI	BFEXGRPI	BFEXGRPI	BFEXGRPI	BFEXGRPI	BFEXGRPI	BFEXGRPI	BFEXGRPI
Breastfeeding initiation	BF_EVER	BF_EVER	BF_EVER	BF_EVER	BF5EVER	BF5EVER	BF5EVER	BF5EVER	BF5EVER	BF5EVER	BF5EVER	BF5EVER	BF5EVER
Breastfeeding liquid supplement 1st week										Derived	Derived	Derived	Derived
Breastfeeding still	BF_STILL	BF_STILL	BF_STILL	BF_STILL	BF5STILL	BF5STILL	BF5STILL	BF5STILL	BF5STILL	BF5STILL	BF5STILL	BF5STILL	BF5STILL
Discuss breastfeeding with HCW during PNC	TLK_BF	TLK_BF	TLK_BF	TLK_BF	TLK_BF	TLK_BF	TLK_BF	TLK_BF	TLK_BF	TLK_BF	TLK_BF	TLK_BF	TLK_BF

HIV/AIDS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Discuss HIV testing with HCW during PNC	TLK_HIVT	TLK_HIVT	TLK_HIVT	TLK_HIVT	TLK_HIVT	TLK_HIVT	TLK_HIVT	TLK_HIVT	TLK_HIVT	TLK_HIVT	TLK_HIVT	TLK_HIVT	TLK_HIVT
HIV test during pregnancy					HIVTEST	HIVTEST	HIVTEST	HIVTEST	HIVTEST	HIVTEST	HIVTEST	HIVTEST	HIVTEST

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Newborn Hearing Screening	2002	2003
Baby has hearing loss/problem	HRD_LOSS	HRD_LOSS
Newborn Hearing Reaction - Did not pay attention	HRD_BUSY	HRD_BUSY
Newborn Hearing Reaction - Little worried	HRD_LIT	HRD_LIT
Newborn Hearing Reaction - Not worried	HRD_NOT	HRD_NOT
Newborn Hearing Reaction - Other	HRD_TOTH	HRD_TOTH
Newborn Hearing Reaction - Own fault	HRD_ME	HRD_ME
Newborn Hearing Reaction - Very worried	HRD_VERY	HRD_VERY
Newborn Hearing Result - No problem	HRD_NO	HRD_NO
Newborn Hearing Result - Other	HRD_ROTH	HRD_ROTH
Newborn Hearing Result - Should have another test	HRD_TST	HRD_TST
Newborn Hearing Test at Birth	HRD_BRTH	HRD_BRTH
Newborn Hearing Test - Discussion	HRD_TALK	HRD_TALK

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Prenatal Care	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Attended childbirth class													PGS_BIRT
Discussed preconception health before pregnancy										BPG_TALK	BPG_TALK	BPG_TALK	
Discussed quitting smoking with HCW during PNC										SMKSTOP	SMKSTOP	SMKSTOP	
Discuss health with HCW before pregnant										BPG_TALK	BPG_TALK	BPG_TALK	
Entry into PNC	PNC_1TRM	PNC_1TRM	PNC_1TRM	PNC_1TRM	PNC_1TRM	PNC_1TRM	PNC_1TRM	PNC_1TRM	PNC_1TRM	PNC_1TRM	PNC_1TRM	PNC_1TRM	PNC_1TRM
Getting PNC as early as wanted	ERLY_PNC	ERLY_PNC	ERLY_PNC	ERLY_PNC	ERLY_PNC	ERLY_PNC	ERLY_PNC	ERLY_PNC	ERLY_PNC	ERLY6PNC	ERLY6PNC	ERLY6PNC	
Pregnancy confirmation after the first trimester	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	
Received early and adequate prenatal care										KOTELCHUCK	KOTELCHUCK	KOTELCHUCK	KOTELCHUCK
Took multivitamins/folic acid month prior to pregnancy	VITAMIN	VITAMIN	VITAMIN	VITAMIN	VITAMIN	VITAMIN	VITAMIN	VITAMIN	VITAMIN	VITAMIN	VITAMIN	VITAMIN	VITAMIN

Sleeping Position	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Baby co-sleeping										SLEEPBED	SLEEPBED	SLEEPBED	
Sleeping position	SLEEPPOS	SLEEPPOS	SLEEPPOS	SLEEPPOS	SLEEPPOS	SLEEPPOS	SLEEPPOS	SLEEPPOS	SLEEPPOS	SLEEPPOS	SLEEPPOS	SLEEPPOS	SLEEPPOS

WIC	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Baby participation in WIC services			PPS_WIC	PPS_WIC									
Participation in WIC during pregnancy	WIC_PREG	WIC_PREG	WIC_PREG	WIC_PREG	WIC_PREG	WIC_PREG	WIC_PREG	WIC_PREG	WIC_PREG	WIC_PREG	WIC_PREG	WIC_PREG	WIC_PREG

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Maternal and Child Health

Other	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Baby received 1-wk postnatal check up	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	
Experienced 2 or more stressors during pregnancy	STRS_TT3	STRS_TT3	STRS_TT3	STRS_TT3	STRS_TT3	STRS_TT3	STRS_TT3	STRS_TT3	STRS_TT3	STRS_TT3	STRS_TT3	STRS_TT3	STRS_TT3
Gained recommended amount of weight during pregnancy													Derived
Gestational diabetes										PG_GDB	PG_GDB	PG_GDB	PG_GDB
Had high blood pressure before pregnancy													BPG_HBP
Maternal morbidities req 1+ night hospital	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived				
Number of previous live births	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
Postpartum check-up					PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK	PPV_CHK
Post-partum depression (Phase 6)										Derived	Derived	Derived	
Postpartum depression (Phase 7)													PP_DEPRESS
Prevalence of diabetes										BPG_DIAB	BPG_DIAB	BPG_DIAB	BPG_DIAB
Primiparous (first child)	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Oral Health

Oral Health	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
During pregnancy, dentist talked about oral care	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
During pregnancy, had teeth cleaned										DDSXPREG	DDSXPREG	DDSXPREG	DDS_CLN
During pregnancy, needed to see a dentist for a problem	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
During pregnancy, went to dentist	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
Teeth cleaned in 12 months before pregnancy										Derived	Derived	Derived	Derived

Health Indicator Category: Substance Abuse

Alcohol Consumption	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Binge drinking 3 mos before pregnancy (2000-2008)	DRK4_3BB	DRK4_3BB	DRK4_3BB	DRK4_3BB	DRK5_3BB	DRK5_3BB	DRK5_3BB	DRK5_3BB	DRK5_3BB				
Binge drinking 3 mos before pregnancy (2009-2011)										DRK6_3BB	DRK6_3BB	DRK6_3BB	DRK6_3BB
Drinking alcohol 3 mos before pregnancy	DRK43B_A	DRK43B_A	DRK43B_A	DRK43B_A	DRK53B_A	DRK53B_A	DRK53B_A	DRK53B_A	DRK53B_A	DRK63B_A	DRK63B_A	DRK63B_A	DRK63B_A
Drinking alcohol last 3 mos of pregnancy	DRK43L_A	DRK43L_A	DRK43L_A	DRK43L_A	DRK53L_A	DRK53L_A	DRK53L_A	DRK53L_A	DRK53L_A	DRK63L_A	DRK63L_A	DRK63L_A	DRK63L_A

Drug Use	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Illicit drug use 1 month before pregnancy	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
Illicit drug use in pregnancy	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	

**PRAMS Health Indicator and Survey Item Documentation Report,
by Category, sub-Category and Year**

Health Indicator Category: Tobacco Use

Cessation	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Discuss effects of smoking with HCW during PNC	TLK_SMK	TLK_SMK	TLK_SMK	TLK_SMK	TLK_SMK	TLK_SMK	TLK_SMK	TLK_SMK	TLK_SMK	TLK_SMK	TLK_SMK	TLK_SMK	TLK_SMK
Smoking cessation during pregnancy	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived
Smoking - quit smoking during 1st trimester										Derived	Derived	Derived	
Smoking - relapsed post-partum		Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived	Derived

Prevalence	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Num cigs smoked per avg day before pregnancy	SMK4_3B	SMK4_3B	SMK4_3B	SMK4_3B	SMK5_3B	SMK5_3B	SMK5_3B	SMK5_3B	SMK5_3B	SMK6_3B	SMK6_3B	SMK6_3B	SMK6_3B
Num cigs smoked per avg day last 3 mos of preg	SMK4_3L	SMK4_3L	SMK4_3L	SMK4_3L	SMK5_3L	SMK5_3L	SMK5_3L	SMK5_3L	SMK5_3L	SMK6_3L	SMK6_3L	SMK6_3L	SMK6_3L
Num cigs smoked per avg day now	SMK4_3N	SMK4_3N	SMK4_3N	SMK4_3N	SMK5_3N	SMK5_3N	SMK5_3N	SMK5_3N	SMK5_3N	SMK6_3N	SMK6_3N	SMK6_3N	SMK6_3N
Smoke now (3-6 mo after birth)	SMK4NW_A	SMK4NW_A	SMK4NW_A	SMK4NW_A	SMK5NW_A	SMK5NW_A	SMK5NW_A	SMK5NW_A	SMK5NW_A	SMK6NW_A	SMK6NW_A	SMK6NW_A	SMK6NW_A
Smoking 3 months before pregnancy	SMK43B_A	SMK43B_A	SMK43B_A	SMK43B_A	SMK53B_A	SMK53B_A	SMK53B_A	SMK53B_A	SMK53B_A	SMK63B_A	SMK63B_A	SMK63B_A	SMK63B_A
Smoking during last 3 months of pregnancy	SMK43L_A	SMK43L_A	SMK43L_A	SMK43L_A	SMK53L_A	SMK53L_A	SMK53L_A	SMK53L_A	SMK53L_A	SMK63L_A	SMK63L_A	SMK63L_A	SMK63L_A