

PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Illicit drug use 1 month before pregnancy	Illicit drug use 1 month before pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	1,000	5.7	5.3 - 6.2	16,000	94.3	93.8 - 94.7	16,900
2001-2005	900	5.5	5.1 - 6.0	16,100	94.5	94.0 - 94.9	17,000
2002-2006	1,000	5.5	5.0 - 6.0	16,500	94.5	94.0 - 95.0	17,400
2003-2007	1,000	5.9	5.4 - 6.5	16,700	94.1	93.5 - 94.6	17,700
2004-2008	1,100	6.2	5.7 - 6.8	16,900	93.8	93.2 - 94.3	18,000
2005-2009	1,200	6.5	6.0 - 7.1	16,900	93.5	92.9 - 94.0	18,100
2006-2010	1,200	6.5	6.0 - 7.2	17,100	93.5	92.8 - 94.0	18,300
2007-2011	1,200	6.6	6.0 - 7.2	17,000	93.4	92.8 - 94.0	18,200
2008-2012	1,200	6.6	6.0 - 7.3	16,900	93.4	92.7 - 94.0	18,100
2009-2013	1,200	6.7	6.1 - 7.5	16,600	93.3	92.5 - 93.9	17,800

PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	6.7	6.1 - 7.5	16,600	93.3	92.5 - 93.9	17,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.6	8.3 - 11.0	2,100	90.4	89.0 - 91.7	2,300
Honolulu	700	5.4	4.5 - 6.3	12,100	94.6	93.7 - 95.5	12,700
Kauai	100	9.8	8.3 - 11.6	700	90.2	88.4 - 91.7	800
Maui	200	11.1	9.8 - 12.6	1,700	88.9	87.4 - 90.2	1,900

PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.3	7.0 - 9.9	4,000	91.7	90.1 - 93.0	4,300
Native Hawaiian	500	9.2	7.8 - 10.8	4,900	90.8	89.2 - 92.2	5,400
Chinese	<50	3.4	1.7 - 6.5	800	96.6	93.5 - 98.3	800
Filipino	100	3.8	2.6 - 5.5	3,000	96.2	94.5 - 97.4	3,100
Japanese	100	4.2	2.5 - 6.8	1,600	95.8	93.2 - 97.5	1,700
Other	100	5.2	3.7 - 7.2	2,400	94.8	92.8 - 96.3	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	14.5	10.9 - 19.0	1,000	85.5	81.0 - 89.1	1,200
20-24	400	9.3	7.7 - 11.1	3,700	90.7	88.9 - 92.3	4,100
25-34	500	5.7	4.9 - 6.7	8,900	94.3	93.3 - 95.1	9,500
35+	100	3.7	2.7 - 5.1	3,000	96.3	94.9 - 97.3	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.2	5.3 - 7.2	8,400	93.8	92.8 - 94.7	9,000
Female	600	7.3	6.3 - 8.4	8,200	92.7	91.6 - 93.7	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.5	2.9 - 4.2	10,500	96.5	95.8 - 97.1	10,900
No	800	11.9	10.5 - 13.4	6,100	88.1	86.6 - 89.5	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.4	8.1 - 10.8	5,800	90.6	89.2 - 91.9	6,400
131-185%	200	6.0	4.5 - 8.0	2,600	94.0	92.0 - 95.5	2,800
186+%	300	4.5	3.7 - 5.5	7,000	95.5	94.5 - 96.3	7,300

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.3	5.2 - 7.7	1,200	93.7	92.3 - 94.8	1,300
Normal birth weight	1,100	6.8	6.1 - 7.6	15,400	93.2	92.4 - 93.9	16,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	21.0	16.8 - 25.9	900	79.0	74.1 - 83.2	1,200
No	900	5.6	5.0 - 6.3	15,400	94.4	93.7 - 95.0	16,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	17.3	15.0 - 19.8	2,800	82.7	80.2 - 85.0	3,400
No	600	4.0	3.4 - 4.7	13,500	96.0	95.3 - 96.6	14,000

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	8.2	7.1 - 9.4	7,200	91.8	90.6 - 92.9	7,800
No	500	5.5	4.7 - 6.4	9,200	94.5	93.6 - 95.3	9,800

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	6.6	6.0 - 7.3	16,900	93.4	92.7 - 94.0	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.2	7.9 - 10.7	2,100	90.8	89.3 - 92.1	2,400
Honolulu	700	5.2	4.5 - 6.1	12,200	94.8	93.9 - 95.5	12,900
Kauai	100	9.2	7.4 - 11.4	800	90.8	88.6 - 92.6	800
Maui	200	11.6	10.1 - 13.3	1,800	88.4	86.7 - 89.9	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.3	7.0 - 9.8	3,900	91.7	90.2 - 93.0	4,300
Native Hawaiian	500	9.4	8.0 - 10.9	4,800	90.6	89.1 - 92.0	5,300
Chinese	<50	3.4	1.7 - 6.7	700	96.6	93.3 - 98.3	800
Filipino	100	3.7	2.6 - 5.2	3,100	96.3	94.8 - 97.4	3,200
Japanese	100	4.0	2.7 - 5.9	1,700	96.0	94.1 - 97.3	1,700
Other	100	4.8	3.5 - 6.7	2,600	95.2	93.3 - 96.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	14.0	10.8 - 17.9	1,100	86.0	82.1 - 89.2	1,300
20-24	400	9.3	7.8 - 11.0	3,700	90.7	89.0 - 92.2	4,100
25-34	500	5.5	4.7 - 6.3	9,000	94.5	93.7 - 95.3	9,500
35+	100	3.8	2.8 - 5.1	3,000	96.2	94.9 - 97.2	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.1	5.3 - 7.0	8,700	93.9	93.0 - 94.7	9,300
Female	600	7.2	6.3 - 8.3	8,100	92.8	91.7 - 93.7	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.5	3.0 - 4.2	10,700	96.5	95.8 - 97.0	11,100
No	800	11.5	10.2 - 13.0	6,200	88.5	87.0 - 89.8	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.3	8.1 - 10.6	5,900	90.7	89.4 - 91.9	6,500
131-185%	200	6.1	4.6 - 8.1	2,600	93.9	91.9 - 95.4	2,800
186+%	300	4.6	3.8 - 5.5	7,100	95.4	94.5 - 96.2	7,500

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.4	4.3 - 6.9	1,200	94.6	93.1 - 95.7	1,300
Normal birth weight	1,100	6.8	6.1 - 7.5	15,600	93.2	92.5 - 93.9	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	19.9	16.2 - 24.2	1,000	80.1	75.8 - 83.8	1,300
No	900	5.5	4.9 - 6.2	15,500	94.5	93.8 - 95.1	16,400

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	16.6	14.5 - 19.0	2,900	83.4	81.0 - 85.5	3,500
No	600	4.1	3.5 - 4.7	13,600	95.9	95.3 - 96.5	14,200

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	8.3	7.3 - 9.5	7,200	91.7	90.5 - 92.7	7,900
No	500	5.2	4.5 - 6.0	9,400	94.8	94.0 - 95.5	9,900

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	6.6	6.0 - 7.2	17,000	93.4	92.8 - 94.0	18,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.6	7.3 - 10.2	2,200	91.4	89.8 - 92.7	2,400
Honolulu	700	5.2	4.4 - 6.0	12,200	94.8	94.0 - 95.6	12,900
Kauai	100	9.2	7.2 - 11.6	800	90.8	88.4 - 92.8	900
Maui	200	11.8	10.2 - 13.7	1,800	88.2	86.3 - 89.8	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.7	7.4 - 10.2	3,900	91.3	89.8 - 92.6	4,300
Native Hawaiian	500	9.0	7.8 - 10.4	4,900	91.0	89.6 - 92.2	5,400
Chinese	<50	2.2	1.0 - 4.4	700	97.8	95.6 - 99.0	700
Filipino	100	3.9	2.8 - 5.4	3,200	96.1	94.6 - 97.2	3,300
Japanese	100	4.1	2.9 - 5.8	1,800	95.9	94.2 - 97.1	1,900
Other	100	4.3	3.1 - 5.9	2,600	95.7	94.1 - 96.9	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.5	8.9 - 14.6	1,300	88.5	85.4 - 91.1	1,400
20-24	400	9.1	7.7 - 10.7	3,900	90.9	89.3 - 92.3	4,300
25-34	500	5.6	4.8 - 6.4	8,800	94.4	93.6 - 95.2	9,300
35+	100	3.8	2.8 - 5.1	3,100	96.2	94.9 - 97.2	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	5.9	5.2 - 6.8	8,900	94.1	93.2 - 94.8	9,400
Female	600	7.2	6.3 - 8.2	8,200	92.8	91.8 - 93.7	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.8	3.3 - 4.5	10,800	96.2	95.5 - 96.7	11,200
No	800	10.9	9.7 - 12.2	6,200	89.1	87.8 - 90.3	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.1	8.0 - 10.3	6,000	90.9	89.7 - 92.0	6,600
131-185%	200	6.0	4.5 - 7.8	2,600	94.0	92.2 - 95.5	2,800
186+%	400	4.9	4.1 - 5.8	7,300	95.1	94.2 - 95.9	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	11.1	9.3 - 13.2	2,900	88.9	86.8 - 90.7	3,200
\$10,000-\$24,999	300	8.6	7.3 - 10.3	3,300	91.4	89.7 - 92.7	3,600
\$25,000-\$49,999	200	5.3	4.2 - 6.5	4,000	94.7	93.5 - 95.8	4,200
>=\$50,000	300	4.2	3.4 - 5.2	5,800	95.8	94.8 - 96.6	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.8	4.5 - 7.6	1,300	94.2	92.4 - 95.5	1,400
Normal birth weight	1,100	6.6	6.0 - 7.3	15,700	93.4	92.7 - 94.0	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	20.2	16.8 - 24.1	1,100	79.8	75.9 - 83.2	1,400
No	900	5.3	4.7 - 5.9	15,600	94.7	94.1 - 95.3	16,500

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	16.3	14.4 - 18.5	3,100	83.7	81.5 - 85.6	3,700
No	600	3.9	3.4 - 4.5	13,700	96.1	95.5 - 96.6	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	8.2	7.2 - 9.3	7,200	91.8	90.7 - 92.8	7,800
No	500	5.2	4.5 - 6.0	9,600	94.8	94.0 - 95.5	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	6.5	6.0 - 7.2	17,100	93.5	92.8 - 94.0	18,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.3	6.9 - 10.0	2,200	91.7	90.0 - 93.1	2,300
Honolulu	700	5.2	4.5 - 5.9	12,300	94.8	94.1 - 95.5	13,000
Kauai	100	10.9	8.5 - 14.0	800	89.1	86.0 - 91.5	900
Maui	200	11.3	9.6 - 13.3	1,800	88.7	86.7 - 90.4	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.3	7.0 - 9.6	3,900	91.7	90.4 - 93.0	4,300
Native Hawaiian	500	9.4	8.2 - 10.9	4,800	90.6	89.1 - 91.8	5,300
Chinese	<50	1.6	1.0 - 2.6	700	98.4	97.4 - 99.0	700
Filipino	100	3.5	2.5 - 4.8	3,200	96.5	95.2 - 97.5	3,300
Japanese	100	4.6	3.3 - 6.4	1,800	95.4	93.6 - 96.7	1,900
Other	100	4.5	3.3 - 6.1	2,600	95.5	93.9 - 96.7	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.0	8.6 - 13.9	1,400	89.0	86.1 - 91.4	1,500
20-24	400	9.3	7.9 - 10.9	3,900	90.7	89.1 - 92.1	4,300
25-34	500	5.5	4.8 - 6.3	8,700	94.5	93.7 - 95.2	9,200
35+	100	3.8	2.8 - 5.1	3,100	96.2	94.9 - 97.2	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.0	5.3 - 6.9	8,900	94.0	93.1 - 94.7	9,500
Female	600	7.1	6.2 - 8.1	8,200	92.9	91.9 - 93.8	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.8	3.3 - 4.4	10,900	96.2	95.6 - 96.7	11,300
No	800	11.0	9.8 - 12.3	6,200	89.0	87.7 - 90.2	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.2	8.1 - 10.4	6,000	90.8	89.6 - 91.9	6,600
131-185%	200	5.6	4.2 - 7.4	2,500	94.4	92.6 - 95.8	2,700
186+%	400	4.9	4.1 - 5.7	7,300	95.1	94.3 - 95.9	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	11.3	9.5 - 13.3	2,800	88.7	86.7 - 90.5	3,200
\$10,000-\$24,999	300	8.3	6.9 - 9.8	3,400	91.7	90.2 - 93.1	3,700
\$25,000-\$49,999	200	5.6	4.6 - 6.9	3,900	94.4	93.1 - 95.4	4,200
>=\$50,000	200	3.9	3.2 - 4.8	5,800	96.1	95.2 - 96.8	6,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.7	4.2 - 7.6	1,300	94.3	92.4 - 95.8	1,400
Normal birth weight	1,100	6.6	6.0 - 7.3	15,700	93.4	92.7 - 94.0	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	20.4	17.2 - 24.0	1,300	79.6	76.0 - 82.8	1,600
No	800	5.1	4.6 - 5.7	15,500	94.9	94.3 - 95.4	16,400

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	17.3	15.3 - 19.4	3,100	82.7	80.6 - 84.7	3,700
No	500	3.6	3.2 - 4.2	13,700	96.4	95.8 - 96.8	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	8.5	7.5 - 9.7	7,100	91.5	90.3 - 92.5	7,700
No	500	5.0	4.4 - 5.7	9,700	95.0	94.3 - 95.6	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	6.5	6.0 - 7.1	16,900	93.5	92.9 - 94.0	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.7	7.2 - 10.5	2,100	91.3	89.5 - 92.8	2,300
Honolulu	700	5.1	4.5 - 5.8	12,200	94.9	94.2 - 95.5	12,800
Kauai	100	11.4	8.6 - 14.8	800	88.6	85.2 - 91.4	900
Maui	200	11.2	9.4 - 13.3	1,800	88.8	86.7 - 90.6	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.2	7.1 - 9.6	3,800	91.8	90.4 - 92.9	4,100
Native Hawaiian	500	9.7	8.4 - 11.1	4,700	90.3	88.9 - 91.6	5,200
Chinese	<50	1.6	1.0 - 2.7	600	98.4	97.3 - 99.0	600
Filipino	100	3.4	2.5 - 4.6	3,200	96.6	95.4 - 97.5	3,300
Japanese	100	4.9	3.7 - 6.6	1,900	95.1	93.4 - 96.3	2,000
Other	100	4.2	3.2 - 5.5	2,600	95.8	94.5 - 96.8	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.2	8.9 - 14.1	1,400	88.8	85.9 - 91.1	1,600
20-24	400	9.1	7.8 - 10.6	3,900	90.9	89.4 - 92.2	4,300
25-34	500	5.5	4.9 - 6.3	8,500	94.5	93.7 - 95.1	9,000
35+	100	3.5	2.7 - 4.7	3,000	96.5	95.3 - 97.3	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	5.9	5.2 - 6.8	8,800	94.1	93.2 - 94.8	9,400
Female	600	7.2	6.4 - 8.1	8,100	92.8	91.9 - 93.6	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.5	3.0 - 4.1	10,800	96.5	95.9 - 97.0	11,200
No	800	11.5	10.3 - 12.8	6,100	88.5	87.2 - 89.7	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.7	8.6 - 10.9	5,900	90.3	89.1 - 91.4	6,500
131-185%	100	5.2	3.9 - 6.9	2,300	94.8	93.1 - 96.1	2,500
186+%	400	4.6	3.9 - 5.4	7,300	95.4	94.6 - 96.1	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	11.7	10.0 - 13.8	2,700	88.3	86.2 - 90.0	3,100
\$10,000-\$24,999	300	8.6	7.3 - 10.2	3,500	91.4	89.8 - 92.7	3,800
\$25,000-\$49,999	200	5.3	4.4 - 6.4	3,900	94.7	93.6 - 95.6	4,100
>=\$50,000	200	3.6	2.9 - 4.4	5,700	96.4	95.6 - 97.1	5,900

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.9	4.3 - 8.1	1,300	94.1	91.9 - 95.7	1,400
Normal birth weight	1,100	6.6	6.0 - 7.2	15,600	93.4	92.8 - 94.0	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	21.2	18.1 - 24.7	1,200	78.8	75.3 - 81.9	1,600
No	800	5.1	4.6 - 5.6	15,300	94.9	94.4 - 95.4	16,100

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	18.1	16.2 - 20.2	3,000	81.9	79.8 - 83.8	3,700
No	500	3.5	3.0 - 4.0	13,500	96.5	96.0 - 97.0	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	8.9	7.9 - 10.0	6,900	91.1	90.0 - 92.1	7,600
No	500	4.8	4.2 - 5.5	9,600	95.2	94.5 - 95.8	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,100	6.2	5.7 - 6.8	16,900	93.8	93.2 - 94.3	18,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.4	6.8 - 10.2	2,100	91.6	89.8 - 93.2	2,300
Honolulu	600	4.7	4.2 - 5.3	12,300	95.3	94.7 - 95.8	12,900
Kauai	100	11.4	8.5 - 15.0	800	88.6	85.0 - 91.5	900
Maui	200	11.3	9.3 - 13.6	1,700	88.7	86.4 - 90.7	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.3	6.2 - 8.5	3,800	92.7	91.5 - 93.8	4,100
Native Hawaiian	500	9.7	8.5 - 11.1	4,500	90.3	88.9 - 91.5	5,000
Chinese	<50	2.1	1.4 - 3.2	600	97.9	96.8 - 98.6	600
Filipino	100	2.9	2.2 - 3.8	3,200	97.1	96.2 - 97.8	3,300
Japanese	100	4.6	3.4 - 6.1	2,100	95.4	93.9 - 96.6	2,200
Other	100	4.5	3.5 - 5.8	2,700	95.5	94.2 - 96.5	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.2	8.9 - 13.9	1,300	88.8	86.1 - 91.1	1,500
20-24	400	9.3	8.0 - 10.7	4,000	90.7	89.3 - 92.0	4,400
25-34	400	5.0	4.3 - 5.7	8,500	95.0	94.3 - 95.7	8,900
35+	100	3.2	2.4 - 4.2	3,100	96.8	95.8 - 97.6	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.8	5.2 - 6.6	8,800	94.2	93.4 - 94.8	9,400
Female	600	6.6	5.9 - 7.5	8,100	93.4	92.5 - 94.1	8,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.4	2.9 - 3.9	11,200	96.6	96.1 - 97.1	11,600
No	700	11.3	10.2 - 12.5	5,700	88.7	87.5 - 89.8	6,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.3	8.3 - 10.4	6,000	90.7	89.6 - 91.7	6,600
131-185%	100	4.4	3.3 - 5.7	2,200	95.6	94.3 - 96.7	2,300
186+%	300	4.5	3.8 - 5.2	7,400	95.5	94.8 - 96.2	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	11.0	9.4 - 12.9	2,700	89.0	87.1 - 90.6	3,000
\$10,000-\$24,999	300	8.2	7.0 - 9.6	3,600	91.8	90.4 - 93.0	3,900
\$25,000-\$49,999	200	5.2	4.3 - 6.3	4,000	94.8	93.7 - 95.7	4,200
>=\$50,000	200	3.3	2.7 - 4.0	5,500	96.7	96.0 - 97.3	5,700

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.6	4.8 - 9.0	1,300	93.4	91.0 - 95.2	1,300
Normal birth weight	1,000	6.2	5.7 - 6.8	15,600	93.8	93.2 - 94.3	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	20.3	17.3 - 23.6	1,200	79.7	76.4 - 82.7	1,500
No	800	4.9	4.5 - 5.4	15,400	95.1	94.6 - 95.5	16,200

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	17.6	15.8 - 19.6	3,000	82.4	80.4 - 84.2	3,600
No	500	3.3	2.9 - 3.8	13,600	96.7	96.2 - 97.1	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	8.2	7.3 - 9.2	7,000	91.8	90.8 - 92.7	7,700
No	500	4.7	4.1 - 5.4	9,500	95.3	94.6 - 95.9	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	5.9	5.4 - 6.5	16,700	94.1	93.5 - 94.6	17,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	7.9	6.4 - 9.7	2,000	92.1	90.3 - 93.6	2,200
Honolulu	600	4.6	4.1 - 5.2	12,200	95.4	94.8 - 95.9	12,800
Kauai	100	11.7	9.0 - 15.2	800	88.3	84.8 - 91.0	900
Maui	200	10.0	8.2 - 12.1	1,700	90.0	87.9 - 91.8	1,900

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.2	6.1 - 8.5	3,700	92.8	91.5 - 93.9	3,900
Native Hawaiian	400	9.0	7.9 - 10.3	4,500	91.0	89.7 - 92.1	4,900
Chinese	<50	2.1	1.4 - 3.1	600	97.9	96.9 - 98.6	600
Filipino	100	3.0	2.2 - 3.9	3,300	97.0	96.1 - 97.8	3,400
Japanese	100	3.5	2.4 - 4.9	2,100	96.5	95.1 - 97.6	2,200
Other	100	4.9	3.8 - 6.4	2,500	95.1	93.6 - 96.2	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.0	8.8 - 13.7	1,300	89.0	86.3 - 91.2	1,500
20-24	400	8.8	7.6 - 10.1	4,000	91.2	89.9 - 92.4	4,400
25-34	400	4.7	4.1 - 5.4	8,300	95.3	94.6 - 95.9	8,700
35+	100	2.9	2.1 - 3.9	3,000	97.1	96.1 - 97.9	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.5	4.9 - 6.3	8,800	94.5	93.7 - 95.1	9,300
Female	500	6.3	5.6 - 7.2	7,900	93.7	92.8 - 94.4	8,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.2	2.8 - 3.7	11,100	96.8	96.3 - 97.2	11,500
No	700	10.9	9.8 - 12.1	5,600	89.1	87.9 - 90.2	6,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	8.5	7.5 - 9.5	6,200	91.5	90.5 - 92.5	6,700
131-185%	100	3.8	2.8 - 5.2	2,200	96.2	94.8 - 97.2	2,300
186+%	300	4.0	3.4 - 4.8	7,000	96.0	95.2 - 96.6	7,300

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	7.0	5.2 - 9.4	1,200	93.0	90.6 - 94.8	1,300
Normal birth weight	1,000	5.8	5.3 - 6.4	15,400	94.2	93.6 - 94.7	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	19.6	16.7 - 22.8	1,200	80.4	77.2 - 83.3	1,500
No	700	4.6	4.2 - 5.1	15,200	95.4	94.9 - 95.8	15,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	16.8	15.0 - 18.7	3,000	83.2	81.3 - 85.0	3,600
No	400	3.0	2.6 - 3.5	13,400	97.0	96.5 - 97.4	13,800

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	8.0	7.1 - 8.9	6,900	92.0	91.1 - 92.9	7,500
No	400	4.4	3.8 - 5.0	9,400	95.6	95.0 - 96.2	9,900

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	5.5	5.0 - 6.0	16,500	94.5	94.0 - 95.0	17,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.6	7.2 - 10.4	1,900	91.4	89.6 - 92.8	2,100
Honolulu	500	4.1	3.6 - 4.7	12,200	95.9	95.3 - 96.4	12,700
Kauai	100	12.1	9.3 - 15.6	700	87.9	84.4 - 90.7	800
Maui	200	9.0	7.4 - 11.0	1,600	91.0	89.0 - 92.6	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	6.1	5.1 - 7.3	3,600	93.9	92.7 - 94.9	3,800
Native Hawaiian	400	9.0	8.0 - 10.2	4,400	91.0	89.8 - 92.0	4,800
Chinese	<50	2.0	1.0 - 3.9	600	98.0	96.1 - 99.0	600
Filipino	100	2.8	2.1 - 3.8	3,300	97.2	96.2 - 97.9	3,400
Japanese	100	3.0	2.1 - 4.3	2,100	97.0	95.7 - 97.9	2,200
Other	100	4.6	3.5 - 6.1	2,400	95.4	93.9 - 96.5	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.8	8.7 - 13.3	1,300	89.2	86.7 - 91.3	1,500
20-24	400	8.7	7.6 - 10.0	3,900	91.3	90.0 - 92.4	4,300
25-34	300	4.0	3.4 - 4.6	8,300	96.0	95.4 - 96.6	8,600
35+	100	2.7	2.0 - 3.8	2,900	97.3	96.2 - 98.0	3,000

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.2	4.6 - 5.9	8,600	94.8	94.1 - 95.4	9,000
Female	500	5.9	5.2 - 6.7	7,900	94.1	93.3 - 94.8	8,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.8	2.4 - 3.2	11,200	97.2	96.8 - 97.6	11,500
No	600	10.9	9.8 - 12.1	5,300	89.1	87.9 - 90.2	5,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.2	7.3 - 9.2	6,100	91.8	90.8 - 92.7	6,700
131-185%	100	3.7	2.8 - 5.0	2,400	96.3	95.0 - 97.2	2,500
186+%	200	3.4	2.8 - 4.1	6,600	96.6	95.9 - 97.2	6,800

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.4	4.7 - 8.7	1,200	93.6	91.3 - 95.3	1,200
Normal birth weight	900	5.5	5.0 - 6.0	15,300	94.5	94.0 - 95.0	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	17.1	14.4 - 20.2	1,200	82.9	79.8 - 85.6	1,500
No	700	4.4	4.0 - 4.9	15,000	95.6	95.1 - 96.0	15,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	15.3	13.6 - 17.1	3,000	84.7	82.9 - 86.4	3,600
No	400	2.9	2.5 - 3.3	13,100	97.1	96.7 - 97.5	13,500

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	7.6	6.8 - 8.5	6,900	92.4	91.5 - 93.2	7,400
No	400	4.0	3.4 - 4.6	9,400	96.0	95.4 - 96.6	9,700

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.5	5.1 - 6.0	16,100	94.5	94.0 - 94.9	17,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.5	7.1 - 10.0	1,900	91.5	90.0 - 92.9	2,000
Honolulu	500	4.2	3.7 - 4.8	12,000	95.8	95.2 - 96.3	12,500
Kauai	100	10.6	8.3 - 13.6	700	89.4	86.4 - 91.7	800
Maui	200	9.1	7.5 - 10.8	1,600	90.9	89.2 - 92.5	1,700

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	6.4	5.4 - 7.6	3,400	93.6	92.4 - 94.6	3,700
Native Hawaiian	400	8.8	7.8 - 9.8	4,300	91.2	90.2 - 92.2	4,700
Chinese	<50	2.5	1.3 - 4.7	600	97.5	95.3 - 98.7	700
Filipino	100	3.1	2.3 - 4.1	3,300	96.9	95.9 - 97.7	3,400
Japanese	100	2.7	1.9 - 3.9	2,100	97.3	96.1 - 98.1	2,200
Other	100	4.6	3.4 - 6.1	2,300	95.4	93.9 - 96.6	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.5	8.6 - 12.7	1,300	89.5	87.3 - 91.4	1,500
20-24	400	8.4	7.4 - 9.6	3,900	91.6	90.4 - 92.6	4,200
25-34	300	4.0	3.5 - 4.6	8,100	96.0	95.4 - 96.5	8,400
35+	100	3.1	2.3 - 4.1	2,800	96.9	95.9 - 97.7	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.3	4.8 - 6.0	8,400	94.7	94.0 - 95.2	8,800
Female	500	5.7	5.0 - 6.4	7,700	94.3	93.6 - 95.0	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.9	2.5 - 3.4	11,000	97.1	96.6 - 97.5	11,400
No	600	10.7	9.7 - 11.8	5,100	89.3	88.2 - 90.3	5,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.1	7.3 - 9.1	6,100	91.9	90.9 - 92.7	6,700
131-185%	100	3.8	2.9 - 4.9	2,600	96.2	95.1 - 97.1	2,700
186+%	200	3.3	2.8 - 4.0	6,100	96.7	96.0 - 97.2	6,300

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.2	4.5 - 8.5	1,100	93.8	91.5 - 95.5	1,100
Normal birth weight	900	5.5	5.0 - 6.0	15,000	94.5	94.0 - 95.0	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	16.0	13.6 - 18.7	1,200	84.0	81.3 - 86.4	1,500
No	700	4.5	4.0 - 4.9	14,600	95.5	95.1 - 96.0	15,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	14.1	12.6 - 15.8	3,000	85.9	84.2 - 87.4	3,400
No	400	3.1	2.7 - 3.5	12,800	96.9	96.5 - 97.3	13,200

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	7.6	6.8 - 8.4	6,700	92.4	91.6 - 93.2	7,300
No	400	3.9	3.4 - 4.5	9,200	96.1	95.5 - 96.6	9,500

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	5.7	5.3 - 6.2	16,000	94.3	93.8 - 94.7	16,900

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.1	6.9 - 9.5	1,800	91.9	90.5 - 93.1	2,000
Honolulu	600	4.6	4.1 - 5.1	11,900	95.4	94.9 - 95.9	12,400
Kauai	100	10.4	8.3 - 13.0	700	89.6	87.0 - 91.7	800
Maui	200	9.0	7.6 - 10.6	1,600	91.0	89.4 - 92.4	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	6.4	5.4 - 7.5	3,500	93.6	92.5 - 94.6	3,700
Native Hawaiian	400	9.3	8.5 - 10.3	4,200	90.7	89.7 - 91.5	4,600
Chinese	<50	2.9	1.5 - 5.4	600	97.1	94.6 - 98.5	600
Filipino	100	3.4	2.6 - 4.5	3,300	96.6	95.5 - 97.4	3,500
Japanese	100	2.5	1.7 - 3.8	2,100	97.5	96.2 - 98.3	2,100
Other	100	4.4	3.2 - 6.0	2,200	95.6	94.0 - 96.8	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.5	10.6 - 14.8	1,400	87.5	85.2 - 89.4	1,600
20-24	400	8.6	7.5 - 9.7	3,800	91.4	90.3 - 92.5	4,200
25-34	300	3.8	3.3 - 4.4	8,000	96.2	95.6 - 96.7	8,300
35+	100	3.2	2.4 - 4.3	2,800	96.8	95.7 - 97.6	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.7	5.1 - 6.4	8,300	94.3	93.6 - 94.9	8,800
Female	500	5.7	5.1 - 6.4	7,700	94.3	93.6 - 94.9	8,100

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.0	2.6 - 3.5	11,100	97.0	96.5 - 97.4	11,500
No	600	11.3	10.3 - 12.4	4,900	88.7	87.6 - 89.7	5,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.0	7.2 - 8.8	6,300	92.0	91.2 - 92.8	6,900
131-185%	100	3.9	3.1 - 4.9	2,600	96.1	95.1 - 96.9	2,800
186+%	200	3.6	3.0 - 4.3	5,700	96.4	95.7 - 97.0	6,000

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.1	4.5 - 8.2	1,000	93.9	91.8 - 95.5	1,100
Normal birth weight	900	5.7	5.2 - 6.1	14,900	94.3	93.9 - 94.8	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	16.5	14.2 - 19.2	1,200	83.5	80.8 - 85.8	1,400
No	700	4.6	4.2 - 5.1	14,500	95.4	94.9 - 95.8	15,200

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	14.7	13.2 - 16.3	2,900	85.3	83.7 - 86.8	3,400
No	400	3.2	2.9 - 3.7	12,700	96.8	96.3 - 97.1	13,100

**PRAMS Health Indicator 5-Year Aggregate Report - Illicit drug use 1 month before pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	7.4	6.7 - 8.2	6,700	92.6	91.8 - 93.3	7,300
No	400	4.4	3.9 - 5.0	9,100	95.6	95.0 - 96.1	9,500