

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Illicit drug use 1 month before pregnancy	Illicit drug use 1 month before pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/8/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	1,200	7.1	6.1 - 8.2	15,500	92.9	91.8 - 93.9	16,600
2001	1,000	6.2	5.4 - 7.3	15,300	93.8	92.7 - 94.6	16,400
2002	700	4.3	3.5 - 5.2	16,100	95.7	94.8 - 96.5	16,800
2003	900	5.4	4.4 - 6.7	16,300	94.6	93.3 - 95.6	17,200
2004	1,000	5.5	4.6 - 6.7	16,600	94.5	93.3 - 95.4	17,600
2005	1,000	6.1	5.0 - 7.4	16,200	93.9	92.6 - 95.0	17,200
2006	1,100	6.2	5.1 - 7.6	17,100	93.8	92.4 - 94.9	18,300
2007	1,200	6.3	5.2 - 7.6	17,200	93.7	92.4 - 94.8	18,400
2008	1,300	6.9	5.8 - 8.3	17,200	93.1	91.7 - 94.2	18,500
2009	1,300	7.2	5.8 - 8.9	16,700	92.8	91.1 - 94.2	18,000
2010	1,100	6.1	4.7 - 7.7	17,100	93.9	92.3 - 95.3	18,200
2011	1,200	6.4	5.1 - 7.9	16,900	93.6	92.1 - 94.9	18,100
2012	1,200	6.7	5.2 - 8.5	16,400	93.3	91.5 - 94.8	17,500
2013	1,300	7.4	5.8 - 9.4	16,000	92.6	90.6 - 94.2	17,200

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,300	7.4	5.8 - 9.4	16,000	92.6	90.6 - 94.2	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	10.5	7.5 - 14.6	2,000	89.5	85.4 - 92.5	2,300
Honolulu	700	5.9	3.9 - 8.7	11,600	94.1	91.3 - 96.1	12,300
Kauai	100	11.5	8.4 - 15.5	700	88.5	84.5 - 91.6	800
Maui	200	12.0	8.7 - 16.1	1,700	88.0	83.9 - 91.3	1,900

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.0	5.3 - 12.0	4,200	92.0	88.0 - 94.7	4,500
Native Hawaiian	600	10.7	7.5 - 15.0	4,800	89.3	85.0 - 92.5	5,300
Chinese	<50	1.7	0.4 - 6.0	800	98.3	94.0 - 99.6	800
Filipino	100	3.2	1.1 - 8.8	2,600	96.8	91.2 - 98.9	2,700
Japanese	200	9.6	4.2 - 20.6	1,500	90.4	79.4 - 95.8	1,700
Other	100	3.9	1.6 - 9.5	2,000	96.1	90.5 - 98.4	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	16.7	8.0 - 31.4	700	83.3	68.6 - 92.0	800
20-24	400	9.5	6.1 - 14.6	3,500	90.5	85.4 - 93.9	3,900
25-34	600	6.6	4.6 - 9.3	8,800	93.4	90.7 - 95.4	9,500
35+	200	5.0	2.7 - 9.0	2,900	95.0	91.0 - 97.3	3,100

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	7.1	5.1 - 9.7	7,800	92.9	90.3 - 94.9	8,400
Female	700	7.8	5.4 - 11.0	8,200	92.2	89.0 - 94.6	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.7	2.3 - 5.8	10,400	96.3	94.2 - 97.7	10,800
No	900	13.7	10.4 - 17.9	5,500	86.3	82.1 - 89.6	6,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.6	7.8 - 14.4	5,700	89.4	85.6 - 92.2	6,400
131-185%	100	5.0	2.5 - 9.7	2,200	95.0	90.3 - 97.5	2,400
186+%	400	5.2	3.2 - 8.4	6,500	94.8	91.6 - 96.8	6,800

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	600	15.4	10.9 - 21.4	3,400	84.6	78.6 - 89.1	4,100
\$17,001-\$26,000	100	5.9	3.3 - 10.2	2,100	94.1	89.8 - 96.7	2,300
\$26,001-\$51,000	200	4.7	2.5 - 8.5	3,600	95.3	91.5 - 97.5	3,800
>=\$51,001	300	5.1	3.0 - 8.6	5,500	94.9	91.4 - 97.0	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	8.6	5.9 - 12.4	1,200	91.4	87.6 - 94.1	1,300
Normal birth weight	1,200	7.3	5.6 - 9.5	14,800	92.7	90.5 - 94.4	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	29.7	18.4 - 44.0	700	70.3	56.0 - 81.6	900
No	1,000	6.0	4.5 - 7.9	15,000	94.0	92.1 - 95.5	16,000

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	20.9	15.0 - 28.2	2,400	79.1	71.8 - 85.0	3,100
No	600	4.2	3.0 - 6.1	13,200	95.8	93.9 - 97.0	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	8.0	5.8 - 10.9	7,000	92.0	89.1 - 94.2	7,600
No	700	7.0	4.9 - 9.9	8,900	93.0	90.1 - 95.1	9,600

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	6.7	5.2 - 8.5	16,400	93.3	91.5 - 94.8	17,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	7.2	4.9 - 10.3	2,100	92.8	89.7 - 95.1	2,200
Honolulu	700	5.9	4.1 - 8.4	11,900	94.1	91.6 - 95.9	12,600
Kauai	100	8.7	5.6 - 13.2	700	91.3	86.8 - 94.4	800
Maui	200	10.5	7.7 - 14.2	1,700	89.5	85.8 - 92.3	1,900

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.4	4.1 - 9.9	3,700	93.6	90.1 - 95.9	3,900
Native Hawaiian	500	10.7	7.4 - 15.3	4,500	89.3	84.7 - 92.6	5,000
Chinese	100	7.6	3.0 - 17.8	1,000	92.4	82.2 - 97.0	1,100
Filipino	100	1.8	0.7 - 4.8	3,100	98.2	95.2 - 99.3	3,100
Japanese	100	3.5	1.0 - 11.3	1,500	96.5	88.7 - 99.0	1,500
Other	200	6.7	3.4 - 12.6	2,700	93.3	87.4 - 96.6	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	24.8	13.9 - 40.2	700	75.2	59.8 - 86.1	1,000
20-24	300	8.9	5.7 - 13.4	3,300	91.1	86.6 - 94.3	3,600
25-34	500	5.4	3.7 - 7.7	9,400	94.6	92.3 - 96.3	9,900
35+	100	2.5	1.1 - 5.3	3,000	97.5	94.7 - 98.9	3,000

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	6.3	4.4 - 8.9	8,100	93.7	91.1 - 95.6	8,700
Female	600	7.1	5.1 - 9.8	8,200	92.9	90.2 - 94.9	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.6	1.6 - 4.1	10,400	97.4	95.9 - 98.4	10,600
No	900	13.0	9.9 - 17.0	6,000	87.0	83.0 - 90.1	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.9	7.1 - 13.6	5,700	90.1	86.4 - 92.9	6,300
131-185%	100	4.3	1.9 - 9.4	2,800	95.7	90.6 - 98.1	3,000
186+%	200	3.5	2.0 - 5.8	6,300	96.5	94.2 - 98.0	6,600

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	600	13.7	9.7 - 19.1	3,500	86.3	80.9 - 90.3	4,100
\$17,001-\$26,000	100	5.2	2.5 - 10.4	2,000	94.8	89.6 - 97.5	2,100
\$26,001-\$51,000	200	4.2	2.2 - 7.9	4,100	95.8	92.1 - 97.8	4,200
>=\$51,001	200	3.0	1.6 - 5.6	5,400	97.0	94.4 - 98.4	5,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.3	4.0 - 9.8	1,100	93.7	90.2 - 96.0	1,100
Normal birth weight	1,100	6.7	5.2 - 8.7	15,200	93.3	91.3 - 94.8	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	25.1	13.7 - 41.4	600	74.9	58.6 - 86.3	700
No	1,000	5.9	4.5 - 7.7	15,200	94.1	92.3 - 95.5	16,100

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	22.0	15.8 - 29.8	2,200	78.0	70.2 - 84.2	2,800
No	500	3.7	2.6 - 5.3	13,600	96.3	94.7 - 97.4	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	8.3	6.0 - 11.3	7,400	91.7	88.7 - 94.0	8,000
No	500	5.4	3.7 - 7.8	8,900	94.6	92.2 - 96.3	9,400

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	6.4	5.1 - 7.9	16,900	93.6	92.1 - 94.9	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	11.4	8.4 - 15.1	2,100	88.6	84.9 - 91.6	2,400
Honolulu	600	4.5	2.9 - 6.7	12,400	95.5	93.3 - 97.1	12,900
Kauai	100	8.9	5.8 - 13.5	800	91.1	86.5 - 94.2	900
Maui	200	11.8	9.1 - 15.2	1,700	88.2	84.8 - 90.9	1,900

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.3	6.4 - 13.4	4,000	90.7	86.6 - 93.6	4,400
Native Hawaiian	400	7.9	5.6 - 11.1	4,800	92.1	88.9 - 94.4	5,300
Chinese	<50	4.3	0.8 - 19.5	600	95.7	80.5 - 99.2	700
Filipino	200	4.9	2.4 - 10.1	3,100	95.1	89.9 - 97.6	3,200
Japanese	<50	1.5	0.7 - 3.4	1,800	98.5	96.6 - 99.3	1,900
Other	100	3.9	1.9 - 7.8	2,600	96.1	92.2 - 98.1	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	14.4	7.5 - 25.7	900	85.6	74.3 - 92.5	1,000
20-24	400	9.0	6.2 - 12.9	4,000	91.0	87.1 - 93.8	4,400
25-34	500	5.6	4.0 - 7.8	9,000	94.4	92.2 - 96.0	9,600
35+	100	2.4	1.1 - 5.0	3,000	97.6	95.0 - 98.9	3,100

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.4	3.9 - 7.5	8,700	94.6	92.5 - 96.1	9,200
Female	700	7.3	5.4 - 9.9	8,300	92.7	90.1 - 94.6	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.5	2.3 - 5.2	10,900	96.5	94.8 - 97.7	11,300
No	800	11.0	8.4 - 14.4	6,100	89.0	85.6 - 91.6	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.1	5.9 - 11.0	6,000	91.9	89.0 - 94.1	6,600
131-185%	200	7.3	4.1 - 12.8	2,500	92.7	87.2 - 95.9	2,700
186+%	400	4.7	3.1 - 7.0	7,600	95.3	93.0 - 96.9	8,000

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	10.3	6.6 - 15.6	3,000	89.7	84.4 - 93.4	3,300
\$10,000-\$24,999	300	8.9	5.9 - 13.0	3,100	91.1	87.0 - 94.1	3,400
\$25,000-\$49,999	200	4.5	2.7 - 7.4	4,400	95.5	92.6 - 97.3	4,600
>=\$50,000	300	4.3	2.6 - 7.1	5,800	95.7	92.9 - 97.4	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	7.5	5.0 - 11.0	1,200	92.5	89.0 - 95.0	1,300
Normal birth weight	1,100	6.3	4.9 - 8.0	15,700	93.7	92.0 - 95.1	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	22.0	13.1 - 34.5	700	78.0	65.5 - 86.9	900
No	900	5.3	4.1 - 6.8	16,100	94.7	93.2 - 95.9	17,000

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	14.8	10.7 - 20.1	3,000	85.2	79.9 - 89.3	3,500
No	600	4.1	3.0 - 5.7	13,800	95.9	94.3 - 97.0	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	7.0	5.2 - 9.3	7,500	93.0	90.7 - 94.8	8,100
No	600	5.6	4.0 - 7.9	9,300	94.4	92.1 - 96.0	9,800

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,100	6.1	4.7 - 7.7	17,100	93.9	92.3 - 95.3	18,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	6.9	4.8 - 10.0	2,100	93.1	90.0 - 95.2	2,300
Honolulu	700	5.0	3.4 - 7.3	12,500	95.0	92.7 - 96.6	13,200
Kauai	100	9.8	6.8 - 14.0	700	90.2	86.0 - 93.2	800
Maui	200	10.9	8.2 - 14.4	1,700	89.1	85.6 - 91.8	1,900

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.1	5.5 - 11.9	4,100	91.9	88.1 - 94.5	4,400
Native Hawaiian	400	6.7	4.5 - 9.8	5,100	93.3	90.2 - 95.5	5,500
Chinese	<50	1.1	0.3 - 3.6	700	98.9	96.4 - 99.7	700
Filipino	100	4.2	1.9 - 9.0	3,100	95.8	91.0 - 98.1	3,200
Japanese	<50	2.2	0.6 - 8.5	1,600	97.8	91.5 - 99.4	1,700
Other	200	7.3	3.6 - 14.0	2,500	92.7	86.0 - 96.4	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	6.4	3.6 - 10.9	1,000	93.6	89.1 - 96.4	1,100
20-24	400	9.8	6.5 - 14.5	4,000	90.2	85.5 - 93.5	4,400
25-34	500	4.8	3.3 - 7.0	8,900	95.2	93.0 - 96.7	9,400
35+	100	4.4	2.1 - 8.8	3,100	95.6	91.2 - 97.9	3,300

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.2	4.4 - 8.6	8,600	93.8	91.4 - 95.6	9,100
Female	500	5.9	4.2 - 8.4	8,500	94.1	91.6 - 95.8	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.3	2.8 - 6.3	10,900	95.7	93.7 - 97.2	11,300
No	600	9.0	6.7 - 12.1	6,200	91.0	87.9 - 93.3	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.9	5.6 - 10.9	5,900	92.1	89.1 - 94.4	6,400
131-185%	200	6.3	3.3 - 11.9	2,800	93.7	88.1 - 96.7	2,900
186+%	400	4.8	3.1 - 7.4	7,400	95.2	92.6 - 96.9	7,800

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	9.1	5.8 - 14.0	3,100	90.9	86.0 - 94.2	3,400
\$10,000-\$24,999	300	8.1	5.4 - 12.2	3,000	91.9	87.8 - 94.6	3,200
\$25,000-\$49,999	300	6.1	3.5 - 10.4	4,300	93.9	89.6 - 96.5	4,600
>=\$50,000	300	4.1	2.3 - 7.0	5,900	95.9	93.0 - 97.7	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.8	3.7 - 8.8	1,200	94.2	91.2 - 96.3	1,300
Normal birth weight	1,000	6.1	4.7 - 7.9	15,800	93.9	92.1 - 95.3	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	16.0	9.3 - 26.0	1,200	84.0	74.0 - 90.7	1,400
No	800	5.0	3.8 - 6.6	15,700	95.0	93.4 - 96.2	16,600

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	12.7	9.0 - 17.6	3,300	87.3	82.4 - 91.0	3,800
No	600	4.1	2.9 - 5.8	13,600	95.9	94.2 - 97.1	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	7.4	5.3 - 10.2	7,400	92.6	89.8 - 94.7	8,000
No	500	4.8	3.4 - 6.9	9,500	95.2	93.1 - 96.6	10,000

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,300	7.2	5.8 - 8.9	16,700	92.8	91.1 - 94.2	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	11.6	8.7 - 15.4	2,100	88.4	84.6 - 91.3	2,400
Honolulu	700	5.6	3.9 - 8.1	12,000	94.4	91.9 - 96.1	12,700
Kauai	100	10.1	7.0 - 14.3	800	89.9	85.7 - 93.0	800
Maui	200	10.6	8.0 - 13.8	1,900	89.4	86.2 - 92.0	2,100

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.7	6.9 - 13.5	3,800	90.3	86.5 - 93.1	4,200
Native Hawaiian	600	10.0	7.1 - 13.9	5,300	90.0	86.1 - 92.9	5,800
Chinese	<50	0.7	0.1 - 3.7	700	99.3	96.3 - 99.9	700
Filipino	100	4.5	2.1 - 9.6	3,000	95.5	90.4 - 97.9	3,200
Japanese	100	4.2	1.6 - 10.6	1,500	95.8	89.4 - 98.4	1,600
Other	100	3.5	1.7 - 7.0	2,300	96.5	93.0 - 98.3	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.9	7.6 - 21.1	1,600	87.1	78.9 - 92.4	1,800
20-24	400	9.1	6.0 - 13.6	3,800	90.9	86.4 - 94.0	4,100
25-34	600	6.1	4.4 - 8.4	8,500	93.9	91.6 - 95.6	9,100
35+	100	4.2	2.0 - 8.4	2,800	95.8	91.6 - 98.0	3,000

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.1	4.4 - 8.4	9,100	93.9	91.6 - 95.6	9,700
Female	700	8.5	6.3 - 11.3	7,600	91.5	88.7 - 93.7	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.3	2.3 - 4.8	10,200	96.7	95.2 - 97.7	10,600
No	900	12.7	9.8 - 16.4	6,500	87.3	83.6 - 90.2	7,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.3	7.6 - 13.8	5,800	89.7	86.2 - 92.4	6,400
131-185%	200	7.0	3.7 - 12.8	2,600	93.0	87.2 - 96.3	2,800
186+%	300	4.4	2.9 - 6.5	7,000	95.6	93.5 - 97.1	7,300

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	14.2	9.7 - 20.4	2,600	85.8	79.6 - 90.3	3,100
\$10,000-\$24,999	300	8.4	5.3 - 13.2	3,500	91.6	86.8 - 94.7	3,800
\$25,000-\$49,999	200	4.7	2.9 - 7.5	3,500	95.3	92.5 - 97.1	3,700
>=\$50,000	200	4.1	2.5 - 6.7	5,800	95.9	93.3 - 97.5	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.7	2.1 - 6.4	1,300	96.3	93.6 - 97.9	1,300
Normal birth weight	1,200	7.5	6.0 - 9.4	15,400	92.5	90.6 - 94.0	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	18.2	11.7 - 27.1	1,400	81.8	72.9 - 88.3	1,700
No	900	5.8	4.5 - 7.4	14,900	94.2	92.6 - 95.5	15,800

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	17.8	13.3 - 23.2	3,300	82.2	76.8 - 86.7	4,000
No	500	3.8	2.7 - 5.3	13,000	96.2	94.7 - 97.3	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.4	7.8 - 13.8	6,600	89.6	86.2 - 92.2	7,400
No	500	4.6	3.3 - 6.3	9,600	95.4	93.7 - 96.7	10,100

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,300	6.9	5.8 - 8.3	17,200	93.1	91.7 - 94.2	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.7	5.6 - 13.2	2,300	91.3	86.8 - 94.4	2,500
Honolulu	700	5.3	4.1 - 6.8	12,200	94.7	93.2 - 95.9	12,900
Kauai	100	8.6	4.0 - 17.4	800	91.4	82.6 - 96.0	900
Maui	300	13.8	9.5 - 19.5	1,900	86.2	80.5 - 90.5	2,200

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.8	5.6 - 10.8	4,000	92.2	89.2 - 94.4	4,300
Native Hawaiian	600	11.6	8.8 - 15.1	4,600	88.4	84.9 - 91.2	5,200
Chinese	<50	1.4	0.4 - 4.5	600	98.6	95.5 - 99.6	600
Filipino	100	2.8	1.5 - 5.1	3,300	97.2	94.9 - 98.5	3,400
Japanese	200	8.0	4.8 - 13.1	1,900	92.0	86.9 - 95.2	2,000
Other	100	2.7	1.3 - 5.6	2,800	97.3	94.4 - 98.7	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	13.4	8.4 - 20.6	1,300	86.6	79.4 - 91.6	1,500
20-24	400	9.5	6.8 - 13.1	3,700	90.5	86.9 - 93.2	4,100
25-34	500	5.4	4.1 - 7.2	9,000	94.6	92.8 - 95.9	9,500
35+	200	5.3	3.3 - 8.4	3,200	94.7	91.6 - 96.7	3,400

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.4	5.0 - 8.3	9,100	93.6	91.7 - 95.0	9,700
Female	700	7.5	5.8 - 9.6	8,100	92.5	90.4 - 94.2	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.0	3.0 - 5.4	11,100	96.0	94.6 - 97.0	11,500
No	800	11.7	9.3 - 14.6	6,100	88.3	85.4 - 90.7	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.2	7.9 - 12.9	6,200	89.8	87.1 - 92.1	6,900
131-185%	200	5.8	3.4 - 9.6	2,500	94.2	90.4 - 96.6	2,600
186+%	400	5.4	4.0 - 7.4	7,300	94.6	92.6 - 96.0	7,700

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	11.8	8.4 - 16.4	2,800	88.2	83.6 - 91.6	3,200
\$10,000-\$24,999	400	9.5	6.8 - 13.2	3,600	90.5	86.8 - 93.2	4,000
\$25,000-\$49,999	300	6.0	4.0 - 8.9	3,900	94.0	91.1 - 96.0	4,200
>=\$50,000	300	4.3	2.9 - 6.4	5,800	95.7	93.6 - 97.1	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.0	1.6 - 10.0	1,200	96.0	90.0 - 98.4	1,300
Normal birth weight	1,200	7.2	6.0 - 8.6	15,900	92.8	91.4 - 94.0	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	21.8	15.5 - 29.8	1,200	78.2	70.2 - 84.5	1,600
No	900	5.6	4.5 - 6.9	15,600	94.4	93.1 - 95.5	16,500

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	17.2	13.3 - 22.0	2,800	82.8	78.0 - 86.7	3,400
No	700	4.6	3.5 - 5.9	14,000	95.4	94.1 - 96.5	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	8.7	6.7 - 11.1	7,200	91.3	88.9 - 93.3	7,900
No	600	5.7	4.4 - 7.4	9,700	94.3	92.6 - 95.6	10,300

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	6.3	5.2 - 7.6	17,200	93.7	92.4 - 94.8	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.6	2.5 - 8.1	2,300	95.4	91.9 - 97.5	2,400
Honolulu	700	5.5	4.3 - 7.0	12,100	94.5	93.0 - 95.7	12,800
Kauai	100	8.6	4.5 - 15.9	900	91.4	84.1 - 95.5	1,000
Maui	300	11.8	7.9 - 17.3	1,900	88.2	82.7 - 92.1	2,200

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.7	6.3 - 11.9	3,800	91.3	88.1 - 93.7	4,100
Native Hawaiian	500	9.0	6.5 - 12.2	4,600	91.0	87.8 - 93.5	5,100
Chinese	<50	3.6	1.7 - 7.5	600	96.4	92.5 - 98.3	700
Filipino	100	3.2	1.8 - 5.6	3,300	96.8	94.4 - 98.2	3,400
Japanese	100	4.2	2.1 - 8.0	2,100	95.8	92.0 - 97.9	2,100
Other	100	4.1	2.3 - 7.2	2,900	95.9	92.8 - 97.7	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	9.8	5.7 - 16.4	1,500	90.2	83.6 - 94.3	1,700
20-24	400	8.2	5.9 - 11.3	4,200	91.8	88.7 - 94.1	4,600
25-34	500	6.0	4.5 - 7.8	8,400	94.0	92.2 - 95.5	8,900
35+	100	2.5	1.3 - 4.9	3,100	97.5	95.1 - 98.7	3,200

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.6	4.3 - 7.4	8,900	94.4	92.6 - 95.7	9,400
Female	600	7.0	5.4 - 9.0	8,300	93.0	91.0 - 94.6	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.1	3.1 - 5.4	10,900	95.9	94.6 - 96.9	11,400
No	700	9.9	7.7 - 12.6	6,300	90.1	87.4 - 92.3	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	8.9	6.9 - 11.6	6,200	91.1	88.4 - 93.1	6,800
131-185%	100	3.3	1.7 - 6.3	2,600	96.7	93.7 - 98.3	2,700
186+%	400	5.2	3.8 - 7.0	7,100	94.8	93.0 - 96.2	7,500

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	10.2	7.0 - 14.6	2,800	89.8	85.4 - 93.0	3,100
\$10,000-\$24,999	300	8.1	5.6 - 11.6	3,500	91.9	88.4 - 94.4	3,800
\$25,000-\$49,999	200	4.9	3.2 - 7.5	4,000	95.1	92.5 - 96.8	4,200
>=\$50,000	300	4.2	2.8 - 6.3	5,700	95.8	93.7 - 97.2	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	7.9	4.2 - 14.2	1,400	92.1	85.8 - 95.8	1,600
Normal birth weight	1,000	6.1	5.0 - 7.5	15,800	93.9	92.5 - 95.0	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	23.8	17.2 - 32.1	1,200	76.2	67.9 - 82.8	1,500
No	800	4.6	3.7 - 5.8	15,800	95.4	94.2 - 96.3	16,600

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	19.3	15.3 - 24.1	2,900	80.7	75.9 - 84.7	3,600
No	400	3.0	2.2 - 4.0	14,100	97.0	96.0 - 97.8	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	7.7	5.9 - 10.0	7,000	92.3	90.0 - 94.1	7,600
No	500	5.2	4.0 - 6.8	9,800	94.8	93.2 - 96.0	10,400

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,100	6.2	5.1 - 7.6	17,100	93.8	92.4 - 94.9	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	10.0	6.3 - 15.4	1,900	90.0	84.6 - 93.7	2,200
Honolulu	600	4.4	3.4 - 5.8	12,700	95.6	94.2 - 96.6	13,300
Kauai	200	17.9	10.5 - 29.0	700	82.1	71.0 - 89.5	900
Maui	200	9.1	5.5 - 14.7	1,800	90.9	85.3 - 94.5	1,900

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.0	4.8 - 10.0	4,000	93.0	90.0 - 95.2	4,300
Native Hawaiian	500	10.1	7.4 - 13.7	4,500	89.9	86.3 - 92.6	5,000
Chinese	<50	1.4	0.4 - 4.4	600	98.6	95.6 - 99.6	600
Filipino	100	2.8	1.4 - 5.3	3,300	97.2	94.7 - 98.6	3,400
Japanese	100	4.0	1.8 - 8.4	2,000	96.0	91.6 - 98.2	2,100
Other	100	5.0	2.9 - 8.6	2,700	95.0	91.4 - 97.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.9	6.3 - 18.3	1,400	89.1	81.7 - 93.7	1,500
20-24	400	9.7	7.1 - 13.2	4,000	90.3	86.8 - 92.9	4,400
25-34	500	5.0	3.7 - 6.8	8,600	95.0	93.2 - 96.3	9,000
35+	100	2.6	1.3 - 5.3	3,200	97.4	94.7 - 98.7	3,300

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.8	4.3 - 7.6	8,800	94.2	92.4 - 95.7	9,300
Female	600	6.7	5.1 - 8.8	8,300	93.3	91.2 - 94.9	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.3	2.4 - 4.6	11,300	96.7	95.4 - 97.6	11,600
No	700	11.3	8.8 - 14.4	5,900	88.7	85.6 - 91.2	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	8.6	6.5 - 11.5	5,800	91.4	88.5 - 93.5	6,400
131-185%	100	5.5	3.1 - 9.7	2,300	94.5	90.3 - 96.9	2,500
186+%	400	4.5	3.2 - 6.3	7,800	95.5	93.7 - 96.8	8,200

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	11.3	7.8 - 16.1	2,700	88.7	83.9 - 92.2	3,100
\$10,000-\$24,999	300	7.0	4.7 - 10.5	3,500	93.0	89.5 - 95.3	3,800
\$25,000-\$49,999	300	6.3	4.2 - 9.3	4,000	93.7	90.7 - 95.8	4,300
>=\$50,000	200	2.9	1.8 - 4.7	5,800	97.1	95.3 - 98.2	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.4	3.2 - 12.2	1,400	93.6	87.8 - 96.8	1,500
Normal birth weight	1,000	6.2	5.1 - 7.6	15,700	93.8	92.4 - 94.9	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	22.1	15.7 - 30.2	1,300	77.9	69.8 - 84.3	1,700
No	800	4.6	3.6 - 5.9	15,600	95.4	94.1 - 96.4	16,300

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	19.4	15.4 - 24.3	3,100	80.6	75.7 - 84.6	3,900
No	400	2.7	1.9 - 3.7	13,800	97.3	96.3 - 98.1	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	8.7	6.7 - 11.2	7,000	91.3	88.8 - 93.3	7,700
No	500	4.6	3.4 - 6.1	9,800	95.4	93.9 - 96.6	10,300

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	6.1	5.0 - 7.4	16,200	93.9	92.6 - 95.0	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.1	5.8 - 13.9	2,000	90.9	86.1 - 94.2	2,200
Honolulu	600	4.6	3.6 - 5.9	12,000	95.4	94.1 - 96.4	12,600
Kauai	100	12.2	6.1 - 22.9	600	87.8	77.1 - 93.9	700
Maui	200	10.3	6.3 - 16.3	1,500	89.7	83.7 - 93.7	1,700

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.0	5.6 - 11.3	3,400	92.0	88.7 - 94.4	3,700
Native Hawaiian	400	7.6	5.3 - 10.6	4,500	92.4	89.4 - 94.7	4,900
Chinese	<50	1.2	0.4 - 3.8	600	98.8	96.2 - 99.6	600
Filipino	100	3.9	2.3 - 6.4	3,100	96.1	93.6 - 97.7	3,200
Japanese	100	4.3	2.3 - 7.9	2,200	95.7	92.1 - 97.7	2,300
Other	100	5.8	3.5 - 9.5	2,300	94.2	90.5 - 96.5	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	9.0	5.2 - 15.2	1,400	91.0	84.8 - 94.8	1,500
20-24	400	8.9	6.4 - 12.2	3,900	91.1	87.8 - 93.6	4,300
25-34	400	5.2	3.9 - 7.0	8,100	94.8	93.0 - 96.1	8,600
35+	100	3.0	1.6 - 5.5	2,800	97.0	94.5 - 98.4	2,900

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.8	4.4 - 7.6	8,300	94.2	92.4 - 95.6	8,800
Female	500	6.3	4.8 - 8.3	7,900	93.7	91.7 - 95.2	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.8	1.9 - 3.9	10,700	97.2	96.1 - 98.1	11,000
No	700	11.9	9.4 - 14.8	5,500	88.1	85.2 - 90.6	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.4	8.1 - 13.2	5,600	89.6	86.8 - 91.9	6,200
131-185%	100	4.1	2.0 - 8.2	1,800	95.9	91.8 - 98.0	1,800
186+%	300	3.6	2.4 - 5.2	7,500	96.4	94.8 - 97.6	7,700

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	11.2	7.9 - 15.6	2,600	88.8	84.4 - 92.1	3,000
\$10,000-\$24,999	400	10.0	7.3 - 13.7	3,200	90.0	86.3 - 92.7	3,600
\$25,000-\$49,999	200	4.5	2.8 - 7.1	3,800	95.5	92.9 - 97.2	4,000
>=\$50,000	100	2.4	1.3 - 4.1	5,200	97.6	95.9 - 98.7	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	7.0	3.4 - 14.0	1,200	93.0	86.0 - 96.6	1,300
Normal birth weight	1,000	6.0	4.9 - 7.3	15,000	94.0	92.7 - 95.1	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	20.4	14.3 - 28.3	1,100	79.6	71.7 - 85.7	1,400
No	800	4.9	3.9 - 6.1	14,800	95.1	93.9 - 96.1	15,500

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	16.6	12.9 - 21.1	3,000	83.4	78.9 - 87.1	3,600
No	400	3.3	2.4 - 4.4	12,900	96.7	95.6 - 97.6	13,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	9.1	7.1 - 11.5	6,600	90.9	88.5 - 92.9	7,300
No	400	3.9	2.8 - 5.4	9,200	96.1	94.6 - 97.2	9,600

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	5.5	4.6 - 6.7	16,600	94.5	93.3 - 95.4	17,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.8	6.5 - 14.5	2,000	90.2	85.5 - 93.5	2,200
Honolulu	500	3.7	2.8 - 4.9	12,300	96.3	95.1 - 97.2	12,800
Kauai	100	10.1	5.1 - 19.1	700	89.9	80.9 - 94.9	800
Maui	200	10.9	7.2 - 16.3	1,600	89.1	83.7 - 92.8	1,800

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	4.9	3.3 - 7.3	3,600	95.1	92.7 - 96.7	3,800
Native Hawaiian	500	10.3	7.8 - 13.5	4,400	89.7	86.5 - 92.2	4,900
Chinese	<50	3.0	1.8 - 5.1	600	97.0	94.9 - 98.2	700
Filipino	100	2.0	1.0 - 3.8	3,300	98.0	96.2 - 99.0	3,300
Japanese	100	2.7	1.3 - 5.7	2,200	97.3	94.3 - 98.7	2,300
Other	100	5.0	2.9 - 8.6	2,500	95.0	91.4 - 97.1	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	13.3	8.4 - 20.5	1,100	86.7	79.5 - 91.6	1,300
20-24	500	10.1	7.6 - 13.3	4,000	89.9	86.7 - 92.4	4,500
25-34	300	3.1	2.2 - 4.4	8,300	96.9	95.6 - 97.8	8,500
35+	100	2.6	1.4 - 4.7	3,200	97.4	95.3 - 98.6	3,300

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.5	4.2 - 7.1	9,100	94.5	92.9 - 95.8	9,600
Female	400	5.6	4.2 - 7.4	7,600	94.4	92.6 - 95.8	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.7	2.0 - 3.8	11,900	97.3	96.2 - 98.0	12,300
No	600	12.0	9.5 - 15.0	4,700	88.0	85.0 - 90.5	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.3	6.3 - 10.7	6,000	91.7	89.3 - 93.7	6,500
131-185%	100	2.8	1.3 - 5.9	2,000	97.2	94.1 - 98.7	2,100
186+%	300	3.7	2.6 - 5.2	7,300	96.3	94.8 - 97.4	7,600

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	10.4	7.2 - 14.8	2,500	89.6	85.2 - 92.8	2,700
\$10,000-\$24,999	300	6.6	4.6 - 9.3	4,100	93.4	90.7 - 95.4	4,300
\$25,000-\$49,999	200	4.4	3.0 - 6.6	4,200	95.6	93.4 - 97.0	4,400
>=\$50,000	100	2.3	1.3 - 4.0	4,800	97.7	96.0 - 98.7	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	7.7	4.0 - 14.2	1,000	92.3	85.8 - 96.0	1,100
Normal birth weight	900	5.4	4.4 - 6.6	15,600	94.6	93.4 - 95.6	16,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.6	8.0 - 19.5	1,200	87.4	80.5 - 92.0	1,400
No	800	4.9	4.0 - 6.1	15,200	95.1	93.9 - 96.0	15,900

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	15.1	11.8 - 19.3	3,000	84.9	80.7 - 88.2	3,600
No	400	3.1	2.3 - 4.1	13,400	96.9	95.9 - 97.7	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	7.1	5.5 - 9.1	7,300	92.9	90.9 - 94.5	7,800
No	400	4.0	3.0 - 5.5	9,000	96.0	94.5 - 97.0	9,400

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.4	4.4 - 6.7	16,300	94.6	93.3 - 95.6	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	6.3	4.5 - 8.9	1,800	93.7	91.1 - 95.5	2,000
Honolulu	600	4.7	3.4 - 6.3	12,000	95.3	93.7 - 96.6	12,600
Kauai	100	10.3	6.6 - 15.8	800	89.7	84.2 - 93.4	900
Maui	100	7.5	5.3 - 10.5	1,700	92.5	89.5 - 94.7	1,800

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.5	5.0 - 11.1	3,500	92.5	88.9 - 95.0	3,700
Native Hawaiian	400	8.0	6.5 - 9.8	4,300	92.0	90.2 - 93.5	4,700
Chinese	<50	1.1	0.2 - 6.3	700	98.9	93.7 - 99.8	700
Filipino	100	3.0	1.4 - 6.5	3,600	97.0	93.5 - 98.6	3,700
Japanese	<50	1.9	0.5 - 7.2	2,000	98.1	92.8 - 99.5	2,000
Other	100	4.9	2.3 - 10.2	2,300	95.1	89.8 - 97.7	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.3	7.8 - 18.7	1,400	87.7	81.3 - 92.2	1,500
20-24	300	6.9	4.9 - 9.5	3,800	93.1	90.5 - 95.1	4,100
25-34	400	4.0	2.8 - 5.7	8,300	96.0	94.3 - 97.2	8,700
35+	100	3.8	1.9 - 7.7	2,800	96.2	92.3 - 98.1	2,900

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.0	3.8 - 6.6	8,700	95.0	93.4 - 96.2	9,200
Female	500	5.9	4.3 - 8.0	7,600	94.1	92.0 - 95.7	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.2	2.2 - 4.7	10,900	96.8	95.3 - 97.8	11,300
No	600	9.5	7.5 - 12.0	5,400	90.5	88.0 - 92.5	6,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	6.6	5.0 - 8.6	7,200	93.4	91.4 - 95.0	7,700
131-185%	100	3.4	1.6 - 7.1	2,400	96.6	92.9 - 98.4	2,500
186+%	200	3.0	1.8 - 5.1	5,200	97.0	94.9 - 98.2	5,400

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	9.3	6.9 - 12.4	3,800	90.7	87.6 - 93.1	4,200
\$15,001-\$25,000	100	5.8	3.1 - 10.4	2,100	94.2	89.6 - 96.9	2,200
\$25,001-\$40,000	100	4.2	2.3 - 7.5	3,000	95.8	92.5 - 97.7	3,200
>=\$40,001	100	2.3	1.3 - 4.0	6,400	97.7	96.0 - 98.7	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.1	3.1 - 11.5	1,100	93.9	88.5 - 96.9	1,200
Normal birth weight	900	5.4	4.3 - 6.7	15,200	94.6	93.3 - 95.7	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	18.3	12.7 - 25.6	1,300	81.7	74.4 - 87.3	1,600
No	600	4.0	3.1 - 5.2	14,700	96.0	94.8 - 96.9	15,300

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	13.2	10.0 - 17.2	3,100	86.8	82.8 - 90.0	3,500
No	400	3.1	2.2 - 4.4	12,800	96.9	95.6 - 97.8	13,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	7.2	5.5 - 9.4	6,800	92.8	90.6 - 94.5	7,300
No	400	4.1	2.9 - 5.7	9,400	95.9	94.3 - 97.1	9,800

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	700	4.3	3.5 - 5.2	16,100	95.7	94.8 - 96.5	16,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	7.7	5.6 - 10.3	1,800	92.3	89.7 - 94.4	2,000
Honolulu	400	3.0	2.2 - 4.2	12,000	97.0	95.8 - 97.8	12,400
Kauai	100	9.1	5.6 - 14.5	600	90.9	85.5 - 94.4	700
Maui	100	7.4	5.2 - 10.5	1,600	92.6	89.5 - 94.8	1,700

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	3.1	2.0 - 4.7	3,400	96.9	95.3 - 98.0	3,500
Native Hawaiian	400	8.9	7.3 - 10.8	4,200	91.1	89.2 - 92.7	4,600
Chinese	<50	3.3	0.5 - 19.4	600	96.7	80.6 - 99.5	600
Filipino	100	2.5	1.1 - 5.5	3,300	97.5	94.5 - 98.9	3,400
Japanese	<50	1.9	0.7 - 5.0	2,300	98.1	95.0 - 99.3	2,300
Other	100	2.2	0.8 - 6.3	2,300	97.8	93.7 - 99.2	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	8.6	5.6 - 13.2	1,400	91.4	86.8 - 94.4	1,500
20-24	300	8.0	6.0 - 10.5	3,900	92.0	89.5 - 94.0	4,200
25-34	200	2.5	1.7 - 3.6	8,200	97.5	96.4 - 98.3	8,400
35+	<50	1.5	0.5 - 4.4	2,600	98.5	95.6 - 99.5	2,700

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	3.7	2.9 - 4.8	8,000	96.3	95.2 - 97.1	8,300
Female	400	4.8	3.6 - 6.4	8,000	95.2	93.6 - 96.4	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.8	1.2 - 2.7	11,200	98.2	97.3 - 98.8	11,400
No	500	9.6	7.6 - 11.9	4,900	90.4	88.1 - 92.4	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.5	5.9 - 9.5	6,100	92.5	90.5 - 94.1	6,600
131-185%	100	3.0	1.8 - 5.1	3,300	97.0	94.9 - 98.2	3,400
186+%	100	1.5	0.8 - 2.8	5,200	98.5	97.2 - 99.2	5,300

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	11.5	8.8 - 14.8	3,000	88.5	85.2 - 91.2	3,400
\$15,001-\$25,000	100	4.1	2.2 - 7.4	2,400	95.9	92.6 - 97.8	2,500
\$25,001-\$40,000	100	2.6	1.6 - 4.1	3,500	97.4	95.9 - 98.4	3,600
>=\$40,001	100	1.7	0.9 - 3.0	6,200	98.3	97.0 - 99.1	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.9	2.1 - 10.9	1,100	95.1	89.1 - 97.9	1,100
Normal birth weight	700	4.3	3.5 - 5.2	14,900	95.7	94.8 - 96.5	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.7	7.3 - 15.3	1,200	89.3	84.7 - 92.7	1,300
No	600	3.7	3.0 - 4.7	14,600	96.3	95.3 - 97.0	15,200

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	11.2	8.8 - 14.3	2,900	88.8	85.7 - 91.2	3,200
No	300	2.3	1.6 - 3.2	12,800	97.7	96.8 - 98.4	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	5.8	4.5 - 7.4	6,600	94.2	92.6 - 95.5	7,100
No	300	3.2	2.3 - 4.4	9,400	96.8	95.6 - 97.7	9,700

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	6.2	5.4 - 7.3	15,300	93.8	92.7 - 94.6	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.2	6.8 - 12.3	1,700	90.8	87.7 - 93.2	1,800
Honolulu	600	5.1	4.1 - 6.3	11,500	94.9	93.7 - 95.9	12,100
Kauai	100	11.5	7.6 - 17.1	700	88.5	82.9 - 92.4	800
Maui	200	9.2	6.6 - 12.8	1,500	90.8	87.2 - 93.4	1,700

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.5	6.3 - 11.5	3,200	91.5	88.5 - 93.7	3,500
Native Hawaiian	400	8.9	7.6 - 10.4	4,100	91.1	89.6 - 92.4	4,500
Chinese	<50	3.6	1.1 - 11.5	700	96.4	88.5 - 98.9	700
Filipino	100	4.0	2.5 - 6.5	3,300	96.0	93.5 - 97.5	3,400
Japanese	100	2.5	1.2 - 5.3	2,000	97.5	94.7 - 98.8	2,000
Other	100	4.8	2.5 - 9.3	2,100	95.2	90.7 - 97.5	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	9.5	7.0 - 12.8	1,500	90.5	87.2 - 93.0	1,600
20-24	300	8.1	6.2 - 10.5	3,900	91.9	89.5 - 93.8	4,200
25-34	400	5.2	4.1 - 6.6	7,500	94.8	93.4 - 95.9	7,900
35+	100	4.4	2.5 - 7.7	2,500	95.6	92.3 - 97.5	2,600

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	6.6	5.4 - 8.1	7,700	93.4	91.9 - 94.6	8,300
Female	500	5.9	4.6 - 7.4	7,600	94.1	92.6 - 95.4	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	4.1	3.2 - 5.2	10,500	95.9	94.8 - 96.8	10,900
No	600	10.6	8.7 - 12.7	4,900	89.4	87.3 - 91.3	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.2	6.7 - 10.0	5,700	91.8	90.0 - 93.3	6,300
131-185%	200	5.3	3.6 - 7.6	3,400	94.7	92.4 - 96.4	3,600
186+%	200	4.5	3.2 - 6.2	5,200	95.5	93.8 - 96.8	5,400

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	300	9.6	7.6 - 12.0	3,100	90.4	88.0 - 92.4	3,400
\$15,001-\$25,000	200	7.5	4.9 - 11.5	2,100	92.5	88.5 - 95.1	2,300
\$25,001-\$40,000	200	6.6	4.8 - 9.1	3,300	93.4	90.9 - 95.2	3,600
>=\$40,001	200	3.8	2.8 - 5.3	6,100	96.2	94.7 - 97.2	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.2	2.7 - 9.9	1,000	94.8	90.1 - 97.3	1,000
Normal birth weight	1,000	6.3	5.4 - 7.3	14,300	93.7	92.7 - 94.6	15,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	17.1	13.2 - 21.9	1,300	82.9	78.1 - 86.8	1,500
No	700	4.9	4.0 - 5.9	13,800	95.1	94.1 - 96.0	14,500

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	14.2	11.7 - 17.2	2,900	85.8	82.8 - 88.3	3,300
No	500	3.7	2.9 - 4.7	12,000	96.3	95.3 - 97.1	12,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	8.7	7.1 - 10.5	6,300	91.3	89.5 - 92.9	6,900
No	400	4.4	3.5 - 5.6	8,900	95.6	94.4 - 96.5	9,300

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	7.1	6.1 - 8.2	15,500	92.9	91.8 - 93.9	16,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	7.5	5.4 - 10.4	1,700	92.5	89.6 - 94.6	1,900
Honolulu	800	6.4	5.3 - 7.9	11,600	93.6	92.1 - 94.7	12,400
Kauai	100	11.0	7.0 - 17.0	600	89.0	83.0 - 93.0	700
Maui	200	9.9	7.3 - 13.3	1,500	90.1	86.7 - 92.7	1,700

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.8	5.7 - 10.6	3,700	92.2	89.4 - 94.3	4,000
Native Hawaiian	500	10.5	9.0 - 12.2	4,000	89.5	87.8 - 91.0	4,500
Chinese	<50	3.4	0.8 - 13.3	600	96.6	86.7 - 99.2	600
Filipino	200	5.7	3.5 - 9.3	3,200	94.3	90.7 - 96.5	3,400
Japanese	100	3.8	1.7 - 7.9	1,900	96.2	92.1 - 98.3	2,000
Other	100	5.0	2.7 - 8.9	2,000	95.0	91.1 - 97.3	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	17.9	13.6 - 23.3	1,500	82.1	76.7 - 86.4	1,800
20-24	400	9.6	7.5 - 12.4	3,600	90.4	87.6 - 92.5	4,000
25-34	400	4.5	3.4 - 5.9	7,500	95.5	94.1 - 96.6	7,900
35+	100	3.9	2.4 - 6.0	2,800	96.1	94.0 - 97.6	2,900

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	7.7	6.3 - 9.4	7,900	92.3	90.6 - 93.7	8,600
Female	500	6.5	5.2 - 8.1	7,500	93.5	91.9 - 94.8	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.4	2.6 - 4.4	11,000	96.6	95.6 - 97.4	11,400
No	800	15.2	12.7 - 18.1	4,400	84.8	81.9 - 87.3	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	9.4	7.8 - 11.4	6,500	90.6	88.6 - 92.2	7,200
131-185%	100	4.8	3.0 - 7.6	2,100	95.2	92.4 - 97.0	2,200
186+%	300	5.1	3.6 - 7.1	5,800	94.9	92.9 - 96.4	6,100

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	500	12.4	9.9 - 15.3	3,500	87.6	84.7 - 90.1	4,000
\$15,001-\$25,000	200	6.1	4.0 - 9.2	2,500	93.9	90.8 - 96.0	2,700
\$25,001-\$40,000	200	7.5	5.5 - 10.3	2,900	92.5	89.7 - 94.5	3,100
>=\$40,001	200	3.7	2.5 - 5.5	6,000	96.3	94.5 - 97.5	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.7	3.7 - 11.8	1,000	93.3	88.2 - 96.3	1,100
Normal birth weight	1,100	7.0	6.0 - 8.2	14,300	93.0	91.8 - 94.0	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	23.5	17.7 - 30.4	1,000	76.5	69.6 - 82.3	1,400
No	800	5.6	4.7 - 6.7	14,000	94.4	93.3 - 95.3	14,800

PRAMS Health Indicator Report - Illicit drug use 1 month before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	19.5	16.0 - 23.6	2,600	80.5	76.4 - 84.0	3,300
No	500	4.0	3.2 - 5.0	12,300	96.0	95.0 - 96.8	12,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	8.4	6.9 - 10.1	6,600	91.6	89.9 - 93.1	7,200
No	600	6.3	4.9 - 7.9	8,600	93.7	92.1 - 95.1	9,200