

**PRAMS Health Indicator Report - Illicit drug use in pregnancy- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Illicit drug use in pregnancy	Illicit drug use in pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/30/15

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Illicit drug use in pregnancy- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	500	2.8	2.2 - 3.5	16,200	97.2	96.5 - 97.8	16,700
2001	600	3.4	2.7 - 4.2	15,800	96.6	95.8 - 97.3	16,400
2002	300	2.0	1.6 - 2.6	16,500	98.0	97.4 - 98.4	16,900
2003	500	2.9	2.2 - 3.8	16,800	97.1	96.2 - 97.8	17,300
2004	500	3.0	2.3 - 3.9	17,000	97.0	96.1 - 97.7	17,500
2005	400	2.3	1.7 - 3.2	16,800	97.7	96.8 - 98.3	17,200
2006	500	2.9	2.1 - 3.9	17,600	97.1	96.1 - 97.9	18,100
2007	500	2.8	2.1 - 3.8	17,700	97.2	96.2 - 97.9	18,300
2008	400	2.3	1.7 - 3.2	18,100	97.7	96.8 - 98.3	18,500
2009	500	3.0	2.2 - 4.2	17,400	97.0	95.8 - 97.8	17,900
2010	400	2.5	1.7 - 3.6	17,500	97.5	96.4 - 98.3	17,900
2011	600	3.4	2.5 - 4.6	17,500	96.6	95.4 - 97.5	18,100

**PRAMS Health Indicator Report - Illicit drug use in pregnancy- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	600	3.4	2.5 - 4.6	17,500	96.6	95.4 - 97.5	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	6.5	4.3 - 9.6	2,200	93.5	90.4 - 95.7	2,400
Honolulu	300	2.2	1.2 - 3.9	12,700	97.8	96.1 - 98.8	13,000
Kauai	<50	5.6	3.2 - 9.6	800	94.4	90.4 - 96.8	900
Maui	100	7.2	5.1 - 10.0	1,800	92.8	90.0 - 94.9	1,900

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	3.6	2.1 - 5.9	4,300	96.4	94.1 - 97.9	4,400
Native Hawaiian	300	5.2	3.3 - 8.1	5,000	94.8	91.9 - 96.7	5,300
Chinese	<50	3.6	0.5 - 21.1	700	96.4	78.9 - 99.5	700
Filipino	100	3.1	1.2 - 7.5	3,100	96.9	92.5 - 98.8	3,200
Japanese	<50	0.7	0.2 - 2.4	1,900	99.3	97.6 - 99.8	1,900
Other	100	2.0	1.1 - 3.5	2,600	98.0	96.5 - 98.9	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.3	2.6 - 19.2	1,000	92.7	80.8 - 97.4	1,000
20-24	200	4.0	2.5 - 6.5	4,200	96.0	93.5 - 97.5	4,400
25-34	300	3.5	2.3 - 5.2	9,200	96.5	94.8 - 97.7	9,600
35+	<50	1.2	0.6 - 2.3	3,100	98.8	97.7 - 99.4	3,100

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	2.9	1.8 - 4.6	8,900	97.1	95.4 - 98.2	9,200
Female	400	3.9	2.7 - 5.8	8,600	96.1	94.2 - 97.3	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.5	0.8 - 2.7	11,100	98.5	97.3 - 99.2	11,300
No	500	6.6	4.7 - 9.2	6,400	93.4	90.8 - 95.3	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.8	3.2 - 7.1	6,200	95.2	92.9 - 96.8	6,600
131-185%	100	2.4	1.4 - 4.1	2,700	97.6	95.9 - 98.6	2,800
186+%	200	2.9	1.7 - 5.0	7,800	97.1	95.0 - 98.3	8,000

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	7.0	4.3 - 11.2	3,100	93.0	88.8 - 95.7	3,300
\$10,000-\$24,999	100	3.6	2.1 - 6.1	3,300	96.4	93.9 - 97.9	3,400
\$25,000-\$49,999	100	2.0	1.0 - 3.8	4,500	98.0	96.2 - 99.0	4,600
>=\$50,000	200	2.8	1.4 - 5.4	5,900	97.2	94.6 - 98.6	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.6	2.8 - 7.7	1,200	95.4	92.3 - 97.2	1,300
Normal birth weight	600	3.3	2.4 - 4.6	16,200	96.7	95.4 - 97.6	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	12.6	6.6 - 22.8	800	87.4	77.2 - 93.4	900
No	500	2.9	2.1 - 4.1	16,500	97.1	95.9 - 97.9	17,000

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.8	5.1 - 11.9	3,200	92.2	88.1 - 94.9	3,500
No	300	2.4	1.6 - 3.6	14,100	97.6	96.4 - 98.4	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.8	2.7 - 5.4	7,800	96.2	94.6 - 97.3	8,100
No	300	3.1	1.9 - 5.0	9,500	96.9	95.0 - 98.1	9,800

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	400	2.5	1.7 - 3.6	17,500	97.5	96.4 - 98.3	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	3.0	1.7 - 5.4	2,200	97.0	94.6 - 98.3	2,300
Honolulu	200	1.8	0.9 - 3.4	12,700	98.2	96.6 - 99.1	12,900
Kauai	<50	6.1	3.8 - 9.8	700	93.9	90.2 - 96.2	800
Maui	100	5.4	3.6 - 8.1	1,800	94.6	91.9 - 96.4	1,900

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	3.6	2.1 - 5.9	4,300	96.4	94.1 - 97.9	4,400
Native Hawaiian	200	3.2	1.7 - 6.0	5,200	96.8	94.0 - 98.3	5,400
Chinese	<50	0.6	0.1 - 3.1	700	99.4	96.9 - 99.9	700
Filipino	100	2.3	0.8 - 6.4	3,100	97.7	93.6 - 99.2	3,200
Japanese	<50	0.4	0.1 - 2.1	1,600	99.6	97.9 - 99.9	1,600
Other	<50	1.3	0.3 - 5.5	2,600	98.7	94.5 - 99.7	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.8	1.8 - 17.4	1,000	94.2	82.6 - 98.2	1,100
20-24	200	3.9	2.0 - 7.3	4,200	96.1	92.7 - 98.0	4,300
25-34	100	1.6	1.0 - 2.5	9,100	98.4	97.5 - 99.0	9,300
35+	100	2.2	0.7 - 6.2	3,200	97.8	93.8 - 99.3	3,200

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.6	1.6 - 4.3	8,800	97.4	95.7 - 98.4	9,000
Female	200	2.4	1.4 - 4.1	8,700	97.6	95.9 - 98.6	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	1.0	0.5 - 2.0	11,100	99.0	98.0 - 99.5	11,200
No	300	5.0	3.2 - 7.6	6,400	95.0	92.4 - 96.8	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.0	2.5 - 6.4	6,000	96.0	93.6 - 97.5	6,200
131-185%	100	2.2	0.7 - 7.0	2,900	97.8	93.0 - 99.3	2,900
186+%	100	1.4	0.7 - 2.8	7,600	98.6	97.2 - 99.3	7,700

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	5.9	3.3 - 10.3	3,100	94.1	89.7 - 96.7	3,300
\$10,000-\$24,999	100	2.3	1.4 - 3.8	3,100	97.7	96.2 - 98.6	3,200
\$25,000-\$49,999	100	2.4	1.0 - 5.5	4,400	97.6	94.5 - 99.0	4,500
>=\$50,000	100	1.3	0.5 - 3.2	6,000	98.7	96.8 - 99.5	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	2.7	1.4 - 5.2	1,300	97.3	94.8 - 98.6	1,300
Normal birth weight	400	2.5	1.7 - 3.7	16,200	97.5	96.3 - 98.3	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.6	5.1 - 17.5	1,200	90.4	82.5 - 94.9	1,400
No	300	1.9	1.2 - 3.0	16,100	98.1	97.0 - 98.8	16,400

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.5	4.0 - 10.3	3,500	93.5	89.7 - 96.0	3,800
No	200	1.4	0.8 - 2.5	13,800	98.6	97.5 - 99.2	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.8	2.3 - 6.1	7,600	96.2	93.9 - 97.7	7,900
No	100	1.5	0.9 - 2.6	9,700	98.5	97.4 - 99.1	9,900

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	3.0	2.2 - 4.2	17,400	97.0	95.8 - 97.8	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.3	3.4 - 8.2	2,300	94.7	91.8 - 96.6	2,400
Honolulu	300	2.0	1.0 - 3.8	12,400	98.0	96.2 - 99.0	12,600
Kauai	<50	2.8	1.4 - 5.6	800	97.2	94.4 - 98.6	800
Maui	100	6.7	4.7 - 9.4	2,000	93.3	90.6 - 95.3	2,100

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	4.3	2.4 - 7.4	4,000	95.7	92.6 - 97.6	4,200
Native Hawaiian	200	4.2	2.5 - 7.0	5,600	95.8	93.0 - 97.5	5,800
Chinese	<50	0.7	0.1 - 3.8	700	99.3	96.2 - 99.9	700
Filipino	100	1.6	0.5 - 5.4	3,100	98.4	94.6 - 99.5	3,100
Japanese	<50	0.4	0.1 - 2.2	1,600	99.6	97.8 - 99.9	1,600
Other	100	2.2	1.2 - 4.1	2,400	97.8	95.9 - 98.8	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	4.0	1.6 - 9.6	1,700	96.0	90.4 - 98.4	1,800
20-24	100	3.2	1.6 - 6.3	4,000	96.8	93.7 - 98.4	4,100
25-34	200	2.5	1.6 - 4.0	8,800	97.5	96.0 - 98.4	9,000
35+	100	3.6	1.6 - 8.0	2,900	96.4	92.0 - 98.4	3,000

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.6	1.6 - 4.2	9,400	97.4	95.8 - 98.4	9,700
Female	300	3.5	2.3 - 5.5	8,000	96.5	94.5 - 97.7	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	1.0	0.6 - 1.4	10,500	99.0	98.6 - 99.4	10,600
No	400	5.9	4.0 - 8.7	6,900	94.1	91.3 - 96.0	7,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.9	3.2 - 7.4	6,100	95.1	92.6 - 96.8	6,400
131-185%	100	2.5	1.0 - 6.1	2,700	97.5	93.9 - 99.0	2,800
186+%	100	1.7	0.9 - 3.2	7,200	98.3	96.8 - 99.1	7,300

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	7.0	4.1 - 11.6	2,800	93.0	88.4 - 95.9	3,100
\$10,000-\$24,999	100	3.4	1.7 - 6.8	3,700	96.6	93.2 - 98.3	3,800
\$25,000-\$49,999	100	2.0	1.2 - 3.2	3,600	98.0	96.8 - 98.8	3,700
>=\$50,000	100	1.6	0.7 - 3.5	6,000	98.4	96.5 - 99.3	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	1.6	0.6 - 4.1	1,300	98.4	95.9 - 99.4	1,300
Normal birth weight	500	3.1	2.2 - 4.4	16,100	96.9	95.6 - 97.8	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.1	5.4 - 18.0	1,600	89.9	82.0 - 94.6	1,700
No	300	2.1	1.4 - 3.1	15,400	97.9	96.9 - 98.6	15,800

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.8	5.0 - 12.1	3,700	92.2	87.9 - 95.0	4,000
No	200	1.4	0.9 - 2.2	13,300	98.6	97.8 - 99.1	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	4.6	3.0 - 7.0	7,000	95.4	93.0 - 97.0	7,300
No	200	1.7	1.0 - 2.8	9,900	98.3	97.2 - 99.0	10,100

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	400	2.3	1.7 - 3.2	18,100	97.7	96.8 - 98.3	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	2.3	1.0 - 5.3	2,400	97.7	94.7 - 99.0	2,500
Honolulu	200	1.9	1.2 - 2.9	12,700	98.1	97.1 - 98.8	12,900
Kauai	<50	2.8	0.7 - 10.1	900	97.2	89.9 - 99.3	900
Maui	100	4.9	2.6 - 9.1	2,100	95.1	90.9 - 97.4	2,200

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.6	0.8 - 3.5	4,200	98.4	96.5 - 99.2	4,300
Native Hawaiian	200	3.7	2.3 - 6.1	5,000	96.3	93.9 - 97.7	5,200
Chinese	<50	0.6	0.1 - 3.1	600	99.4	96.9 - 99.9	600
Filipino	100	1.6	0.7 - 3.5	3,400	98.4	96.5 - 99.3	3,400
Japanese	100	3.6	1.7 - 7.7	1,900	96.4	92.3 - 98.3	2,000
Other	<50	1.3	0.4 - 3.8	2,900	98.7	96.2 - 99.6	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.2	2.4 - 10.9	1,400	94.8	89.1 - 97.6	1,500
20-24	100	2.5	1.3 - 4.7	3,900	97.5	95.3 - 98.7	4,000
25-34	200	1.8	1.1 - 3.0	9,400	98.2	97.0 - 98.9	9,600
35+	100	2.3	1.1 - 4.9	3,300	97.7	95.1 - 98.9	3,400

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.4	1.5 - 3.7	9,500	97.6	96.3 - 98.5	9,700
Female	200	2.3	1.5 - 3.7	8,600	97.7	96.3 - 98.5	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	1.0	0.6 - 1.9	11,400	99.0	98.1 - 99.4	11,500
No	300	4.5	3.1 - 6.5	6,700	95.5	93.5 - 96.9	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	3.9	2.6 - 5.9	6,600	96.1	94.1 - 97.4	6,900
131-185%	<50	1.8	0.7 - 4.5	2,600	98.2	95.5 - 99.3	2,600
186+%	100	1.3	0.7 - 2.5	7,600	98.7	97.5 - 99.3	7,700

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	5.2	3.1 - 8.7	3,000	94.8	91.3 - 96.9	3,200
\$10,000-\$24,999	100	3.2	1.8 - 5.7	3,800	96.8	94.3 - 98.2	4,000
\$25,000-\$49,999	100	1.9	0.9 - 3.9	4,100	98.1	96.1 - 99.1	4,200
>=\$50,000	<50	0.8	0.3 - 2.0	6,000	99.2	98.0 - 99.7	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	1.0	0.1 - 6.2	1,300	99.0	93.8 - 99.9	1,300
Normal birth weight	400	2.4	1.8 - 3.4	16,800	97.6	96.6 - 98.2	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.9	5.0 - 15.5	1,400	91.1	84.5 - 95.0	1,600
No	300	1.8	1.2 - 2.6	16,200	98.2	97.4 - 98.8	16,500

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.3	4.0 - 9.8	3,200	93.7	90.2 - 96.0	3,400
No	200	1.5	1.0 - 2.3	14,400	98.5	97.7 - 99.0	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	3.0	1.9 - 4.7	7,600	97.0	95.3 - 98.1	7,900
No	200	1.8	1.1 - 2.8	10,100	98.2	97.2 - 98.9	10,300

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	2.8	2.1 - 3.8	17,700	97.2	96.2 - 97.9	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	2.8	1.3 - 6.1	2,400	97.2	93.9 - 98.7	2,400
Honolulu	300	2.3	1.5 - 3.4	12,400	97.7	96.6 - 98.5	12,700
Kauai	100	6.8	3.2 - 14.0	900	93.2	86.0 - 96.8	1,000
Maui	100	4.0	1.9 - 8.1	2,100	96.0	91.9 - 98.1	2,200

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.6	1.4 - 4.8	3,900	97.4	95.2 - 98.6	4,000
Native Hawaiian	200	4.2	2.6 - 6.7	4,900	95.8	93.3 - 97.4	5,100
Chinese	<50	1.5	0.5 - 4.9	700	98.5	95.1 - 99.5	700
Filipino	100	2.2	1.1 - 4.5	3,300	97.8	95.5 - 98.9	3,400
Japanese	<50	1.7	0.6 - 5.2	2,100	98.3	94.8 - 99.4	2,100
Other	100	2.5	1.1 - 5.5	2,900	97.5	94.5 - 98.9	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.2	3.8 - 13.3	1,600	92.8	86.7 - 96.2	1,700
20-24	200	4.1	2.5 - 6.7	4,400	95.9	93.3 - 97.5	4,600
25-34	200	1.7	1.0 - 2.8	8,700	98.3	97.2 - 99.0	8,900
35+	100	1.7	0.7 - 3.9	3,100	98.3	96.1 - 99.3	3,100

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.6	1.7 - 3.9	9,200	97.4	96.1 - 98.3	9,400
Female	300	3.1	2.1 - 4.6	8,600	96.9	95.4 - 97.9	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	1.1	0.6 - 2.0	11,200	98.9	98.0 - 99.4	11,300
No	400	5.5	3.9 - 7.7	6,600	94.5	92.3 - 96.1	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.4	3.0 - 6.5	6,500	95.6	93.5 - 97.0	6,800
131-185%	100	1.9	0.8 - 4.6	2,600	98.1	95.4 - 99.2	2,700
186+%	100	1.3	0.7 - 2.5	7,300	98.7	97.5 - 99.3	7,400

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	7.0	4.3 - 11.0	2,900	93.0	89.0 - 95.7	3,100
\$10,000-\$24,999	100	2.9	1.6 - 5.4	3,600	97.1	94.6 - 98.4	3,800
\$25,000-\$49,999	<50	0.8	0.3 - 2.2	4,200	99.2	97.8 - 99.7	4,200
>=\$50,000	100	1.6	0.8 - 3.1	5,800	98.4	96.9 - 99.2	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.8	2.8 - 11.4	1,500	94.2	88.6 - 97.2	1,600
Normal birth weight	400	2.5	1.8 - 3.5	16,300	97.5	96.5 - 98.2	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	14.1	8.9 - 21.6	1,300	85.9	78.4 - 91.1	1,500
No	300	1.7	1.2 - 2.5	16,200	98.3	97.5 - 98.8	16,500

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.4	6.5 - 13.3	3,200	90.6	86.7 - 93.5	3,600
No	200	1.1	0.7 - 1.9	14,300	98.9	98.1 - 99.3	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	4.2	2.9 - 6.2	7,300	95.8	93.8 - 97.1	7,600
No	200	1.7	1.0 - 2.7	10,100	98.3	97.3 - 99.0	10,300

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	2.9	2.1 - 3.9	17,600	97.1	96.1 - 97.9	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	3.0	1.3 - 6.7	2,100	97.0	93.3 - 98.7	2,100
Honolulu	300	2.0	1.3 - 3.0	12,900	98.0	97.0 - 98.7	13,200
Kauai	100	12.0	6.0 - 22.5	800	88.0	77.5 - 94.0	900
Maui	100	4.4	2.2 - 8.8	1,800	95.6	91.2 - 97.8	1,900

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.9	1.7 - 5.1	4,100	97.1	94.9 - 98.3	4,300
Native Hawaiian	200	4.7	2.9 - 7.4	4,700	95.3	92.6 - 97.1	5,000
Chinese	0	0.0	-	600	100.0	-	600
Filipino	<50	1.4	0.5 - 3.4	3,300	98.6	96.6 - 99.5	3,300
Japanese	<50	0.7	0.1 - 4.7	2,100	99.3	95.3 - 99.9	2,100
Other	100	3.6	1.9 - 6.9	2,700	96.4	93.1 - 98.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	3.9	1.5 - 9.6	1,400	96.1	90.4 - 98.5	1,500
20-24	100	2.4	1.3 - 4.6	4,300	97.6	95.4 - 98.7	4,400
25-34	300	3.4	2.3 - 5.0	8,700	96.6	95.0 - 97.7	9,000
35+	100	1.5	0.6 - 3.9	3,200	98.5	96.1 - 99.4	3,300

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	3.1	2.0 - 4.5	9,000	96.9	95.5 - 98.0	9,300
Female	200	2.7	1.7 - 4.1	8,600	97.3	95.9 - 98.3	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.4	0.8 - 2.3	11,400	98.6	97.7 - 99.2	11,600
No	400	5.5	3.8 - 7.9	6,200	94.5	92.1 - 96.2	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.4	2.9 - 6.7	6,000	95.6	93.3 - 97.1	6,300
131-185%	100	2.1	0.9 - 4.9	2,400	97.9	95.1 - 99.1	2,400
186+%	100	1.6	0.9 - 2.8	8,000	98.4	97.2 - 99.1	8,200

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	6.2	3.8 - 10.2	2,800	93.8	89.8 - 96.2	3,000
\$10,000-\$24,999	100	2.9	1.5 - 5.5	3,700	97.1	94.5 - 98.5	3,800
\$25,000-\$49,999	100	3.2	1.8 - 5.6	4,100	96.8	94.4 - 98.2	4,200
>=\$50,000	<50	0.4	0.1 - 1.3	5,900	99.6	98.7 - 99.9	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.4	3.2 - 12.5	1,400	93.6	87.5 - 96.8	1,500
Normal birth weight	400	2.6	1.8 - 3.5	16,100	97.4	96.5 - 98.2	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	14.9	9.7 - 22.3	1,400	85.1	77.7 - 90.3	1,700
No	300	1.6	1.1 - 2.4	15,900	98.4	97.6 - 98.9	16,200

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.9	6.1 - 12.7	3,500	91.1	87.3 - 93.9	3,800
No	200	1.2	0.7 - 2.0	13,900	98.8	98.0 - 99.3	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	4.1	2.8 - 6.0	7,300	95.9	94.0 - 97.2	7,600
No	200	2.0	1.3 - 3.2	10,000	98.0	96.8 - 98.7	10,200

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	400	2.3	1.7 - 3.2	16,800	97.7	96.8 - 98.3	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	6.4	3.7 - 10.6	2,100	93.6	89.4 - 96.3	2,200
Honolulu	200	1.5	0.9 - 2.3	12,400	98.5	97.7 - 99.1	12,500
Kauai	<50	3.3	0.9 - 11.7	700	96.7	88.3 - 99.1	700
Maui	100	3.1	1.2 - 7.7	1,600	96.9	92.3 - 98.8	1,700

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.8	1.5 - 5.1	3,600	97.2	94.9 - 98.5	3,700
Native Hawaiian	100	2.7	1.5 - 4.9	4,800	97.3	95.1 - 98.5	4,900
Chinese	<50	1.2	0.4 - 3.9	600	98.8	96.1 - 99.6	600
Filipino	<50	0.5	0.1 - 1.8	3,200	99.5	98.2 - 99.9	3,200
Japanese	100	2.6	1.1 - 5.8	2,200	97.4	94.2 - 98.9	2,300
Other	100	3.3	1.7 - 6.5	2,400	96.7	93.5 - 98.3	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.6	0.9 - 7.5	1,500	97.4	92.5 - 99.1	1,500
20-24	100	2.4	1.3 - 4.6	4,100	97.6	95.4 - 98.7	4,200
25-34	200	2.6	1.7 - 4.0	8,300	97.4	96.0 - 98.3	8,600
35+	<50	1.2	0.4 - 3.1	2,800	98.8	96.9 - 99.6	2,900

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.3	1.5 - 3.6	8,500	97.7	96.4 - 98.5	8,700
Female	200	2.4	1.5 - 3.7	8,200	97.6	96.3 - 98.5	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	0.6	0.3 - 1.3	10,800	99.4	98.7 - 99.7	10,900
No	300	5.3	3.8 - 7.5	5,900	94.7	92.5 - 96.2	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.2	2.8 - 6.3	6,000	95.8	93.7 - 97.2	6,200
131-185%	<50	1.8	0.6 - 5.1	1,800	98.2	94.9 - 99.4	1,800
186+%	100	1.0	0.5 - 1.9	7,600	99.0	98.1 - 99.5	7,700

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	4.8	2.8 - 8.2	2,800	95.2	91.8 - 97.2	3,000
\$10,000-\$24,999	100	4.0	2.4 - 6.8	3,400	96.0	93.2 - 97.6	3,600
\$25,000-\$49,999	100	1.3	0.6 - 3.0	4,000	98.7	97.0 - 99.4	4,000
>=\$50,000	<50	0.6	0.2 - 1.7	5,300	99.4	98.3 - 99.8	5,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.7	1.4 - 9.8	1,200	96.3	90.2 - 98.6	1,300
Normal birth weight	400	2.2	1.6 - 3.1	15,500	97.8	96.9 - 98.4	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.8	8.0 - 19.9	1,200	87.2	80.1 - 92.0	1,400
No	200	1.4	0.9 - 2.2	15,200	98.6	97.8 - 99.1	15,500

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.8	5.3 - 11.3	3,300	92.2	88.7 - 94.7	3,600
No	100	0.9	0.5 - 1.6	13,100	99.1	98.4 - 99.5	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	3.0	2.0 - 4.6	7,100	97.0	95.4 - 98.0	7,300
No	200	1.9	1.2 - 3.0	9,300	98.1	97.0 - 98.8	9,500

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	3.0	2.3 - 3.9	17,000	97.0	96.1 - 97.7	17,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.8	3.4 - 10.0	2,100	94.2	90.0 - 96.6	2,200
Honolulu	300	2.5	1.8 - 3.5	12,400	97.5	96.5 - 98.2	12,700
Kauai	<50	3.7	1.3 - 10.4	800	96.3	89.6 - 98.7	800
Maui	100	2.8	1.2 - 6.4	1,800	97.2	93.6 - 98.8	1,800

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.7	1.6 - 4.7	3,700	97.3	95.3 - 98.4	3,800
Native Hawaiian	200	4.2	2.7 - 6.5	4,700	95.8	93.5 - 97.3	4,900
Chinese	<50	2.3	1.2 - 4.1	600	97.7	95.9 - 98.8	700
Filipino	<50	1.0	0.4 - 2.6	3,200	99.0	97.4 - 99.6	3,300
Japanese	<50	1.8	0.7 - 4.5	2,200	98.2	95.5 - 99.3	2,200
Other	100	5.0	2.9 - 8.7	2,500	95.0	91.3 - 97.1	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	6.8	3.5 - 12.7	1,200	93.2	87.3 - 96.5	1,300
20-24	200	5.1	3.4 - 7.7	4,200	94.9	92.3 - 96.6	4,400
25-34	200	2.0	1.2 - 3.1	8,300	98.0	96.9 - 98.8	8,500
35+	<50	1.5	0.7 - 3.2	3,200	98.5	96.8 - 99.3	3,300

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	1.9	1.2 - 3.0	9,400	98.1	97.0 - 98.8	9,500
Female	400	4.4	3.2 - 6.0	7,600	95.6	94.0 - 96.8	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.7	1.2 - 2.6	12,000	98.3	97.4 - 98.8	12,200
No	300	5.9	4.2 - 8.4	5,000	94.1	91.6 - 95.8	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.2	2.9 - 6.1	6,200	95.8	93.9 - 97.1	6,500
131-185%	<50	1.3	0.4 - 3.7	2,100	98.7	96.3 - 99.6	2,100
186+%	200	2.1	1.3 - 3.3	7,400	97.9	96.7 - 98.7	7,600

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	7.4	4.7 - 11.4	2,500	92.6	88.6 - 95.3	2,700
\$10,000-\$24,999	100	2.1	1.1 - 3.9	4,200	97.9	96.1 - 98.9	4,300
\$25,000-\$49,999	100	2.1	1.1 - 3.8	4,300	97.9	96.2 - 98.9	4,400
>=\$50,000	100	1.5	0.8 - 3.0	4,800	98.5	97.0 - 99.2	4,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.8	2.7 - 11.9	1,000	94.2	88.1 - 97.3	1,100
Normal birth weight	500	2.8	2.1 - 3.8	15,900	97.2	96.2 - 97.9	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.9	6.6 - 17.4	1,300	89.1	82.6 - 93.4	1,400
No	400	2.4	1.7 - 3.2	15,500	97.6	96.8 - 98.3	15,800

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.5	6.0 - 11.9	3,300	91.5	88.1 - 94.0	3,600
No	200	1.6	1.1 - 2.4	13,500	98.4	97.6 - 98.9	13,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.6	2.5 - 5.2	7,500	96.4	94.8 - 97.5	7,800
No	200	2.4	1.6 - 3.6	9,100	97.6	96.4 - 98.4	9,300

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	2.9	2.2 - 3.8	16,800	97.1	96.2 - 97.8	17,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.6	3.1 - 6.9	1,900	95.4	93.1 - 96.9	2,000
Honolulu	300	2.5	1.7 - 3.7	12,400	97.5	96.3 - 98.3	12,700
Kauai	<50	3.9	1.9 - 7.9	800	96.1	92.1 - 98.1	900
Maui	100	3.3	1.9 - 5.5	1,800	96.7	94.5 - 98.1	1,800

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	4.6	2.7 - 7.7	3,600	95.4	92.3 - 97.3	3,800
Native Hawaiian	200	5.1	3.9 - 6.6	4,500	94.9	93.4 - 96.1	4,700
Chinese	0	0.0	-	700	100.0	-	700
Filipino	<50	1.2	0.3 - 4.5	3,700	98.8	95.5 - 99.7	3,800
Japanese	<50	1.0	0.1 - 6.4	2,000	99.0	93.6 - 99.9	2,000
Other	<50	0.9	0.1 - 6.1	2,400	99.1	93.9 - 99.9	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	6.4	3.3 - 12.2	1,500	93.6	87.8 - 96.7	1,600
20-24	100	3.3	2.2 - 4.8	4,000	96.7	95.2 - 97.8	4,100
25-34	200	2.6	1.6 - 4.0	8,500	97.4	96.0 - 98.4	8,700
35+	<50	1.4	0.5 - 3.8	2,900	98.6	96.2 - 99.5	3,000

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	2.9	2.0 - 4.3	8,900	97.1	95.7 - 98.0	9,200
Female	200	2.8	1.9 - 4.3	7,900	97.2	95.7 - 98.1	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.6	1.0 - 2.8	11,200	98.4	97.2 - 99.0	11,300
No	300	5.3	3.8 - 7.2	5,700	94.7	92.8 - 96.2	6,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.0	2.9 - 5.7	7,400	96.0	94.3 - 97.1	7,800
131-185%	<50	0.7	0.3 - 2.1	2,500	99.3	97.9 - 99.7	2,500
186+%	100	1.5	0.7 - 3.4	5,400	98.5	96.6 - 99.3	5,500

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	300	6.9	4.9 - 9.8	3,900	93.1	90.2 - 95.1	4,200
\$15,001-\$25,000	<50	0.9	0.4 - 2.3	2,200	99.1	97.7 - 99.6	2,200
\$25,001-\$40,000	100	1.8	0.8 - 4.3	3,100	98.2	95.7 - 99.2	3,200
>=\$40,001	100	1.2	0.5 - 2.8	6,500	98.8	97.2 - 99.5	6,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	2.7	1.3 - 5.7	1,200	97.3	94.3 - 98.7	1,200
Normal birth weight	500	2.9	2.2 - 3.9	15,600	97.1	96.1 - 97.8	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	14.2	9.6 - 20.6	1,400	85.8	79.4 - 90.4	1,600
No	200	1.5	1.0 - 2.3	15,200	98.5	97.7 - 99.0	15,400

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.0	5.7 - 11.2	3,300	92.0	88.8 - 94.3	3,500
No	200	1.3	0.8 - 2.2	13,100	98.7	97.8 - 99.2	13,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	4.2	2.9 - 5.9	7,000	95.8	94.1 - 97.1	7,300
No	200	1.9	1.2 - 3.1	9,700	98.1	96.9 - 98.8	9,800

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	300	2.0	1.6 - 2.6	16,500	98.0	97.4 - 98.4	16,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.4	2.9 - 6.5	1,900	95.6	93.5 - 97.1	2,000
Honolulu	200	1.3	0.8 - 2.0	12,300	98.7	98.0 - 99.2	12,500
Kauai	<50	6.1	3.2 - 11.2	600	93.9	88.8 - 96.8	700
Maui	100	3.0	1.7 - 5.4	1,700	97.0	94.6 - 98.3	1,800

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.5	1.4 - 4.5	3,500	97.5	95.5 - 98.6	3,600
Native Hawaiian	200	4.4	3.3 - 5.8	4,400	95.6	94.2 - 96.7	4,600
Chinese	<50	3.3	0.5 - 19.4	600	96.7	80.6 - 99.5	600
Filipino	<50	0.6	0.2 - 1.6	3,400	99.4	98.4 - 99.8	3,500
Japanese	<50	0.5	0.1 - 1.9	2,300	99.5	98.1 - 99.9	2,300
Other	0	0.0	-	2,300	100.0	-	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	4.3	2.1 - 8.6	1,500	95.7	91.4 - 97.9	1,500
20-24	100	3.3	2.3 - 4.7	4,100	96.7	95.3 - 97.7	4,200
25-34	100	1.3	0.8 - 2.2	8,300	98.7	97.8 - 99.2	8,400
35+	<50	0.9	0.4 - 2.2	2,700	99.1	97.8 - 99.6	2,700

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.1	1.4 - 3.0	8,200	97.9	97.0 - 98.6	8,400
Female	200	2.0	1.4 - 2.9	8,300	98.0	97.1 - 98.6	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	0.9	0.5 - 1.5	11,400	99.1	98.5 - 99.5	11,500
No	200	4.4	3.2 - 6.0	5,200	95.6	94.0 - 96.8	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	3.5	2.6 - 4.8	6,400	96.5	95.2 - 97.4	6,600
131-185%	<50	1.4	0.7 - 2.6	3,400	98.6	97.4 - 99.3	3,400
186+%	<50	0.9	0.3 - 2.2	5,300	99.1	97.8 - 99.7	5,300

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	200	5.1	3.7 - 7.1	3,200	94.9	92.9 - 96.3	3,300
\$15,001-\$25,000	100	2.2	1.0 - 5.0	2,400	97.8	95.0 - 99.0	2,500
\$25,001-\$40,000	100	1.4	0.8 - 2.6	3,600	98.6	97.4 - 99.2	3,600
>=\$40,001	<50	0.8	0.3 - 1.8	6,300	99.2	98.2 - 99.7	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	1.0	0.3 - 3.7	1,100	99.0	96.3 - 99.7	1,100
Normal birth weight	300	2.1	1.6 - 2.8	15,300	97.9	97.2 - 98.4	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	6.6	4.0 - 10.6	1,300	93.4	89.4 - 96.0	1,400
No	300	1.6	1.2 - 2.3	15,000	98.4	97.7 - 98.8	15,200

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	5.3	3.8 - 7.4	3,100	94.7	92.6 - 96.2	3,200
No	200	1.1	0.7 - 1.8	13,000	98.9	98.2 - 99.3	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	2.7	2.0 - 3.7	6,900	97.3	96.3 - 98.0	7,100
No	200	1.5	1.0 - 2.5	9,600	98.5	97.5 - 99.0	9,700

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	600	3.4	2.7 - 4.2	15,800	96.6	95.8 - 97.3	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	6.2	4.2 - 9.1	1,700	93.8	90.9 - 95.8	1,800
Honolulu	300	2.7	1.9 - 3.7	11,800	97.3	96.3 - 98.1	12,100
Kauai	<50	6.0	3.4 - 10.4	700	94.0	89.6 - 96.6	800
Maui	100	4.2	2.5 - 7.0	1,600	95.8	93.0 - 97.5	1,700

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	4.8	3.1 - 7.3	3,300	95.2	92.7 - 96.9	3,500
Native Hawaiian	200	3.8	3.0 - 4.9	4,300	96.2	95.1 - 97.0	4,500
Chinese	<50	2.1	0.3 - 12.6	700	97.9	87.4 - 99.7	700
Filipino	100	1.8	0.9 - 3.5	3,400	98.2	96.5 - 99.1	3,500
Japanese	<50	0.9	0.3 - 2.4	2,000	99.1	97.6 - 99.7	2,100
Other	100	5.5	3.0 - 9.9	2,100	94.5	90.1 - 97.0	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	4.5	2.9 - 7.0	1,500	95.5	93.0 - 97.1	1,600
20-24	200	4.0	2.7 - 5.9	4,100	96.0	94.1 - 97.3	4,200
25-34	200	2.9	2.0 - 4.1	7,700	97.1	95.9 - 98.0	7,900
35+	100	3.1	1.6 - 6.0	2,500	96.9	94.0 - 98.4	2,600

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	3.4	2.5 - 4.6	8,000	96.6	95.4 - 97.5	8,300
Female	300	3.3	2.4 - 4.6	7,800	96.7	95.4 - 97.6	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.3	1.6 - 3.3	10,700	97.7	96.7 - 98.4	10,900
No	300	5.4	4.1 - 7.2	5,100	94.6	92.8 - 95.9	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.5	3.4 - 6.1	6,000	95.5	93.9 - 96.6	6,300
131-185%	100	2.5	1.4 - 4.4	3,500	97.5	95.6 - 98.6	3,600
186+%	100	1.9	1.1 - 3.1	5,300	98.1	96.9 - 98.9	5,400

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	200	5.1	3.7 - 7.1	3,200	94.9	92.9 - 96.3	3,400
\$15,001-\$25,000	100	4.2	2.2 - 7.8	2,200	95.8	92.2 - 97.8	2,300
\$25,001-\$40,000	100	3.6	2.3 - 5.6	3,400	96.4	94.4 - 97.7	3,600
>=\$40,001	100	1.7	1.0 - 2.9	6,300	98.3	97.1 - 99.0	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.9	1.7 - 8.7	1,000	96.1	91.3 - 98.3	1,000
Normal birth weight	500	3.3	2.6 - 4.2	14,800	96.7	95.8 - 97.4	15,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.8	7.5 - 15.3	1,400	89.2	84.7 - 92.5	1,500
No	400	2.5	1.9 - 3.3	14,200	97.5	96.7 - 98.1	14,500

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.7	5.7 - 10.2	3,100	92.3	89.8 - 94.3	3,300
No	300	2.2	1.5 - 3.0	12,200	97.8	97.0 - 98.5	12,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	4.7	3.5 - 6.3	6,600	95.3	93.7 - 96.5	6,900
No	200	2.4	1.7 - 3.4	9,100	97.6	96.6 - 98.3	9,400

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	2.8	2.2 - 3.5	16,200	97.2	96.5 - 97.8	16,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	3.4	2.0 - 5.6	1,800	96.6	94.4 - 98.0	1,900
Honolulu	300	2.4	1.7 - 3.4	12,100	97.6	96.6 - 98.3	12,400
Kauai	<50	5.1	2.6 - 10.0	600	94.9	90.0 - 97.4	700
Maui	100	3.6	2.2 - 6.0	1,600	96.4	94.0 - 97.8	1,700

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	3.0	1.9 - 4.8	3,900	97.0	95.2 - 98.1	4,000
Native Hawaiian	200	4.5	3.5 - 5.7	4,300	95.5	94.3 - 96.5	4,500
Chinese	0	0.0	-	600	100.0	-	600
Filipino	100	1.8	0.6 - 4.9	3,300	98.2	95.1 - 99.4	3,400
Japanese	<50	2.3	0.8 - 6.3	2,000	97.7	93.7 - 99.2	2,000
Other	<50	1.6	0.6 - 4.6	2,100	98.4	95.4 - 99.4	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.2	4.5 - 11.3	1,700	92.8	88.7 - 95.5	1,900
20-24	100	2.5	1.5 - 4.3	3,900	97.5	95.7 - 98.5	4,000
25-34	200	2.3	1.5 - 3.4	7,800	97.7	96.6 - 98.5	8,000
35+	<50	1.6	0.9 - 3.1	2,800	98.4	96.9 - 99.1	2,900

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.6	1.8 - 3.8	8,400	97.4	96.2 - 98.2	8,600
Female	200	2.9	2.1 - 4.1	7,800	97.1	95.9 - 97.9	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	1.2	0.8 - 1.7	11,400	98.8	98.3 - 99.2	11,500
No	300	6.3	4.7 - 8.5	4,900	93.7	91.5 - 95.3	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	3.5	2.6 - 4.6	7,000	96.5	95.4 - 97.4	7,200
131-185%	<50	1.4	0.7 - 2.9	2,200	98.6	97.1 - 99.3	2,200
186+%	100	2.4	1.4 - 4.2	6,000	97.6	95.8 - 98.6	6,200

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	200	5.4	4.0 - 7.4	3,700	94.6	92.6 - 96.0	4,000
\$15,001-\$25,000	<50	0.7	0.3 - 1.8	2,700	99.3	98.2 - 99.7	2,700
\$25,001-\$40,000	100	3.1	1.9 - 5.0	3,000	96.9	95.0 - 98.1	3,100
>=\$40,001	100	1.9	1.0 - 3.6	6,100	98.1	96.4 - 99.0	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.8	2.3 - 9.9	1,000	95.2	90.1 - 97.7	1,100
Normal birth weight	400	2.5	1.9 - 3.3	15,100	97.5	96.7 - 98.1	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.0	6.4 - 15.5	1,200	90.0	84.5 - 93.6	1,400
No	300	2.1	1.6 - 2.8	14,500	97.9	97.2 - 98.4	14,800

PRAMS Health Indicator Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.0	5.7 - 11.0	3,000	92.0	89.0 - 94.3	3,300
No	200	1.4	1.0 - 2.1	12,600	98.6	97.9 - 99.0	12,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	3.3	2.5 - 4.4	7,000	96.7	95.6 - 97.5	7,200
No	200	2.4	1.6 - 3.6	9,000	97.6	96.4 - 98.4	9,200