

**PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- for the State of Hawaii,
for the Year(s)**

2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004. Because of this, income data does not exist for some 3-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Illicit drug use in pregnancy	Illicit drug use in pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/13/13

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- for the State of Hawaii,
for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	500	2.7	2.4 - 3.1	16,200	97.3	96.9 - 97.6	16,600
2001-2003	500	2.8	2.4 - 3.2	16,400	97.2	96.8 - 97.6	16,900
2002-2004	500	2.7	2.3 - 3.1	16,800	97.3	96.9 - 97.7	17,200
2003-2005	500	2.7	2.3 - 3.2	16,900	97.3	96.8 - 97.7	17,300
2004-2006	500	2.7	2.3 - 3.2	17,100	97.3	96.8 - 97.7	17,600
2005-2007	500	2.7	2.2 - 3.2	17,400	97.3	96.8 - 97.8	17,800
2006-2008	500	2.7	2.2 - 3.2	17,800	97.3	96.8 - 97.8	18,300
2007-2009	500	2.7	2.3 - 3.3	17,700	97.3	96.7 - 97.7	18,200
2008-2010	500	2.6	2.1 - 3.2	17,700	97.4	96.8 - 97.9	18,100
2009-2011	500	3.0	2.5 - 3.6	17,500	97.0	96.4 - 97.5	18,000

**PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- for the State of Hawaii,
for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	500	3.0	2.5 - 3.6	17,500	97.0	96.4 - 97.5	18,000

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.0	3.8 - 6.4	2,200	95.0	93.6 - 96.2	2,300
Honolulu	300	2.0	1.4 - 2.8	12,600	98.0	97.2 - 98.6	12,900
Kauai	<50	4.8	3.5 - 6.6	800	95.2	93.4 - 96.5	800
Maui	100	6.4	5.2 - 7.9	1,900	93.6	92.1 - 94.8	2,000

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	3.8	2.8 - 5.2	4,200	96.2	94.8 - 97.2	4,400
Native Hawaiian	200	4.2	3.1 - 5.7	5,300	95.8	94.3 - 96.9	5,500
Chinese	<50	1.6	0.4 - 6.5	700	98.4	93.5 - 99.6	700
Filipino	100	2.3	1.3 - 4.2	3,100	97.7	95.8 - 98.7	3,200
Japanese	<50	0.5	0.2 - 1.2	1,700	99.5	98.8 - 99.8	1,700
Other	<50	1.8	1.1 - 2.9	2,500	98.2	97.1 - 98.9	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.3	2.9 - 9.6	1,200	94.7	90.4 - 97.1	1,300
20-24	200	3.7	2.6 - 5.2	4,100	96.3	94.8 - 97.4	4,300
25-34	200	2.5	1.9 - 3.3	9,100	97.5	96.7 - 98.1	9,300
35+	100	2.3	1.3 - 4.0	3,000	97.7	96.0 - 98.7	3,100

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	2.7	2.0 - 3.6	9,000	97.3	96.4 - 98.0	9,300
Female	300	3.3	2.5 - 4.2	8,400	96.7	95.8 - 97.5	8,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	1.1	0.8 - 1.6	10,900	98.9	98.4 - 99.2	11,000
No	400	5.9	4.7 - 7.3	6,600	94.1	92.7 - 95.3	7,000

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.6	3.6 - 5.9	6,100	95.4	94.1 - 96.4	6,400
131-185%	100	2.4	1.4 - 4.0	2,800	97.6	96.0 - 98.6	2,800
186+%	200	2.0	1.4 - 2.9	7,500	98.0	97.1 - 98.6	7,700

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	6.6	4.9 - 8.9	3,000	93.4	91.1 - 95.1	3,200
\$10,000-\$24,999	100	3.1	2.2 - 4.5	3,400	96.9	95.5 - 97.8	3,500
\$25,000-\$49,999	100	2.1	1.4 - 3.2	4,200	97.9	96.8 - 98.6	4,300
>=\$50,000	100	1.9	1.2 - 2.9	6,000	98.1	97.1 - 98.8	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.0	2.1 - 4.3	1,300	97.0	95.7 - 97.9	1,300
Normal birth weight	500	3.0	2.4 - 3.7	16,200	97.0	96.3 - 97.6	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.5	7.3 - 14.9	1,200	89.5	85.1 - 92.7	1,300
No	400	2.3	1.9 - 2.9	16,000	97.7	97.1 - 98.1	16,400

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.4	5.7 - 9.5	3,500	92.6	90.5 - 94.3	3,700
No	200	1.7	1.3 - 2.3	13,700	98.3	97.7 - 98.7	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	4.1	3.2 - 5.2	7,500	95.9	94.8 - 96.8	7,800
No	200	2.1	1.6 - 2.8	9,700	97.9	97.2 - 98.4	9,900

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	500	2.6	2.1 - 3.2	17,700	97.4	96.8 - 97.9	18,100

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	3.5	2.5 - 4.9	2,300	96.5	95.1 - 97.5	2,400
Honolulu	200	1.9	1.3 - 2.6	12,600	98.1	97.4 - 98.7	12,800
Kauai	<50	3.8	2.4 - 6.0	800	96.2	94.0 - 97.6	800
Maui	100	5.6	4.3 - 7.4	2,000	94.4	92.6 - 95.7	2,100

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	3.2	2.2 - 4.4	4,200	96.8	95.6 - 97.8	4,300
Native Hawaiian	200	3.7	2.7 - 5.1	5,300	96.3	94.9 - 97.3	5,500
Chinese	<50	0.6	0.2 - 1.7	700	99.4	98.3 - 99.8	700
Filipino	100	1.8	1.0 - 3.3	3,200	98.2	96.7 - 99.0	3,300
Japanese	<50	1.6	0.8 - 3.2	1,700	98.4	96.8 - 99.2	1,700
Other	<50	1.6	0.9 - 2.8	2,600	98.4	97.2 - 99.1	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	4.8	2.8 - 8.2	1,400	95.2	91.8 - 97.2	1,500
20-24	100	3.2	2.2 - 4.7	4,000	96.8	95.3 - 97.8	4,200
25-34	200	2.0	1.5 - 2.6	9,100	98.0	97.4 - 98.5	9,300
35+	100	2.6	1.6 - 4.4	3,100	97.4	95.6 - 98.4	3,200

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.5	1.9 - 3.3	9,200	97.5	96.7 - 98.1	9,500
Female	200	2.7	2.1 - 3.6	8,400	97.3	96.4 - 97.9	8,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	1.0	0.7 - 1.4	11,000	99.0	98.6 - 99.3	11,100
No	400	5.2	4.1 - 6.5	6,700	94.8	93.5 - 95.9	7,000

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.3	3.3 - 5.5	6,200	95.7	94.5 - 96.7	6,500
131-185%	100	2.2	1.2 - 3.9	2,700	97.8	96.1 - 98.8	2,800
186+%	100	1.5	1.0 - 2.2	7,500	98.5	97.8 - 99.0	7,600

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	6.0	4.4 - 8.2	3,000	94.0	91.8 - 95.6	3,200
\$10,000-\$24,999	100	3.0	2.1 - 4.4	3,500	97.0	95.6 - 97.9	3,600
\$25,000-\$49,999	100	2.1	1.4 - 3.3	4,000	97.9	96.7 - 98.6	4,100
>=\$50,000	100	1.2	0.7 - 2.0	6,000	98.8	98.0 - 99.3	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	1.8	1.0 - 3.1	1,300	98.2	96.9 - 99.0	1,300
Normal birth weight	500	2.7	2.2 - 3.3	16,300	97.3	96.7 - 97.8	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.6	6.7 - 13.5	1,400	90.4	86.5 - 93.3	1,600
No	300	1.9	1.5 - 2.4	15,900	98.1	97.6 - 98.5	16,200

**PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	6.9	5.3 - 9.0	3,500	93.1	91.0 - 94.7	3,700
No	200	1.4	1.1 - 1.9	13,800	98.6	98.1 - 98.9	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.8	2.9 - 4.9	7,400	96.2	95.1 - 97.1	7,700
No	200	1.7	1.2 - 2.2	9,900	98.3	97.8 - 98.8	10,100

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	500	2.7	2.3 - 3.3	17,700	97.3	96.7 - 97.7	18,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	3.5	2.4 - 4.9	2,300	96.5	95.1 - 97.6	2,400
Honolulu	300	2.1	1.5 - 2.7	12,500	97.9	97.3 - 98.5	12,700
Kauai	<50	4.3	2.5 - 7.3	900	95.7	92.7 - 97.5	900
Maui	100	5.2	3.8 - 7.0	2,000	94.8	93.0 - 96.2	2,100

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.8	2.0 - 4.1	4,100	97.2	95.9 - 98.0	4,200
Native Hawaiian	200	4.0	3.0 - 5.4	5,200	96.0	94.6 - 97.0	5,400
Chinese	<50	0.9	0.4 - 2.2	700	99.1	97.8 - 99.6	700
Filipino	100	1.8	1.1 - 3.0	3,200	98.2	97.0 - 98.9	3,300
Japanese	<50	2.0	1.1 - 3.7	1,900	98.0	96.3 - 98.9	1,900
Other	100	2.0	1.2 - 3.2	2,700	98.0	96.8 - 98.8	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.4	3.5 - 8.3	1,600	94.6	91.7 - 96.5	1,700
20-24	100	3.3	2.4 - 4.7	4,100	96.7	95.3 - 97.6	4,200
25-34	200	2.0	1.5 - 2.7	9,000	98.0	97.3 - 98.5	9,200
35+	100	2.5	1.5 - 4.0	3,100	97.5	96.0 - 98.5	3,200

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.5	1.9 - 3.2	9,400	97.5	96.8 - 98.1	9,600
Female	300	3.0	2.3 - 3.8	8,400	97.0	96.2 - 97.7	8,600

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	1.0	0.8 - 1.4	11,000	99.0	98.6 - 99.2	11,100
No	400	5.3	4.3 - 6.6	6,700	94.7	93.4 - 95.7	7,100

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.4	3.5 - 5.6	6,400	95.6	94.4 - 96.5	6,700
131-185%	100	2.1	1.2 - 3.5	2,600	97.9	96.5 - 98.8	2,700
186+%	100	1.5	1.0 - 2.1	7,400	98.5	97.9 - 99.0	7,500

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	6.4	4.7 - 8.5	2,900	93.6	91.5 - 95.3	3,100
\$10,000-\$24,999	100	3.2	2.2 - 4.6	3,700	96.8	95.4 - 97.8	3,900
\$25,000-\$49,999	100	1.6	1.0 - 2.3	4,000	98.4	97.7 - 99.0	4,000
>=\$50,000	100	1.3	0.8 - 2.1	5,900	98.7	97.9 - 99.2	6,000

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.0	1.7 - 5.2	1,300	97.0	94.8 - 98.3	1,400
Normal birth weight	500	2.7	2.2 - 3.3	16,400	97.3	96.7 - 97.8	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.0	8.0 - 14.9	1,400	89.0	85.1 - 92.0	1,600
No	300	1.9	1.5 - 2.3	15,900	98.1	97.7 - 98.5	16,300

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.9	6.2 - 10.0	3,400	92.1	90.0 - 93.8	3,700
No	200	1.3	1.0 - 1.8	14,000	98.7	98.2 - 99.0	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.9	3.1 - 5.0	7,300	96.1	95.0 - 96.9	7,600
No	200	1.7	1.3 - 2.3	10,000	98.3	97.7 - 98.7	10,200

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	500	2.7	2.2 - 3.2	17,800	97.3	96.8 - 97.8	18,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	2.7	1.7 - 4.3	2,300	97.3	95.7 - 98.3	2,300
Honolulu	300	2.1	1.6 - 2.6	12,700	97.9	97.4 - 98.4	12,900
Kauai	100	7.2	4.4 - 11.4	900	92.8	88.6 - 95.6	900
Maui	100	4.4	3.0 - 6.6	2,000	95.6	93.4 - 97.0	2,100

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.4	1.7 - 3.4	4,100	97.6	96.6 - 98.3	4,200
Native Hawaiian	200	4.2	3.2 - 5.5	4,900	95.8	94.5 - 96.8	5,100
Chinese	<50	0.7	0.3 - 2.0	600	99.3	98.0 - 99.7	600
Filipino	100	1.7	1.1 - 2.7	3,300	98.3	97.3 - 98.9	3,400
Japanese	<50	2.0	1.1 - 3.6	2,100	98.0	96.4 - 98.9	2,100
Other	100	2.4	1.5 - 3.9	2,800	97.6	96.1 - 98.5	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.5	3.6 - 8.4	1,500	94.5	91.6 - 96.4	1,600
20-24	100	3.1	2.2 - 4.2	4,200	96.9	95.8 - 97.8	4,300
25-34	200	2.3	1.8 - 3.0	8,900	97.7	97.0 - 98.2	9,100
35+	100	1.8	1.1 - 3.0	3,200	98.2	97.0 - 98.9	3,300

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender							
Male	300	2.7	2.1 - 3.4	9,200	97.3	96.6 - 97.9	9,500
Female	200	2.7	2.1 - 3.5	8,600	97.3	96.5 - 97.9	8,800

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married							
Yes	100	1.2	0.9 - 1.6	11,300	98.8	98.4 - 99.1	11,500
No	400	5.2	4.2 - 6.3	6,500	94.8	93.7 - 95.8	6,800

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level							
0-130%	300	4.3	3.4 - 5.4	6,400	95.7	94.6 - 96.6	6,700
131-185%	<50	1.9	1.1 - 3.2	2,500	98.1	96.8 - 98.9	2,600
186+%	100	1.4	1.0 - 2.0	7,700	98.6	98.0 - 99.0	7,800

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	6.1	4.6 - 8.1	2,900	93.9	91.9 - 95.4	3,100
\$10,000-\$24,999	100	3.0	2.1 - 4.3	3,700	97.0	95.7 - 97.9	3,800
\$25,000-\$49,999	100	2.0	1.3 - 3.0	4,100	98.0	97.0 - 98.7	4,200
>=\$50,000	100	0.9	0.6 - 1.5	5,900	99.1	98.5 - 99.4	6,000

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.6	2.8 - 7.3	1,400	95.4	92.7 - 97.2	1,400
Normal birth weight	400	2.5	2.1 - 3.0	16,400	97.5	97.0 - 97.9	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.7	9.7 - 16.5	1,400	87.3	83.5 - 90.3	1,600
No	300	1.7	1.4 - 2.1	16,100	98.3	97.9 - 98.6	16,400

**PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.2	6.6 - 10.3	3,300	91.8	89.7 - 93.4	3,600
No	200	1.3	1.0 - 1.7	14,200	98.7	98.3 - 99.0	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.8	3.0 - 4.8	7,400	96.2	95.2 - 97.0	7,700
No	200	1.8	1.4 - 2.4	10,100	98.2	97.6 - 98.6	10,300

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	500	2.7	2.2 - 3.2	17,400	97.3	96.8 - 97.8	17,800

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.0	2.7 - 5.9	2,200	96.0	94.1 - 97.3	2,300
Honolulu	200	1.9	1.5 - 2.5	12,500	98.1	97.5 - 98.5	12,800
Kauai	100	7.6	4.7 - 12.0	800	92.4	88.0 - 95.3	900
Maui	100	3.9	2.5 - 6.0	1,800	96.1	94.0 - 97.5	1,900

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.8	2.0 - 3.9	3,900	97.2	96.1 - 98.0	4,000
Native Hawaiian	200	3.9	2.9 - 5.2	4,800	96.1	94.8 - 97.1	5,000
Chinese	<50	0.9	0.4 - 2.2	600	99.1	97.8 - 99.6	600
Filipino	<50	1.4	0.8 - 2.3	3,200	98.6	97.7 - 99.2	3,300
Japanese	<50	1.7	0.9 - 3.2	2,100	98.3	96.8 - 99.1	2,200
Other	100	3.1	2.1 - 4.7	2,700	96.9	95.3 - 97.9	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	4.7	2.9 - 7.5	1,500	95.3	92.5 - 97.1	1,600
20-24	100	3.0	2.2 - 4.2	4,300	97.0	95.8 - 97.8	4,400
25-34	200	2.6	2.0 - 3.3	8,600	97.4	96.7 - 98.0	8,800
35+	<50	1.5	0.9 - 2.5	3,000	98.5	97.5 - 99.1	3,100

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.6	2.1 - 3.4	8,900	97.4	96.6 - 97.9	9,100
Female	200	2.7	2.1 - 3.5	8,500	97.3	96.5 - 97.9	8,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	1.0	0.7 - 1.5	11,100	99.0	98.5 - 99.3	11,300
No	400	5.5	4.5 - 6.7	6,200	94.5	93.3 - 95.5	6,600

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.4	3.5 - 5.5	6,200	95.6	94.5 - 96.5	6,400
131-185%	<50	1.9	1.1 - 3.3	2,300	98.1	96.7 - 98.9	2,300
186+%	100	1.3	0.9 - 1.9	7,700	98.7	98.1 - 99.1	7,800

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	6.0	4.5 - 8.0	2,800	94.0	92.0 - 95.5	3,000
\$10,000-\$24,999	100	3.3	2.3 - 4.6	3,600	96.7	95.4 - 97.7	3,700
\$25,000-\$49,999	100	1.8	1.2 - 2.7	4,100	98.2	97.3 - 98.8	4,200
>=\$50,000	100	0.9	0.5 - 1.5	5,700	99.1	98.5 - 99.5	5,700

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.4	3.5 - 8.3	1,400	94.6	91.7 - 96.5	1,400
Normal birth weight	400	2.4	2.0 - 2.9	16,000	97.6	97.1 - 98.0	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	14.0	10.8 - 18.0	1,300	86.0	82.0 - 89.2	1,500
No	300	1.6	1.3 - 2.0	15,800	98.4	98.0 - 98.7	16,000

**PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.7	7.0 - 10.7	3,400	91.3	89.3 - 93.0	3,700
No	200	1.1	0.8 - 1.5	13,700	98.9	98.5 - 99.2	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.8	3.0 - 4.8	7,200	96.2	95.2 - 97.0	7,500
No	200	1.9	1.4 - 2.4	9,800	98.1	97.6 - 98.6	10,000

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	500	2.7	2.3 - 3.2	17,100	97.3	96.8 - 97.7	17,600

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.1	3.6 - 7.1	2,100	94.9	92.9 - 96.4	2,200
Honolulu	300	2.0	1.6 - 2.5	12,600	98.0	97.5 - 98.4	12,800
Kauai	100	6.6	3.9 - 11.1	800	93.4	88.9 - 96.1	800
Maui	100	3.5	2.2 - 5.5	1,700	96.5	94.5 - 97.8	1,800

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.8	2.0 - 3.9	3,800	97.2	96.1 - 98.0	3,900
Native Hawaiian	200	3.9	2.9 - 5.1	4,700	96.1	94.9 - 97.1	4,900
Chinese	<50	1.2	0.7 - 2.1	600	98.8	97.9 - 99.3	600
Filipino	<50	1.0	0.5 - 1.7	3,200	99.0	98.3 - 99.5	3,300
Japanese	<50	1.7	0.9 - 3.1	2,200	98.3	96.9 - 99.1	2,200
Other	100	4.0	2.8 - 5.7	2,500	96.0	94.3 - 97.2	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	4.3	2.6 - 7.0	1,400	95.7	93.0 - 97.4	1,400
20-24	100	3.3	2.5 - 4.5	4,200	96.7	95.5 - 97.5	4,300
25-34	200	2.7	2.1 - 3.4	8,500	97.3	96.6 - 97.9	8,700
35+	<50	1.4	0.8 - 2.4	3,100	98.6	97.6 - 99.2	3,100

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.4	1.9 - 3.1	9,000	97.6	96.9 - 98.1	9,200
Female	300	3.1	2.5 - 3.9	8,100	96.9	96.1 - 97.5	8,400

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	1.3	0.9 - 1.7	11,400	98.7	98.3 - 99.1	11,500
No	300	5.6	4.5 - 6.8	5,700	94.4	93.2 - 95.5	6,100

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.3	3.4 - 5.4	6,100	95.7	94.6 - 96.6	6,300
131-185%	<50	1.7	1.0 - 3.1	2,100	98.3	96.9 - 99.0	2,100
186+%	100	1.5	1.1 - 2.1	7,700	98.5	97.9 - 98.9	7,800

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	6.1	4.6 - 8.1	2,700	93.9	91.9 - 95.4	2,900
\$10,000-\$24,999	100	2.9	2.1 - 4.2	3,800	97.1	95.8 - 97.9	3,900
\$25,000-\$49,999	100	2.2	1.5 - 3.2	4,100	97.8	96.8 - 98.5	4,200
>=\$50,000	<50	0.8	0.5 - 1.3	5,300	99.2	98.7 - 99.5	5,400

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.4	3.4 - 8.4	1,200	94.6	91.6 - 96.6	1,300
Normal birth weight	400	2.5	2.1 - 3.0	15,900	97.5	97.0 - 97.9	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.0	9.9 - 16.8	1,300	87.0	83.2 - 90.1	1,500
No	300	1.8	1.5 - 2.2	15,500	98.2	97.8 - 98.5	15,800

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.4	6.8 - 10.3	3,400	91.6	89.7 - 93.2	3,700
No	200	1.3	1.0 - 1.6	13,500	98.7	98.4 - 99.0	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.6	2.9 - 4.5	7,300	96.4	95.5 - 97.1	7,600
No	200	2.1	1.6 - 2.7	9,500	97.9	97.3 - 98.4	9,700

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	500	2.7	2.3 - 3.2	16,900	97.3	96.8 - 97.7	17,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.6	4.2 - 7.6	2,000	94.4	92.4 - 95.8	2,100
Honolulu	300	2.2	1.7 - 2.7	12,400	97.8	97.3 - 98.3	12,600
Kauai	<50	3.6	2.0 - 6.5	800	96.4	93.5 - 98.0	800
Maui	100	3.1	2.0 - 4.7	1,700	96.9	95.3 - 98.0	1,800

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	3.4	2.4 - 4.7	3,600	96.6	95.3 - 97.6	3,800
Native Hawaiian	200	4.0	3.1 - 5.0	4,600	96.0	95.0 - 96.9	4,800
Chinese	<50	1.1	0.6 - 2.0	600	98.9	98.0 - 99.4	600
Filipino	<50	0.9	0.4 - 1.9	3,400	99.1	98.1 - 99.6	3,400
Japanese	<50	1.8	1.0 - 3.3	2,100	98.2	96.7 - 99.0	2,200
Other	100	3.2	2.1 - 4.8	2,400	96.8	95.2 - 97.9	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.2	3.4 - 8.0	1,400	94.8	92.0 - 96.6	1,500
20-24	200	3.6	2.8 - 4.8	4,100	96.4	95.2 - 97.2	4,300
25-34	200	2.4	1.8 - 3.1	8,400	97.6	96.9 - 98.2	8,600
35+	<50	1.3	0.8 - 2.3	3,000	98.7	97.7 - 99.2	3,000

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.4	1.8 - 3.0	8,900	97.6	97.0 - 98.2	9,200
Female	300	3.2	2.5 - 4.0	7,900	96.8	96.0 - 97.5	8,200

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.3	1.0 - 1.8	11,300	98.7	98.2 - 99.0	11,500
No	300	5.5	4.5 - 6.7	5,500	94.5	93.3 - 95.5	5,900

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.1	3.3 - 5.1	6,500	95.9	94.9 - 96.7	6,800
131-185%	<50	1.2	0.6 - 2.3	2,100	98.8	97.7 - 99.4	2,100
186+%	100	1.5	1.1 - 2.2	6,800	98.5	97.8 - 98.9	6,900

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	<50	4.0	2.4 - 6.5	1,200	96.0	93.5 - 97.6	1,200
Normal birth weight	400	2.7	2.2 - 3.2	15,700	97.3	96.8 - 97.8	16,100

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester							
Yes	200	12.7	9.8 - 16.3	1,300	87.3	83.7 - 90.2	1,500
No	300	1.8	1.4 - 2.2	15,300	98.2	97.8 - 98.6	15,600

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke Before Pregnant							
Yes	300	8.1	6.6 - 9.9	3,300	91.9	90.1 - 93.4	3,600
No	200	1.3	1.0 - 1.7	13,200	98.7	98.3 - 99.0	13,400

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.6	2.9 - 4.5	7,200	96.4	95.5 - 97.1	7,500
No	200	2.1	1.6 - 2.7	9,400	97.9	97.3 - 98.4	9,600

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	500	2.7	2.3 - 3.1	16,800	97.3	96.9 - 97.7	17,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.0	3.7 - 6.6	1,900	95.0	93.4 - 96.3	2,000
Honolulu	300	2.1	1.7 - 2.7	12,400	97.9	97.3 - 98.3	12,600
Kauai	<50	4.5	2.8 - 7.0	700	95.5	93.0 - 97.2	800
Maui	100	3.0	2.1 - 4.4	1,700	97.0	95.6 - 97.9	1,800

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	3.3	2.4 - 4.5	3,600	96.7	95.5 - 97.6	3,700
Native Hawaiian	200	4.5	3.7 - 5.5	4,500	95.5	94.5 - 96.3	4,700
Chinese	<50	1.8	0.6 - 5.4	600	98.2	94.6 - 99.4	600
Filipino	<50	0.9	0.5 - 1.9	3,500	99.1	98.1 - 99.5	3,500
Japanese	<50	1.1	0.5 - 2.3	2,200	98.9	97.7 - 99.5	2,200
Other	100	2.1	1.2 - 3.6	2,400	97.9	96.4 - 98.8	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.8	3.9 - 8.5	1,400	94.2	91.5 - 96.1	1,500
20-24	200	3.9	3.1 - 5.0	4,100	96.1	95.0 - 96.9	4,200
25-34	200	2.0	1.5 - 2.6	8,400	98.0	97.4 - 98.5	8,500
35+	<50	1.3	0.7 - 2.2	3,000	98.7	97.8 - 99.3	3,000

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.3	1.8 - 2.9	8,800	97.7	97.1 - 98.2	9,000
Female	300	3.0	2.5 - 3.8	8,000	97.0	96.2 - 97.5	8,200

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.4	1.1 - 1.9	11,500	98.6	98.1 - 98.9	11,700
No	300	5.2	4.3 - 6.3	5,300	94.8	93.7 - 95.7	5,600

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	3.9	3.2 - 4.8	6,700	96.1	95.2 - 96.8	6,900
131-185%	<50	1.2	0.7 - 1.9	2,600	98.8	98.1 - 99.3	2,700
186+%	100	1.6	1.1 - 2.3	6,000	98.4	97.7 - 98.9	6,100

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.1	1.8 - 5.2	1,100	96.9	94.8 - 98.2	1,200
Normal birth weight	400	2.6	2.2 - 3.1	15,600	97.4	96.9 - 97.8	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.8	8.2 - 14.0	1,300	89.2	86.0 - 91.8	1,500
No	300	1.8	1.5 - 2.2	15,200	98.2	97.8 - 98.5	15,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.4	6.0 - 9.0	3,200	92.6	91.0 - 94.0	3,500
No	200	1.4	1.0 - 1.8	13,200	98.6	98.2 - 99.0	13,400

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.5	2.9 - 4.3	7,100	96.5	95.7 - 97.1	7,400
No	200	2.0	1.5 - 2.5	9,500	98.0	97.5 - 98.5	9,600

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	500	2.8	2.4 - 3.2	16,400	97.2	96.8 - 97.6	16,900

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.0	4.0 - 6.3	1,800	95.0	93.7 - 96.0	1,900
Honolulu	300	2.1	1.7 - 2.7	12,100	97.9	97.3 - 98.3	12,400
Kauai	<50	5.2	3.6 - 7.5	700	94.8	92.5 - 96.4	800
Maui	100	3.5	2.6 - 4.8	1,700	96.5	95.2 - 97.4	1,800

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	4.0	2.9 - 5.3	3,500	96.0	94.7 - 97.1	3,600
Native Hawaiian	200	4.4	3.8 - 5.2	4,400	95.6	94.8 - 96.2	4,600
Chinese	<50	1.7	0.4 - 6.6	700	98.3	93.4 - 99.6	700
Filipino	<50	1.2	0.6 - 2.2	3,500	98.8	97.8 - 99.4	3,600
Japanese	<50	0.8	0.3 - 1.9	2,100	99.2	98.1 - 99.7	2,100
Other	<50	2.0	1.1 - 3.7	2,300	98.0	96.3 - 98.9	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.1	3.5 - 7.3	1,500	94.9	92.7 - 96.5	1,600
20-24	100	3.5	2.8 - 4.4	4,000	96.5	95.6 - 97.2	4,200
25-34	200	2.3	1.8 - 2.9	8,200	97.7	97.1 - 98.2	8,300
35+	<50	1.8	1.1 - 2.9	2,700	98.2	97.1 - 98.9	2,800

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	2.8	2.3 - 3.4	8,400	97.2	96.6 - 97.7	8,600
Female	200	2.7	2.2 - 3.4	8,000	97.3	96.6 - 97.8	8,200

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.6	1.2 - 2.1	11,100	98.4	97.9 - 98.8	11,300
No	300	5.0	4.2 - 6.0	5,300	95.0	94.0 - 95.8	5,600

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.0	3.3 - 4.8	6,600	96.0	95.2 - 96.7	6,900
131-185%	100	1.6	1.1 - 2.4	3,100	98.4	97.6 - 98.9	3,200
186+%	100	1.4	0.9 - 2.2	5,300	98.6	97.8 - 99.1	5,400

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	200	5.8	4.7 - 7.1	3,400	94.2	92.9 - 95.3	3,700
\$15,001-\$25,000	100	2.5	1.6 - 3.9	2,300	97.5	96.1 - 98.4	2,300
\$25,001-\$40,000	100	2.3	1.6 - 3.2	3,400	97.7	96.8 - 98.4	3,500
>=\$40,001	100	1.2	0.8 - 1.9	6,400	98.8	98.1 - 99.2	6,500

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	2.5	1.5 - 4.2	1,100	97.5	95.8 - 98.5	1,100
Normal birth weight	400	2.8	2.4 - 3.2	15,300	97.2	96.8 - 97.6	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.8	8.4 - 13.6	1,300	89.2	86.4 - 91.6	1,500
No	300	1.9	1.5 - 2.3	14,800	98.1	97.7 - 98.5	15,100

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.1	5.8 - 8.5	3,100	92.9	91.5 - 94.2	3,400
No	200	1.5	1.2 - 1.9	12,800	98.5	98.1 - 98.8	13,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.8	3.2 - 4.6	6,800	96.2	95.4 - 96.8	7,100
No	200	1.9	1.5 - 2.5	9,500	98.1	97.5 - 98.5	9,600

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	500	2.7	2.4 - 3.1	16,200	97.3	96.9 - 97.6	16,600

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.6	3.6 - 5.9	1,800	95.4	94.1 - 96.4	1,900
Honolulu	300	2.1	1.7 - 2.6	12,100	97.9	97.4 - 98.3	12,300
Kauai	<50	5.8	4.0 - 8.2	700	94.2	91.8 - 96.0	700
Maui	100	3.6	2.7 - 4.9	1,700	96.4	95.1 - 97.3	1,700

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	3.4	2.6 - 4.5	3,600	96.6	95.5 - 97.4	3,700
Native Hawaiian	200	4.2	3.6 - 4.9	4,300	95.8	95.1 - 96.4	4,500
Chinese	<50	1.8	0.5 - 6.7	600	98.2	93.3 - 99.5	600
Filipino	<50	1.4	0.8 - 2.4	3,400	98.6	97.6 - 99.2	3,400
Japanese	<50	1.2	0.6 - 2.4	2,100	98.8	97.6 - 99.4	2,100
Other	100	2.3	1.4 - 3.9	2,200	97.7	96.1 - 98.6	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.4	4.0 - 7.4	1,600	94.6	92.6 - 96.0	1,700
20-24	100	3.3	2.6 - 4.2	4,000	96.7	95.8 - 97.4	4,100
25-34	200	2.2	1.7 - 2.7	7,900	97.8	97.3 - 98.3	8,100
35+	100	1.9	1.2 - 2.9	2,700	98.1	97.1 - 98.8	2,700

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender							
Male	200	2.7	2.2 - 3.3	8,200	97.3	96.7 - 97.8	8,400
Female	200	2.7	2.2 - 3.3	8,000	97.3	96.7 - 97.8	8,200

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married							
Yes	200	1.5	1.1 - 1.8	11,100	98.5	98.2 - 98.9	11,300
No	300	5.4	4.5 - 6.4	5,100	94.6	93.6 - 95.5	5,300

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level							
0-130%	300	3.8	3.2 - 4.5	6,400	96.2	95.5 - 96.8	6,700
131-185%	100	1.8	1.2 - 2.7	3,000	98.2	97.3 - 98.8	3,100
186+%	100	1.8	1.2 - 2.5	5,500	98.2	97.5 - 98.8	5,600

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	200	5.2	4.3 - 6.3	3,400	94.8	93.7 - 95.7	3,600
\$15,001-\$25,000	100	2.3	1.5 - 3.6	2,400	97.7	96.4 - 98.5	2,500
\$25,001-\$40,000	100	2.7	2.0 - 3.6	3,400	97.3	96.4 - 98.0	3,400
>=\$40,001	100	1.4	1.0 - 2.1	6,300	98.6	97.9 - 99.0	6,300

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.2	1.9 - 5.3	1,100	96.8	94.7 - 98.1	1,100
Normal birth weight	400	2.6	2.3 - 3.1	15,100	97.4	96.9 - 97.7	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.2	7.2 - 11.7	1,300	90.8	88.3 - 92.8	1,400
No	300	2.1	1.7 - 2.5	14,600	97.9	97.5 - 98.3	14,900

PRAMS Health Indicator 3-Year Aggregate Report - Illicit drug use in pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.0	5.8 - 8.4	3,100	93.0	91.6 - 94.2	3,300
No	200	1.6	1.3 - 2.0	12,600	98.4	98.0 - 98.7	12,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.5	3.0 - 4.2	6,800	96.5	95.8 - 97.0	7,100
No	200	2.1	1.7 - 2.7	9,200	97.9	97.3 - 98.3	9,400