

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- for the State of Hawaii, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Baby received 1-week postnatal check up	Baby received 1-week postnatal check up

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 4/3/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- for the State of Hawaii, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	11,300	85.1	83.9 - 86.2	2,000	14.9	13.8 - 16.1	13,200
2001-2003	11,400	85.0	83.7 - 86.1	2,000	15.0	13.9 - 16.3	13,500
2002-2004	11,900	86.0	84.8 - 87.1	1,900	14.0	12.9 - 15.2	13,900
2003-2005	12,400	88.3	87.2 - 89.3	1,600	11.7	10.7 - 12.8	14,000
2004-2006	13,000	91.9	91.0 - 92.6	1,200	8.1	7.4 - 9.0	14,100
2005-2007	13,600	94.3	93.6 - 95.0	800	5.7	5.0 - 6.4	14,400
2006-2008	14,200	94.9	94.1 - 95.5	800	5.1	4.5 - 5.9	15,000
2007-2009	13,700	95.1	94.3 - 95.8	700	4.9	4.2 - 5.7	14,400
2008-2010	12,900	94.4	93.4 - 95.3	800	5.6	4.7 - 6.6	13,700
2009-2011	12,100	94.3	93.1 - 95.3	700	5.7	4.7 - 6.9	12,800

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- for the State of Hawaii, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,100	94.3	93.1 - 95.3	700	5.7	4.7 - 6.9	12,800

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	97.9	96.5 - 98.7	<50	2.1	1.3 - 3.5	1,600
Honolulu	8,700	93.6	92.0 - 95.0	600	6.4	5.0 - 8.0	9,300
Kauai	500	98.4	96.6 - 99.3	<50	1.6	0.7 - 3.4	500
Maui	1,300	93.1	91.3 - 94.6	100	6.9	5.4 - 8.7	1,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	90.9	87.8 - 93.2	300	9.1	6.8 - 12.2	3,200
Native Hawaiian	3,600	96.8	95.2 - 97.9	100	3.2	2.1 - 4.8	3,800
Chinese	500	97.3	90.7 - 99.2	<50	2.7	0.8 - 9.3	600
Filipino	2,100	95.7	92.7 - 97.5	100	4.3	2.5 - 7.3	2,100
Japanese	1,100	92.5	87.4 - 95.6	100	7.5	4.4 - 12.6	1,200
Other	1,800	93.7	89.7 - 96.3	100	6.3	3.7 - 10.3	1,900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	97.7	93.6 - 99.2	<50	2.3	0.8 - 6.4	900
20-24	2,900	93.3	90.3 - 95.4	200	6.7	4.6 - 9.7	3,100
25-34	6,400	93.7	91.9 - 95.1	400	6.3	4.9 - 8.1	6,800
35+	2,000	96.3	94.0 - 97.8	100	3.7	2.2 - 6.0	2,100

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,200	94.1	92.4 - 95.5	400	5.9	4.5 - 7.6	6,600
Female	5,900	94.5	92.7 - 95.8	300	5.5	4.2 - 7.3	6,200

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,300	92.5	90.8 - 93.9	600	7.5	6.1 - 9.2	7,900
No	4,800	97.1	95.6 - 98.1	100	2.9	1.9 - 4.4	4,900

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,200	95.4	93.5 - 96.9	200	4.6	3.1 - 6.5	4,400
131-185%	1,900	92.9	89.2 - 95.3	100	7.1	4.7 - 10.8	2,000
186+%	5,100	93.5	91.5 - 95.0	400	6.5	5.0 - 8.5	5,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	96.8	94.1 - 98.3	100	3.2	1.7 - 5.9	2,200
\$10,000-\$24,999	2,200	94.7	91.6 - 96.7	100	5.3	3.3 - 8.4	2,400
\$25,000-\$49,999	3,000	93.2	90.5 - 95.2	200	6.8	4.8 - 9.5	3,200
>=\$50,000	3,900	93.1	90.8 - 94.9	300	6.9	5.1 - 9.2	4,200

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	93.5	90.3 - 95.8	<50	6.5	4.2 - 9.7	400
Normal birth weight	11,700	94.3	93.1 - 95.3	700	5.7	4.7 - 6.9	12,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	91.7	84.8 - 95.6	100	8.3	4.4 - 15.2	900
No	11,100	94.5	93.3 - 95.5	600	5.5	4.5 - 6.7	11,700

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	92.4	89.0 - 94.8	200	7.6	5.2 - 11.0	2,500
No	9,600	94.8	93.5 - 95.8	500	5.2	4.2 - 6.5	10,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	95.7	94.0 - 97.0	200	4.3	3.0 - 6.0	5,400
No	6,700	93.2	91.4 - 94.6	500	6.8	5.4 - 8.6	7,200

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,900	94.4	93.4 - 95.3	800	5.6	4.7 - 6.6	13,700

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	96.7	94.8 - 97.9	100	3.3	2.1 - 5.2	1,700
Honolulu	9,400	94.5	93.1 - 95.6	500	5.5	4.4 - 6.9	9,900
Kauai	500	96.6	92.6 - 98.5	<50	3.4	1.5 - 7.4	500
Maui	1,400	90.4	87.7 - 92.6	100	9.6	7.4 - 12.3	1,500

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	91.6	89.0 - 93.7	300	8.4	6.3 - 11.0	3,400
Native Hawaiian	3,800	96.4	94.9 - 97.5	100	3.6	2.5 - 5.1	4,000
Chinese	500	98.1	96.2 - 99.0	<50	1.9	1.0 - 3.8	600
Filipino	2,300	96.3	94.0 - 97.8	100	3.7	2.2 - 6.0	2,300
Japanese	1,200	94.0	90.2 - 96.4	100	6.0	3.6 - 9.8	1,300
Other	1,900	92.0	88.4 - 94.6	200	8.0	5.4 - 11.6	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	96.4	92.6 - 98.3	<50	3.6	1.7 - 7.4	1,000
20-24	3,000	93.8	91.1 - 95.7	200	6.2	4.3 - 8.9	3,200
25-34	6,700	94.2	92.8 - 95.4	400	5.8	4.6 - 7.2	7,100
35+	2,200	94.8	92.5 - 96.4	100	5.2	3.6 - 7.5	2,300

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,600	94.3	92.8 - 95.5	400	5.7	4.5 - 7.2	7,000
Female	6,300	94.5	93.0 - 95.7	400	5.5	4.3 - 7.0	6,600

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,900	93.2	91.8 - 94.4	600	6.8	5.6 - 8.2	8,500
No	5,000	96.3	94.9 - 97.3	200	3.7	2.7 - 5.1	5,200

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,500	94.8	93.0 - 96.1	200	5.2	3.9 - 7.0	4,700
131-185%	2,000	92.9	89.7 - 95.1	200	7.1	4.9 - 10.3	2,200
186+%	5,400	94.2	92.6 - 95.6	300	5.8	4.4 - 7.4	5,800

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,100	96.1	93.9 - 97.6	100	3.9	2.4 - 6.1	2,200
\$10,000-\$24,999	2,600	93.8	91.2 - 95.7	200	6.2	4.3 - 8.8	2,700
\$25,000-\$49,999	3,100	94.4	92.1 - 96.1	200	5.6	3.9 - 7.9	3,300
>=\$50,000	4,300	93.4	91.4 - 95.0	300	6.6	5.0 - 8.6	4,600

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	95.0	91.4 - 97.2	<50	5.0	2.8 - 8.6	500
Normal birth weight	12,400	94.4	93.3 - 95.3	700	5.6	4.7 - 6.7	13,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	93.4	88.6 - 96.3	100	6.6	3.7 - 11.4	1,100
No	11,700	94.5	93.5 - 95.4	700	5.5	4.6 - 6.5	12,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	93.1	90.2 - 95.2	200	6.9	4.8 - 9.8	2,600
No	10,300	94.8	93.6 - 95.7	600	5.2	4.3 - 6.4	10,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	95.6	94.2 - 96.8	200	4.4	3.2 - 5.8	5,700
No	7,300	93.4	92.0 - 94.7	500	6.6	5.3 - 8.0	7,800

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,700	95.1	94.3 - 95.8	700	4.9	4.2 - 5.7	14,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	96.7	94.7 - 97.9	100	3.3	2.1 - 5.3	1,800
Honolulu	9,800	95.5	94.5 - 96.4	500	4.5	3.6 - 5.5	10,200
Kauai	600	96.7	93.3 - 98.4	<50	3.3	1.6 - 6.7	700
Maui	1,500	89.9	87.0 - 92.2	200	10.1	7.8 - 13.0	1,700

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	93.2	91.2 - 94.9	200	6.8	5.1 - 8.8	3,400
Native Hawaiian	4,000	96.0	94.4 - 97.1	200	4.0	2.9 - 5.6	4,100
Chinese	500	96.3	94.1 - 97.7	<50	3.7	2.3 - 5.9	600
Filipino	2,400	96.6	94.7 - 97.9	100	3.4	2.1 - 5.3	2,500
Japanese	1,500	96.5	94.1 - 97.9	100	3.5	2.1 - 5.9	1,600
Other	2,100	93.2	90.5 - 95.2	200	6.8	4.8 - 9.5	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	96.4	93.1 - 98.2	<50	3.6	1.8 - 6.9	1,200
20-24	3,200	94.6	92.6 - 96.1	200	5.4	3.9 - 7.4	3,400
25-34	7,000	95.1	93.9 - 96.0	400	4.9	4.0 - 6.1	7,300
35+	2,300	95.2	93.4 - 96.5	100	4.8	3.5 - 6.6	2,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,100	95.2	94.0 - 96.1	400	4.8	3.9 - 6.0	7,400
Female	6,600	95.0	93.8 - 95.9	400	5.0	4.1 - 6.2	7,000

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,500	94.7	93.6 - 95.6	500	5.3	4.4 - 6.4	9,000
No	5,100	95.8	94.4 - 96.8	200	4.2	3.2 - 5.6	5,400

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	95.1	93.6 - 96.2	300	4.9	3.8 - 6.4	5,100
131-185%	2,100	94.1	91.6 - 95.9	100	5.9	4.1 - 8.4	2,300
186+%	5,800	95.3	94.1 - 96.3	300	4.7	3.7 - 5.9	6,100

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	95.5	93.3 - 97.0	100	4.5	3.0 - 6.7	2,300
\$10,000-\$24,999	2,800	94.5	92.5 - 96.1	200	5.5	3.9 - 7.5	3,000
\$25,000-\$49,999	3,100	95.3	93.5 - 96.6	200	4.7	3.4 - 6.5	3,300
>=\$50,000	4,700	94.9	93.4 - 96.0	300	5.1	4.0 - 6.6	5,000

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	94.6	90.3 - 97.1	<50	5.4	2.9 - 9.7	600
Normal birth weight	13,100	95.1	94.3 - 95.8	700	4.9	4.2 - 5.7	13,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	95.9	92.8 - 97.7	<50	4.1	2.3 - 7.2	1,100
No	12,400	95.1	94.3 - 95.8	600	4.9	4.2 - 5.7	13,000

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	95.6	93.5 - 97.0	100	4.4	3.0 - 6.5	2,700
No	10,900	95.1	94.2 - 95.9	600	4.9	4.1 - 5.8	11,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	95.9	94.7 - 96.9	200	4.1	3.1 - 5.3	5,900
No	7,800	94.7	93.5 - 95.6	400	5.3	4.4 - 6.5	8,200

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,200	94.9	94.1 - 95.5	800	5.1	4.5 - 5.9	15,000

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	97.1	95.2 - 98.2	100	2.9	1.8 - 4.8	1,900
Honolulu	10,200	95.2	94.4 - 95.9	500	4.8	4.1 - 5.6	10,700
Kauai	700	96.7	92.9 - 98.5	<50	3.3	1.5 - 7.1	700
Maui	1,500	89.2	85.9 - 91.9	200	10.8	8.1 - 14.1	1,700

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	94.1	92.4 - 95.4	200	5.9	4.6 - 7.6	3,500
Native Hawaiian	4,000	94.7	93.1 - 96.0	200	5.3	4.0 - 6.9	4,200
Chinese	500	95.2	92.9 - 96.8	<50	4.8	3.2 - 7.1	500
Filipino	2,600	95.9	94.3 - 97.0	100	4.1	3.0 - 5.7	2,700
Japanese	1,600	95.9	93.8 - 97.4	100	4.1	2.6 - 6.2	1,700
Other	2,200	94.2	91.9 - 95.8	100	5.8	4.2 - 8.1	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	95.4	92.2 - 97.3	100	4.6	2.7 - 7.8	1,200
20-24	3,400	94.5	92.8 - 95.8	200	5.5	4.2 - 7.2	3,600
25-34	7,200	95.3	94.3 - 96.1	400	4.7	3.9 - 5.7	7,600
35+	2,400	93.8	91.8 - 95.3	200	6.2	4.7 - 8.2	2,600

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,300	95.0	94.0 - 95.9	400	5.0	4.1 - 6.0	7,600
Female	6,900	94.7	93.6 - 95.6	400	5.3	4.4 - 6.4	7,300

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	94.9	94.0 - 95.6	500	5.1	4.4 - 6.0	9,600
No	5,100	94.8	93.5 - 95.9	300	5.2	4.1 - 6.5	5,400

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	94.7	93.4 - 95.8	300	5.3	4.2 - 6.6	5,400
131-185%	2,100	94.3	92.1 - 95.9	100	5.7	4.1 - 7.9	2,200
186+%	6,200	95.1	94.0 - 96.0	300	4.9	4.0 - 6.0	6,500

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	94.6	92.4 - 96.2	100	5.4	3.8 - 7.6	2,400
\$10,000-\$24,999	2,900	94.4	92.6 - 95.8	200	5.6	4.2 - 7.4	3,100
\$25,000-\$49,999	3,400	95.2	93.7 - 96.4	200	4.8	3.6 - 6.3	3,600
>=\$50,000	4,800	94.9	93.6 - 95.9	300	5.1	4.1 - 6.4	5,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	93.2	88.4 - 96.1	<50	6.8	3.9 - 11.6	700
Normal birth weight	13,600	94.9	94.2 - 95.6	700	5.1	4.4 - 5.8	14,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	93.5	89.8 - 95.9	100	6.5	4.1 - 10.2	1,200
No	12,900	95.0	94.3 - 95.7	700	5.0	4.3 - 5.7	13,600

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	94.3	92.3 - 95.8	200	5.7	4.2 - 7.7	2,800
No	11,300	95.1	94.3 - 95.7	600	4.9	4.3 - 5.7	11,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	95.5	94.3 - 96.4	300	4.5	3.6 - 5.7	6,300
No	8,000	94.5	93.5 - 95.3	500	5.5	4.7 - 6.5	8,500

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,600	94.3	93.6 - 95.0	800	5.7	5.0 - 6.4	14,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	98.5	97.1 - 99.3	<50	1.5	0.7 - 2.9	1,800
Honolulu	9,800	94.3	93.4 - 95.0	600	5.7	5.0 - 6.6	10,400
Kauai	600	98.2	94.7 - 99.4	<50	1.8	0.6 - 5.3	700
Maui	1,300	87.9	84.4 - 90.7	200	12.1	9.3 - 15.6	1,500

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	94.2	92.5 - 95.6	200	5.8	4.4 - 7.5	3,300
Native Hawaiian	3,800	94.3	92.6 - 95.6	200	5.7	4.4 - 7.4	4,100
Chinese	500	92.8	90.3 - 94.7	<50	7.2	5.3 - 9.7	500
Filipino	2,500	94.6	92.9 - 96.0	100	5.4	4.0 - 7.1	2,600
Japanese	1,700	93.5	91.0 - 95.3	100	6.5	4.7 - 9.0	1,800
Other	2,000	95.1	93.1 - 96.6	100	4.9	3.4 - 6.9	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	94.5	91.2 - 96.6	100	5.5	3.4 - 8.8	1,200
20-24	3,400	94.5	92.8 - 95.8	200	5.5	4.2 - 7.2	3,600
25-34	6,700	94.5	93.4 - 95.4	400	5.5	4.6 - 6.6	7,100
35+	2,300	93.5	91.5 - 95.1	200	6.5	4.9 - 8.5	2,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,900	94.9	93.8 - 95.7	400	5.1	4.3 - 6.2	7,300
Female	6,700	93.8	92.6 - 94.7	400	6.2	5.3 - 7.4	7,100

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,700	94.2	93.3 - 95.1	500	5.8	4.9 - 6.7	9,200
No	4,900	94.4	93.1 - 95.6	300	5.6	4.4 - 6.9	5,100

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	94.5	93.2 - 95.6	300	5.5	4.4 - 6.8	5,200
131-185%	1,800	93.6	91.1 - 95.4	100	6.4	4.6 - 8.9	1,900
186+%	6,100	94.4	93.3 - 95.3	400	5.6	4.7 - 6.7	6,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	94.6	92.4 - 96.1	100	5.4	3.9 - 7.6	2,400
\$10,000-\$24,999	2,800	94.1	92.3 - 95.5	200	5.9	4.5 - 7.7	3,000
\$25,000-\$49,999	3,300	94.2	92.5 - 95.5	200	5.8	4.5 - 7.5	3,500
>=\$50,000	4,500	94.5	93.2 - 95.6	300	5.5	4.4 - 6.8	4,800

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	91.6	86.6 - 94.9	100	8.4	5.1 - 13.4	700
Normal birth weight	12,900	94.4	93.7 - 95.1	800	5.6	4.9 - 6.3	13,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	93.6	90.0 - 95.9	100	6.4	4.1 - 10.0	1,100
No	12,300	94.5	93.7 - 95.2	700	5.5	4.8 - 6.3	13,000

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	94.3	92.3 - 95.7	200	5.7	4.3 - 7.7	2,900
No	10,700	94.5	93.6 - 95.2	600	5.5	4.8 - 6.4	11,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,700	94.8	93.6 - 95.8	300	5.2	4.2 - 6.4	6,000
No	7,600	94.0	93.0 - 94.9	500	6.0	5.1 - 7.0	8,100

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,000	91.9	91.0 - 92.6	1,200	8.1	7.4 - 9.0	14,100

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	97.3	95.7 - 98.4	<50	2.7	1.6 - 4.3	1,800
Honolulu	9,500	91.5	90.4 - 92.4	900	8.5	7.6 - 9.6	10,400
Kauai	600	97.4	93.4 - 99.0	<50	2.6	1.0 - 6.6	600
Maui	1,200	85.6	81.9 - 88.7	200	14.4	11.3 - 18.1	1,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,800	89.8	87.8 - 91.6	300	10.2	8.4 - 12.2	3,100
Native Hawaiian	3,700	93.6	91.9 - 95.0	300	6.4	5.0 - 8.1	4,000
Chinese	500	90.9	88.5 - 92.7	<50	9.1	7.3 - 11.5	500
Filipino	2,500	92.8	91.0 - 94.3	200	7.2	5.7 - 9.0	2,600
Japanese	1,600	91.1	88.4 - 93.2	200	8.9	6.8 - 11.6	1,800
Other	1,900	91.2	88.6 - 93.2	200	8.8	6.8 - 11.4	2,000

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	93.8	90.2 - 96.1	100	6.2	3.9 - 9.8	1,100
20-24	3,300	91.0	89.2 - 92.6	300	9.0	7.4 - 10.8	3,600
25-34	6,500	91.8	90.6 - 92.9	600	8.2	7.1 - 9.4	7,000
35+	2,200	92.3	90.2 - 94.0	200	7.7	6.0 - 9.8	2,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,800	92.5	91.3 - 93.5	600	7.5	6.5 - 8.7	7,300
Female	6,200	91.2	89.9 - 92.3	600	8.8	7.7 - 10.1	6,800

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,600	91.2	90.2 - 92.2	800	8.8	7.8 - 9.8	9,400
No	4,400	93.1	91.6 - 94.4	300	6.9	5.6 - 8.4	4,800

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,700	92.3	90.9 - 93.6	400	7.7	6.4 - 9.1	5,100
131-185%	1,600	89.7	86.8 - 92.1	200	10.3	7.9 - 13.2	1,800
186+%	5,900	91.8	90.6 - 92.9	500	8.2	7.1 - 9.4	6,500

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,100	93.1	90.8 - 94.8	200	6.9	5.2 - 9.2	2,300
\$10,000-\$24,999	2,900	91.0	89.0 - 92.6	300	9.0	7.4 - 11.0	3,200
\$25,000-\$49,999	3,100	90.2	88.3 - 91.9	300	9.8	8.1 - 11.7	3,500
>=\$50,000	4,200	92.9	91.5 - 94.2	300	7.1	5.8 - 8.5	4,500

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	92.4	87.1 - 95.6	<50	7.6	4.4 - 12.9	600
Normal birth weight	12,400	91.8	91.0 - 92.6	1,100	8.2	7.4 - 9.0	13,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	91.5	87.8 - 94.1	100	8.5	5.9 - 12.2	1,100
No	11,800	92.0	91.1 - 92.7	1,000	8.0	7.3 - 8.9	12,800

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	91.0	88.8 - 92.8	300	9.0	7.2 - 11.2	2,900
No	10,200	92.1	91.2 - 93.0	900	7.9	7.0 - 8.8	11,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	91.9	90.5 - 93.0	500	8.1	7.0 - 9.5	6,000
No	7,200	91.8	90.7 - 92.8	600	8.2	7.2 - 9.3	7,900

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,400	88.3	87.2 - 89.3	1,600	11.7	10.7 - 12.8	14,000

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	94.7	92.9 - 96.0	100	5.3	4.0 - 7.1	1,700
Honolulu	9,000	87.8	86.5 - 89.0	1,300	12.2	11.0 - 13.5	10,300
Kauai	600	95.4	92.2 - 97.3	<50	4.6	2.7 - 7.8	600
Maui	1,200	81.0	77.7 - 84.0	300	19.0	16.0 - 22.3	1,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,500	82.2	79.3 - 84.8	500	17.8	15.2 - 20.7	3,000
Native Hawaiian	3,500	91.7	90.2 - 93.0	300	8.3	7.0 - 9.8	3,800
Chinese	500	88.5	83.7 - 91.9	100	11.5	8.1 - 16.3	600
Filipino	2,500	90.5	88.1 - 92.4	300	9.5	7.6 - 11.9	2,800
Japanese	1,600	89.3	86.1 - 91.8	200	10.7	8.2 - 13.9	1,800
Other	1,700	86.6	83.0 - 89.5	300	13.4	10.5 - 17.0	1,900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	92.0	88.3 - 94.6	100	8.0	5.4 - 11.7	1,100
20-24	3,000	86.9	84.6 - 88.8	500	13.1	11.2 - 15.4	3,500
25-34	6,100	87.7	86.1 - 89.1	900	12.3	10.9 - 13.9	6,900
35+	2,200	90.4	88.0 - 92.4	200	9.6	7.6 - 12.0	2,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,600	89.8	88.4 - 91.0	700	10.2	9.0 - 11.6	7,300
Female	5,800	86.7	85.0 - 88.2	900	13.3	11.8 - 15.0	6,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,100	86.7	85.3 - 88.0	1,200	13.3	12.0 - 14.7	9,300
No	4,300	91.4	89.9 - 92.7	400	8.6	7.3 - 10.1	4,700

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	88.7	87.0 - 90.3	600	11.3	9.7 - 13.0	5,500
131-185%	1,400	83.3	79.4 - 86.5	300	16.7	13.5 - 20.6	1,700
186+%	5,100	88.7	87.0 - 90.2	700	11.3	9.8 - 13.0	5,800

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	92.2	87.7 - 95.1	<50	7.8	4.9 - 12.3	600
Normal birth weight	11,800	88.1	87.0 - 89.1	1,600	11.9	10.9 - 13.0	13,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	86.9	82.4 - 90.4	200	13.1	9.6 - 17.6	1,200
No	11,200	88.4	87.3 - 89.4	1,500	11.6	10.6 - 12.7	12,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	87.5	84.9 - 89.7	400	12.5	10.3 - 15.1	2,900
No	9,600	88.4	87.2 - 89.5	1,300	11.6	10.5 - 12.8	10,900

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,300	88.9	87.3 - 90.3	700	11.1	9.7 - 12.7	6,000
No	6,800	87.9	86.4 - 89.2	900	12.1	10.8 - 13.6	7,800

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,900	86.0	84.8 - 87.1	1,900	14.0	12.9 - 15.2	13,900

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	93.3	91.4 - 94.8	100	6.7	5.2 - 8.6	1,700
Honolulu	8,700	85.1	83.5 - 86.5	1,500	14.9	13.5 - 16.5	10,200
Kauai	600	95.4	92.3 - 97.2	<50	4.6	2.8 - 7.7	600
Maui	1,200	80.2	77.3 - 82.8	300	19.8	17.2 - 22.7	1,500

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,200	76.8	73.3 - 79.9	700	23.2	20.1 - 26.7	2,900
Native Hawaiian	3,400	90.2	88.9 - 91.5	400	9.8	8.5 - 11.1	3,800
Chinese	500	84.9	77.1 - 90.3	100	15.1	9.7 - 22.9	500
Filipino	2,600	90.0	87.4 - 92.0	300	10.0	8.0 - 12.6	2,800
Japanese	1,600	89.0	85.4 - 91.7	200	11.0	8.3 - 14.6	1,800
Other	1,600	83.2	79.0 - 86.7	300	16.8	13.3 - 21.0	1,900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	91.9	88.5 - 94.4	100	8.1	5.6 - 11.5	1,200
20-24	2,900	84.5	82.0 - 86.7	500	15.5	13.3 - 18.0	3,500
25-34	5,900	84.5	82.7 - 86.2	1,100	15.5	13.8 - 17.3	6,900
35+	2,000	89.5	86.7 - 91.8	200	10.5	8.2 - 13.3	2,300

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,300	87.5	85.8 - 88.9	900	12.5	11.1 - 14.2	7,200
Female	5,600	84.4	82.5 - 86.1	1,000	15.6	13.9 - 17.5	6,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,900	83.6	82.0 - 85.1	1,500	16.4	14.9 - 18.0	9,400
No	4,100	91.0	89.4 - 92.3	400	9.0	7.7 - 10.6	4,500

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	87.7	85.9 - 89.3	700	12.3	10.7 - 14.1	5,600
131-185%	1,700	79.2	75.1 - 82.7	400	20.8	17.3 - 24.9	2,200
186+%	4,400	86.0	84.0 - 87.9	700	14.0	12.1 - 16.0	5,100

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	94.1	90.5 - 96.4	<50	5.9	3.6 - 9.5	500
Normal birth weight	11,400	85.7	84.4 - 86.8	1,900	14.3	13.2 - 15.6	13,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	85.6	81.0 - 89.2	200	14.4	10.8 - 19.0	1,100
No	10,800	85.9	84.6 - 87.1	1,800	14.1	12.9 - 15.4	12,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	85.2	82.3 - 87.7	400	14.8	12.3 - 17.7	2,800
No	9,300	86.0	84.6 - 87.3	1,500	14.0	12.7 - 15.4	10,800

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,100	86.3	84.5 - 88.0	800	13.7	12.0 - 15.5	5,900
No	6,700	85.8	84.1 - 87.4	1,100	14.2	12.6 - 15.9	7,800

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,400	85.0	83.7 - 86.1	2,000	15.0	13.9 - 16.3	13,500

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	93.5	91.8 - 94.8	100	6.5	5.2 - 8.2	1,500
Honolulu	8,300	83.7	82.1 - 85.3	1,600	16.3	14.7 - 17.9	9,900
Kauai	600	95.9	93.3 - 97.5	<50	4.1	2.5 - 6.7	600
Maui	1,100	79.9	77.2 - 82.3	300	20.1	17.7 - 22.8	1,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,100	74.5	70.9 - 77.8	700	25.5	22.2 - 29.1	2,900
Native Hawaiian	3,300	88.7	87.5 - 89.8	400	11.3	10.2 - 12.5	3,700
Chinese	500	86.3	77.3 - 92.0	100	13.7	8.0 - 22.7	500
Filipino	2,600	89.7	87.0 - 91.9	300	10.3	8.1 - 13.0	2,900
Japanese	1,600	89.3	85.5 - 92.2	200	10.7	7.8 - 14.5	1,700
Other	1,500	81.8	77.3 - 85.6	300	18.2	14.4 - 22.7	1,800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	89.9	86.7 - 92.4	100	10.1	7.6 - 13.3	1,300
20-24	2,800	83.1	80.5 - 85.4	600	16.9	14.6 - 19.5	3,400
25-34	5,600	83.9	81.9 - 85.7	1,100	16.1	14.3 - 18.1	6,700
35+	1,900	88.4	85.3 - 91.0	200	11.6	9.0 - 14.7	2,100

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,900	86.1	84.4 - 87.7	1,000	13.9	12.3 - 15.6	6,800
Female	5,500	83.8	81.8 - 85.5	1,100	16.2	14.5 - 18.2	6,600

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,400	82.4	80.7 - 84.0	1,600	17.6	16.0 - 19.3	9,000
No	4,000	90.1	88.5 - 91.4	400	9.9	8.6 - 11.5	4,500

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	86.8	85.0 - 88.4	700	13.2	11.6 - 15.0	5,500
131-185%	2,000	78.7	75.2 - 81.9	500	21.3	18.1 - 24.8	2,500
186+%	3,700	85.1	82.7 - 87.2	700	14.9	12.8 - 17.3	4,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,500	90.0	87.9 - 91.7	300	10.0	8.3 - 12.1	2,800
\$15,001-\$25,000	1,500	82.5	78.8 - 85.8	300	17.5	14.2 - 21.2	1,900
\$25,001-\$40,000	2,200	78.8	75.4 - 81.8	600	21.2	18.2 - 24.6	2,800
>=\$40,001	4,500	86.0	83.9 - 87.9	700	14.0	12.1 - 16.1	5,200

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	91.0	85.4 - 94.5	<50	9.0	5.5 - 14.6	500
Normal birth weight	11,000	84.7	83.4 - 85.9	2,000	15.3	14.1 - 16.6	12,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	85.2	80.8 - 88.7	200	14.8	11.3 - 19.2	1,200
No	10,300	84.9	83.5 - 86.2	1,800	15.1	13.8 - 16.5	12,100

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	85.6	82.7 - 88.0	400	14.4	12.0 - 17.3	2,700
No	8,800	84.8	83.3 - 86.2	1,600	15.2	13.8 - 16.7	10,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,800	85.0	83.1 - 86.7	900	15.0	13.3 - 16.9	5,700
No	6,500	85.0	83.2 - 86.6	1,200	15.0	13.4 - 16.8	7,700

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,300	85.1	83.9 - 86.2	2,000	14.9	13.8 - 16.1	13,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	94.4	92.9 - 95.7	100	5.6	4.3 - 7.1	1,500
Honolulu	8,100	83.4	81.9 - 84.9	1,600	16.6	15.1 - 18.1	9,800
Kauai	500	96.2	93.6 - 97.7	<50	3.8	2.3 - 6.4	500
Maui	1,200	82.4	79.9 - 84.7	200	17.6	15.3 - 20.1	1,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,100	74.1	70.9 - 77.1	700	25.9	22.9 - 29.1	2,900
Native Hawaiian	3,200	89.3	88.1 - 90.3	400	10.7	9.7 - 11.9	3,600
Chinese	500	86.6	77.9 - 92.3	100	13.4	7.7 - 22.1	500
Filipino	2,400	90.3	87.8 - 92.3	300	9.7	7.7 - 12.2	2,700
Japanese	1,600	89.0	85.4 - 91.8	200	11.0	8.2 - 14.6	1,700
Other	1,500	82.3	78.1 - 85.9	300	17.7	14.1 - 21.9	1,800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	89.3	86.5 - 91.5	100	10.7	8.5 - 13.5	1,300
20-24	2,800	82.5	80.1 - 84.7	600	17.5	15.3 - 19.9	3,300
25-34	5,500	84.7	82.9 - 86.4	1,000	15.3	13.6 - 17.1	6,500
35+	1,800	87.8	84.7 - 90.4	200	12.2	9.6 - 15.3	2,100

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,700	85.3	83.7 - 86.9	1,000	14.7	13.1 - 16.3	6,700
Female	5,600	84.8	83.1 - 86.4	1,000	15.2	13.6 - 16.9	6,600

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,500	82.6	81.0 - 84.1	1,600	17.4	15.9 - 19.0	9,100
No	3,800	90.4	88.9 - 91.7	400	9.6	8.3 - 11.1	4,200

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,600	86.3	84.6 - 87.9	700	13.7	12.1 - 15.4	5,300
131-185%	2,000	80.0	76.7 - 82.9	500	20.0	17.1 - 23.3	2,500
186+%	3,800	86.1	84.0 - 88.0	600	13.9	12.0 - 16.0	4,400

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,400	89.6	87.6 - 91.2	300	10.4	8.8 - 12.4	2,700
\$15,001-\$25,000	1,600	80.7	77.2 - 83.8	400	19.3	16.2 - 22.8	2,000
\$25,001-\$40,000	2,300	80.3	77.3 - 83.0	600	19.7	17.0 - 22.7	2,800
>=\$40,001	4,400	87.3	85.3 - 89.0	600	12.7	11.0 - 14.7	5,000

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	93.6	87.9 - 96.7	<50	6.4	3.3 - 12.1	500
Normal birth weight	10,800	84.7	83.5 - 85.9	1,900	15.3	14.1 - 16.5	12,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	88.7	85.5 - 91.3	100	11.3	8.7 - 14.5	1,100
No	10,100	84.8	83.5 - 86.0	1,800	15.2	14.0 - 16.5	11,900

PRAMS Health Indicator 3-Year Aggregate Report - Baby received 1-week postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	87.6	85.3 - 89.7	300	12.4	10.3 - 14.7	2,600
No	8,700	84.6	83.2 - 85.9	1,600	15.4	14.1 - 16.8	10,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,700	83.7	81.9 - 85.4	900	16.3	14.6 - 18.1	5,600
No	6,400	86.2	84.6 - 87.7	1,000	13.8	12.3 - 15.4	7,500