

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- for the State of Hawaii, for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Baby placed in ICU after birth	After your baby was born, was he or she put in an intensive care unit?

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- for the State of Hawaii, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	1,600	9.2	8.6 - 9.9	15,400	90.8	90.1 - 91.4	17,000
2001-2005	1,600	9.2	8.5 - 9.8	15,500	90.8	90.2 - 91.5	17,000
2002-2006	1,600	9.1	8.4 - 9.7	15,800	90.9	90.3 - 91.6	17,400
2003-2007	1,600	8.9	8.3 - 9.5	16,100	91.1	90.5 - 91.7	17,700
2004-2008	1,600	8.7	8.1 - 9.3	16,400	91.3	90.7 - 91.9	18,000
2005-2009	1,600	8.9	8.3 - 9.6	16,500	91.1	90.4 - 91.7	18,100
2006-2010	1,600	8.6	8.0 - 9.2	16,700	91.4	90.8 - 92.0	18,300
2007-2011	1,600	8.6	7.9 - 9.3	16,800	91.4	90.7 - 92.1	18,300
2008-2012	1,500	8.4	7.7 - 9.1	16,700	91.6	90.9 - 92.3	18,200
2009-2013	1,500	8.4	7.7 - 9.1	16,600	91.6	90.9 - 92.3	18,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- for the State of Hawaii, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	8.4	7.7 - 9.1	16,600	91.6	90.9 - 92.3	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	5.9	4.9 - 7.1	2,200	94.1	92.9 - 95.1	2,300
<b>Honolulu</b>	1,200	9.2	8.3 - 10.2	11,800	90.8	89.8 - 91.7	13,000
<b>Kauai</b>	<50	5.8	4.7 - 7.2	800	94.2	92.8 - 95.3	800
<b>Maui</b>	100	7.4	6.3 - 8.6	1,800	92.6	91.4 - 93.7	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.8	7.3 - 10.5	4,000	91.2	89.5 - 92.7	4,400
Native Hawaiian	400	7.4	6.3 - 8.7	5,000	92.6	91.3 - 93.7	5,400
Chinese	100	8.9	6.0 - 12.9	800	91.1	87.1 - 94.0	800
Filipino	200	7.7	6.4 - 9.4	2,900	92.3	90.6 - 93.6	3,200
Japanese	100	6.8	5.0 - 9.4	1,600	93.2	90.6 - 95.0	1,700
Other	300	11.5	9.4 - 14.0	2,300	88.5	86.0 - 90.6	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.9	8.6 - 16.1	1,000	88.1	83.9 - 91.4	1,100
20-24	400	8.7	7.2 - 10.5	3,800	91.3	89.5 - 92.8	4,100
25-34	700	7.4	6.6 - 8.4	8,900	92.6	91.6 - 93.4	9,700
35+	300	9.7	8.1 - 11.5	2,900	90.3	88.5 - 91.9	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.9	7.9 - 9.9	8,400	91.1	90.1 - 92.1	9,200
Female	700	7.9	7.0 - 9.0	8,200	92.1	91.0 - 93.0	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.2	7.3 - 9.1	10,300	91.8	90.9 - 92.7	11,200
No	600	8.8	7.7 - 10.1	6,300	91.2	89.9 - 92.3	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.2	8.0 - 10.5	5,800	90.8	89.5 - 92.0	6,400
131-185%	200	7.7	6.0 - 9.7	2,600	92.3	90.3 - 94.0	2,800
186+%	600	8.0	7.0 - 9.1	6,800	92.0	90.9 - 93.0	7,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	47.7	45.3 - 50.0	700	52.3	50.0 - 54.7	1,300
Normal birth weight	900	5.3	4.7 - 6.1	15,900	94.7	93.9 - 95.3	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.2	7.6 - 13.5	1,000	89.8	86.5 - 92.4	1,200
No	1,400	8.3	7.6 - 9.0	15,200	91.7	91.0 - 92.4	16,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	10.2	8.5 - 12.1	3,100	89.8	87.9 - 91.5	3,500
No	1,100	7.9	7.2 - 8.8	13,200	92.1	91.2 - 92.8	14,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	8.9	7.9 - 10.1	7,200	91.1	89.9 - 92.1	7,900
<b>No</b>	800	8.0	7.1 - 9.0	9,200	92.0	91.0 - 92.9	10,000



**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	8.4	7.7 - 9.1	16,700	91.6	90.9 - 92.3	18,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	6.2	5.1 - 7.5	2,200	93.8	92.5 - 94.9	2,300
<b>Honolulu</b>	1,200	9.1	8.2 - 10.0	11,900	90.9	90.0 - 91.8	13,000
<b>Kauai</b>	<50	5.1	3.9 - 6.6	800	94.9	93.4 - 96.1	800
<b>Maui</b>	100	7.4	6.2 - 8.8	1,900	92.6	91.2 - 93.8	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.2	6.9 - 9.7	4,000	91.8	90.3 - 93.1	4,300
Native Hawaiian	400	7.1	6.1 - 8.3	5,000	92.9	91.7 - 93.9	5,400
Chinese	100	8.5	5.7 - 12.4	700	91.5	87.6 - 94.3	800
Filipino	300	7.8	6.4 - 9.3	3,000	92.2	90.7 - 93.6	3,300
Japanese	100	6.8	5.0 - 9.0	1,600	93.2	91.0 - 95.0	1,800
Other	300	12.7	10.6 - 15.2	2,400	87.3	84.8 - 89.4	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.5	8.6 - 15.2	1,100	88.5	84.8 - 91.4	1,300
20-24	400	8.5	7.1 - 10.2	3,800	91.5	89.8 - 92.9	4,100
25-34	700	7.3	6.5 - 8.2	8,900	92.7	91.8 - 93.5	9,600
35+	300	10.0	8.5 - 11.9	2,900	90.0	88.1 - 91.5	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.8	7.8 - 9.8	8,600	91.2	90.2 - 92.2	9,400
Female	700	7.9	7.0 - 9.0	8,200	92.1	91.0 - 93.0	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.8	7.0 - 8.7	10,400	92.2	91.3 - 93.0	11,300
No	600	9.2	8.1 - 10.4	6,300	90.8	89.6 - 91.9	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.7	8.5 - 11.0	5,800	90.3	89.0 - 91.5	6,500
131-185%	200	6.9	5.4 - 8.7	2,600	93.1	91.3 - 94.6	2,800
186+%	600	7.7	6.8 - 8.8	7,000	92.3	91.2 - 93.2	7,600

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	46.7	43.9 - 49.6	700	53.3	50.4 - 56.1	1,300
Normal birth weight	900	5.4	4.8 - 6.2	16,000	94.6	93.8 - 95.2	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.6	8.0 - 13.9	1,100	89.4	86.1 - 92.0	1,300
No	1,400	8.2	7.5 - 8.9	15,200	91.8	91.1 - 92.5	16,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.8	8.2 - 11.6	3,200	90.2	88.4 - 91.8	3,500
No	1,200	8.0	7.3 - 8.8	13,200	92.0	91.2 - 92.7	14,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	9.1	8.1 - 10.2	7,200	90.9	89.8 - 91.9	7,900
No	800	7.7	6.8 - 8.6	9,300	92.3	91.4 - 93.2	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	8.6	7.9 - 9.3	16,800	91.4	90.7 - 92.1	18,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	6.5	5.3 - 7.9	2,200	93.5	92.1 - 94.7	2,400
<b>Honolulu</b>	1,200	9.3	8.5 - 10.2	11,800	90.7	89.8 - 91.5	13,000
<b>Kauai</b>	100	6.2	4.5 - 8.4	800	93.8	91.6 - 95.5	900
<b>Maui</b>	100	7.2	6.0 - 8.7	1,900	92.8	91.3 - 94.0	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.8	6.6 - 9.3	4,000	92.2	90.7 - 93.4	4,400
Native Hawaiian	400	7.2	6.2 - 8.4	5,000	92.8	91.6 - 93.8	5,400
Chinese	100	8.8	6.2 - 12.5	600	91.2	87.5 - 93.8	700
Filipino	300	8.6	7.2 - 10.1	3,000	91.4	89.9 - 92.8	3,300
Japanese	100	6.5	4.9 - 8.5	1,700	93.5	91.5 - 95.1	1,900
Other	400	13.8	11.7 - 16.3	2,300	86.2	83.7 - 88.3	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.2	9.5 - 15.7	1,200	87.8	84.3 - 90.5	1,400
20-24	400	9.0	7.7 - 10.6	3,900	91.0	89.4 - 92.3	4,300
25-34	700	7.4	6.6 - 8.3	8,700	92.6	91.7 - 93.4	9,400
35+	300	9.7	8.2 - 11.4	2,900	90.3	88.6 - 91.8	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	9.0	8.1 - 9.9	8,600	91.0	90.1 - 91.9	9,500
Female	700	8.1	7.2 - 9.2	8,100	91.9	90.8 - 92.8	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.7	7.0 - 8.6	10,500	92.3	91.4 - 93.0	11,400
No	700	9.9	8.8 - 11.2	6,300	90.1	88.8 - 91.2	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.6	9.4 - 11.9	5,900	89.4	88.1 - 90.6	6,600
131-185%	200	6.4	5.1 - 8.1	2,600	93.6	91.9 - 94.9	2,800
186+%	600	7.7	6.8 - 8.7	7,100	92.3	91.3 - 93.2	7,700



**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	11.8	10.0 - 14.0	2,800	88.2	86.0 - 90.0	3,100
\$10,000-\$24,999	300	8.9	7.5 - 10.4	3,300	91.1	89.6 - 92.5	3,600
\$25,000-\$49,999	400	8.4	7.1 - 9.9	3,900	91.6	90.1 - 92.9	4,200
>=\$50,000	400	7.0	6.1 - 8.1	5,700	93.0	91.9 - 93.9	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	45.2	42.1 - 48.3	700	54.8	51.7 - 57.9	1,300
Normal birth weight	1,000	5.7	5.0 - 6.4	16,000	94.3	93.6 - 95.0	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.0	8.5 - 14.2	1,300	89.0	85.8 - 91.5	1,400
No	1,400	8.3	7.7 - 9.0	15,200	91.7	91.0 - 92.3	16,600

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	9.8	8.3 - 11.5	3,300	90.2	88.5 - 91.7	3,700
No	1,200	8.2	7.5 - 9.0	13,200	91.8	91.0 - 92.5	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	9.5	8.5 - 10.6	7,000	90.5	89.4 - 91.5	7,800
No	800	7.8	6.9 - 8.7	9,500	92.2	91.3 - 93.1	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	8.6	8.0 - 9.2	16,700	91.4	90.8 - 92.0	18,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	6.9	5.6 - 8.5	2,200	93.1	91.5 - 94.4	2,400
<b>Honolulu</b>	1,200	9.3	8.5 - 10.1	11,800	90.7	89.9 - 91.5	13,000
<b>Kauai</b>	100	6.4	4.6 - 8.9	800	93.6	91.1 - 95.4	900
<b>Maui</b>	100	7.1	5.7 - 8.7	1,900	92.9	91.3 - 94.3	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.2	6.1 - 8.4	4,000	92.8	91.6 - 93.9	4,300
Native Hawaiian	400	6.6	5.7 - 7.7	5,000	93.4	92.3 - 94.3	5,300
Chinese	100	9.5	7.0 - 12.9	600	90.5	87.1 - 93.0	700
Filipino	300	9.1	7.8 - 10.7	3,000	90.9	89.3 - 92.2	3,300
Japanese	100	7.5	5.8 - 9.6	1,800	92.5	90.4 - 94.2	1,900
Other	400	14.5	12.4 - 17.0	2,300	85.5	83.0 - 87.6	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.9	9.4 - 15.0	1,300	88.1	85.0 - 90.6	1,500
20-24	400	9.3	8.0 - 10.8	3,900	90.7	89.2 - 92.0	4,400
25-34	700	7.5	6.7 - 8.3	8,500	92.5	91.7 - 93.3	9,200
35+	300	9.3	7.9 - 10.9	2,900	90.7	89.1 - 92.1	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.9	8.1 - 9.8	8,600	91.1	90.2 - 91.9	9,500
Female	700	8.2	7.4 - 9.2	8,100	91.8	90.8 - 92.6	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.6	6.8 - 8.3	10,500	92.4	91.7 - 93.2	11,400
No	700	10.3	9.2 - 11.5	6,200	89.7	88.5 - 90.8	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	11.3	10.1 - 12.6	5,800	88.7	87.4 - 89.9	6,500
131-185%	100	5.5	4.4 - 7.0	2,500	94.5	93.0 - 95.6	2,700
186+%	600	7.5	6.7 - 8.5	7,200	92.5	91.5 - 93.3	7,800

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.5	11.6 - 15.7	2,700	86.5	84.3 - 88.4	3,100
\$10,000-\$24,999	300	8.7	7.4 - 10.2	3,400	91.3	89.8 - 92.6	3,700
\$25,000-\$49,999	300	7.4	6.3 - 8.7	3,900	92.6	91.3 - 93.7	4,200
>=\$50,000	400	7.0	6.1 - 8.1	5,700	93.0	91.9 - 93.9	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	45.0	41.6 - 48.4	800	55.0	51.6 - 58.4	1,400
Normal birth weight	900	5.6	5.0 - 6.2	15,900	94.4	93.8 - 95.0	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.5	9.0 - 14.5	1,400	88.5	85.5 - 91.0	1,600
No	1,400	8.3	7.7 - 9.0	15,000	91.7	91.0 - 92.3	16,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	9.2	7.8 - 10.9	3,400	90.8	89.1 - 92.2	3,700
<b>No</b>	1,200	8.4	7.8 - 9.2	13,000	91.6	90.8 - 92.2	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	10.0	9.0 - 11.1	6,900	90.0	88.9 - 91.0	7,700
<b>No</b>	800	7.5	6.8 - 8.4	9,500	92.5	91.6 - 93.2	10,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	8.9	8.3 - 9.6	16,500	91.1	90.4 - 91.7	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	7.3	5.9 - 9.0	2,200	92.7	91.0 - 94.1	2,300
<b>Honolulu</b>	1,300	9.8	9.0 - 10.6	11,600	90.2	89.4 - 91.0	12,900
<b>Kauai</b>	100	6.2	4.3 - 8.8	800	93.8	91.2 - 95.7	900
<b>Maui</b>	100	6.4	5.1 - 8.1	1,900	93.6	91.9 - 94.9	2,000



**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.4	6.3 - 8.7	3,900	92.6	91.3 - 93.7	4,200
Native Hawaiian	400	7.3	6.3 - 8.5	4,800	92.7	91.5 - 93.7	5,200
Chinese	100	9.5	7.0 - 12.8	600	90.5	87.2 - 93.0	700
Filipino	300	9.9	8.6 - 11.4	3,000	90.1	88.6 - 91.4	3,300
Japanese	100	6.3	4.8 - 8.1	1,900	93.7	91.9 - 95.2	2,000
Other	400	15.0	12.9 - 17.4	2,300	85.0	82.6 - 87.1	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.6	9.2 - 14.5	1,400	88.4	85.5 - 90.8	1,600
20-24	400	9.8	8.5 - 11.3	3,900	90.2	88.7 - 91.5	4,300
25-34	700	8.0	7.2 - 8.8	8,300	92.0	91.2 - 92.8	9,000
35+	300	9.1	7.8 - 10.7	2,900	90.9	89.3 - 92.2	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.5	8.7 - 10.5	8,500	90.5	89.5 - 91.3	9,400
Female	700	8.3	7.4 - 9.2	8,000	91.7	90.8 - 92.6	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.8	7.1 - 8.6	10,400	92.2	91.4 - 92.9	11,300
No	700	10.8	9.6 - 12.0	6,100	89.2	88.0 - 90.4	6,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	11.2	10.0 - 12.5	5,800	88.8	87.5 - 90.0	6,500
131-185%	200	6.9	5.6 - 8.6	2,300	93.1	91.4 - 94.4	2,500
186+%	600	7.6	6.8 - 8.5	7,100	92.4	91.5 - 93.2	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.9	11.9 - 16.1	2,600	86.1	83.9 - 88.1	3,000
\$10,000-\$24,999	300	8.7	7.5 - 10.2	3,400	91.3	89.8 - 92.5	3,800
\$25,000-\$49,999	300	7.9	6.8 - 9.2	3,800	92.1	90.8 - 93.2	4,100
>=\$50,000	400	7.1	6.2 - 8.2	5,500	92.9	91.8 - 93.8	5,900

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	44.0	40.4 - 47.6	800	56.0	52.4 - 59.6	1,400
Normal birth weight	1,000	6.0	5.4 - 6.6	15,700	94.0	93.4 - 94.6	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.0	9.6 - 15.0	1,400	88.0	85.0 - 90.4	1,600
No	1,400	8.7	8.0 - 9.3	14,700	91.3	90.7 - 92.0	16,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.4	8.0 - 11.0	3,300	90.6	89.0 - 92.0	3,700
No	1,200	8.8	8.1 - 9.6	12,800	91.2	90.4 - 91.9	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.2	9.2 - 11.3	6,800	89.8	88.7 - 90.8	7,500
No	800	7.9	7.1 - 8.7	9,400	92.1	91.3 - 92.9	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	8.7	8.1 - 9.3	16,400	91.3	90.7 - 91.9	18,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	6.8	5.4 - 8.5	2,100	93.2	91.5 - 94.6	2,300
<b>Honolulu</b>	1,200	9.7	9.0 - 10.4	11,600	90.3	89.6 - 91.0	12,900
<b>Kauai</b>	100	6.0	4.1 - 8.9	800	94.0	91.1 - 95.9	900
<b>Maui</b>	100	5.8	4.4 - 7.6	1,800	94.2	92.4 - 95.6	1,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.3	6.3 - 8.6	3,800	92.7	91.4 - 93.7	4,100
Native Hawaiian	400	7.8	6.7 - 9.0	4,600	92.2	91.0 - 93.3	5,000
Chinese	100	9.5	8.0 - 11.3	600	90.5	88.7 - 92.0	600
Filipino	300	10.0	8.7 - 11.5	3,000	90.0	88.5 - 91.3	3,300
Japanese	100	6.2	4.8 - 7.8	2,000	93.8	92.2 - 95.2	2,200
Other	300	12.8	11.0 - 14.8	2,400	87.2	85.2 - 89.0	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.5	9.1 - 14.3	1,300	88.5	85.7 - 90.9	1,500
20-24	400	9.5	8.3 - 10.9	3,900	90.5	89.1 - 91.7	4,300
25-34	700	7.8	7.0 - 8.6	8,200	92.2	91.4 - 93.0	8,900
35+	300	9.1	7.8 - 10.5	2,900	90.9	89.5 - 92.2	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.3	8.5 - 10.2	8,500	90.7	89.8 - 91.5	9,400
Female	700	8.1	7.3 - 9.0	7,900	91.9	91.0 - 92.7	8,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.7	7.1 - 8.4	10,700	92.3	91.6 - 92.9	11,600
No	700	10.5	9.4 - 11.8	5,700	89.5	88.2 - 90.6	6,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.7	9.6 - 11.9	5,800	89.3	88.1 - 90.4	6,500
131-185%	200	7.3	5.9 - 8.9	2,200	92.7	91.1 - 94.1	2,300
186+%	600	7.4	6.7 - 8.3	7,200	92.6	91.7 - 93.3	7,800

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	12.8	11.0 - 14.7	2,600	87.2	85.3 - 89.0	3,000
\$10,000-\$24,999	400	9.3	8.0 - 10.7	3,500	90.7	89.3 - 92.0	3,900
\$25,000-\$49,999	300	7.8	6.8 - 9.1	3,900	92.2	90.9 - 93.2	4,200
>=\$50,000	400	6.8	5.9 - 7.7	5,300	93.2	92.3 - 94.1	5,700

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	43.6	39.8 - 47.5	700	56.4	52.5 - 60.2	1,300
Normal birth weight	1,000	5.9	5.4 - 6.5	15,600	94.1	93.5 - 94.6	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.2	8.9 - 13.8	1,400	88.8	86.2 - 91.1	1,500
No	1,400	8.5	7.9 - 9.1	14,800	91.5	90.9 - 92.1	16,100



**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.9	7.6 - 10.4	3,300	91.1	89.6 - 92.4	3,600
No	1,200	8.6	8.0 - 9.3	12,800	91.4	90.7 - 92.0	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.1	9.2 - 11.2	6,800	89.9	88.8 - 90.8	7,600
No	800	7.6	6.9 - 8.3	9,300	92.4	91.7 - 93.1	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	8.9	8.3 - 9.5	16,100	91.1	90.5 - 91.7	17,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	6.9	5.6 - 8.6	2,000	93.1	91.4 - 94.4	2,200
<b>Honolulu</b>	1,300	9.8	9.0 - 10.6	11,500	90.2	89.4 - 91.0	12,800
<b>Kauai</b>	100	7.0	4.9 - 9.8	800	93.0	90.2 - 95.1	900
<b>Maui</b>	100	5.6	4.4 - 7.3	1,800	94.4	92.7 - 95.6	1,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.9	5.8 - 8.2	3,700	93.1	91.8 - 94.2	4,000
Native Hawaiian	400	7.9	6.9 - 9.1	4,500	92.1	90.9 - 93.1	4,900
Chinese	100	9.2	7.3 - 11.6	600	90.8	88.4 - 92.7	700
Filipino	400	10.6	9.1 - 12.2	3,000	89.4	87.8 - 90.9	3,400
Japanese	100	6.6	5.2 - 8.4	2,000	93.4	91.6 - 94.8	2,200
Other	300	13.2	11.3 - 15.4	2,300	86.8	84.6 - 88.7	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.1	8.8 - 13.9	1,300	88.9	86.1 - 91.2	1,500
20-24	400	9.7	8.5 - 11.2	3,900	90.3	88.8 - 91.5	4,300
25-34	700	7.9	7.1 - 8.8	8,000	92.1	91.2 - 92.9	8,700
35+	300	9.4	8.0 - 10.9	2,900	90.6	89.1 - 92.0	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.5	8.6 - 10.4	8,400	90.5	89.6 - 91.4	9,200
Female	700	8.2	7.4 - 9.1	7,800	91.8	90.9 - 92.6	8,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.1	7.4 - 8.8	10,600	91.9	91.2 - 92.6	11,500
No	600	10.3	9.2 - 11.6	5,500	89.7	88.4 - 90.8	6,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.6	9.5 - 11.8	6,000	89.4	88.2 - 90.5	6,700
131-185%	200	7.8	6.3 - 9.7	2,100	92.2	90.3 - 93.7	2,300
186+%	600	7.6	6.7 - 8.5	6,800	92.4	91.5 - 93.3	7,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	44.0	40.1 - 48.0	700	56.0	52.0 - 59.9	1,300
Normal birth weight	1,000	6.0	5.5 - 6.6	15,400	94.0	93.4 - 94.5	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.7	8.5 - 13.3	1,400	89.3	86.7 - 91.5	1,500
No	1,400	8.7	8.0 - 9.3	14,500	91.3	90.7 - 92.0	15,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.5	7.2 - 9.9	3,300	91.5	90.1 - 92.8	3,600
No	1,200	8.9	8.2 - 9.7	12,500	91.1	90.3 - 91.8	13,800

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.7	8.8 - 10.8	6,700	90.3	89.2 - 91.2	7,500
<b>No</b>	800	8.2	7.4 - 9.0	9,100	91.8	91.0 - 92.6	9,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	9.1	8.4 - 9.7	15,800	90.9	90.3 - 91.6	17,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	7.2	5.9 - 8.7	1,900	92.8	91.3 - 94.1	2,100
<b>Honolulu</b>	1,300	10.0	9.2 - 10.9	11,500	90.0	89.1 - 90.8	12,700
<b>Kauai</b>	100	6.8	4.9 - 9.4	700	93.2	90.6 - 95.1	800
<b>Maui</b>	100	5.4	4.3 - 6.9	1,700	94.6	93.1 - 95.7	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.2	6.0 - 8.6	3,600	92.8	91.4 - 94.0	3,900
Native Hawaiian	400	8.7	7.7 - 9.8	4,400	91.3	90.2 - 92.3	4,800
Chinese	<50	7.6	5.8 - 10.0	600	92.4	90.0 - 94.2	600
Filipino	300	10.3	8.8 - 12.0	3,100	89.7	88.0 - 91.2	3,400
Japanese	200	7.4	5.8 - 9.4	2,000	92.6	90.6 - 94.2	2,200
Other	300	12.9	10.8 - 15.3	2,200	87.1	84.7 - 89.2	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.3	8.2 - 12.9	1,300	89.7	87.1 - 91.8	1,500
20-24	400	10.3	8.9 - 11.8	3,800	89.7	88.2 - 91.1	4,300
25-34	700	8.2	7.3 - 9.1	7,900	91.8	90.9 - 92.7	8,600
35+	300	9.3	7.9 - 11.0	2,800	90.7	89.0 - 92.1	3,100



**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.5	8.6 - 10.5	8,200	90.5	89.5 - 91.4	9,000
Female	700	8.6	7.7 - 9.5	7,700	91.4	90.5 - 92.3	8,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.2	7.5 - 9.0	10,600	91.8	91.0 - 92.5	11,600
No	600	10.7	9.5 - 11.9	5,200	89.3	88.1 - 90.5	5,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.4	9.3 - 11.6	6,000	89.6	88.4 - 90.7	6,600
131-185%	200	8.9	7.2 - 10.9	2,200	91.1	89.1 - 92.8	2,500
186+%	500	7.3	6.5 - 8.3	6,400	92.7	91.7 - 93.5	6,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	46.6	42.4 - 50.9	700	53.4	49.1 - 57.6	1,200
Normal birth weight	1,000	6.2	5.6 - 6.8	15,200	93.8	93.2 - 94.4	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.7	8.6 - 13.4	1,300	89.3	86.6 - 91.4	1,500
No	1,400	8.9	8.2 - 9.6	14,300	91.1	90.4 - 91.8	15,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.4	8.0 - 10.9	3,200	90.6	89.1 - 92.0	3,500
No	1,200	8.9	8.2 - 9.7	12,300	91.1	90.3 - 91.8	13,500

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	10.4	9.3 - 11.5	6,600	89.6	88.5 - 90.7	7,400
<b>No</b>	800	8.0	7.2 - 8.9	9,000	92.0	91.1 - 92.8	9,800

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	9.2	8.5 - 9.8	15,500	90.8	90.2 - 91.5	17,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	6.7	5.6 - 8.0	1,900	93.3	92.0 - 94.4	2,000
<b>Honolulu</b>	1,300	10.2	9.3 - 11.0	11,200	89.8	89.0 - 90.7	12,500
<b>Kauai</b>	100	7.5	5.6 - 9.8	700	92.5	90.2 - 94.4	800
<b>Maui</b>	100	5.6	4.5 - 7.0	1,700	94.4	93.0 - 95.5	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.2	5.9 - 8.6	3,400	92.8	91.4 - 94.1	3,700
Native Hawaiian	400	9.6	8.6 - 10.6	4,300	90.4	89.4 - 91.4	4,700
Chinese	100	8.0	5.7 - 11.2	600	92.0	88.8 - 94.3	700
Filipino	300	9.9	8.4 - 11.6	3,100	90.1	88.4 - 91.6	3,400
Japanese	200	7.6	5.9 - 9.6	2,000	92.4	90.4 - 94.1	2,200
Other	300	12.2	10.1 - 14.6	2,100	87.8	85.4 - 89.9	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.5	8.5 - 12.9	1,300	89.5	87.1 - 91.5	1,500
20-24	400	9.9	8.6 - 11.3	3,800	90.1	88.7 - 91.4	4,200
25-34	700	8.2	7.3 - 9.1	7,700	91.8	90.9 - 92.7	8,400
35+	300	10.3	8.7 - 12.1	2,600	89.7	87.9 - 91.3	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	9.6	8.7 - 10.5	8,000	90.4	89.5 - 91.3	8,800
Female	700	8.7	7.8 - 9.7	7,500	91.3	90.3 - 92.2	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.5	7.7 - 9.3	10,500	91.5	90.7 - 92.3	11,400
No	600	10.5	9.4 - 11.7	5,000	89.5	88.3 - 90.6	5,600

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.7	8.7 - 10.8	6,000	90.3	89.2 - 91.3	6,600
131-185%	200	9.0	7.4 - 10.9	2,400	91.0	89.1 - 92.6	2,700
186+%	500	7.8	6.9 - 8.9	5,800	92.2	91.1 - 93.1	6,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	47.3	43.0 - 51.6	600	52.7	48.4 - 57.0	1,100
Normal birth weight	1,000	6.4	5.8 - 7.0	14,900	93.6	93.0 - 94.2	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.4	8.3 - 12.9	1,300	89.6	87.1 - 91.7	1,500
No	1,400	9.0	8.3 - 9.7	13,900	91.0	90.3 - 91.7	15,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.7	8.3 - 11.3	3,100	90.3	88.7 - 91.7	3,400
No	1,200	8.9	8.2 - 9.7	12,000	91.1	90.3 - 91.8	13,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.9	8.9 - 11.0	6,500	90.1	89.0 - 91.1	7,200
<b>No</b>	800	8.5	7.7 - 9.3	8,800	91.5	90.7 - 92.3	9,600



**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	9.2	8.6 - 9.9	15,400	90.8	90.1 - 91.4	17,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	7.2	6.2 - 8.5	1,800	92.8	91.5 - 93.8	2,000
<b>Honolulu</b>	1,300	10.1	9.3 - 11.0	11,300	89.9	89.0 - 90.7	12,500
<b>Kauai</b>	100	8.1	6.3 - 10.4	700	91.9	89.6 - 93.7	800
<b>Maui</b>	100	5.8	4.7 - 7.0	1,700	94.2	93.0 - 95.3	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.4	6.2 - 8.8	3,500	92.6	91.2 - 93.8	3,800
Native Hawaiian	400	9.7	8.9 - 10.6	4,200	90.3	89.4 - 91.1	4,600
Chinese	<50	6.3	4.2 - 9.5	600	93.7	90.5 - 95.8	700
Filipino	400	10.1	8.6 - 11.9	3,100	89.9	88.1 - 91.4	3,500
Japanese	200	8.6	6.8 - 10.9	1,900	91.4	89.1 - 93.2	2,100
Other	300	11.4	9.3 - 13.8	2,100	88.6	86.2 - 90.7	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.8	9.8 - 14.1	1,400	88.2	85.9 - 90.2	1,500
20-24	400	10.1	8.8 - 11.5	3,800	89.9	88.5 - 91.2	4,200
25-34	700	8.0	7.1 - 8.9	7,700	92.0	91.1 - 92.9	8,400
35+	300	10.4	8.8 - 12.2	2,600	89.6	87.8 - 91.2	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	9.2	8.4 - 10.1	8,000	90.8	89.9 - 91.6	8,800
Female	800	9.3	8.4 - 10.3	7,400	90.7	89.7 - 91.6	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.4	7.6 - 9.2	10,600	91.6	90.8 - 92.4	11,600
No	600	11.1	10.0 - 12.3	4,800	88.9	87.7 - 90.0	5,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	9.9	8.9 - 10.9	6,100	90.1	89.1 - 91.1	6,800
131-185%	200	8.4	6.9 - 10.2	2,500	91.6	89.8 - 93.1	2,800
186+%	500	8.2	7.3 - 9.4	5,500	91.8	90.6 - 92.7	6,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	45.3	41.0 - 49.6	600	54.7	50.4 - 59.0	1,100
Normal birth weight	1,100	6.7	6.1 - 7.3	14,800	93.3	92.7 - 93.9	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.1	9.0 - 13.6	1,300	88.9	86.4 - 91.0	1,400
No	1,400	9.0	8.4 - 9.8	13,900	91.0	90.2 - 91.6	15,200

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	10.6	9.2 - 12.2	3,000	89.4	87.8 - 90.8	3,400
No	1,200	8.8	8.1 - 9.6	12,000	91.2	90.4 - 91.9	13,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby placed in ICU after birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	10.2	9.3 - 11.3	6,500	89.8	88.7 - 90.7	7,200
<b>No</b>	800	8.5	7.7 - 9.4	8,800	91.5	90.6 - 92.3	9,600