

PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Baby discharged within 48 hours	Babies discharged from the hospital within 48 hours (of all vaginal births)

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- for the State of Hawaii, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	9,900	77.6	76.5 - 78.7	2,900	22.4	21.3 - 23.5	12,700
2001-2005	10,100	77.5	76.4 - 78.6	2,900	22.5	21.4 - 23.6	13,000
2002-2006	10,200	77.1	76.0 - 78.2	3,000	22.9	21.8 - 24.0	13,200
2003-2007	10,300	77.6	76.6 - 78.7	3,000	22.4	21.3 - 23.4	13,200
2004-2008	10,300	77.7	76.7 - 78.7	3,000	22.3	21.3 - 23.3	13,300
2005-2009	10,500	78.9	77.8 - 79.9	2,800	21.1	20.1 - 22.2	13,300
2006-2010	10,700	80.0	78.9 - 81.1	2,700	20.0	18.9 - 21.1	13,400
2007-2011	10,800	81.1	79.9 - 82.2	2,500	18.9	17.8 - 20.1	13,300
2008-2012	10,800	81.6	80.4 - 82.8	2,400	18.4	17.2 - 19.6	13,300
2009-2013	10,700	81.2	79.8 - 82.5	2,500	18.8	17.5 - 20.2	13,200

PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,700	81.2	79.8 - 82.5	2,500	18.8	17.5 - 20.2	13,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,300	81.8	79.5 - 83.9	300	18.2	16.1 - 20.5	1,600
Honolulu	7,900	81.3	79.5 - 82.9	1,800	18.7	17.1 - 20.5	9,700
Kauai	400	70.4	67.4 - 73.3	200	29.6	26.7 - 32.6	600
Maui	1,100	84.4	82.4 - 86.3	200	15.6	13.7 - 17.6	1,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,600	81.4	78.6 - 83.9	600	18.6	16.1 - 21.4	3,200
Native Hawaiian	3,300	81.1	78.7 - 83.4	800	18.9	16.6 - 21.3	4,100
Chinese	500	84.0	77.1 - 89.1	100	16.0	10.9 - 22.9	600
Filipino	1,700	79.0	75.5 - 82.1	500	21.0	17.9 - 24.5	2,200
Japanese	1,000	81.4	76.6 - 85.4	200	18.6	14.6 - 23.4	1,300
Other	1,500	82.4	78.5 - 85.7	300	17.6	14.3 - 21.5	1,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	74.4	68.8 - 79.3	300	25.6	20.7 - 31.2	1,000
20-24	2,600	80.2	77.2 - 82.8	600	19.8	17.2 - 22.8	3,200
25-34	5,700	82.3	80.5 - 84.0	1,200	17.7	16.0 - 19.5	7,000
35+	1,600	82.3	78.9 - 85.2	400	17.7	14.8 - 21.1	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,400	80.8	78.9 - 82.6	1,300	19.2	17.4 - 21.1	6,700
Female	5,300	81.6	79.6 - 83.4	1,200	18.4	16.6 - 20.4	6,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,500	82.3	80.5 - 83.9	1,400	17.7	16.1 - 19.5	7,900
No	4,200	79.5	77.3 - 81.6	1,100	20.5	18.4 - 22.7	5,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,800	79.5	77.2 - 81.6	1,000	20.5	18.4 - 22.8	4,800
131-185%	1,700	82.4	78.8 - 85.6	400	17.6	14.4 - 21.2	2,000
186+%	4,300	83.0	80.9 - 85.0	900	17.0	15.0 - 19.1	5,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	46.9	43.8 - 50.0	400	53.1	50.0 - 56.2	700
Normal birth weight	10,300	83.3	81.9 - 84.6	2,100	16.7	15.4 - 18.1	12,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	80.2	74.8 - 84.7	200	19.8	15.3 - 25.2	800
No	9,800	81.2	79.8 - 82.6	2,300	18.8	17.4 - 20.2	12,100

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	78.9	75.7 - 81.8	500	21.1	18.2 - 24.3	2,500
No	8,500	81.7	80.2 - 83.1	1,900	18.3	16.9 - 19.8	10,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,700	79.1	77.0 - 81.1	1,200	20.9	18.9 - 23.0	5,900
No	5,900	83.0	81.2 - 84.6	1,200	17.0	15.4 - 18.8	7,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,800	81.6	80.4 - 82.8	2,400	18.4	17.2 - 19.6	13,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,300	80.8	78.3 - 83.1	300	19.2	16.9 - 21.7	1,600
Honolulu	7,900	81.8	80.2 - 83.3	1,800	18.2	16.7 - 19.8	9,700
Kauai	400	73.2	69.7 - 76.4	200	26.8	23.6 - 30.3	600
Maui	1,200	84.7	82.5 - 86.7	200	15.3	13.3 - 17.5	1,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,500	81.9	79.3 - 84.2	600	18.1	15.8 - 20.7	3,100
Native Hawaiian	3,300	81.3	79.0 - 83.5	800	18.7	16.5 - 21.0	4,000
Chinese	500	84.6	79.0 - 88.9	100	15.4	11.1 - 21.0	600
Filipino	1,800	79.9	76.8 - 82.7	400	20.1	17.3 - 23.2	2,200
Japanese	1,100	84.3	80.3 - 87.6	200	15.7	12.4 - 19.7	1,300
Other	1,600	80.8	77.3 - 83.9	400	19.2	16.1 - 22.7	2,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	74.4	69.5 - 78.8	300	25.6	21.2 - 30.5	1,100
20-24	2,600	79.9	77.1 - 82.4	700	20.1	17.6 - 22.9	3,200
25-34	5,800	83.0	81.3 - 84.5	1,200	17.0	15.5 - 18.7	6,900
35+	1,700	83.4	80.4 - 86.0	300	16.6	14.0 - 19.6	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,500	80.8	79.0 - 82.4	1,300	19.2	17.6 - 21.0	6,800
Female	5,300	82.4	80.7 - 84.1	1,100	17.6	15.9 - 19.3	6,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	83.0	81.5 - 84.5	1,400	17.0	15.5 - 18.5	8,000
No	4,200	79.4	77.3 - 81.3	1,100	20.6	18.7 - 22.7	5,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,800	78.2	76.0 - 80.2	1,100	21.8	19.8 - 24.0	4,900
131-185%	1,700	84.0	80.9 - 86.7	300	16.0	13.3 - 19.1	2,100
186+%	4,400	84.2	82.4 - 85.9	800	15.8	14.1 - 17.6	5,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	48.7	45.0 - 52.4	400	51.3	47.6 - 55.0	800
Normal birth weight	10,400	83.6	82.3 - 84.8	2,000	16.4	15.2 - 17.7	12,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	81.0	76.2 - 84.9	200	19.0	15.1 - 23.8	900
No	9,900	81.7	80.4 - 82.9	2,200	18.3	17.1 - 19.6	12,100

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	79.0	76.1 - 81.8	500	21.0	18.2 - 23.9	2,600
No	8,600	82.3	80.9 - 83.6	1,900	17.7	16.4 - 19.1	10,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,700	79.5	77.5 - 81.3	1,200	20.5	18.7 - 22.5	6,000
No	5,900	83.5	81.9 - 85.0	1,200	16.5	15.0 - 18.1	7,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,800	81.1	79.9 - 82.2	2,500	18.9	17.8 - 20.1	13,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	81.2	78.7 - 83.5	300	18.8	16.5 - 21.3	1,700
Honolulu	7,800	81.0	79.5 - 82.4	1,800	19.0	17.6 - 20.5	9,600
Kauai	500	74.8	70.8 - 78.4	200	25.2	21.6 - 29.2	600
Maui	1,200	84.5	82.1 - 86.7	200	15.5	13.3 - 17.9	1,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,600	82.5	80.1 - 84.7	500	17.5	15.3 - 19.9	3,100
Native Hawaiian	3,200	79.7	77.4 - 81.9	800	20.3	18.1 - 22.6	4,000
Chinese	500	83.2	77.7 - 87.6	100	16.8	12.4 - 22.3	600
Filipino	1,800	80.0	77.1 - 82.5	500	20.0	17.5 - 22.9	2,300
Japanese	1,200	85.1	81.7 - 88.0	200	14.9	12.0 - 18.3	1,400
Other	1,600	79.4	76.1 - 82.4	400	20.6	17.6 - 23.9	2,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	73.4	68.7 - 77.6	300	26.6	22.4 - 31.3	1,200
20-24	2,700	79.0	76.4 - 81.3	700	21.0	18.7 - 23.6	3,400
25-34	5,600	82.7	81.1 - 84.2	1,200	17.3	15.8 - 18.9	6,800
35+	1,700	83.7	80.9 - 86.2	300	16.3	13.8 - 19.1	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,600	80.1	78.5 - 81.7	1,400	19.9	18.3 - 21.5	7,000
Female	5,200	82.1	80.5 - 83.7	1,100	17.9	16.3 - 19.5	6,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	83.4	82.0 - 84.8	1,300	16.6	15.2 - 18.0	8,000
No	4,100	77.5	75.5 - 79.4	1,200	22.5	20.6 - 24.5	5,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	77.4	75.3 - 79.3	1,100	22.6	20.7 - 24.7	5,000
131-185%	1,700	83.6	80.6 - 86.3	300	16.4	13.7 - 19.4	2,000
186+%	4,500	84.2	82.5 - 85.8	800	15.8	14.2 - 17.5	5,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,800	75.9	72.8 - 78.9	600	24.1	21.1 - 27.2	2,400
\$10,000-\$24,999	2,100	77.4	74.6 - 80.0	600	22.6	20.0 - 25.4	2,700
\$25,000-\$49,999	2,600	84.2	81.9 - 86.3	500	15.8	13.7 - 18.1	3,100
>=\$50,000	3,600	84.9	82.9 - 86.6	600	15.1	13.4 - 17.1	4,300

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	49.5	45.4 - 53.6	400	50.5	46.4 - 54.6	800
Normal birth weight	10,400	83.1	81.9 - 84.3	2,100	16.9	15.7 - 18.1	12,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	79.2	74.7 - 83.1	200	20.8	16.9 - 25.3	1,100
No	9,800	81.3	80.0 - 82.4	2,300	18.7	17.6 - 20.0	12,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	78.6	75.8 - 81.2	600	21.4	18.8 - 24.2	2,700
No	8,500	81.8	80.4 - 83.0	1,900	18.2	17.0 - 19.6	10,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,600	78.6	76.7 - 80.4	1,300	21.4	19.6 - 23.3	5,900
No	6,000	83.1	81.6 - 84.5	1,200	16.9	15.5 - 18.4	7,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,700	80.0	78.9 - 81.1	2,700	20.0	18.9 - 21.1	13,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,300	80.8	78.0 - 83.3	300	19.2	16.7 - 22.0	1,600
Honolulu	7,800	79.7	78.3 - 81.1	2,000	20.3	18.9 - 21.7	9,800
Kauai	500	73.5	68.9 - 77.7	200	26.5	22.3 - 31.1	600
Maui	1,200	84.2	81.6 - 86.6	200	15.8	13.4 - 18.4	1,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,600	82.4	80.1 - 84.5	600	17.6	15.5 - 19.9	3,100
Native Hawaiian	3,200	79.9	77.7 - 82.0	800	20.1	18.0 - 22.3	4,000
Chinese	400	79.1	73.7 - 83.7	100	20.9	16.3 - 26.3	500
Filipino	1,800	78.9	76.3 - 81.3	500	21.1	18.7 - 23.7	2,300
Japanese	1,200	82.9	79.5 - 85.8	200	17.1	14.2 - 20.5	1,400
Other	1,600	76.1	72.9 - 79.0	500	23.9	21.0 - 27.1	2,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	71.6	67.0 - 75.8	400	28.4	24.2 - 33.0	1,200
20-24	2,700	78.6	76.2 - 80.8	700	21.4	19.2 - 23.8	3,400
25-34	5,400	81.6	80.1 - 83.1	1,200	18.4	16.9 - 19.9	6,700
35+	1,700	82.3	79.6 - 84.7	400	17.7	15.3 - 20.4	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,500	78.9	77.3 - 80.4	1,500	21.1	19.6 - 22.7	7,000
Female	5,200	81.3	79.7 - 82.8	1,200	18.7	17.2 - 20.3	6,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	81.9	80.5 - 83.2	1,500	18.1	16.8 - 19.5	8,200
No	4,000	77.0	75.1 - 78.9	1,200	23.0	21.1 - 24.9	5,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,800	76.3	74.3 - 78.3	1,200	23.7	21.7 - 25.7	4,900
131-185%	1,700	82.5	79.6 - 85.0	400	17.5	15.0 - 20.4	2,000
186+%	4,500	83.1	81.4 - 84.6	900	16.9	15.4 - 18.6	5,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,800	74.4	71.3 - 77.3	600	25.6	22.7 - 28.7	2,400
\$10,000-\$24,999	2,100	76.3	73.6 - 78.8	700	23.7	21.2 - 26.4	2,800
\$25,000-\$49,999	2,600	83.2	81.0 - 85.1	500	16.8	14.9 - 19.0	3,100
>=\$50,000	3,600	84.2	82.4 - 85.9	700	15.8	14.1 - 17.6	4,300

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	49.4	45.0 - 53.8	400	50.6	46.2 - 55.0	900
Normal birth weight	10,300	82.1	81.0 - 83.2	2,200	17.9	16.8 - 19.0	12,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	77.7	73.4 - 81.5	300	22.3	18.5 - 26.6	1,200
No	9,600	80.3	79.1 - 81.4	2,400	19.7	18.6 - 20.9	12,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	78.3	75.6 - 80.8	600	21.7	19.2 - 24.4	2,700
No	8,400	80.5	79.2 - 81.7	2,000	19.5	18.3 - 20.8	10,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,500	77.7	75.9 - 79.5	1,300	22.3	20.5 - 24.1	5,800
No	6,000	81.9	80.4 - 83.2	1,300	18.1	16.8 - 19.6	7,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,500	78.9	77.8 - 79.9	2,800	21.1	20.1 - 22.2	13,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,300	80.2	77.2 - 82.8	300	19.8	17.2 - 22.8	1,600
Honolulu	7,600	78.1	76.8 - 79.4	2,100	21.9	20.6 - 23.2	9,800
Kauai	400	73.1	67.9 - 77.7	200	26.9	22.3 - 32.1	600
Maui	1,100	85.6	82.8 - 88.0	200	14.4	12.0 - 17.2	1,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,500	82.3	80.1 - 84.3	500	17.7	15.7 - 19.9	3,000
Native Hawaiian	3,100	78.7	76.5 - 80.8	800	21.3	19.2 - 23.5	3,900
Chinese	400	80.5	76.3 - 84.1	100	19.5	15.9 - 23.7	500
Filipino	1,800	76.4	73.9 - 78.8	600	23.6	21.2 - 26.1	2,300
Japanese	1,300	83.5	80.4 - 86.1	200	16.5	13.9 - 19.6	1,500
Other	1,500	73.2	70.1 - 76.2	500	26.8	23.8 - 29.9	2,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	71.0	66.7 - 75.0	400	29.0	25.0 - 33.3	1,300
20-24	2,600	77.0	74.6 - 79.2	800	23.0	20.8 - 25.4	3,400
25-34	5,400	80.7	79.2 - 82.1	1,300	19.3	17.9 - 20.8	6,600
35+	1,600	81.1	78.5 - 83.5	400	18.9	16.5 - 21.5	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,400	77.7	76.2 - 79.2	1,500	22.3	20.8 - 23.8	6,900
Female	5,100	80.2	78.6 - 81.6	1,300	19.8	18.4 - 21.4	6,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	81.2	79.9 - 82.4	1,600	18.8	17.6 - 20.1	8,200
No	3,800	75.2	73.3 - 77.1	1,300	24.8	22.9 - 26.7	5,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,700	74.8	72.8 - 76.7	1,200	25.2	23.3 - 27.2	4,900
131-185%	1,500	81.2	78.4 - 83.7	400	18.8	16.3 - 21.6	1,900
186+%	4,500	82.5	81.0 - 84.0	1,000	17.5	16.0 - 19.0	5,500

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	71.5	68.4 - 74.5	700	28.5	25.5 - 31.6	2,300
\$10,000-\$24,999	2,100	76.1	73.6 - 78.5	700	23.9	21.5 - 26.4	2,800
\$25,000-\$49,999	2,400	80.9	78.7 - 82.9	600	19.1	17.1 - 21.3	3,000
>=\$50,000	3,500	84.3	82.6 - 85.9	700	15.7	14.1 - 17.4	4,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	48.0	43.4 - 52.6	400	52.0	47.4 - 56.6	900
Normal birth weight	10,100	81.1	80.0 - 82.1	2,400	18.9	17.9 - 20.0	12,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	75.6	71.2 - 79.4	300	24.4	20.6 - 28.8	1,200
No	9,500	79.3	78.1 - 80.4	2,500	20.7	19.6 - 21.9	11,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	77.1	74.5 - 79.6	600	22.9	20.4 - 25.5	2,700
No	8,200	79.5	78.3 - 80.6	2,100	20.5	19.4 - 21.7	10,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,300	76.3	74.5 - 78.0	1,300	23.7	22.0 - 25.5	5,600
No	6,000	80.8	79.5 - 82.2	1,400	19.2	17.8 - 20.5	7,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,300	77.7	76.7 - 78.7	3,000	22.3	21.3 - 23.3	13,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,300	81.2	78.1 - 83.9	300	18.8	16.1 - 21.9	1,600
Honolulu	7,500	76.3	75.1 - 77.5	2,300	23.7	22.5 - 24.9	9,800
Kauai	400	73.4	67.9 - 78.2	200	26.6	21.8 - 32.1	600
Maui	1,100	86.3	83.3 - 88.9	200	13.7	11.1 - 16.7	1,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,400	80.6	78.5 - 82.5	600	19.4	17.5 - 21.5	3,000
Native Hawaiian	2,900	78.4	76.3 - 80.4	800	21.6	19.6 - 23.7	3,800
Chinese	400	78.8	76.1 - 81.3	100	21.2	18.7 - 23.9	500
Filipino	1,800	74.4	72.0 - 76.6	600	25.6	23.4 - 28.0	2,400
Japanese	1,300	82.8	80.0 - 85.4	300	17.2	14.6 - 20.0	1,600
Other	1,500	72.0	69.0 - 74.8	600	28.0	25.2 - 31.0	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	69.9	65.7 - 73.8	400	30.1	26.2 - 34.3	1,200
20-24	2,600	75.7	73.5 - 77.8	800	24.3	22.2 - 26.5	3,400
25-34	5,200	79.4	78.0 - 80.7	1,400	20.6	19.3 - 22.0	6,600
35+	1,600	80.3	77.9 - 82.6	400	19.7	17.4 - 22.1	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,200	76.2	74.7 - 77.7	1,600	23.8	22.3 - 25.3	6,900
Female	5,100	79.3	77.8 - 80.7	1,300	20.7	19.3 - 22.2	6,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	79.6	78.4 - 80.8	1,700	20.4	19.2 - 21.6	8,500
No	3,600	74.4	72.4 - 76.2	1,200	25.6	23.8 - 27.6	4,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,700	74.3	72.5 - 76.1	1,300	25.7	23.9 - 27.5	4,900
131-185%	1,400	79.3	76.4 - 81.8	400	20.7	18.2 - 23.6	1,800
186+%	4,500	81.4	80.0 - 82.8	1,000	18.6	17.2 - 20.0	5,500

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,600	71.3	68.4 - 74.0	700	28.7	26.0 - 31.6	2,300
\$10,000-\$24,999	2,200	74.7	72.3 - 77.0	700	25.3	23.0 - 27.7	2,900
\$25,000-\$49,999	2,500	79.8	77.8 - 81.7	600	20.2	18.3 - 22.2	3,200
>=\$50,000	3,400	83.4	81.8 - 84.9	700	16.6	15.1 - 18.2	4,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	47.3	42.3 - 52.3	400	52.7	47.7 - 57.7	800
Normal birth weight	9,900	79.8	78.7 - 80.8	2,500	20.2	19.2 - 21.3	12,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	75.3	71.2 - 79.0	300	24.7	21.0 - 28.8	1,100
No	9,300	78.0	76.9 - 79.1	2,600	22.0	20.9 - 23.1	11,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	76.8	74.3 - 79.2	600	23.2	20.8 - 25.7	2,700
No	8,100	78.1	76.9 - 79.2	2,300	21.9	20.8 - 23.1	10,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,300	75.7	74.0 - 77.3	1,400	24.3	22.7 - 26.0	5,700
No	5,800	79.2	77.8 - 80.5	1,500	20.8	19.5 - 22.2	7,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,300	77.6	76.6 - 78.7	3,000	22.4	21.3 - 23.4	13,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	81.8	78.9 - 84.4	300	18.2	15.6 - 21.1	1,500
Honolulu	7,500	76.3	75.0 - 77.5	2,300	23.7	22.5 - 25.0	9,900
Kauai	400	71.0	65.8 - 75.8	200	29.0	24.2 - 34.2	600
Maui	1,100	86.5	83.7 - 89.0	200	13.5	11.0 - 16.3	1,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,400	80.8	78.6 - 82.8	600	19.2	17.2 - 21.4	2,900
Native Hawaiian	2,900	78.5	76.5 - 80.4	800	21.5	19.6 - 23.5	3,700
Chinese	400	78.8	74.4 - 82.6	100	21.2	17.4 - 25.6	500
Filipino	1,900	74.7	72.1 - 77.1	600	25.3	22.9 - 27.9	2,500
Japanese	1,300	82.8	79.8 - 85.4	300	17.2	14.6 - 20.2	1,600
Other	1,400	70.6	67.3 - 73.6	600	29.4	26.4 - 32.7	2,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	71.3	67.3 - 75.1	400	28.7	24.9 - 32.7	1,200
20-24	2,600	75.7	73.5 - 77.8	800	24.3	22.2 - 26.5	3,500
25-34	5,200	79.2	77.7 - 80.6	1,400	20.8	19.4 - 22.3	6,500
35+	1,600	79.6	76.9 - 82.0	400	20.4	18.0 - 23.1	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,200	76.4	74.8 - 77.8	1,600	23.6	22.2 - 25.2	6,800
Female	5,100	79.0	77.4 - 80.4	1,300	21.0	19.6 - 22.6	6,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	79.3	78.0 - 80.5	1,800	20.7	19.5 - 22.0	8,600
No	3,500	74.6	72.6 - 76.4	1,200	25.4	23.6 - 27.4	4,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,800	74.9	73.0 - 76.7	1,300	25.1	23.3 - 27.0	5,100
131-185%	1,400	78.8	75.8 - 81.5	400	21.2	18.5 - 24.2	1,700
186+%	4,400	81.5	79.9 - 82.9	1,000	18.5	17.1 - 20.1	5,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	47.8	42.8 - 52.9	400	52.2	47.1 - 57.2	800
Normal birth weight	9,900	79.6	78.6 - 80.7	2,500	20.4	19.3 - 21.4	12,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	75.1	71.1 - 78.8	300	24.9	21.2 - 28.9	1,100
No	9,300	77.9	76.8 - 79.0	2,600	22.1	21.0 - 23.2	11,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	77.6	75.2 - 79.9	600	22.4	20.1 - 24.8	2,700
No	8,000	77.7	76.5 - 78.8	2,300	22.3	21.2 - 23.5	10,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,300	75.8	74.0 - 77.4	1,400	24.2	22.6 - 26.0	5,700
No	5,800	79.0	77.6 - 80.4	1,500	21.0	19.6 - 22.4	7,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,200	77.1	76.0 - 78.2	3,000	22.9	21.8 - 24.0	13,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	80.5	77.7 - 83.0	300	19.5	17.0 - 22.3	1,500
Honolulu	7,600	75.9	74.5 - 77.2	2,400	24.1	22.8 - 25.5	10,000
Kauai	400	71.1	66.0 - 75.8	200	28.9	24.2 - 34.0	600
Maui	1,100	86.5	83.9 - 88.7	200	13.5	11.3 - 16.1	1,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,300	79.5	77.1 - 81.7	600	20.5	18.3 - 22.9	2,900
Native Hawaiian	2,800	78.5	76.6 - 80.2	800	21.5	19.8 - 23.4	3,600
Chinese	400	78.0	72.7 - 82.5	100	22.0	17.5 - 27.3	500
Filipino	1,900	73.9	71.1 - 76.5	700	26.1	23.5 - 28.9	2,600
Japanese	1,300	83.2	80.1 - 85.9	300	16.8	14.1 - 19.9	1,600
Other	1,400	70.3	66.7 - 73.6	600	29.7	26.4 - 33.3	2,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	71.6	67.6 - 75.3	300	28.4	24.7 - 32.4	1,200
20-24	2,600	75.9	73.6 - 78.1	800	24.1	21.9 - 26.4	3,400
25-34	5,200	78.5	76.9 - 80.0	1,400	21.5	20.0 - 23.1	6,600
35+	1,500	78.2	75.3 - 80.9	400	21.8	19.1 - 24.7	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,100	75.7	74.1 - 77.2	1,600	24.3	22.8 - 25.9	6,800
Female	5,100	78.7	77.1 - 80.2	1,400	21.3	19.8 - 22.9	6,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,900	78.3	76.9 - 79.6	1,900	21.7	20.4 - 23.1	8,800
No	3,300	74.8	72.9 - 76.7	1,100	25.2	23.3 - 27.1	4,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,800	74.4	72.5 - 76.2	1,300	25.6	23.8 - 27.5	5,100
131-185%	1,500	78.3	75.2 - 81.1	400	21.7	18.9 - 24.8	1,900
186+%	4,100	81.0	79.3 - 82.5	1,000	19.0	17.5 - 20.7	5,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	46.6	41.3 - 52.0	400	53.4	48.0 - 58.7	800
Normal birth weight	9,800	79.1	78.0 - 80.2	2,600	20.9	19.8 - 22.0	12,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	74.7	70.5 - 78.4	300	25.3	21.6 - 29.5	1,100
No	9,200	77.4	76.2 - 78.6	2,700	22.6	21.4 - 23.8	11,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	76.7	74.2 - 79.1	600	23.3	20.9 - 25.8	2,700
No	7,900	77.3	76.0 - 78.5	2,300	22.7	21.5 - 24.0	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,200	75.3	73.5 - 77.0	1,400	24.7	23.0 - 26.5	5,600
No	5,800	78.5	77.0 - 79.9	1,600	21.5	20.1 - 23.0	7,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,100	77.5	76.4 - 78.6	2,900	22.5	21.4 - 23.6	13,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	80.4	77.9 - 82.6	300	19.6	17.4 - 22.1	1,400
Honolulu	7,500	76.3	74.9 - 77.6	2,300	23.7	22.4 - 25.1	9,800
Kauai	400	72.8	68.2 - 76.9	100	27.2	23.1 - 31.8	500
Maui	1,100	86.3	84.0 - 88.4	200	13.7	11.6 - 16.0	1,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,300	79.3	77.0 - 81.5	600	20.7	18.5 - 23.0	2,800
Native Hawaiian	2,800	78.0	76.3 - 79.6	800	22.0	20.4 - 23.7	3,600
Chinese	400	78.9	73.0 - 83.8	100	21.1	16.2 - 27.0	500
Filipino	1,900	75.2	72.4 - 77.8	600	24.8	22.2 - 27.6	2,600
Japanese	1,300	83.3	80.2 - 86.0	300	16.7	14.0 - 19.8	1,600
Other	1,400	72.0	68.3 - 75.3	500	28.0	24.7 - 31.7	1,900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	72.4	68.7 - 75.8	300	27.6	24.2 - 31.3	1,200
20-24	2,600	75.8	73.6 - 77.9	800	24.2	22.1 - 26.4	3,400
25-34	5,100	79.2	77.6 - 80.7	1,300	20.8	19.3 - 22.4	6,400
35+	1,500	78.4	75.4 - 81.1	400	21.6	18.9 - 24.6	1,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,000	76.4	74.8 - 77.9	1,600	23.6	22.1 - 25.2	6,600
Female	5,100	78.7	77.2 - 80.2	1,400	21.3	19.8 - 22.8	6,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	78.9	77.5 - 80.2	1,800	21.1	19.8 - 22.5	8,700
No	3,200	74.9	73.0 - 76.7	1,100	25.1	23.3 - 27.0	4,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,800	74.7	72.8 - 76.4	1,300	25.3	23.6 - 27.2	5,100
131-185%	1,600	78.6	75.8 - 81.2	400	21.4	18.8 - 24.2	2,100
186+%	3,900	81.7	80.0 - 83.3	900	18.3	16.7 - 20.0	4,700

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	45.9	40.4 - 51.4	400	54.1	48.6 - 59.6	700
Normal birth weight	9,700	79.4	78.3 - 80.5	2,500	20.6	19.5 - 21.7	12,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	75.0	71.1 - 78.5	300	25.0	21.5 - 28.9	1,100
No	9,100	77.8	76.7 - 79.0	2,600	22.2	21.0 - 23.3	11,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	77.0	74.6 - 79.3	600	23.0	20.7 - 25.4	2,600
No	7,800	77.7	76.5 - 79.0	2,200	22.3	21.0 - 23.5	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,200	75.7	74.0 - 77.3	1,400	24.3	22.7 - 26.0	5,600
No	5,800	79.0	77.5 - 80.4	1,500	21.0	19.6 - 22.5	7,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	9,900	77.6	76.5 - 78.7	2,900	22.4	21.3 - 23.5	12,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	81.0	78.8 - 83.0	300	19.0	17.0 - 21.2	1,400
Honolulu	7,200	76.1	74.7 - 77.5	2,300	23.9	22.5 - 25.3	9,500
Kauai	400	74.9	70.9 - 78.5	100	25.1	21.5 - 29.1	500
Maui	1,100	85.7	83.5 - 87.6	200	14.3	12.4 - 16.5	1,300

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,300	78.4	76.0 - 80.6	600	21.6	19.4 - 24.0	2,900
Native Hawaiian	2,700	78.3	76.9 - 79.7	800	21.7	20.3 - 23.1	3,500
Chinese	400	79.5	73.2 - 84.6	100	20.5	15.4 - 26.8	500
Filipino	1,900	75.6	72.7 - 78.2	600	24.4	21.8 - 27.3	2,500
Japanese	1,200	82.9	79.5 - 85.8	300	17.1	14.2 - 20.5	1,500
Other	1,300	72.9	69.2 - 76.3	500	27.1	23.7 - 30.8	1,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	72.1	68.6 - 75.4	400	27.9	24.6 - 31.4	1,300
20-24	2,600	76.2	74.1 - 78.3	800	23.8	21.7 - 25.9	3,400
25-34	4,900	79.3	77.7 - 80.8	1,300	20.7	19.2 - 22.3	6,200
35+	1,400	78.0	75.0 - 80.8	400	22.0	19.2 - 25.0	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,000	76.6	75.0 - 78.1	1,500	23.4	21.9 - 25.0	6,500
Female	4,900	78.6	77.1 - 80.1	1,300	21.4	19.9 - 22.9	6,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	78.9	77.5 - 80.2	1,800	21.1	19.8 - 22.5	8,600
No	3,100	74.9	73.0 - 76.7	1,000	25.1	23.3 - 27.0	4,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	75.3	73.5 - 77.0	1,300	24.7	23.0 - 26.5	5,200
131-185%	1,700	79.2	76.4 - 81.7	400	20.8	18.3 - 23.6	2,100
186+%	3,600	80.8	79.0 - 82.5	800	19.2	17.5 - 21.0	4,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	45.9	40.4 - 51.5	400	54.1	48.5 - 59.6	700
Normal birth weight	9,500	79.4	78.3 - 80.5	2,500	20.6	19.5 - 21.7	12,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	74.9	71.1 - 78.4	300	25.1	21.6 - 28.9	1,100
No	8,800	77.8	76.6 - 78.9	2,500	22.2	21.1 - 23.4	11,400

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	76.7	74.2 - 78.9	600	23.3	21.1 - 25.8	2,600
No	7,600	77.7	76.4 - 78.9	2,200	22.3	21.1 - 23.6	9,800

**PRAMS Health Indicator 5-Year Aggregate Report - Baby discharged within 48 hours- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,200	76.3	74.7 - 77.9	1,300	23.7	22.1 - 25.3	5,500
No	5,500	78.6	77.1 - 80.0	1,500	21.4	20.0 - 22.9	7,100