

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Baby received 1-wk postnatal check up	Babies who received a 1-week post natal checkup, among babies who were discharged within 48 hours of birth)

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/24/15

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- for the State of Hawaii,
for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	11,600	85.4	84.5 - 86.3	2,000	14.6	13.7 - 15.5	13,600
2001-2005	11,900	87.3	86.5 - 88.2	1,700	12.7	11.8 - 13.5	13,700
2002-2006	12,400	89.0	88.2 - 89.8	1,500	11.0	10.2 - 11.8	14,000
2003-2007	13,000	91.0	90.3 - 91.7	1,300	9.0	8.3 - 9.7	14,300
2004-2008	13,600	93.3	92.7 - 93.8	1,000	6.7	6.2 - 7.3	14,600
2005-2009	13,500	94.5	93.8 - 95.0	800	5.5	5.0 - 6.2	14,300
2006-2010	13,300	94.6	93.9 - 95.2	800	5.4	4.8 - 6.1	14,100
2007-2011	13,000	94.7	94.0 - 95.4	700	5.3	4.6 - 6.0	13,800

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,000	94.7	94.0 - 95.4	700	5.3	4.6 - 6.0	13,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	97.1	95.8 - 98.0	100	2.9	2.0 - 4.2	1,800
Honolulu	9,300	94.7	93.7 - 95.5	500	5.3	4.5 - 6.3	9,900
Kauai	600	97.3	95.0 - 98.6	<50	2.7	1.4 - 5.0	600
Maui	1,400	91.5	89.6 - 93.2	100	8.5	6.8 - 10.4	1,600

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	92.2	90.3 - 93.7	300	7.8	6.3 - 9.7	3,400
Native Hawaiian	3,800	96.4	95.2 - 97.3	100	3.6	2.7 - 4.8	4,000
Chinese	500	96.5	93.4 - 98.2	<50	3.5	1.8 - 6.6	600
Filipino	2,300	96.3	94.5 - 97.4	100	3.7	2.6 - 5.5	2,400
Japanese	1,400	94.7	92.0 - 96.5	100	5.3	3.5 - 8.0	1,400
Other	2,000	93.6	91.2 - 95.3	100	6.4	4.7 - 8.8	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	97.1	94.7 - 98.4	<50	2.9	1.6 - 5.3	1,000
20-24	3,100	93.8	92.0 - 95.3	200	6.2	4.7 - 8.0	3,300
25-34	6,800	94.6	93.5 - 95.5	400	5.4	4.5 - 6.5	7,200
35+	2,200	95.4	93.8 - 96.6	100	4.6	3.4 - 6.2	2,300

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	94.8	93.7 - 95.7	400	5.2	4.3 - 6.3	7,000
Female	6,400	94.7	93.6 - 95.6	400	5.3	4.4 - 6.4	6,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,100	93.7	92.7 - 94.6	500	6.3	5.4 - 7.3	8,600
No	5,000	96.4	95.4 - 97.2	200	3.6	2.8 - 4.6	5,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,600	95.3	94.1 - 96.3	200	4.7	3.7 - 5.9	4,900
131-185%	2,000	93.8	91.6 - 95.5	100	6.2	4.5 - 8.4	2,200
186+%	5,500	94.3	93.1 - 95.3	300	5.7	4.7 - 6.9	5,800

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	96.2	94.4 - 97.4	100	3.8	2.6 - 5.6	2,300
\$10,000-\$24,999	2,500	94.6	92.7 - 96.0	100	5.4	4.0 - 7.3	2,700
\$25,000-\$49,999	3,200	94.4	92.8 - 95.7	200	5.6	4.3 - 7.2	3,300
>=\$50,000	4,400	94.0	92.6 - 95.2	300	6.0	4.8 - 7.4	4,600

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	94.1	91.1 - 96.1	<50	5.9	3.9 - 8.9	500
Normal birth weight	12,500	94.8	94.0 - 95.4	700	5.2	4.6 - 6.0	13,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	93.0	89.0 - 95.6	100	7.0	4.4 - 11.0	1,000
No	11,900	94.9	94.2 - 95.6	600	5.1	4.4 - 5.8	12,600

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	93.8	91.7 - 95.4	200	6.2	4.6 - 8.3	2,600
No	10,400	95.0	94.2 - 95.7	500	5.0	4.3 - 5.8	11,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	95.9	94.8 - 96.7	200	4.1	3.3 - 5.2	5,800
No	7,300	93.9	92.9 - 94.9	500	6.1	5.1 - 7.1	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,300	94.6	93.9 - 95.2	800	5.4	4.8 - 6.1	14,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	97.5	96.2 - 98.3	<50	2.5	1.7 - 3.8	1,800
Honolulu	9,600	94.6	93.7 - 95.3	600	5.4	4.7 - 6.3	10,100
Kauai	600	97.4	94.8 - 98.7	<50	2.6	1.3 - 5.2	600
Maui	1,400	90.3	88.0 - 92.2	200	9.7	7.8 - 12.0	1,600

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	92.7	90.9 - 94.1	300	7.3	5.9 - 9.1	3,400
Native Hawaiian	3,900	95.6	94.4 - 96.5	200	4.4	3.5 - 5.6	4,100
Chinese	500	96.8	95.2 - 97.8	<50	3.2	2.2 - 4.8	500
Filipino	2,400	95.8	94.3 - 97.0	100	4.2	3.0 - 5.7	2,500
Japanese	1,400	95.0	92.7 - 96.6	100	5.0	3.4 - 7.3	1,400
Other	2,000	93.6	91.3 - 95.3	100	6.4	4.7 - 8.7	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	96.1	93.6 - 97.6	<50	3.9	2.4 - 6.4	1,100
20-24	3,200	94.1	92.4 - 95.4	200	5.9	4.6 - 7.6	3,400
25-34	6,800	94.6	93.6 - 95.4	400	5.4	4.6 - 6.4	7,200
35+	2,200	94.6	93.0 - 95.8	100	5.4	4.2 - 7.0	2,400

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,800	94.6	93.6 - 95.5	400	5.4	4.5 - 6.4	7,200
Female	6,500	94.6	93.6 - 95.4	400	5.4	4.6 - 6.4	6,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,300	93.9	93.0 - 94.8	500	6.1	5.2 - 7.0	8,900
No	5,000	95.7	94.7 - 96.5	200	4.3	3.5 - 5.3	5,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,700	94.9	93.7 - 95.9	300	5.1	4.1 - 6.3	5,000
131-185%	2,000	93.4	91.3 - 95.1	100	6.6	4.9 - 8.7	2,200
186+%	5,700	94.5	93.4 - 95.4	300	5.5	4.6 - 6.6	6,000

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	95.6	94.0 - 96.8	100	4.4	3.2 - 6.0	2,300
\$10,000-\$24,999	2,700	94.4	92.6 - 95.7	200	5.6	4.3 - 7.4	2,800
\$25,000-\$49,999	3,200	94.5	93.0 - 95.7	200	5.5	4.3 - 7.0	3,400
>=\$50,000	4,500	94.0	92.7 - 95.1	300	6.0	4.9 - 7.3	4,700

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	93.2	89.8 - 95.6	<50	6.8	4.4 - 10.2	600
Normal birth weight	12,800	94.6	93.9 - 95.3	700	5.4	4.7 - 6.1	13,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	93.9	90.7 - 96.0	100	6.1	4.0 - 9.3	1,100
No	12,100	94.7	94.0 - 95.3	700	5.3	4.7 - 6.0	12,800

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	93.7	91.9 - 95.2	200	6.3	4.8 - 8.1	2,700
No	10,600	94.9	94.1 - 95.5	600	5.1	4.5 - 5.9	11,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	95.5	94.5 - 96.4	300	4.5	3.6 - 5.5	5,900
No	7,500	94.0	93.0 - 94.8	500	6.0	5.2 - 7.0	8,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,500	94.5	93.8 - 95.0	800	5.5	5.0 - 6.2	14,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	97.5	96.2 - 98.3	<50	2.5	1.7 - 3.8	1,800
Honolulu	9,700	94.7	94.0 - 95.4	500	5.3	4.6 - 6.0	10,300
Kauai	600	97.1	94.5 - 98.5	<50	2.9	1.5 - 5.5	600
Maui	1,400	88.4	85.9 - 90.4	200	11.6	9.6 - 14.1	1,600

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	93.7	92.2 - 94.9	200	6.3	5.1 - 7.8	3,300
Native Hawaiian	3,900	94.9	93.7 - 95.9	200	5.1	4.1 - 6.3	4,100
Chinese	500	94.6	92.9 - 96.0	<50	5.4	4.0 - 7.1	500
Filipino	2,400	95.4	94.0 - 96.5	100	4.6	3.5 - 6.0	2,600
Japanese	1,500	94.1	92.2 - 95.6	100	5.9	4.4 - 7.8	1,600
Other	2,000	93.9	92.0 - 95.4	100	6.1	4.6 - 8.0	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	94.9	92.4 - 96.7	100	5.1	3.3 - 7.6	1,200
20-24	3,300	94.5	93.1 - 95.6	200	5.5	4.4 - 6.9	3,500
25-34	6,800	94.5	93.6 - 95.3	400	5.5	4.7 - 6.4	7,200
35+	2,300	94.1	92.6 - 95.2	100	5.9	4.8 - 7.4	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,900	94.7	93.9 - 95.5	400	5.3	4.5 - 6.1	7,300
Female	6,600	94.2	93.3 - 95.0	400	5.8	5.0 - 6.7	7,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,500	94.2	93.4 - 94.9	500	5.8	5.1 - 6.6	9,100
No	4,900	94.9	93.9 - 95.8	300	5.1	4.2 - 6.1	5,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	94.5	93.4 - 95.4	300	5.5	4.6 - 6.6	5,100
131-185%	1,900	93.4	91.4 - 94.9	100	6.6	5.1 - 8.6	2,000
186+%	5,900	94.7	93.8 - 95.5	300	5.3	4.5 - 6.2	6,200

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	94.6	93.0 - 95.9	100	5.4	4.1 - 7.0	2,300
\$10,000-\$24,999	2,800	94.1	92.6 - 95.3	200	5.9	4.7 - 7.4	3,000
\$25,000-\$49,999	3,200	94.5	93.1 - 95.6	200	5.5	4.4 - 6.9	3,300
>=\$50,000	4,600	94.6	93.5 - 95.4	300	5.4	4.6 - 6.5	4,800

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	93.2	89.6 - 95.6	<50	6.8	4.4 - 10.4	600
Normal birth weight	12,900	94.5	93.9 - 95.1	700	5.5	4.9 - 6.1	13,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	94.1	91.6 - 96.0	100	5.9	4.0 - 8.4	1,100
No	12,200	94.6	94.0 - 95.2	700	5.4	4.8 - 6.0	12,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	94.3	92.8 - 95.6	200	5.7	4.4 - 7.2	2,800
No	10,700	94.6	94.0 - 95.3	600	5.4	4.7 - 6.0	11,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	95.1	94.2 - 95.9	300	4.9	4.1 - 5.8	5,900
No	7,600	94.1	93.2 - 94.8	500	5.9	5.2 - 6.8	8,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,600	93.3	92.7 - 93.8	1,000	6.7	6.2 - 7.3	14,600

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	96.9	95.5 - 97.8	100	3.1	2.2 - 4.5	1,900
Honolulu	9,800	93.3	92.6 - 93.9	700	6.7	6.1 - 7.4	10,500
Kauai	600	96.9	94.3 - 98.4	<50	3.1	1.6 - 5.7	600
Maui	1,400	87.4	84.8 - 89.6	200	12.6	10.4 - 15.2	1,500

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	91.6	90.2 - 92.8	300	8.4	7.2 - 9.8	3,300
Native Hawaiian	3,900	94.5	93.3 - 95.5	200	5.5	4.5 - 6.7	4,100
Chinese	500	92.6	90.9 - 94.1	<50	7.4	5.9 - 9.1	500
Filipino	2,500	94.5	93.2 - 95.5	100	5.5	4.5 - 6.8	2,700
Japanese	1,700	93.4	91.6 - 94.8	100	6.6	5.2 - 8.4	1,800
Other	2,000	92.1	90.3 - 93.7	200	7.9	6.3 - 9.7	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	94.9	92.6 - 96.6	100	5.1	3.4 - 7.4	1,200
20-24	3,300	92.4	91.1 - 93.6	300	7.6	6.4 - 8.9	3,600
25-34	6,800	93.5	92.7 - 94.3	500	6.5	5.7 - 7.3	7,300
35+	2,300	93.1	91.6 - 94.3	200	6.9	5.7 - 8.4	2,500

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,000	93.8	93.0 - 94.5	500	6.2	5.5 - 7.0	7,500
Female	6,600	92.8	91.9 - 93.6	500	7.2	6.4 - 8.1	7,100

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,800	92.9	92.1 - 93.5	700	7.1	6.5 - 7.9	9,500
No	4,800	94.1	93.1 - 95.0	300	5.9	5.0 - 6.9	5,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	93.5	92.4 - 94.4	300	6.5	5.6 - 7.6	5,300
131-185%	1,800	92.2	90.4 - 93.8	200	7.8	6.2 - 9.6	2,000
186+%	6,000	93.3	92.4 - 94.1	400	6.7	5.9 - 7.6	6,500

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	94.1	92.4 - 95.4	100	5.9	4.6 - 7.6	2,400
\$10,000-\$24,999	2,900	92.3	90.9 - 93.5	200	7.7	6.5 - 9.1	3,100
\$25,000-\$49,999	3,300	92.6	91.3 - 93.7	300	7.4	6.3 - 8.7	3,500
>=\$50,000	4,500	93.9	92.9 - 94.8	300	6.1	5.2 - 7.1	4,800

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	93.4	89.8 - 95.8	<50	6.6	4.2 - 10.2	600
Normal birth weight	13,000	93.3	92.7 - 93.8	900	6.7	6.2 - 7.3	13,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	92.7	90.1 - 94.7	100	7.3	5.3 - 9.9	1,100
No	12,400	93.4	92.8 - 94.0	900	6.6	6.0 - 7.2	13,200

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	92.8	91.3 - 94.1	200	7.2	5.9 - 8.7	2,900
No	10,800	93.5	92.8 - 94.1	800	6.5	5.9 - 7.2	11,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,800	93.6	92.7 - 94.4	400	6.4	5.6 - 7.3	6,200
No	7,600	93.1	92.3 - 93.9	600	6.9	6.1 - 7.7	8,100

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,000	91.0	90.3 - 91.7	1,300	9.0	8.3 - 9.7	14,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	96.3	95.0 - 97.2	100	3.7	2.8 - 5.0	1,800
Honolulu	9,400	90.6	89.7 - 91.5	1,000	9.4	8.5 - 10.3	10,400
Kauai	600	96.7	94.5 - 98.1	<50	3.3	1.9 - 5.5	600
Maui	1,300	84.9	82.4 - 87.1	200	15.1	12.9 - 17.6	1,500

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,800	87.4	85.5 - 89.1	400	12.6	10.9 - 14.5	3,200
Native Hawaiian	3,700	92.8	91.6 - 93.8	300	7.2	6.2 - 8.4	4,000
Chinese	500	90.8	87.7 - 93.2	100	9.2	6.8 - 12.3	600
Filipino	2,500	92.3	90.7 - 93.6	200	7.7	6.4 - 9.3	2,700
Japanese	1,600	91.9	89.7 - 93.6	100	8.1	6.4 - 10.3	1,800
Other	1,900	90.6	88.4 - 92.4	200	9.4	7.6 - 11.6	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	93.5	91.0 - 95.4	100	6.5	4.6 - 9.0	1,200
20-24	3,200	90.0	88.4 - 91.4	400	10.0	8.6 - 11.6	3,600
25-34	6,400	90.7	89.7 - 91.7	700	9.3	8.3 - 10.3	7,100
35+	2,200	92.0	90.3 - 93.4	200	8.0	6.6 - 9.7	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,800	91.9	91.0 - 92.8	600	8.1	7.2 - 9.0	7,400
Female	6,200	90.0	88.9 - 91.0	700	10.0	9.0 - 11.1	6,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,400	90.0	89.1 - 90.9	900	10.0	9.1 - 10.9	9,400
No	4,600	92.9	91.8 - 93.9	400	7.1	6.1 - 8.2	4,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,000	91.2	90.0 - 92.3	500	8.8	7.7 - 10.0	5,400
131-185%	1,700	88.3	85.8 - 90.3	200	11.7	9.7 - 14.2	1,900
186+%	5,500	91.3	90.2 - 92.3	500	8.7	7.7 - 9.8	6,100

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	91.8	88.3 - 94.3	100	8.2	5.7 - 11.7	600
Normal birth weight	12,400	91.0	90.2 - 91.7	1,200	9.0	8.3 - 9.8	13,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	90.0	86.8 - 92.4	100	10.0	7.6 - 13.2	1,200
No	11,800	91.1	90.4 - 91.8	1,100	8.9	8.2 - 9.6	12,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	90.4	88.6 - 91.9	300	9.6	8.1 - 11.4	2,900
No	10,200	91.2	90.4 - 91.9	1,000	8.8	8.1 - 9.6	11,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	91.5	90.4 - 92.5	500	8.5	7.5 - 9.6	6,100
No	7,300	90.7	89.7 - 91.6	700	9.3	8.4 - 10.3	8,000

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,400	89.0	88.2 - 89.8	1,500	11.0	10.2 - 11.8	14,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	95.6	94.3 - 96.5	100	4.4	3.5 - 5.7	1,700
Honolulu	9,100	88.5	87.4 - 89.4	1,200	11.5	10.6 - 12.6	10,300
Kauai	600	96.3	93.9 - 97.8	<50	3.7	2.2 - 6.1	600
Maui	1,200	82.3	79.8 - 84.6	300	17.7	15.4 - 20.2	1,400

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,600	84.2	82.0 - 86.2	500	15.8	13.8 - 18.0	3,000
Native Hawaiian	3,600	91.5	90.3 - 92.6	300	8.5	7.4 - 9.7	3,900
Chinese	500	87.6	82.8 - 91.2	100	12.4	8.8 - 17.2	500
Filipino	2,500	91.4	89.6 - 92.9	200	8.6	7.1 - 10.4	2,700
Japanese	1,600	89.7	87.2 - 91.7	200	10.3	8.3 - 12.8	1,800
Other	1,700	88.0	85.3 - 90.3	200	12.0	9.7 - 14.7	2,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	92.1	89.4 - 94.1	100	7.9	5.9 - 10.6	1,200
20-24	3,100	88.5	86.8 - 90.0	400	11.5	10.0 - 13.2	3,500
25-34	6,200	88.2	86.9 - 89.4	800	11.8	10.6 - 13.1	7,000
35+	2,100	90.7	88.8 - 92.4	200	9.3	7.6 - 11.2	2,300

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,500	90.1	89.0 - 91.1	700	9.9	8.9 - 11.0	7,200
Female	5,900	87.9	86.6 - 89.1	800	12.1	10.9 - 13.4	6,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,100	87.5	86.4 - 88.5	1,200	12.5	11.5 - 13.6	9,300
No	4,300	92.1	90.9 - 93.1	400	7.9	6.9 - 9.1	4,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	89.9	88.6 - 91.1	500	10.1	8.9 - 11.4	5,400
131-185%	1,700	83.6	80.7 - 86.2	300	16.4	13.8 - 19.3	2,000
186+%	5,100	89.7	88.4 - 90.8	600	10.3	9.2 - 11.6	5,700

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	92.8	89.3 - 95.2	<50	7.2	4.8 - 10.7	600
Normal birth weight	11,900	88.9	88.0 - 89.7	1,500	11.1	10.3 - 12.0	13,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	88.0	84.8 - 90.7	100	12.0	9.3 - 15.2	1,100
No	11,200	89.1	88.2 - 89.9	1,400	10.9	10.1 - 11.8	12,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	88.2	86.2 - 89.9	300	11.8	10.1 - 13.8	2,800
No	9,700	89.2	88.3 - 90.1	1,200	10.8	9.9 - 11.7	10,900

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,300	89.3	88.1 - 90.5	600	10.7	9.5 - 11.9	5,900
No	7,000	88.8	87.6 - 89.8	900	11.2	10.2 - 12.4	7,900

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,900	87.3	86.5 - 88.2	1,700	12.7	11.8 - 13.5	13,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	94.9	93.6 - 95.9	100	5.1	4.1 - 6.4	1,600
Honolulu	8,700	86.4	85.3 - 87.5	1,400	13.6	12.5 - 14.7	10,100
Kauai	500	96.5	94.4 - 97.8	<50	3.5	2.2 - 5.6	600
Maui	1,200	81.6	79.2 - 83.7	300	18.4	16.3 - 20.8	1,400

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,300	79.7	77.3 - 81.9	600	20.3	18.1 - 22.7	2,900
Native Hawaiian	3,400	91.0	90.0 - 92.0	300	9.0	8.0 - 10.0	3,800
Chinese	500	87.4	82.4 - 91.2	100	12.6	8.8 - 17.6	500
Filipino	2,500	90.7	88.8 - 92.2	300	9.3	7.8 - 11.2	2,800
Japanese	1,600	89.7	87.2 - 91.7	200	10.3	8.3 - 12.8	1,800
Other	1,600	84.6	81.7 - 87.2	300	15.4	12.8 - 18.3	1,900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	91.5	89.0 - 93.4	100	8.5	6.6 - 11.0	1,200
20-24	3,000	85.7	83.9 - 87.3	500	14.3	12.7 - 16.1	3,500
25-34	5,900	86.6	85.3 - 87.8	900	13.4	12.2 - 14.7	6,800
35+	2,000	89.9	87.9 - 91.7	200	10.1	8.3 - 12.1	2,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,200	88.5	87.3 - 89.6	800	11.5	10.4 - 12.7	7,000
Female	5,700	86.1	84.8 - 87.4	900	13.9	12.6 - 15.2	6,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,800	85.4	84.3 - 86.5	1,300	14.6	13.5 - 15.7	9,200
No	4,100	91.2	90.0 - 92.2	400	8.8	7.8 - 10.0	4,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,700	88.6	87.3 - 89.8	600	11.4	10.2 - 12.7	5,300
131-185%	1,800	81.6	78.8 - 84.0	400	18.4	16.0 - 21.2	2,200
186+%	4,600	87.8	86.3 - 89.1	600	12.2	10.9 - 13.7	5,200

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	92.1	88.3 - 94.8	<50	7.9	5.2 - 11.7	500
Normal birth weight	11,500	87.1	86.3 - 88.0	1,700	12.9	12.0 - 13.7	13,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	87.6	84.5 - 90.2	100	12.4	9.8 - 15.5	1,100
No	10,800	87.3	86.4 - 88.2	1,600	12.7	11.8 - 13.6	12,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	87.7	85.7 - 89.4	300	12.3	10.6 - 14.3	2,800
No	9,300	87.3	86.3 - 88.2	1,300	12.7	11.8 - 13.7	10,600

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,100	87.3	86.0 - 88.6	700	12.7	11.4 - 14.0	5,800
No	6,700	87.4	86.2 - 88.5	1,000	12.6	11.5 - 13.8	7,700

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,600	85.4	84.5 - 86.3	2,000	14.6	13.7 - 15.5	13,600

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	93.6	92.3 - 94.8	100	6.4	5.2 - 7.7	1,600
Honolulu	8,400	84.1	83.0 - 85.2	1,600	15.9	14.8 - 17.0	10,000
Kauai	500	95.4	93.2 - 96.8	<50	4.6	3.2 - 6.8	600
Maui	1,200	81.5	79.4 - 83.5	300	18.5	16.5 - 20.6	1,400

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,200	74.9	72.4 - 77.3	700	25.1	22.7 - 27.6	2,900
Native Hawaiian	3,300	89.8	88.8 - 90.7	400	10.2	9.3 - 11.2	3,700
Chinese	500	87.2	81.7 - 91.3	100	12.8	8.7 - 18.3	500
Filipino	2,500	89.8	87.9 - 91.4	300	10.2	8.6 - 12.1	2,800
Japanese	1,600	89.2	86.5 - 91.4	200	10.8	8.6 - 13.5	1,800
Other	1,500	82.7	79.6 - 85.5	300	17.3	14.5 - 20.4	1,900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	90.3	87.9 - 92.2	100	9.7	7.8 - 12.1	1,300
20-24	2,800	82.8	80.9 - 84.5	600	17.2	15.5 - 19.1	3,400
25-34	5,700	84.8	83.5 - 86.1	1,000	15.2	13.9 - 16.5	6,700
35+	2,000	88.7	86.5 - 90.5	200	11.3	9.5 - 13.5	2,200

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,100	86.3	85.1 - 87.5	1,000	13.7	12.5 - 14.9	7,000
Female	5,600	84.5	83.1 - 85.8	1,000	15.5	14.2 - 16.9	6,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,700	83.1	81.9 - 84.3	1,600	16.9	15.7 - 18.1	9,300
No	3,900	90.4	89.2 - 91.4	400	9.6	8.6 - 10.8	4,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	86.5	85.2 - 87.8	700	13.5	12.2 - 14.8	5,500
131-185%	1,800	80.0	77.4 - 82.5	400	20.0	17.5 - 22.6	2,200
186+%	4,200	86.0	84.4 - 87.4	700	14.0	12.6 - 15.6	4,900

PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	93.0	89.4 - 95.4	<50	7.0	4.6 - 10.6	500
Normal birth weight	11,100	85.1	84.2 - 86.0	1,900	14.9	14.0 - 15.8	13,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	87.0	84.0 - 89.6	100	13.0	10.4 - 16.0	1,100
No	10,400	85.3	84.3 - 86.2	1,800	14.7	13.8 - 15.7	12,200

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	86.3	84.4 - 88.1	400	13.7	11.9 - 15.6	2,700
No	9,000	85.2	84.2 - 86.2	1,600	14.8	13.8 - 15.8	10,500

**PRAMS Health Indicator 5-Year Aggregate Report - Baby received 1-wk postnatal check up- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,000	84.9	83.6 - 86.2	900	15.1	13.8 - 16.4	5,800
No	6,500	85.9	84.7 - 87.1	1,100	14.1	12.9 - 15.3	7,600