

PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Preterm delivery	Preterm delivery

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- for the State of Hawaii, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	1,600	9.2	8.5 - 9.8	15,600	90.8	90.2 - 91.5	17,100
2001-2005	1,600	9.5	8.9 - 10.2	15,700	90.5	89.8 - 91.1	17,300
2002-2006	1,700	9.7	9.1 - 10.4	16,000	90.3	89.6 - 90.9	17,700
2003-2007	1,700	9.5	8.9 - 10.1	16,300	90.5	89.9 - 91.1	18,000
2004-2008	1,700	9.4	8.8 - 10.1	16,600	90.6	89.9 - 91.2	18,300
2005-2009	1,800	9.5	8.9 - 10.1	16,700	90.5	89.9 - 91.1	18,400
2006-2010	1,800	9.5	8.9 - 10.1	16,900	90.5	89.9 - 91.1	18,700
2007-2011	1,700	9.1	8.5 - 9.7	17,000	90.9	90.3 - 91.5	18,700
2008-2012	1,600	8.8	8.2 - 9.4	17,000	91.2	90.6 - 91.8	18,600
2009-2013	1,600	8.9	8.3 - 9.5	16,900	91.1	90.5 - 91.7	18,500

PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,600	8.9	8.3 - 9.5	16,900	91.1	90.5 - 91.7	18,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.8	8.5 - 11.3	2,100	90.2	88.7 - 91.5	2,400
Honolulu	1,200	8.9	8.1 - 9.7	12,100	91.1	90.3 - 91.9	13,300
Kauai	100	8.8	7.4 - 10.4	800	91.2	89.6 - 92.6	900
Maui	200	7.7	6.6 - 9.0	1,900	92.3	91.0 - 93.4	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.2	6.1 - 8.5	4,200	92.8	91.5 - 93.9	4,500
Native Hawaiian	500	8.5	7.5 - 9.6	5,000	91.5	90.4 - 92.5	5,500
Chinese	100	10.1	7.3 - 14.0	800	89.9	86.0 - 92.7	900
Filipino	400	11.0	9.4 - 12.9	2,900	89.0	87.1 - 90.6	3,200
Japanese	100	7.8	6.0 - 10.0	1,600	92.2	90.0 - 94.0	1,700
Other	300	10.1	8.3 - 12.2	2,400	89.9	87.8 - 91.7	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.6	5.9 - 9.9	1,100	92.4	90.1 - 94.1	1,200
20-24	300	8.3	7.0 - 9.7	3,800	91.7	90.3 - 93.0	4,200
25-34	800	8.1	7.3 - 9.0	9,100	91.9	91.0 - 92.7	9,900
35+	400	12.4	10.7 - 14.3	2,900	87.6	85.7 - 89.3	3,300

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.8	8.9 - 10.8	8,500	90.2	89.2 - 91.1	9,400
Female	700	8.0	7.2 - 8.8	8,400	92.0	91.2 - 92.8	9,100

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.9	8.1 - 9.8	10,400	91.1	90.2 - 91.9	11,400
No	600	8.9	7.9 - 9.9	6,500	91.1	90.1 - 92.1	7,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.2	8.2 - 10.3	6,000	90.8	89.7 - 91.8	6,600
131-185%	200	8.1	6.7 - 9.8	2,600	91.9	90.2 - 93.3	2,800
186+%	700	8.8	7.9 - 9.9	6,900	91.2	90.1 - 92.1	7,600

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	66.7	64.4 - 68.9	400	33.3	31.1 - 35.6	1,300
Normal birth weight	700	4.2	3.7 - 4.9	16,400	95.8	95.1 - 96.3	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.5	7.2 - 12.4	1,100	90.5	87.6 - 92.8	1,200
No	1,500	8.8	8.2 - 9.5	15,500	91.2	90.5 - 91.8	17,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.3	7.9 - 10.8	3,200	90.7	89.2 - 92.1	3,500
No	1,300	8.8	8.1 - 9.5	13,300	91.2	90.5 - 91.9	14,600

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	9.0	8.1 - 10.0	7,400	91.0	90.0 - 91.9	8,100
No	900	8.8	8.0 - 9.8	9,300	91.2	90.2 - 92.0	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,600	8.8	8.2 - 9.4	17,000	91.2	90.6 - 91.8	18,600

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.8	8.4 - 11.4	2,200	90.2	88.6 - 91.6	2,400
Honolulu	1,200	8.9	8.2 - 9.7	12,100	91.1	90.3 - 91.8	13,300
Kauai	100	8.2	6.7 - 10.1	800	91.8	89.9 - 93.3	900
Maui	200	7.3	6.2 - 8.6	1,900	92.7	91.4 - 93.8	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.3	6.2 - 8.5	4,100	92.7	91.5 - 93.8	4,400
Native Hawaiian	400	8.2	7.2 - 9.3	5,000	91.8	90.7 - 92.8	5,500
Chinese	100	9.0	6.5 - 12.3	700	91.0	87.7 - 93.5	800
Filipino	400	10.7	9.2 - 12.5	3,000	89.3	87.5 - 90.8	3,400
Japanese	200	8.5	6.6 - 10.8	1,600	91.5	89.2 - 93.4	1,800
Other	300	10.3	8.5 - 12.3	2,600	89.7	87.7 - 91.5	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	8.0	6.2 - 10.3	1,200	92.0	89.7 - 93.8	1,300
20-24	300	8.2	7.0 - 9.6	3,900	91.8	90.4 - 93.0	4,200
25-34	800	7.9	7.1 - 8.7	9,000	92.1	91.3 - 92.9	9,800
35+	400	12.7	11.0 - 14.6	2,900	87.3	85.4 - 89.0	3,300

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.6	8.7 - 10.6	8,700	90.4	89.4 - 91.3	9,600
Female	700	8.0	7.2 - 8.8	8,300	92.0	91.2 - 92.8	9,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.7	8.0 - 9.6	10,500	91.3	90.4 - 92.0	11,500
No	600	9.0	8.1 - 10.0	6,500	91.0	90.0 - 91.9	7,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.2	8.1 - 10.3	6,000	90.8	89.7 - 91.9	6,600
131-185%	200	8.4	6.9 - 10.1	2,600	91.6	89.9 - 93.1	2,900
186+%	700	8.7	7.8 - 9.7	7,000	91.3	90.3 - 92.2	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	66.3	63.6 - 68.9	400	33.7	31.1 - 36.4	1,300
Normal birth weight	700	4.3	3.7 - 4.9	16,500	95.7	95.1 - 96.3	17,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.9	7.7 - 12.7	1,200	90.1	87.3 - 92.3	1,300
No	1,500	8.7	8.1 - 9.3	15,500	91.3	90.7 - 91.9	16,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.2	7.9 - 10.6	3,200	90.8	89.4 - 92.1	3,600
No	1,300	8.7	8.0 - 9.4	13,400	91.3	90.6 - 92.0	14,700

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	8.8	7.9 - 9.7	7,400	91.2	90.3 - 92.1	8,100
No	900	8.9	8.1 - 9.8	9,300	91.1	90.2 - 91.9	10,300

PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,700	9.1	8.5 - 9.7	17,000	90.9	90.3 - 91.5	18,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.5	8.1 - 11.2	2,200	90.5	88.8 - 91.9	2,400
Honolulu	1,200	9.1	8.4 - 9.9	12,000	90.9	90.1 - 91.6	13,200
Kauai	100	9.5	7.4 - 11.9	800	90.5	88.1 - 92.6	900
Maui	200	7.9	6.6 - 9.4	1,900	92.1	90.6 - 93.4	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.4	6.3 - 8.6	4,100	92.6	91.4 - 93.7	4,400
Native Hawaiian	500	8.9	7.8 - 10.1	5,000	91.1	89.9 - 92.2	5,400
Chinese	100	9.5	7.0 - 12.8	600	90.5	87.2 - 93.0	700
Filipino	400	11.4	9.9 - 13.1	3,000	88.6	86.9 - 90.1	3,400
Japanese	200	8.7	6.9 - 11.0	1,700	91.3	89.0 - 93.1	1,900
Other	300	9.5	7.9 - 11.4	2,500	90.5	88.6 - 92.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	9.2	7.2 - 11.8	1,300	90.8	88.2 - 92.8	1,500
20-24	400	8.3	7.1 - 9.7	4,000	91.7	90.3 - 92.9	4,400
25-34	800	8.3	7.5 - 9.1	8,800	91.7	90.9 - 92.5	9,500
35+	400	12.2	10.6 - 14.1	2,900	87.8	85.9 - 89.4	3,300

PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.5	8.6 - 10.4	8,700	90.5	89.6 - 91.4	9,700
Female	800	8.6	7.8 - 9.6	8,200	91.4	90.4 - 92.2	9,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	9.0	8.2 - 9.8	10,500	91.0	90.2 - 91.8	11,500
No	700	9.3	8.3 - 10.3	6,500	90.7	89.7 - 91.7	7,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	9.7	8.6 - 10.9	6,100	90.3	89.1 - 91.4	6,700
131-185%	200	7.9	6.5 - 9.5	2,600	92.1	90.5 - 93.5	2,800
186+%	700	9.0	8.1 - 9.9	7,100	91.0	90.1 - 91.9	7,800

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	10.2	8.6 - 12.1	2,900	89.8	87.9 - 91.4	3,300
\$10,000-\$24,999	400	9.8	8.4 - 11.3	3,300	90.2	88.7 - 91.6	3,700
\$25,000-\$49,999	400	8.4	7.2 - 9.7	4,000	91.6	90.3 - 92.8	4,300
>=\$50,000	500	8.6	7.7 - 9.7	5,700	91.4	90.3 - 92.3	6,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	65.2	62.2 - 68.1	500	34.8	31.9 - 37.8	1,400
Normal birth weight	800	4.4	3.9 - 5.0	16,500	95.6	95.0 - 96.1	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.5	8.3 - 13.2	1,300	89.5	86.8 - 91.7	1,400
No	1,500	8.9	8.3 - 9.6	15,400	91.1	90.4 - 91.7	16,900

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	9.4	8.1 - 11.0	3,400	90.6	89.0 - 91.9	3,700
No	1,300	8.9	8.3 - 9.7	13,300	91.1	90.3 - 91.7	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	9.1	8.2 - 10.0	7,200	90.9	90.0 - 91.8	8,000
No	900	9.1	8.3 - 10.0	9,400	90.9	90.0 - 91.7	10,400

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,800	9.5	8.9 - 10.1	16,900	90.5	89.9 - 91.1	18,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.6	8.1 - 11.4	2,200	90.4	88.6 - 91.9	2,400
Honolulu	1,300	9.7	8.9 - 10.5	12,000	90.3	89.5 - 91.1	13,300
Kauai	100	10.2	7.8 - 13.1	800	89.8	86.9 - 92.2	900
Maui	200	7.5	6.1 - 9.1	1,900	92.5	90.9 - 93.9	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.8	6.7 - 9.1	4,000	92.2	90.9 - 93.3	4,400
Native Hawaiian	500	9.0	7.9 - 10.3	4,900	91.0	89.7 - 92.1	5,400
Chinese	100	8.9	6.9 - 11.4	600	91.1	88.6 - 93.1	700
Filipino	400	11.5	10.0 - 13.1	3,000	88.5	86.9 - 90.0	3,400
Japanese	200	10.1	8.2 - 12.3	1,700	89.9	87.7 - 91.8	1,900
Other	300	10.2	8.6 - 12.2	2,500	89.8	87.8 - 91.4	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.3	9.0 - 14.1	1,400	88.7	85.9 - 91.0	1,600
20-24	400	9.2	7.9 - 10.7	4,000	90.8	89.3 - 92.1	4,400
25-34	800	8.5	7.7 - 9.3	8,600	91.5	90.7 - 92.3	9,400
35+	400	11.8	10.2 - 13.5	2,900	88.2	86.5 - 89.8	3,300

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	9.8	9.0 - 10.8	8,700	90.2	89.2 - 91.0	9,700
Female	800	9.1	8.2 - 10.0	8,200	90.9	90.0 - 91.8	9,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.1	8.4 - 10.0	10,500	90.9	90.0 - 91.6	11,500
No	700	10.0	9.0 - 11.1	6,400	90.0	88.9 - 91.0	7,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.4	9.3 - 11.6	6,000	89.6	88.4 - 90.7	6,700
131-185%	200	8.0	6.6 - 9.7	2,500	92.0	90.3 - 93.4	2,700
186+%	700	9.4	8.5 - 10.4	7,100	90.6	89.6 - 91.5	7,800

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	11.6	9.9 - 13.6	2,800	88.4	86.4 - 90.1	3,200
\$10,000-\$24,999	400	9.5	8.2 - 11.0	3,400	90.5	89.0 - 91.8	3,800
\$25,000-\$49,999	400	9.2	8.0 - 10.6	3,900	90.8	89.4 - 92.0	4,300
>=\$50,000	500	8.8	7.9 - 9.9	5,600	91.2	90.1 - 92.1	6,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	66.7	63.5 - 69.8	500	33.3	30.2 - 36.5	1,400
Normal birth weight	800	4.6	4.0 - 5.1	16,400	95.4	94.9 - 96.0	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.1	8.8 - 13.8	1,400	88.9	86.2 - 91.2	1,600
No	1,600	9.3	8.6 - 10.0	15,100	90.7	90.0 - 91.4	16,700

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	10.1	8.7 - 11.6	3,400	89.9	88.4 - 91.3	3,800
No	1,300	9.3	8.6 - 10.0	13,200	90.7	90.0 - 91.4	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.1	9.1 - 11.1	7,100	89.9	88.9 - 90.9	7,900
No	900	9.1	8.3 - 9.9	9,500	90.9	90.1 - 91.7	10,400

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,800	9.5	8.9 - 10.1	16,700	90.5	89.9 - 91.1	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	10.8	9.1 - 12.7	2,100	89.2	87.3 - 90.9	2,400
Honolulu	1,200	9.5	8.8 - 10.3	11,900	90.5	89.7 - 91.2	13,100
Kauai	100	10.0	7.5 - 13.2	800	90.0	86.8 - 92.5	900
Maui	200	7.6	6.2 - 9.4	1,900	92.4	90.6 - 93.8	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.5	6.4 - 8.8	3,900	92.5	91.2 - 93.6	4,200
Native Hawaiian	500	9.8	8.6 - 11.1	4,800	90.2	88.9 - 91.4	5,300
Chinese	100	8.8	6.9 - 11.2	600	91.2	88.8 - 93.1	700
Filipino	400	11.7	10.3 - 13.3	3,000	88.3	86.7 - 89.7	3,400
Japanese	200	8.7	7.1 - 10.6	1,900	91.3	89.4 - 92.9	2,100
Other	300	10.0	8.4 - 11.8	2,500	90.0	88.2 - 91.6	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.1	9.8 - 14.9	1,400	87.9	85.1 - 90.2	1,600
20-24	400	9.3	8.0 - 10.7	4,000	90.7	89.3 - 92.0	4,400
25-34	800	8.5	7.7 - 9.3	8,400	91.5	90.7 - 92.3	9,200
35+	400	11.3	9.8 - 13.0	2,900	88.7	87.0 - 90.2	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.8	9.0 - 10.7	8,600	90.2	89.3 - 91.0	9,600
Female	800	9.1	8.3 - 10.1	8,100	90.9	89.9 - 91.7	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	9.0	8.2 - 9.7	10,400	91.0	90.3 - 91.8	11,500
No	700	10.4	9.3 - 11.5	6,300	89.6	88.5 - 90.7	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.4	9.3 - 11.6	6,000	89.6	88.4 - 90.7	6,700
131-185%	200	8.4	6.9 - 10.3	2,300	91.6	89.7 - 93.1	2,500
186+%	700	9.2	8.4 - 10.2	7,100	90.8	89.8 - 91.6	7,800

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	11.4	9.8 - 13.3	2,800	88.6	86.7 - 90.2	3,100
\$10,000-\$24,999	400	9.7	8.4 - 11.2	3,500	90.3	88.8 - 91.6	3,900
\$25,000-\$49,999	400	8.9	7.7 - 10.2	3,800	91.1	89.8 - 92.3	4,100
>=\$50,000	500	9.0	8.0 - 10.1	5,500	91.0	89.9 - 92.0	6,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	66.8	63.3 - 70.1	500	33.2	29.9 - 36.7	1,400
Normal birth weight	800	4.6	4.1 - 5.1	16,200	95.4	94.9 - 95.9	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.3	10.0 - 15.1	1,400	87.7	84.9 - 90.0	1,600
No	1,500	9.2	8.5 - 9.8	14,900	90.8	90.2 - 91.5	16,500

PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	10.3	8.9 - 11.9	3,400	89.7	88.1 - 91.1	3,700
No	1,300	9.2	8.6 - 9.9	13,000	90.8	90.1 - 91.4	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.2	9.3 - 11.3	6,900	89.8	88.7 - 90.7	7,700
No	900	9.0	8.2 - 9.8	9,400	91.0	90.2 - 91.8	10,300

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,700	9.4	8.8 - 10.1	16,600	90.6	89.9 - 91.2	18,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	10.5	8.7 - 12.5	2,100	89.5	87.5 - 91.3	2,300
Honolulu	1,200	9.5	8.8 - 10.2	11,900	90.5	89.8 - 91.2	13,100
Kauai	100	9.9	7.3 - 13.2	800	90.1	86.8 - 92.7	900
Maui	200	7.8	6.2 - 9.7	1,800	92.2	90.3 - 93.8	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.4	6.3 - 8.6	3,800	92.6	91.4 - 93.7	4,100
Native Hawaiian	500	9.8	8.6 - 11.1	4,600	90.2	88.9 - 91.4	5,100
Chinese	100	9.0	7.6 - 10.8	600	91.0	89.2 - 92.4	600
Filipino	400	11.7	10.3 - 13.2	3,000	88.3	86.8 - 89.7	3,400
Japanese	200	9.1	7.5 - 10.9	2,000	90.9	89.1 - 92.5	2,200
Other	300	9.5	8.0 - 11.2	2,600	90.5	88.8 - 92.0	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.4	10.0 - 15.3	1,300	87.6	84.7 - 90.0	1,500
20-24	400	9.2	8.0 - 10.6	4,000	90.8	89.4 - 92.0	4,400
25-34	800	8.6	7.8 - 9.5	8,300	91.4	90.5 - 92.2	9,100
35+	300	10.5	9.2 - 12.1	2,900	89.5	87.9 - 90.8	3,300

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.7	8.9 - 10.6	8,600	90.3	89.4 - 91.1	9,500
Female	800	9.1	8.3 - 10.0	8,000	90.9	90.0 - 91.7	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	8.9	8.2 - 9.7	10,700	91.1	90.3 - 91.8	11,800
No	700	10.3	9.2 - 11.5	5,900	89.7	88.5 - 90.8	6,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.5	9.4 - 11.7	6,000	89.5	88.3 - 90.6	6,700
131-185%	200	7.5	6.0 - 9.1	2,200	92.5	90.9 - 94.0	2,400
186+%	700	9.2	8.4 - 10.1	7,200	90.8	89.9 - 91.6	7,900

PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	11.6	10.0 - 13.5	2,700	88.4	86.5 - 90.0	3,000
\$10,000-\$24,999	400	9.3	8.0 - 10.7	3,600	90.7	89.3 - 92.0	4,000
\$25,000-\$49,999	400	8.9	7.8 - 10.2	3,900	91.1	89.8 - 92.2	4,300
>=\$50,000	500	8.8	7.9 - 9.9	5,200	91.2	90.1 - 92.1	5,800

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	66.6	62.8 - 70.1	500	33.4	29.9 - 37.2	1,400
Normal birth weight	800	4.8	4.3 - 5.3	16,100	95.2	94.7 - 95.7	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.7	10.4 - 15.5	1,300	87.3	84.5 - 89.6	1,500
No	1,500	9.1	8.5 - 9.7	15,000	90.9	90.3 - 91.5	16,400

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	9.7	8.4 - 11.3	3,300	90.3	88.7 - 91.6	3,700
No	1,300	9.3	8.6 - 10.0	13,000	90.7	90.0 - 91.4	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.0	9.0 - 11.0	7,000	90.0	89.0 - 91.0	7,800
No	900	9.1	8.3 - 9.9	9,200	90.9	90.1 - 91.7	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,700	9.5	8.9 - 10.1	16,300	90.5	89.9 - 91.1	18,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	10.3	8.6 - 12.2	2,000	89.7	87.8 - 91.4	2,200
Honolulu	1,200	9.4	8.7 - 10.2	11,800	90.6	89.8 - 91.3	13,000
Kauai	100	9.8	7.3 - 13.1	800	90.2	86.9 - 92.7	900
Maui	200	8.7	7.1 - 10.6	1,800	91.3	89.4 - 92.9	1,900

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.7	5.6 - 7.9	3,700	93.3	92.1 - 94.4	4,000
Native Hawaiian	500	10.3	9.1 - 11.6	4,500	89.7	88.4 - 90.9	5,000
Chinese	100	8.0	6.3 - 10.1	600	92.0	89.9 - 93.7	700
Filipino	400	11.4	9.9 - 13.0	3,100	88.6	87.0 - 90.1	3,500
Japanese	200	9.5	7.8 - 11.5	2,000	90.5	88.5 - 92.2	2,200
Other	300	10.1	8.5 - 12.1	2,400	89.9	87.9 - 91.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.9	10.5 - 15.9	1,300	87.1	84.1 - 89.5	1,500
20-24	400	9.5	8.3 - 10.9	4,000	90.5	89.1 - 91.7	4,400
25-34	800	8.8	8.0 - 9.7	8,100	91.2	90.3 - 92.0	8,900
35+	300	9.7	8.3 - 11.3	2,900	90.3	88.7 - 91.7	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.9	9.0 - 10.8	8,500	90.1	89.2 - 91.0	9,400
Female	800	9.0	8.2 - 10.0	7,900	91.0	90.0 - 91.8	8,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.9	8.2 - 9.7	10,700	91.1	90.3 - 91.8	11,700
No	700	10.6	9.5 - 11.8	5,700	89.4	88.2 - 90.5	6,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.8	9.7 - 11.9	6,100	89.2	88.1 - 90.3	6,800
131-185%	200	7.8	6.3 - 9.6	2,200	92.2	90.4 - 93.7	2,300
186+%	700	9.0	8.1 - 10.0	6,700	91.0	90.0 - 91.9	7,400

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	66.0	62.1 - 69.6	500	34.0	30.4 - 37.9	1,300
Normal birth weight	800	4.9	4.4 - 5.4	15,900	95.1	94.6 - 95.6	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.2	9.9 - 14.9	1,400	87.8	85.1 - 90.1	1,500
No	1,500	9.2	8.6 - 9.9	14,700	90.8	90.1 - 91.4	16,200

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.2	7.9 - 10.7	3,300	90.8	89.3 - 92.1	3,700
No	1,300	9.5	8.8 - 10.2	12,700	90.5	89.8 - 91.2	14,000

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.2	9.2 - 11.3	6,900	89.8	88.7 - 90.8	7,700
No	900	9.0	8.3 - 9.9	9,100	91.0	90.1 - 91.7	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,700	9.7	9.1 - 10.4	16,000	90.3	89.6 - 90.9	17,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	10.6	9.0 - 12.4	1,900	89.4	87.6 - 91.0	2,100
Honolulu	1,300	9.8	9.1 - 10.7	11,700	90.2	89.3 - 90.9	13,000
Kauai	100	9.0	6.7 - 12.0	700	91.0	88.0 - 93.3	800
Maui	100	8.0	6.5 - 9.7	1,700	92.0	90.3 - 93.5	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.9	5.8 - 8.3	3,600	93.1	91.7 - 94.2	3,900
Native Hawaiian	500	10.3	9.2 - 11.6	4,400	89.7	88.4 - 90.8	4,900
Chinese	100	9.3	6.8 - 12.7	600	90.7	87.3 - 93.2	600
Filipino	400	11.8	10.2 - 13.5	3,100	88.2	86.5 - 89.8	3,500
Japanese	200	8.8	7.1 - 10.8	2,000	91.2	89.2 - 92.9	2,200
Other	300	10.8	8.9 - 13.0	2,300	89.2	87.0 - 91.1	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.6	9.3 - 14.3	1,300	88.4	85.7 - 90.7	1,500
20-24	400	10.1	8.8 - 11.5	3,900	89.9	88.5 - 91.2	4,300
25-34	800	9.0	8.1 - 9.9	8,000	91.0	90.1 - 91.9	8,800
35+	300	10.3	8.8 - 12.1	2,800	89.7	87.9 - 91.2	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	10.1	9.2 - 11.1	8,300	89.9	88.9 - 90.8	9,200
Female	800	9.2	8.3 - 10.2	7,700	90.8	89.8 - 91.7	8,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.9	8.2 - 9.7	10,700	91.1	90.3 - 91.8	11,700
No	700	11.2	10.1 - 12.5	5,300	88.8	87.5 - 89.9	6,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	11.0	9.9 - 12.2	6,000	89.0	87.8 - 90.1	6,700
131-185%	200	8.7	7.0 - 10.7	2,300	91.3	89.3 - 93.0	2,500
186+%	600	8.9	7.9 - 9.9	6,300	91.1	90.1 - 92.1	6,900

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	68.9	64.8 - 72.6	400	31.1	27.4 - 35.2	1,300
Normal birth weight	800	5.0	4.5 - 5.5	15,600	95.0	94.5 - 95.5	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.8	9.6 - 14.5	1,300	88.2	85.5 - 90.4	1,500
No	1,500	9.4	8.7 - 10.1	14,400	90.6	89.9 - 91.3	15,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.7	8.3 - 11.3	3,200	90.3	88.7 - 91.7	3,600
No	1,300	9.6	8.9 - 10.4	12,400	90.4	89.6 - 91.1	13,700

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.4	9.3 - 11.5	6,700	89.6	88.5 - 90.7	7,500
No	900	9.3	8.5 - 10.2	9,000	90.7	89.8 - 91.5	9,900

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,600	9.5	8.9 - 10.2	15,700	90.5	89.8 - 91.1	17,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.8	8.4 - 11.5	1,900	90.2	88.5 - 91.6	2,100
Honolulu	1,200	9.7	8.9 - 10.5	11,500	90.3	89.5 - 91.1	12,700
Kauai	100	8.0	6.0 - 10.4	700	92.0	89.6 - 94.0	800
Maui	200	8.5	7.1 - 10.1	1,600	91.5	89.9 - 92.9	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.9	5.8 - 8.3	3,500	93.1	91.7 - 94.2	3,700
Native Hawaiian	500	10.7	9.7 - 11.8	4,200	89.3	88.2 - 90.3	4,800
Chinese	100	9.8	6.9 - 13.8	600	90.2	86.2 - 93.1	700
Filipino	400	11.3	9.7 - 13.1	3,100	88.7	86.9 - 90.3	3,500
Japanese	200	7.7	6.2 - 9.7	2,000	92.3	90.3 - 93.8	2,200
Other	200	9.9	8.1 - 12.1	2,200	90.1	87.9 - 91.9	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.3	8.3 - 12.7	1,300	89.7	87.3 - 91.7	1,500
20-24	400	9.9	8.7 - 11.3	3,900	90.1	88.7 - 91.3	4,300
25-34	800	8.8	7.9 - 9.7	7,800	91.2	90.3 - 92.1	8,600
35+	300	10.5	8.9 - 12.3	2,700	89.5	87.7 - 91.1	3,000

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	10.2	9.3 - 11.2	8,100	89.8	88.8 - 90.7	9,000
Female	700	8.7	7.9 - 9.7	7,600	91.3	90.3 - 92.1	8,300

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.8	8.1 - 9.7	10,600	91.2	90.3 - 91.9	11,600
No	600	10.8	9.7 - 12.0	5,100	89.2	88.0 - 90.3	5,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.5	9.5 - 11.7	6,000	89.5	88.3 - 90.5	6,700
131-185%	200	8.7	7.1 - 10.5	2,500	91.3	89.5 - 92.9	2,700
186+%	600	8.7	7.7 - 9.7	5,800	91.3	90.3 - 92.3	6,400

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	68.1	63.9 - 71.9	400	31.9	28.1 - 36.1	1,200
Normal birth weight	800	5.1	4.6 - 5.6	15,300	94.9	94.4 - 95.4	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.5	9.4 - 14.0	1,300	88.5	86.0 - 90.6	1,500
No	1,400	9.2	8.5 - 9.9	14,100	90.8	90.1 - 91.5	15,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.4	8.1 - 10.9	3,200	90.6	89.1 - 91.9	3,500
No	1,300	9.4	8.6 - 10.1	12,200	90.6	89.9 - 91.4	13,400

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	9.6	8.7 - 10.6	6,700	90.4	89.4 - 91.3	7,400
No	900	9.4	8.6 - 10.3	8,800	90.6	89.7 - 91.4	9,700

PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,600	9.2	8.5 - 9.8	15,600	90.8	90.2 - 91.5	17,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.8	7.6 - 10.1	1,800	91.2	89.9 - 92.4	2,000
Honolulu	1,200	9.5	8.7 - 10.3	11,400	90.5	89.7 - 91.3	12,600
Kauai	100	7.4	5.7 - 9.5	700	92.6	90.5 - 94.3	800
Maui	100	8.2	6.9 - 9.6	1,600	91.8	90.4 - 93.1	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.1	5.9 - 8.4	3,500	92.9	91.6 - 94.1	3,800
Native Hawaiian	500	9.9	9.0 - 10.8	4,200	90.1	89.2 - 91.0	4,700
Chinese	100	9.0	6.1 - 13.1	600	91.0	86.9 - 93.9	700
Filipino	400	10.6	9.1 - 12.5	3,100	89.4	87.5 - 90.9	3,500
Japanese	200	8.5	6.8 - 10.6	1,900	91.5	89.4 - 93.2	2,100
Other	200	9.6	7.7 - 11.8	2,100	90.4	88.2 - 92.3	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	9.8	8.0 - 11.9	1,400	90.2	88.1 - 92.0	1,600
20-24	400	9.5	8.3 - 10.9	3,800	90.5	89.1 - 91.7	4,200
25-34	700	8.3	7.4 - 9.2	7,700	91.7	90.8 - 92.6	8,400
35+	300	10.8	9.2 - 12.7	2,600	89.2	87.3 - 90.8	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.7	8.8 - 10.7	8,100	90.3	89.3 - 91.2	8,900
Female	700	8.6	7.7 - 9.5	7,500	91.4	90.5 - 92.3	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.4	7.7 - 9.2	10,700	91.6	90.8 - 92.3	11,600
No	600	10.8	9.7 - 12.0	4,900	89.2	88.0 - 90.3	5,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	9.7	8.8 - 10.8	6,200	90.3	89.2 - 91.2	6,900
131-185%	200	8.6	7.1 - 10.4	2,600	91.4	89.6 - 92.9	2,800
186+%	500	8.6	7.6 - 9.8	5,500	91.4	90.2 - 92.4	6,000

**PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	66.9	62.7 - 70.8	400	33.1	29.2 - 37.3	1,100
Normal birth weight	800	5.0	4.5 - 5.5	15,200	95.0	94.5 - 95.5	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.8	8.9 - 13.1	1,300	89.2	86.9 - 91.1	1,400
No	1,400	8.9	8.3 - 9.6	14,000	91.1	90.4 - 91.7	15,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.5	8.1 - 10.9	3,100	90.5	89.1 - 91.9	3,400
No	1,200	8.9	8.2 - 9.7	12,000	91.1	90.3 - 91.8	13,200

PRAMS Health Indicator 5-Year Aggregate Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	9.2	8.3 - 10.2	6,700	90.8	89.8 - 91.7	7,300
No	900	9.2	8.4 - 10.1	8,700	90.8	89.9 - 91.6	9,600