

**PRAMS Health Indicator Report - Sleeping position- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Sleeping position	Sleeping position

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/13/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Sleeping position- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	10,200	63.3	61.1 - 65.4	2,200	13.8	12.4 - 15.3	3,000	18.5	16.8 - 20.3	700	4.5	3.7 - 5.4	16,100
2001	9,900	62.3	60.1 - 64.5	1,900	11.9	10.6 - 13.3	2,700	16.9	15.3 - 18.8	1,400	8.9	7.7 - 10.2	15,900
2002	10,800	66.7	64.0 - 69.2	2,000	12.3	10.6 - 14.2	2,600	15.8	13.9 - 17.9	800	5.2	4.2 - 6.5	16,200
2003	11,500	68.7	66.1 - 71.1	1,900	11.6	10.1 - 13.3	3,200	19.0	16.9 - 21.2	100	0.8	0.4 - 1.4	16,700
2004	11,800	67.6	65.5 - 69.7	2,200	12.6	11.2 - 14.2	3,100	17.6	16.0 - 19.4	400	2.1	1.5 - 2.9	17,400
2005	11,400	67.2	64.9 - 69.4	2,000	11.6	10.1 - 13.2	2,200	13.3	11.7 - 15.0	1,300	7.9	6.7 - 9.4	16,900
2006	11,800	67.0	64.6 - 69.3	2,100	11.9	10.4 - 13.7	2,800	15.8	14.0 - 17.7	900	5.3	4.3 - 6.6	17,600
2007	12,800	71.7	69.5 - 73.9	2,000	11.5	10.0 - 13.1	2,400	13.2	11.6 - 14.9	600	3.6	2.8 - 4.7	17,900
2008	13,100	71.6	69.3 - 73.7	2,100	11.3	9.9 - 12.9	2,600	14.2	12.6 - 16.0	500	3.0	2.2 - 3.9	18,300
2009	13,900	76.9	74.2 - 79.4	1,700	9.4	7.7 - 11.3	2,000	10.9	9.2 - 12.9	500	2.8	1.9 - 4.1	18,000
2010	13,600	74.5	71.6 - 77.2	1,700	9.4	7.7 - 11.5	2,300	12.6	10.6 - 14.9	600	3.5	2.5 - 4.8	18,200
2011	14,300	78.1	75.3 - 80.7	1,100	6.2	4.8 - 7.9	2,200	12.2	10.2 - 14.5	600	3.5	2.5 - 4.9	18,300
2012	14,900	82.0	79.4 - 84.4	1,100	6.0	4.6 - 7.7	1,900	10.6	8.8 - 12.7	300	1.4	0.8 - 2.4	18,100
2013	14,200	79.2	76.2 - 82.0	1,500	8.1	6.3 - 10.2	2,100	11.5	9.4 - 13.9	200	1.2	0.7 - 2.2	18,000

**PRAMS Health Indicator Report - Sleeping position- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,200	79.2	76.2 - 82.0	1,500	8.1	6.3 - 10.2	2,100	11.5	9.4 - 13.9	200	1.2	0.7 - 2.2	18,000

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	80.0	75.0 - 84.1	200	7.5	5.0 - 11.1	200	10.7	7.6 - 14.8	<50	1.8	0.8 - 4.1	2,300
Honolulu	10,300	79.8	75.7 - 83.3	1,000	8.0	5.8 - 11.0	1,500	11.4	8.7 - 14.8	100	0.8	0.3 - 2.4	12,900
Kauai	700	79.5	74.8 - 83.5	100	8.2	5.7 - 11.7	100	11.0	8.1 - 14.7	<50	1.3	0.5 - 3.4	800
Maui	1,400	74.8	69.6 - 79.4	200	9.2	6.4 - 13.1	200	12.9	9.5 - 17.1	100	3.1	1.6 - 5.9	1,900

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,100	83.4	77.6 - 88.0	400	7.3	4.4 - 12.0	400	8.2	5.1 - 12.9	100	1.0	0.3 - 3.6	4,900
Native Hawaiian	3,800	71.8	65.8 - 77.0	600	10.9	7.5 - 15.5	800	15.4	11.3 - 20.6	100	2.0	0.9 - 4.2	5,300
Chinese	800	83.6	67.2 - 92.7	<50	4.5	1.0 - 17.6	100	12.0	4.5 - 28.4	0	0.0	-	900
Filipino	2,400	83.3	76.0 - 88.8	100	5.0	2.2 - 10.9	300	11.0	6.8 - 17.5	<50	0.6	0.2 - 1.9	2,800
Japanese	1,500	85.3	75.3 - 91.7	200	10.1	4.8 - 19.9	100	4.6	1.8 - 11.1	0	0.0	-	1,800
Other	1,700	76.0	66.3 - 83.7	200	6.8	3.5 - 12.9	300	15.0	8.9 - 24.2	<50	2.1	0.5 - 8.8	2,300

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	62.8	46.9 - 76.3	200	21.7	10.7 - 39.1	100	14.7	7.5 - 26.7	<50	0.9	0.1 - 5.3	800
20-24	3,100	77.1	70.0 - 82.9	300	7.1	4.2 - 11.6	500	12.7	8.2 - 19.1	100	3.2	1.4 - 7.0	4,000
25-34	7,800	80.8	76.7 - 84.3	700	7.0	4.9 - 9.9	1,100	11.5	8.7 - 14.9	100	0.8	0.3 - 1.9	9,700
35+	2,700	81.5	74.6 - 86.8	300	9.0	5.2 - 15.0	300	9.2	5.7 - 14.6	<50	0.3	0.1 - 1.2	3,400

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	76.3	71.8 - 80.4	900	9.6	7.0 - 13.1	1,100	12.8	9.8 - 16.6	100	1.2	0.5 - 2.9	8,800
Female	7,500	82.0	78.0 - 85.5	600	6.6	4.5 - 9.4	900	10.2	7.5 - 13.6	100	1.3	0.6 - 2.6	9,200

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,400	82.7	79.0 - 85.8	800	6.7	4.8 - 9.3	1,100	9.8	7.3 - 12.8	100	0.9	0.3 - 2.2	11,400
No	4,800	73.3	68.0 - 78.0	700	10.4	7.4 - 14.6	900	14.4	10.9 - 18.8	100	1.8	0.9 - 3.6	6,600

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	78.3	73.4 - 82.5	500	7.5	5.1 - 11.0	800	12.4	9.1 - 16.5	100	1.8	0.9 - 3.6	6,600
131-185%	1,900	77.1	67.7 - 84.4	200	6.7	3.2 - 13.5	400	14.7	8.9 - 23.4	<50	1.4	0.2 - 9.3	2,500
186+%	5,900	81.7	76.8 - 85.7	500	7.5	5.0 - 11.1	700	10.0	7.0 - 14.1	100	0.8	0.3 - 2.4	7,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	3,200	78.3	72.1 - 83.5	300	7.2	4.3 - 11.8	500	12.2	8.4 - 17.5	100	2.2	1.0 - 5.2	4,100
\$17,001-\$26,000	1,800	73.5	63.9 - 81.3	200	9.7	5.4 - 16.8	400	14.9	8.9 - 23.9	<50	1.9	0.4 - 8.2	2,400
\$26,001-\$51,000	3,000	76.6	69.4 - 82.6	300	7.9	4.6 - 13.1	600	14.9	10.1 - 21.6	<50	0.6	0.2 - 1.7	3,900
>=\$51,001	5,100	84.2	79.3 - 88.1	400	6.2	3.9 - 9.8	500	8.8	5.9 - 12.9	100	0.8	0.2 - 2.9	6,100

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	79.8	75.1 - 83.7	100	5.7	3.7 - 8.5	200	13.3	10.0 - 17.5	<50	1.2	0.4 - 3.7	1,200
Normal birth weight	13,200	79.2	76.0 - 82.1	1,400	8.2	6.4 - 10.6	1,900	11.3	9.1 - 14.0	200	1.2	0.7 - 2.2	16,700

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	67.9	53.6 - 79.5	100	12.7	5.9 - 24.9	200	17.9	9.3 - 31.8	<50	1.6	0.4 - 5.6	900
No	13,300	79.9	76.8 - 82.7	1,300	7.8	6.0 - 10.0	1,900	11.3	9.1 - 13.9	200	1.0	0.6 - 1.9	16,600

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	77.7	70.2 - 83.7	300	8.3	4.7 - 14.1	400	11.7	7.4 - 17.9	100	2.4	0.9 - 6.3	3,200
No	11,400	79.6	76.2 - 82.6	1,100	8.0	6.1 - 10.4	1,700	11.6	9.3 - 14.5	100	0.8	0.4 - 1.6	14,400

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	76.3	71.5 - 80.5	700	8.8	6.2 - 12.5	1,000	13.1	9.9 - 17.1	100	1.8	0.9 - 3.8	7,800
No	8,200	81.4	77.4 - 84.8	800	7.5	5.4 - 10.4	1,000	10.3	7.7 - 13.6	100	0.8	0.3 - 1.8	10,100

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,900	82.0	79.4 - 84.4	1,100	6.0	4.6 - 7.7	1,900	10.6	8.8 - 12.7	300	1.4	0.8 - 2.4	18,100

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	79.1	74.5 - 83.1	200	7.1	4.8 - 10.3	300	13.5	10.2 - 17.6	<50	0.3	0.0 - 1.8	2,300
Honolulu	10,900	83.3	79.7 - 86.3	700	5.7	4.0 - 8.1	1,200	9.5	7.2 - 12.4	200	1.6	0.8 - 3.1	13,100
Kauai	600	78.1	72.2 - 83.0	100	7.7	4.9 - 12.0	100	13.0	9.2 - 18.0	<50	1.2	0.4 - 4.1	800
Maui	1,500	78.9	74.5 - 82.7	100	5.8	3.8 - 8.7	300	13.6	10.5 - 17.4	<50	1.7	0.8 - 3.5	1,900

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	86.5	81.5 - 90.4	200	4.7	2.7 - 7.9	300	8.1	5.1 - 12.7	<50	0.6	0.3 - 1.4	4,100
Native Hawaiian	3,900	75.6	70.1 - 80.4	500	10.0	6.8 - 14.4	600	11.9	8.6 - 16.3	100	2.4	1.1 - 5.4	5,100
Chinese	1,000	94.8	86.6 - 98.1	<50	1.3	0.3 - 4.8	<50	3.9	1.1 - 12.7	0	0.0	-	1,100
Filipino	2,600	82.3	75.8 - 87.4	200	5.7	2.8 - 11.3	300	10.5	6.9 - 15.6	<50	1.5	0.5 - 4.5	3,200
Japanese	1,400	87.2	78.3 - 92.7	100	3.2	1.1 - 9.2	200	9.6	4.9 - 18.0	0	0.0	-	1,600
Other	2,400	79.2	71.5 - 85.2	100	4.4	2.2 - 8.6	400	14.5	9.4 - 21.6	100	1.9	0.5 - 7.2	3,000

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	77.7	64.3 - 87.1	<50	2.6	1.0 - 6.8	200	16.1	8.3 - 29.0	<50	3.5	0.7 - 16.9	1,000
20-24	2,900	77.0	70.3 - 82.5	300	8.2	4.9 - 13.5	500	12.4	8.5 - 17.7	100	2.4	0.9 - 6.4	3,700
25-34	8,400	83.0	79.6 - 86.0	600	6.0	4.3 - 8.4	1,000	9.8	7.5 - 12.6	100	1.2	0.6 - 2.5	10,100
35+	2,800	86.2	80.2 - 90.5	100	4.4	2.2 - 8.3	300	9.2	5.6 - 14.7	<50	0.3	0.1 - 1.0	3,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,300	81.7	77.8 - 85.1	700	7.7	5.4 - 10.7	900	9.6	7.2 - 12.6	100	1.1	0.5 - 2.3	9,000
Female	7,500	82.3	78.7 - 85.4	400	4.4	3.0 - 6.3	1,100	11.6	9.0 - 14.7	200	1.7	0.8 - 3.7	9,100

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,300	83.4	80.1 - 86.3	600	5.8	4.1 - 8.1	1,100	10.3	8.0 - 13.1	100	0.5	0.2 - 1.3	11,100
No	5,600	79.8	75.5 - 83.5	400	6.3	4.3 - 9.2	800	11.1	8.3 - 14.5	200	2.8	1.5 - 5.4	7,000

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	80.9	76.4 - 84.7	400	6.2	4.1 - 9.3	700	11.4	8.5 - 15.1	100	1.6	0.7 - 3.5	6,400
131-185%	2,500	82.3	75.1 - 87.8	200	6.1	3.2 - 11.2	300	10.3	6.1 - 16.8	<50	1.3	0.4 - 4.7	3,000
186+%	5,800	84.3	80.1 - 87.7	400	6.2	4.1 - 9.3	600	8.8	6.3 - 12.2	<50	0.7	0.2 - 2.6	6,900

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	3,300	80.9	75.0 - 85.7	200	5.1	2.8 - 9.2	400	10.8	7.4 - 15.5	100	3.1	1.4 - 6.9	4,100
\$17,001-\$26,000	1,800	81.4	73.5 - 87.4	200	7.0	3.7 - 12.8	300	11.4	6.8 - 18.5	<50	0.2	0.0 - 1.5	2,200
\$26,001-\$51,000	3,500	81.2	75.5 - 85.9	300	7.2	4.4 - 11.5	500	10.4	7.0 - 15.2	100	1.2	0.5 - 3.3	4,400
>=\$51,001	5,000	84.3	79.7 - 88.1	300	5.7	3.6 - 8.9	600	9.4	6.6 - 13.3	<50	0.6	0.1 - 3.3	5,900

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	82.1	77.3 - 86.1	100	5.9	3.8 - 9.0	100	9.4	6.4 - 13.5	<50	2.6	1.4 - 4.9	1,200
Normal birth weight	13,900	82.0	79.2 - 84.5	1,000	6.0	4.6 - 7.9	1,800	10.7	8.8 - 12.9	200	1.3	0.7 - 2.5	16,900

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	71.5	55.0 - 83.7	100	12.3	4.5 - 29.2	100	16.2	7.8 - 30.8	0	0.0	-	700
No	13,900	82.4	79.7 - 84.8	1,000	5.9	4.5 - 7.7	1,700	10.2	8.3 - 12.3	300	1.5	0.9 - 2.6	16,800

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	77.8	70.5 - 83.7	300	9.7	5.8 - 15.8	300	9.7	6.3 - 14.7	100	2.8	0.9 - 8.3	2,800
No	12,200	82.8	79.9 - 85.4	800	5.5	4.1 - 7.4	1,500	10.5	8.5 - 12.9	200	1.2	0.6 - 2.2	14,700

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,600	79.6	75.5 - 83.2	600	6.9	4.8 - 9.8	1,000	11.8	9.1 - 15.2	100	1.7	0.8 - 3.6	8,200
No	8,200	84.2	80.8 - 87.2	500	5.3	3.7 - 7.6	900	9.4	7.1 - 12.2	100	1.1	0.5 - 2.7	9,700

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,300	78.1	75.3 - 80.7	1,100	6.2	4.8 - 7.9	2,200	12.2	10.2 - 14.5	600	3.5	2.5 - 4.9	18,300

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	72.3	67.4 - 76.6	200	7.9	5.6 - 11.1	400	14.9	11.5 - 18.9	100	5.0	3.1 - 7.9	2,400
Honolulu	10,500	79.5	75.7 - 82.8	700	5.7	3.9 - 8.1	1,500	11.5	8.9 - 14.6	400	3.4	2.1 - 5.4	13,200
Kauai	600	74.1	68.3 - 79.2	100	6.9	4.3 - 11.0	200	17.3	13.1 - 22.5	<50	1.6	0.6 - 4.4	900
Maui	1,500	78.1	73.9 - 81.7	100	7.1	5.1 - 9.9	200	11.7	9.0 - 15.1	100	3.1	1.8 - 5.2	1,900

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,800	84.1	78.7 - 88.3	200	4.2	2.3 - 7.5	400	9.2	6.1 - 13.5	100	2.6	1.0 - 6.5	4,500
Native Hawaiian	3,800	74.3	69.0 - 79.1	400	7.9	5.4 - 11.5	600	12.3	9.0 - 16.6	300	5.4	3.2 - 9.0	5,200
Chinese	700	89.7	76.3 - 95.9	<50	4.4	1.0 - 17.7	<50	5.9	1.9 - 17.5	0	0.0	-	700
Filipino	2,600	78.8	72.0 - 84.3	100	2.8	1.3 - 6.3	500	15.1	10.4 - 21.6	100	3.3	1.6 - 6.4	3,300
Japanese	1,600	86.3	78.3 - 91.7	200	8.3	4.3 - 15.4	100	4.7	1.9 - 11.3	<50	0.7	0.2 - 2.4	1,900
Other	1,800	66.3	57.2 - 74.3	300	9.1	4.9 - 16.3	600	20.2	13.8 - 28.6	100	4.4	2.0 - 9.6	2,800

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	69.1	56.1 - 79.6	100	9.5	4.1 - 20.3	200	17.6	9.4 - 30.4	<50	3.9	1.8 - 8.4	1,000
20-24	3,100	71.8	65.1 - 77.7	400	9.0	5.7 - 14.0	600	13.7	9.5 - 19.3	200	5.6	3.1 - 9.6	4,300
25-34	7,900	80.4	76.7 - 83.6	500	5.1	3.6 - 7.2	1,100	11.3	8.8 - 14.4	300	3.2	1.9 - 5.3	9,800
35+	2,600	82.8	76.5 - 87.7	100	4.6	2.3 - 9.0	400	11.2	7.3 - 16.6	<50	1.5	0.4 - 5.0	3,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,400	79.1	75.1 - 82.6	500	5.6	4.0 - 8.0	1,000	11.0	8.4 - 14.3	400	4.3	2.7 - 6.7	9,300
Female	6,900	77.1	73.0 - 80.7	600	6.7	4.7 - 9.5	1,200	13.5	10.6 - 16.9	200	2.7	1.6 - 4.4	9,000

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,200	80.3	76.8 - 83.3	600	5.1	3.6 - 7.1	1,400	12.0	9.5 - 14.9	300	2.7	1.6 - 4.5	11,500
No	5,100	74.5	69.7 - 78.8	500	8.0	5.6 - 11.4	900	12.6	9.5 - 16.6	300	4.8	3.0 - 7.6	6,800

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,700	72.0	67.0 - 76.5	500	7.9	5.4 - 11.4	1,000	15.0	11.6 - 19.2	300	5.1	3.3 - 7.9	6,500
131-185%	2,200	81.8	74.2 - 87.5	200	6.0	2.9 - 11.8	300	10.1	5.9 - 16.6	100	2.2	0.8 - 5.9	2,700
186+%	6,700	82.9	78.9 - 86.4	400	5.1	3.4 - 7.7	800	9.7	7.1 - 13.1	200	2.3	1.1 - 4.5	8,100

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,500	76.6	69.9 - 82.2	200	5.6	3.0 - 10.1	400	13.4	9.0 - 19.4	100	4.4	2.5 - 7.6	3,300
\$10,000-\$24,999	2,400	69.1	61.8 - 75.5	300	9.0	5.4 - 14.7	500	16.0	11.3 - 22.2	200	5.9	3.2 - 10.6	3,400
\$25,000-\$49,999	3,700	81.4	75.6 - 86.1	200	5.1	3.0 - 8.6	500	10.4	6.9 - 15.5	100	3.0	1.4 - 6.4	4,500
>=\$50,000	5,100	83.0	78.4 - 86.8	400	6.1	3.9 - 9.4	600	9.4	6.7 - 13.1	100	1.5	0.6 - 4.0	6,200

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	78.6	73.5 - 83.0	100	7.3	4.8 - 11.0	100	11.5	8.3 - 15.7	<50	2.6	1.3 - 5.3	1,200
Normal birth weight	13,400	78.1	75.1 - 80.8	1,000	6.1	4.6 - 7.9	2,100	12.3	10.2 - 14.7	600	3.5	2.5 - 5.1	17,100

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	63.9	50.5 - 75.4	100	8.2	3.4 - 18.3	200	19.2	11.0 - 31.4	100	8.7	3.3 - 21.0	900
No	13,600	78.7	75.9 - 81.4	1,000	6.1	4.7 - 7.9	2,100	11.9	9.9 - 14.3	600	3.3	2.2 - 4.7	17,300

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	67.8	60.6 - 74.2	400	10.4	6.7 - 15.7	500	14.3	9.9 - 20.1	300	7.6	4.4 - 12.8	3,500
No	11,800	80.4	77.4 - 83.1	800	5.2	3.8 - 7.1	1,700	11.8	9.7 - 14.4	400	2.6	1.6 - 4.0	14,700

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	72.1	67.5 - 76.2	600	6.7	4.7 - 9.5	1,300	16.1	12.8 - 20.0	400	5.2	3.4 - 7.8	8,300
No	8,200	83.0	79.5 - 86.1	600	5.7	4.0 - 8.1	900	9.1	6.9 - 12.0	200	2.1	1.2 - 3.9	9,900

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,600	74.5	71.6 - 77.2	1,700	9.4	7.7 - 11.5	2,300	12.6	10.6 - 14.9	600	3.5	2.5 - 4.8	18,200

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	74.0	69.2 - 78.3	200	7.3	5.1 - 10.4	300	14.6	11.3 - 18.6	100	4.1	2.4 - 6.8	2,300
Honolulu	9,900	75.2	71.2 - 78.7	1,200	9.5	7.2 - 12.3	1,600	12.1	9.5 - 15.3	400	3.3	2.1 - 5.1	13,200
Kauai	600	72.2	66.6 - 77.2	100	9.4	6.4 - 13.5	100	17.0	13.0 - 21.9	<50	1.5	0.5 - 3.8	800
Maui	1,400	71.7	67.1 - 75.9	200	11.3	8.6 - 14.8	200	11.6	8.8 - 15.1	100	5.4	3.5 - 8.0	1,900

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	77.7	71.8 - 82.6	500	10.6	7.2 - 15.3	500	11.2	7.7 - 16.0	<50	0.5	0.2 - 1.3	4,500
Native Hawaiian	3,900	71.7	66.3 - 76.4	600	11.9	8.6 - 16.2	700	12.5	9.2 - 16.6	200	4.0	2.4 - 6.5	5,400
Chinese	500	68.1	50.6 - 81.6	100	10.1	3.1 - 28.1	100	18.4	8.8 - 34.6	<50	3.4	0.5 - 20.0	700
Filipino	2,400	73.5	66.2 - 79.7	200	4.9	2.4 - 9.5	500	14.8	10.0 - 21.2	200	6.9	3.9 - 11.9	3,300
Japanese	1,400	82.3	73.0 - 88.9	100	8.4	4.3 - 15.7	100	7.6	3.6 - 15.4	<50	1.8	0.3 - 9.0	1,700
Other	2,000	73.3	64.4 - 80.6	200	8.2	4.4 - 14.6	400	14.0	8.5 - 22.1	100	4.5	2.1 - 9.5	2,700

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	73.7	62.6 - 82.4	100	8.2	4.0 - 16.0	200	15.2	8.5 - 25.7	<50	2.9	1.3 - 6.6	1,100
20-24	3,200	72.8	66.4 - 78.4	500	10.4	6.8 - 15.5	500	11.1	7.5 - 16.0	300	5.8	3.4 - 9.6	4,400
25-34	7,100	75.2	71.1 - 78.8	900	9.7	7.3 - 12.7	1,100	12.0	9.3 - 15.2	300	3.2	2.0 - 5.1	9,400
35+	2,500	75.2	68.0 - 81.2	300	7.6	4.5 - 12.5	500	15.5	10.6 - 22.2	100	1.7	0.6 - 4.4	3,300

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,900	74.5	70.3 - 78.2	1,000	10.5	8.0 - 13.6	1,100	11.9	9.3 - 15.2	300	3.2	2.0 - 5.0	9,200
Female	6,700	74.6	70.3 - 78.4	700	8.3	6.1 - 11.2	1,200	13.3	10.4 - 16.8	400	3.9	2.5 - 5.9	9,000

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,900	78.7	75.1 - 81.9	1,000	8.8	6.7 - 11.4	1,100	10.1	7.8 - 12.9	300	2.5	1.5 - 4.0	11,400
No	4,600	67.6	62.6 - 72.2	700	10.4	7.6 - 14.1	1,200	16.8	13.2 - 21.1	400	5.2	3.5 - 7.9	6,900

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,300	68.5	63.2 - 73.4	700	11.2	8.0 - 15.4	1,000	15.3	11.7 - 19.8	300	5.0	3.2 - 7.7	6,300
131-185%	2,300	78.3	71.1 - 84.1	200	7.5	4.3 - 12.9	300	10.6	6.7 - 16.4	100	3.6	1.6 - 8.0	2,900
186+%	6,100	78.6	74.3 - 82.4	700	9.0	6.7 - 12.2	800	10.4	7.7 - 14.0	200	1.9	1.0 - 3.9	7,800

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	69.9	62.6 - 76.3	400	10.9	6.9 - 16.8	400	13.1	8.7 - 19.2	200	6.2	3.5 - 10.5	3,400
\$10,000-\$24,999	2,200	69.9	62.3 - 76.5	300	9.4	5.6 - 15.5	500	15.1	10.2 - 21.7	200	5.6	3.1 - 10.0	3,200
\$25,000-\$49,999	3,600	79.1	73.5 - 83.8	400	8.5	5.5 - 12.8	500	10.2	7.0 - 14.7	100	2.2	1.0 - 4.7	4,500
>=\$50,000	4,700	76.9	71.8 - 81.3	600	10.1	7.3 - 13.9	700	11.5	8.3 - 15.7	100	1.5	0.6 - 3.9	6,200

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	74.7	69.5 - 79.3	100	8.7	6.0 - 12.2	100	10.6	7.6 - 14.6	100	6.1	3.8 - 9.6	1,200
Normal birth weight	12,700	74.5	71.4 - 77.4	1,600	9.4	7.6 - 11.6	2,200	12.7	10.6 - 15.2	600	3.3	2.3 - 4.7	17,000

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	59.9	47.7 - 71.0	200	14.0	7.3 - 25.1	300	21.7	13.1 - 33.6	100	4.4	1.6 - 11.4	1,400
No	12,600	75.7	72.7 - 78.5	1,500	9.0	7.3 - 11.2	2,000	12.0	10.0 - 14.4	500	3.3	2.3 - 4.6	16,600

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	66.0	59.1 - 72.3	400	10.5	6.9 - 15.6	700	18.3	13.3 - 24.5	200	5.3	3.1 - 9.0	3,800
No	10,900	76.7	73.5 - 79.7	1,300	9.1	7.2 - 11.5	1,600	11.3	9.2 - 13.8	400	2.9	1.9 - 4.3	14,200

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	69.2	64.6 - 73.5	800	10.4	7.7 - 13.9	1,100	14.4	11.3 - 18.1	500	6.1	4.2 - 8.8	7,900
No	7,900	78.7	74.9 - 82.1	900	8.6	6.5 - 11.3	1,100	11.2	8.6 - 14.3	200	1.5	0.8 - 2.8	10,100

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,900	76.9	74.2 - 79.4	1,700	9.4	7.7 - 11.3	2,000	10.9	9.2 - 12.9	500	2.8	1.9 - 4.1	18,000

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	71.9	67.0 - 76.3	200	9.1	6.5 - 12.6	400	16.1	12.7 - 20.2	100	3.0	1.6 - 5.4	2,400
Honolulu	10,200	79.7	76.0 - 82.9	1,100	8.7	6.6 - 11.5	1,100	9.0	6.8 - 11.8	300	2.6	1.5 - 4.5	12,800
Kauai	600	65.6	59.6 - 71.1	100	13.4	9.8 - 18.1	100	17.0	12.9 - 22.1	<50	4.0	2.2 - 7.2	800
Maui	1,400	70.4	65.9 - 74.4	200	11.9	9.2 - 15.3	300	14.6	11.6 - 18.1	100	3.2	1.9 - 5.4	2,100

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	82.3	77.3 - 86.3	300	7.9	5.1 - 12.1	400	9.0	6.4 - 12.5	<50	0.8	0.2 - 3.0	4,200
Native Hawaiian	4,100	70.7	65.5 - 75.5	600	11.2	8.3 - 14.9	800	14.2	10.8 - 18.6	200	3.8	2.2 - 6.7	5,700
Chinese	600	81.1	65.0 - 90.8	<50	3.9	0.9 - 15.2	100	15.0	6.4 - 31.2	0	0.0	-	800
Filipino	2,500	77.1	70.4 - 82.7	300	8.7	5.3 - 14.1	300	10.9	7.3 - 15.9	100	3.3	1.4 - 7.3	3,200
Japanese	1,400	87.0	77.8 - 92.8	200	10.1	5.0 - 19.3	<50	2.9	1.0 - 7.9	0	0.0	-	1,600
Other	1,800	74.2	65.8 - 81.1	200	9.7	5.6 - 16.3	300	10.3	6.2 - 16.7	100	5.8	2.8 - 11.7	2,500

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	74.1	63.9 - 82.2	100	6.8	3.7 - 12.2	200	12.4	6.8 - 21.6	100	6.7	2.8 - 15.1	1,800
20-24	2,900	71.6	65.3 - 77.2	500	11.1	7.6 - 15.9	600	13.5	9.6 - 18.6	200	3.9	2.0 - 7.5	4,100
25-34	7,200	78.7	75.0 - 82.0	900	9.5	7.2 - 12.4	900	9.6	7.5 - 12.2	200	2.3	1.3 - 4.0	9,100
35+	2,400	80.6	74.1 - 85.8	200	8.2	4.8 - 13.7	300	10.6	6.9 - 15.8	<50	0.7	0.2 - 2.0	3,000

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,300	75.5	71.6 - 79.1	1,000	10.1	7.8 - 13.1	1,100	11.8	9.3 - 14.9	200	2.5	1.5 - 4.3	9,600
Female	6,600	78.6	74.8 - 81.9	700	8.5	6.3 - 11.3	800	9.9	7.7 - 12.5	300	3.1	1.8 - 5.2	8,400

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,700	81.5	78.3 - 84.4	900	8.5	6.5 - 11.1	1,000	9.2	7.2 - 11.5	100	0.8	0.4 - 1.8	10,700
No	5,200	70.3	65.6 - 74.6	800	10.6	8.0 - 13.9	1,000	13.4	10.4 - 17.2	400	5.7	3.7 - 8.6	7,300

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,400	70.3	65.2 - 74.9	800	11.9	9.0 - 15.5	900	14.0	10.7 - 18.2	200	3.8	2.1 - 6.6	6,300
131-185%	2,100	73.9	66.0 - 80.6	300	9.3	5.4 - 15.5	400	13.7	8.9 - 20.4	100	3.2	1.2 - 8.1	2,800
186+%	6,100	84.4	80.8 - 87.4	500	7.1	4.9 - 10.0	500	7.4	5.6 - 9.8	100	1.1	0.5 - 2.9	7,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	74.0	66.7 - 80.3	300	10.9	7.1 - 16.3	400	12.1	7.8 - 18.4	100	2.9	1.1 - 7.5	3,000
\$10,000-\$24,999	2,700	69.2	62.7 - 75.1	400	10.8	7.4 - 15.6	600	14.4	10.3 - 19.7	200	5.6	3.0 - 10.2	3,800
\$25,000-\$49,999	2,800	77.4	71.0 - 82.7	300	9.1	5.8 - 14.0	500	12.7	8.7 - 18.1	<50	0.9	0.4 - 2.0	3,600
>=\$50,000	5,000	83.9	79.8 - 87.3	500	7.6	5.1 - 11.1	400	7.2	5.3 - 9.8	100	1.2	0.5 - 3.4	6,000

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	76.7	71.8 - 80.9	100	7.8	5.3 - 11.3	100	11.8	8.7 - 15.7	<50	3.8	2.1 - 6.6	1,300
Normal birth weight	12,900	77.0	74.1 - 79.6	1,600	9.5	7.7 - 11.6	1,800	10.8	9.0 - 13.0	500	2.7	1.8 - 4.1	16,700

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	62.0	51.5 - 71.5	200	13.8	8.6 - 21.6	300	20.1	12.6 - 30.6	100	4.0	1.5 - 10.0	1,700
No	12,500	78.7	75.9 - 81.3	1,400	8.8	7.1 - 10.9	1,500	9.7	8.1 - 11.7	400	2.7	1.8 - 4.1	15,900

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	70.6	64.2 - 76.3	400	10.8	7.6 - 15.2	500	13.5	9.5 - 18.9	200	5.1	2.8 - 9.3	3,900
No	10,800	79.0	75.9 - 81.7	1,200	8.8	7.0 - 11.2	1,400	10.0	8.1 - 12.1	300	2.2	1.4 - 3.6	13,700

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	71.1	66.5 - 75.3	800	11.7	9.0 - 15.1	900	13.0	10.1 - 16.6	300	4.2	2.6 - 6.6	7,300
No	8,300	81.3	77.9 - 84.3	800	7.7	5.7 - 10.3	900	9.1	7.1 - 11.6	200	1.9	1.0 - 3.7	10,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,100	71.6	69.3 - 73.7	2,100	11.3	9.9 - 12.9	2,600	14.2	12.6 - 16.0	500	3.0	2.2 - 3.9	18,300

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	66.4	59.6 - 72.6	300	12.5	8.6 - 17.8	400	17.6	12.9 - 23.6	100	3.5	1.7 - 7.1	2,400
Honolulu	9,500	73.4	70.8 - 75.8	1,500	11.5	9.8 - 13.5	1,600	12.6	10.8 - 14.6	300	2.5	1.7 - 3.7	12,900
Kauai	600	68.4	57.4 - 77.7	100	7.8	3.6 - 15.9	200	19.0	11.9 - 28.9	<50	4.8	1.6 - 13.4	900
Maui	1,500	67.7	60.7 - 74.1	200	10.0	6.4 - 15.2	400	18.1	13.1 - 24.4	100	4.2	2.1 - 8.4	2,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	77.6	73.4 - 81.4	500	10.6	8.0 - 13.9	500	10.7	8.0 - 14.1	<50	1.1	0.4 - 2.7	4,400
Native Hawaiian	3,200	62.2	57.3 - 66.9	800	16.0	12.7 - 20.0	900	17.8	14.3 - 21.9	200	3.9	2.4 - 6.4	5,100
Chinese	500	79.7	73.6 - 84.7	100	10.8	7.2 - 15.7	100	8.8	5.5 - 13.6	<50	0.8	0.1 - 4.0	600
Filipino	2,500	75.6	70.8 - 79.8	200	7.0	4.7 - 10.2	500	14.6	11.2 - 18.7	100	2.9	1.5 - 5.2	3,400
Japanese	1,600	79.7	73.2 - 84.9	200	10.1	6.5 - 15.4	200	8.8	5.4 - 14.0	<50	1.4	0.4 - 5.2	2,000
Other	1,900	66.8	60.7 - 72.4	300	9.9	6.8 - 14.1	500	17.5	13.2 - 22.8	200	5.8	3.4 - 9.8	2,900

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	61.2	52.1 - 69.6	200	14.0	8.7 - 21.6	300	19.5	13.2 - 27.7	100	5.4	2.5 - 11.2	1,400
20-24	2,600	64.0	58.8 - 68.9	600	16.1	12.6 - 20.4	600	15.2	11.8 - 19.4	200	4.6	2.8 - 7.6	4,000
25-34	7,000	74.4	71.4 - 77.2	900	9.9	8.1 - 12.1	1,200	13.0	10.8 - 15.4	300	2.7	1.8 - 4.0	9,500
35+	2,600	77.0	72.2 - 81.2	300	8.2	5.7 - 11.6	500	14.1	10.7 - 18.3	<50	0.7	0.2 - 2.8	3,400

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,600	68.9	65.7 - 71.8	1,100	12.0	10.0 - 14.4	1,500	15.7	13.4 - 18.3	300	3.4	2.4 - 5.0	9,600
Female	6,500	74.5	71.4 - 77.5	900	10.5	8.5 - 12.8	1,100	12.5	10.4 - 15.1	200	2.4	1.5 - 3.9	8,700

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,400	73.6	70.9 - 76.1	1,300	11.0	9.3 - 13.0	1,600	13.9	12.0 - 16.1	200	1.5	0.9 - 2.4	11,500
No	4,700	68.1	64.2 - 71.9	800	11.8	9.4 - 14.7	1,000	14.6	11.9 - 17.8	400	5.5	3.8 - 7.7	6,800

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,500	66.5	62.5 - 70.3	700	11.1	8.7 - 14.0	1,300	18.7	15.7 - 22.2	200	3.7	2.4 - 5.6	6,700
131-185%	1,800	68.7	62.5 - 74.2	400	16.7	12.5 - 22.0	400	13.2	9.5 - 18.0	<50	1.5	0.5 - 4.3	2,700
186+%	6,100	78.3	75.2 - 81.1	800	10.1	8.2 - 12.4	800	10.1	8.1 - 12.5	100	1.5	0.8 - 2.8	7,800

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,900	64.7	58.5 - 70.4	400	11.8	8.2 - 16.6	600	18.9	14.4 - 24.3	100	4.7	2.6 - 8.2	3,000
\$10,000-\$24,999	2,600	64.9	59.7 - 69.8	500	13.0	9.8 - 16.9	700	18.1	14.3 - 22.5	200	4.1	2.4 - 6.8	4,000
\$25,000-\$49,999	3,100	72.0	67.4 - 76.3	600	13.4	10.3 - 17.1	500	12.7	9.7 - 16.4	100	1.9	0.9 - 4.0	4,200
>=\$50,000	5,000	80.1	76.7 - 83.1	600	9.5	7.4 - 12.1	600	9.9	7.7 - 12.6	<50	0.6	0.2 - 1.7	6,200

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	69.5	60.1 - 77.6	100	8.1	4.3 - 14.8	200	19.1	12.7 - 27.9	<50	3.2	1.1 - 9.3	1,200
Normal birth weight	12,300	71.7	69.4 - 73.9	2,000	11.5	10.0 - 13.2	2,400	13.8	12.2 - 15.7	500	2.9	2.2 - 4.0	17,100

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	54.8	45.9 - 63.4	300	18.5	12.5 - 26.4	300	22.1	15.6 - 30.4	100	4.6	2.0 - 10.3	1,500
No	12,000	72.9	70.6 - 75.1	1,800	10.7	9.3 - 12.4	2,200	13.5	11.8 - 15.3	500	2.9	2.1 - 3.9	16,500

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	63.5	57.8 - 68.9	500	13.8	10.3 - 18.4	600	17.8	13.7 - 22.8	200	4.8	2.8 - 8.2	3,400
No	10,700	73.2	70.8 - 75.5	1,600	10.8	9.2 - 12.5	2,000	13.4	11.6 - 15.3	400	2.6	1.8 - 3.6	14,600

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	66.9	63.2 - 70.4	1,000	12.9	10.5 - 15.6	1,200	15.8	13.2 - 18.8	300	4.4	3.1 - 6.3	7,800
No	7,600	74.8	72.0 - 77.4	1,000	10.2	8.5 - 12.3	1,300	13.0	11.0 - 15.4	200	1.9	1.2 - 3.1	10,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,800	71.7	69.5 - 73.9	2,000	11.5	10.0 - 13.1	2,400	13.2	11.6 - 14.9	600	3.6	2.8 - 4.7	17,900

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	67.4	60.6 - 73.5	200	10.5	6.9 - 15.7	400	17.8	13.0 - 23.7	100	4.3	2.2 - 8.2	2,300
Honolulu	9,100	73.3	70.7 - 75.8	1,400	11.1	9.4 - 13.1	1,500	12.3	10.5 - 14.3	400	3.3	2.4 - 4.5	12,400
Kauai	700	70.6	60.1 - 79.4	100	8.2	4.1 - 15.9	100	12.3	6.9 - 21.0	100	8.9	4.2 - 17.9	1,000
Maui	1,400	67.7	60.5 - 74.2	300	15.9	11.2 - 22.1	300	13.9	9.5 - 20.0	100	2.4	0.9 - 6.5	2,100

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	78.0	73.5 - 81.9	400	8.7	6.2 - 12.0	500	11.5	8.6 - 15.2	100	1.8	0.8 - 3.8	4,100
Native Hawaiian	3,100	61.6	56.7 - 66.3	900	17.2	13.7 - 21.3	800	16.1	12.7 - 20.1	300	5.1	3.3 - 7.9	5,000
Chinese	600	83.0	77.2 - 87.6	<50	3.2	1.5 - 6.7	100	11.2	7.5 - 16.4	<50	2.6	1.1 - 6.0	700
Filipino	2,300	72.6	67.6 - 77.0	300	8.8	6.3 - 12.3	500	14.6	11.3 - 18.7	100	4.0	2.3 - 6.7	3,200
Japanese	1,800	86.3	80.8 - 90.5	200	7.5	4.5 - 12.3	100	6.2	3.6 - 10.4	0	0.0	-	2,100
Other	1,900	66.2	60.0 - 71.9	400	13.2	9.4 - 18.2	400	14.6	10.6 - 19.7	200	6.0	3.6 - 10.1	2,900

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	58.0	48.8 - 66.7	300	18.0	11.9 - 26.2	300	16.7	10.9 - 24.6	100	7.3	3.8 - 13.8	1,600
20-24	3,000	66.2	61.3 - 70.8	600	12.5	9.5 - 16.3	700	15.8	12.5 - 19.8	200	5.4	3.5 - 8.2	4,500
25-34	6,400	74.0	70.9 - 76.8	900	10.8	8.9 - 13.2	1,100	12.8	10.6 - 15.2	200	2.4	1.6 - 3.8	8,700
35+	2,500	80.6	75.8 - 84.7	300	8.2	5.6 - 11.9	300	8.7	6.1 - 12.3	100	2.4	1.1 - 5.3	3,100

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	72.6	69.5 - 75.5	1,000	11.3	9.3 - 13.7	1,200	12.6	10.5 - 15.0	300	3.5	2.4 - 5.0	9,300
Female	6,100	70.8	67.5 - 73.9	1,000	11.6	9.5 - 14.2	1,200	13.8	11.6 - 16.4	300	3.8	2.6 - 5.4	8,600

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,500	76.3	73.7 - 78.8	1,100	10.1	8.4 - 12.1	1,300	11.5	9.7 - 13.5	200	2.1	1.3 - 3.2	11,200
No	4,300	64.1	60.0 - 68.0	900	13.7	11.0 - 16.8	1,100	16.0	13.1 - 19.3	400	6.2	4.5 - 8.6	6,700

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,600	68.7	64.7 - 72.4	800	11.5	9.1 - 14.5	1,000	15.3	12.6 - 18.5	300	4.5	3.0 - 6.6	6,700
131-185%	1,800	68.8	62.7 - 74.2	400	14.7	10.8 - 19.7	400	14.8	10.9 - 19.8	<50	1.7	0.7 - 4.4	2,700
186+%	5,800	78.0	74.8 - 80.9	800	10.7	8.6 - 13.2	700	9.1	7.2 - 11.4	200	2.2	1.4 - 3.7	7,500

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,100	67.9	61.8 - 73.5	400	12.8	9.1 - 17.8	500	15.6	11.6 - 20.6	100	3.7	2.0 - 6.9	3,100
\$10,000-\$24,999	2,600	69.3	64.1 - 74.0	400	11.2	8.2 - 15.1	500	13.8	10.5 - 17.9	200	5.7	3.6 - 9.0	3,700
\$25,000-\$49,999	3,000	72.5	67.8 - 76.8	500	11.2	8.4 - 14.9	600	14.9	11.6 - 18.8	100	1.4	0.6 - 3.4	4,200
>=\$50,000	4,700	77.8	74.2 - 81.0	700	11.5	9.1 - 14.4	500	8.5	6.6 - 11.1	100	2.2	1.3 - 3.8	6,000

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	72.6	64.3 - 79.6	200	11.4	7.1 - 17.8	200	10.8	6.5 - 17.4	100	5.1	2.2 - 11.5	1,500
Normal birth weight	11,700	71.7	69.3 - 73.9	1,900	11.5	9.9 - 13.2	2,200	13.4	11.8 - 15.2	600	3.5	2.6 - 4.6	16,400

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	65.8	57.1 - 73.6	200	13.1	8.4 - 20.0	300	18.2	12.4 - 25.9	<50	2.8	0.9 - 8.2	1,500
No	11,700	72.5	70.1 - 74.7	1,800	11.3	9.7 - 13.0	2,000	12.5	10.9 - 14.3	600	3.7	2.8 - 4.9	16,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	66.3	60.8 - 71.5	500	13.6	10.1 - 18.0	600	16.0	12.2 - 20.6	100	4.1	2.3 - 7.2	3,500
No	10,400	73.3	70.9 - 75.7	1,500	10.9	9.3 - 12.8	1,700	12.2	10.5 - 14.1	500	3.6	2.6 - 4.8	14,200

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,900	65.1	61.3 - 68.7	800	11.2	8.9 - 13.9	1,300	17.3	14.5 - 20.4	500	6.5	4.7 - 8.7	7,500
No	7,700	76.8	74.0 - 79.3	1,100	11.4	9.5 - 13.6	1,000	10.2	8.5 - 12.3	200	1.6	1.0 - 2.7	10,100

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,800	67.0	64.6 - 69.3	2,100	11.9	10.4 - 13.7	2,800	15.8	14.0 - 17.7	900	5.3	4.3 - 6.6	17,600

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	67.2	59.9 - 73.7	200	9.1	5.7 - 14.2	400	19.5	14.3 - 26.1	100	4.2	2.0 - 8.6	2,200
Honolulu	8,800	68.5	65.7 - 71.1	1,500	11.4	9.7 - 13.4	1,900	14.5	12.5 - 16.6	700	5.6	4.4 - 7.2	12,800
Kauai	400	50.6	38.8 - 62.3	200	20.9	12.5 - 32.7	200	19.5	11.8 - 30.4	100	9.1	4.0 - 19.4	800
Maui	1,200	63.7	55.8 - 70.9	300	14.7	9.8 - 21.4	400	19.1	13.6 - 26.1	<50	2.6	1.0 - 6.5	1,800

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	75.2	70.5 - 79.3	400	10.3	7.6 - 13.8	500	10.8	8.1 - 14.4	200	3.7	2.2 - 6.3	4,200
Native Hawaiian	3,000	60.3	55.2 - 65.2	800	16.3	12.8 - 20.4	800	16.5	13.0 - 20.7	300	6.9	4.7 - 10.0	4,900
Chinese	400	75.2	68.6 - 80.8	100	12.4	8.4 - 17.9	100	10.3	6.8 - 15.5	<50	2.1	0.8 - 5.4	600
Filipino	2,100	65.9	60.5 - 70.9	200	6.8	4.4 - 10.2	800	23.5	19.1 - 28.5	100	3.8	2.2 - 6.6	3,200
Japanese	1,600	78.7	72.0 - 84.1	200	11.3	7.4 - 16.9	100	7.1	4.0 - 12.2	100	2.9	1.2 - 6.6	2,000
Other	1,500	57.1	50.5 - 63.5	300	12.9	9.0 - 18.1	600	20.8	15.9 - 26.7	200	9.2	6.0 - 13.7	2,700

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	43.4	34.5 - 52.7	300	20.5	13.9 - 29.3	400	29.8	22.0 - 39.0	100	6.3	2.9 - 12.9	1,500
20-24	2,700	61.6	56.3 - 66.6	600	13.8	10.6 - 17.9	800	18.1	14.3 - 22.6	300	6.5	4.3 - 9.7	4,300
25-34	6,200	71.2	67.9 - 74.2	900	10.0	8.1 - 12.3	1,200	13.9	11.6 - 16.4	400	5.0	3.6 - 6.8	8,600
35+	2,400	74.1	69.0 - 78.6	300	10.5	7.6 - 14.4	400	11.4	8.4 - 15.3	100	4.1	2.3 - 7.0	3,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,900	65.1	61.7 - 68.4	1,200	13.7	11.5 - 16.3	1,500	16.8	14.3 - 19.6	400	4.4	3.1 - 6.1	9,000
Female	6,000	69.0	65.6 - 72.2	900	10.0	8.0 - 12.5	1,300	14.7	12.4 - 17.5	500	6.2	4.7 - 8.3	8,600

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,100	71.9	69.1 - 74.5	1,200	10.6	8.8 - 12.6	1,400	12.5	10.7 - 14.6	600	5.0	3.8 - 6.6	11,200
No	3,800	58.5	54.1 - 62.8	900	14.2	11.4 - 17.6	1,400	21.5	18.1 - 25.3	400	5.8	4.0 - 8.3	6,400

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,600	58.8	54.4 - 63.0	1,000	15.7	12.7 - 19.2	1,200	18.6	15.4 - 22.3	400	7.0	5.1 - 9.5	6,200
131-185%	1,500	64.5	57.7 - 70.8	300	11.6	7.9 - 16.9	400	16.3	11.8 - 22.1	200	7.5	4.6 - 12.1	2,400
186+%	6,100	75.0	71.8 - 78.0	800	9.6	7.7 - 12.0	1,000	12.4	10.3 - 15.0	200	2.9	1.9 - 4.5	8,100

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,600	52.2	45.8 - 58.6	600	18.9	14.3 - 24.5	600	21.5	16.7 - 27.3	200	7.3	4.6 - 11.5	3,000
\$10,000-\$24,999	2,400	64.4	58.8 - 69.6	500	13.6	10.2 - 17.9	600	15.3	11.6 - 19.9	200	6.7	4.5 - 10.0	3,700
\$25,000-\$49,999	2,900	68.2	63.3 - 72.7	500	11.0	8.1 - 14.7	700	16.4	13.0 - 20.5	200	4.4	2.7 - 7.0	4,300
>=\$50,000	4,500	76.8	73.1 - 80.1	500	8.6	6.5 - 11.2	700	11.3	9.0 - 14.2	200	3.3	2.0 - 5.4	5,800

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	71.8	63.0 - 79.2	100	10.5	6.1 - 17.5	200	13.3	8.1 - 21.0	100	4.4	1.9 - 9.9	1,400
Normal birth weight	10,800	66.6	64.1 - 69.0	2,000	12.0	10.4 - 13.9	2,600	16.0	14.2 - 18.0	900	5.4	4.3 - 6.7	16,200

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	59.6	50.6 - 68.0	300	18.7	12.7 - 26.7	200	14.4	9.1 - 21.9	100	7.3	3.8 - 13.7	1,500
No	10,700	67.7	65.2 - 70.1	1,800	11.3	9.7 - 13.1	2,500	16.0	14.1 - 18.0	800	5.1	4.0 - 6.4	15,800

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	62.0	56.2 - 67.4	600	16.1	12.2 - 20.8	500	15.1	11.3 - 19.7	200	6.9	4.5 - 10.6	3,600
No	9,400	68.2	65.6 - 70.8	1,500	10.9	9.2 - 12.8	2,200	16.0	14.1 - 18.2	700	4.9	3.8 - 6.2	13,800

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,500	61.0	57.0 - 64.9	1,000	14.2	11.6 - 17.3	1,300	17.9	15.0 - 21.2	500	6.9	5.2 - 9.3	7,400
No	7,200	71.4	68.4 - 74.3	1,000	9.9	8.1 - 12.0	1,400	14.4	12.3 - 16.8	400	4.2	3.1 - 5.8	10,000

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,400	67.2	64.9 - 69.4	2,000	11.6	10.1 - 13.2	2,200	13.3	11.7 - 15.0	1,300	7.9	6.7 - 9.4	16,900

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,300	58.1	51.2 - 64.8	300	13.0	8.9 - 18.6	300	14.2	10.0 - 19.8	300	14.7	10.4 - 20.2	2,200
Honolulu	8,500	69.0	66.4 - 71.6	1,400	11.4	9.7 - 13.3	1,600	12.8	11.1 - 14.8	800	6.7	5.4 - 8.3	12,300
Kauai	400	54.3	42.2 - 66.0	100	13.0	6.5 - 24.2	100	19.3	11.5 - 30.7	100	13.3	7.0 - 24.1	700
Maui	1,200	71.0	63.6 - 77.4	200	10.6	6.7 - 16.3	200	12.5	8.3 - 18.5	100	5.9	3.2 - 10.7	1,700

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,700	75.1	70.3 - 79.3	500	12.4	9.3 - 16.3	300	7.6	5.2 - 10.9	200	4.9	3.1 - 7.8	3,600
Native Hawaiian	2,900	61.0	56.1 - 65.7	700	15.2	12.0 - 19.2	700	14.9	11.7 - 18.8	400	8.9	6.4 - 12.1	4,800
Chinese	500	80.2	74.7 - 84.8	100	8.1	5.3 - 12.4	<50	7.6	4.8 - 11.7	<50	4.1	2.2 - 7.5	600
Filipino	2,200	69.1	64.2 - 73.7	200	5.2	3.4 - 8.1	500	17.5	13.9 - 21.7	300	8.2	5.8 - 11.4	3,100
Japanese	1,800	79.8	74.1 - 84.6	200	9.9	6.6 - 14.6	100	6.1	3.7 - 10.0	100	4.1	2.2 - 7.5	2,200
Other	1,200	50.4	44.1 - 56.6	300	13.7	9.9 - 18.6	500	21.2	16.5 - 26.7	400	14.8	10.8 - 20.0	2,500

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	64.5	56.1 - 72.1	200	11.3	6.7 - 18.3	200	15.6	10.5 - 22.7	100	8.6	5.0 - 14.4	1,500
20-24	2,500	60.7	55.7 - 65.4	600	14.1	10.9 - 18.0	700	17.0	13.6 - 21.0	300	8.3	5.9 - 11.5	4,100
25-34	5,800	69.8	66.6 - 72.8	900	11.2	9.2 - 13.6	900	10.9	9.0 - 13.3	700	8.0	6.4 - 10.1	8,400
35+	2,000	70.6	65.2 - 75.4	300	9.1	6.4 - 13.0	400	13.4	10.0 - 17.8	200	6.9	4.5 - 10.3	2,900

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,700	66.1	62.8 - 69.2	1,000	12.0	9.9 - 14.4	1,100	13.0	10.9 - 15.5	800	8.9	7.1 - 11.0	8,600
Female	5,600	68.4	65.1 - 71.5	900	11.1	9.1 - 13.5	1,100	13.5	11.3 - 16.0	600	7.0	5.4 - 8.9	8,300

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,500	69.5	66.7 - 72.2	1,200	11.4	9.6 - 13.4	1,300	12.0	10.2 - 14.1	800	7.1	5.7 - 8.8	10,800
No	3,900	63.2	59.1 - 67.0	700	11.9	9.5 - 15.0	900	15.4	12.7 - 18.6	600	9.5	7.3 - 12.2	6,100

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	63.4	59.4 - 67.2	600	10.4	8.1 - 13.2	1,000	16.0	13.2 - 19.2	600	10.2	8.0 - 12.9	6,200
131-185%	1,100	59.3	51.9 - 66.4	300	14.4	9.9 - 20.7	300	18.2	13.1 - 24.8	100	8.0	4.9 - 12.9	1,800
186+%	5,700	74.3	71.1 - 77.3	900	11.5	9.4 - 13.9	800	9.9	8.0 - 12.2	300	4.3	3.1 - 6.0	7,600

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,000	67.9	62.1 - 73.2	200	7.5	4.9 - 11.4	500	15.8	11.9 - 20.7	300	8.7	5.9 - 12.6	2,900
\$10,000-\$24,999	2,200	61.1	55.9 - 66.1	400	11.7	8.7 - 15.6	600	16.3	12.8 - 20.5	400	10.9	8.0 - 14.7	3,600
\$25,000-\$49,999	2,600	65.5	60.6 - 70.1	500	12.8	9.8 - 16.7	600	14.8	11.6 - 18.7	300	6.9	4.8 - 9.9	4,000
>=\$50,000	4,000	75.7	72.0 - 79.1	700	12.2	9.7 - 15.3	400	8.4	6.4 - 11.0	200	3.7	2.4 - 5.6	5,300

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	58.6	49.5 - 67.1	100	12.1	7.3 - 19.3	200	16.3	10.7 - 24.1	200	13.0	7.9 - 20.7	1,200
Normal birth weight	10,700	68.0	65.6 - 70.2	1,800	11.5	10.0 - 13.2	2,000	13.0	11.4 - 14.8	1,200	7.5	6.3 - 9.0	15,700

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	63.9	55.1 - 71.9	100	10.7	6.3 - 17.6	200	12.5	7.7 - 19.6	200	12.9	8.0 - 20.1	1,400
No	10,300	67.8	65.3 - 70.1	1,800	11.6	10.0 - 13.3	2,000	13.1	11.5 - 14.9	1,200	7.6	6.3 - 9.0	15,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	64.1	58.7 - 69.1	400	12.7	9.5 - 16.9	500	14.5	11.0 - 18.8	300	8.7	6.1 - 12.3	3,500
No	8,900	68.4	65.8 - 70.9	1,500	11.2	9.6 - 13.1	1,700	12.6	10.9 - 14.6	1,000	7.8	6.4 - 9.3	13,100

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,600	63.7	60.0 - 67.2	900	12.4	10.1 - 15.2	1,100	14.8	12.3 - 17.6	700	9.1	7.2 - 11.5	7,300
No	6,500	69.8	66.8 - 72.7	1,000	11.1	9.2 - 13.3	1,100	12.0	10.1 - 14.3	700	7.1	5.6 - 8.9	9,300

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,800	67.6	65.5 - 69.7	2,200	12.6	11.2 - 14.2	3,100	17.6	16.0 - 19.4	400	2.1	1.5 - 2.9	17,400

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	66.0	59.7 - 71.9	300	15.3	11.2 - 20.6	400	16.3	12.1 - 21.7	100	2.3	1.0 - 5.3	2,200
Honolulu	8,700	69.5	67.1 - 71.9	1,500	11.9	10.3 - 13.7	2,100	16.5	14.7 - 18.5	300	2.1	1.4 - 3.0	12,600
Kauai	500	58.3	48.0 - 67.9	100	14.8	9.0 - 23.4	200	26.9	18.9 - 36.9	0	0.0	-	800
Maui	1,100	60.6	53.8 - 67.0	200	13.2	9.2 - 18.6	400	23.1	17.8 - 29.4	100	3.1	1.5 - 6.6	1,800

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,700	69.1	64.8 - 73.2	500	13.4	10.5 - 16.8	700	16.8	13.6 - 20.5	<50	0.7	0.2 - 2.1	3,900
Native Hawaiian	3,000	61.8	57.3 - 66.2	800	17.2	14.0 - 20.9	900	17.8	14.6 - 21.6	200	3.1	1.9 - 5.2	4,800
Chinese	500	79.0	75.0 - 82.5	<50	7.1	5.1 - 9.9	100	13.2	10.3 - 16.6	<50	0.8	0.3 - 2.2	600
Filipino	2,300	69.7	65.3 - 73.8	300	7.9	5.8 - 10.8	700	20.6	17.1 - 24.6	100	1.7	0.9 - 3.4	3,200
Japanese	1,800	79.0	73.3 - 83.7	300	11.8	8.3 - 16.6	200	8.2	5.3 - 12.5	<50	0.9	0.3 - 3.5	2,200
Other	1,600	60.9	55.0 - 66.6	300	10.9	7.7 - 15.3	600	24.1	19.3 - 29.6	100	4.1	2.2 - 7.4	2,600

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	56.4	47.7 - 64.6	300	22.1	15.8 - 30.1	200	19.1	13.2 - 26.9	<50	2.4	0.8 - 6.9	1,300
20-24	2,800	63.7	59.3 - 68.0	600	13.6	10.7 - 17.1	900	19.9	16.5 - 23.7	100	2.8	1.6 - 4.8	4,400
25-34	5,800	69.0	66.0 - 71.8	900	11.2	9.3 - 13.3	1,500	17.8	15.5 - 20.3	200	2.1	1.3 - 3.3	8,500
35+	2,400	73.8	69.2 - 77.9	400	11.4	8.6 - 14.9	400	13.7	10.7 - 17.4	<50	1.1	0.4 - 3.1	3,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,100	63.8	60.9 - 66.6	1,400	14.8	12.8 - 17.1	1,800	19.0	16.7 - 21.4	200	2.4	1.6 - 3.6	9,500
Female	5,700	72.2	69.2 - 75.1	800	10.0	8.1 - 12.2	1,300	16.1	13.8 - 18.6	100	1.7	1.0 - 2.9	7,900

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,500	70.1	67.7 - 72.4	1,400	11.6	10.0 - 13.4	2,000	16.4	14.6 - 18.4	200	1.9	1.3 - 2.8	12,200
No	3,200	61.9	57.7 - 65.9	800	15.0	12.2 - 18.2	1,100	20.5	17.4 - 24.1	100	2.6	1.5 - 4.4	5,200

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,000	62.4	58.7 - 66.0	800	13.1	10.7 - 15.8	1,400	21.9	18.9 - 25.1	200	2.7	1.7 - 4.3	6,500
131-185%	1,300	61.9	55.6 - 67.9	300	13.5	9.7 - 18.5	500	23.3	18.4 - 29.0	<50	1.3	0.4 - 3.8	2,100
186+%	5,700	74.1	71.2 - 76.9	900	11.9	10.0 - 14.2	900	12.3	10.4 - 14.6	100	1.6	1.0 - 2.8	7,700

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,600	60.4	54.6 - 66.0	400	14.0	10.5 - 18.5	600	23.7	19.1 - 29.0	100	1.9	0.8 - 4.3	2,700
\$10,000-\$24,999	2,700	62.7	58.2 - 66.9	500	12.0	9.3 - 15.3	1,000	22.4	18.9 - 26.4	100	2.9	1.7 - 5.0	4,300
\$25,000-\$49,999	2,900	66.1	61.8 - 70.0	600	14.1	11.3 - 17.3	800	17.2	14.2 - 20.7	100	2.7	1.5 - 4.6	4,400
>=\$50,000	3,800	77.9	74.4 - 81.0	500	10.6	8.4 - 13.4	500	10.8	8.6 - 13.6	<50	0.6	0.2 - 2.0	4,900

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	73.9	65.2 - 81.0	100	9.3	5.0 - 16.5	200	15.0	9.6 - 22.5	<50	1.9	0.6 - 5.9	1,000
Normal birth weight	11,000	67.2	65.1 - 69.3	2,100	12.8	11.4 - 14.4	2,900	17.8	16.1 - 19.6	300	2.1	1.5 - 2.9	16,300

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	62.0	53.7 - 69.7	200	16.0	10.8 - 23.1	300	21.9	15.9 - 29.5	0	0.0	-	1,400
No	10,700	68.1	65.9 - 70.2	1,900	12.4	10.9 - 14.0	2,700	17.2	15.6 - 19.1	400	2.3	1.6 - 3.1	15,800

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	62.1	57.1 - 66.9	600	16.4	12.9 - 20.5	700	20.3	16.5 - 24.7	<50	1.2	0.5 - 3.1	3,600
No	9,400	69.1	66.8 - 71.3	1,600	11.7	10.2 - 13.4	2,300	16.9	15.1 - 18.9	300	2.3	1.6 - 3.3	13,600

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,700	61.1	57.8 - 64.4	1,000	13.5	11.3 - 16.0	1,800	22.7	20.0 - 25.7	200	2.7	1.7 - 4.1	7,700
No	6,800	73.1	70.4 - 75.6	1,100	11.9	10.1 - 14.0	1,200	13.3	11.4 - 15.4	200	1.7	1.1 - 2.8	9,300

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,500	68.7	66.1 - 71.1	1,900	11.6	10.1 - 13.3	3,200	19.0	16.9 - 21.2	100	0.8	0.4 - 1.4	16,700

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	65.2	60.7 - 69.5	200	13.0	10.3 - 16.3	400	20.6	17.0 - 24.7	<50	1.2	0.5 - 2.9	1,900
Honolulu	8,500	69.8	66.5 - 73.0	1,400	11.1	9.2 - 13.4	2,200	18.3	15.7 - 21.2	100	0.7	0.3 - 1.7	12,200
Kauai	500	58.2	50.8 - 65.2	100	13.4	9.2 - 19.0	200	27.1	21.0 - 34.2	<50	1.3	0.4 - 4.7	900
Maui	1,200	69.2	64.5 - 73.5	200	12.4	9.6 - 15.9	300	17.7	14.3 - 21.9	<50	0.7	0.3 - 1.8	1,800

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,600	72.5	66.4 - 77.8	400	11.4	7.9 - 16.2	600	15.3	11.3 - 20.4	<50	0.8	0.2 - 3.7	3,600
Native Hawaiian	2,700	60.1	57.1 - 63.1	800	18.4	16.2 - 20.9	900	20.5	18.1 - 23.1	<50	0.9	0.5 - 1.7	4,500
Chinese	500	76.1	60.6 - 86.8	100	8.9	3.0 - 23.8	100	15.0	7.1 - 28.8	0	0.0	-	700
Filipino	2,600	70.1	64.0 - 75.6	200	6.5	4.1 - 10.2	800	23.0	18.0 - 28.8	<50	0.4	0.1 - 1.4	3,700
Japanese	1,700	90.6	84.3 - 94.5	100	3.2	1.5 - 6.7	100	5.2	2.4 - 11.1	<50	1.0	0.1 - 6.5	1,900
Other	1,300	56.1	47.2 - 64.6	300	14.5	9.2 - 22.0	600	28.2	21.0 - 36.8	<50	1.3	0.3 - 5.9	2,200

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	60.1	51.9 - 67.8	300	18.8	13.3 - 25.9	300	20.3	14.5 - 27.7	<50	0.7	0.2 - 2.7	1,500
20-24	2,400	63.1	57.9 - 68.1	500	12.8	9.9 - 16.6	900	23.6	19.3 - 28.5	<50	0.4	0.1 - 1.1	3,800
25-34	6,000	71.3	67.6 - 74.7	1,000	12.0	9.7 - 14.7	1,300	15.9	13.3 - 19.0	100	0.8	0.3 - 2.0	8,400
35+	2,100	72.8	66.3 - 78.4	100	5.0	3.2 - 7.6	600	20.8	15.6 - 27.1	<50	1.5	0.5 - 4.0	2,900

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,100	68.5	65.0 - 71.8	1,000	11.7	9.7 - 14.1	1,700	18.7	16.0 - 21.8	100	1.0	0.5 - 2.1	8,900
Female	5,400	68.8	65.0 - 72.3	900	11.4	9.2 - 14.1	1,500	19.2	16.3 - 22.6	<50	0.6	0.2 - 1.4	7,800

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,800	71.2	67.9 - 74.2	1,100	10.1	8.3 - 12.3	2,000	18.0	15.5 - 20.9	100	0.7	0.3 - 1.6	11,000
No	3,700	63.8	59.7 - 67.7	800	14.5	11.9 - 17.6	1,200	20.7	17.6 - 24.3	100	1.0	0.4 - 2.4	5,700

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	64.0	60.1 - 67.6	900	12.5	10.2 - 15.2	1,700	22.2	19.1 - 25.6	100	1.4	0.7 - 2.7	7,500
131-185%	1,700	68.1	60.9 - 74.5	200	9.0	6.0 - 13.2	600	22.8	17.0 - 29.8	<50	0.1	0.0 - 0.8	2,400
186+%	4,000	76.7	72.1 - 80.7	600	11.1	8.3 - 14.7	600	11.8	8.9 - 15.4	<50	0.4	0.1 - 2.2	5,300

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,500	62.6	57.4 - 67.6	600	13.9	10.8 - 17.7	900	22.1	17.9 - 26.8	100	1.4	0.6 - 3.3	4,000
\$15,001-\$25,000	1,500	69.5	62.6 - 75.6	200	8.3	5.4 - 12.6	400	20.8	15.7 - 27.0	<50	1.4	0.3 - 6.2	2,100
\$25,001-\$40,000	2,000	64.5	58.0 - 70.5	300	10.8	7.4 - 15.6	800	24.2	19.0 - 30.4	<50	0.5	0.2 - 1.3	3,100
>=\$40,001	4,800	76.2	72.2 - 79.9	700	10.9	8.4 - 13.9	800	12.4	9.7 - 15.8	<50	0.4	0.1 - 1.7	6,400

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	65.6	55.3 - 74.7	100	12.0	7.0 - 19.7	300	22.4	14.9 - 32.2	0	0.0	-	1,100
Normal birth weight	10,700	68.9	66.2 - 71.4	1,800	11.6	10.0 - 13.4	2,900	18.7	16.6 - 21.0	100	0.9	0.5 - 1.6	15,600

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	59.0	50.2 - 67.2	200	15.5	10.1 - 23.0	400	24.1	17.4 - 32.3	<50	1.5	0.6 - 3.6	1,500
No	10,400	69.8	67.1 - 72.4	1,600	11.0	9.4 - 12.8	2,700	18.4	16.3 - 20.8	100	0.7	0.4 - 1.5	14,900

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	64.9	59.2 - 70.1	500	14.6	11.1 - 19.1	700	20.0	15.9 - 25.0	<50	0.5	0.2 - 1.4	3,400
No	9,000	69.7	66.8 - 72.5	1,300	10.5	8.8 - 12.4	2,400	18.9	16.5 - 21.5	100	0.9	0.4 - 1.7	12,900

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,400	62.8	58.9 - 66.5	1,000	14.8	12.3 - 17.8	1,500	21.3	18.2 - 24.7	100	1.1	0.6 - 2.2	7,100
No	6,900	72.9	69.4 - 76.1	900	9.0	7.2 - 11.2	1,700	17.5	14.8 - 20.6	100	0.6	0.2 - 1.7	9,500

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,800	66.7	64.0 - 69.2	2,000	12.3	10.6 - 14.2	2,600	15.8	13.9 - 17.9	800	5.2	4.2 - 6.5	16,200

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,100	57.7	53.2 - 62.2	300	14.0	11.2 - 17.4	400	19.3	15.9 - 23.2	200	8.9	6.6 - 12.0	1,900
Honolulu	8,300	69.4	66.0 - 72.7	1,400	11.9	9.7 - 14.4	1,700	14.4	12.0 - 17.2	500	4.3	3.1 - 5.9	12,000
Kauai	300	52.8	44.8 - 60.6	100	14.6	9.9 - 21.1	200	23.7	17.5 - 31.2	100	8.9	5.3 - 14.6	700
Maui	1,100	62.8	57.7 - 67.6	200	12.5	9.6 - 16.1	300	18.4	14.7 - 22.9	100	6.3	4.2 - 9.3	1,700

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,400	70.1	63.8 - 75.7	400	12.9	9.0 - 18.2	500	14.5	10.6 - 19.5	100	2.6	1.4 - 4.7	3,500
Native Hawaiian	2,500	57.5	54.4 - 60.5	800	17.9	15.6 - 20.4	800	17.0	14.8 - 19.5	300	7.6	6.2 - 9.4	4,400
Chinese	500	87.1	72.5 - 94.6	<50	4.4	1.0 - 17.4	<50	5.3	1.5 - 17.2	<50	3.2	0.5 - 18.9	600
Filipino	2,200	68.7	62.0 - 74.7	100	4.5	2.4 - 8.4	700	20.3	15.4 - 26.4	200	6.4	3.9 - 10.5	3,200
Japanese	1,800	76.3	68.4 - 82.8	300	13.0	8.2 - 19.9	200	8.0	4.6 - 13.5	100	2.7	0.9 - 8.0	2,300
Other	1,300	60.9	51.4 - 69.7	300	13.1	7.9 - 20.7	400	20.0	13.3 - 29.1	100	6.0	2.8 - 12.1	2,200

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	53.9	44.9 - 62.6	300	18.9	12.8 - 26.8	300	19.8	13.8 - 27.5	100	7.5	4.1 - 13.5	1,500
20-24	2,500	62.9	57.6 - 68.0	600	15.4	12.0 - 19.6	700	17.4	13.6 - 22.0	200	4.3	2.8 - 6.5	4,000
25-34	5,700	70.4	66.6 - 73.9	800	10.2	8.0 - 12.8	1,200	14.8	12.2 - 17.9	400	4.6	3.3 - 6.5	8,200
35+	1,800	68.1	61.0 - 74.4	300	10.5	6.9 - 15.8	400	14.1	9.7 - 20.0	200	7.2	4.4 - 11.6	2,600

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,300	65.8	62.0 - 69.4	1,100	14.0	11.5 - 16.9	1,200	15.2	12.6 - 18.3	400	5.0	3.6 - 6.7	8,100
Female	5,500	67.5	63.7 - 71.1	900	10.6	8.5 - 13.3	1,300	16.4	13.6 - 19.5	400	5.5	4.0 - 7.4	8,100

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,800	70.6	67.3 - 73.7	1,200	10.9	8.8 - 13.3	1,500	13.7	11.5 - 16.3	500	4.8	3.6 - 6.5	11,000
No	3,000	58.4	54.0 - 62.7	800	15.3	12.6 - 18.6	1,100	20.2	16.7 - 24.1	300	6.1	4.5 - 8.2	5,200

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	61.1	56.9 - 65.2	900	13.7	11.2 - 16.6	1,200	18.7	15.6 - 22.3	400	6.5	4.7 - 8.8	6,300
131-185%	2,200	66.8	60.3 - 72.7	500	15.0	10.9 - 20.4	500	15.3	11.0 - 20.9	100	2.9	1.6 - 5.0	3,300
186+%	3,800	73.9	69.2 - 78.1	500	8.7	6.2 - 12.1	600	12.4	9.5 - 16.0	300	5.0	3.2 - 7.7	5,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,800	58.3	52.5 - 63.9	500	15.6	12.1 - 20.0	600	20.3	15.9 - 25.5	200	5.7	3.6 - 9.0	3,100
\$15,001-\$25,000	1,500	62.8	55.7 - 69.5	400	15.9	11.2 - 22.0	400	16.5	12.0 - 22.1	100	4.8	2.7 - 8.3	2,400
\$25,001-\$40,000	2,300	65.7	59.4 - 71.4	500	14.1	10.3 - 18.9	500	14.9	10.9 - 20.1	200	5.3	3.2 - 8.8	3,500
>=\$40,001	4,600	73.4	69.1 - 77.3	500	8.2	6.0 - 11.1	900	13.8	10.9 - 17.4	300	4.5	3.0 - 6.8	6,200

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	64.9	53.3 - 75.0	100	5.2	2.2 - 11.9	300	24.9	16.0 - 36.6	100	5.0	2.6 - 9.2	1,000
Normal birth weight	10,200	66.8	64.1 - 69.4	1,900	12.8	11.0 - 14.8	2,300	15.2	13.2 - 17.4	800	5.2	4.2 - 6.6	15,200

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	49.5	40.6 - 58.5	200	18.2	11.7 - 27.2	200	19.0	12.9 - 26.9	200	13.3	9.0 - 19.1	1,300
No	10,100	68.3	65.5 - 71.0	1,700	11.6	9.9 - 13.6	2,300	15.5	13.4 - 17.8	700	4.6	3.5 - 5.9	14,700

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	57.3	51.3 - 63.1	600	18.3	14.0 - 23.7	500	16.7	12.8 - 21.5	200	7.6	5.3 - 10.8	3,100
No	8,800	69.4	66.4 - 72.2	1,400	10.9	9.1 - 12.9	1,900	15.1	12.9 - 17.5	600	4.7	3.6 - 6.2	12,700

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,200	62.4	58.3 - 66.4	1,000	14.1	11.5 - 17.1	1,200	17.8	14.8 - 21.3	400	5.7	4.2 - 7.6	6,800
No	6,500	69.6	66.1 - 73.0	1,000	11.1	8.9 - 13.7	1,300	14.4	12.0 - 17.2	500	4.9	3.5 - 6.7	9,400

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	9,900	62.3	60.1 - 64.5	1,900	11.9	10.6 - 13.3	2,700	16.9	15.3 - 18.8	1,400	8.9	7.7 - 10.2	15,900

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,000	55.8	51.0 - 60.4	300	15.3	12.1 - 19.0	300	20.0	16.5 - 23.9	200	9.0	6.6 - 12.2	1,800
Honolulu	7,500	63.6	60.9 - 66.3	1,300	11.4	9.8 - 13.1	2,000	16.7	14.6 - 19.0	1,000	8.3	6.9 - 10.0	11,800
Kauai	400	53.9	46.0 - 61.5	100	13.5	9.1 - 19.4	200	22.9	16.9 - 30.3	100	9.7	6.0 - 15.4	700
Maui	1,000	63.4	58.3 - 68.2	200	11.4	8.6 - 14.9	200	13.1	9.9 - 17.0	200	12.2	9.1 - 16.1	1,600

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,300	68.6	63.9 - 73.0	400	12.4	9.6 - 15.8	500	13.5	10.4 - 17.3	200	5.5	3.5 - 8.4	3,400
Native Hawaiian	2,300	53.0	50.5 - 55.5	700	17.4	15.6 - 19.4	700	17.3	15.5 - 19.3	500	12.3	10.7 - 14.0	4,300
Chinese	500	75.6	61.6 - 85.6	100	7.8	2.7 - 20.4	100	9.6	4.2 - 20.7	<50	7.0	2.4 - 19.0	600
Filipino	2,100	63.9	58.3 - 69.2	200	6.0	3.9 - 9.0	700	20.1	15.8 - 25.2	300	10.0	7.1 - 14.0	3,300
Japanese	1,600	79.0	72.2 - 84.4	200	8.9	5.4 - 14.5	200	7.9	4.8 - 12.8	100	4.2	2.2 - 8.1	2,000
Other	1,100	49.0	41.8 - 56.2	300	13.1	9.2 - 18.5	600	27.4	21.3 - 34.5	200	10.5	6.8 - 15.7	2,200

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	50.7	44.6 - 56.8	200	13.8	10.5 - 18.0	300	21.6	16.7 - 27.5	200	13.9	10.3 - 18.6	1,500
20-24	2,200	53.6	49.3 - 57.8	700	17.2	14.3 - 20.5	800	20.0	16.6 - 23.8	400	9.3	7.4 - 11.6	4,200
25-34	5,000	65.6	62.3 - 68.7	700	9.3	7.7 - 11.1	1,300	16.9	14.5 - 19.7	600	8.3	6.5 - 10.4	7,600
35+	1,900	73.8	68.2 - 78.7	300	10.0	6.9 - 14.4	200	9.3	6.5 - 13.1	200	6.9	4.4 - 10.6	2,500

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,900	60.6	57.5 - 63.7	1,100	13.3	11.5 - 15.4	1,400	16.6	14.4 - 19.1	800	9.4	7.7 - 11.5	8,100
Female	5,000	64.1	60.9 - 67.1	800	10.4	8.7 - 12.3	1,300	17.3	14.9 - 20.0	600	8.3	6.8 - 10.1	7,700

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,000	66.3	63.6 - 69.0	1,200	11.1	9.6 - 12.9	1,600	15.1	13.1 - 17.4	800	7.4	6.1 - 9.1	10,600
No	2,900	54.3	50.6 - 57.9	700	13.4	11.3 - 15.9	1,100	20.6	17.7 - 23.8	600	11.7	9.6 - 14.2	5,300

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,300	53.9	50.4 - 57.4	800	14.0	12.0 - 16.3	1,300	20.8	18.0 - 23.9	700	11.3	9.2 - 13.7	6,000
131-185%	2,200	63.2	58.4 - 67.6	400	12.6	9.8 - 16.1	600	17.0	13.7 - 21.0	300	7.2	5.3 - 9.8	3,500
186+%	3,800	72.9	69.0 - 76.4	500	8.8	6.9 - 11.3	700	12.5	10.0 - 15.6	300	5.8	4.2 - 8.0	5,200

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,800	55.3	50.4 - 60.0	400	13.5	10.9 - 16.6	700	21.7	17.8 - 26.3	300	9.5	6.9 - 13.0	3,200
\$15,001-\$25,000	1,200	53.5	47.5 - 59.3	300	15.8	12.2 - 20.2	400	18.5	14.1 - 24.0	300	12.2	8.8 - 16.7	2,200
\$25,001-\$40,000	2,200	61.9	57.2 - 66.3	500	13.2	10.3 - 16.7	600	16.3	13.2 - 20.0	300	8.6	6.4 - 11.6	3,500
>=\$40,001	4,400	70.6	67.1 - 73.9	600	9.2	7.4 - 11.5	900	14.1	11.6 - 17.1	400	6.0	4.6 - 7.9	6,200

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	61.7	52.7 - 70.0	100	13.6	8.8 - 20.4	200	15.3	10.0 - 22.5	100	9.4	5.3 - 16.1	1,000
Normal birth weight	9,200	62.3	60.0 - 64.5	1,700	11.8	10.5 - 13.2	2,500	17.1	15.3 - 19.0	1,300	8.8	7.6 - 10.2	14,800

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	51.8	44.9 - 58.6	300	19.0	14.5 - 24.6	200	13.6	9.5 - 19.2	200	15.6	11.2 - 21.2	1,400
No	9,000	63.4	61.1 - 65.7	1,600	11.2	9.9 - 12.7	2,400	17.1	15.3 - 19.0	1,200	8.3	7.1 - 9.7	14,100

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	56.3	51.6 - 60.9	500	15.6	12.7 - 19.1	500	16.0	12.7 - 20.0	400	12.1	9.4 - 15.4	3,200
No	7,800	63.9	61.3 - 66.3	1,300	10.9	9.5 - 12.5	2,100	17.0	15.1 - 19.1	1,000	8.2	6.9 - 9.8	12,100

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,700	54.9	51.6 - 58.2	1,000	14.3	12.3 - 16.5	1,300	19.1	16.6 - 21.9	800	11.7	9.8 - 14.0	6,800
No	6,100	67.8	64.9 - 70.7	900	10.1	8.5 - 12.0	1,400	15.2	13.0 - 17.7	600	6.8	5.5 - 8.5	9,000

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,200	63.3	61.1 - 65.4	2,200	13.8	12.4 - 15.3	3,000	18.5	16.8 - 20.3	700	4.5	3.7 - 5.4	16,100

County	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,100	57.9	53.2 - 62.5	300	18.1	14.8 - 21.9	300	18.1	14.7 - 22.0	100	5.9	4.1 - 8.4	1,900
Honolulu	7,900	65.6	62.9 - 68.2	1,500	12.5	10.9 - 14.3	2,100	17.8	15.7 - 20.1	500	4.1	3.2 - 5.3	12,000
Kauai	300	46.2	38.3 - 54.3	100	19.9	14.4 - 26.9	200	24.4	18.1 - 32.0	100	9.5	5.5 - 16.0	700
Maui	1,000	59.3	54.0 - 64.3	300	16.0	12.5 - 20.1	300	21.4	17.4 - 26.1	100	3.4	1.9 - 5.7	1,600

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,700	69.0	64.6 - 73.2	500	13.4	10.6 - 16.9	600	15.4	12.3 - 19.0	100	2.2	1.1 - 4.1	3,900
Native Hawaiian	2,400	55.0	52.4 - 57.5	800	19.6	17.6 - 21.8	900	19.8	17.8 - 22.0	200	5.6	4.5 - 6.9	4,300
Chinese	500	77.3	64.5 - 86.4	<50	6.6	2.4 - 16.7	100	12.0	5.7 - 23.6	<50	4.1	1.2 - 12.8	600
Filipino	2,000	61.1	55.5 - 66.4	300	8.7	6.2 - 12.0	800	24.8	20.2 - 30.2	200	5.4	3.5 - 8.2	3,200
Japanese	1,500	76.2	69.3 - 81.9	200	10.5	6.8 - 15.9	200	11.1	7.3 - 16.7	<50	2.2	0.8 - 5.8	1,900
Other	1,200	57.1	49.8 - 64.1	300	15.5	11.1 - 21.3	400	20.2	15.1 - 26.7	200	7.1	4.2 - 11.8	2,200

PRAMS Age Group	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	50.6	44.5 - 56.7	400	19.7	15.4 - 24.7	400	22.6	17.8 - 28.4	100	7.1	4.7 - 10.7	1,800
20-24	2,400	60.4	56.3 - 64.5	600	14.7	12.0 - 17.7	800	20.9	17.7 - 24.6	200	4.0	2.7 - 5.7	3,900
25-34	4,900	64.2	60.9 - 67.3	1,100	13.9	11.8 - 16.2	1,300	17.3	14.9 - 20.0	400	4.7	3.5 - 6.3	7,700
35+	2,000	73.2	68.1 - 77.8	200	8.4	6.1 - 11.5	400	15.5	11.8 - 20.0	100	2.8	1.5 - 5.2	2,700

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,200	62.3	59.4 - 65.2	1,400	16.6	14.5 - 19.0	1,300	16.2	14.2 - 18.5	400	4.8	3.8 - 6.2	8,300
Female	5,000	64.3	61.1 - 67.3	800	10.8	9.1 - 12.7	1,600	20.8	18.2 - 23.7	300	4.1	3.0 - 5.6	7,800

Married	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,500	68.0	65.3 - 70.5	1,300	11.6	10.0 - 13.3	1,900	16.9	14.9 - 19.1	400	3.5	2.6 - 4.7	11,100
No	2,700	53.0	49.3 - 56.6	900	18.7	16.1 - 21.5	1,100	21.8	18.8 - 25.1	300	6.5	5.0 - 8.4	5,100

Poverty Level	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	56.0	52.7 - 59.2	1,100	15.6	13.4 - 17.9	1,600	22.4	19.7 - 25.3	400	6.1	4.8 - 7.8	6,900
131-185%	1,400	64.1	58.4 - 69.4	300	14.5	11.1 - 18.6	400	18.1	14.2 - 22.9	100	3.3	1.6 - 6.8	2,200
186+%	4,300	73.6	70.1 - 76.8	600	11.0	8.9 - 13.5	700	12.2	9.8 - 15.0	200	3.3	2.2 - 4.9	5,800

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,900	51.6	47.1 - 56.0	600	16.0	13.2 - 19.3	900	24.5	20.8 - 28.5	300	8.0	5.9 - 10.8	3,800
\$15,001-\$25,000	1,600	60.7	55.2 - 65.9	400	15.9	12.5 - 20.1	500	20.0	15.9 - 24.9	100	3.3	2.1 - 5.2	2,600
\$25,001-\$40,000	2,000	64.3	59.4 - 69.0	400	13.5	10.5 - 17.0	500	17.6	14.2 - 21.7	100	4.6	2.7 - 7.6	3,100
>=\$40,001	4,300	72.8	69.3 - 76.0	700	11.2	9.1 - 13.7	800	13.3	10.9 - 16.1	200	2.7	1.8 - 4.1	5,900

Birthweight	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	60.3	51.3 - 68.6	200	17.2	11.6 - 24.6	200	20.9	14.3 - 29.5	<50	1.7	0.7 - 4.1	1,000
Normal birth weight	9,600	63.6	61.4 - 65.7	2,000	13.5	12.1 - 15.0	2,700	18.3	16.5 - 20.1	700	4.6	3.8 - 5.7	15,000

Smoke 3rd Trimester	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	49.5	42.3 - 56.7	300	24.5	18.8 - 31.2	200	18.5	13.5 - 24.7	100	7.6	4.4 - 12.7	1,300
No	9,300	64.8	62.5 - 67.0	1,800	12.8	11.4 - 14.4	2,600	18.4	16.7 - 20.4	600	4.0	3.2 - 4.9	14,400

PRAMS Health Indicator Report - Sleeping position- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	54.7	50.0 - 59.4	700	21.6	17.9 - 25.7	600	17.5	14.2 - 21.3	200	6.2	4.2 - 9.1	3,200
No	8,100	65.7	63.3 - 68.1	1,400	11.6	10.2 - 13.2	2,300	18.6	16.7 - 20.7	500	4.0	3.2 - 5.0	12,400

WIC During Pregnancy	Back			Stomach			Side			More than 1 position			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,000	56.8	53.6 - 59.9	1,100	15.8	13.7 - 18.1	1,500	21.3	18.7 - 24.1	400	6.1	4.8 - 7.8	7,000
No	6,100	68.5	65.6 - 71.3	1,100	12.4	10.6 - 14.5	1,400	16.0	13.9 - 18.4	300	3.1	2.2 - 4.3	8,900