

# PRAMS Health Indicator Report - Pregnancy intention- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Pregnancy intention	Pregnancy intention

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/3/15*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - Pregnancy intention- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	1,400	8.4	7.3 - 9.7	9,700	56.7	54.5 - 58.8	6,000	34.9	32.9 - 37.0	17,100
2001	1,600	9.4	8.1 - 10.9	9,100	54.4	52.2 - 56.6	6,000	36.2	34.1 - 38.3	16,700
2002	1,300	7.6	6.4 - 9.1	9,600	56.8	54.1 - 59.6	6,000	35.6	32.9 - 38.3	17,000
2003	1,400	8.2	6.9 - 9.8	9,900	56.2	53.6 - 58.9	6,300	35.5	33.0 - 38.1	17,600
2004	2,400	13.5	12.0 - 15.1	9,800	55.9	53.8 - 58.1	5,400	30.6	28.6 - 32.7	17,500
2005	2,500	14.7	13.1 - 16.5	9,300	53.9	51.6 - 56.3	5,400	31.3	29.2 - 33.6	17,200
2006	2,600	14.5	12.8 - 16.4	9,800	54.1	51.7 - 56.6	5,700	31.4	29.1 - 33.8	18,000
2007	2,400	12.9	11.4 - 14.7	9,600	52.9	50.5 - 55.2	6,200	34.2	32.0 - 36.5	18,200
2008	1,800	9.6	8.2 - 11.1	10,500	56.7	54.3 - 59.0	6,200	33.8	31.6 - 36.0	18,400
2009	2,200	12.3	10.4 - 14.5	9,600	52.6	49.5 - 55.8	6,400	35.1	32.1 - 38.2	18,200
2010	1,800	9.7	8.0 - 11.6	9,900	54.3	51.1 - 57.5	6,600	36.0	33.0 - 39.2	18,300
2011	2,100	11.7	9.7 - 14.0	10,100	54.8	51.5 - 58.0	6,200	33.5	30.5 - 36.7	18,400

## PRAMS Health Indicator Report - Pregnancy intention- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,100	11.7	9.7 - 14.0	10,100	54.8	51.5 - 58.0	6,200	33.5	30.5 - 36.7	18,400

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	12.4	9.3 - 16.3	1,300	52.8	47.6 - 57.9	800	34.9	30.1 - 40.0	2,400
<b>Honolulu</b>	1,600	11.9	9.4 - 15.1	7,200	54.8	50.5 - 59.1	4,400	33.2	29.2 - 37.5	13,200
<b>Kauai</b>	100	6.0	3.7 - 9.7	500	55.3	49.0 - 61.5	300	38.7	32.7 - 45.0	800
<b>Maui</b>	200	11.5	8.9 - 14.9	1,100	56.8	52.1 - 61.3	600	31.7	27.5 - 36.2	1,900

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	5.2	3.1 - 8.3	3,200	71.5	65.3 - 76.9	1,000	23.4	18.3 - 29.4	4,400
Native Hawaiian	800	15.8	11.9 - 20.7	2,200	42.3	36.7 - 48.1	2,200	41.9	36.3 - 47.8	5,200
Chinese	<50	0.7	0.1 - 3.8	500	73.2	57.3 - 84.7	200	26.1	14.7 - 42.1	700
Filipino	400	12.2	8.0 - 18.2	1,800	53.6	46.1 - 61.0	1,100	34.2	27.4 - 41.7	3,300
Japanese	200	10.2	5.1 - 19.3	1,300	66.9	56.2 - 76.0	400	22.9	15.3 - 32.9	1,900
Other	500	17.8	11.6 - 26.2	1,100	39.8	31.6 - 48.7	1,200	42.4	33.7 - 51.5	2,700

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	16.2	8.7 - 28.1	200	22.6	14.2 - 34.1	600	61.2	48.6 - 72.5	1,000
20-24	600	12.7	8.6 - 18.4	1,400	32.6	26.7 - 39.0	2,400	54.7	47.9 - 61.4	4,400
25-34	1,000	9.9	7.5 - 13.0	6,100	62.2	57.8 - 66.4	2,700	27.9	24.1 - 32.0	9,800
35+	400	14.4	9.9 - 20.5	2,300	73.6	66.4 - 79.7	400	12.0	7.9 - 17.9	3,100

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	1,000	10.2	7.7 - 13.4	5,200	55.6	51.1 - 60.1	3,200	34.1	29.9 - 38.6	9,400
<b>Female</b>	1,200	13.2	10.3 - 16.8	4,800	53.9	49.3 - 58.5	3,000	32.9	28.7 - 37.4	9,000

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	10.2	7.9 - 13.2	7,600	66.6	62.5 - 70.4	2,700	23.2	19.9 - 26.8	11,400
<b>No</b>	1,000	14.1	10.8 - 18.1	2,400	35.3	30.6 - 40.3	3,500	50.6	45.4 - 55.8	6,900

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,100	16.4	12.8 - 20.7	2,300	35.3	30.5 - 40.4	3,200	48.3	43.1 - 53.6	6,500
<b>131-185%</b>	200	8.6	4.6 - 15.3	1,500	53.3	44.7 - 61.7	1,100	38.1	30.1 - 46.9	2,800
<b>186+%</b>	600	7.9	5.5 - 11.3	5,800	72.0	67.4 - 76.3	1,600	20.0	16.4 - 24.2	8,100

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	12.8	8.9 - 18.0	1,000	30.8	24.4 - 37.9	1,900	56.4	49.1 - 63.6	3,300
\$10,000-\$24,999	600	17.6	12.5 - 24.4	1,200	36.1	29.7 - 43.0	1,600	46.3	39.1 - 53.7	3,400
\$25,000-\$49,999	400	9.7	6.3 - 14.7	2,800	61.6	54.9 - 67.8	1,300	28.7	23.1 - 35.0	4,600
>=\$50,000	500	8.0	5.3 - 11.9	4,600	74.2	68.9 - 78.8	1,100	17.8	13.9 - 22.5	6,200

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	11.6	8.3 - 15.9	700	52.7	47.2 - 58.1	500	35.7	30.7 - 41.1	1,300
Normal birth weight	2,000	11.7	9.6 - 14.2	9,400	55.1	51.6 - 58.5	5,600	33.2	30.0 - 36.6	17,000

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	21.4	12.6 - 34.0	400	46.0	33.8 - 58.7	300	32.6	22.0 - 45.4	900
No	1,900	11.2	9.2 - 13.6	9,500	55.1	51.8 - 58.5	5,800	33.7	30.6 - 37.0	17,300

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	18.1	13.1 - 24.4	1,700	47.2	40.1 - 54.4	1,200	34.7	28.3 - 41.7	3,500
<b>No</b>	1,500	10.1	8.1 - 12.7	8,300	56.5	52.8 - 60.0	4,900	33.4	30.0 - 37.0	14,700

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	14.9	11.8 - 18.8	3,200	38.3	33.8 - 43.0	3,900	46.7	42.0 - 51.5	8,200
<b>No</b>	900	9.0	6.6 - 12.0	6,800	68.5	64.2 - 72.5	2,200	22.5	19.0 - 26.5	10,000



**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,800	9.7	8.0 - 11.6	9,900	54.3	51.1 - 57.5	6,600	36.0	33.0 - 39.2	18,300

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	11.1	8.3 - 14.9	1,100	49.0	43.9 - 54.1	900	39.9	34.9 - 45.0	2,300
<b>Honolulu</b>	1,100	8.7	6.6 - 11.3	7,400	55.9	51.6 - 60.1	4,700	35.4	31.4 - 39.6	13,200
<b>Kauai</b>	100	15.0	11.2 - 19.7	400	50.6	44.7 - 56.4	300	34.5	29.1 - 40.3	800
<b>Maui</b>	200	12.7	9.8 - 16.3	1,000	51.1	46.3 - 56.0	700	36.2	31.7 - 41.0	2,000

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.6	5.6 - 12.9	2,800	62.1	55.6 - 68.2	1,300	29.3	23.7 - 35.7	4,400
Native Hawaiian	600	11.0	8.1 - 14.7	2,400	43.9	38.4 - 49.6	2,500	45.1	39.6 - 50.8	5,500
Chinese	<50	5.1	1.4 - 17.2	500	63.6	47.0 - 77.5	200	31.3	18.3 - 48.1	800
Filipino	300	9.8	6.3 - 14.9	1,600	47.6	40.3 - 55.1	1,400	42.6	35.4 - 50.2	3,300
Japanese	100	6.4	2.8 - 13.8	1,300	76.2	66.5 - 83.7	300	17.5	11.2 - 26.3	1,700
Other	300	12.3	7.7 - 18.9	1,400	54.3	45.4 - 63.0	900	33.4	25.5 - 42.4	2,700

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.5	4.4 - 12.3	200	16.3	8.9 - 28.1	800	76.2	65.0 - 84.7	1,100
20-24	300	7.0	4.7 - 10.4	2,000	43.7	37.2 - 50.4	2,200	49.3	42.7 - 55.9	4,500
25-34	900	9.6	7.4 - 12.4	5,500	58.7	54.3 - 63.0	3,000	31.7	27.6 - 36.0	9,400
35+	500	14.2	9.5 - 20.7	2,300	68.7	61.2 - 75.4	600	17.1	12.1 - 23.6	3,300

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	900	9.5	7.3 - 12.4	5,100	55.2	50.7 - 59.6	3,200	35.3	31.1 - 39.7	9,200
<b>Female</b>	900	9.8	7.6 - 12.7	4,900	53.4	48.8 - 58.0	3,300	36.7	32.4 - 41.3	9,100

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,000	8.6	6.5 - 11.2	7,600	65.9	61.8 - 69.7	2,900	25.5	22.0 - 29.4	11,500
<b>No</b>	800	11.5	9.0 - 14.8	2,400	34.7	30.1 - 39.7	3,700	53.7	48.6 - 58.7	6,800

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	700	11.6	8.9 - 15.0	2,900	44.9	39.7 - 50.3	2,800	43.5	38.3 - 48.8	6,400
<b>131-185%</b>	300	9.7	5.9 - 15.7	1,400	46.8	38.9 - 54.9	1,300	43.4	35.6 - 51.6	3,000
<b>186+%</b>	500	7.0	4.9 - 10.0	5,200	66.5	61.6 - 71.0	2,100	26.5	22.3 - 31.2	7,800

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	11.7	8.4 - 16.2	1,100	32.3	25.8 - 39.5	1,900	56.0	48.8 - 62.9	3,400
\$10,000-\$24,999	300	9.9	6.4 - 15.1	1,700	53.4	45.8 - 60.8	1,200	36.7	29.7 - 44.2	3,200
\$25,000-\$49,999	500	9.9	6.7 - 14.5	2,400	53.3	46.8 - 59.7	1,700	36.7	30.7 - 43.2	4,600
>=\$50,000	400	7.2	4.8 - 10.7	4,200	68.6	63.1 - 73.7	1,500	24.2	19.6 - 29.4	6,200

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	12.3	9.1 - 16.3	700	53.9	48.5 - 59.2	400	33.8	28.9 - 39.1	1,300
Normal birth weight	1,600	9.5	7.8 - 11.6	9,200	54.2	50.8 - 57.6	6,100	36.3	33.0 - 39.6	17,000

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	14.8	8.4 - 24.7	600	44.1	32.8 - 56.0	600	41.1	30.1 - 53.1	1,400
No	1,500	9.2	7.5 - 11.2	9,300	55.5	52.1 - 58.8	5,900	35.4	32.2 - 38.6	16,700

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	12.3	8.6 - 17.2	1,700	44.8	38.1 - 51.8	1,600	42.9	36.2 - 49.9	3,800
<b>No</b>	1,300	8.9	7.1 - 11.1	8,200	57.2	53.5 - 60.7	4,900	33.9	30.5 - 37.5	14,300

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	10.3	8.0 - 13.2	3,600	44.9	40.2 - 49.7	3,600	44.8	40.1 - 49.6	8,000
<b>No</b>	900	9.1	6.9 - 11.9	6,300	62.0	57.6 - 66.2	2,900	28.9	25.1 - 33.2	10,200

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,200	12.3	10.4 - 14.5	9,600	52.6	49.5 - 55.8	6,400	35.1	32.1 - 38.2	18,200

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	15.1	11.7 - 19.1	1,200	52.4	47.3 - 57.5	800	32.5	27.9 - 37.5	2,400
<b>Honolulu</b>	1,500	11.4	8.9 - 14.4	6,800	52.6	48.3 - 56.8	4,600	36.0	32.0 - 40.3	12,900
<b>Kauai</b>	100	12.6	9.0 - 17.4	400	51.1	45.1 - 57.1	300	36.2	30.6 - 42.2	800
<b>Maui</b>	300	14.6	11.5 - 18.3	1,100	53.8	49.1 - 58.4	700	31.6	27.4 - 36.1	2,100

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.1	4.6 - 10.8	2,800	65.2	59.0 - 70.9	1,200	27.7	22.4 - 33.8	4,200
Native Hawaiian	1,000	17.0	13.2 - 21.6	2,200	38.3	33.2 - 43.8	2,600	44.7	39.2 - 50.3	5,800
Chinese	100	12.6	4.8 - 29.4	500	66.1	48.5 - 80.2	200	21.3	10.2 - 39.0	800
Filipino	400	13.0	8.9 - 18.8	1,600	49.7	42.3 - 57.1	1,200	37.2	30.2 - 44.8	3,200
Japanese	100	7.2	3.4 - 14.5	1,100	68.4	57.8 - 77.4	400	24.4	16.3 - 34.7	1,600
Other	300	12.5	7.9 - 19.2	1,400	53.9	45.0 - 62.6	800	33.6	25.7 - 42.6	2,500

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.5	6.3 - 17.0	200	13.3	8.3 - 20.6	1,400	76.2	67.6 - 83.1	1,800
20-24	600	13.2	9.4 - 18.3	1,500	36.4	30.4 - 42.8	2,100	50.4	43.9 - 57.0	4,200
25-34	700	8.3	6.2 - 10.9	5,800	64.6	60.2 - 68.7	2,500	27.2	23.4 - 31.3	9,100
35+	700	24.1	18.0 - 31.4	1,900	63.3	55.7 - 70.4	400	12.6	8.4 - 18.5	3,100

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	900	9.5	7.3 - 12.2	5,500	56.3	51.9 - 60.5	3,300	34.3	30.2 - 38.6	9,700
<b>Female</b>	1,300	15.6	12.5 - 19.2	4,100	48.4	43.9 - 53.0	3,000	36.0	31.7 - 40.5	8,400

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	10.1	7.9 - 12.8	7,000	65.4	61.4 - 69.3	2,600	24.5	21.1 - 28.2	10,700
<b>No</b>	1,200	15.5	12.3 - 19.3	2,600	34.2	29.8 - 39.0	3,700	50.3	45.3 - 55.2	7,500

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,300	20.2	16.3 - 24.8	2,200	34.8	30.0 - 40.0	2,900	45.0	39.7 - 50.4	6,400
<b>131-185%</b>	300	10.6	6.5 - 16.9	1,500	55.4	47.2 - 63.3	900	34.1	26.8 - 42.1	2,800
<b>186+%</b>	500	6.6	4.5 - 9.5	5,000	68.4	63.6 - 72.8	1,800	25.1	21.0 - 29.6	7,300



**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	15.7	10.9 - 22.1	1,000	31.3	24.6 - 39.0	1,700	53.0	45.1 - 60.7	3,100
\$10,000-\$24,999	700	17.4	12.8 - 23.1	1,600	42.2	35.8 - 48.8	1,500	40.5	34.0 - 47.3	3,800
\$25,000-\$49,999	500	15.0	10.6 - 20.9	1,900	52.3	45.3 - 59.2	1,200	32.7	26.5 - 39.6	3,600
>=\$50,000	400	6.4	4.2 - 9.6	4,300	71.2	66.0 - 75.9	1,400	22.4	18.1 - 27.3	6,100

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	17.4	13.6 - 21.9	700	55.5	50.2 - 60.7	400	27.1	22.7 - 32.0	1,300
Normal birth weight	2,000	11.9	9.9 - 14.3	8,800	52.6	49.2 - 55.9	6,000	35.5	32.3 - 38.8	16,800

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	20.9	13.5 - 30.9	700	39.2	29.8 - 49.5	700	39.9	30.3 - 50.4	1,700
No	1,800	11.4	9.5 - 13.7	8,600	53.5	50.1 - 56.8	5,600	35.0	31.9 - 38.4	16,100

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	15.4	11.2 - 20.7	1,800	45.0	38.5 - 51.6	1,600	39.7	33.3 - 46.4	4,000
<b>No</b>	1,600	11.5	9.4 - 14.0	7,500	54.2	50.5 - 57.8	4,700	34.3	30.9 - 38.0	13,800

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	18.6	15.1 - 22.8	2,800	38.4	33.8 - 43.1	3,200	43.0	38.2 - 47.9	7,300
<b>No</b>	800	7.9	6.0 - 10.4	6,400	62.1	57.9 - 66.2	3,100	29.9	26.1 - 34.1	10,300

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,800	9.6	8.2 - 11.1	10,500	56.7	54.3 - 59.0	6,200	33.8	31.6 - 36.0	18,400

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	11.6	7.8 - 16.9	1,200	51.5	44.7 - 58.3	900	36.8	30.5 - 43.7	2,400
<b>Honolulu</b>	1,200	9.5	7.9 - 11.3	7,500	57.6	54.9 - 60.4	4,300	32.9	30.3 - 35.6	13,000
<b>Kauai</b>	100	7.8	3.8 - 15.3	500	62.3	51.2 - 72.2	300	29.9	20.8 - 41.0	900
<b>Maui</b>	200	8.6	5.3 - 13.5	1,200	54.3	47.2 - 61.2	800	37.1	30.6 - 44.2	2,200

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.6	4.6 - 9.5	3,000	68.0	63.3 - 72.3	1,100	25.4	21.4 - 29.8	4,400
Native Hawaiian	500	10.3	7.7 - 13.7	2,500	49.0	44.1 - 53.8	2,100	40.7	36.0 - 45.6	5,200
Chinese	100	11.0	7.4 - 16.0	400	64.1	57.4 - 70.3	200	25.0	19.6 - 31.2	600
Filipino	400	10.3	7.5 - 13.9	1,700	49.3	44.1 - 54.5	1,400	40.4	35.4 - 45.6	3,400
Japanese	100	4.7	2.4 - 9.0	1,400	70.6	63.6 - 76.7	500	24.7	19.0 - 31.5	2,000
Other	400	14.9	10.9 - 20.1	1,500	50.8	44.6 - 56.9	1,000	34.3	28.6 - 40.4	2,900

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	9.1	5.3 - 15.3	400	28.1	20.7 - 36.8	900	62.8	53.9 - 70.9	1,500
20-24	400	9.0	6.4 - 12.6	1,800	43.5	38.4 - 48.8	1,900	47.5	42.3 - 52.7	4,000
25-34	800	8.4	6.7 - 10.4	5,900	62.0	58.8 - 65.2	2,800	29.6	26.7 - 32.7	9,500
35+	500	13.9	10.5 - 18.0	2,400	69.8	64.7 - 74.5	600	16.3	12.7 - 20.7	3,400

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	800	8.1	6.5 - 10.1	5,600	57.4	54.1 - 60.6	3,300	34.5	31.4 - 37.7	9,700
<b>Female</b>	1,000	11.2	9.1 - 13.6	4,900	55.9	52.4 - 59.2	2,900	32.9	29.8 - 36.3	8,800

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	7.9	6.4 - 9.6	7,700	67.2	64.4 - 69.9	2,900	24.9	22.5 - 27.5	11,500
<b>No</b>	900	12.4	9.9 - 15.3	2,700	39.2	35.3 - 43.2	3,400	48.4	44.4 - 52.5	6,900

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	900	12.9	10.4 - 15.9	3,100	45.4	41.4 - 49.5	2,900	41.7	37.7 - 45.7	6,900
<b>131-185%</b>	400	13.8	10.0 - 18.7	1,400	52.0	45.7 - 58.3	900	34.2	28.4 - 40.5	2,600
<b>186+%</b>	400	4.9	3.6 - 6.7	5,300	68.6	65.2 - 71.8	2,100	26.5	23.5 - 29.7	7,800

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.6	9.9 - 18.3	1,300	43.1	37.2 - 49.2	1,400	43.3	37.4 - 49.4	3,100
\$10,000-\$24,999	500	11.6	8.6 - 15.4	1,900	47.7	42.5 - 52.9	1,600	40.8	35.7 - 46.0	4,000
\$25,000-\$49,999	300	7.6	5.3 - 10.7	2,400	58.7	53.7 - 63.5	1,400	33.7	29.2 - 38.5	4,200
>=\$50,000	400	7.1	5.3 - 9.4	4,200	68.4	64.6 - 71.9	1,500	24.6	21.3 - 28.1	6,100

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	12.4	7.4 - 20.1	700	57.5	48.3 - 66.3	400	30.1	22.4 - 39.0	1,200
Normal birth weight	1,600	9.4	8.0 - 10.9	9,700	56.6	54.1 - 59.0	5,900	34.1	31.8 - 36.4	17,200

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.6	7.9 - 19.5	700	47.6	39.1 - 56.3	600	39.8	31.6 - 48.5	1,500
No	1,500	9.3	8.0 - 10.9	9,500	57.2	54.7 - 59.6	5,500	33.5	31.2 - 35.9	16,600

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	10.2	7.2 - 14.2	1,700	49.5	43.9 - 55.2	1,400	40.3	34.8 - 46.0	3,400
<b>No</b>	1,400	9.5	8.0 - 11.2	8,500	58.0	55.3 - 60.5	4,800	32.6	30.1 - 35.1	14,700

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	11.2	9.0 - 13.8	3,800	48.3	44.5 - 52.1	3,200	40.6	36.9 - 44.3	7,800
<b>No</b>	900	8.4	6.8 - 10.3	6,600	63.2	60.2 - 66.1	2,900	28.4	25.7 - 31.3	10,400

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,400	12.9	11.4 - 14.7	9,600	52.9	50.5 - 55.2	6,200	34.2	32.0 - 36.5	18,200

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	10.9	7.3 - 16.0	1,300	51.4	44.7 - 58.0	900	37.7	31.4 - 44.4	2,400
<b>Honolulu</b>	1,800	14.2	12.3 - 16.4	6,500	51.9	49.1 - 54.7	4,300	33.9	31.2 - 36.6	12,600
<b>Kauai</b>	100	11.0	6.1 - 19.1	600	54.7	44.5 - 64.4	400	34.3	25.4 - 44.4	1,100
<b>Maui</b>	200	8.5	5.2 - 13.7	1,300	59.4	52.1 - 66.3	700	32.0	25.6 - 39.2	2,100



**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.8	7.2 - 13.2	2,500	59.8	54.8 - 64.6	1,300	30.4	26.0 - 35.2	4,100
Native Hawaiian	900	17.5	14.0 - 21.7	2,200	43.4	38.6 - 48.3	1,900	39.1	34.3 - 44.0	5,000
Chinese	100	8.4	5.3 - 13.1	500	68.8	62.2 - 74.7	200	22.9	17.7 - 29.0	700
Filipino	500	13.2	10.2 - 17.1	1,700	51.0	46.0 - 56.1	1,200	35.7	31.0 - 40.8	3,400
Japanese	200	8.1	4.8 - 13.3	1,400	64.8	57.8 - 71.2	600	27.1	21.4 - 33.7	2,100
Other	400	13.5	9.7 - 18.6	1,400	49.2	43.1 - 55.3	1,100	37.3	31.5 - 43.4	2,900

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	19.6	13.3 - 27.9	400	25.5	18.5 - 34.0	900	54.9	46.0 - 63.6	1,700
20-24	500	11.5	8.7 - 15.1	2,000	42.9	38.1 - 47.8	2,100	45.6	40.7 - 50.5	4,500
25-34	1,100	12.8	10.7 - 15.3	5,000	56.4	53.0 - 59.7	2,700	30.8	27.8 - 34.0	8,900
35+	400	11.6	8.6 - 15.5	2,300	72.3	67.2 - 76.9	500	16.1	12.4 - 20.6	3,100

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	1,100	11.5	9.5 - 13.9	5,000	53.7	50.3 - 57.0	3,300	34.8	31.7 - 38.1	9,400
<b>Female</b>	1,300	14.4	12.1 - 17.1	4,600	52.0	48.6 - 55.4	3,000	33.6	30.4 - 36.9	8,900

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	9.6	8.0 - 11.5	7,300	64.2	61.3 - 66.9	3,000	26.2	23.7 - 28.9	11,300
<b>No</b>	1,300	18.3	15.3 - 21.8	2,400	34.4	30.6 - 38.4	3,300	47.3	43.2 - 51.4	6,900

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,300	19.3	16.2 - 22.8	2,800	40.9	36.9 - 44.9	2,700	39.8	35.9 - 43.9	6,800
<b>131-185%</b>	400	14.3	10.5 - 19.3	1,300	47.5	41.4 - 53.7	1,000	38.1	32.3 - 44.3	2,600
<b>186+%</b>	500	6.2	4.6 - 8.2	5,000	66.6	63.2 - 69.9	2,000	27.2	24.1 - 30.5	7,500

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	700	22.1	17.2 - 27.8	1,100	35.3	29.6 - 41.5	1,300	42.6	36.6 - 48.9	3,000
\$10,000-\$24,999	600	14.8	11.4 - 19.1	1,700	43.2	38.1 - 48.5	1,600	42.0	36.9 - 47.3	3,900
\$25,000-\$49,999	600	14.0	10.8 - 17.8	2,200	53.3	48.3 - 58.2	1,400	32.7	28.2 - 37.6	4,100
>=\$50,000	400	5.9	4.2 - 8.1	4,100	68.4	64.6 - 72.0	1,500	25.7	22.3 - 29.4	6,000

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	18.8	12.9 - 26.4	700	48.3	40.2 - 56.5	500	33.0	25.7 - 41.2	1,500
Normal birth weight	2,100	12.4	10.8 - 14.2	8,900	53.3	50.8 - 55.8	5,700	34.3	32.0 - 36.7	16,700

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	27.3	20.3 - 35.7	500	34.1	26.3 - 42.8	600	38.6	30.5 - 47.4	1,500
No	1,900	11.7	10.1 - 13.5	9,000	54.8	52.3 - 57.3	5,500	33.5	31.2 - 35.9	16,500

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	18.3	14.3 - 23.1	1,400	40.5	35.2 - 46.1	1,500	41.1	35.8 - 46.7	3,600
<b>No</b>	1,700	11.7	10.0 - 13.6	8,100	56.1	53.5 - 58.7	4,600	32.2	29.7 - 34.7	14,400

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,300	16.6	13.9 - 19.7	3,300	43.1	39.3 - 46.9	3,100	40.4	36.6 - 44.2	7,600
<b>No</b>	1,100	10.6	8.7 - 12.7	6,200	60.3	57.2 - 63.3	3,000	29.2	26.4 - 32.1	10,300

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,600	14.5	12.8 - 16.4	9,800	54.1	51.7 - 56.6	5,700	31.4	29.1 - 33.8	18,000

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	13.6	9.1 - 19.6	1,000	45.7	38.6 - 53.1	900	40.7	33.7 - 48.1	2,100
<b>Honolulu</b>	2,000	14.9	12.9 - 17.1	7,300	55.4	52.5 - 58.2	3,900	29.7	27.2 - 32.5	13,200
<b>Kauai</b>	100	16.7	9.5 - 27.8	400	45.2	34.0 - 57.0	300	38.1	27.3 - 50.2	800
<b>Maui</b>	200	11.7	7.6 - 17.6	1,100	58.7	51.0 - 66.1	600	29.6	23.0 - 37.2	1,900

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	10.7	7.9 - 14.3	2,600	62.0	56.9 - 66.8	1,200	27.3	23.0 - 32.1	4,300
Native Hawaiian	800	17.1	13.5 - 21.3	2,200	45.4	40.4 - 50.5	1,800	37.5	32.7 - 42.6	4,900
Chinese	<50	7.9	4.9 - 12.6	400	68.2	61.4 - 74.3	100	23.8	18.4 - 30.2	600
Filipino	500	15.1	11.7 - 19.5	1,800	54.0	48.5 - 59.3	1,000	30.9	26.0 - 36.2	3,300
Japanese	200	7.5	4.4 - 12.5	1,500	69.5	62.6 - 75.7	500	23.0	17.5 - 29.5	2,100
Other	600	21.8	16.8 - 27.7	1,200	42.5	36.4 - 48.9	1,000	35.7	29.8 - 42.1	2,800

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	13.0	8.0 - 20.5	400	27.5	20.2 - 36.4	900	59.5	50.3 - 68.0	1,500
20-24	600	14.8	11.4 - 18.9	1,800	41.3	36.3 - 46.5	1,900	44.0	38.8 - 49.2	4,400
25-34	1,400	15.4	13.0 - 18.2	5,100	58.1	54.6 - 61.5	2,300	26.5	23.5 - 29.7	8,800
35+	400	12.3	9.2 - 16.2	2,400	73.0	67.9 - 77.5	500	14.8	11.3 - 19.1	3,300

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	1,200	13.4	11.2 - 16.0	5,200	55.8	52.3 - 59.2	2,800	30.8	27.7 - 34.1	9,200
<b>Female</b>	1,400	15.6	13.2 - 18.4	4,600	52.4	48.9 - 55.9	2,800	32.0	28.8 - 35.4	8,800

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,300	11.7	9.9 - 13.8	7,400	64.3	61.4 - 67.1	2,700	24.0	21.5 - 26.7	11,400
<b>No</b>	1,300	19.3	16.1 - 23.0	2,400	36.5	32.4 - 40.7	2,900	44.2	40.0 - 48.5	6,600

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,100	17.2	14.2 - 20.8	2,600	42.0	37.8 - 46.4	2,600	40.7	36.5 - 45.1	6,300
<b>131-185%</b>	500	22.0	16.8 - 28.1	1,000	41.9	35.4 - 48.7	900	36.1	29.9 - 42.9	2,400
<b>186+%</b>	700	8.3	6.5 - 10.5	5,600	69.2	65.8 - 72.4	1,800	22.5	19.7 - 25.6	8,100

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	18.1	13.6 - 23.6	1,200	39.4	33.4 - 45.7	1,300	42.6	36.4 - 48.9	3,000
\$10,000-\$24,999	600	16.0	12.3 - 20.6	1,600	42.9	37.5 - 48.4	1,500	41.1	35.7 - 46.7	3,700
\$25,000-\$49,999	600	14.9	11.6 - 18.9	2,200	51.4	46.4 - 56.5	1,400	33.7	29.0 - 38.6	4,300
>=\$50,000	500	9.2	7.0 - 12.0	4,300	73.0	69.2 - 76.5	1,000	17.8	14.8 - 21.2	5,900

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	14.1	8.9 - 21.5	700	48.2	39.8 - 56.7	600	37.7	29.8 - 46.3	1,500
Normal birth weight	2,400	14.6	12.8 - 16.5	9,000	54.5	52.0 - 57.1	5,100	30.9	28.5 - 33.4	16,500

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	25.1	18.3 - 33.5	600	36.0	28.2 - 44.5	600	38.9	30.9 - 47.6	1,600
No	2,200	13.5	11.8 - 15.4	9,000	56.1	53.5 - 58.7	4,900	30.4	28.0 - 32.9	16,100



**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	20.5	16.3 - 25.5	1,600	41.1	35.7 - 46.6	1,500	38.4	33.1 - 44.0	3,800
<b>No</b>	1,800	13.0	11.2 - 15.0	8,100	57.8	55.1 - 60.5	4,100	29.2	26.7 - 31.8	13,900

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	18.9	16.0 - 22.3	3,000	39.8	36.0 - 43.7	3,100	41.2	37.4 - 45.2	7,600
<b>No</b>	1,200	11.3	9.4 - 13.5	6,600	64.6	61.5 - 67.7	2,400	24.1	21.4 - 26.9	10,200

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,500	14.7	13.1 - 16.5	9,300	53.9	51.6 - 56.3	5,400	31.3	29.2 - 33.6	17,200

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	18.9	14.0 - 25.1	1,000	44.0	37.4 - 50.9	800	37.1	30.7 - 44.0	2,200
<b>Honolulu</b>	1,700	13.7	11.9 - 15.8	7,100	56.1	53.4 - 58.8	3,800	30.2	27.7 - 32.8	12,600
<b>Kauai</b>	200	25.4	16.3 - 37.3	300	43.8	32.6 - 55.7	200	30.8	20.8 - 42.9	700
<b>Maui</b>	200	12.3	8.0 - 18.4	900	54.7	47.0 - 62.2	600	33.0	26.1 - 40.7	1,700

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	10.7	7.9 - 14.3	2,400	63.7	58.6 - 68.5	1,000	25.6	21.3 - 30.4	3,800
Native Hawaiian	1,000	20.6	16.9 - 24.9	2,100	43.8	39.0 - 48.7	1,700	35.6	31.0 - 40.4	4,900
Chinese	100	9.2	6.2 - 13.7	400	69.9	63.8 - 75.4	100	20.8	16.1 - 26.4	600
Filipino	400	13.2	10.2 - 17.1	1,700	52.9	47.8 - 57.9	1,100	33.9	29.2 - 38.9	3,200
Japanese	100	5.9	3.4 - 9.8	1,400	63.7	57.3 - 69.6	700	30.4	24.9 - 36.7	2,200
Other	500	20.4	15.8 - 25.9	1,200	47.7	41.6 - 53.9	800	31.9	26.4 - 38.0	2,500

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	15.5	10.4 - 22.4	400	27.9	21.1 - 36.0	900	56.6	48.2 - 64.7	1,500
20-24	600	14.7	11.5 - 18.7	1,800	41.5	36.8 - 46.5	1,900	43.7	38.9 - 48.7	4,200
25-34	1,300	14.7	12.4 - 17.3	5,100	59.3	56.0 - 62.6	2,200	26.0	23.1 - 29.0	8,500
35+	400	14.4	11.0 - 18.7	2,000	69.7	64.4 - 74.5	500	15.9	12.3 - 20.4	2,900

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	1,200	13.5	11.3 - 16.0	4,500	51.8	48.5 - 55.1	3,000	34.7	31.6 - 38.0	8,800
<b>Female</b>	1,400	16.0	13.6 - 18.7	4,700	56.1	52.8 - 59.5	2,400	27.9	24.9 - 31.0	8,400

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	10.1	8.4 - 12.0	7,000	64.6	61.7 - 67.4	2,800	25.3	22.8 - 28.0	10,900
<b>No</b>	1,400	22.7	19.4 - 26.3	2,200	35.5	31.8 - 39.5	2,600	41.7	37.8 - 45.8	6,300

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,200	20.0	16.9 - 23.4	2,500	40.2	36.4 - 44.2	2,500	39.8	35.9 - 43.8	6,200
<b>131-185%</b>	300	18.4	13.3 - 24.9	1,000	54.3	46.9 - 61.5	500	27.3	21.3 - 34.3	1,800
<b>186+%</b>	600	7.4	5.7 - 9.5	5,200	67.3	63.9 - 70.5	1,900	25.3	22.4 - 28.5	7,700

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	17.7	13.6 - 22.8	1,100	36.0	30.6 - 41.8	1,400	46.3	40.5 - 52.2	3,000
\$10,000-\$24,999	700	20.0	16.1 - 24.5	1,600	45.8	40.7 - 51.0	1,200	34.3	29.4 - 39.4	3,600
\$25,000-\$49,999	500	13.6	10.4 - 17.4	2,200	55.3	50.3 - 60.2	1,200	31.2	26.8 - 35.9	4,000
>=\$50,000	400	7.7	5.8 - 10.3	3,800	70.7	66.8 - 74.4	1,200	21.6	18.3 - 25.2	5,300

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	14.2	8.9 - 21.8	600	50.4	41.6 - 59.1	400	35.5	27.5 - 44.3	1,300
Normal birth weight	2,400	14.8	13.1 - 16.7	8,600	54.2	51.8 - 56.7	4,900	31.0	28.7 - 33.3	15,900

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	26.8	19.8 - 35.3	500	33.0	25.5 - 41.3	600	40.2	32.2 - 48.9	1,400
No	2,100	13.7	12.0 - 15.5	8,700	56.0	53.5 - 58.4	4,700	30.4	28.1 - 32.7	15,500

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	21.1	17.0 - 26.0	1,500	40.4	35.3 - 45.7	1,400	38.5	33.4 - 43.8	3,600
<b>No</b>	1,700	13.0	11.2 - 14.9	7,700	57.8	55.1 - 60.4	3,900	29.3	26.9 - 31.8	13,300

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	18.5	15.7 - 21.6	3,200	43.6	39.9 - 47.3	2,800	38.0	34.4 - 41.7	7,300
<b>No</b>	1,100	11.9	10.0 - 14.2	5,900	61.6	58.5 - 64.6	2,500	26.5	23.8 - 29.4	9,500

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,400	13.5	12.0 - 15.1	9,800	55.9	53.8 - 58.1	5,400	30.6	28.6 - 32.7	17,500

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	18.8	14.2 - 24.5	1,200	53.9	47.5 - 60.2	600	27.3	21.9 - 33.3	2,200
<b>Honolulu</b>	1,700	13.2	11.5 - 15.1	7,100	55.7	53.1 - 58.2	4,000	31.1	28.8 - 33.6	12,700
<b>Kauai</b>	100	8.3	4.2 - 16.0	500	63.0	52.7 - 72.2	200	28.7	20.3 - 38.8	800
<b>Maui</b>	200	11.1	7.5 - 16.2	1,000	57.1	50.2 - 63.7	600	31.8	25.7 - 38.6	1,800

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.2	6.0 - 11.1	2,500	63.4	59.0 - 67.7	1,100	28.4	24.4 - 32.6	3,900
Native Hawaiian	700	15.4	12.3 - 19.1	2,300	47.8	43.2 - 52.3	1,800	36.8	32.5 - 41.4	4,800
Chinese	100	9.8	7.4 - 12.9	500	68.6	64.2 - 72.7	100	21.6	18.1 - 25.6	700
Filipino	500	14.1	11.2 - 17.7	1,700	53.2	48.6 - 57.8	1,100	32.6	28.5 - 37.1	3,300
Japanese	300	12.1	8.5 - 16.8	1,500	65.2	59.1 - 70.9	500	22.7	18.0 - 28.4	2,300
Other	500	19.1	14.8 - 24.4	1,300	51.8	45.9 - 57.7	800	29.1	24.0 - 34.7	2,600

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	20.4	14.3 - 28.2	400	28.2	21.1 - 36.5	700	51.5	42.9 - 59.9	1,300
20-24	700	15.1	12.1 - 18.8	1,900	43.2	38.8 - 47.7	1,800	41.7	37.3 - 46.2	4,400
25-34	900	10.5	8.7 - 12.6	5,400	63.4	60.3 - 66.3	2,200	26.1	23.5 - 28.9	8,500
35+	500	16.1	12.8 - 20.1	2,100	64.3	59.5 - 68.9	600	19.6	15.9 - 23.8	3,300



**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	1,400	14.6	12.5 - 16.9	5,200	54.1	51.2 - 57.1	3,000	31.3	28.6 - 34.1	9,600
<b>Female</b>	1,000	12.1	10.1 - 14.5	4,600	58.1	54.8 - 61.3	2,400	29.8	26.9 - 32.8	7,900

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,300	10.7	9.2 - 12.4	7,900	64.2	61.7 - 66.6	3,100	25.1	22.9 - 27.4	12,300
<b>No</b>	1,000	20.0	16.8 - 23.7	1,900	36.3	32.4 - 40.4	2,300	43.7	39.6 - 47.8	5,200

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,300	19.8	16.9 - 23.0	2,600	40.8	37.1 - 44.5	2,500	39.5	35.9 - 43.2	6,400
<b>131-185%</b>	300	14.6	10.6 - 19.7	1,100	52.3	45.9 - 58.6	700	33.1	27.4 - 39.4	2,000
<b>186+%</b>	500	6.7	5.3 - 8.5	5,400	70.4	67.4 - 73.2	1,700	22.9	20.3 - 25.7	7,600

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	19.5	15.2 - 24.7	1,000	35.5	30.1 - 41.3	1,200	45.0	39.3 - 50.8	2,700
\$10,000-\$24,999	800	17.8	14.6 - 21.7	1,900	45.3	40.9 - 49.9	1,600	36.8	32.6 - 41.3	4,300
\$25,000-\$49,999	500	10.9	8.5 - 13.8	2,600	58.5	54.2 - 62.7	1,300	30.6	26.8 - 34.8	4,400
>=\$50,000	300	6.7	4.9 - 9.0	3,700	75.8	72.2 - 79.0	900	17.6	14.7 - 20.8	4,900

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	12.2	7.4 - 19.5	700	64.3	55.6 - 72.2	300	23.4	16.9 - 31.5	1,100
Normal birth weight	2,200	13.5	12.0 - 15.2	9,100	55.4	53.1 - 57.6	5,100	31.1	29.1 - 33.3	16,400

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	23.1	16.8 - 30.8	500	37.9	30.4 - 46.1	500	39.0	31.4 - 47.1	1,400
No	1,900	12.3	10.8 - 13.9	9,100	57.7	55.4 - 59.9	4,800	30.1	28.0 - 32.2	15,800

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	17.6	14.0 - 21.9	1,600	43.8	38.9 - 48.9	1,400	38.6	33.8 - 43.6	3,600
<b>No</b>	1,600	12.0	10.5 - 13.7	8,100	59.3	56.8 - 61.7	3,900	28.7	26.6 - 31.0	13,700

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	15.3	13.0 - 17.9	3,800	48.5	45.1 - 51.9	2,800	36.2	33.0 - 39.5	7,700
<b>No</b>	1,100	11.6	9.8 - 13.7	5,900	62.5	59.6 - 65.3	2,400	25.9	23.4 - 28.5	9,400

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,400	8.2	6.9 - 9.8	9,900	56.2	53.6 - 58.9	6,300	35.5	33.0 - 38.1	17,600

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	9.7	7.3 - 12.8	1,000	51.0	46.5 - 55.5	800	39.3	35.0 - 43.8	2,000
<b>Honolulu</b>	1,100	8.1	6.5 - 10.2	7,400	57.5	54.0 - 60.8	4,400	34.4	31.2 - 37.8	12,900
<b>Kauai</b>	<50	5.3	3.0 - 9.2	500	58.3	51.0 - 65.3	300	36.3	29.6 - 43.6	900
<b>Maui</b>	200	8.5	6.1 - 11.8	1,000	52.4	47.5 - 57.2	700	39.1	34.4 - 43.9	1,900

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	5.5	3.2 - 9.1	2,600	67.6	61.6 - 73.1	1,000	26.9	21.8 - 32.7	3,800
Native Hawaiian	500	10.9	9.1 - 12.9	2,100	44.7	41.8 - 47.7	2,100	44.4	41.4 - 47.4	4,700
Chinese	<50	2.0	0.5 - 7.0	500	69.1	53.4 - 81.4	200	28.9	16.9 - 44.8	700
Filipino	400	9.7	6.5 - 14.2	2,100	54.1	47.8 - 60.3	1,400	36.2	30.4 - 42.5	3,900
Japanese	<50	1.9	0.6 - 5.6	1,400	71.8	62.8 - 79.4	500	26.2	18.9 - 35.2	2,000
Other	300	11.9	7.3 - 18.7	1,200	48.0	39.7 - 56.4	1,000	40.1	32.2 - 48.6	2,500

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.4	6.2 - 16.9	300	20.6	14.9 - 27.9	1,100	69.0	61.0 - 76.0	1,600
20-24	400	9.4	6.7 - 13.0	1,700	40.0	35.0 - 45.3	2,100	50.6	45.3 - 55.8	4,200
25-34	600	6.5	5.0 - 8.6	5,700	64.6	60.8 - 68.1	2,600	28.9	25.5 - 32.5	8,900
35+	300	10.4	7.0 - 15.2	2,200	73.0	66.7 - 78.5	500	16.6	12.2 - 22.2	3,000

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	800	8.1	6.4 - 10.2	5,300	57.4	53.8 - 61.0	3,200	34.4	31.1 - 37.9	9,300
<b>Female</b>	700	8.3	6.4 - 10.8	4,600	54.9	51.0 - 58.8	3,100	36.8	33.1 - 40.6	8,300

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	5.8	4.4 - 7.6	7,700	66.2	62.9 - 69.4	3,200	28.0	25.0 - 31.2	11,600
<b>No</b>	800	12.8	10.2 - 16.0	2,200	37.2	33.2 - 41.3	3,000	50.0	45.9 - 54.2	6,000

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	800	10.2	8.1 - 12.8	3,600	45.8	41.9 - 49.7	3,400	44.1	40.3 - 47.9	7,800
<b>131-185%</b>	200	9.7	6.2 - 14.9	1,500	58.7	51.4 - 65.6	800	31.6	25.2 - 38.8	2,500
<b>186+%</b>	200	3.9	2.5 - 6.1	4,000	73.1	68.4 - 77.3	1,300	23.0	19.1 - 27.5	5,500

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	600	13.2	10.0 - 17.2	1,600	37.2	32.2 - 42.4	2,100	49.6	44.4 - 54.8	4,300
\$15,001-\$25,000	200	7.8	4.8 - 12.6	1,200	54.8	47.5 - 61.8	800	37.4	30.8 - 44.5	2,200
\$25,001-\$40,000	100	4.6	2.6 - 7.8	1,800	56.8	50.4 - 63.1	1,300	38.6	32.5 - 45.1	3,200
>=\$40,001	400	6.0	4.2 - 8.5	4,800	72.0	67.8 - 75.9	1,500	22.0	18.5 - 26.0	6,700

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.9	3.6 - 12.9	600	52.5	42.3 - 62.5	500	40.6	30.9 - 51.1	1,200
Normal birth weight	1,400	8.3	6.9 - 9.9	9,300	56.5	53.8 - 59.2	5,800	35.2	32.6 - 37.8	16,400

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	16.6	11.1 - 24.1	700	43.3	35.2 - 51.8	700	40.1	32.2 - 48.5	1,600
No	1,100	7.2	5.9 - 8.8	9,000	57.5	54.7 - 60.3	5,500	35.3	32.6 - 38.0	15,700

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	10.4	7.4 - 14.3	1,600	43.6	38.0 - 49.4	1,600	46.0	40.4 - 51.7	3,600
<b>No</b>	1,000	7.5	6.1 - 9.3	8,100	59.7	56.6 - 62.6	4,400	32.8	30.0 - 35.8	13,500

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.8	7.7 - 12.5	3,200	43.3	39.4 - 47.3	3,500	46.9	43.0 - 50.8	7,400
<b>No</b>	700	7.0	5.4 - 9.0	6,600	65.8	62.2 - 69.1	2,700	27.3	24.1 - 30.6	10,000



**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,300	7.6	6.4 - 9.1	9,600	56.8	54.1 - 59.6	6,000	35.6	32.9 - 38.3	17,000

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	7.0	5.0 - 9.8	1,100	54.1	49.6 - 58.5	800	38.9	34.7 - 43.4	2,000
<b>Honolulu</b>	900	6.9	5.4 - 8.8	7,200	57.7	54.1 - 61.2	4,400	35.4	32.0 - 38.9	12,500
<b>Kauai</b>	100	12.1	7.6 - 18.7	400	60.3	52.4 - 67.7	200	27.6	21.3 - 34.9	700
<b>Maui</b>	200	11.4	8.5 - 15.0	900	52.7	47.7 - 57.7	600	35.9	31.3 - 40.8	1,800

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.9	5.9 - 13.2	2,000	57.3	50.7 - 63.7	1,200	33.8	27.8 - 40.4	3,600
Native Hawaiian	500	10.2	8.5 - 12.2	2,100	46.3	43.3 - 49.3	2,000	43.5	40.5 - 46.6	4,600
Chinese	<50	3.2	0.5 - 18.9	400	60.5	43.2 - 75.5	200	36.3	21.8 - 53.8	600
Filipino	200	6.6	4.1 - 10.4	2,000	59.6	52.8 - 66.1	1,200	33.9	27.7 - 40.6	3,400
Japanese	100	5.7	3.0 - 10.7	1,700	71.3	63.4 - 78.2	500	22.9	16.7 - 30.6	2,400
Other	100	5.1	2.5 - 10.3	1,300	57.2	48.0 - 65.9	900	37.7	29.2 - 47.0	2,300

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.9	3.3 - 10.3	300	19.5	13.7 - 27.0	1,100	74.6	66.8 - 81.1	1,500
20-24	300	8.2	5.8 - 11.4	1,900	44.8	39.5 - 50.1	2,000	47.1	41.8 - 52.4	4,200
25-34	600	6.7	5.1 - 8.8	5,400	63.1	59.2 - 66.9	2,600	30.2	26.6 - 34.0	8,500
35+	300	10.5	7.2 - 15.1	2,100	77.3	71.2 - 82.4	300	12.2	8.4 - 17.4	2,700

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	600	7.7	6.0 - 9.7	4,700	55.7	51.9 - 59.5	3,100	36.6	32.9 - 40.4	8,400
<b>Female</b>	600	7.6	5.8 - 9.8	4,900	57.9	54.0 - 61.8	2,900	34.5	30.8 - 38.4	8,500

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	6.4	4.9 - 8.2	7,700	67.1	63.7 - 70.4	3,100	26.5	23.5 - 29.8	11,500
<b>No</b>	600	10.3	8.1 - 13.0	1,900	35.1	31.0 - 39.4	3,000	54.7	50.2 - 59.0	5,400

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	700	10.6	8.5 - 13.1	3,000	46.0	41.8 - 50.3	2,900	43.4	39.3 - 47.7	6,600
<b>131-185%</b>	200	7.2	4.7 - 10.9	1,900	55.6	49.0 - 61.9	1,300	37.2	31.1 - 43.8	3,400
<b>186+%</b>	200	4.1	2.4 - 6.7	4,000	74.7	70.0 - 78.9	1,100	21.2	17.3 - 25.7	5,400

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	500	13.5	10.4 - 17.4	1,400	41.1	35.6 - 46.8	1,500	45.4	39.9 - 51.0	3,400
\$15,001-\$25,000	200	7.2	4.3 - 11.7	1,100	45.1	37.9 - 52.5	1,200	47.7	40.4 - 55.1	2,500
\$25,001-\$40,000	300	8.4	5.7 - 12.2	2,000	55.7	49.4 - 61.8	1,300	35.9	30.0 - 42.2	3,600
>=\$40,001	300	4.3	2.8 - 6.5	4,700	73.6	69.3 - 77.5	1,400	22.1	18.5 - 26.2	6,400

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	12.2	7.1 - 20.1	700	59.7	48.7 - 69.7	300	28.1	19.5 - 38.8	1,200
Normal birth weight	1,200	7.3	6.1 - 8.8	8,900	56.4	53.6 - 59.2	5,700	36.3	33.5 - 39.1	15,700

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	17.0	12.0 - 23.5	600	44.5	35.8 - 53.5	500	38.6	30.4 - 47.4	1,400
No	1,000	6.6	5.4 - 8.1	8,900	58.1	55.2 - 61.0	5,400	35.3	32.5 - 38.2	15,300

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	10.3	7.6 - 14.0	1,400	41.4	35.6 - 47.4	1,600	48.3	42.3 - 54.3	3,300
<b>No</b>	900	6.8	5.4 - 8.4	8,100	61.0	57.9 - 64.0	4,300	32.2	29.3 - 35.3	13,200

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.5	7.5 - 12.0	3,200	44.5	40.3 - 48.7	3,300	46.0	41.8 - 50.2	7,100
<b>No</b>	600	6.2	4.7 - 8.0	6,400	65.6	62.0 - 69.1	2,800	28.2	25.0 - 31.7	9,800

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	9.4	8.1 - 10.9	9,100	54.4	52.2 - 56.6	6,000	36.2	34.1 - 38.3	16,700

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	10.2	7.7 - 13.4	900	50.6	46.0 - 55.2	700	39.2	34.9 - 43.7	1,900
<b>Honolulu</b>	1,200	9.8	8.2 - 11.7	6,700	54.5	51.7 - 57.3	4,400	35.7	33.0 - 38.4	12,300
<b>Kauai</b>	<50	4.5	2.2 - 8.9	400	53.3	45.8 - 60.7	300	42.2	35.0 - 49.7	800
<b>Maui</b>	100	8.0	5.6 - 11.2	1,000	58.1	53.1 - 63.0	600	33.9	29.3 - 38.7	1,700

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.5	5.2 - 10.7	2,400	66.4	61.6 - 70.9	900	26.1	22.0 - 30.6	3,500
Native Hawaiian	400	9.8	8.4 - 11.4	2,000	44.6	42.2 - 47.1	2,100	45.6	43.1 - 48.0	4,500
Chinese	<50	6.3	2.0 - 18.4	500	66.8	53.3 - 78.0	200	26.9	17.0 - 39.9	700
Filipino	300	9.5	6.7 - 13.5	1,700	48.3	42.9 - 53.8	1,500	42.1	36.8 - 47.7	3,500
Japanese	200	8.0	4.6 - 13.3	1,400	68.9	61.5 - 75.4	500	23.2	17.4 - 30.1	2,100
Other	300	13.6	9.3 - 19.5	1,100	47.6	40.7 - 54.6	900	38.8	32.1 - 45.9	2,300

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.0	4.7 - 10.4	300	20.6	16.4 - 25.5	1,200	72.4	67.1 - 77.2	1,600
20-24	400	8.8	6.6 - 11.5	1,900	43.6	39.4 - 47.8	2,100	47.7	43.5 - 51.9	4,300
25-34	700	8.3	6.5 - 10.4	5,000	62.4	59.1 - 65.6	2,400	29.3	26.4 - 32.4	8,100
35+	400	15.3	11.4 - 20.2	1,800	67.8	61.9 - 73.2	500	16.9	12.8 - 22.0	2,700

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	800	9.2	7.4 - 11.3	4,600	54.7	51.5 - 57.8	3,100	36.2	33.2 - 39.2	8,500
<b>Female</b>	800	9.7	7.9 - 11.8	4,400	54.1	51.0 - 57.3	3,000	36.2	33.2 - 39.3	8,200

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	7.2	5.8 - 8.9	7,400	66.2	63.4 - 68.9	3,000	26.6	24.1 - 29.2	11,100
<b>No</b>	800	13.8	11.3 - 16.7	1,700	30.8	27.6 - 34.1	3,100	55.4	51.9 - 58.9	5,500

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	800	12.6	10.4 - 15.2	2,500	39.6	36.4 - 43.0	3,000	47.7	44.3 - 51.1	6,300
<b>131-185%</b>	300	9.6	7.0 - 13.0	2,100	57.4	52.6 - 62.1	1,200	33.0	28.7 - 37.6	3,600
<b>186+%</b>	300	4.9	3.4 - 7.1	4,000	72.2	68.3 - 75.8	1,300	22.9	19.6 - 26.6	5,500



**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	500	14.5	11.5 - 18.2	1,200	36.5	32.2 - 41.0	1,700	49.0	44.4 - 53.7	3,400
\$15,001-\$25,000	200	10.3	7.0 - 14.7	1,100	46.5	40.8 - 52.3	1,000	43.2	37.6 - 49.1	2,300
\$25,001-\$40,000	300	8.3	5.9 - 11.5	2,000	56.6	51.9 - 61.2	1,300	35.1	30.8 - 39.6	3,600
>=\$40,001	400	6.6	4.9 - 8.8	4,500	68.7	65.1 - 72.2	1,600	24.7	21.5 - 28.1	6,500

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	10.4	6.3 - 16.7	600	54.1	45.3 - 62.6	400	35.5	27.7 - 44.1	1,100
Normal birth weight	1,500	9.4	8.0 - 10.9	8,500	54.5	52.2 - 56.8	5,600	36.2	34.0 - 38.4	15,500

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.5	9.3 - 19.1	600	37.3	31.3 - 43.7	800	49.2	42.6 - 55.9	1,600
No	1,300	8.9	7.5 - 10.4	8,300	56.5	54.1 - 58.8	5,100	34.7	32.4 - 37.0	14,800

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	10.3	7.8 - 13.4	1,400	41.9	37.5 - 46.4	1,600	47.8	43.3 - 52.5	3,400
<b>No</b>	1,100	9.0	7.6 - 10.8	7,400	58.5	55.9 - 61.0	4,100	32.5	30.1 - 34.9	12,700

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.5	7.7 - 11.6	3,000	43.0	39.8 - 46.2	3,300	47.5	44.3 - 50.8	7,000
<b>No</b>	900	9.3	7.5 - 11.4	6,000	62.9	59.8 - 65.8	2,700	27.9	25.2 - 30.7	9,500

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,400	8.4	7.3 - 9.7	9,700	56.7	54.5 - 58.8	6,000	34.9	32.9 - 37.0	17,100

County	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	10.8	8.2 - 14.2	1,000	49.6	45.0 - 54.2	800	39.6	35.2 - 44.2	1,900
<b>Honolulu</b>	1,000	8.1	6.7 - 9.7	7,300	57.5	54.8 - 60.2	4,400	34.4	31.9 - 37.0	12,700
<b>Kauai</b>	100	9.7	5.8 - 15.7	400	59.0	51.0 - 66.5	200	31.4	24.5 - 39.1	700
<b>Maui</b>	100	7.7	5.4 - 10.9	1,000	57.2	52.1 - 62.1	600	35.1	30.5 - 40.1	1,700

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	5.2	3.6 - 7.4	2,800	69.3	65.0 - 73.2	1,000	25.5	21.8 - 29.6	4,000
Native Hawaiian	500	10.4	9.0 - 12.0	2,100	45.7	43.3 - 48.2	2,000	43.9	41.4 - 46.4	4,600
Chinese	100	12.4	5.9 - 24.3	500	72.9	59.8 - 83.0	100	14.7	7.8 - 26.1	600
Filipino	300	9.4	6.6 - 13.4	1,700	49.1	43.5 - 54.6	1,400	41.5	36.1 - 47.1	3,400
Japanese	<50	1.8	0.7 - 4.6	1,400	67.2	60.0 - 73.6	600	31.0	24.7 - 38.1	2,000
Other	300	13.4	9.1 - 19.2	1,200	53.7	46.5 - 60.6	800	33.0	26.7 - 39.9	2,300

PRAMS Age Group	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.5	7.0 - 15.4	300	17.3	13.6 - 21.7	1,300	72.2	66.7 - 77.2	1,900
20-24	300	7.1	5.2 - 9.8	1,900	45.6	41.4 - 49.8	1,900	47.3	43.2 - 51.5	4,100
25-34	600	6.9	5.4 - 8.7	5,300	65.5	62.3 - 68.6	2,200	27.6	24.8 - 30.7	8,100
35+	400	13.2	10.1 - 17.1	2,100	72.5	67.4 - 77.1	400	14.3	10.9 - 18.5	2,900

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	700	8.4	6.9 - 10.3	4,900	55.3	52.3 - 58.2	3,200	36.3	33.5 - 39.2	8,800
<b>Female</b>	700	8.4	6.9 - 10.3	4,800	58.2	55.0 - 61.2	2,800	33.4	30.5 - 36.5	8,200

Married	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	6.9	5.7 - 8.4	7,900	67.2	64.6 - 69.6	3,000	25.9	23.6 - 28.3	11,700
<b>No</b>	600	11.7	9.4 - 14.4	1,800	33.5	30.3 - 36.9	2,900	54.8	51.2 - 58.3	5,300

Poverty Level	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	800	10.9	9.0 - 13.1	3,100	43.1	39.9 - 46.4	3,300	46.0	42.8 - 49.3	7,200
<b>131-185%</b>	200	7.3	4.8 - 10.8	1,300	58.7	52.9 - 64.3	800	34.0	28.8 - 39.7	2,300
<b>186+%</b>	400	5.7	4.2 - 7.7	4,500	73.1	69.6 - 76.3	1,300	21.2	18.3 - 24.4	6,200

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	500	11.7	9.1 - 14.9	1,500	38.3	34.2 - 42.6	2,000	50.0	45.7 - 54.3	4,000
\$15,001-\$25,000	300	10.0	7.1 - 13.9	1,300	49.5	44.0 - 55.0	1,100	40.5	35.3 - 45.9	2,700
\$25,001-\$40,000	200	5.2	3.7 - 7.3	1,900	59.3	54.4 - 64.0	1,100	35.5	31.0 - 40.4	3,200
>=\$40,001	400	6.9	5.2 - 9.0	4,500	71.5	68.0 - 74.8	1,400	21.6	18.6 - 24.9	6,300

Birthweight	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	12.1	7.1 - 19.9	500	42.5	34.2 - 51.2	500	45.4	37.1 - 54.0	1,100
Normal birth weight	1,300	8.2	7.1 - 9.6	9,100	57.7	55.5 - 59.9	5,400	34.0	31.9 - 36.2	15,800

Smoke 3rd Trimester	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.2	7.8 - 15.7	600	43.5	36.5 - 50.7	600	45.3	38.3 - 52.5	1,400
No	1,200	8.0	6.8 - 9.3	8,800	58.4	56.1 - 60.7	5,100	33.6	31.5 - 35.8	15,100

**PRAMS Health Indicator Report - Pregnancy intention- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	10.2	7.8 - 13.1	1,400	43.0	38.4 - 47.7	1,600	46.8	42.1 - 51.5	3,300
<b>No</b>	1,000	7.9	6.6 - 9.4	8,000	61.0	58.5 - 63.4	4,100	31.1	28.9 - 33.4	13,100

WIC During Pregnancy	Unwanted			Intended			Mis-timed			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.4	7.7 - 11.4	3,500	46.9	43.7 - 50.1	3,200	43.7	40.6 - 46.8	7,400
<b>No</b>	700	7.4	6.0 - 9.1	6,100	65.1	62.1 - 67.9	2,600	27.5	24.9 - 30.3	9,400