

PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- for the State of Hawaii, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Pregnancy confirmation after the first trimester	Pregnancy confirmation after the first trimester

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/18/15

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- for the State of Hawaii, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	800	5.0	4.5 - 5.6	15,400	95.0	94.4 - 95.5	16,200
2001-2003	800	5.1	4.5 - 5.7	15,500	94.9	94.3 - 95.5	16,300
2002-2004	800	4.9	4.4 - 5.6	15,800	95.1	94.4 - 95.6	16,600
2003-2005	900	5.2	4.6 - 5.9	15,800	94.8	94.1 - 95.4	16,700
2004-2006	900	5.2	4.6 - 5.9	16,000	94.8	94.1 - 95.4	16,900
2005-2007	900	5.5	4.8 - 6.2	16,000	94.5	93.8 - 95.2	16,900
2006-2008	900	5.2	4.6 - 6.0	16,400	94.8	94.0 - 95.4	17,300
2007-2009	900	5.1	4.4 - 5.9	16,400	94.9	94.1 - 95.6	17,300
2008-2010	800	4.6	3.9 - 5.3	16,600	95.4	94.7 - 96.1	17,400
2009-2011	800	4.3	3.6 - 5.2	16,700	95.7	94.8 - 96.4	17,400

PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- for the State of Hawaii, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	4.3	3.6 - 5.2	16,700	95.7	94.8 - 96.4	17,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.7	3.5 - 6.2	2,200	95.3	93.8 - 96.5	2,300
Honolulu	500	4.2	3.3 - 5.4	11,900	95.8	94.6 - 96.7	12,500
Kauai	<50	2.7	1.8 - 4.1	800	97.3	95.9 - 98.2	800
Maui	100	5.2	4.1 - 6.6	1,800	94.8	93.4 - 95.9	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	1.1	0.5 - 2.2	4,300	98.9	97.8 - 99.5	4,300
Native Hawaiian	300	6.0	4.6 - 7.8	4,900	94.0	92.2 - 95.4	5,200
Chinese	<50	2.0	0.5 - 7.1	700	98.0	92.9 - 99.5	700
Filipino	100	4.4	2.8 - 6.8	2,900	95.6	93.2 - 97.2	3,000
Japanese	100	3.9	2.0 - 7.6	1,500	96.1	92.4 - 98.0	1,600
Other	200	7.3	5.1 - 10.3	2,300	92.7	89.7 - 94.9	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.5	7.9 - 16.4	1,100	88.5	83.6 - 92.1	1,300
20-24	300	6.4	4.7 - 8.8	3,900	93.6	91.2 - 95.3	4,100
25-34	200	2.8	2.0 - 3.8	8,700	97.2	96.2 - 98.0	9,000
35+	100	3.1	1.9 - 4.9	2,900	96.9	95.1 - 98.1	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.4	3.4 - 5.7	8,600	95.6	94.3 - 96.6	9,000
Female	400	4.2	3.3 - 5.4	8,100	95.8	94.6 - 96.7	8,500

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.9	1.3 - 2.6	10,600	98.1	97.4 - 98.7	10,800
No	600	8.3	6.7 - 10.1	6,100	91.7	89.9 - 93.3	6,700

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.5	6.9 - 10.5	5,500	91.5	89.5 - 93.1	6,000
131-185%	100	2.6	1.4 - 4.5	2,700	97.4	95.5 - 98.6	2,800
186+%	100	1.5	1.0 - 2.5	7,300	98.5	97.5 - 99.0	7,400

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	9.6	7.3 - 12.5	2,700	90.4	87.5 - 92.7	3,000
\$10,000-\$24,999	200	6.0	4.1 - 8.6	3,100	94.0	91.4 - 95.9	3,300
\$25,000-\$49,999	100	3.4	2.3 - 5.2	3,900	96.6	94.8 - 97.7	4,100
>=\$50,000	100	1.3	0.7 - 2.4	5,800	98.7	97.6 - 99.3	5,900

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	7.7	6.2 - 9.7	1,200	92.3	90.3 - 93.8	1,300
Normal birth weight	700	4.1	3.3 - 5.0	15,500	95.9	95.0 - 96.7	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.9	5.8 - 13.3	1,200	91.1	86.7 - 94.2	1,300
No	600	4.0	3.3 - 4.8	15,300	96.0	95.2 - 96.7	15,900

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	5.3	3.8 - 7.3	3,400	94.7	92.7 - 96.2	3,600
No	600	4.1	3.3 - 5.0	13,100	95.9	95.0 - 96.7	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	5.7	4.5 - 7.2	7,000	94.3	92.8 - 95.5	7,500
No	300	3.3	2.5 - 4.3	9,400	96.7	95.7 - 97.5	9,700

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	4.6	3.9 - 5.3	16,600	95.4	94.7 - 96.1	17,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.7	3.5 - 6.4	2,100	95.3	93.6 - 96.5	2,200
Honolulu	500	4.4	3.6 - 5.5	11,800	95.6	94.5 - 96.4	12,400
Kauai	<50	3.3	1.9 - 5.5	800	96.7	94.5 - 98.1	800
Maui	100	5.8	4.4 - 7.6	1,800	94.2	92.4 - 95.6	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.5	0.9 - 2.4	4,200	98.5	97.6 - 99.1	4,200
Native Hawaiian	300	6.5	5.1 - 8.2	4,900	93.5	91.8 - 94.9	5,200
Chinese	<50	1.6	0.8 - 2.9	700	98.4	97.1 - 99.2	700
Filipino	100	4.1	2.7 - 6.3	3,000	95.9	93.7 - 97.3	3,100
Japanese	100	3.4	1.6 - 7.0	1,600	96.6	93.0 - 98.4	1,600
Other	200	7.9	5.8 - 10.7	2,300	92.1	89.3 - 94.2	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.5	8.1 - 16.1	1,200	88.5	83.9 - 91.9	1,400
20-24	200	5.7	4.2 - 7.7	3,800	94.3	92.3 - 95.8	4,000
25-34	300	3.2	2.5 - 4.2	8,600	96.8	95.8 - 97.5	8,900
35+	100	3.7	2.5 - 5.5	3,000	96.3	94.5 - 97.5	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.7	3.7 - 5.8	8,600	95.3	94.2 - 96.3	9,000
Female	400	4.5	3.6 - 5.6	8,000	95.5	94.4 - 96.4	8,300

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	2.3	1.7 - 3.0	10,500	97.7	97.0 - 98.3	10,700
No	500	8.3	6.8 - 10.0	6,100	91.7	90.0 - 93.2	6,600

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.9	7.4 - 10.7	5,500	91.1	89.3 - 92.6	6,100
131-185%	100	1.9	1.0 - 3.5	2,600	98.1	96.5 - 99.0	2,700
186+%	100	1.9	1.2 - 2.9	7,200	98.1	97.1 - 98.8	7,400

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	11.8	9.3 - 14.7	2,600	88.2	85.3 - 90.7	2,900
\$10,000-\$24,999	200	4.7	3.3 - 6.6	3,300	95.3	93.4 - 96.7	3,500
\$25,000-\$49,999	100	3.5	2.3 - 5.1	3,800	96.5	94.9 - 97.7	4,000
>=\$50,000	100	1.6	0.9 - 2.6	5,800	98.4	97.4 - 99.1	5,900

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	8.0	6.1 - 10.5	1,100	92.0	89.5 - 93.9	1,200
Normal birth weight	700	4.3	3.6 - 5.1	15,400	95.7	94.9 - 96.4	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.3	7.3 - 14.4	1,300	89.7	85.6 - 92.7	1,400
No	600	4.0	3.4 - 4.8	15,000	96.0	95.2 - 96.6	15,600

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.4	4.8 - 8.5	3,300	93.6	91.5 - 95.2	3,500
No	600	4.1	3.4 - 4.9	13,000	95.9	95.1 - 96.6	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	5.8	4.7 - 7.0	6,900	94.2	93.0 - 95.3	7,300
No	400	3.7	2.9 - 4.8	9,400	96.3	95.2 - 97.1	9,800

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.1	4.4 - 5.9	16,400	94.9	94.1 - 95.6	17,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.6	3.2 - 6.5	2,200	95.4	93.5 - 96.8	2,300
Honolulu	600	5.3	4.4 - 6.3	11,500	94.7	93.7 - 95.6	12,200
Kauai	<50	4.0	2.3 - 7.0	800	96.0	93.0 - 97.7	900
Maui	100	5.2	3.8 - 7.1	1,900	94.8	92.9 - 96.2	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.5	0.9 - 2.3	4,100	98.5	97.7 - 99.1	4,100
Native Hawaiian	400	7.8	6.3 - 9.6	4,600	92.2	90.4 - 93.7	5,000
Chinese	<50	2.0	1.1 - 3.5	600	98.0	96.5 - 98.9	600
Filipino	100	3.6	2.4 - 5.4	3,100	96.4	94.6 - 97.6	3,200
Japanese	100	3.5	1.8 - 6.8	1,700	96.5	93.2 - 98.2	1,700
Other	200	9.5	7.2 - 12.3	2,300	90.5	87.7 - 92.8	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.2	8.0 - 15.3	1,400	88.8	84.7 - 92.0	1,500
20-24	300	7.0	5.4 - 9.0	3,800	93.0	91.0 - 94.6	4,000
25-34	300	3.7	2.9 - 4.7	8,400	96.3	95.3 - 97.1	8,700
35+	100	3.7	2.6 - 5.3	2,900	96.3	94.7 - 97.4	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.9	4.0 - 6.0	8,600	95.1	94.0 - 96.0	9,100
Female	400	5.3	4.4 - 6.5	7,800	94.7	93.5 - 95.6	8,200

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.8	2.2 - 3.5	10,400	97.2	96.5 - 97.8	10,700
No	600	8.9	7.5 - 10.6	6,000	91.1	89.4 - 92.5	6,600

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	10.3	8.7 - 12.1	5,500	89.7	87.9 - 91.3	6,100
131-185%	100	2.5	1.5 - 4.1	2,500	97.5	95.9 - 98.5	2,600
186+%	100	1.6	1.1 - 2.5	7,100	98.4	97.5 - 98.9	7,300

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.2	10.5 - 16.3	2,400	86.8	83.7 - 89.5	2,800
\$10,000-\$24,999	200	6.0	4.6 - 7.9	3,500	94.0	92.1 - 95.4	3,700
\$25,000-\$49,999	100	3.8	2.7 - 5.4	3,700	96.2	94.6 - 97.3	3,800
>=\$50,000	100	1.5	0.9 - 2.4	5,800	98.5	97.6 - 99.1	5,800

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.6	4.6 - 9.4	1,200	93.4	90.6 - 95.4	1,300
Normal birth weight	800	5.0	4.3 - 5.8	15,200	95.0	94.2 - 95.7	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.4	9.2 - 16.7	1,300	87.6	83.3 - 90.8	1,500
No	700	4.4	3.7 - 5.2	14,800	95.6	94.8 - 96.3	15,500

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.9	6.1 - 10.2	3,200	92.1	89.8 - 93.9	3,500
No	600	4.4	3.7 - 5.2	12,900	95.6	94.8 - 96.3	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	6.8	5.6 - 8.1	6,600	93.2	91.9 - 94.4	7,100
No	400	3.9	3.1 - 4.9	9,400	96.1	95.1 - 96.9	9,800

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.2	4.6 - 6.0	16,400	94.8	94.0 - 95.4	17,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.4	2.9 - 6.6	2,100	95.6	93.4 - 97.1	2,200
Honolulu	700	5.6	4.8 - 6.5	11,600	94.4	93.5 - 95.2	12,300
Kauai	<50	4.3	2.3 - 8.0	800	95.7	92.0 - 97.7	800
Maui	100	4.4	2.9 - 6.6	1,900	95.6	93.4 - 97.1	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.7	1.1 - 2.7	4,100	98.3	97.3 - 98.9	4,100
Native Hawaiian	400	8.6	7.0 - 10.4	4,400	91.4	89.6 - 93.0	4,800
Chinese	<50	3.1	1.9 - 4.9	600	96.9	95.1 - 98.1	600
Filipino	100	3.6	2.6 - 5.0	3,100	96.4	95.0 - 97.4	3,200
Japanese	<50	2.0	1.1 - 3.7	1,900	98.0	96.3 - 98.9	1,900
Other	300	9.4	7.3 - 12.0	2,400	90.6	88.0 - 92.7	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	10.4	7.4 - 14.3	1,300	89.6	85.7 - 92.6	1,400
20-24	300	6.5	5.1 - 8.3	3,800	93.5	91.7 - 94.9	4,100
25-34	400	4.2	3.4 - 5.1	8,300	95.8	94.9 - 96.6	8,700
35+	100	4.1	3.0 - 5.8	3,000	95.9	94.2 - 97.0	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.6	4.7 - 6.6	8,500	94.4	93.4 - 95.3	9,000
Female	400	4.9	4.0 - 5.9	7,900	95.1	94.1 - 96.0	8,300

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.0	2.4 - 3.6	10,600	97.0	96.4 - 97.6	10,900
No	600	9.2	7.8 - 10.8	5,800	90.8	89.2 - 92.2	6,400

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	10.3	8.8 - 12.0	5,500	89.7	88.0 - 91.2	6,100
131-185%	100	3.1	2.0 - 4.8	2,400	96.9	95.2 - 98.0	2,500
186+%	100	1.7	1.3 - 2.4	7,400	98.3	97.6 - 98.7	7,500

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	12.3	10.0 - 15.1	2,500	87.7	84.9 - 90.0	2,800
\$10,000-\$24,999	300	7.4	5.9 - 9.4	3,300	92.6	90.6 - 94.1	3,600
\$25,000-\$49,999	100	3.7	2.7 - 5.0	3,900	96.3	95.0 - 97.3	4,000
>=\$50,000	100	1.4	0.9 - 2.1	5,700	98.6	97.9 - 99.1	5,800

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	7.3	4.9 - 10.7	1,300	92.7	89.3 - 95.1	1,400
Normal birth weight	800	5.1	4.4 - 5.8	15,100	94.9	94.2 - 95.6	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.1	9.9 - 17.1	1,300	86.9	82.9 - 90.1	1,500
No	700	4.5	3.8 - 5.2	14,800	95.5	94.8 - 96.2	15,500

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.8	6.2 - 9.9	3,200	92.2	90.1 - 93.8	3,500
No	600	4.5	3.9 - 5.3	12,900	95.5	94.7 - 96.1	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	7.8	6.6 - 9.2	6,600	92.2	90.8 - 93.4	7,200
No	300	3.4	2.7 - 4.2	9,500	96.6	95.8 - 97.3	9,800

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.5	4.8 - 6.2	16,000	94.5	93.8 - 95.2	16,900

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.6	3.9 - 8.0	2,000	94.4	92.0 - 96.1	2,200
Honolulu	700	5.6	4.8 - 6.5	11,500	94.4	93.5 - 95.2	12,200
Kauai	<50	6.1	3.6 - 10.4	800	93.9	89.6 - 96.4	800
Maui	100	4.0	2.5 - 6.3	1,700	96.0	93.7 - 97.5	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.7	1.1 - 2.7	3,900	98.3	97.3 - 98.9	3,900
Native Hawaiian	400	8.9	7.3 - 10.8	4,300	91.1	89.2 - 92.7	4,700
Chinese	<50	2.1	1.2 - 3.8	600	97.9	96.2 - 98.8	600
Filipino	100	4.6	3.4 - 6.1	3,000	95.4	93.9 - 96.6	3,100
Japanese	100	2.8	1.7 - 4.5	2,000	97.2	95.5 - 98.3	2,000
Other	200	8.8	6.8 - 11.4	2,300	91.2	88.6 - 93.2	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.2	9.1 - 16.3	1,300	87.8	83.7 - 90.9	1,400
20-24	300	6.6	5.2 - 8.3	3,900	93.4	91.7 - 94.8	4,200
25-34	400	4.3	3.5 - 5.3	8,000	95.7	94.7 - 96.5	8,300
35+	100	3.8	2.7 - 5.4	2,900	96.2	94.6 - 97.3	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.8	4.9 - 6.9	8,200	94.2	93.1 - 95.1	8,700
Female	400	5.1	4.2 - 6.1	7,800	94.9	93.9 - 95.8	8,200

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.0	2.5 - 3.7	10,500	97.0	96.3 - 97.5	10,800
No	600	9.7	8.3 - 11.4	5,500	90.3	88.6 - 91.7	6,100

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	10.7	9.2 - 12.4	5,300	89.3	87.6 - 90.8	5,900
131-185%	100	3.6	2.3 - 5.5	2,200	96.4	94.5 - 97.7	2,200
186+%	100	1.8	1.3 - 2.5	7,400	98.2	97.5 - 98.7	7,500

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	12.3	10.0 - 15.0	2,400	87.7	85.0 - 90.0	2,800
\$10,000-\$24,999	300	8.5	6.8 - 10.6	3,200	91.5	89.4 - 93.2	3,500
\$25,000-\$49,999	100	3.3	2.3 - 4.6	3,900	96.7	95.4 - 97.7	4,000
>=\$50,000	100	1.6	1.1 - 2.4	5,500	98.4	97.6 - 98.9	5,600

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.9	4.6 - 10.2	1,300	93.1	89.8 - 95.4	1,300
Normal birth weight	800	5.3	4.7 - 6.1	14,700	94.7	93.9 - 95.3	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.6	10.4 - 17.7	1,300	86.4	82.3 - 89.6	1,500
No	700	4.6	4.0 - 5.4	14,500	95.4	94.6 - 96.0	15,200

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.5	6.8 - 10.6	3,200	91.5	89.4 - 93.2	3,500
No	600	4.6	3.9 - 5.4	12,500	95.4	94.6 - 96.1	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	7.7	6.5 - 9.0	6,500	92.3	91.0 - 93.5	7,100
No	400	3.8	3.1 - 4.7	9,200	96.2	95.3 - 96.9	9,600

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.2	4.6 - 5.9	16,000	94.8	94.1 - 95.4	16,900

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	6.0	4.3 - 8.3	2,000	94.0	91.7 - 95.7	2,100
Honolulu	600	5.2	4.5 - 6.0	11,600	94.8	94.0 - 95.5	12,300
Kauai	<50	5.6	3.1 - 9.9	700	94.4	90.1 - 96.9	700
Maui	100	4.3	2.8 - 6.6	1,600	95.7	93.4 - 97.2	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.9	1.2 - 2.9	3,800	98.1	97.1 - 98.8	3,800
Native Hawaiian	400	8.1	6.6 - 9.9	4,300	91.9	90.1 - 93.4	4,700
Chinese	<50	1.9	1.1 - 3.2	600	98.1	96.8 - 98.9	600
Filipino	100	4.8	3.7 - 6.3	2,900	95.2	93.7 - 96.3	3,100
Japanese	100	2.9	1.8 - 4.5	2,100	97.1	95.5 - 98.2	2,100
Other	200	8.2	6.3 - 10.6	2,300	91.8	89.4 - 93.7	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.6	8.7 - 15.4	1,200	88.4	84.6 - 91.3	1,400
20-24	200	5.7	4.4 - 7.3	3,900	94.3	92.7 - 95.6	4,200
25-34	400	4.5	3.7 - 5.5	7,900	95.5	94.5 - 96.3	8,300
35+	100	3.7	2.6 - 5.2	2,900	96.3	94.8 - 97.4	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.5	4.6 - 6.5	8,300	94.5	93.5 - 95.4	8,800
Female	400	4.9	4.1 - 6.0	7,600	95.1	94.0 - 95.9	8,000

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.7	2.2 - 3.4	10,800	97.3	96.6 - 97.8	11,100
No	600	10.0	8.6 - 11.7	5,200	90.0	88.3 - 91.4	5,700

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.8	8.4 - 11.4	5,400	90.2	88.6 - 91.6	5,900
131-185%	100	4.1	2.7 - 6.1	2,000	95.9	93.9 - 97.3	2,000
186+%	100	1.7	1.2 - 2.3	7,500	98.3	97.7 - 98.8	7,600

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	12.1	9.8 - 14.7	2,400	87.9	85.3 - 90.2	2,700
\$10,000-\$24,999	300	7.7	6.1 - 9.5	3,400	92.3	90.5 - 93.9	3,700
\$25,000-\$49,999	100	2.6	1.8 - 3.8	4,000	97.4	96.2 - 98.2	4,100
>=\$50,000	100	1.5	1.0 - 2.3	5,100	98.5	97.7 - 99.0	5,200

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.9	4.5 - 10.3	1,100	93.1	89.7 - 95.5	1,200
Normal birth weight	800	5.1	4.5 - 5.8	14,800	94.9	94.2 - 95.5	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.6	9.5 - 16.6	1,200	87.4	83.4 - 90.5	1,400
No	700	4.5	3.9 - 5.1	14,500	95.5	94.9 - 96.1	15,200

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.8	6.2 - 9.8	3,200	92.2	90.2 - 93.8	3,500
No	600	4.4	3.8 - 5.2	12,500	95.6	94.8 - 96.2	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	6.8	5.7 - 8.0	6,700	93.2	92.0 - 94.3	7,200
No	400	3.9	3.2 - 4.8	9,000	96.1	95.2 - 96.8	9,300

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.2	4.6 - 5.9	15,800	94.8	94.1 - 95.4	16,700

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	7.6	5.9 - 9.7	1,900	92.4	90.3 - 94.1	2,100
Honolulu	600	4.9	4.2 - 5.7	11,500	95.1	94.3 - 95.8	12,100
Kauai	<50	5.8	3.6 - 9.4	700	94.2	90.6 - 96.4	800
Maui	100	4.1	2.7 - 6.0	1,600	95.9	94.0 - 97.3	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.2	1.4 - 3.4	3,600	97.8	96.6 - 98.6	3,700
Native Hawaiian	400	8.3	7.0 - 9.9	4,200	91.7	90.1 - 93.0	4,600
Chinese	<50	0.9	0.5 - 1.8	600	99.1	98.2 - 99.5	600
Filipino	100	4.5	3.3 - 6.0	3,100	95.5	94.0 - 96.7	3,300
Japanese	100	3.0	1.8 - 4.9	2,000	97.0	95.1 - 98.2	2,100
Other	200	7.9	5.8 - 10.5	2,200	92.1	89.5 - 94.2	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	14.8	11.5 - 18.7	1,200	85.2	81.3 - 88.5	1,400
20-24	300	6.3	5.0 - 7.9	3,800	93.7	92.1 - 95.0	4,100
25-34	300	3.7	3.0 - 4.6	7,900	96.3	95.4 - 97.0	8,200
35+	100	3.2	2.2 - 4.7	2,900	96.8	95.3 - 97.8	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	5.1	4.3 - 6.0	8,300	94.9	94.0 - 95.7	8,800
Female	400	5.3	4.4 - 6.4	7,500	94.7	93.6 - 95.6	7,900

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.7	2.2 - 3.4	10,800	97.3	96.6 - 97.8	11,100
No	600	10.1	8.7 - 11.8	5,000	89.9	88.2 - 91.3	5,500

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.0	7.7 - 10.4	5,900	91.0	89.6 - 92.3	6,400
131-185%	100	4.0	2.6 - 6.1	2,000	96.0	93.9 - 97.4	2,100
186+%	100	1.4	0.9 - 2.0	6,700	98.6	98.0 - 99.1	6,800

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.0	3.8 - 9.4	1,000	94.0	90.6 - 96.2	1,100
Normal birth weight	800	5.1	4.5 - 5.9	14,800	94.9	94.1 - 95.5	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.8	8.8 - 15.6	1,200	88.2	84.4 - 91.2	1,400
No	700	4.6	4.0 - 5.2	14,300	95.4	94.8 - 96.0	15,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.0	6.4 - 9.9	3,200	92.0	90.1 - 93.6	3,400
No	600	4.4	3.7 - 5.1	12,300	95.6	94.9 - 96.3	12,900

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	6.6	5.6 - 7.8	6,600	93.4	92.2 - 94.4	7,100
No	400	4.0	3.3 - 4.9	8,900	96.0	95.1 - 96.7	9,300

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	4.9	4.4 - 5.6	15,800	95.1	94.4 - 95.6	16,600

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	7.3	5.8 - 9.0	1,900	92.7	91.0 - 94.2	2,000
Honolulu	600	4.6	3.9 - 5.5	11,600	95.4	94.5 - 96.1	12,200
Kauai	<50	4.3	2.8 - 6.6	700	95.7	93.4 - 97.2	700
Maui	100	4.9	3.6 - 6.5	1,600	95.1	93.5 - 96.4	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.2	1.3 - 3.6	3,600	97.8	96.4 - 98.7	3,600
Native Hawaiian	400	8.1	7.0 - 9.4	4,200	91.9	90.6 - 93.0	4,500
Chinese	<50	1.6	0.4 - 5.5	600	98.4	94.5 - 99.6	600
Filipino	200	4.5	3.3 - 6.3	3,200	95.5	93.7 - 96.7	3,300
Japanese	100	2.5	1.4 - 4.4	2,100	97.5	95.6 - 98.6	2,100
Other	200	6.8	4.8 - 9.6	2,200	93.2	90.4 - 95.2	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	13.9	10.8 - 17.6	1,200	86.1	82.4 - 89.2	1,400
20-24	300	7.3	5.9 - 9.1	3,800	92.7	90.9 - 94.1	4,000
25-34	300	3.1	2.5 - 3.9	8,000	96.9	96.1 - 97.5	8,300
35+	100	2.6	1.7 - 3.9	2,800	97.4	96.1 - 98.3	2,900

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.8	4.0 - 5.7	8,300	95.2	94.3 - 96.0	8,700
Female	400	5.1	4.2 - 6.1	7,500	94.9	93.9 - 95.8	8,000

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.5	1.9 - 3.1	11,100	97.5	96.9 - 98.1	11,400
No	500	10.3	8.9 - 11.9	4,700	89.7	88.1 - 91.1	5,300

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.7	6.6 - 9.0	6,100	92.3	91.0 - 93.4	6,600
131-185%	100	4.3	2.9 - 6.4	2,500	95.7	93.6 - 97.1	2,600
186+%	100	1.3	0.9 - 2.1	5,900	98.7	97.9 - 99.1	6,000

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	7.9	5.1 - 12.0	1,000	92.1	88.0 - 94.9	1,100
Normal birth weight	700	4.8	4.2 - 5.4	14,800	95.2	94.6 - 95.8	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.3	8.4 - 15.2	1,200	88.7	84.8 - 91.6	1,300
No	700	4.4	3.8 - 5.0	14,400	95.6	95.0 - 96.2	15,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.3	5.8 - 9.1	3,100	92.7	90.9 - 94.2	3,300
No	600	4.3	3.7 - 5.0	12,400	95.7	95.0 - 96.3	12,900

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	6.3	5.3 - 7.4	6,600	93.7	92.6 - 94.7	7,000
No	400	3.8	3.1 - 4.7	9,000	96.2	95.3 - 96.9	9,400

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	5.1	4.5 - 5.7	15,500	94.9	94.3 - 95.5	16,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	7.6	6.3 - 9.1	1,700	92.4	90.9 - 93.7	1,900
Honolulu	600	4.6	3.9 - 5.5	11,500	95.4	94.5 - 96.1	12,000
Kauai	<50	6.5	4.7 - 8.9	700	93.5	91.1 - 95.3	700
Maui	100	4.8	3.7 - 6.3	1,600	95.2	93.7 - 96.3	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.4	1.5 - 3.9	3,400	97.6	96.1 - 98.5	3,500
Native Hawaiian	400	8.6	7.7 - 9.6	4,000	91.4	90.4 - 92.3	4,400
Chinese	<50	1.0	0.1 - 6.4	700	99.0	93.6 - 99.9	700
Filipino	200	4.4	3.1 - 6.3	3,300	95.6	93.7 - 96.9	3,400
Japanese	100	3.0	1.7 - 5.2	2,000	97.0	94.8 - 98.3	2,100
Other	100	6.3	4.3 - 9.2	2,100	93.7	90.8 - 95.7	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.9	10.3 - 16.1	1,300	87.1	83.9 - 89.7	1,500
20-24	300	7.8	6.4 - 9.6	3,700	92.2	90.4 - 93.6	4,000
25-34	200	3.0	2.4 - 3.8	7,900	97.0	96.2 - 97.6	8,100
35+	100	2.8	1.9 - 4.3	2,600	97.2	95.7 - 98.1	2,700

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.8	4.0 - 5.7	7,900	95.2	94.3 - 96.0	8,300
Female	400	5.4	4.5 - 6.4	7,600	94.6	93.6 - 95.5	8,000

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.5	2.0 - 3.2	10,700	97.5	96.8 - 98.0	11,000
No	600	10.4	9.0 - 12.0	4,800	89.6	88.0 - 91.0	5,300

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.8	6.7 - 9.1	6,000	92.2	90.9 - 93.3	6,500
131-185%	100	3.9	2.7 - 5.6	3,000	96.1	94.4 - 97.3	3,100
186+%	100	1.8	1.2 - 2.7	5,200	98.2	97.3 - 98.8	5,300

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	300	9.9	8.2 - 11.9	3,000	90.1	88.1 - 91.8	3,400
\$15,001-\$25,000	100	4.8	3.4 - 6.6	2,100	95.2	93.4 - 96.6	2,200
\$25,001-\$40,000	200	4.7	3.5 - 6.4	3,200	95.3	93.6 - 96.5	3,400
>=\$40,001	100	2.2	1.5 - 3.1	6,200	97.8	96.9 - 98.5	6,300

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	9.4	6.4 - 13.6	1,000	90.6	86.4 - 93.6	1,100
Normal birth weight	700	4.8	4.2 - 5.4	14,400	95.2	94.6 - 95.8	15,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.8	8.1 - 14.2	1,300	89.2	85.8 - 91.9	1,400
No	700	4.5	3.9 - 5.2	13,900	95.5	94.8 - 96.1	14,600

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.5	6.0 - 9.2	3,000	92.5	90.8 - 94.0	3,200
No	600	4.4	3.7 - 5.1	12,000	95.6	94.9 - 96.3	12,600

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	6.6	5.7 - 7.8	6,300	93.4	92.2 - 94.3	6,700
No	400	3.9	3.2 - 4.8	9,000	96.1	95.2 - 96.8	9,400

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	5.0	4.5 - 5.6	15,400	95.0	94.4 - 95.5	16,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	6.6	5.4 - 8.1	1,700	93.4	91.9 - 94.6	1,900
Honolulu	500	4.5	3.8 - 5.3	11,400	95.5	94.7 - 96.2	12,000
Kauai	<50	6.4	4.6 - 8.9	600	93.6	91.1 - 95.4	700
Maui	100	6.3	5.0 - 7.9	1,600	93.7	92.1 - 95.0	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.1	1.3 - 3.3	3,600	97.9	96.7 - 98.7	3,600
Native Hawaiian	400	9.0	8.1 - 10.0	4,000	91.0	90.0 - 91.9	4,400
Chinese	<50	1.7	0.5 - 5.7	600	98.3	94.3 - 99.5	600
Filipino	200	5.0	3.6 - 6.8	3,100	95.0	93.2 - 96.4	3,300
Japanese	100	2.4	1.4 - 4.2	2,000	97.6	95.8 - 98.6	2,100
Other	100	5.3	3.6 - 7.9	2,100	94.7	92.1 - 96.4	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.8	10.4 - 15.5	1,400	87.2	84.5 - 89.6	1,600
20-24	300	7.2	5.9 - 8.9	3,700	92.8	91.1 - 94.1	4,000
25-34	200	3.1	2.5 - 3.8	7,700	96.9	96.2 - 97.5	7,900
35+	100	2.7	1.9 - 3.9	2,600	97.3	96.1 - 98.1	2,700

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.9	4.1 - 5.7	7,800	95.1	94.3 - 95.9	8,200
Female	400	5.2	4.4 - 6.1	7,600	94.8	93.9 - 95.6	8,000

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.4	1.9 - 2.9	10,800	97.6	97.1 - 98.1	11,100
No	500	10.7	9.4 - 12.2	4,600	89.3	87.8 - 90.6	5,100

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.8	6.8 - 9.0	5,800	92.2	91.0 - 93.2	6,300
131-185%	100	3.6	2.5 - 5.0	2,900	96.4	95.0 - 97.5	3,000
186+%	100	2.1	1.5 - 3.0	5,500	97.9	97.0 - 98.5	5,600

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	300	10.1	8.5 - 11.9	3,000	89.9	88.1 - 91.5	3,300
\$15,001-\$25,000	100	4.5	3.4 - 6.1	2,300	95.5	93.9 - 96.6	2,400
\$25,001-\$40,000	200	4.5	3.4 - 6.0	3,200	95.5	94.0 - 96.6	3,400
>=\$40,001	100	2.3	1.7 - 3.0	6,100	97.7	97.0 - 98.3	6,300

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	9.1	6.2 - 13.3	1,000	90.9	86.7 - 93.8	1,100
Normal birth weight	700	4.7	4.2 - 5.3	14,300	95.3	94.7 - 95.8	15,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.6	8.2 - 13.6	1,200	89.4	86.4 - 91.8	1,300
No	600	4.4	3.8 - 5.0	13,800	95.6	95.0 - 96.2	14,500

**PRAMS Health Indicator 3-Year Aggregate Report - Pregnancy confirmation after the first trimester- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.7	6.4 - 9.4	2,900	92.3	90.6 - 93.6	3,200
No	500	4.2	3.6 - 4.8	12,000	95.8	95.2 - 96.4	12,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	6.6	5.7 - 7.7	6,300	93.4	92.3 - 94.3	6,800
No	300	3.7	3.1 - 4.5	8,900	96.3	95.5 - 96.9	9,200