

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Discuss HIV testing with HCW during PNC	During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about getting tested for HIV (the virus that causes AIDS)?

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	13,700	81.5	80.6 - 82.4	3,100	18.5	17.6 - 19.4	16,800
2001-2005	13,400	79.5	78.6 - 80.4	3,400	20.5	19.6 - 21.4	16,800
2002-2006	13,300	77.9	76.9 - 78.8	3,800	22.1	21.2 - 23.1	17,100
2003-2007	13,300	76.7	75.7 - 77.6	4,000	23.3	22.4 - 24.3	17,300
2004-2008	13,100	74.8	73.9 - 75.7	4,400	25.2	24.3 - 26.1	17,600
2005-2009	13,000	73.8	72.7 - 74.8	4,600	26.2	25.2 - 27.3	17,700
2006-2010	13,100	73.1	72.0 - 74.1	4,800	26.9	25.9 - 28.0	18,000
2007-2011	12,900	71.8	70.7 - 73.0	5,100	28.2	27.0 - 29.3	18,000
2008-2012	12,700	70.5	69.2 - 71.7	5,300	29.5	28.3 - 30.8	18,000
2009-2013	12,400	68.8	67.4 - 70.1	5,600	31.2	29.9 - 32.6	18,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,400	68.8	67.4 - 70.1	5,600	31.2	29.9 - 32.6	18,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	69.8	67.6 - 71.9	700	30.2	28.1 - 32.4	2,300
Honolulu	8,900	68.6	66.8 - 70.4	4,100	31.4	29.6 - 33.2	12,900
Kauai	600	68.2	65.7 - 70.7	300	31.8	29.3 - 34.3	800
Maui	1,300	68.7	66.6 - 70.7	600	31.3	29.3 - 33.4	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	68.6	65.8 - 71.3	1,400	31.4	28.7 - 34.2	4,400
Native Hawaiian	3,900	72.1	69.7 - 74.3	1,500	27.9	25.7 - 30.3	5,400
Chinese	500	62.4	55.2 - 69.0	300	37.6	31.0 - 44.8	800
Filipino	2,100	66.5	63.1 - 69.7	1,100	33.5	30.3 - 36.9	3,200
Japanese	900	56.3	51.3 - 61.2	700	43.7	38.8 - 48.7	1,700
Other	1,900	75.1	71.4 - 78.4	600	24.9	21.6 - 28.6	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	82.1	77.4 - 86.0	200	17.9	14.0 - 22.6	1,100
20-24	3,200	76.6	73.8 - 79.1	1,000	23.4	20.9 - 26.2	4,100
25-34	6,300	66.2	64.3 - 68.1	3,200	33.8	31.9 - 35.7	9,600
35+	2,000	61.7	58.3 - 64.9	1,200	38.3	35.1 - 41.7	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,200	68.3	66.4 - 70.2	2,900	31.7	29.8 - 33.6	9,100
Female	6,200	69.2	67.3 - 71.1	2,700	30.8	28.9 - 32.7	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,200	64.8	63.0 - 66.6	3,900	35.2	33.4 - 37.0	11,100
No	5,200	75.2	73.2 - 77.2	1,700	24.8	22.8 - 26.8	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,700	74.8	72.6 - 76.8	1,600	25.2	23.2 - 27.4	6,300
131-185%	2,000	72.5	69.0 - 75.7	800	27.5	24.3 - 31.0	2,800
186+%	4,500	61.0	58.8 - 63.2	2,900	39.0	36.8 - 41.2	7,400

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	66.2	63.9 - 68.4	400	33.8	31.6 - 36.1	1,300
Normal birth weight	11,500	69.0	67.5 - 70.4	5,200	31.0	29.6 - 32.5	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	73.9	68.7 - 78.5	300	26.1	21.5 - 31.3	1,100
No	11,400	68.8	67.4 - 70.2	5,100	31.2	29.8 - 32.6	16,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	73.1	70.1 - 75.9	900	26.9	24.1 - 29.9	3,400
No	9,700	68.2	66.6 - 69.7	4,500	31.8	30.3 - 33.4	14,200

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	74.8	72.9 - 76.7	2,000	25.2	23.3 - 27.1	7,900
No	6,400	64.2	62.2 - 66.1	3,600	35.8	33.9 - 37.8	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,700	70.5	69.2 - 71.7	5,300	29.5	28.3 - 30.8	18,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	72.9	70.7 - 75.1	600	27.1	24.9 - 29.3	2,300
Honolulu	9,000	70.2	68.5 - 71.8	3,800	29.8	28.2 - 31.5	12,900
Kauai	600	69.2	66.1 - 72.1	300	30.8	27.9 - 33.9	800
Maui	1,400	70.1	67.9 - 72.3	600	29.9	27.7 - 32.1	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	71.5	68.9 - 73.9	1,200	28.5	26.1 - 31.1	4,300
Native Hawaiian	3,900	73.1	70.8 - 75.2	1,400	26.9	24.8 - 29.2	5,300
Chinese	500	63.8	57.0 - 70.0	300	36.2	30.0 - 43.0	800
Filipino	2,200	68.0	64.9 - 71.0	1,000	32.0	29.0 - 35.1	3,200
Japanese	1,000	59.7	55.3 - 64.1	700	40.3	35.9 - 44.7	1,700
Other	2,000	75.6	72.3 - 78.7	700	24.4	21.3 - 27.7	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	82.7	78.5 - 86.2	200	17.3	13.8 - 21.5	1,200
20-24	3,200	77.2	74.6 - 79.6	900	22.8	20.4 - 25.4	4,100
25-34	6,500	68.5	66.7 - 70.2	3,000	31.5	29.8 - 33.3	9,500
35+	2,000	63.1	59.9 - 66.1	1,200	36.9	33.9 - 40.1	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,500	70.5	68.8 - 72.3	2,700	29.5	27.7 - 31.2	9,200
Female	6,200	70.5	68.6 - 72.2	2,600	29.5	27.8 - 31.4	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,500	67.0	65.4 - 68.7	3,700	33.0	31.3 - 34.6	11,200
No	5,200	76.1	74.2 - 78.0	1,600	23.9	22.0 - 25.8	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	75.6	73.6 - 77.5	1,600	24.4	22.5 - 26.4	6,400
131-185%	2,100	73.9	70.6 - 76.9	700	26.1	23.1 - 29.4	2,800
186+%	4,800	64.2	62.1 - 66.2	2,700	35.8	33.8 - 37.9	7,500

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	68.1	65.5 - 70.7	400	31.9	29.3 - 34.5	1,300
Normal birth weight	11,800	70.7	69.3 - 72.0	4,900	29.3	28.0 - 30.7	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	76.1	71.4 - 80.3	300	23.9	19.7 - 28.6	1,200
No	11,600	70.3	69.0 - 71.6	4,900	29.7	28.4 - 31.0	16,400

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	74.1	71.3 - 76.7	900	25.9	23.3 - 28.7	3,500
No	9,900	69.9	68.4 - 71.3	4,300	30.1	28.7 - 31.6	14,200

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	75.7	73.9 - 77.4	1,900	24.3	22.6 - 26.1	7,800
No	6,700	66.7	64.9 - 68.4	3,300	33.3	31.6 - 35.1	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,900	71.8	70.7 - 73.0	5,100	28.2	27.0 - 29.3	18,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	74.6	72.3 - 76.8	600	25.4	23.2 - 27.7	2,400
Honolulu	9,100	71.4	69.9 - 73.0	3,600	28.6	27.0 - 30.1	12,700
Kauai	600	70.6	67.1 - 73.8	300	29.4	26.2 - 32.9	900
Maui	1,500	71.7	69.3 - 74.0	600	28.3	26.0 - 30.7	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	73.3	70.9 - 75.6	1,200	26.7	24.4 - 29.1	4,300
Native Hawaiian	3,900	73.7	71.5 - 75.8	1,400	26.3	24.2 - 28.5	5,300
Chinese	400	61.6	55.2 - 67.7	300	38.4	32.3 - 44.8	700
Filipino	2,300	71.2	68.3 - 73.8	900	28.8	26.2 - 31.7	3,200
Japanese	1,100	61.1	57.1 - 65.0	700	38.9	35.0 - 42.9	1,800
Other	2,000	76.5	73.4 - 79.4	600	23.5	20.6 - 26.6	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	83.3	79.6 - 86.4	200	16.7	13.6 - 20.4	1,400
20-24	3,300	78.6	76.2 - 80.7	900	21.4	19.3 - 23.8	4,200
25-34	6,400	69.5	67.8 - 71.1	2,800	30.5	28.9 - 32.2	9,300
35+	2,000	64.7	61.7 - 67.5	1,100	35.3	32.5 - 38.3	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	71.7	70.1 - 73.3	2,600	28.3	26.7 - 29.9	9,300
Female	6,300	71.9	70.2 - 73.6	2,400	28.1	26.4 - 29.8	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,600	68.6	67.1 - 70.1	3,500	31.4	29.9 - 32.9	11,100
No	5,300	77.1	75.2 - 78.8	1,600	22.9	21.2 - 24.8	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	76.6	74.7 - 78.4	1,500	23.4	21.6 - 25.3	6,400
131-185%	2,000	74.3	71.2 - 77.2	700	25.7	22.8 - 28.8	2,700
186+%	5,000	65.9	64.0 - 67.7	2,600	34.1	32.3 - 36.0	7,600

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	79.7	77.0 - 82.1	600	20.3	17.9 - 23.0	3,100
\$10,000-\$24,999	2,700	76.5	74.0 - 78.9	800	23.5	21.1 - 26.0	3,600
\$25,000-\$49,999	3,000	72.3	69.8 - 74.6	1,200	27.7	25.4 - 30.2	4,200
>=\$50,000	3,800	63.6	61.4 - 65.7	2,200	36.4	34.3 - 38.6	6,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	71.0	68.2 - 73.7	400	29.0	26.3 - 31.8	1,300
Normal birth weight	12,000	71.9	70.6 - 73.1	4,700	28.1	26.9 - 29.4	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	78.9	74.8 - 82.6	300	21.1	17.4 - 25.2	1,400
No	11,600	71.3	70.0 - 72.5	4,700	28.7	27.5 - 30.0	16,300

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	76.3	73.8 - 78.7	800	23.7	21.3 - 26.2	3,600
No	10,000	70.7	69.4 - 72.1	4,100	29.3	27.9 - 30.6	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	76.9	75.2 - 78.5	1,800	23.1	21.5 - 24.8	7,700
No	6,900	68.3	66.6 - 69.9	3,200	31.7	30.1 - 33.4	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,100	73.1	72.0 - 74.1	4,800	26.9	25.9 - 28.0	18,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	75.4	72.9 - 77.7	600	24.6	22.3 - 27.1	2,300
Honolulu	9,300	72.6	71.2 - 74.0	3,500	27.4	26.0 - 28.8	12,700
Kauai	700	73.6	69.9 - 77.1	200	26.4	22.9 - 30.1	900
Maui	1,500	72.9	70.3 - 75.4	500	27.1	24.6 - 29.7	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	76.0	73.8 - 78.1	1,000	24.0	21.9 - 26.2	4,300
Native Hawaiian	3,900	73.8	71.7 - 75.8	1,400	26.2	24.2 - 28.3	5,200
Chinese	400	62.3	56.5 - 67.8	300	37.7	32.2 - 43.5	700
Filipino	2,300	71.6	69.0 - 74.1	900	28.4	25.9 - 31.0	3,200
Japanese	1,200	63.8	60.1 - 67.3	700	36.2	32.7 - 39.9	1,900
Other	2,100	77.9	75.0 - 80.5	600	22.1	19.5 - 25.0	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	81.6	78.0 - 84.8	300	18.4	15.2 - 22.0	1,500
20-24	3,400	79.0	76.8 - 81.0	900	21.0	19.0 - 23.2	4,300
25-34	6,400	71.0	69.4 - 72.6	2,600	29.0	27.4 - 30.6	9,000
35+	2,100	66.9	64.1 - 69.5	1,000	33.1	30.5 - 35.9	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	72.2	70.6 - 73.7	2,600	27.8	26.3 - 29.4	9,300
Female	6,400	74.0	72.4 - 75.5	2,300	26.0	24.5 - 27.6	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,900	70.4	69.0 - 71.8	3,300	29.6	28.2 - 31.0	11,200
No	5,300	77.4	75.7 - 79.1	1,500	22.6	20.9 - 24.3	6,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	76.6	74.8 - 78.3	1,500	23.4	21.7 - 25.2	6,400
131-185%	2,000	74.6	71.6 - 77.4	700	25.4	22.6 - 28.4	2,700
186+%	5,200	68.7	66.9 - 70.4	2,400	31.3	29.6 - 33.1	7,600

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	78.4	75.8 - 80.8	600	21.6	19.2 - 24.2	3,000
\$10,000-\$24,999	2,900	78.3	76.0 - 80.4	800	21.7	19.6 - 24.0	3,700
\$25,000-\$49,999	3,000	71.7	69.3 - 74.0	1,200	28.3	26.0 - 30.7	4,100
>=\$50,000	4,000	67.2	65.2 - 69.1	2,000	32.8	30.9 - 34.8	6,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	72.3	69.2 - 75.2	400	27.7	24.8 - 30.8	1,400
Normal birth weight	12,100	73.1	71.9 - 74.2	4,500	26.9	25.8 - 28.1	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	79.2	75.3 - 82.6	300	20.8	17.4 - 24.7	1,500
No	11,700	72.5	71.4 - 73.7	4,400	27.5	26.3 - 28.6	16,100

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	77.3	74.9 - 79.6	800	22.7	20.4 - 25.1	3,600
No	10,100	72.0	70.7 - 73.2	3,900	28.0	26.8 - 29.3	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	77.1	75.4 - 78.6	1,700	22.9	21.4 - 24.6	7,600
No	7,100	70.3	68.8 - 71.8	3,000	29.7	28.2 - 31.2	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,000	73.8	72.7 - 74.8	4,600	26.2	25.2 - 27.3	17,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	75.4	72.8 - 77.9	600	24.6	22.1 - 27.2	2,300
Honolulu	9,200	73.1	71.8 - 74.3	3,400	26.9	25.7 - 28.2	12,600
Kauai	700	78.0	74.1 - 81.5	200	22.0	18.5 - 25.9	900
Maui	1,500	74.4	71.6 - 77.0	500	25.6	23.0 - 28.4	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	76.7	74.6 - 78.6	1,000	23.3	21.4 - 25.4	4,100
Native Hawaiian	3,800	75.1	73.1 - 77.1	1,300	24.9	22.9 - 26.9	5,100
Chinese	400	65.5	60.7 - 69.9	200	34.5	30.1 - 39.3	600
Filipino	2,400	73.5	71.1 - 75.7	900	26.5	24.3 - 28.9	3,200
Japanese	1,300	63.2	60.0 - 66.4	700	36.8	33.6 - 40.0	2,000
Other	2,000	76.8	74.1 - 79.3	600	23.2	20.7 - 25.9	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	81.5	78.0 - 84.5	300	18.5	15.5 - 22.0	1,600
20-24	3,400	79.7	77.7 - 81.6	900	20.3	18.4 - 22.3	4,200
25-34	6,300	71.7	70.2 - 73.2	2,500	28.3	26.8 - 29.8	8,800
35+	2,100	67.5	65.0 - 69.9	1,000	32.5	30.1 - 35.0	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	73.2	71.7 - 74.6	2,500	26.8	25.4 - 28.3	9,200
Female	6,300	74.4	72.9 - 75.8	2,200	25.6	24.2 - 27.1	8,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,900	71.2	69.9 - 72.4	3,200	28.8	27.6 - 30.1	11,000
No	5,200	78.1	76.4 - 79.6	1,500	21.9	20.4 - 23.6	6,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	76.5	74.8 - 78.2	1,500	23.5	21.8 - 25.2	6,300
131-185%	1,800	75.6	72.7 - 78.2	600	24.4	21.8 - 27.3	2,400
186+%	5,300	69.8	68.2 - 71.4	2,300	30.2	28.6 - 31.8	7,600

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	77.7	75.2 - 80.1	700	22.3	19.9 - 24.8	2,900
\$10,000-\$24,999	2,900	77.6	75.4 - 79.6	800	22.4	20.4 - 24.6	3,700
\$25,000-\$49,999	2,900	73.2	70.9 - 75.3	1,100	26.8	24.7 - 29.1	4,000
>=\$50,000	4,000	68.6	66.7 - 70.4	1,800	31.4	29.6 - 33.3	5,800

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	73.0	69.7 - 76.1	400	27.0	23.9 - 30.3	1,300
Normal birth weight	12,100	73.8	72.7 - 74.9	4,300	26.2	25.1 - 27.3	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	80.1	76.6 - 83.2	300	19.9	16.8 - 23.4	1,500
No	11,600	73.2	72.1 - 74.3	4,200	26.8	25.7 - 27.9	15,800

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	78.7	76.5 - 80.8	800	21.3	19.2 - 23.5	3,600
No	10,000	72.5	71.3 - 73.6	3,800	27.5	26.4 - 28.7	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,800	77.3	75.8 - 78.8	1,700	22.7	21.2 - 24.2	7,500
No	7,200	71.3	69.9 - 72.6	2,900	28.7	27.4 - 30.1	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,100	74.8	73.9 - 75.7	4,400	25.2	24.3 - 26.1	17,600

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	76.6	73.9 - 79.1	500	23.4	20.9 - 26.1	2,200
Honolulu	9,300	73.9	72.8 - 75.0	3,300	26.1	25.0 - 27.2	12,600
Kauai	700	81.0	77.0 - 84.5	200	19.0	15.5 - 23.0	900
Maui	1,400	76.2	73.2 - 78.9	500	23.8	21.1 - 26.8	1,900

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	78.2	76.3 - 80.0	900	21.8	20.0 - 23.7	4,000
Native Hawaiian	3,700	75.5	73.6 - 77.4	1,200	24.5	22.6 - 26.4	4,900
Chinese	400	68.9	66.2 - 71.5	200	31.1	28.5 - 33.8	600
Filipino	2,400	74.6	72.6 - 76.6	800	25.4	23.4 - 27.4	3,200
Japanese	1,400	64.2	61.3 - 67.1	800	35.8	32.9 - 38.7	2,100
Other	2,100	78.4	76.0 - 80.5	600	21.6	19.5 - 24.0	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	81.3	77.9 - 84.2	300	18.7	15.8 - 22.1	1,500
20-24	3,400	79.8	78.0 - 81.6	900	20.2	18.4 - 22.0	4,300
25-34	6,400	73.5	72.1 - 74.8	2,300	26.5	25.2 - 27.9	8,700
35+	2,100	68.7	66.5 - 70.9	1,000	31.3	29.1 - 33.5	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,800	74.7	73.4 - 75.9	2,300	25.3	24.1 - 26.6	9,200
Female	6,300	75.0	73.6 - 76.3	2,100	25.0	23.7 - 26.4	8,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,300	73.0	71.9 - 74.1	3,100	27.0	25.9 - 28.1	11,300
No	4,900	78.1	76.5 - 79.6	1,400	21.9	20.4 - 23.5	6,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	77.0	75.5 - 78.5	1,500	23.0	21.5 - 24.5	6,400
131-185%	1,700	76.7	74.1 - 79.1	500	23.3	20.9 - 25.9	2,300
186+%	5,500	72.1	70.7 - 73.4	2,100	27.9	26.6 - 29.3	7,600

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	77.2	74.8 - 79.4	700	22.8	20.6 - 25.2	2,900
\$10,000-\$24,999	3,000	77.6	75.6 - 79.4	900	22.4	20.6 - 24.4	3,800
\$25,000-\$49,999	3,100	75.9	74.0 - 77.7	1,000	24.1	22.3 - 26.0	4,100
>=\$50,000	4,000	70.7	69.0 - 72.3	1,600	29.3	27.7 - 31.0	5,600

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	74.1	70.5 - 77.3	300	25.9	22.7 - 29.5	1,300
Normal birth weight	12,200	74.9	73.9 - 75.8	4,100	25.1	24.2 - 26.1	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	81.0	77.8 - 83.9	300	19.0	16.1 - 22.2	1,500
No	11,700	74.2	73.3 - 75.2	4,100	25.8	24.8 - 26.7	15,800

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	79.1	77.0 - 81.0	700	20.9	19.0 - 23.0	3,500
No	10,100	73.7	72.6 - 74.7	3,600	26.3	25.3 - 27.4	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	77.9	76.5 - 79.3	1,700	22.1	20.7 - 23.5	7,600
No	7,200	72.6	71.3 - 73.8	2,700	27.4	26.2 - 28.7	9,900

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,300	76.7	75.7 - 77.6	4,000	23.3	22.4 - 24.3	17,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	77.4	74.8 - 79.8	500	22.6	20.2 - 25.2	2,100
Honolulu	9,500	75.8	74.6 - 76.9	3,000	24.2	23.1 - 25.4	12,500
Kauai	700	84.1	80.4 - 87.3	100	15.9	12.7 - 19.6	900
Maui	1,400	78.6	75.9 - 81.1	400	21.4	18.9 - 24.1	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	79.1	77.1 - 80.9	800	20.9	19.1 - 22.9	3,900
Native Hawaiian	3,700	77.8	76.0 - 79.5	1,100	22.2	20.5 - 24.0	4,800
Chinese	500	73.3	69.8 - 76.5	200	26.7	23.5 - 30.2	600
Filipino	2,500	76.5	74.4 - 78.5	800	23.5	21.5 - 25.6	3,300
Japanese	1,400	65.6	62.5 - 68.6	700	34.4	31.4 - 37.5	2,100
Other	2,100	81.2	78.8 - 83.3	500	18.8	16.7 - 21.2	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	82.5	79.3 - 85.2	300	17.5	14.8 - 20.7	1,500
20-24	3,500	81.0	79.2 - 82.7	800	19.0	17.3 - 20.8	4,300
25-34	6,500	75.6	74.3 - 76.9	2,100	24.4	23.1 - 25.7	8,500
35+	2,200	70.7	68.4 - 72.9	900	29.3	27.1 - 31.6	3,000

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,000	77.1	75.9 - 78.4	2,100	22.9	21.6 - 24.1	9,100
Female	6,300	76.2	74.8 - 77.5	2,000	23.8	22.5 - 25.2	8,300

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,500	75.3	74.1 - 76.4	2,800	24.7	23.6 - 25.9	11,300
No	4,800	79.3	77.8 - 80.8	1,200	20.7	19.2 - 22.2	6,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	79.1	77.6 - 80.5	1,400	20.9	19.5 - 22.4	6,500
131-185%	1,700	76.7	73.9 - 79.2	500	23.3	20.8 - 26.1	2,200
186+%	5,300	74.0	72.5 - 75.4	1,900	26.0	24.6 - 27.5	7,200

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	76.4	72.9 - 79.6	300	23.6	20.4 - 27.1	1,300
Normal birth weight	12,300	76.7	75.7 - 77.6	3,700	23.3	22.4 - 24.3	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	79.5	76.2 - 82.5	300	20.5	17.5 - 23.8	1,500
No	11,900	76.4	75.4 - 77.4	3,700	23.6	22.6 - 24.6	15,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	79.2	77.1 - 81.2	700	20.8	18.8 - 22.9	3,500
No	10,300	76.0	74.9 - 77.0	3,200	24.0	23.0 - 25.1	13,500

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	79.6	78.2 - 80.9	1,500	20.4	19.1 - 21.8	7,500
No	7,300	74.5	73.2 - 75.7	2,500	25.5	24.3 - 26.8	9,700

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,300	77.9	76.9 - 78.8	3,800	22.1	21.2 - 23.1	17,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	78.6	76.2 - 80.9	400	21.4	19.1 - 23.8	2,000
Honolulu	9,600	76.8	75.6 - 77.9	2,900	23.2	22.1 - 24.4	12,500
Kauai	700	87.3	84.0 - 90.0	100	12.7	10.0 - 16.0	800
Maui	1,400	80.8	78.3 - 83.1	300	19.2	16.9 - 21.7	1,800

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	78.8	76.7 - 80.8	800	21.2	19.2 - 23.3	3,800
Native Hawaiian	3,800	79.5	77.9 - 81.1	1,000	20.5	18.9 - 22.1	4,700
Chinese	500	73.6	68.7 - 78.0	200	26.4	22.0 - 31.3	600
Filipino	2,600	78.4	76.2 - 80.4	700	21.6	19.6 - 23.8	3,300
Japanese	1,500	68.6	65.4 - 71.6	700	31.4	28.4 - 34.6	2,200
Other	2,000	82.1	79.6 - 84.4	400	17.9	15.6 - 20.4	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	83.8	80.8 - 86.4	200	16.2	13.6 - 19.2	1,500
20-24	3,400	81.3	79.4 - 83.0	800	18.7	17.0 - 20.6	4,200
25-34	6,500	77.1	75.8 - 78.5	1,900	22.9	21.5 - 24.2	8,400
35+	2,200	72.4	70.0 - 74.7	800	27.6	25.3 - 30.0	3,000

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,000	78.5	77.2 - 79.8	1,900	21.5	20.2 - 22.8	8,900
Female	6,400	77.2	75.8 - 78.6	1,900	22.8	21.4 - 24.2	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,700	76.4	75.2 - 77.6	2,700	23.6	22.4 - 24.8	11,300
No	4,600	80.9	79.3 - 82.3	1,100	19.1	17.7 - 20.7	5,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	80.1	78.6 - 81.5	1,300	19.9	18.5 - 21.4	6,500
131-185%	1,900	78.7	76.0 - 81.2	500	21.3	18.8 - 24.0	2,400
186+%	5,100	75.1	73.5 - 76.6	1,700	24.9	23.4 - 26.5	6,800

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	75.9	71.9 - 79.4	300	24.1	20.6 - 28.1	1,200
Normal birth weight	12,400	78.1	77.1 - 79.0	3,500	21.9	21.0 - 22.9	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	79.3	75.9 - 82.4	300	20.7	17.6 - 24.1	1,400
No	12,000	77.8	76.7 - 78.7	3,400	22.2	21.3 - 23.3	15,400

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	79.2	77.0 - 81.2	700	20.8	18.8 - 23.0	3,400
No	10,300	77.5	76.4 - 78.5	3,000	22.5	21.5 - 23.6	13,300

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	80.7	79.3 - 82.0	1,400	19.3	18.0 - 20.7	7,400
No	7,300	75.8	74.5 - 77.1	2,300	24.2	22.9 - 25.5	9,600

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,400	79.5	78.6 - 80.4	3,400	20.5	19.6 - 21.4	16,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	79.6	77.4 - 81.6	400	20.4	18.4 - 22.6	2,000
Honolulu	9,700	78.6	77.4 - 79.7	2,600	21.4	20.3 - 22.6	12,300
Kauai	700	87.3	84.4 - 89.7	100	12.7	10.3 - 15.6	800
Maui	1,400	82.9	80.7 - 84.9	300	17.1	15.1 - 19.3	1,700

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	79.8	77.7 - 81.7	700	20.2	18.3 - 22.3	3,700
Native Hawaiian	3,800	81.3	79.9 - 82.7	900	18.7	17.3 - 20.1	4,600
Chinese	500	77.5	72.4 - 81.9	100	22.5	18.1 - 27.6	700
Filipino	2,700	81.0	78.9 - 83.0	600	19.0	17.0 - 21.1	3,400
Japanese	1,500	69.9	66.7 - 72.9	700	30.1	27.1 - 33.3	2,200
Other	1,900	83.0	80.4 - 85.2	400	17.0	14.8 - 19.6	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	85.8	83.1 - 88.0	200	14.2	12.0 - 16.9	1,500
20-24	3,400	82.4	80.6 - 84.0	700	17.6	16.0 - 19.4	4,200
25-34	6,600	79.1	77.7 - 80.3	1,700	20.9	19.7 - 22.3	8,300
35+	2,100	73.6	71.1 - 75.9	800	26.4	24.1 - 28.9	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,000	80.4	79.1 - 81.6	1,700	19.6	18.4 - 20.9	8,700
Female	6,400	78.6	77.3 - 80.0	1,700	21.4	20.0 - 22.7	8,100

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,800	78.0	76.8 - 79.1	2,500	22.0	20.9 - 23.2	11,300
No	4,600	82.7	81.2 - 84.0	1,000	17.3	16.0 - 18.8	5,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,300	81.5	80.1 - 82.8	1,200	18.5	17.2 - 19.9	6,500
131-185%	2,100	80.2	77.7 - 82.4	500	19.8	17.6 - 22.3	2,600
186+%	4,800	76.7	75.1 - 78.3	1,500	23.3	21.7 - 24.9	6,300

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	78.4	74.4 - 81.9	200	21.6	18.1 - 25.6	1,100
Normal birth weight	12,500	79.7	78.7 - 80.6	3,200	20.3	19.4 - 21.3	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	80.2	77.0 - 83.1	300	19.8	16.9 - 23.0	1,400
No	12,000	79.5	78.5 - 80.5	3,100	20.5	19.5 - 21.5	15,100

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	80.5	78.4 - 82.4	700	19.5	17.6 - 21.6	3,400
No	10,300	79.2	78.2 - 80.3	2,700	20.8	19.7 - 21.8	13,000

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	82.0	80.7 - 83.3	1,300	18.0	16.7 - 19.3	7,200
No	7,300	77.7	76.5 - 79.0	2,100	22.3	21.0 - 23.5	9,400

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,700	81.5	80.6 - 82.4	3,100	18.5	17.6 - 19.4	16,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	80.9	79.0 - 82.7	400	19.1	17.3 - 21.0	1,900
Honolulu	10,000	80.9	79.7 - 81.9	2,400	19.1	18.1 - 20.3	12,400
Kauai	700	86.8	84.1 - 89.1	100	13.2	10.9 - 15.9	800
Maui	1,500	84.6	82.7 - 86.3	300	15.4	13.7 - 17.3	1,700

PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	81.2	79.2 - 83.1	700	18.8	16.9 - 20.8	3,700
Native Hawaiian	3,800	83.1	81.9 - 84.2	800	16.9	15.8 - 18.1	4,600
Chinese	500	79.6	74.2 - 84.1	100	20.4	15.9 - 25.8	700
Filipino	2,800	83.1	81.0 - 85.0	600	16.9	15.0 - 19.0	3,400
Japanese	1,500	72.4	69.2 - 75.5	600	27.6	24.5 - 30.8	2,100
Other	1,900	85.7	83.1 - 87.9	300	14.3	12.1 - 16.9	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	86.2	83.8 - 88.3	200	13.8	11.7 - 16.2	1,500
20-24	3,500	83.6	81.8 - 85.1	700	16.4	14.9 - 18.2	4,100
25-34	6,700	81.6	80.3 - 82.9	1,500	18.4	17.1 - 19.7	8,200
35+	2,200	75.8	73.4 - 78.1	700	24.2	21.9 - 26.6	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,200	82.3	81.1 - 83.4	1,600	17.7	16.6 - 18.9	8,700
Female	6,500	80.7	79.4 - 82.0	1,600	19.3	18.0 - 20.6	8,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,200	80.3	79.1 - 81.3	2,300	19.7	18.7 - 20.9	11,400
No	4,500	84.3	82.9 - 85.6	800	15.7	14.4 - 17.1	5,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,600	83.9	82.6 - 85.1	1,100	16.1	14.9 - 17.4	6,700
131-185%	2,200	80.7	78.3 - 82.9	500	19.3	17.1 - 21.7	2,700
186+%	4,700	79.3	77.7 - 80.8	1,200	20.7	19.2 - 22.3	6,000

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	81.3	77.4 - 84.6	200	18.7	15.4 - 22.6	1,100
Normal birth weight	12,800	81.6	80.6 - 82.4	2,900	18.4	17.6 - 19.4	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	82.1	79.0 - 84.8	300	17.9	15.2 - 21.0	1,400
No	12,300	81.6	80.6 - 82.5	2,800	18.4	17.5 - 19.4	15,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	82.5	80.5 - 84.3	600	17.5	15.7 - 19.5	3,300
No	10,600	81.3	80.3 - 82.3	2,400	18.7	17.7 - 19.7	13,000

**PRAMS Health Indicator 5-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	83.7	82.4 - 84.9	1,200	16.3	15.1 - 17.6	7,200
No	7,500	80.1	78.8 - 81.2	1,900	19.9	18.8 - 21.2	9,400