

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- for the State of Hawaii, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
HIV test during pregnancy	At any time during your pregnancy or delivery, did you have a test for HIV?

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/23/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- for the State of Hawaii, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	
2004-2008	10,900	68.9	67.8 - 69.9	4,900	31.1	30.1 - 32.2	15,900
2005-2009	11,000	69.2	68.0 - 70.3	4,900	30.8	29.7 - 32.0	16,000
2006-2010	11,200	69.7	68.5 - 70.9	4,900	30.3	29.1 - 31.5	16,100
2007-2011	11,300	69.7	68.4 - 70.9	4,900	30.3	29.1 - 31.6	16,200
2008-2012	11,000	69.7	68.3 - 71.0	4,800	30.3	29.0 - 31.7	15,800
2009-2013	10,700	69.2	67.8 - 70.7	4,700	30.8	29.3 - 32.2	15,400



**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,700	69.2	67.8 - 70.7	4,700	30.8	29.3 - 32.2	15,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	70.0	67.6 - 72.3	600	30.0	27.7 - 32.4	2,000
Honolulu	7,700	69.2	67.2 - 71.1	3,400	30.8	28.9 - 32.8	11,100
Kauai	400	65.2	62.3 - 67.9	200	34.8	32.1 - 37.7	700
Maui	1,200	70.4	68.2 - 72.5	500	29.6	27.5 - 31.8	1,700

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,800	73.7	70.9 - 76.4	1,000	26.3	23.6 - 29.1	3,800
Native Hawaiian	3,300	70.6	67.9 - 73.1	1,400	29.4	26.9 - 32.1	4,600
Chinese	400	59.1	51.2 - 66.6	300	40.9	33.4 - 48.8	700
Filipino	1,600	61.3	57.6 - 65.0	1,000	38.7	35.0 - 42.4	2,600
Japanese	900	61.0	55.7 - 66.1	600	39.0	33.9 - 44.3	1,400
Other	1,700	76.4	72.6 - 79.8	500	23.6	20.2 - 27.4	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	78.6	73.3 - 83.0	200	21.4	17.0 - 26.7	1,000
20-24	2,600	75.6	72.6 - 78.4	800	24.4	21.6 - 27.4	3,400
25-34	5,600	67.8	65.7 - 69.8	2,700	32.2	30.2 - 34.3	8,200
35+	1,700	62.3	58.6 - 65.8	1,000	37.7	34.2 - 41.4	2,800

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,400	69.0	66.9 - 71.1	2,400	31.0	28.9 - 33.1	7,800
Female	5,300	69.5	67.3 - 71.5	2,300	30.5	28.5 - 32.7	7,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,300	66.2	64.3 - 68.1	3,200	33.8	31.9 - 35.7	9,500
No	4,400	74.1	71.9 - 76.3	1,500	25.9	23.7 - 28.1	5,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,000	73.4	71.0 - 75.7	1,400	26.6	24.3 - 29.0	5,400
131-185%	1,700	70.2	66.3 - 73.8	700	29.8	26.2 - 33.7	2,400
186+%	4,200	65.3	62.9 - 67.6	2,200	34.7	32.4 - 37.1	6,400

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	68.9	66.5 - 71.3	300	31.1	28.7 - 33.5	1,100
Normal birth weight	9,900	69.3	67.7 - 70.9	4,400	30.7	29.1 - 32.3	14,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	70.9	65.0 - 76.1	300	29.1	23.9 - 35.0	1,000
No	9,900	69.4	67.8 - 70.9	4,400	30.6	29.1 - 32.2	14,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	73.5	70.3 - 76.6	800	26.5	23.4 - 29.7	3,000
No	8,400	68.5	66.8 - 70.1	3,900	31.5	29.9 - 33.2	12,300

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,900	73.1	71.0 - 75.2	1,800	26.9	24.8 - 29.0	6,700
No	5,800	66.3	64.3 - 68.3	2,900	33.7	31.7 - 35.7	8,700

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,000	69.7	68.3 - 71.0	4,800	30.3	29.0 - 31.7	15,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	70.5	68.0 - 72.9	600	29.5	27.1 - 32.0	2,000
Honolulu	7,900	69.5	67.7 - 71.2	3,500	30.5	28.8 - 32.3	11,300
Kauai	500	65.4	61.8 - 68.7	200	34.6	31.3 - 38.2	700
Maui	1,200	71.8	69.4 - 74.0	500	28.2	26.0 - 30.6	1,700

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	74.9	72.3 - 77.3	1,000	25.1	22.7 - 27.7	3,800
Native Hawaiian	3,300	71.3	68.8 - 73.7	1,300	28.7	26.3 - 31.2	4,600
Chinese	400	58.4	51.0 - 65.4	300	41.6	34.6 - 49.0	700
Filipino	1,700	61.8	58.4 - 65.2	1,000	38.2	34.8 - 41.6	2,800
Japanese	900	62.3	57.5 - 66.8	600	37.7	33.2 - 42.5	1,500
Other	1,800	75.1	71.6 - 78.3	600	24.9	21.7 - 28.4	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	75.8	71.0 - 80.1	300	24.2	19.9 - 29.0	1,100
20-24	2,600	75.2	72.4 - 77.9	900	24.8	22.1 - 27.6	3,500
25-34	5,700	68.7	66.8 - 70.5	2,600	31.3	29.5 - 33.2	8,400
35+	1,800	63.4	60.0 - 66.6	1,000	36.6	33.4 - 40.0	2,800

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,600	69.3	67.4 - 71.2	2,500	30.7	28.8 - 32.6	8,100
Female	5,400	70.1	68.1 - 72.0	2,300	29.9	28.0 - 31.9	7,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,600	67.2	65.5 - 69.0	3,200	32.8	31.0 - 34.5	9,800
No	4,400	73.7	71.5 - 75.7	1,600	26.3	24.3 - 28.5	6,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,000	72.0	69.7 - 74.1	1,500	28.0	25.9 - 30.3	5,500
131-185%	1,700	71.4	67.8 - 74.8	700	28.6	25.2 - 32.2	2,400
186+%	4,500	67.3	65.1 - 69.4	2,200	32.7	30.6 - 34.9	6,700

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	69.9	67.1 - 72.6	300	30.1	27.4 - 32.9	1,100
Normal birth weight	10,200	69.7	68.3 - 71.1	4,400	30.3	28.9 - 31.7	14,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	70.9	65.7 - 75.7	300	29.1	24.3 - 34.3	1,100
No	10,100	69.7	68.3 - 71.1	4,400	30.3	28.9 - 31.7	14,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	73.1	70.1 - 76.0	800	26.9	24.0 - 29.9	3,100
No	8,600	69.0	67.5 - 70.5	3,900	31.0	29.5 - 32.5	12,500

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,900	73.1	71.1 - 75.0	1,800	26.9	25.0 - 28.9	6,700
No	6,000	67.3	65.4 - 69.1	2,900	32.7	30.9 - 34.6	9,000

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,300	69.7	68.4 - 70.9	4,900	30.3	29.1 - 31.6	16,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	70.6	68.0 - 73.1	600	29.4	26.9 - 32.0	2,100
Honolulu	8,000	69.4	67.8 - 71.1	3,500	30.6	28.9 - 32.2	11,500
Kauai	500	67.2	63.4 - 70.9	300	32.8	29.1 - 36.6	800
Maui	1,300	71.4	68.8 - 73.9	500	28.6	26.1 - 31.2	1,800

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	76.1	73.7 - 78.3	900	23.9	21.7 - 26.3	3,900
Native Hawaiian	3,300	70.2	67.8 - 72.5	1,400	29.8	27.5 - 32.2	4,700
Chinese	400	57.8	50.8 - 64.4	300	42.2	35.6 - 49.2	600
Filipino	1,800	61.6	58.5 - 64.7	1,100	38.4	35.3 - 41.5	2,800
Japanese	1,000	63.3	59.0 - 67.4	600	36.7	32.6 - 41.0	1,600
Other	1,800	75.3	72.1 - 78.2	600	24.7	21.8 - 27.9	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	71.5	66.9 - 75.7	400	28.5	24.3 - 33.1	1,300
20-24	2,800	75.1	72.5 - 77.5	900	24.9	22.5 - 27.5	3,700
25-34	5,800	68.9	67.1 - 70.7	2,600	31.1	29.3 - 32.9	8,400
35+	1,800	64.1	60.9 - 67.1	1,000	35.9	32.9 - 39.1	2,800

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,800	69.3	67.5 - 71.0	2,600	30.7	29.0 - 32.5	8,400
Female	5,500	70.1	68.3 - 71.9	2,300	29.9	28.1 - 31.7	7,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	68.0	66.4 - 69.6	3,200	32.0	30.4 - 33.6	10,100
No	4,400	72.4	70.3 - 74.4	1,700	27.6	25.6 - 29.7	6,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,000	70.3	68.1 - 72.3	1,700	29.7	27.7 - 31.9	5,700
131-185%	1,800	72.2	68.9 - 75.3	700	27.8	24.7 - 31.1	2,500
186+%	4,700	68.3	66.3 - 70.2	2,200	31.7	29.8 - 33.7	6,900

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,000	72.0	69.0 - 74.9	800	28.0	25.1 - 31.0	2,800
\$10,000-\$24,999	2,300	72.0	69.2 - 74.7	900	28.0	25.3 - 30.8	3,100
\$25,000-\$49,999	2,700	70.7	68.1 - 73.3	1,100	29.3	26.7 - 31.9	3,800
>=\$50,000	3,600	66.4	64.1 - 68.6	1,800	33.6	31.4 - 35.9	5,500

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	69.6	66.5 - 72.5	400	30.4	27.5 - 33.5	1,200
Normal birth weight	10,400	69.8	68.4 - 71.1	4,500	30.2	28.9 - 31.6	15,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	71.1	66.4 - 75.4	400	28.9	24.6 - 33.6	1,300
No	10,300	69.6	68.2 - 70.9	4,500	30.4	29.1 - 31.8	14,700

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	73.0	70.2 - 75.7	900	27.0	24.3 - 29.8	3,300
No	8,700	68.8	67.4 - 70.2	4,000	31.2	29.8 - 32.6	12,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,900	71.9	70.0 - 73.7	1,900	28.1	26.3 - 30.0	6,900
No	6,300	68.2	66.5 - 69.9	2,900	31.8	30.1 - 33.5	9,300

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,200	69.7	68.5 - 70.9	4,900	30.3	29.1 - 31.5	16,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	70.8	68.0 - 73.4	600	29.2	26.6 - 32.0	2,000
Honolulu	8,000	69.3	67.8 - 70.8	3,500	30.7	29.2 - 32.2	11,500
Kauai	500	68.4	64.1 - 72.4	200	31.6	27.6 - 35.9	800
Maui	1,300	71.7	68.9 - 74.4	500	28.3	25.6 - 31.1	1,800

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	77.7	75.5 - 79.8	900	22.3	20.2 - 24.5	3,900
Native Hawaiian	3,300	69.8	67.5 - 72.1	1,400	30.2	27.9 - 32.5	4,700
Chinese	300	56.7	50.6 - 62.7	300	43.3	37.3 - 49.4	600
Filipino	1,700	60.1	57.1 - 63.0	1,100	39.9	37.0 - 42.9	2,900
Japanese	1,100	64.8	61.0 - 68.5	600	35.2	31.5 - 39.0	1,700
Other	1,800	74.5	71.5 - 77.2	600	25.5	22.8 - 28.5	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	69.6	65.2 - 73.6	400	30.4	26.4 - 34.8	1,300
20-24	2,700	73.7	71.2 - 76.0	1,000	26.3	24.0 - 28.8	3,700
25-34	5,700	69.3	67.7 - 71.0	2,500	30.7	29.0 - 32.3	8,200
35+	1,900	65.7	62.8 - 68.5	1,000	34.3	31.5 - 37.2	2,900

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,700	68.2	66.5 - 69.9	2,600	31.8	30.1 - 33.5	8,300
Female	5,600	71.3	69.6 - 73.0	2,200	28.7	27.0 - 30.4	7,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,900	68.6	67.1 - 70.1	3,200	31.4	29.9 - 32.9	10,000
No	4,400	71.6	69.6 - 73.5	1,700	28.4	26.5 - 30.4	6,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,000	69.4	67.3 - 71.4	1,700	30.6	28.6 - 32.7	5,700
131-185%	1,700	71.9	68.7 - 74.8	700	28.1	25.2 - 31.3	2,400
186+%	4,800	69.3	67.5 - 71.1	2,100	30.7	28.9 - 32.5	6,900

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,900	70.0	67.0 - 72.9	800	30.0	27.1 - 33.0	2,700
\$10,000-\$24,999	2,400	72.3	69.7 - 74.8	900	27.7	25.2 - 30.3	3,300
\$25,000-\$49,999	2,600	69.5	66.9 - 71.9	1,100	30.5	28.1 - 33.1	3,700
>=\$50,000	3,700	68.3	66.2 - 70.3	1,700	31.7	29.7 - 33.8	5,400

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	69.4	66.0 - 72.6	400	30.6	27.4 - 34.0	1,200
Normal birth weight	10,400	69.8	68.5 - 71.0	4,500	30.2	29.0 - 31.5	14,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	71.8	67.5 - 75.8	400	28.2	24.2 - 32.5	1,400
No	10,100	69.5	68.3 - 70.8	4,400	30.5	29.2 - 31.7	14,500

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	73.1	70.4 - 75.6	900	26.9	24.4 - 29.6	3,300
No	8,700	68.9	67.5 - 70.2	3,900	31.1	29.8 - 32.5	12,600

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,800	70.7	68.8 - 72.5	2,000	29.3	27.5 - 31.2	6,700
No	6,400	69.1	67.5 - 70.7	2,900	30.9	29.3 - 32.5	9,300

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,000	69.2	68.0 - 70.3	4,900	30.8	29.7 - 32.0	16,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	70.1	67.1 - 72.9	600	29.9	27.1 - 32.9	2,000
Honolulu	7,800	68.6	67.2 - 70.0	3,600	31.4	30.0 - 32.8	11,400
Kauai	500	69.3	64.6 - 73.6	200	30.7	26.4 - 35.4	800
Maui	1,300	71.7	68.7 - 74.6	500	28.3	25.4 - 31.3	1,800

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	76.6	74.4 - 78.6	900	23.4	21.4 - 25.6	3,800
Native Hawaiian	3,200	70.0	67.8 - 72.2	1,400	30.0	27.8 - 32.2	4,600
Chinese	300	57.7	52.5 - 62.6	200	42.3	37.4 - 47.5	600
Filipino	1,800	62.3	59.6 - 64.9	1,100	37.7	35.1 - 40.4	2,800
Japanese	1,100	62.4	58.9 - 65.8	700	37.6	34.2 - 41.1	1,800
Other	1,800	71.6	68.7 - 74.4	700	28.4	25.6 - 31.3	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	66.7	62.5 - 70.6	500	33.3	29.4 - 37.5	1,400
20-24	2,800	73.9	71.6 - 76.1	1,000	26.1	23.9 - 28.4	3,700
25-34	5,500	68.7	67.1 - 70.3	2,500	31.3	29.7 - 32.9	8,000
35+	1,800	65.3	62.7 - 67.9	1,000	34.7	32.1 - 37.3	2,800

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,600	67.7	66.1 - 69.3	2,700	32.3	30.7 - 33.9	8,200
Female	5,500	70.7	69.1 - 72.3	2,300	29.3	27.7 - 30.9	7,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	68.1	66.7 - 69.5	3,200	31.9	30.5 - 33.3	10,000
No	4,300	70.9	69.0 - 72.7	1,700	29.1	27.3 - 31.0	6,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	67.8	65.8 - 69.7	1,800	32.2	30.3 - 34.2	5,700
131-185%	1,500	71.2	68.1 - 74.2	600	28.8	25.8 - 31.9	2,100
186+%	4,800	69.4	67.7 - 71.0	2,100	30.6	29.0 - 32.3	6,900

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,800	67.2	64.2 - 70.0	900	32.8	30.0 - 35.8	2,700
\$10,000-\$24,999	2,400	70.6	68.1 - 72.9	1,000	29.4	27.1 - 31.9	3,300
\$25,000-\$49,999	2,500	69.4	67.0 - 71.7	1,100	30.6	28.3 - 33.0	3,600
>=\$50,000	3,600	68.7	66.8 - 70.6	1,600	31.3	29.4 - 33.2	5,300

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	69.0	65.2 - 72.4	400	31.0	27.6 - 34.8	1,200
Normal birth weight	10,200	69.2	68.0 - 70.3	4,500	30.8	29.7 - 32.0	14,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	71.0	66.9 - 74.8	400	29.0	25.2 - 33.1	1,400
No	9,900	69.0	67.8 - 70.2	4,400	31.0	29.8 - 32.2	14,300

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	73.1	70.6 - 75.5	900	26.9	24.5 - 29.4	3,300
No	8,500	68.2	66.9 - 69.4	4,000	31.8	30.6 - 33.1	12,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,600	69.7	67.9 - 71.4	2,000	30.3	28.6 - 32.1	6,600
No	6,400	68.9	67.4 - 70.3	2,900	31.1	29.7 - 32.6	9,200

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,900	68.9	67.8 - 69.9	4,900	31.1	30.1 - 32.2	15,900

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	69.0	65.9 - 72.0	600	31.0	28.0 - 34.1	2,000
Honolulu	7,800	68.4	67.2 - 69.6	3,600	31.6	30.4 - 32.8	11,400
Kauai	500	69.3	64.3 - 73.8	200	30.7	26.2 - 35.7	800
Maui	1,200	71.5	68.3 - 74.6	500	28.5	25.4 - 31.7	1,700

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,800	75.3	73.2 - 77.2	900	24.7	22.8 - 26.8	3,700
Native Hawaiian	3,100	69.4	67.2 - 71.5	1,300	30.6	28.5 - 32.8	4,400
Chinese	400	65.2	62.2 - 68.0	200	34.8	32.0 - 37.8	600
Filipino	1,800	61.5	59.1 - 63.9	1,100	38.5	36.1 - 40.9	2,900
Japanese	1,200	63.0	59.8 - 66.0	700	37.0	34.0 - 40.2	1,900
Other	1,800	72.3	69.6 - 74.8	700	27.7	25.2 - 30.4	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	63.4	59.3 - 67.4	500	36.6	32.6 - 40.7	1,300
20-24	2,800	73.6	71.5 - 75.6	1,000	26.4	24.4 - 28.5	3,800
25-34	5,500	69.0	67.6 - 70.5	2,500	31.0	29.5 - 32.4	8,000
35+	1,800	64.5	62.1 - 66.9	1,000	35.5	33.1 - 37.9	2,800

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,600	68.2	66.7 - 69.6	2,600	31.8	30.4 - 33.3	8,300
Female	5,300	69.7	68.2 - 71.1	2,300	30.3	28.9 - 31.8	7,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,000	68.0	66.7 - 69.2	3,300	32.0	30.8 - 33.3	10,300
No	3,900	70.5	68.7 - 72.3	1,600	29.5	27.7 - 31.3	5,600

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	67.5	65.7 - 69.3	1,900	32.5	30.7 - 34.3	5,800
131-185%	1,400	70.2	67.2 - 73.0	600	29.8	27.0 - 32.8	2,000
186+%	4,800	69.3	67.8 - 70.8	2,100	30.7	29.2 - 32.2	7,000

PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	65.8	63.0 - 68.5	900	34.2	31.5 - 37.0	2,600
\$10,000-\$24,999	2,400	70.2	67.9 - 72.4	1,000	29.8	27.6 - 32.1	3,400
\$25,000-\$49,999	2,600	70.0	67.8 - 72.0	1,100	30.0	28.0 - 32.2	3,700
>=\$50,000	3,500	68.4	66.7 - 70.1	1,600	31.6	29.9 - 33.3	5,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	67.7	63.7 - 71.4	400	32.3	28.6 - 36.3	1,200
Normal birth weight	10,100	69.0	67.9 - 70.0	4,600	31.0	30.0 - 32.1	14,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	71.2	67.3 - 74.7	400	28.8	25.3 - 32.7	1,400
No	9,800	68.7	67.6 - 69.8	4,500	31.3	30.2 - 32.4	14,300

**PRAMS Health Indicator 5-Year Aggregate Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	73.4	71.1 - 75.7	900	26.6	24.3 - 28.9	3,200
No	8,400	67.7	66.6 - 68.9	4,000	32.3	31.1 - 33.4	12,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,700	69.7	68.1 - 71.3	2,000	30.3	28.7 - 31.9	6,700
No	6,200	68.4	67.0 - 69.7	2,900	31.6	30.3 - 33.0	9,000