

**PRAMS Health Indicator Report - Coverage for PNC- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Coverage for PNC	Coverage for PNC

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/3/15*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - Coverage for PNC- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	9,100	54.3	52.1 - 56.5	500	2.9	2.2 - 3.8	0	0.0	-	4,100	24.3	22.6 - 26.1	3,100	18.5	16.8 - 20.3	16,700
2001	8,400	51.4	49.1 - 53.7	400	2.5	1.8 - 3.4	0	0.0	-	4,000	24.3	22.6 - 26.1	3,600	21.9	20.0 - 23.8	16,400
2002	7,500	45.3	42.6 - 48.2	300	1.8	1.3 - 2.5	2,300	13.9	11.8 - 16.2	4,200	25.0	22.9 - 27.3	2,300	14.0	12.1 - 16.0	16,600
2003	7,400	43.5	40.8 - 46.2	300	1.9	1.3 - 2.7	2,400	14.3	12.3 - 16.6	4,800	27.9	25.7 - 30.2	2,100	12.4	10.8 - 14.3	17,100
2004	6,900	40.2	38.1 - 42.3	300	2.0	1.4 - 2.7	2,500	14.5	13.2 - 16.0	4,700	27.5	25.6 - 29.6	2,700	15.8	14.3 - 17.4	17,200
2005	6,800	40.3	38.0 - 42.7	400	2.2	1.6 - 3.1	2,200	13.0	11.6 - 14.6	5,400	32.2	30.0 - 34.5	2,100	12.2	10.8 - 13.8	16,800
2006	7,100	39.5	37.2 - 41.9	300	1.9	1.3 - 2.7	2,500	14.1	12.7 - 15.7	5,400	30.2	28.0 - 32.5	2,600	14.2	12.6 - 16.0	17,900
2007	6,800	38.3	36.0 - 40.6	300	1.9	1.3 - 2.7	2,300	12.7	11.3 - 14.3	5,800	32.7	30.5 - 35.0	2,600	14.4	12.8 - 16.1	17,800
2008	7,100	38.7	36.4 - 41.0	400	1.9	1.4 - 2.7	2,300	12.6	11.3 - 14.1	6,200	33.9	31.7 - 36.2	2,400	12.8	11.4 - 14.4	18,300
2009	9,100	51.2	48.0 - 54.3	300	1.5	0.9 - 2.5	1,900	10.7	8.7 - 13.0	5,800	32.6	29.7 - 35.6	700	4.0	2.9 - 5.6	17,900
2010	8,300	45.9	42.7 - 49.1	200	1.1	0.6 - 2.2	2,600	14.1	11.8 - 16.7	6,200	34.0	31.1 - 37.0	900	5.0	3.7 - 6.7	18,200
2011	8,800	48.0	44.8 - 51.3	200	0.9	0.5 - 1.7	2,300	12.6	10.4 - 15.2	6,300	34.7	31.8 - 37.8	700	3.7	2.7 - 5.2	18,300
2012	8,300	46.0	42.7 - 49.3	100	0.7	0.3 - 1.4	2,500	14.1	11.8 - 16.7	6,700	37.4	34.3 - 40.6	300	1.9	1.1 - 3.1	18,000

**PRAMS Health Indicator Report - Coverage for PNC- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	8,300	46.0	42.7 - 49.3	100	0.7	0.3 - 1.4	2,500	14.1	11.8 - 16.7	6,700	37.4	34.3 - 40.6	300	1.9	1.1 - 3.1	18,000

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,000	42.2	37.1 - 47.6	<50	1.0	0.3 - 2.8	<50	0.7	0.2 - 2.5	1,300	55.5	50.2 - 60.7	<50	0.6	0.2 - 2.1	2,300
<b>Honolulu</b>	5,900	45.1	40.8 - 49.5	100	0.5	0.1 - 1.7	2,500	19.2	16.1 - 22.9	4,300	33.1	29.0 - 37.4	300	2.1	1.1 - 3.8	13,000
<b>Kauai</b>	400	47.9	41.5 - 54.3	<50	0.6	0.1 - 3.3	<50	2.1	0.9 - 4.9	400	48.2	41.8 - 54.6	<50	1.2	0.4 - 4.0	800
<b>Maui</b>	1,100	55.7	50.5 - 60.7	<50	1.9	0.9 - 4.0	0	0.0	-	800	40.5	35.5 - 45.6	<50	1.9	0.9 - 4.0	1,900

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Caucasian</b>	1,600	38.5	32.4 - 45.0	100	1.8	0.7 - 4.5	1,600	37.5	31.0 - 44.4	900	20.5	16.0 - 25.9	100	1.7	0.6 - 4.7	4,200
<b>Native Hawaiian</b>	2,100	40.3	34.6 - 46.3	<50	0.1	0.0 - 0.7	200	3.1	1.4 - 6.8	2,800	54.7	48.7 - 60.6	100	1.7	0.6 - 4.7	5,100
<b>Chinese</b>	600	58.7	44.0 - 72.0	0	0.0	-	100	14.1	6.2 - 28.6	200	24.6	14.4 - 38.7	<50	2.6	0.4 - 15.8	1,000
<b>Filipino</b>	2,100	63.9	56.1 - 71.0	<50	0.5	0.2 - 1.4	100	3.9	1.7 - 8.8	1,000	30.6	23.9 - 38.3	<50	1.1	0.3 - 4.5	3,200
<b>Japanese</b>	1,100	69.7	58.1 - 79.2	<50	1.7	0.2 - 10.6	<50	2.5	0.6 - 9.3	300	21.8	13.7 - 32.8	100	4.4	1.3 - 13.3	1,600
<b>Other</b>	900	30.1	23.0 - 38.4	<50	0.1	0.0 - 0.7	500	17.3	11.5 - 25.1	1,500	50.9	42.4 - 59.3	<50	1.6	0.4 - 5.9	3,000

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;20</b>	300	30.6	19.3 - 44.8	0	0.0	-	<50	3.3	0.5 - 19.4	600	62.8	48.2 - 75.3	<50	3.3	0.5 - 19.4	1,000
<b>20-24</b>	900	23.2	17.7 - 29.8	<50	0.9	0.1 - 5.7	600	16.9	11.6 - 23.8	2,100	56.6	49.2 - 63.8	100	2.4	0.9 - 6.5	3,700
<b>25-34</b>	5,000	49.3	44.9 - 53.7	100	0.8	0.4 - 1.7	1,600	15.6	12.5 - 19.4	3,300	32.5	28.5 - 36.7	200	1.9	0.9 - 3.6	10,200
<b>35+</b>	2,100	66.3	58.7 - 73.1	<50	0.5	0.1 - 1.7	300	9.3	5.5 - 15.1	700	23.2	17.4 - 30.2	<50	0.8	0.4 - 1.8	3,200

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	4,100	45.2	40.6 - 49.9	100	0.9	0.3 - 2.5	1,500	16.5	13.1 - 20.6	3,300	36.4	32.0 - 41.0	100	1.0	0.4 - 2.5	9,000
<b>Female</b>	4,200	46.8	42.2 - 51.4	<50	0.5	0.2 - 1.0	1,100	11.7	8.8 - 15.3	3,500	38.3	34.0 - 42.9	200	2.7	1.5 - 4.9	9,100

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,100	54.1	49.9 - 58.3	100	0.8	0.4 - 1.6	2,500	22.1	18.6 - 26.0	2,400	21.2	18.1 - 24.8	200	1.8	0.9 - 3.4	11,200
<b>No</b>	2,200	32.7	28.1 - 37.8	<50	0.5	0.1 - 2.8	100	1.1	0.4 - 3.5	4,400	63.7	58.5 - 68.5	100	1.9	0.8 - 4.4	6,900

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,100	16.9	13.2 - 21.4	<50	0.7	0.3 - 1.4	400	6.2	3.9 - 10.0	4,800	74.2	69.1 - 78.7	100	1.9	0.8 - 4.4	6,400
<b>131-185%</b>	1,500	48.0	39.9 - 56.2	<50	0.6	0.2 - 1.6	600	21.3	14.8 - 29.5	800	27.8	21.2 - 35.4	100	2.4	0.7 - 7.7	3,000
<b>186+%</b>	4,900	70.7	65.5 - 75.4	100	0.9	0.3 - 3.2	1,400	20.2	16.0 - 25.1	400	6.4	4.3 - 9.4	100	1.8	0.8 - 4.0	6,900

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Income (2012+)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$17,000</b>	300	8.0	5.0 - 12.7	<50	0.2	0.1 - 0.8	<50	0.9	0.2 - 4.9	3,500	88.9	83.6 - 92.6	100	2.0	0.7 - 5.5	4,000
<b>\$17,001-\$26,000</b>	700	33.0	25.0 - 42.1	<50	1.9	0.9 - 4.0	300	12.0	6.7 - 20.6	1,100	50.9	41.9 - 59.9	<50	2.2	0.6 - 7.8	2,200
<b>\$26,001-\$51,000</b>	2,100	47.5	40.9 - 54.3	<50	1.0	0.2 - 4.2	1,000	22.8	17.3 - 29.6	1,200	26.3	20.9 - 32.5	100	2.3	0.9 - 6.1	4,400
<b>&gt;=\$51,001</b>	4,300	72.5	67.0 - 77.5	<50	0.5	0.1 - 2.6	1,100	19.2	14.9 - 24.4	400	6.1	3.9 - 9.5	100	1.6	0.6 - 4.0	5,900

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	500	42.9	37.5 - 48.4	<50	0.3	0.1 - 1.7	200	17.0	13.5 - 21.3	500	37.6	32.3 - 43.2	<50	2.2	1.1 - 4.5	1,200
<b>Normal birth weight</b>	7,700	46.1	42.6 - 49.6	100	0.7	0.4 - 1.5	2,300	13.9	11.5 - 16.8	6,300	37.5	34.2 - 40.9	300	1.8	1.1 - 3.2	16,800

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	35.5	22.2 - 51.4	0	0.0	-	0	0.0	-	400	60.1	44.2 - 74.2	<50	4.4	0.6 - 24.4	700
<b>No</b>	7,800	46.6	43.2 - 50.0	100	0.8	0.4 - 1.5	2,500	15.2	12.7 - 18.0	6,000	35.7	32.5 - 39.0	300	1.8	1.1 - 3.0	16,700

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	38.6	30.9 - 46.8	<50	0.4	0.1 - 1.4	300	9.5	5.2 - 16.8	1,400	48.9	40.9 - 57.0	100	2.6	0.8 - 7.7	2,800
<b>No</b>	7,000	47.5	43.9 - 51.2	100	0.8	0.4 - 1.7	2,300	15.5	12.9 - 18.5	5,000	34.4	31.1 - 38.0	300	1.8	1.0 - 3.1	14,600

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,000	24.0	20.1 - 28.4	<50	0.4	0.2 - 0.9	700	8.7	6.1 - 12.2	5,400	65.5	60.7 - 70.0	100	1.4	0.6 - 3.1	8,200
<b>No</b>	6,300	64.4	59.9 - 68.7	100	0.9	0.4 - 2.3	1,800	18.6	15.1 - 22.6	1,400	13.8	11.0 - 17.2	200	2.3	1.2 - 4.2	9,800



**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	8,800	48.0	44.8 - 51.3	200	0.9	0.5 - 1.7	2,300	12.6	10.4 - 15.2	6,300	34.7	31.8 - 37.8	700	3.7	2.7 - 5.2	18,300

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,000	43.3	38.3 - 48.4	<50	1.7	0.8 - 3.5	0	0.0	-	1,300	53.3	48.1 - 58.3	<50	1.8	0.8 - 3.7	2,400
<b>Honolulu</b>	6,200	47.6	43.3 - 52.0	100	0.8	0.3 - 2.1	2,300	17.5	14.4 - 21.0	3,900	29.6	25.7 - 33.8	600	4.5	3.0 - 6.6	13,100
<b>Kauai</b>	500	52.1	45.9 - 58.3	0	0.0	-	<50	0.9	0.3 - 3.1	400	44.4	38.3 - 50.7	<50	2.5	1.0 - 6.2	900
<b>Maui</b>	1,100	54.8	50.1 - 59.3	<50	0.6	0.2 - 2.1	<50	0.5	0.2 - 1.9	800	42.5	37.9 - 47.1	<50	1.6	0.8 - 3.3	1,900

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,800	40.0	34.1 - 46.2	<50	1.1	0.3 - 3.6	1,600	34.6	28.4 - 41.3	800	17.1	13.0 - 22.3	300	7.2	4.4 - 11.6	4,500
Native Hawaiian	2,100	40.3	34.8 - 46.2	<50	0.7	0.2 - 2.7	100	1.1	0.3 - 3.8	2,900	55.6	49.8 - 61.3	100	2.2	1.1 - 4.6	5,300
Chinese	500	71.8	55.0 - 84.1	<50	0.9	0.1 - 5.5	100	11.3	3.8 - 29.1	100	12.1	5.7 - 24.0	<50	4.0	0.6 - 22.6	700
Filipino	2,000	60.4	52.9 - 67.5	<50	0.9	0.2 - 4.4	200	4.6	2.2 - 9.4	1,000	30.5	24.1 - 37.8	100	3.5	1.5 - 8.2	3,300
Japanese	1,500	80.2	70.6 - 87.3	<50	1.8	0.4 - 7.4	<50	0.5	0.1 - 1.7	200	12.5	7.0 - 21.4	100	4.9	1.9 - 12.2	1,800
Other	900	32.4	24.6 - 41.3	<50	0.2	0.0 - 1.3	500	17.1	10.8 - 26.0	1,300	50.1	41.0 - 59.1	<50	0.2	0.0 - 1.1	2,700

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	29.3	19.0 - 42.4	0	0.0	-	<50	2.5	0.4 - 15.3	600	66.0	52.9 - 77.1	<50	2.1	0.8 - 5.3	1,000
20-24	1,000	22.4	17.4 - 28.4	<50	0.6	0.1 - 3.8	700	16.2	11.5 - 22.4	2,400	54.9	48.0 - 61.6	300	6.0	3.4 - 10.3	4,400
25-34	5,200	52.7	48.2 - 57.1	<50	0.5	0.2 - 1.4	1,500	14.8	11.7 - 18.6	2,800	28.5	24.8 - 32.6	300	3.5	2.1 - 5.5	9,900
35+	2,300	75.2	68.3 - 81.0	100	3.0	1.3 - 6.8	100	3.7	1.5 - 9.1	500	16.2	11.8 - 21.8	100	1.9	0.6 - 6.4	3,100

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	4,300	46.1	41.6 - 50.6	100	1.2	0.5 - 2.6	1,400	14.9	11.6 - 18.9	3,100	33.7	29.6 - 38.0	400	4.2	2.7 - 6.4	9,300
<b>Female</b>	4,500	50.0	45.4 - 54.6	100	0.6	0.2 - 1.8	900	10.3	7.6 - 13.8	3,200	35.8	31.6 - 40.3	300	3.3	1.9 - 5.6	8,900

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,800	59.1	54.9 - 63.1	100	1.0	0.5 - 2.2	2,200	19.0	15.8 - 22.8	1,800	15.9	13.2 - 18.9	600	5.0	3.5 - 7.2	11,500
<b>No</b>	2,000	29.5	25.0 - 34.3	<50	0.7	0.2 - 2.0	100	1.9	0.7 - 5.0	4,500	66.4	61.4 - 71.2	100	1.6	0.6 - 3.7	6,800

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,100	17.4	13.8 - 21.6	<50	0.6	0.2 - 2.2	500	7.5	4.8 - 11.5	4,600	71.8	66.7 - 76.4	200	2.7	1.4 - 5.3	6,400
<b>131-185%</b>	1,200	42.3	34.1 - 50.9	100	2.1	0.6 - 6.7	800	27.4	20.1 - 36.2	700	24.6	18.1 - 32.5	100	3.6	1.5 - 8.2	2,700
<b>186+%</b>	6,000	74.7	70.0 - 79.0	100	0.7	0.3 - 2.0	1,000	12.3	9.2 - 16.2	600	7.9	5.5 - 11.2	400	4.4	2.7 - 7.0	8,100

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	9.7	6.2 - 15.0	<50	0.3	0.1 - 1.1	<50	1.0	0.2 - 5.4	2,800	86.3	80.2 - 90.7	100	2.7	1.0 - 7.3	3,200
\$10,000-\$24,999	1,000	29.9	23.5 - 37.1	<50	1.1	0.3 - 4.2	500	13.7	8.8 - 20.7	1,800	52.8	45.4 - 60.1	100	2.5	1.1 - 5.8	3,400
\$25,000-\$49,999	2,300	50.2	43.6 - 56.8	<50	1.0	0.3 - 3.5	1,000	21.2	15.9 - 27.6	1,100	24.3	19.0 - 30.5	200	3.4	1.6 - 7.0	4,500
>=\$50,000	4,700	76.7	71.4 - 81.3	100	1.0	0.3 - 3.0	800	12.5	8.9 - 17.1	300	5.0	3.0 - 8.2	300	4.8	2.9 - 7.9	6,200

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	46.4	41.0 - 51.9	<50	0.6	0.2 - 2.2	100	11.0	8.2 - 14.6	500	37.9	32.6 - 43.5	100	4.0	2.4 - 6.7	1,300
Normal birth weight	8,100	48.0	44.6 - 51.5	200	0.9	0.5 - 1.8	2,200	12.8	10.4 - 15.5	5,900	34.6	31.4 - 37.9	600	3.7	2.6 - 5.3	17,000

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	25.8	15.7 - 39.4	<50	0.7	0.1 - 4.3	100	9.9	3.9 - 23.1	500	59.0	45.6 - 71.2	<50	4.6	1.4 - 14.1	900
No	8,500	49.4	46.1 - 52.8	200	0.9	0.5 - 1.8	2,200	12.8	10.5 - 15.4	5,700	33.2	30.2 - 36.4	600	3.7	2.5 - 5.2	17,200

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	33.3	26.7 - 40.7	<50	1.2	0.3 - 4.6	300	9.4	5.7 - 15.2	1,800	51.5	44.3 - 58.7	200	4.6	2.3 - 8.9	3,500
<b>No</b>	7,600	51.8	48.1 - 55.4	100	0.8	0.4 - 1.7	2,000	13.4	10.9 - 16.4	4,500	30.5	27.3 - 33.9	500	3.5	2.3 - 5.2	14,600

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,800	21.9	18.3 - 25.9	<50	0.4	0.1 - 1.7	1,000	12.0	8.9 - 16.0	5,200	63.5	58.7 - 68.0	200	2.3	1.1 - 4.4	8,100
<b>No</b>	6,900	69.6	65.2 - 73.6	100	1.3	0.6 - 2.6	1,300	13.1	10.2 - 16.7	1,100	11.1	8.6 - 14.2	500	4.9	3.3 - 7.3	10,000

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	8,300	45.9	42.7 - 49.1	200	1.1	0.6 - 2.2	2,600	14.1	11.8 - 16.7	6,200	34.0	31.1 - 37.0	900	5.0	3.7 - 6.7	18,200

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	900	40.4	35.5 - 45.5	0	0.0	-	<50	0.9	0.3 - 2.5	1,300	56.6	51.5 - 61.6	<50	2.1	1.0 - 4.2	2,300
<b>Honolulu</b>	5,900	44.8	40.6 - 49.1	200	1.3	0.6 - 2.9	2,500	19.1	16.0 - 22.7	3,800	28.7	24.9 - 32.8	800	6.0	4.3 - 8.5	13,200
<b>Kauai</b>	400	54.1	48.3 - 59.9	<50	0.5	0.1 - 2.6	<50	1.4	0.5 - 3.7	300	42.7	37.0 - 48.6	<50	1.2	0.5 - 3.3	800
<b>Maui</b>	1,100	56.2	51.3 - 60.9	<50	1.2	0.5 - 3.0	<50	0.6	0.2 - 2.1	800	39.3	34.7 - 44.2	100	2.7	1.5 - 4.8	1,900

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,400	31.7	26.3 - 37.6	<50	1.0	0.3 - 3.2	1,900	42.7	36.3 - 49.3	800	17.5	13.7 - 22.0	300	7.1	4.2 - 11.7	4,500
Native Hawaiian	2,200	40.8	35.3 - 46.4	<50	0.5	0.1 - 3.1	100	2.2	0.9 - 5.1	2,900	53.1	47.4 - 58.7	200	3.5	1.9 - 6.6	5,400
Chinese	500	70.3	52.7 - 83.4	0	0.0	-	100	10.6	3.7 - 26.6	100	15.8	6.6 - 33.1	<50	3.4	0.5 - 19.7	800
Filipino	1,900	59.6	51.9 - 66.8	<50	0.2	0.1 - 0.8	200	5.0	2.4 - 10.1	1,100	32.7	25.9 - 40.3	100	2.5	1.0 - 6.3	3,200
Japanese	1,300	79.2	69.4 - 86.5	<50	1.9	0.4 - 8.8	0	0.0	-	200	13.6	8.1 - 22.0	100	5.2	1.9 - 13.6	1,700
Other	900	35.7	27.7 - 44.7	100	3.5	1.1 - 10.3	300	11.0	6.3 - 18.4	1,100	42.2	33.6 - 51.3	200	7.6	3.8 - 14.8	2,600

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	19.5	11.6 - 30.7	0	0.0	-	200	14.2	6.4 - 28.5	700	64.2	51.3 - 75.4	<50	2.1	0.9 - 4.9	1,100
20-24	1,100	25.4	20.1 - 31.5	100	2.2	0.8 - 6.3	700	15.8	11.2 - 21.8	2,300	51.8	45.1 - 58.4	200	4.8	2.5 - 9.1	4,400
25-34	4,700	49.5	45.1 - 54.0	100	1.1	0.5 - 2.5	1,400	15.2	12.0 - 19.0	2,700	28.7	24.9 - 32.8	500	5.5	3.6 - 8.2	9,400
35+	2,400	71.1	63.8 - 77.5	<50	0.2	0.0 - 1.0	300	8.7	5.1 - 14.4	500	15.4	10.8 - 21.5	200	4.7	2.2 - 9.4	3,300

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	4,100	44.7	40.3 - 49.1	200	1.9	0.9 - 3.9	1,000	11.0	8.2 - 14.5	3,300	36.4	32.3 - 40.7	600	6.1	4.1 - 9.0	9,200
<b>Female</b>	4,300	47.1	42.5 - 51.7	<50	0.4	0.1 - 1.6	1,600	17.2	13.7 - 21.3	2,900	31.5	27.4 - 35.8	300	3.9	2.4 - 6.2	9,000

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,200	53.4	49.3 - 57.5	200	1.4	0.7 - 3.1	2,500	21.9	18.4 - 25.7	1,900	16.8	14.0 - 20.0	700	6.5	4.6 - 9.1	11,500
<b>No</b>	2,200	32.8	28.2 - 37.8	<50	0.6	0.2 - 2.1	<50	0.7	0.2 - 2.2	4,200	63.5	58.5 - 68.3	200	2.4	1.2 - 4.7	6,700

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,400	22.2	18.0 - 27.1	100	1.6	0.6 - 3.9	400	5.7	3.5 - 9.2	4,200	67.6	62.2 - 72.5	200	3.0	1.5 - 5.7	6,300
<b>131-185%</b>	1,400	48.3	40.4 - 56.3	<50	1.7	0.4 - 7.3	600	19.8	13.8 - 27.6	800	26.8	20.3 - 34.6	100	3.4	1.3 - 8.1	3,000
<b>186+%</b>	5,100	65.4	60.4 - 70.1	100	0.7	0.2 - 2.5	1,500	19.1	15.2 - 23.8	600	7.1	5.1 - 9.8	600	7.7	5.2 - 11.1	7,800



**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	10.5	6.9 - 15.7	100	2.7	1.0 - 7.1	<50	1.3	0.3 - 5.0	2,700	82.9	76.4 - 87.9	100	2.7	0.9 - 7.5	3,300
\$10,000-\$24,999	1,200	38.0	30.8 - 45.7	<50	0.4	0.1 - 1.3	300	11.1	6.7 - 17.8	1,500	46.3	38.9 - 54.0	100	4.2	2.0 - 8.7	3,100
\$25,000-\$49,999	2,300	49.7	43.3 - 56.1	<50	1.1	0.2 - 4.8	1,000	20.9	15.8 - 27.1	1,100	24.4	19.3 - 30.3	200	3.9	2.0 - 7.5	4,600
>=\$50,000	4,200	67.2	61.6 - 72.4	100	0.9	0.3 - 3.1	1,100	17.9	13.7 - 23.0	400	6.1	4.0 - 9.4	500	7.8	5.1 - 11.8	6,200

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	46.7	41.3 - 52.0	<50	0.9	0.3 - 2.4	100	10.7	7.9 - 14.3	500	38.8	33.6 - 44.3	<50	3.0	1.6 - 5.3	1,300
Normal birth weight	7,700	45.9	42.5 - 49.3	200	1.1	0.6 - 2.3	2,400	14.4	11.9 - 17.2	5,600	33.4	30.3 - 36.7	900	5.1	3.7 - 7.0	16,900

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	27.4	18.1 - 39.3	<50	0.3	0.0 - 1.5	200	12.2	5.9 - 23.7	800	55.0	42.9 - 66.4	100	5.1	1.7 - 14.5	1,400
No	7,800	47.1	43.7 - 50.4	200	1.2	0.6 - 2.4	2,400	14.2	11.9 - 17.0	5,400	32.5	29.5 - 35.6	800	5.0	3.7 - 6.9	16,600

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	28.5	22.8 - 35.0	100	1.8	0.5 - 6.4	500	13.8	9.2 - 20.0	1,900	51.5	44.6 - 58.4	200	4.5	2.2 - 8.9	3,800
<b>No</b>	7,100	50.1	46.4 - 53.7	100	1.0	0.5 - 2.0	2,000	14.2	11.6 - 17.2	4,200	29.6	26.5 - 33.0	700	5.2	3.7 - 7.3	14,200

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,100	26.9	22.9 - 31.3	<50	0.5	0.1 - 1.8	700	8.6	6.0 - 12.2	4,700	59.6	54.8 - 64.2	400	4.4	2.7 - 7.2	7,900
<b>No</b>	6,100	61.1	56.6 - 65.4	200	1.6	0.8 - 3.5	1,800	18.4	15.0 - 22.3	1,300	13.4	10.7 - 16.7	600	5.5	3.8 - 8.1	10,100

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	9,100	51.2	48.0 - 54.3	300	1.5	0.9 - 2.5	1,900	10.7	8.7 - 13.0	5,800	32.6	29.7 - 35.6	700	4.0	2.9 - 5.6	17,900

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,200	48.9	43.9 - 54.0	<50	1.4	0.6 - 3.4	<50	0.4	0.1 - 2.2	1,200	48.4	43.3 - 53.5	<50	1.0	0.3 - 2.8	2,400
<b>Honolulu</b>	6,300	50.0	45.7 - 54.3	200	1.4	0.7 - 2.8	1,900	15.0	12.2 - 18.3	3,600	28.8	25.0 - 33.0	600	4.8	3.3 - 7.0	12,600
<b>Kauai</b>	500	57.5	51.5 - 63.4	<50	3.3	1.7 - 6.2	<50	0.9	0.3 - 2.9	300	35.6	30.0 - 41.6	<50	2.7	1.3 - 5.3	800
<b>Maui</b>	1,200	58.4	53.7 - 62.9	<50	2.1	1.1 - 3.8	<50	0.2	0.0 - 1.4	700	36.0	31.6 - 40.6	100	3.3	2.0 - 5.5	2,100

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,000	46.5	40.4 - 52.8	100	2.1	1.1 - 3.9	1,100	26.3	20.7 - 32.8	700	16.7	12.9 - 21.4	400	8.4	5.2 - 13.1	4,200
Native Hawaiian	2,700	47.0	41.6 - 52.6	<50	0.8	0.2 - 2.9	<50	0.6	0.1 - 3.2	2,900	49.2	43.7 - 54.8	100	2.3	1.1 - 5.0	5,800
Chinese	500	60.1	43.1 - 75.0	<50	0.6	0.1 - 3.7	100	10.1	3.5 - 25.6	200	25.2	13.2 - 42.6	<50	4.0	0.6 - 22.8	800
Filipino	1,900	59.0	51.4 - 66.2	100	1.8	0.5 - 6.3	200	6.2	3.3 - 11.2	900	29.7	23.3 - 37.0	100	3.3	1.4 - 7.4	3,200
Japanese	1,200	76.2	65.4 - 84.4	0	0.0	-	100	3.8	1.1 - 12.6	300	18.2	11.1 - 28.4	<50	1.8	0.3 - 9.4	1,600
Other	900	39.0	30.5 - 48.2	100	3.4	1.3 - 8.7	400	18.9	12.3 - 27.8	800	35.8	27.7 - 44.8	100	3.0	1.1 - 7.8	2,300

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	30.3	21.7 - 40.7	100	3.9	1.2 - 12.3	100	6.2	2.4 - 14.8	1,000	58.1	47.5 - 68.0	<50	1.5	0.6 - 3.5	1,800
20-24	1,600	37.7	31.5 - 44.3	100	2.7	1.2 - 5.9	400	9.4	5.9 - 14.5	1,900	44.8	38.4 - 51.4	200	5.4	2.8 - 10.0	4,200
25-34	4,900	55.1	50.6 - 59.5	<50	0.6	0.3 - 1.0	1,200	13.7	10.7 - 17.4	2,300	26.0	22.4 - 30.0	400	4.7	3.0 - 7.1	8,900
35+	2,100	70.3	62.8 - 76.9	<50	1.4	0.5 - 4.2	200	6.4	3.3 - 11.8	600	20.1	14.6 - 27.1	100	1.7	0.6 - 4.7	3,000

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	4,900	51.4	47.0 - 55.8	100	1.5	0.7 - 3.1	1,100	11.8	9.0 - 15.2	3,000	31.2	27.3 - 35.4	400	4.2	2.7 - 6.4	9,500
<b>Female</b>	4,200	50.9	46.3 - 55.4	100	1.6	0.9 - 3.0	800	9.5	6.9 - 12.9	2,900	34.2	30.1 - 38.5	300	3.9	2.3 - 6.3	8,300

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,400	60.1	56.0 - 64.1	100	1.2	0.7 - 2.1	1,800	16.9	13.9 - 20.6	1,700	16.0	13.4 - 19.1	600	5.7	3.9 - 8.1	10,600
<b>No</b>	2,800	38.1	33.4 - 43.0	100	2.0	0.9 - 4.3	100	1.6	0.7 - 3.9	4,100	56.6	51.6 - 61.5	100	1.7	0.8 - 3.4	7,300

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,300	21.2	17.2 - 25.9	100	2.1	1.0 - 4.4	400	6.8	4.3 - 10.6	4,300	68.8	63.5 - 73.6	100	1.0	0.4 - 2.7	6,200
<b>131-185%</b>	1,600	56.1	48.0 - 63.9	100	2.1	0.7 - 6.0	300	12.3	7.6 - 19.4	700	26.2	19.8 - 33.8	100	3.3	1.4 - 7.7	2,800
<b>186+%</b>	5,500	76.2	71.7 - 80.2	<50	0.6	0.3 - 1.0	900	12.0	9.0 - 16.0	300	4.3	3.0 - 6.1	500	6.9	4.7 - 10.2	7,300

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.2	8.6 - 19.7	<50	1.0	0.4 - 2.4	100	3.9	1.6 - 9.3	2,300	79.9	72.7 - 85.6	100	1.9	0.6 - 5.7	2,900
\$10,000-\$24,999	1,500	37.9	31.6 - 44.6	100	3.5	1.6 - 7.5	300	7.5	4.4 - 12.8	1,900	49.7	43.0 - 56.4	100	1.4	0.4 - 4.4	3,800
\$25,000-\$49,999	2,000	53.6	46.6 - 60.4	<50	0.9	0.2 - 3.5	500	14.3	9.7 - 20.4	900	25.0	19.5 - 31.4	200	6.2	3.5 - 11.0	3,700
>=\$50,000	4,700	78.2	73.2 - 82.5	<50	0.6	0.3 - 1.1	800	12.6	9.2 - 17.1	200	3.2	1.9 - 5.4	300	5.4	3.3 - 8.6	6,000

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	51.2	46.0 - 56.4	<50	1.2	0.5 - 2.9	100	9.6	7.0 - 12.9	500	35.5	30.6 - 40.7	<50	2.4	1.3 - 4.5	1,300
Normal birth weight	8,400	51.1	47.7 - 54.5	300	1.6	0.9 - 2.6	1,800	10.7	8.6 - 13.2	5,400	32.5	29.4 - 35.7	700	4.2	3.0 - 5.8	16,500

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	25.7	17.9 - 35.6	<50	2.4	0.5 - 10.5	100	5.6	2.1 - 14.2	1,000	62.5	51.8 - 72.1	100	3.7	1.0 - 13.3	1,700
No	8,500	53.9	50.5 - 57.2	200	1.5	0.9 - 2.5	1,700	11.0	8.9 - 13.5	4,700	29.5	26.5 - 32.6	700	4.2	3.0 - 5.8	15,800

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,300	33.2	27.3 - 39.7	100	2.0	0.8 - 5.3	400	10.4	6.6 - 16.1	1,900	50.0	43.4 - 56.7	200	4.3	2.1 - 8.5	3,900
<b>No</b>	7,700	56.3	52.6 - 59.9	200	1.5	0.8 - 2.5	1,400	10.5	8.3 - 13.2	3,800	27.7	24.5 - 31.0	600	4.1	2.8 - 5.9	13,600

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,100	28.6	24.4 - 33.2	100	1.6	0.7 - 3.6	500	6.5	4.3 - 9.8	4,400	60.6	55.7 - 65.3	200	2.7	1.4 - 5.0	7,300
<b>No</b>	6,800	67.5	63.3 - 71.4	200	1.6	0.9 - 2.8	1,400	13.5	10.6 - 17.0	1,200	12.3	9.7 - 15.4	500	5.2	3.5 - 7.6	10,100

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	7,100	38.7	36.4 - 41.0	400	1.9	1.4 - 2.7	2,300	12.6	11.3 - 14.1	6,200	33.9	31.7 - 36.2	2,400	12.8	11.4 - 14.4	18,300

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	800	31.4	25.5 - 37.9	<50	2.0	0.8 - 5.1	0	0.0	-	1,300	51.6	44.9 - 58.3	400	15.0	10.9 - 20.4	2,500
<b>Honolulu</b>	4,900	38.1	35.5 - 40.8	200	1.7	1.1 - 2.7	2,300	17.7	15.9 - 19.7	3,900	30.5	28.0 - 33.2	1,500	12.0	10.3 - 13.8	12,900
<b>Kauai</b>	500	61.5	50.5 - 71.4	<50	2.6	0.7 - 9.2	<50	2.5	0.6 - 8.9	200	28.2	19.5 - 39.0	<50	5.2	2.1 - 12.7	900
<b>Maui</b>	900	41.1	34.4 - 48.2	100	2.8	1.2 - 6.4	<50	0.6	0.1 - 3.8	800	36.7	30.1 - 43.9	400	18.7	13.8 - 24.9	2,100



**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,400	33.2	28.8 - 37.9	100	2.1	1.1 - 4.0	1,600	37.4	32.8 - 42.2	700	16.7	13.4 - 20.6	500	10.6	8.0 - 14.0	4,300
Native Hawaiian	1,700	32.5	28.1 - 37.2	100	1.5	0.7 - 3.2	100	1.5	0.7 - 3.3	2,700	52.3	47.5 - 57.1	600	12.2	9.4 - 15.7	5,200
Chinese	300	56.1	49.3 - 62.7	<50	1.2	0.4 - 3.9	<50	5.8	3.2 - 10.3	100	17.0	12.4 - 22.9	100	19.8	15.1 - 25.7	600
Filipino	1,600	48.6	43.4 - 53.9	<50	1.3	0.5 - 3.2	200	5.1	3.2 - 8.0	900	27.1	22.7 - 32.0	600	17.9	14.2 - 22.3	3,300
Japanese	1,300	65.1	58.1 - 71.4	100	2.6	1.1 - 6.0	<50	2.3	1.0 - 5.2	300	15.7	10.9 - 22.0	300	14.4	10.4 - 19.5	2,100
Other	700	23.6	18.9 - 29.0	100	3.0	1.4 - 6.2	400	12.8	9.3 - 17.4	1,400	51.7	45.5 - 57.9	200	8.9	6.2 - 12.5	2,800

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	17.9	12.0 - 26.0	<50	1.0	0.2 - 6.3	100	6.6	3.4 - 12.6	900	66.0	57.0 - 74.0	100	8.4	4.7 - 14.7	1,400
20-24	800	20.4	16.6 - 25.0	100	1.8	0.8 - 3.9	700	18.0	14.5 - 22.2	2,100	51.4	46.2 - 56.6	300	8.3	5.9 - 11.6	4,000
25-34	4,200	43.7	40.5 - 46.9	200	1.8	1.1 - 3.0	1,200	12.7	10.8 - 14.8	2,700	28.4	25.5 - 31.5	1,300	13.4	11.4 - 15.7	9,500
35+	1,800	55.1	49.8 - 60.3	100	2.8	1.5 - 4.9	300	8.6	6.1 - 11.9	500	15.0	11.4 - 19.5	600	18.6	14.8 - 23.0	3,300

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	3,700	38.1	35.0 - 41.3	200	2.3	1.5 - 3.5	1,200	12.8	10.9 - 15.0	3,200	33.2	30.2 - 36.4	1,300	13.5	11.5 - 15.8	9,600
<b>Female</b>	3,400	39.3	36.0 - 42.7	100	1.5	0.8 - 2.7	1,100	12.4	10.4 - 14.7	3,000	34.7	31.5 - 38.1	1,100	12.1	10.1 - 14.4	8,700

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,400	46.5	43.6 - 49.3	300	2.2	1.5 - 3.2	2,100	18.6	16.5 - 20.7	2,100	17.8	15.6 - 20.2	1,700	15.0	13.1 - 17.1	11,600
<b>No</b>	1,700	25.4	22.0 - 29.1	100	1.5	0.8 - 2.9	200	2.5	1.5 - 4.1	4,200	61.5	57.5 - 65.4	600	9.1	7.1 - 11.7	6,800

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,300	18.6	15.7 - 21.9	200	2.4	1.4 - 4.0	400	5.4	3.8 - 7.4	4,600	68.0	64.2 - 71.6	400	5.6	4.1 - 7.7	6,700
<b>131-185%</b>	1,000	37.9	31.9 - 44.2	<50	1.2	0.4 - 3.6	500	17.6	13.5 - 22.7	700	26.9	21.6 - 33.0	400	16.4	12.3 - 21.6	2,600
<b>186+%</b>	4,500	57.6	54.1 - 60.9	100	1.2	0.7 - 2.3	1,300	16.6	14.2 - 19.2	500	6.7	5.1 - 8.8	1,400	17.9	15.4 - 20.7	7,800

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	15.4	11.6 - 20.1	100	1.8	0.7 - 4.5	100	2.5	1.2 - 5.4	2,300	76.4	71.0 - 81.1	100	3.9	2.2 - 6.9	3,000
\$10,000-\$24,999	900	22.4	18.3 - 27.1	100	3.0	1.6 - 5.5	300	7.1	4.8 - 10.2	2,400	59.4	54.1 - 64.5	300	8.1	5.7 - 11.4	4,000
\$25,000-\$49,999	1,600	39.1	34.4 - 44.0	<50	0.8	0.3 - 2.2	900	21.6	18.0 - 25.6	1,100	25.3	21.1 - 29.9	600	13.3	10.3 - 16.9	4,200
>=\$50,000	3,800	61.4	57.6 - 65.1	100	1.4	0.7 - 2.7	900	14.0	11.5 - 16.8	200	3.4	2.2 - 5.3	1,200	19.8	16.9 - 23.1	6,200

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	42.6	33.9 - 51.8	<50	2.1	0.5 - 7.7	200	12.8	8.0 - 20.0	500	37.0	28.4 - 46.5	100	5.5	2.7 - 11.0	1,200
Normal birth weight	6,600	38.5	36.1 - 40.9	300	1.9	1.4 - 2.7	2,100	12.5	11.1 - 14.1	5,800	33.7	31.4 - 36.1	2,300	13.4	11.8 - 15.1	17,100

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	17.0	11.4 - 24.6	<50	1.7	0.5 - 5.5	200	10.7	6.6 - 16.8	1,000	66.1	57.5 - 73.8	100	4.5	2.0 - 9.6	1,500
No	6,700	40.6	38.2 - 43.1	300	2.0	1.4 - 2.9	2,100	12.7	11.2 - 14.3	5,100	31.1	28.8 - 33.4	2,200	13.6	12.1 - 15.4	16,500

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	24.3	19.7 - 29.5	<50	1.4	0.6 - 3.4	400	12.6	9.4 - 16.6	1,800	54.2	48.5 - 59.9	300	7.5	5.1 - 11.0	3,300
<b>No</b>	6,100	42.0	39.4 - 44.6	300	2.1	1.5 - 3.0	1,800	12.5	11.0 - 14.2	4,300	29.3	26.9 - 31.8	2,100	14.1	12.4 - 16.0	14,600

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	17.8	15.2 - 20.8	100	1.5	0.8 - 2.7	900	11.7	9.6 - 14.1	4,900	63.1	59.6 - 66.6	500	5.9	4.4 - 7.8	7,800
<b>No</b>	5,600	54.0	51.0 - 57.1	200	2.3	1.5 - 3.4	1,400	13.4	11.5 - 15.5	1,300	12.2	10.2 - 14.4	1,900	18.1	15.9 - 20.6	10,400

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	6,800	38.3	36.0 - 40.6	300	1.9	1.3 - 2.7	2,300	12.7	11.3 - 14.3	5,800	32.7	30.5 - 35.0	2,600	14.4	12.8 - 16.1	17,800

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	700	30.5	24.7 - 36.9	100	2.5	1.1 - 5.8	<50	0.4	0.1 - 2.7	1,200	50.2	43.4 - 57.0	400	16.4	12.0 - 22.1	2,300
<b>Honolulu</b>	4,400	35.7	33.1 - 38.5	100	1.2	0.7 - 2.0	2,200	18.2	16.3 - 20.3	3,700	29.7	27.1 - 32.4	1,900	15.2	13.3 - 17.3	12,300
<b>Kauai</b>	500	50.7	40.7 - 60.6	<50	4.3	1.4 - 12.1	<50	0.3	0.1 - 1.9	400	37.5	28.3 - 47.7	100	7.2	3.6 - 14.1	1,100
<b>Maui</b>	1,200	55.8	48.4 - 62.9	100	4.0	1.9 - 8.1	<50	0.6	0.1 - 3.9	600	28.7	22.4 - 35.9	200	10.9	7.2 - 16.4	2,100

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Caucasian</b>	1,400	34.0	29.4 - 38.9	100	1.4	0.6 - 3.1	1,500	35.7	31.1 - 40.7	700	18.1	14.5 - 22.3	400	10.8	8.1 - 14.3	4,100
<b>Native Hawaiian</b>	1,600	33.5	29.0 - 38.4	100	1.2	0.5 - 3.2	<50	0.9	0.3 - 2.7	2,400	49.6	44.6 - 54.6	700	14.7	11.5 - 18.6	4,900
<b>Chinese</b>	400	57.6	50.7 - 64.2	<50	1.1	0.3 - 3.7	<50	4.4	2.3 - 8.2	100	18.2	13.3 - 24.4	100	18.7	13.9 - 24.6	600
<b>Filipino</b>	1,700	50.0	44.9 - 55.2	100	1.7	0.8 - 3.7	200	5.0	3.2 - 7.7	900	27.4	23.0 - 32.3	500	15.9	12.5 - 20.0	3,300
<b>Japanese</b>	1,100	51.3	44.3 - 58.2	100	2.8	1.2 - 6.4	100	3.2	1.5 - 6.7	400	17.3	12.3 - 23.7	500	25.5	19.9 - 32.0	2,100
<b>Other</b>	700	25.1	20.3 - 30.7	100	3.4	1.7 - 6.8	500	17.9	13.6 - 23.1	1,300	45.5	39.3 - 51.8	200	8.1	5.5 - 11.9	2,800

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;20</b>	300	20.2	13.9 - 28.3	<50	2.2	0.6 - 7.9	100	6.5	3.3 - 12.2	900	55.5	46.4 - 64.3	300	15.7	10.1 - 23.5	1,600
<b>20-24</b>	1,000	22.6	18.8 - 27.0	100	1.6	0.7 - 3.4	800	17.9	14.4 - 21.9	2,200	49.8	44.9 - 54.7	400	8.2	5.9 - 11.3	4,400
<b>25-34</b>	3,800	43.2	40.0 - 46.5	100	1.2	0.6 - 2.1	1,200	13.1	11.1 - 15.5	2,400	27.5	24.6 - 30.7	1,300	14.9	12.7 - 17.5	8,800
<b>35+</b>	1,700	56.7	51.1 - 62.0	100	4.2	2.4 - 7.3	200	7.5	5.1 - 11.0	300	10.6	7.5 - 14.9	600	21.0	17.0 - 25.8	3,000

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	3,700	40.1	36.9 - 43.4	200	2.3	1.5 - 3.6	1,100	11.8	9.9 - 14.1	2,900	31.1	28.0 - 34.3	1,400	14.7	12.5 - 17.2	9,200
<b>Female</b>	3,100	36.4	33.2 - 39.7	100	1.4	0.8 - 2.5	1,200	13.7	11.6 - 16.1	3,000	34.5	31.3 - 37.9	1,200	14.0	11.8 - 16.5	8,600

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,100	45.8	42.9 - 48.7	200	2.1	1.4 - 3.2	2,100	19.1	16.9 - 21.4	1,700	15.4	13.3 - 17.7	2,000	17.7	15.6 - 20.0	11,200
<b>No</b>	1,700	25.7	22.3 - 29.4	100	1.5	0.7 - 3.1	100	2.1	1.2 - 3.7	4,100	61.8	57.8 - 65.7	600	8.9	6.8 - 11.5	6,700

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,300	19.7	16.7 - 23.0	200	2.4	1.3 - 4.1	400	5.9	4.3 - 8.0	4,200	63.9	59.9 - 67.7	500	8.2	6.2 - 10.8	6,600
<b>131-185%</b>	1,100	42.3	36.3 - 48.4	100	3.8	2.1 - 6.8	400	13.9	10.2 - 18.6	600	21.3	16.6 - 26.9	500	18.8	14.4 - 24.1	2,600
<b>186+%</b>	3,900	53.7	50.1 - 57.3	<50	0.7	0.3 - 1.7	1,400	18.9	16.2 - 21.8	500	7.3	5.6 - 9.5	1,400	19.4	16.8 - 22.4	7,300

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	9.9	6.8 - 14.1	100	2.3	1.0 - 5.3	100	3.4	1.8 - 6.3	2,300	78.4	72.8 - 83.0	200	6.0	3.7 - 9.8	2,900
\$10,000-\$24,999	1,000	26.4	22.0 - 31.4	100	3.1	1.7 - 5.8	300	8.2	5.8 - 11.5	1,900	51.9	46.6 - 57.2	400	10.3	7.4 - 14.2	3,800
\$25,000-\$49,999	1,600	40.1	35.4 - 45.1	100	2.2	1.1 - 4.3	900	22.3	18.5 - 26.7	900	21.0	17.2 - 25.5	600	14.3	11.2 - 18.2	4,000
>=\$50,000	3,400	58.4	54.4 - 62.3	<50	0.7	0.3 - 1.8	800	14.4	11.8 - 17.4	300	4.3	2.9 - 6.4	1,300	22.2	19.1 - 25.6	5,900

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	40.2	32.4 - 48.4	<50	0.6	0.1 - 4.0	200	11.3	7.1 - 17.6	500	32.2	24.8 - 40.6	200	15.7	10.7 - 22.4	1,500
Normal birth weight	6,200	38.1	35.7 - 40.5	300	2.0	1.4 - 2.9	2,100	12.9	11.4 - 14.5	5,400	32.8	30.4 - 35.2	2,300	14.2	12.6 - 16.1	16,300

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	19.7	13.7 - 27.5	<50	1.6	0.4 - 5.9	100	7.9	4.4 - 13.9	900	59.8	51.1 - 68.0	200	10.9	6.4 - 17.8	1,500
No	6,500	40.1	37.7 - 42.6	300	1.9	1.3 - 2.8	2,100	13.3	11.8 - 15.0	4,800	29.8	27.6 - 32.2	2,400	14.8	13.2 - 16.7	16,100



**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	26.4	21.8 - 31.5	100	2.4	1.1 - 5.1	400	11.7	8.6 - 15.7	1,700	48.5	42.9 - 54.1	400	11.1	8.0 - 15.2	3,500
<b>No</b>	5,800	41.3	38.7 - 43.9	300	1.8	1.2 - 2.7	1,900	13.1	11.5 - 15.0	4,000	28.4	26.0 - 30.9	2,200	15.4	13.6 - 17.3	14,100

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,800	23.3	20.2 - 26.6	100	1.9	1.0 - 3.3	700	9.4	7.5 - 11.7	4,300	57.3	53.5 - 60.9	600	8.2	6.4 - 10.5	7,500
<b>No</b>	5,100	49.5	46.4 - 52.5	200	1.9	1.2 - 3.0	1,600	15.3	13.2 - 17.6	1,500	14.5	12.3 - 16.9	1,900	18.9	16.6 - 21.4	10,200

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	7,100	39.5	37.2 - 41.9	300	1.9	1.3 - 2.7	2,500	14.1	12.7 - 15.7	5,400	30.2	28.0 - 32.5	2,600	14.2	12.6 - 16.0	17,900

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	800	39.5	32.6 - 46.8	<50	2.3	0.9 - 5.9	<50	1.1	0.3 - 4.0	1,000	47.2	39.9 - 54.6	200	9.9	6.4 - 15.0	2,100
<b>Honolulu</b>	4,900	37.7	35.1 - 40.5	200	1.6	1.0 - 2.5	2,500	19.2	17.2 - 21.3	3,500	26.7	24.3 - 29.4	1,900	14.8	12.9 - 16.9	13,000
<b>Kauai</b>	400	44.0	33.2 - 55.4	<50	4.2	1.4 - 11.9	<50	1.5	0.2 - 9.2	300	36.8	26.5 - 48.6	100	13.5	7.6 - 23.0	900
<b>Maui</b>	900	49.4	41.8 - 57.0	<50	2.6	1.0 - 6.5	0	0.0	-	600	32.1	25.2 - 39.8	300	15.9	11.0 - 22.5	1,900

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Caucasian</b>	1,300	29.4	25.0 - 34.1	100	1.5	0.6 - 3.4	1,800	42.1	37.2 - 47.2	600	15.1	11.8 - 19.1	500	12.0	9.1 - 15.7	4,300
<b>Native Hawaiian</b>	1,800	35.8	31.2 - 40.8	100	1.7	0.8 - 3.7	<50	0.7	0.2 - 2.2	2,400	49.1	44.0 - 54.1	600	12.7	9.7 - 16.4	4,900
<b>Chinese</b>	400	61.7	54.5 - 68.4	<50	3.5	1.7 - 7.4	<50	5.0	2.6 - 9.2	100	16.3	11.7 - 22.3	100	13.5	9.3 - 19.2	600
<b>Filipino</b>	1,700	50.3	44.9 - 55.7	100	2.4	1.2 - 4.8	200	6.5	4.3 - 9.6	900	26.2	21.6 - 31.4	500	14.6	11.2 - 18.8	3,300
<b>Japanese</b>	1,300	64.0	57.0 - 70.5	<50	1.3	0.3 - 4.8	<50	0.5	0.1 - 3.3	300	12.7	8.5 - 18.7	500	21.5	16.4 - 27.6	2,100
<b>Other</b>	700	25.2	20.3 - 30.8	100	2.5	1.1 - 5.5	400	16.3	11.9 - 21.8	1,100	41.2	34.9 - 47.7	400	14.8	10.7 - 20.1	2,700

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;20</b>	300	21.2	14.7 - 29.7	<50	0.8	0.1 - 5.3	100	4.9	2.2 - 10.5	900	62.2	52.9 - 70.6	200	10.9	6.3 - 18.1	1,500
<b>20-24</b>	1,100	25.2	21.0 - 29.9	100	2.0	0.9 - 4.2	700	17.1	13.7 - 21.2	2,000	45.8	40.7 - 51.0	400	9.9	7.3 - 13.4	4,400
<b>25-34</b>	3,800	43.1	39.7 - 46.5	100	1.6	1.0 - 2.8	1,500	16.7	14.4 - 19.3	2,100	23.8	20.9 - 27.0	1,300	14.8	12.5 - 17.4	8,800
<b>35+</b>	1,900	57.6	52.1 - 62.8	100	3.0	1.6 - 5.5	200	7.5	5.1 - 11.0	400	11.8	8.6 - 15.8	700	20.1	16.1 - 24.9	3,200

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	3,700	40.1	36.9 - 43.5	200	1.7	1.0 - 2.9	1,200	13.0	11.0 - 15.4	2,800	30.4	27.2 - 33.7	1,300	14.8	12.5 - 17.3	9,100
<b>Female</b>	3,400	38.8	35.5 - 42.3	200	2.1	1.3 - 3.4	1,300	15.3	13.0 - 17.8	2,700	30.1	26.9 - 33.5	1,200	13.7	11.5 - 16.3	8,800

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,200	45.9	43.0 - 48.8	200	1.9	1.3 - 3.0	2,400	21.4	19.2 - 23.8	1,600	14.4	12.4 - 16.7	1,900	16.4	14.3 - 18.7	11,400
<b>No</b>	1,800	28.3	24.6 - 32.4	100	1.9	1.0 - 3.5	100	1.4	0.7 - 2.8	3,800	58.0	53.6 - 62.2	700	10.5	8.1 - 13.4	6,500

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,300	20.4	17.2 - 24.0	100	2.0	1.1 - 3.7	400	5.9	4.2 - 8.3	3,900	62.8	58.6 - 66.9	500	8.9	6.7 - 11.7	6,200
<b>131-185%</b>	900	38.7	32.3 - 45.6	100	3.2	1.6 - 6.4	500	22.9	17.8 - 29.0	500	22.1	16.9 - 28.3	300	13.0	9.0 - 18.4	2,400
<b>186+%</b>	4,500	55.5	52.0 - 58.9	100	1.7	1.0 - 3.0	1,500	18.1	15.6 - 20.9	400	5.4	4.0 - 7.4	1,500	19.3	16.6 - 22.2	8,000

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	11.7	8.3 - 16.2	100	1.8	0.7 - 4.6	100	3.0	1.5 - 6.0	2,200	75.2	69.4 - 80.2	200	8.3	5.4 - 12.6	2,900
\$10,000-\$24,999	1,100	29.1	24.4 - 34.3	100	2.6	1.3 - 5.1	400	10.4	7.5 - 14.3	1,800	47.3	41.8 - 52.8	400	10.6	7.7 - 14.6	3,700
\$25,000-\$49,999	1,800	42.0	37.1 - 47.0	100	1.9	0.9 - 3.9	1,000	24.0	20.1 - 28.5	800	18.5	14.8 - 22.9	600	13.6	10.5 - 17.5	4,200
>=\$50,000	3,500	59.4	55.3 - 63.3	100	1.9	1.0 - 3.4	900	15.2	12.5 - 18.4	200	3.0	1.8 - 4.9	1,200	20.5	17.4 - 24.0	5,800

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	31.4	24.3 - 39.6	<50	0.3	0.1 - 1.5	200	14.7	9.5 - 22.0	500	33.1	25.3 - 42.0	300	20.5	14.4 - 28.4	1,400
Normal birth weight	6,600	40.3	37.8 - 42.8	300	2.1	1.4 - 2.9	2,300	14.1	12.6 - 15.8	4,900	29.9	27.6 - 32.3	2,200	13.7	12.0 - 15.5	16,400

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	23.6	17.2 - 31.4	<50	1.8	0.5 - 6.5	200	10.6	6.6 - 16.7	800	51.6	43.1 - 60.0	200	12.4	7.8 - 19.2	1,600
No	6,600	41.5	39.0 - 44.0	300	1.9	1.3 - 2.8	2,300	14.6	13.0 - 16.3	4,400	27.8	25.5 - 30.2	2,300	14.2	12.5 - 16.1	16,000

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	28.3	23.5 - 33.5	<50	1.1	0.4 - 3.1	500	13.0	9.9 - 17.0	1,700	46.4	40.8 - 52.0	400	11.3	8.2 - 15.3	3,700
<b>No</b>	6,000	42.9	40.3 - 45.7	300	2.1	1.4 - 3.1	2,000	14.5	12.8 - 16.5	3,600	25.6	23.3 - 28.2	2,100	14.8	12.9 - 16.8	13,900

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,800	23.7	20.6 - 27.2	100	1.4	0.7 - 2.7	900	11.5	9.4 - 14.1	4,200	54.6	50.7 - 58.4	700	8.7	6.7 - 11.2	7,600
<b>No</b>	5,200	51.2	48.0 - 54.3	200	2.3	1.5 - 3.5	1,600	16.1	14.0 - 18.4	1,200	11.9	9.9 - 14.2	1,900	18.5	16.2 - 21.1	10,200

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	6,800	40.3	38.0 - 42.7	400	2.2	1.6 - 3.1	2,200	13.0	11.6 - 14.6	5,400	32.2	30.0 - 34.5	2,100	12.2	10.8 - 13.8	16,800

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	800	37.4	30.9 - 44.4	100	2.4	1.0 - 5.6	<50	1.8	0.6 - 5.3	900	44.5	37.6 - 51.6	300	14.0	10.0 - 19.4	2,100
<b>Honolulu</b>	4,800	38.8	36.1 - 41.4	300	2.1	1.4 - 3.1	2,200	17.5	15.6 - 19.5	3,700	29.8	27.4 - 32.4	1,500	11.8	10.2 - 13.7	12,300
<b>Kauai</b>	300	42.0	31.1 - 53.8	<50	6.6	2.5 - 15.9	0	0.0	-	300	41.0	30.0 - 52.9	100	10.4	5.1 - 20.4	700
<b>Maui</b>	900	54.7	47.0 - 62.2	<50	1.3	0.3 - 4.8	0	0.0	-	500	30.3	23.7 - 38.0	200	13.7	9.3 - 19.6	1,700

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,400	37.9	33.0 - 43.0	<50	0.9	0.3 - 2.6	1,500	39.5	34.6 - 44.8	600	15.3	11.9 - 19.5	200	6.4	4.3 - 9.4	3,700
Native Hawaiian	1,700	35.0	30.4 - 39.8	100	2.9	1.7 - 5.1	100	1.4	0.6 - 3.2	2,300	48.6	43.7 - 53.6	600	12.1	9.2 - 15.7	4,800
Chinese	400	60.6	54.1 - 66.8	<50	0.6	0.1 - 3.2	<50	7.3	4.5 - 11.5	100	15.2	11.0 - 20.4	100	16.4	12.1 - 21.8	600
Filipino	1,500	47.0	41.9 - 52.1	100	2.4	1.2 - 4.5	200	4.8	3.0 - 7.5	1,000	31.2	26.7 - 36.2	500	14.7	11.4 - 18.7	3,200
Japanese	1,300	60.8	54.3 - 66.9	100	2.8	1.3 - 5.9	100	3.3	1.6 - 6.5	300	11.7	8.1 - 16.6	500	21.4	16.6 - 27.2	2,200
Other	500	22.2	17.8 - 27.4	100	2.7	1.3 - 5.5	400	16.6	12.3 - 22.2	1,200	49.6	43.4 - 55.8	200	8.8	6.0 - 12.9	2,400

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	20.4	14.3 - 28.3	<50	3.2	1.3 - 7.4	100	9.7	5.7 - 15.9	900	61.6	53.1 - 69.5	100	5.1	2.5 - 10.4	1,500
20-24	900	22.2	18.4 - 26.5	100	2.7	1.5 - 4.9	800	18.7	15.2 - 22.7	2,000	46.8	42.0 - 51.7	400	9.6	7.1 - 12.8	4,200
25-34	3,900	47.2	43.9 - 50.6	100	1.7	1.0 - 2.8	1,100	13.6	11.5 - 16.0	2,100	25.3	22.4 - 28.4	1,000	12.2	10.2 - 14.6	8,300
35+	1,600	57.3	51.7 - 62.7	100	2.7	1.4 - 5.2	100	4.7	2.9 - 7.7	400	15.6	11.8 - 20.3	600	19.7	15.7 - 24.5	2,900



**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	3,500	41.2	38.0 - 44.5	100	1.6	0.9 - 2.7	1,000	12.1	10.2 - 14.5	2,800	32.7	29.6 - 36.0	1,100	12.3	10.3 - 14.6	8,600
<b>Female</b>	3,200	39.4	36.1 - 42.7	200	2.9	2.0 - 4.3	1,100	13.9	11.8 - 16.4	2,600	31.7	28.6 - 34.9	1,000	12.1	10.1 - 14.5	8,300

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,100	47.7	44.8 - 50.7	200	2.2	1.5 - 3.2	2,100	19.2	17.0 - 21.5	1,800	16.3	14.2 - 18.6	1,600	14.6	12.7 - 16.8	10,800
<b>No</b>	1,600	27.1	23.7 - 30.9	100	2.4	1.4 - 4.0	100	2.1	1.2 - 3.7	3,700	60.4	56.4 - 64.4	500	7.9	6.0 - 10.4	6,100

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,200	19.8	16.8 - 23.3	200	3.3	2.1 - 5.1	400	6.1	4.4 - 8.3	3,800	63.4	59.4 - 67.2	500	7.4	5.6 - 9.8	6,000
<b>131-185%</b>	700	40.7	33.6 - 48.1	<50	0.7	0.1 - 4.3	300	16.3	11.6 - 22.6	600	31.0	24.5 - 38.4	200	11.3	7.4 - 17.0	1,800
<b>186+%</b>	4,400	57.9	54.5 - 61.3	100	1.7	1.0 - 2.9	1,400	17.8	15.3 - 20.6	400	5.8	4.3 - 7.7	1,300	16.8	14.4 - 19.5	7,600

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	11.9	8.7 - 16.2	100	3.5	1.9 - 6.4	100	2.8	1.3 - 5.6	2,200	76.6	71.4 - 81.2	100	5.1	3.2 - 8.2	2,900
\$10,000-\$24,999	900	26.4	22.0 - 31.3	100	2.5	1.3 - 4.7	400	11.6	8.6 - 15.4	1,800	51.3	46.0 - 56.6	300	8.3	5.9 - 11.5	3,400
\$25,000-\$49,999	1,700	44.1	39.3 - 49.1	100	1.4	0.6 - 3.2	800	20.3	16.7 - 24.6	800	19.4	15.7 - 23.8	600	14.8	11.5 - 18.7	4,000
>=\$50,000	3,400	64.3	60.2 - 68.2	100	1.9	1.1 - 3.5	700	13.7	11.1 - 16.9	100	2.6	1.5 - 4.5	900	17.5	14.5 - 20.8	5,300

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	38.9	30.6 - 47.9	<50	3.2	1.1 - 9.0	200	12.8	7.8 - 20.4	400	30.5	22.7 - 39.4	200	14.7	9.2 - 22.5	1,200
Normal birth weight	6,300	40.5	38.1 - 42.9	300	2.2	1.6 - 3.0	2,000	13.0	11.6 - 14.7	5,100	32.3	30.1 - 34.7	1,900	12.0	10.5 - 13.7	15,600

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	21.2	15.0 - 29.2	<50	0.3	0.1 - 1.5	100	7.7	4.2 - 13.8	900	65.2	56.5 - 73.0	100	5.6	2.6 - 11.6	1,300
No	6,400	42.3	39.8 - 44.7	400	2.4	1.7 - 3.3	2,100	13.5	12.0 - 15.2	4,400	29.0	26.8 - 31.3	2,000	12.9	11.3 - 14.6	15,200

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	27.3	22.8 - 32.4	100	1.6	0.6 - 3.7	400	11.7	8.7 - 15.5	1,800	52.1	46.7 - 57.4	300	7.3	4.9 - 10.6	3,500
<b>No</b>	5,700	44.1	41.5 - 46.8	300	2.4	1.7 - 3.3	1,700	13.4	11.8 - 15.3	3,400	26.4	24.1 - 28.9	1,800	13.6	11.9 - 15.6	13,000

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,600	22.6	19.7 - 25.8	200	2.5	1.6 - 3.9	700	10.3	8.3 - 12.7	4,200	57.9	54.2 - 61.5	500	6.8	5.2 - 8.9	7,300
<b>No</b>	5,000	53.9	50.7 - 57.0	200	2.1	1.4 - 3.3	1,400	15.4	13.3 - 17.8	1,100	12.1	10.2 - 14.4	1,500	16.5	14.3 - 18.9	9,400

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	6,900	40.2	38.1 - 42.3	300	2.0	1.4 - 2.7	2,500	14.5	13.2 - 16.0	4,700	27.5	25.6 - 29.6	2,700	15.8	14.3 - 17.4	17,200

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	700	31.3	25.7 - 37.5	100	3.7	2.0 - 6.9	<50	0.9	0.2 - 3.1	1,000	46.1	39.7 - 52.6	400	18.1	13.6 - 23.6	2,100
<b>Honolulu</b>	4,900	39.3	36.8 - 41.7	200	1.4	0.9 - 2.1	2,500	19.7	17.9 - 21.6	3,100	24.4	22.3 - 26.8	1,900	15.2	13.5 - 17.1	12,500
<b>Kauai</b>	400	54.7	44.5 - 64.5	<50	3.8	1.3 - 10.5	<50	1.5	0.3 - 6.4	200	26.9	18.7 - 37.1	100	13.1	7.6 - 21.6	800
<b>Maui</b>	900	51.1	44.3 - 57.9	100	3.0	1.3 - 6.5	<50	0.6	0.1 - 4.0	500	27.2	21.5 - 33.9	300	18.0	13.4 - 23.9	1,800

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,100	28.9	25.0 - 33.2	100	2.2	1.2 - 4.0	1,500	39.3	34.9 - 43.8	700	17.5	14.3 - 21.2	500	12.1	9.5 - 15.5	3,900
Native Hawaiian	1,700	36.4	32.2 - 40.9	100	1.3	0.6 - 2.7	100	2.8	1.6 - 4.7	2,100	44.6	40.1 - 49.2	700	14.9	11.9 - 18.4	4,800
Chinese	400	60.5	55.9 - 65.0	<50	3.3	2.0 - 5.6	<50	4.7	3.1 - 7.1	100	9.4	7.0 - 12.6	100	22.0	18.4 - 26.1	600
Filipino	1,500	47.4	42.8 - 52.1	100	2.9	1.7 - 4.9	300	7.9	5.7 - 10.8	800	25.5	21.6 - 29.8	500	16.3	13.1 - 20.0	3,200
Japanese	1,500	65.3	59.2 - 71.0	<50	0.4	0.1 - 2.7	100	2.7	1.3 - 5.7	200	8.7	5.6 - 13.1	500	22.9	18.1 - 28.5	2,200
Other	700	28.1	23.3 - 33.5	100	2.7	1.3 - 5.7	500	20.2	15.7 - 25.5	900	34.5	28.9 - 40.5	400	14.5	10.8 - 19.2	2,500

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	24.0	17.4 - 32.1	<50	3.0	1.2 - 7.5	100	11.1	7.0 - 17.4	700	56.2	47.6 - 64.4	100	5.7	2.8 - 11.1	1,300
20-24	1,200	28.0	24.1 - 32.2	<50	0.9	0.4 - 2.1	900	20.7	17.5 - 24.4	1,800	40.5	36.1 - 45.0	400	9.9	7.5 - 12.9	4,300
25-34	3,700	44.1	41.0 - 47.1	200	2.2	1.5 - 3.3	1,200	14.0	12.0 - 16.2	1,800	22.0	19.4 - 24.8	1,500	17.8	15.5 - 20.3	8,400
35+	1,700	52.9	48.0 - 57.7	100	2.3	1.2 - 4.4	300	9.0	6.5 - 12.3	400	13.5	10.4 - 17.3	700	22.4	18.6 - 26.7	3,200

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	3,800	39.6	36.8 - 42.5	200	2.1	1.4 - 3.2	1,400	14.3	12.4 - 16.4	2,600	26.9	24.3 - 29.7	1,600	17.1	15.0 - 19.4	9,500
<b>Female</b>	3,200	40.9	37.7 - 44.1	100	1.8	1.1 - 2.8	1,200	14.9	12.8 - 17.2	2,200	28.3	25.4 - 31.4	1,100	14.2	12.1 - 16.6	7,700

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,400	44.8	42.3 - 47.3	200	1.7	1.2 - 2.5	2,300	19.2	17.3 - 21.2	2,000	16.2	14.4 - 18.3	2,200	18.0	16.2 - 20.1	12,100
<b>No</b>	1,500	29.4	25.8 - 33.4	100	2.4	1.4 - 4.1	200	3.6	2.4 - 5.5	2,800	54.0	49.8 - 58.2	500	10.4	8.2 - 13.3	5,200

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,400	21.9	19.0 - 25.2	100	2.3	1.4 - 3.6	700	11.5	9.4 - 14.0	3,400	54.4	50.6 - 58.0	600	9.9	7.9 - 12.4	6,300
<b>131-185%</b>	800	40.8	34.7 - 47.2	<50	1.0	0.3 - 3.2	400	21.7	16.9 - 27.3	300	17.0	12.7 - 22.4	400	19.6	14.9 - 25.2	2,000
<b>186+%</b>	4,300	57.1	53.9 - 60.2	100	1.6	0.9 - 2.6	1,200	15.6	13.5 - 18.0	400	4.9	3.6 - 6.5	1,600	20.8	18.3 - 23.6	7,600

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	17.7	13.7 - 22.5	100	2.7	1.3 - 5.3	<50	1.5	0.6 - 3.4	1,900	72.7	67.3 - 77.6	100	5.4	3.4 - 8.5	2,600
\$10,000-\$24,999	1,100	26.7	23.0 - 30.8	100	1.8	0.9 - 3.3	800	19.2	16.0 - 22.9	1,700	38.7	34.4 - 43.2	600	13.6	10.8 - 17.0	4,300
\$25,000-\$49,999	1,900	44.3	40.1 - 48.7	100	2.2	1.2 - 3.8	1,000	23.0	19.6 - 26.8	600	12.9	10.2 - 16.2	800	17.6	14.5 - 21.2	4,300
>=\$50,000	3,100	63.1	59.2 - 66.8	<50	0.9	0.4 - 2.1	500	10.4	8.2 - 13.0	100	2.5	1.5 - 4.2	1,100	23.1	19.9 - 26.7	4,900

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	34.7	27.0 - 43.2	<50	1.0	0.2 - 6.4	200	14.5	9.4 - 21.6	300	26.8	19.5 - 35.6	200	23.0	16.6 - 31.0	1,100
Normal birth weight	6,500	40.5	38.3 - 42.7	300	2.0	1.5 - 2.7	2,300	14.5	13.1 - 16.1	4,500	27.6	25.6 - 29.7	2,500	15.3	13.7 - 17.0	16,100

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	28.9	21.9 - 37.1	<50	0.7	0.1 - 4.7	200	13.3	8.8 - 19.6	700	50.7	42.4 - 59.0	100	6.4	3.4 - 11.6	1,300
No	6,500	41.5	39.2 - 43.7	300	2.1	1.5 - 2.8	2,300	14.8	13.3 - 16.3	3,900	25.2	23.2 - 27.3	2,600	16.5	14.9 - 18.2	15,600

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	31.7	27.2 - 36.6	<50	1.4	0.6 - 3.1	500	13.9	10.9 - 17.5	1,400	41.4	36.4 - 46.5	400	11.6	8.7 - 15.3	3,500
<b>No</b>	5,800	42.7	40.3 - 45.1	300	2.1	1.5 - 3.0	2,000	14.8	13.2 - 16.6	3,200	23.5	21.5 - 25.7	2,300	16.8	15.0 - 18.7	13,500

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,000	25.4	22.6 - 28.4	100	1.7	1.1 - 2.8	1,000	13.3	11.3 - 15.7	3,700	47.6	44.2 - 50.9	900	12.0	9.9 - 14.3	7,800
<b>No</b>	4,900	52.5	49.5 - 55.3	200	2.1	1.4 - 3.1	1,500	15.8	13.9 - 18.0	1,000	10.5	8.8 - 12.6	1,800	19.1	16.9 - 21.5	9,300



**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	7,400	43.5	40.8 - 46.2	300	1.9	1.3 - 2.7	2,400	14.3	12.3 - 16.6	4,800	27.9	25.7 - 30.2	2,100	12.4	10.8 - 14.3	17,100

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	800	39.0	34.6 - 43.6	100	4.5	2.9 - 7.2	<50	0.4	0.1 - 2.2	800	43.0	38.6 - 47.5	300	13.1	10.3 - 16.5	2,000
<b>Honolulu</b>	5,300	42.4	38.9 - 46.0	200	1.3	0.7 - 2.4	2,400	19.4	16.6 - 22.5	3,100	25.0	22.2 - 28.0	1,500	11.9	9.8 - 14.4	12,500
<b>Kauai</b>	500	54.0	46.7 - 61.2	<50	1.9	0.7 - 5.5	0	0.0	-	300	31.8	25.5 - 39.0	100	12.2	8.0 - 18.2	900
<b>Maui</b>	900	51.2	46.3 - 56.1	100	2.8	1.5 - 5.3	<50	0.6	0.2 - 1.7	500	29.8	25.5 - 34.4	300	15.6	12.4 - 19.5	1,800

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Caucasian</b>	1,400	37.1	31.5 - 43.1	100	2.1	1.2 - 3.5	1,400	37.5	31.5 - 44.0	600	16.0	12.1 - 20.8	300	7.3	4.7 - 11.2	3,700
<b>Native Hawaiian</b>	1,800	38.0	35.2 - 41.0	100	1.2	0.7 - 2.1	100	2.9	2.0 - 4.2	2,100	46.1	43.1 - 49.1	500	11.7	9.9 - 13.8	4,700
<b>Chinese</b>	400	61.9	45.7 - 75.8	<50	0.9	0.1 - 5.2	<50	2.9	0.4 - 17.3	100	10.9	4.4 - 24.4	200	23.5	12.5 - 39.7	700
<b>Filipino</b>	2,000	51.4	45.1 - 57.7	<50	0.4	0.1 - 1.3	300	6.6	3.9 - 11.1	1,100	28.8	23.3 - 35.0	500	12.8	9.3 - 17.3	3,800
<b>Japanese</b>	1,100	55.6	46.4 - 64.4	100	6.3	3.0 - 12.7	100	6.0	2.8 - 12.5	200	9.4	5.2 - 16.4	500	22.7	16.1 - 31.1	2,000
<b>Other</b>	800	36.0	28.0 - 44.9	<50	1.8	0.6 - 5.2	500	23.1	16.2 - 31.7	700	29.9	22.5 - 38.5	200	9.2	5.4 - 15.4	2,200

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;20</b>	400	25.5	18.9 - 33.4	<50	0.9	0.3 - 3.2	200	9.7	4.9 - 18.3	800	54.8	46.4 - 62.9	100	9.2	5.8 - 14.1	1,500
<b>20-24</b>	1,100	26.6	22.3 - 31.4	100	2.3	1.2 - 4.2	500	13.5	9.6 - 18.6	1,900	48.3	43.0 - 53.6	400	9.4	6.8 - 12.9	4,000
<b>25-34</b>	4,200	48.9	45.0 - 52.8	100	1.5	0.8 - 2.8	1,500	17.3	14.2 - 21.0	1,700	20.0	17.2 - 23.0	1,100	12.3	10.0 - 14.9	8,600
<b>35+</b>	1,800	60.4	53.5 - 66.9	100	2.8	1.4 - 5.8	300	8.9	5.5 - 14.1	300	9.1	6.1 - 13.3	600	18.8	13.9 - 24.8	2,900

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	3,900	42.8	39.2 - 46.6	200	1.8	1.1 - 3.1	1,300	14.0	11.3 - 17.3	2,600	28.2	25.1 - 31.5	1,200	13.1	10.8 - 15.8	9,100
<b>Female</b>	3,600	44.3	40.4 - 48.3	200	1.9	1.2 - 3.1	1,200	14.6	11.6 - 18.1	2,200	27.5	24.3 - 31.0	900	11.6	9.4 - 14.4	8,100

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,600	49.9	46.4 - 53.4	200	2.1	1.3 - 3.3	2,400	21.1	18.1 - 24.4	1,400	12.8	10.8 - 15.1	1,600	14.2	12.0 - 16.7	11,300
<b>No</b>	1,800	31.1	27.3 - 35.2	100	1.5	0.9 - 2.4	100	1.0	0.3 - 3.0	3,300	57.4	53.2 - 61.6	500	9.0	6.8 - 11.6	5,800

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	2,200	29.1	25.6 - 32.8	200	2.4	1.4 - 3.9	800	11.0	8.3 - 14.3	3,700	49.2	45.3 - 53.2	600	8.3	6.4 - 10.7	7,600
<b>131-185%</b>	1,300	50.9	43.7 - 58.1	100	2.1	0.8 - 5.3	500	21.6	15.5 - 29.2	200	9.3	6.4 - 13.5	400	16.1	11.6 - 21.9	2,500
<b>186+%</b>	3,400	62.4	57.2 - 67.2	<50	0.9	0.3 - 2.2	900	17.1	13.3 - 21.8	100	2.0	1.1 - 3.8	1,000	17.6	14.1 - 21.7	5,500

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	900	21.1	16.9 - 26.0	100	3.1	1.6 - 5.8	100	2.8	1.4 - 5.7	2,800	68.0	62.7 - 72.9	200	4.9	3.2 - 7.4	4,100
<b>\$15,001-\$25,000</b>	700	34.2	27.9 - 41.2	100	2.7	1.2 - 5.9	400	19.6	13.5 - 27.4	700	32.8	26.6 - 39.7	200	10.7	6.8 - 16.5	2,200
<b>\$25,001-\$40,000</b>	1,400	43.0	36.8 - 49.5	100	1.8	0.7 - 4.3	800	24.8	19.1 - 31.6	600	17.8	13.8 - 22.7	400	12.5	9.0 - 17.1	3,200
<b>&gt;=\$40,001</b>	4,100	62.8	58.1 - 67.2	<50	0.7	0.3 - 1.8	1,000	15.5	12.2 - 19.6	200	3.1	1.9 - 4.9	1,200	17.9	14.7 - 21.6	6,500

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	500	43.6	33.7 - 53.9	<50	1.2	0.3 - 4.1	200	13.5	7.1 - 24.2	300	28.3	20.8 - 37.2	200	13.5	7.7 - 22.5	1,200
<b>Normal birth weight</b>	6,900	43.5	40.8 - 46.3	300	1.9	1.3 - 2.8	2,300	14.4	12.2 - 16.8	4,400	27.9	25.6 - 30.3	2,000	12.3	10.6 - 14.2	15,900

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	23.2	16.8 - 31.0	<50	0.7	0.2 - 2.5	300	17.4	10.6 - 27.1	800	52.3	43.6 - 60.9	100	6.5	3.6 - 11.5	1,500
<b>No</b>	6,900	45.5	42.6 - 48.4	300	2.0	1.4 - 2.9	2,100	13.8	11.7 - 16.3	3,900	25.5	23.2 - 28.0	2,000	13.1	11.3 - 15.2	15,300

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	31.1	26.0 - 36.7	<50	1.4	0.7 - 2.7	500	15.5	11.1 - 21.4	1,400	40.8	35.4 - 46.5	400	11.1	8.0 - 15.3	3,400
<b>No</b>	6,200	47.1	44.0 - 50.2	300	2.1	1.4 - 3.1	1,800	13.8	11.5 - 16.4	3,200	24.1	21.6 - 26.7	1,700	13.0	11.0 - 15.2	13,200

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,800	24.7	21.5 - 28.3	100	2.0	1.3 - 3.2	900	13.0	10.1 - 16.6	3,800	51.6	47.6 - 55.5	600	8.7	6.8 - 11.0	7,300
<b>No</b>	5,600	57.5	53.8 - 61.2	200	1.8	1.0 - 3.1	1,500	15.3	12.5 - 18.6	1,000	10.2	8.3 - 12.4	1,500	15.2	12.7 - 18.0	9,700

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	7,500	45.3	42.6 - 48.2	300	1.8	1.3 - 2.5	2,300	13.9	11.8 - 16.2	4,200	25.0	22.9 - 27.3	2,300	14.0	12.1 - 16.0	16,600

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	800	39.1	34.8 - 43.6	100	4.0	2.5 - 6.2	<50	0.4	0.1 - 1.2	800	42.5	38.1 - 46.9	300	14.1	11.3 - 17.5	1,900
<b>Honolulu</b>	5,500	44.7	41.2 - 48.4	100	1.0	0.5 - 2.0	2,300	18.6	15.8 - 21.7	2,700	21.6	18.9 - 24.5	1,700	14.0	11.7 - 16.7	12,300
<b>Kauai</b>	300	45.4	37.7 - 53.4	<50	3.1	1.3 - 7.4	<50	1.7	0.5 - 5.8	200	35.7	28.6 - 43.6	100	14.0	9.2 - 20.8	700
<b>Maui</b>	1,000	56.7	51.6 - 61.6	100	4.2	2.4 - 7.1	<50	0.4	0.1 - 2.4	400	25.3	21.3 - 29.9	200	13.4	10.3 - 17.3	1,700

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Caucasian</b>	1,200	34.3	28.6 - 40.4	100	2.4	1.1 - 4.9	1,500	43.1	36.8 - 49.8	500	12.8	9.5 - 17.2	300	7.3	4.7 - 11.3	3,500
<b>Native Hawaiian</b>	1,700	37.5	34.6 - 40.5	100	1.4	0.8 - 2.2	100	2.8	1.9 - 4.1	2,100	45.9	42.9 - 49.0	600	12.4	10.6 - 14.5	4,500
<b>Chinese</b>	400	63.7	46.6 - 77.9	<50	0.9	0.1 - 5.4	<50	3.2	0.5 - 18.9	100	12.0	4.8 - 26.9	100	20.2	9.9 - 37.0	600
<b>Filipino</b>	2,000	57.7	50.8 - 64.3	100	1.9	1.0 - 3.3	200	4.8	2.5 - 9.0	700	20.4	15.3 - 26.6	500	15.2	10.9 - 20.8	3,400
<b>Japanese</b>	1,600	67.1	58.8 - 74.5	<50	0.2	0.0 - 1.4	<50	1.7	0.4 - 6.2	200	7.7	4.0 - 14.1	500	23.3	17.1 - 31.0	2,400
<b>Other</b>	700	31.8	23.9 - 40.9	100	3.6	1.5 - 8.3	400	19.7	13.3 - 28.2	700	30.7	22.7 - 40.1	300	14.2	8.9 - 21.9	2,200

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;20</b>	400	26.1	19.8 - 33.6	<50	1.3	0.5 - 3.4	100	8.9	3.8 - 19.3	800	55.0	46.1 - 63.6	100	8.7	5.0 - 14.8	1,500
<b>20-24</b>	1,100	27.9	23.5 - 32.7	100	2.1	1.1 - 4.3	900	21.9	17.2 - 27.5	1,600	39.5	34.6 - 44.7	400	8.6	5.9 - 12.2	4,100
<b>25-34</b>	4,200	50.7	46.6 - 54.7	100	1.6	1.0 - 2.6	1,200	14.5	11.6 - 17.9	1,400	17.1	14.5 - 20.1	1,300	16.2	13.4 - 19.4	8,300
<b>35+</b>	1,800	66.1	59.3 - 72.4	100	2.1	0.9 - 4.7	100	2.9	1.1 - 7.3	300	10.6	7.5 - 14.9	500	18.2	13.4 - 24.4	2,700

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	3,600	43.2	39.3 - 47.1	200	2.0	1.3 - 3.1	1,200	15.1	12.1 - 18.6	2,100	24.9	21.9 - 28.2	1,200	14.8	12.3 - 17.8	8,300
<b>Female</b>	4,000	47.5	43.5 - 51.5	100	1.6	0.9 - 2.8	1,100	12.7	10.0 - 16.1	2,100	25.1	22.1 - 28.4	1,100	13.1	10.6 - 16.1	8,400

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,900	51.5	48.0 - 55.1	200	1.8	1.2 - 2.7	2,200	19.3	16.5 - 22.6	1,200	10.9	9.1 - 12.9	1,900	16.5	14.1 - 19.2	11,400
<b>No</b>	1,700	31.8	27.9 - 36.1	100	1.8	1.0 - 3.4	100	2.0	0.9 - 4.2	2,900	55.8	51.4 - 60.2	400	8.5	6.2 - 11.5	5,200

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	2,000	31.7	27.8 - 35.8	100	2.3	1.4 - 3.7	500	8.4	6.0 - 11.8	3,200	49.7	45.5 - 53.9	500	7.8	5.7 - 10.6	6,400
<b>131-185%</b>	1,600	48.1	41.7 - 54.6	<50	1.0	0.5 - 2.0	1,000	28.8	22.9 - 35.6	300	9.6	6.4 - 14.0	400	12.5	9.3 - 16.7	3,400
<b>186+%</b>	3,300	62.5	57.4 - 67.4	100	1.0	0.4 - 2.3	600	10.9	7.9 - 15.0	100	1.9	1.1 - 3.3	1,300	23.6	19.5 - 28.3	5,300



**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	700	20.3	16.2 - 25.1	100	2.9	1.5 - 5.5	100	4.1	1.9 - 8.6	2,200	68.7	63.1 - 73.8	100	4.0	2.4 - 6.6	3,200
<b>\$15,001-\$25,000</b>	800	33.2	26.7 - 40.4	100	3.1	1.6 - 6.0	600	22.6	16.4 - 30.4	800	31.2	25.4 - 37.7	200	9.8	6.1 - 15.6	2,400
<b>\$25,001-\$40,000</b>	1,700	46.1	39.9 - 52.3	<50	0.9	0.4 - 2.0	900	24.8	19.4 - 31.1	600	17.1	12.8 - 22.4	400	11.1	8.0 - 15.2	3,600
<b>&gt;=\$40,001</b>	4,100	65.0	60.4 - 69.4	100	1.0	0.5 - 2.1	600	9.1	6.5 - 12.5	100	2.3	1.5 - 3.5	1,400	22.6	19.0 - 26.8	6,400

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	500	47.5	36.3 - 58.9	<50	1.2	0.3 - 4.2	100	12.3	5.6 - 25.0	300	25.8	17.5 - 36.3	100	13.2	7.5 - 22.3	1,100
<b>Normal birth weight</b>	7,000	45.3	42.4 - 48.2	300	1.8	1.3 - 2.6	2,100	13.8	11.7 - 16.2	3,900	25.0	22.8 - 27.4	2,200	14.1	12.2 - 16.2	15,500

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	23.9	16.9 - 32.8	<50	1.2	0.4 - 3.3	200	13.9	7.5 - 24.2	700	55.7	46.4 - 64.6	100	5.4	2.7 - 10.6	1,300
<b>No</b>	7,100	47.2	44.3 - 50.2	300	1.7	1.2 - 2.5	2,100	13.9	11.7 - 16.3	3,400	22.3	20.1 - 24.7	2,200	14.9	12.9 - 17.1	15,100

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	28.1	23.0 - 33.9	<50	1.2	0.4 - 3.5	500	15.7	11.0 - 21.8	1,500	46.8	41.0 - 52.7	300	8.2	5.3 - 12.4	3,100
<b>No</b>	6,500	49.7	46.5 - 52.9	300	2.0	1.4 - 2.8	1,700	13.1	10.9 - 15.8	2,500	19.4	17.1 - 21.9	2,100	15.8	13.6 - 18.3	13,000

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,100	29.6	25.9 - 33.6	100	1.5	0.8 - 2.7	1,100	15.9	12.6 - 19.8	3,100	44.2	40.2 - 48.3	600	8.9	6.7 - 11.5	7,000
<b>No</b>	5,400	56.6	52.8 - 60.3	200	2.0	1.3 - 3.1	1,200	12.6	10.0 - 15.7	1,000	11.0	9.0 - 13.3	1,700	17.9	15.2 - 20.9	9,500

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	8,400	51.4	49.1 - 53.7	400	2.5	1.8 - 3.4	0	0.0	-	4,000	24.3	22.6 - 26.1	3,600	21.9	20.0 - 23.8	16,400

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	800	42.2	37.7 - 46.9	100	2.8	1.6 - 4.7	0	0.0	-	700	40.6	36.1 - 45.2	300	14.4	11.4 - 18.1	1,800
<b>Honolulu</b>	6,300	51.9	49.0 - 54.7	300	2.5	1.6 - 3.7	0	0.0	-	2,600	21.4	19.3 - 23.7	3,000	24.2	21.9 - 26.8	12,200
<b>Kauai</b>	400	58.0	50.3 - 65.3	<50	2.4	1.0 - 5.8	0	0.0	-	200	28.3	22.1 - 35.5	100	11.3	7.2 - 17.3	800
<b>Maui</b>	900	54.9	49.7 - 60.0	<50	2.0	0.9 - 4.3	0	0.0	-	400	25.9	21.6 - 30.7	300	17.2	13.6 - 21.4	1,600

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,900	55.4	50.5 - 60.3	100	1.4	0.6 - 3.4	0	0.0	-	500	14.5	11.5 - 18.1	1,000	28.7	24.4 - 33.4	3,500
Native Hawaiian	1,900	43.5	41.1 - 45.9	100	1.6	1.1 - 2.4	0	0.0	-	1,800	41.2	38.8 - 43.6	600	13.7	12.1 - 15.4	4,400
Chinese	500	64.1	50.5 - 75.8	<50	5.4	1.7 - 16.2	0	0.0	-	100	10.3	4.6 - 21.6	100	20.2	11.3 - 33.4	700
Filipino	2,000	56.3	50.7 - 61.8	100	2.6	1.3 - 4.9	0	0.0	-	700	20.1	16.0 - 25.0	700	21.0	16.8 - 25.9	3,500
Japanese	1,300	63.2	55.7 - 70.1	<50	1.8	0.6 - 5.5	0	0.0	-	200	8.9	5.6 - 13.8	500	26.2	20.0 - 33.4	2,000
Other	800	38.0	31.4 - 45.1	100	5.1	2.5 - 10.4	0	0.0	-	700	31.5	25.1 - 38.7	600	25.4	19.8 - 32.1	2,200

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	32.4	26.9 - 38.4	<50	3.1	1.5 - 6.2	0	0.0	-	800	50.1	44.0 - 56.2	200	14.4	10.4 - 19.5	1,600
20-24	1,700	40.2	36.1 - 44.5	100	2.9	1.6 - 5.3	0	0.0	-	1,500	36.1	32.3 - 40.1	900	20.8	17.4 - 24.6	4,200
25-34	4,500	56.6	53.2 - 59.8	200	2.4	1.5 - 3.9	0	0.0	-	1,400	17.9	15.5 - 20.5	1,800	23.2	20.4 - 26.1	7,900
35+	1,700	64.7	58.7 - 70.2	<50	1.5	0.6 - 3.6	0	0.0	-	300	9.8	7.1 - 13.4	600	24.0	19.0 - 29.8	2,700

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	4,300	52.1	48.9 - 55.3	200	2.5	1.6 - 3.9	0	0.0	-	2,100	24.8	22.3 - 27.5	1,700	20.6	18.1 - 23.4	8,300
<b>Female</b>	4,100	50.7	47.5 - 53.9	200	2.4	1.5 - 3.8	0	0.0	-	1,900	23.8	21.4 - 26.3	1,900	23.1	20.4 - 26.1	8,100

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,600	59.6	56.8 - 62.4	300	2.3	1.5 - 3.5	0	0.0	-	1,300	11.6	10.1 - 13.4	2,900	26.4	23.9 - 29.1	11,000
<b>No</b>	1,800	34.5	31.1 - 38.0	100	2.7	1.6 - 4.5	0	0.0	-	2,700	50.4	46.8 - 54.0	700	12.5	10.2 - 15.1	5,400

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	2,100	33.9	30.6 - 37.3	200	2.8	1.7 - 4.7	0	0.0	-	2,900	47.6	44.2 - 51.0	1,000	15.6	13.2 - 18.4	6,100
<b>131-185%</b>	2,100	58.7	53.8 - 63.3	100	2.3	1.3 - 4.2	0	0.0	-	500	13.2	10.2 - 16.8	900	25.9	21.7 - 30.4	3,600
<b>186+%</b>	3,800	68.8	64.7 - 72.6	100	2.0	1.0 - 3.9	0	0.0	-	100	1.8	1.0 - 3.1	1,500	27.4	23.8 - 31.4	5,500

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	700	22.8	18.9 - 27.3	100	4.1	2.3 - 7.3	0	0.0	-	2,100	64.5	59.7 - 69.1	300	8.6	6.2 - 11.7	3,200
<b>\$15,001-\$25,000</b>	900	42.7	37.0 - 48.6	100	2.4	0.9 - 5.9	0	0.0	-	600	28.1	23.3 - 33.4	600	26.8	21.8 - 32.5	2,200
<b>\$25,001-\$40,000</b>	2,000	56.2	51.5 - 60.7	100	1.7	0.9 - 3.3	0	0.0	-	500	14.5	11.8 - 17.7	1,000	27.7	23.5 - 32.2	3,600
<b>&gt;=\$40,001</b>	4,400	68.4	64.7 - 71.8	100	2.1	1.2 - 3.7	0	0.0	-	300	4.9	3.6 - 6.8	1,600	24.6	21.4 - 28.1	6,500

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	500	45.5	36.8 - 54.6	<50	1.7	0.7 - 4.2	0	0.0	-	300	27.2	20.4 - 35.3	300	25.5	18.2 - 34.6	1,100
<b>Normal birth weight</b>	7,900	51.8	49.4 - 54.1	400	2.5	1.8 - 3.5	0	0.0	-	3,700	24.1	22.3 - 26.0	3,300	21.6	19.7 - 23.6	15,300

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	32.5	26.6 - 39.1	<50	2.3	0.9 - 5.9	0	0.0	-	700	48.2	41.5 - 54.9	300	17.0	12.2 - 23.1	1,500
<b>No</b>	7,700	53.3	50.9 - 55.7	400	2.5	1.8 - 3.5	0	0.0	-	3,100	21.5	19.8 - 23.4	3,300	22.7	20.6 - 24.8	14,500

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	36.5	32.1 - 41.0	<50	1.5	0.7 - 3.1	0	0.0	-	1,400	41.7	37.2 - 46.3	700	20.4	16.6 - 24.8	3,300
<b>No</b>	6,900	55.4	52.8 - 58.0	300	2.8	1.9 - 3.9	0	0.0	-	2,400	19.0	17.2 - 20.9	2,900	22.9	20.7 - 25.2	12,500

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,500	36.6	33.5 - 39.9	200	2.2	1.3 - 3.8	0	0.0	-	2,900	41.8	38.8 - 45.0	1,300	19.3	16.8 - 22.1	6,900
<b>No</b>	5,800	62.3	59.2 - 65.3	200	2.6	1.8 - 3.9	0	0.0	-	1,100	11.2	9.5 - 13.3	2,200	23.9	21.2 - 26.7	9,300

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	9,100	54.3	52.1 - 56.5	500	2.9	2.2 - 3.8	0	0.0	-	4,100	24.3	22.6 - 26.1	3,100	18.5	16.8 - 20.3	16,700

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	800	43.2	38.7 - 47.8	100	2.7	1.5 - 4.8	0	0.0	-	800	41.3	36.9 - 45.8	200	12.8	10.0 - 16.3	1,900
<b>Honolulu</b>	6,800	55.0	52.2 - 57.7	300	2.7	1.9 - 3.8	0	0.0	-	2,700	21.7	19.7 - 23.9	2,600	20.6	18.5 - 23.0	12,400
<b>Kauai</b>	400	53.0	45.1 - 60.8	<50	5.9	3.0 - 11.3	0	0.0	-	200	32.7	25.8 - 40.5	100	8.3	4.9 - 13.9	700
<b>Maui</b>	1,100	62.2	57.1 - 67.0	100	3.7	2.1 - 6.2	0	0.0	-	400	21.0	17.2 - 25.4	200	13.1	10.0 - 17.0	1,700



**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,500	61.3	56.7 - 65.7	100	1.4	0.8 - 2.6	0	0.0	-	500	12.2	9.6 - 15.4	1,000	25.0	21.2 - 29.3	4,000
Native Hawaiian	1,900	42.2	39.7 - 44.7	100	2.5	1.8 - 3.4	0	0.0	-	2,000	43.3	40.9 - 45.8	500	12.0	10.5 - 13.7	4,500
Chinese	500	73.2	59.7 - 83.4	<50	6.8	2.5 - 17.5	0	0.0	-	<50	3.0	1.0 - 8.3	100	17.0	8.9 - 30.2	700
Filipino	2,000	60.6	55.0 - 66.0	100	4.4	2.5 - 7.4	0	0.0	-	700	19.7	15.6 - 24.5	500	15.3	11.6 - 20.0	3,300
Japanese	1,300	65.4	58.1 - 72.1	100	3.2	1.3 - 7.5	0	0.0	-	100	6.6	4.0 - 10.8	500	24.8	18.9 - 31.8	2,000
Other	900	40.9	34.1 - 48.2	100	2.9	1.1 - 7.2	0	0.0	-	800	36.9	30.1 - 44.3	400	19.3	14.4 - 25.3	2,200

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	33.1	27.5 - 39.2	100	4.1	2.5 - 6.7	0	0.0	-	1,000	53.2	47.2 - 59.2	200	9.6	6.7 - 13.6	1,800
20-24	1,700	42.3	38.1 - 46.6	100	2.4	1.2 - 4.6	0	0.0	-	1,400	36.0	32.3 - 39.9	800	19.4	16.2 - 23.0	4,000
25-34	4,800	60.3	57.0 - 63.5	300	3.1	2.1 - 4.5	0	0.0	-	1,300	16.6	14.4 - 19.2	1,600	19.9	17.3 - 22.8	8,000
35+	1,900	67.7	62.2 - 72.7	100	2.3	1.0 - 5.1	0	0.0	-	300	11.2	8.3 - 15.0	500	18.8	14.7 - 23.7	2,900

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	4,400	50.8	47.8 - 53.8	300	3.5	2.5 - 4.9	0	0.0	-	2,300	26.0	23.6 - 28.7	1,700	19.7	17.3 - 22.3	8,700
<b>Female</b>	4,600	58.1	54.9 - 61.2	200	2.3	1.5 - 3.5	0	0.0	-	1,800	22.5	20.2 - 25.0	1,400	17.1	14.8 - 19.8	8,000

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	7,200	62.0	59.2 - 64.7	400	3.1	2.2 - 4.2	0	0.0	-	1,500	12.6	10.9 - 14.5	2,600	22.4	20.1 - 24.8	11,600
<b>No</b>	1,900	37.1	33.6 - 40.7	100	2.6	1.7 - 4.0	0	0.0	-	2,600	50.6	47.0 - 54.2	500	9.7	7.7 - 12.3	5,200

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	2,500	34.7	31.6 - 37.9	200	3.3	2.2 - 5.0	0	0.0	-	3,400	47.7	44.5 - 51.0	1,000	14.3	12.1 - 16.8	7,100
<b>131-185%</b>	1,500	66.2	60.5 - 71.5	100	3.4	1.8 - 6.4	0	0.0	-	200	7.7	5.5 - 10.5	500	22.7	18.1 - 28.1	2,300
<b>186+%</b>	4,500	73.4	69.8 - 76.6	100	2.3	1.4 - 3.8	0	0.0	-	100	2.2	1.3 - 3.5	1,400	22.1	19.1 - 25.5	6,200

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	700	19.4	16.0 - 23.2	200	4.3	2.6 - 6.9	0	0.0	-	2,600	67.4	63.0 - 71.5	300	9.0	6.8 - 11.8	3,800
<b>\$15,001-\$25,000</b>	1,200	46.8	41.3 - 52.4	100	2.6	1.3 - 5.2	0	0.0	-	700	27.7	23.3 - 32.7	600	22.9	18.4 - 28.1	2,600
<b>\$25,001-\$40,000</b>	2,100	63.9	59.0 - 68.4	100	3.3	1.8 - 5.9	0	0.0	-	400	11.2	8.7 - 14.2	700	21.7	17.8 - 26.1	3,200
<b>&gt;=\$40,001</b>	4,700	75.5	72.0 - 78.6	100	2.1	1.3 - 3.4	0	0.0	-	100	1.8	1.1 - 2.9	1,300	20.6	17.7 - 24.0	6,200

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	500	52.2	43.7 - 60.6	<50	2.7	0.8 - 8.2	0	0.0	-	300	30.3	23.1 - 38.5	200	14.8	10.1 - 21.4	1,100
<b>Normal birth weight</b>	8,500	54.4	52.2 - 56.7	500	2.9	2.2 - 3.9	0	0.0	-	3,700	23.9	22.1 - 25.7	2,900	18.7	16.9 - 20.6	15,600

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	27.4	21.3 - 34.4	100	4.7	2.1 - 10.2	0	0.0	-	700	54.3	47.0 - 61.5	200	13.6	9.2 - 19.7	1,300
<b>No</b>	8,500	57.3	55.0 - 59.6	400	2.7	2.0 - 3.6	0	0.0	-	3,100	21.1	19.4 - 22.9	2,800	18.8	17.0 - 20.8	14,900

**PRAMS Health Indicator Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,300	41.6	36.9 - 46.3	100	3.9	2.3 - 6.5	0	0.0	-	1,300	39.7	35.3 - 44.2	500	14.9	11.7 - 18.8	3,200
<b>No</b>	7,500	58.1	55.6 - 60.6	400	2.8	2.0 - 3.8	0	0.0	-	2,600	19.8	17.9 - 21.7	2,500	19.3	17.3 - 21.5	12,900

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	39.0	36.0 - 42.2	200	3.4	2.3 - 5.0	0	0.0	-	3,000	41.3	38.3 - 44.3	1,200	16.3	14.0 - 18.9	7,300
<b>No</b>	6,100	66.6	63.6 - 69.5	200	2.6	1.8 - 3.7	0	0.0	-	1,000	10.8	9.1 - 12.9	1,800	20.0	17.6 - 22.6	9,200