

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Discuss HIV testing with HCW during PNC	Discuss HIV testing with HCW during PNC

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/10/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	14,000	84.1	82.3 - 85.7	2,700	15.9	14.3 - 17.7	16,700
2001	13,800	84.3	82.6 - 85.9	2,600	15.7	14.1 - 17.4	16,400
2002	13,400	80.8	78.4 - 83.0	3,200	19.2	17.0 - 21.6	16,600
2003	14,100	82.4	80.1 - 84.4	3,000	17.6	15.6 - 19.9	17,100
2004	13,100	76.3	74.4 - 78.1	4,100	23.7	21.9 - 25.6	17,200
2005	12,500	74.1	71.9 - 76.1	4,400	25.9	23.9 - 28.1	16,800
2006	13,500	76.1	73.9 - 78.1	4,200	23.9	21.9 - 26.1	17,800
2007	13,300	74.6	72.5 - 76.7	4,500	25.4	23.3 - 27.5	17,800
2008	13,300	73.1	70.9 - 75.1	4,900	26.9	24.9 - 29.1	18,200
2009	12,700	71.0	68.0 - 73.7	5,200	29.0	26.3 - 32.0	17,800
2010	12,800	70.6	67.6 - 73.5	5,300	29.4	26.5 - 32.4	18,100
2011	12,600	70.0	66.9 - 72.9	5,400	30.0	27.1 - 33.1	18,100
2012	12,200	67.9	64.8 - 70.9	5,800	32.1	29.1 - 35.2	18,000
2013	11,600	64.4	61.0 - 67.7	6,400	35.6	32.3 - 39.0	18,100

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,600	64.4	61.0 - 67.7	6,400	35.6	32.3 - 39.0	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	63.5	57.9 - 68.7	800	36.5	31.3 - 42.1	2,300
Honolulu	8,400	64.4	59.8 - 68.7	4,600	35.6	31.3 - 40.2	13,000
Kauai	600	68.7	63.6 - 73.5	300	31.3	26.5 - 36.4	800
Maui	1,200	64.0	58.4 - 69.3	700	36.0	30.7 - 41.6	1,900

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	62.1	55.2 - 68.6	1,800	37.9	31.4 - 44.8	4,800
Native Hawaiian	3,600	67.1	61.1 - 72.6	1,800	32.9	27.4 - 38.9	5,400
Chinese	500	60.7	43.6 - 75.5	300	39.3	24.5 - 56.4	900
Filipino	2,100	69.4	61.1 - 76.6	900	30.6	23.4 - 38.9	3,000
Japanese	900	49.3	37.8 - 60.9	900	50.7	39.1 - 62.2	1,800
Other	1,600	69.9	60.0 - 78.3	700	30.1	21.7 - 40.0	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	75.3	59.8 - 86.2	200	24.7	13.8 - 40.2	900
20-24	3,000	73.9	66.6 - 80.1	1,100	26.1	19.9 - 33.4	4,100
25-34	5,900	60.8	56.0 - 65.3	3,800	39.2	34.7 - 44.0	9,800
35+	2,100	61.1	53.3 - 68.3	1,300	38.9	31.7 - 46.7	3,400

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,300	60.8	55.8 - 65.5	3,500	39.2	34.5 - 44.2	8,800
Female	6,300	67.9	63.2 - 72.3	3,000	32.1	27.7 - 36.8	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	59.1	54.6 - 63.5	4,700	40.9	36.5 - 45.4	11,400
No	4,900	73.6	68.5 - 78.1	1,800	26.4	21.9 - 31.5	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	72.4	67.3 - 77.0	1,800	27.6	23.0 - 32.7	6,600
131-185%	1,700	70.0	60.5 - 78.0	700	30.0	22.0 - 39.5	2,400
186+%	3,800	51.9	46.2 - 57.5	3,500	48.1	42.5 - 53.8	7,200

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Income (2012+)							
<=\$17,000	3,000	73.9	67.5 - 79.5	1,100	26.1	20.5 - 32.5	4,100
\$17,001-\$26,000	1,600	68.9	59.3 - 77.0	700	31.1	23.0 - 40.7	2,400
\$26,001-\$51,000	2,700	69.7	62.4 - 76.0	1,200	30.3	24.0 - 37.6	3,900
>=\$51,001	3,100	49.6	43.5 - 55.6	3,100	50.4	44.4 - 56.5	6,200

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	800	61.1	56.1 - 65.9	500	38.9	34.1 - 43.9	1,300
Normal birth weight	10,800	64.7	61.0 - 68.2	5,900	35.3	31.8 - 39.0	16,700

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester							
Yes	800	76.6	64.8 - 85.3	200	23.4	14.7 - 35.2	1,000
No	10,700	64.5	60.9 - 67.9	5,900	35.5	32.1 - 39.1	16,700

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	74.1	66.6 - 80.4	800	25.9	19.6 - 33.4	3,200
No	9,100	63.2	59.3 - 66.9	5,300	36.8	33.1 - 40.7	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,700	71.4	66.6 - 75.8	2,300	28.6	24.2 - 33.4	7,900
No	6,000	59.0	54.2 - 63.6	4,200	41.0	36.4 - 45.8	10,100

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,200	67.9	64.8 - 70.9	5,800	32.1	29.1 - 35.2	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	68.5	63.4 - 73.2	700	31.5	26.8 - 36.6	2,300
Honolulu	8,800	68.0	63.8 - 71.9	4,200	32.0	28.1 - 36.2	13,000
Kauai	600	67.8	61.5 - 73.5	300	32.2	26.5 - 38.5	800
Maui	1,300	66.6	61.8 - 71.2	600	33.4	28.8 - 38.2	1,900

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	70.1	63.6 - 75.8	1,200	29.9	24.2 - 36.4	4,100
Native Hawaiian	3,700	73.1	67.6 - 77.9	1,400	26.9	22.1 - 32.4	5,100
Chinese	700	68.8	54.6 - 80.2	300	31.2	19.8 - 45.4	1,000
Filipino	1,800	56.4	48.6 - 63.9	1,400	43.6	36.1 - 51.4	3,300
Japanese	900	54.9	43.4 - 65.9	700	45.1	34.1 - 56.6	1,600
Other	2,300	75.0	67.2 - 81.5	800	25.0	18.5 - 32.8	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	79.0	64.8 - 88.4	200	21.0	11.6 - 35.2	1,000
20-24	2,700	72.6	65.6 - 78.6	1,000	27.4	21.4 - 34.4	3,700
25-34	6,800	67.6	63.4 - 71.5	3,300	32.4	28.5 - 36.6	10,100
35+	1,900	60.2	52.5 - 67.3	1,300	39.8	32.7 - 47.5	3,200

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,100	68.5	64.0 - 72.6	2,800	31.5	27.4 - 36.0	8,900
Female	6,100	67.3	62.9 - 71.5	3,000	32.7	28.5 - 37.1	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,200	64.7	60.6 - 68.6	3,900	35.3	31.4 - 39.4	11,200
No	5,000	73.1	68.3 - 77.4	1,800	26.9	22.6 - 31.7	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,700	73.6	68.6 - 78.1	1,700	26.4	21.9 - 31.4	6,400
131-185%	2,100	70.8	63.0 - 77.5	900	29.2	22.5 - 37.0	3,000
186+%	4,300	63.0	57.8 - 68.0	2,600	37.0	32.0 - 42.2	6,900

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Income (2012+)							
<=\$17,000	3,100	78.6	72.5 - 83.6	800	21.4	16.4 - 27.5	4,000
\$17,001-\$26,000	1,500	68.2	59.1 - 76.1	700	31.8	23.9 - 40.9	2,200
\$26,001-\$51,000	3,100	71.5	65.3 - 77.0	1,200	28.5	23.0 - 34.7	4,400
>=\$51,001	3,500	59.8	54.1 - 65.3	2,400	40.2	34.7 - 45.9	5,900

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	700	60.6	55.0 - 65.9	500	39.4	34.1 - 45.0	1,200
Normal birth weight	11,400	68.5	65.1 - 71.6	5,300	31.5	28.4 - 34.9	16,700

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester							
Yes	500	63.8	48.1 - 77.0	300	36.2	23.0 - 51.9	700
No	11,500	69.1	65.8 - 72.1	5,100	30.9	27.9 - 34.2	16,600

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	68.8	60.9 - 75.8	900	31.2	24.2 - 39.1	2,800
No	10,000	68.9	65.4 - 72.1	4,500	31.1	27.9 - 34.6	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	72.9	68.4 - 77.0	2,200	27.1	23.0 - 31.6	8,100
No	6,300	63.8	59.4 - 68.0	3,600	36.2	32.0 - 40.6	9,800

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,600	70.0	66.9 - 72.9	5,400	30.0	27.1 - 33.1	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	72.6	67.8 - 76.9	600	27.4	23.1 - 32.2	2,400
Honolulu	9,000	69.3	65.1 - 73.2	4,000	30.7	26.8 - 34.9	12,900
Kauai	600	68.6	62.5 - 74.0	300	31.4	26.0 - 37.5	900
Maui	1,400	71.9	67.5 - 75.8	500	28.1	24.2 - 32.5	1,900

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	67.1	60.8 - 72.8	1,500	32.9	27.2 - 39.2	4,500
Native Hawaiian	4,000	75.5	70.1 - 80.2	1,300	24.5	19.8 - 29.9	5,300
Chinese	500	65.2	47.7 - 79.3	300	34.8	20.7 - 52.3	700
Filipino	2,300	70.7	63.4 - 77.1	900	29.3	22.9 - 36.6	3,200
Japanese	1,000	54.2	43.5 - 64.5	800	45.8	35.5 - 56.5	1,800
Other	2,000	74.8	66.0 - 82.0	700	25.2	18.0 - 34.0	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	91.9	85.5 - 95.7	100	8.1	4.3 - 14.5	900
20-24	3,300	77.7	71.4 - 83.0	1,000	22.3	17.0 - 28.6	4,300
25-34	6,600	67.6	63.3 - 71.6	3,200	32.4	28.4 - 36.7	9,800
35+	1,800	59.8	52.0 - 67.1	1,200	40.2	32.9 - 48.0	3,100

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,600	72.0	67.7 - 75.9	2,600	28.0	24.1 - 32.3	9,200
Female	6,000	67.8	63.3 - 72.1	2,900	32.2	27.9 - 36.7	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,500	66.7	62.7 - 70.5	3,700	33.3	29.5 - 37.3	11,200
No	5,100	75.3	70.4 - 79.5	1,700	24.7	20.5 - 29.6	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	77.5	72.6 - 81.7	1,400	22.5	18.3 - 27.4	6,300
131-185%	2,100	76.3	68.2 - 82.8	600	23.7	17.2 - 31.8	2,700
186+%	4,900	60.7	55.8 - 65.5	3,200	39.3	34.5 - 44.2	8,000

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	83.8	77.4 - 88.7	500	16.2	11.3 - 22.6	3,200
\$10,000-\$24,999	2,200	67.9	60.4 - 74.7	1,000	32.1	25.3 - 39.6	3,200
\$25,000-\$49,999	3,500	77.3	71.5 - 82.3	1,000	22.7	17.7 - 28.5	4,500
>=\$50,000	3,500	56.8	51.1 - 62.3	2,700	43.2	37.7 - 48.9	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	68.9	63.5 - 73.8	400	31.1	26.2 - 36.5	1,300
Normal birth weight	11,800	70.2	66.9 - 73.3	5,000	29.8	26.7 - 33.1	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	81.2	69.5 - 89.1	200	18.8	10.9 - 30.5	900
No	11,800	69.2	66.0 - 72.2	5,200	30.8	27.8 - 34.0	17,000

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	74.7	67.9 - 80.6	900	25.3	19.4 - 32.1	3,500
No	9,900	68.6	65.1 - 71.9	4,500	31.4	28.1 - 34.9	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,300	77.8	73.5 - 81.5	1,800	22.2	18.5 - 26.5	8,100
No	6,300	63.5	59.1 - 67.7	3,600	36.5	32.3 - 40.9	9,900

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,800	70.6	67.6 - 73.5	5,300	29.4	26.5 - 32.4	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	73.7	68.9 - 77.9	600	26.3	22.1 - 31.1	2,300
Honolulu	9,200	70.4	66.4 - 74.2	3,900	29.6	25.8 - 33.6	13,100
Kauai	500	64.5	58.7 - 69.9	300	35.5	30.1 - 41.3	800
Maui	1,400	70.8	66.2 - 75.0	600	29.2	25.0 - 33.8	1,900

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	73.8	67.8 - 79.0	1,200	26.2	21.0 - 32.2	4,500
Native Hawaiian	3,800	70.2	64.7 - 75.1	1,600	29.8	24.9 - 35.3	5,400
Chinese	400	58.1	41.5 - 73.0	300	41.9	27.0 - 58.5	800
Filipino	2,200	67.2	59.6 - 74.0	1,100	32.8	26.0 - 40.4	3,200
Japanese	1,000	61.1	50.3 - 70.9	600	38.9	29.1 - 49.7	1,700
Other	2,100	79.9	71.7 - 86.1	500	20.1	13.9 - 28.3	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	84.4	74.0 - 91.1	200	15.6	8.9 - 26.0	1,100
20-24	3,400	77.6	71.5 - 82.7	1,000	22.4	17.3 - 28.5	4,400
25-34	6,400	68.6	64.4 - 72.6	2,900	31.4	27.4 - 35.6	9,400
35+	2,000	62.3	54.7 - 69.4	1,200	37.7	30.6 - 45.3	3,300

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,300	70.0	65.7 - 74.0	2,700	30.0	26.0 - 34.3	9,000
Female	6,500	71.2	66.9 - 75.1	2,600	28.8	24.9 - 33.1	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,700	67.9	64.0 - 71.6	3,600	32.1	28.4 - 36.0	11,400
No	5,100	75.1	70.4 - 79.3	1,700	24.9	20.7 - 29.6	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,600	74.3	69.2 - 78.7	1,600	25.7	21.3 - 30.8	6,200
131-185%	2,100	71.8	64.0 - 78.6	800	28.2	21.4 - 36.0	3,000
186+%	5,100	66.8	62.0 - 71.3	2,600	33.2	28.7 - 38.0	7,700

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,600	79.7	73.1 - 85.0	700	20.3	15.0 - 26.9	3,300
\$10,000-\$24,999	2,400	75.6	68.4 - 81.5	800	24.4	18.5 - 31.6	3,200
\$25,000-\$49,999	3,300	71.4	65.2 - 76.8	1,300	28.6	23.2 - 34.8	4,600
>=\$50,000	3,800	62.1	56.5 - 67.4	2,300	37.9	32.6 - 43.5	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	69.5	64.2 - 74.2	400	30.5	25.8 - 35.8	1,300
Normal birth weight	11,900	70.6	67.4 - 73.7	4,900	29.4	26.3 - 32.6	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	72.8	60.9 - 82.1	400	27.2	17.9 - 39.1	1,400
No	11,600	70.5	67.4 - 73.5	4,900	29.5	26.5 - 32.6	16,500

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	70.1	63.4 - 76.0	1,100	29.9	24.0 - 36.6	3,800
No	10,000	70.8	67.4 - 74.1	4,100	29.2	25.9 - 32.6	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	75.9	71.6 - 79.7	1,900	24.1	20.3 - 28.4	7,900
No	6,700	66.9	62.6 - 70.9	3,300	33.1	29.1 - 37.4	10,000

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,700	71.0	68.0 - 73.7	5,200	29.0	26.3 - 32.0	17,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	70.5	65.7 - 74.9	700	29.5	25.1 - 34.3	2,400
Honolulu	8,900	71.2	67.2 - 74.9	3,600	28.8	25.1 - 32.8	12,600
Kauai	600	71.4	65.6 - 76.6	200	28.6	23.4 - 34.4	800
Maui	1,500	69.9	65.5 - 73.9	600	30.1	26.1 - 34.5	2,100

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	70.8	64.9 - 76.1	1,200	29.2	23.9 - 35.1	4,200
Native Hawaiian	4,300	74.4	69.4 - 78.9	1,500	25.6	21.1 - 30.6	5,800
Chinese	400	57.3	40.9 - 72.3	300	42.7	27.7 - 59.1	800
Filipino	2,200	69.2	61.9 - 75.7	1,000	30.8	24.3 - 38.1	3,100
Japanese	1,000	62.9	52.2 - 72.5	600	37.1	27.5 - 47.8	1,600
Other	1,800	74.8	66.2 - 81.9	600	25.2	18.1 - 33.8	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	80.5	71.1 - 87.4	300	19.5	12.6 - 28.9	1,800
20-24	3,300	80.5	74.8 - 85.1	800	19.5	14.9 - 25.2	4,200
25-34	5,900	66.6	62.2 - 70.7	3,000	33.4	29.3 - 37.8	8,900
35+	2,000	65.1	57.6 - 71.8	1,100	34.9	28.2 - 42.4	3,000

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,600	69.9	65.8 - 73.8	2,900	30.1	26.2 - 34.2	9,500
Female	6,000	72.1	67.9 - 76.0	2,300	27.9	24.0 - 32.1	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,900	65.5	61.5 - 69.3	3,600	34.5	30.7 - 38.5	10,500
No	5,800	78.7	74.4 - 82.4	1,600	21.3	17.6 - 25.6	7,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	76.1	71.3 - 80.4	1,500	23.9	19.6 - 28.7	6,300
131-185%	2,100	73.4	65.5 - 80.1	700	26.6	19.9 - 34.5	2,800
186+%	4,500	62.5	57.6 - 67.1	2,700	37.5	32.9 - 42.4	7,200

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	79.0	71.9 - 84.7	600	21.0	15.3 - 28.1	3,000
\$10,000-\$24,999	3,100	80.3	74.7 - 84.8	800	19.7	15.2 - 25.3	3,800
\$25,000-\$49,999	2,400	64.6	57.6 - 71.0	1,300	35.4	29.0 - 42.4	3,700
>=\$50,000	3,600	61.3	55.8 - 66.5	2,300	38.7	33.5 - 44.2	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	70.6	65.6 - 75.1	400	29.4	24.9 - 34.4	1,300
Normal birth weight	11,700	70.9	67.7 - 73.9	4,800	29.1	26.1 - 32.3	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	73.5	63.2 - 81.8	400	26.5	18.2 - 36.8	1,600
No	11,200	71.0	67.9 - 73.9	4,600	29.0	26.1 - 32.1	15,700

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	77.0	71.1 - 82.0	900	23.0	18.0 - 28.9	3,900
No	9,400	69.5	66.1 - 72.8	4,100	30.5	27.2 - 33.9	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	76.4	72.1 - 80.1	1,700	23.6	19.9 - 27.9	7,300
No	6,800	67.6	63.5 - 71.5	3,200	32.4	28.5 - 36.5	10,000

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,300	73.1	70.9 - 75.1	4,900	26.9	24.9 - 29.1	18,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	79.1	73.1 - 84.0	500	20.9	16.0 - 26.9	2,400
Honolulu	9,200	72.2	69.6 - 74.6	3,600	27.8	25.4 - 30.4	12,800
Kauai	600	73.4	63.0 - 81.8	200	26.6	18.2 - 37.0	900
Maui	1,500	71.3	64.4 - 77.4	600	28.7	22.6 - 35.6	2,100

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	75.6	71.2 - 79.5	1,100	24.4	20.5 - 28.8	4,300
Native Hawaiian	3,700	72.1	67.5 - 76.2	1,400	27.9	23.8 - 32.5	5,200
Chinese	400	69.0	62.4 - 74.9	200	31.0	25.1 - 37.6	600
Filipino	2,500	76.6	71.8 - 80.8	800	23.4	19.2 - 28.2	3,300
Japanese	1,300	64.8	57.9 - 71.0	700	35.2	29.0 - 42.1	2,000
Other	2,000	73.7	67.9 - 78.7	700	26.3	21.3 - 32.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	80.6	72.5 - 86.8	300	19.4	13.2 - 27.5	1,400
20-24	3,100	77.0	72.2 - 81.2	900	23.0	18.8 - 27.8	4,000
25-34	6,900	72.0	69.0 - 74.9	2,700	28.0	25.1 - 31.0	9,500
35+	2,200	67.9	62.7 - 72.6	1,100	32.1	27.4 - 37.3	3,300

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,900	72.1	69.1 - 75.0	2,700	27.9	25.0 - 30.9	9,600
Female	6,400	74.1	70.9 - 77.0	2,200	25.9	23.0 - 29.1	8,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,000	70.0	67.3 - 72.6	3,400	30.0	27.4 - 32.7	11,500
No	5,300	78.3	74.7 - 81.5	1,500	21.7	18.5 - 25.3	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	76.3	72.7 - 79.6	1,600	23.7	20.4 - 27.3	6,700
131-185%	2,000	77.7	72.0 - 82.6	600	22.3	17.4 - 28.0	2,600
186+%	5,300	67.9	64.5 - 71.1	2,500	32.1	28.9 - 35.5	7,700

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	74.6	68.8 - 79.6	700	25.4	20.4 - 31.2	2,900
\$10,000-\$24,999	3,100	78.2	73.5 - 82.3	900	21.8	17.7 - 26.5	3,900
\$25,000-\$49,999	3,100	73.9	69.3 - 78.0	1,100	26.1	22.0 - 30.7	4,200
>=\$50,000	4,200	67.9	64.2 - 71.5	2,000	32.1	28.5 - 35.8	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	70.8	61.9 - 78.3	400	29.2	21.7 - 38.1	1,200
Normal birth weight	12,400	73.3	71.0 - 75.4	4,500	26.7	24.6 - 29.0	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	85.0	77.8 - 90.2	200	15.0	9.8 - 22.2	1,500
No	11,800	71.9	69.6 - 74.1	4,600	28.1	25.9 - 30.4	16,300

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	79.0	74.0 - 83.3	700	21.0	16.7 - 26.0	3,400
No	10,400	71.6	69.2 - 73.9	4,100	28.4	26.1 - 30.8	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	75.7	72.3 - 78.8	1,900	24.3	21.2 - 27.7	7,800
No	7,400	71.3	68.4 - 73.9	3,000	28.7	26.1 - 31.6	10,300

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,300	74.6	72.5 - 76.7	4,500	25.4	23.3 - 27.5	17,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	76.9	70.7 - 82.1	600	23.1	17.9 - 29.3	2,400
Honolulu	9,100	74.3	71.8 - 76.7	3,200	25.7	23.3 - 28.2	12,300
Kauai	800	73.8	64.1 - 81.6	300	26.2	18.4 - 35.9	1,100
Maui	1,500	74.5	67.7 - 80.3	500	25.5	19.7 - 32.3	2,100

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	79.9	75.6 - 83.6	800	20.1	16.4 - 24.4	4,100
Native Hawaiian	3,700	76.7	72.2 - 80.6	1,100	23.3	19.4 - 27.8	4,900
Chinese	400	60.0	53.2 - 66.5	300	40.0	33.5 - 46.8	600
Filipino	2,400	71.8	66.9 - 76.2	900	28.2	23.8 - 33.1	3,300
Japanese	1,300	62.0	55.1 - 68.5	800	38.0	31.5 - 44.9	2,000
Other	2,300	79.2	73.7 - 83.8	600	20.8	16.2 - 26.3	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	82.9	75.0 - 88.7	300	17.1	11.3 - 25.0	1,700
20-24	3,500	79.9	75.6 - 83.6	900	20.1	16.4 - 24.4	4,400
25-34	6,400	72.7	69.6 - 75.5	2,400	27.3	24.5 - 30.4	8,700
35+	2,100	68.2	62.9 - 73.0	1,000	31.8	27.0 - 37.1	3,000

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,900	74.6	71.6 - 77.4	2,300	25.4	22.6 - 28.4	9,200
Female	6,500	74.7	71.6 - 77.6	2,200	25.3	22.4 - 28.4	8,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,100	72.6	70.0 - 75.1	3,100	27.4	24.9 - 30.0	11,100
No	5,200	78.0	74.4 - 81.2	1,500	22.0	18.8 - 25.6	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	78.6	75.0 - 81.8	1,400	21.4	18.2 - 25.0	6,600
131-185%	1,900	72.4	66.6 - 77.5	700	27.6	22.5 - 33.4	2,600
186+%	5,300	71.7	68.4 - 74.8	2,100	28.3	25.2 - 31.6	7,300

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	80.8	75.3 - 85.3	600	19.2	14.7 - 24.7	3,000
\$10,000-\$24,999	2,900	79.1	74.4 - 83.1	800	20.9	16.9 - 25.6	3,700
\$25,000-\$49,999	2,900	73.0	68.3 - 77.1	1,100	27.0	22.9 - 31.7	4,000
>=\$50,000	4,100	70.0	66.2 - 73.4	1,800	30.0	26.6 - 33.8	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	74.7	67.2 - 81.1	400	25.3	18.9 - 32.8	1,500
Normal birth weight	12,200	74.6	72.4 - 76.7	4,100	25.4	23.3 - 27.6	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	83.4	75.7 - 89.0	200	16.6	11.0 - 24.3	1,500
No	11,900	73.9	71.7 - 76.1	4,200	26.1	23.9 - 28.3	16,100

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	81.4	76.6 - 85.3	600	18.6	14.7 - 23.4	3,500
No	10,300	73.1	70.6 - 75.4	3,800	26.9	24.6 - 29.4	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	78.7	75.3 - 81.7	1,600	21.3	18.3 - 24.7	7,500
No	7,400	71.8	69.0 - 74.5	2,900	28.2	25.5 - 31.0	10,200

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,500	76.1	73.9 - 78.1	4,200	23.9	21.9 - 26.1	17,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	76.6	69.8 - 82.3	500	23.4	17.7 - 30.2	2,100
Honolulu	9,700	75.1	72.6 - 77.5	3,200	24.9	22.5 - 27.4	12,900
Kauai	700	84.3	74.1 - 91.0	100	15.7	9.0 - 25.9	900
Maui	1,500	78.3	71.3 - 84.0	400	21.7	16.0 - 28.7	1,900

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	80.2	75.8 - 84.0	800	19.8	16.0 - 24.2	4,200
Native Hawaiian	3,700	76.0	71.4 - 80.1	1,200	24.0	19.9 - 28.6	4,900
Chinese	400	70.3	63.3 - 76.5	200	29.7	23.5 - 36.7	600
Filipino	2,400	73.1	67.9 - 77.6	900	26.9	22.4 - 32.1	3,300
Japanese	1,400	67.3	60.5 - 73.5	700	32.7	26.5 - 39.5	2,100
Other	2,200	81.3	75.9 - 85.8	500	18.7	14.2 - 24.1	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	80.6	72.1 - 86.9	300	19.4	13.1 - 27.9	1,500
20-24	3,500	79.9	75.4 - 83.8	900	20.1	16.2 - 24.6	4,400
25-34	6,600	75.3	72.2 - 78.2	2,200	24.7	21.8 - 27.8	8,700
35+	2,300	71.0	65.8 - 75.6	900	29.0	24.4 - 34.2	3,200

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	74.4	71.3 - 77.3	2,300	25.6	22.7 - 28.7	9,000
Female	6,800	77.8	74.7 - 80.6	1,900	22.2	19.4 - 25.3	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,600	75.6	73.0 - 78.0	2,800	24.4	22.0 - 27.0	11,400
No	4,900	77.0	73.1 - 80.5	1,500	23.0	19.5 - 26.9	6,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	77.6	73.8 - 81.1	1,400	22.4	18.9 - 26.2	6,100
131-185%	1,800	78.4	72.2 - 83.5	500	21.6	16.5 - 27.8	2,300
186+%	5,900	74.0	70.8 - 77.0	2,100	26.0	23.0 - 29.2	8,000

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	77.8	72.0 - 82.7	600	22.2	17.3 - 28.0	2,900
\$10,000-\$24,999	2,900	77.9	72.9 - 82.2	800	22.1	17.8 - 27.1	3,700
\$25,000-\$49,999	3,100	75.1	70.4 - 79.2	1,000	24.9	20.8 - 29.6	4,200
>=\$50,000	4,400	74.8	71.2 - 78.2	1,500	25.2	21.8 - 28.8	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	75.2	67.0 - 82.0	400	24.8	18.0 - 33.0	1,400
Normal birth weight	12,400	76.1	73.9 - 78.2	3,900	23.9	21.8 - 26.1	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	81.4	73.7 - 87.2	300	18.6	12.8 - 26.3	1,600
No	11,900	75.5	73.2 - 77.6	3,900	24.5	22.4 - 26.8	15,800

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	79.7	74.8 - 83.8	800	20.3	16.2 - 25.2	3,700
No	10,300	75.0	72.6 - 77.3	3,400	25.0	22.7 - 27.4	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	78.8	75.4 - 81.9	1,600	21.2	18.1 - 24.6	7,500
No	7,500	74.1	71.2 - 76.7	2,600	25.9	23.3 - 28.8	10,200

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,500	74.1	71.9 - 76.1	4,400	25.9	23.9 - 28.1	16,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	73.9	67.4 - 79.5	600	26.1	20.5 - 32.6	2,100
Honolulu	8,900	72.5	70.0 - 74.9	3,400	27.5	25.1 - 30.0	12,300
Kauai	600	90.0	80.5 - 95.2	100	10.0	4.8 - 19.5	700
Maui	1,300	79.2	72.2 - 84.9	300	20.8	15.1 - 27.8	1,700

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,800	77.1	72.4 - 81.2	800	22.9	18.8 - 27.6	3,700
Native Hawaiian	3,700	76.8	72.4 - 80.7	1,100	23.2	19.3 - 27.6	4,800
Chinese	400	73.6	67.4 - 79.0	200	26.4	21.0 - 32.6	600
Filipino	2,400	76.9	72.2 - 80.9	700	23.1	19.1 - 27.8	3,100
Japanese	1,300	59.4	52.9 - 65.5	900	40.6	34.5 - 47.1	2,200
Other	1,800	74.3	68.5 - 79.3	600	25.7	20.7 - 31.5	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	82.8	75.4 - 88.3	300	17.2	11.7 - 24.6	1,500
20-24	3,400	81.1	76.9 - 84.6	800	18.9	15.4 - 23.1	4,200
25-34	6,000	72.1	68.9 - 75.0	2,300	27.9	25.0 - 31.1	8,300
35+	1,900	65.0	59.6 - 70.1	1,000	35.0	29.9 - 40.4	2,900

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,400	75.0	72.0 - 77.8	2,100	25.0	22.2 - 28.0	8,600
Female	6,000	73.1	70.0 - 76.0	2,200	26.9	24.0 - 30.0	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,700	71.7	69.0 - 74.3	3,000	28.3	25.7 - 31.0	10,700
No	4,800	78.2	74.7 - 81.4	1,300	21.8	18.6 - 25.3	6,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,400	73.7	70.0 - 77.1	1,600	26.3	22.9 - 30.0	6,000
131-185%	1,400	76.6	69.8 - 82.3	400	23.4	17.7 - 30.2	1,800
186+%	5,500	72.5	69.3 - 75.4	2,100	27.5	24.6 - 30.7	7,600

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	76.3	70.8 - 81.0	700	23.7	19.0 - 29.2	2,900
\$10,000-\$24,999	2,500	72.0	67.0 - 76.5	1,000	28.0	23.5 - 33.0	3,500
\$25,000-\$49,999	3,100	78.6	74.2 - 82.4	800	21.4	17.6 - 25.8	3,900
>=\$50,000	3,700	69.1	65.2 - 72.8	1,600	30.9	27.2 - 34.8	5,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	73.1	64.4 - 80.4	300	26.9	19.6 - 35.6	1,200
Normal birth weight	11,600	74.2	72.0 - 76.3	4,000	25.8	23.7 - 28.0	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	77.6	69.5 - 84.1	300	22.4	15.9 - 30.5	1,300
No	11,200	73.7	71.4 - 75.8	4,000	26.3	24.2 - 28.6	15,200

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	76.8	71.9 - 81.0	800	23.2	19.0 - 28.1	3,500
No	9,500	73.2	70.7 - 75.5	3,500	26.8	24.5 - 29.3	13,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	77.2	73.9 - 80.2	1,700	22.8	19.8 - 26.1	7,300
No	6,700	71.7	68.8 - 74.5	2,700	28.3	25.5 - 31.2	9,400

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,100	76.3	74.4 - 78.1	4,100	23.7	21.9 - 25.6	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	76.0	70.1 - 81.1	500	24.0	18.9 - 29.9	2,100
Honolulu	9,400	75.3	73.0 - 77.4	3,100	24.7	22.6 - 27.0	12,500
Kauai	700	87.6	79.4 - 92.8	100	12.4	7.2 - 20.6	800
Maui	1,400	78.7	72.6 - 83.7	400	21.3	16.3 - 27.4	1,800

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	78.4	74.4 - 81.9	800	21.6	18.1 - 25.6	3,900
Native Hawaiian	3,700	76.3	72.1 - 79.9	1,100	23.7	20.1 - 27.9	4,800
Chinese	400	72.2	67.8 - 76.2	200	27.8	23.8 - 32.2	600
Filipino	2,400	75.1	70.8 - 78.9	800	24.9	21.1 - 29.2	3,200
Japanese	1,500	67.8	61.7 - 73.3	700	32.2	26.7 - 38.3	2,200
Other	2,100	83.2	78.4 - 87.1	400	16.8	12.9 - 21.6	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	78.8	71.0 - 85.0	300	21.2	15.0 - 29.0	1,300
20-24	3,500	81.0	77.2 - 84.3	800	19.0	15.7 - 22.8	4,400
25-34	6,300	75.4	72.6 - 78.0	2,100	24.6	22.0 - 27.4	8,300
35+	2,300	71.2	66.6 - 75.5	900	28.8	24.5 - 33.4	3,200

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,300	77.3	74.8 - 79.7	2,100	22.7	20.3 - 25.2	9,500
Female	5,800	75.0	72.1 - 77.8	1,900	25.0	22.2 - 27.9	7,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,000	75.0	72.7 - 77.1	3,000	25.0	22.9 - 27.3	12,000
No	4,100	79.4	75.7 - 82.6	1,100	20.6	17.4 - 24.3	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,000	78.7	75.4 - 81.6	1,400	21.3	18.4 - 24.6	6,300
131-185%	1,600	79.1	73.4 - 83.9	400	20.9	16.1 - 26.6	2,000
186+%	5,600	74.2	71.3 - 76.9	1,900	25.8	23.1 - 28.7	7,500

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,000	76.3	70.9 - 81.0	600	23.7	19.0 - 29.1	2,600
\$10,000-\$24,999	3,400	79.9	76.0 - 83.3	900	20.1	16.7 - 24.0	4,300
\$25,000-\$49,999	3,400	78.9	75.1 - 82.2	900	21.1	17.8 - 24.9	4,300
>=\$50,000	3,400	71.7	68.0 - 75.1	1,400	28.3	24.9 - 32.0	4,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	76.3	68.2 - 82.9	300	23.7	17.1 - 31.8	1,100
Normal birth weight	12,300	76.3	74.3 - 78.2	3,800	23.7	21.8 - 25.7	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	77.2	69.3 - 83.5	300	22.8	16.5 - 30.7	1,300
No	11,900	76.3	74.3 - 78.2	3,700	23.7	21.8 - 25.7	15,600

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	78.6	74.1 - 82.5	700	21.4	17.5 - 25.9	3,500
No	10,200	75.8	73.6 - 77.8	3,300	24.2	22.2 - 26.4	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,100	79.2	76.4 - 81.8	1,600	20.8	18.2 - 23.6	7,800
No	6,800	74.0	71.4 - 76.5	2,400	26.0	23.5 - 28.6	9,200

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,100	82.4	80.1 - 84.4	3,000	17.6	15.6 - 19.9	17,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	84.1	80.5 - 87.3	300	15.9	12.7 - 19.5	1,900
Honolulu	10,200	81.6	78.6 - 84.2	2,300	18.4	15.8 - 21.4	12,500
Kauai	700	88.9	83.4 - 92.7	100	11.1	7.3 - 16.6	800
Maui	1,500	82.9	78.8 - 86.3	300	17.1	13.7 - 21.2	1,800

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	79.7	74.0 - 84.4	800	20.3	15.6 - 26.0	3,700
Native Hawaiian	3,900	83.4	81.0 - 85.5	800	16.6	14.5 - 19.0	4,700
Chinese	600	88.7	74.1 - 95.6	100	11.3	4.4 - 25.9	700
Filipino	3,200	84.4	79.1 - 88.5	600	15.6	11.5 - 20.9	3,700
Japanese	1,400	72.0	63.0 - 79.5	600	28.0	20.5 - 37.0	2,000
Other	2,000	88.6	81.7 - 93.1	300	11.4	6.9 - 18.3	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	86.4	80.5 - 90.8	200	13.6	9.2 - 19.5	1,500
20-24	3,300	83.6	79.1 - 87.3	700	16.4	12.7 - 20.9	4,000
25-34	7,100	82.5	79.3 - 85.3	1,500	17.5	14.7 - 20.7	8,600
35+	2,300	78.0	71.7 - 83.3	600	22.0	16.7 - 28.3	2,900

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,600	84.3	81.4 - 86.8	1,400	15.7	13.2 - 18.6	9,000
Female	6,500	80.2	76.7 - 83.3	1,600	19.8	16.7 - 23.3	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,200	81.2	78.2 - 83.8	2,100	18.8	16.2 - 21.8	11,300
No	4,900	84.6	81.4 - 87.4	900	15.4	12.6 - 18.6	5,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,500	85.2	82.1 - 87.8	1,100	14.8	12.2 - 17.9	7,600
131-185%	1,900	77.6	70.6 - 83.3	600	22.4	16.7 - 29.4	2,500
186+%	4,300	78.9	74.4 - 82.8	1,100	21.1	17.2 - 25.6	5,400

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,600	87.3	83.2 - 90.6	500	12.7	9.4 - 16.8	4,100
\$15,001-\$25,000	1,800	82.5	76.0 - 87.6	400	17.5	12.4 - 24.0	2,200
\$25,001-\$40,000	2,600	80.5	74.8 - 85.1	600	19.5	14.9 - 25.2	3,200
>=\$40,001	5,100	79.4	75.4 - 83.0	1,300	20.6	17.0 - 24.6	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	83.0	74.0 - 89.4	200	17.0	10.6 - 26.0	1,200
Normal birth weight	13,100	82.3	80.0 - 84.4	2,800	17.7	15.6 - 20.0	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	77.7	69.1 - 84.4	300	22.3	15.6 - 30.9	1,500
No	12,600	82.9	80.5 - 85.0	2,600	17.1	15.0 - 19.5	15,200

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	79.6	74.4 - 84.1	700	20.4	15.9 - 25.6	3,400
No	10,900	83.2	80.7 - 85.4	2,200	16.8	14.6 - 19.3	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,100	84.0	80.8 - 86.8	1,200	16.0	13.2 - 19.2	7,300
No	7,800	81.0	77.9 - 83.8	1,800	19.0	16.2 - 22.1	9,700

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,400	80.8	78.4 - 83.0	3,200	19.2	17.0 - 21.6	16,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	83.4	79.7 - 86.6	300	16.6	13.4 - 20.3	1,900
Honolulu	9,800	79.5	76.3 - 82.3	2,500	20.5	17.7 - 23.7	12,300
Kauai	600	85.8	79.2 - 90.5	100	14.2	9.5 - 20.8	700
Maui	1,500	85.1	81.1 - 88.4	300	14.9	11.6 - 18.9	1,700

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,800	78.4	72.3 - 83.5	800	21.6	16.5 - 27.7	3,500
Native Hawaiian	3,900	85.6	83.3 - 87.7	700	14.4	12.3 - 16.7	4,500
Chinese	400	60.9	43.6 - 75.9	200	39.1	24.1 - 56.4	600
Filipino	2,700	81.3	75.1 - 86.2	600	18.7	13.8 - 24.9	3,400
Japanese	1,800	76.4	68.3 - 83.0	600	23.6	17.0 - 31.7	2,400
Other	1,800	84.0	76.3 - 89.6	300	16.0	10.4 - 23.7	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	89.3	82.5 - 93.7	200	10.7	6.3 - 17.5	1,500
20-24	3,300	80.9	76.0 - 85.0	800	19.1	15.0 - 24.0	4,100
25-34	6,600	80.3	76.7 - 83.4	1,600	19.7	16.6 - 23.3	8,300
35+	2,100	77.3	70.5 - 82.9	600	22.7	17.1 - 29.5	2,700

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	81.8	78.4 - 84.8	1,500	18.2	15.2 - 21.6	8,200
Female	6,700	79.8	76.2 - 82.9	1,700	20.2	17.1 - 23.8	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,900	78.4	75.2 - 81.2	2,500	21.6	18.8 - 24.8	11,300
No	4,500	86.0	82.3 - 89.0	700	14.0	11.0 - 17.7	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,400	84.0	80.5 - 86.9	1,000	16.0	13.1 - 19.5	6,400
131-185%	2,700	80.6	74.7 - 85.4	700	19.4	14.6 - 25.3	3,400
186+%	4,100	77.6	72.8 - 81.7	1,200	22.4	18.3 - 27.2	5,300

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,700	82.6	77.8 - 86.6	600	17.4	13.4 - 22.2	3,200
\$15,001-\$25,000	2,100	85.1	78.8 - 89.7	400	14.9	10.3 - 21.2	2,400
\$25,001-\$40,000	2,900	81.7	76.0 - 86.2	700	18.3	13.8 - 24.0	3,600
>=\$40,001	4,900	77.3	73.0 - 81.1	1,400	22.7	18.9 - 27.0	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	71.1	58.7 - 80.9	300	28.9	19.1 - 41.3	1,100
Normal birth weight	12,600	81.6	79.1 - 83.8	2,900	18.4	16.2 - 20.9	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	82.7	74.3 - 88.8	200	17.3	11.2 - 25.7	1,300
No	12,100	80.6	78.1 - 83.0	2,900	19.4	17.0 - 21.9	15,000

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	81.4	75.8 - 85.9	600	18.6	14.1 - 24.2	3,100
No	10,400	80.3	77.6 - 82.9	2,600	19.7	17.1 - 22.4	13,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	84.3	80.8 - 87.4	1,100	15.7	12.6 - 19.2	7,000
No	7,400	78.3	75.0 - 81.4	2,100	21.7	18.6 - 25.0	9,500

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,800	84.3	82.6 - 85.9	2,600	15.7	14.1 - 17.4	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	81.3	77.4 - 84.8	300	18.7	15.2 - 22.6	1,800
Honolulu	10,200	84.2	82.0 - 86.2	1,900	15.8	13.8 - 18.0	12,100
Kauai	600	84.0	77.4 - 88.9	100	16.0	11.1 - 22.6	800
Maui	1,500	88.8	84.8 - 91.8	200	11.2	8.2 - 15.2	1,600

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	85.7	81.8 - 88.8	500	14.3	11.2 - 18.2	3,500
Native Hawaiian	3,800	85.2	83.3 - 86.8	700	14.8	13.2 - 16.7	4,400
Chinese	700	88.2	77.0 - 94.4	100	11.8	5.6 - 23.0	700
Filipino	3,000	86.4	82.2 - 89.8	500	13.6	10.2 - 17.8	3,500
Japanese	1,500	74.1	66.8 - 80.2	500	25.9	19.8 - 33.2	2,000
Other	1,900	85.5	79.8 - 89.7	300	14.5	10.3 - 20.2	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	90.2	86.9 - 92.7	200	9.8	7.3 - 13.1	1,600
20-24	3,600	85.3	81.9 - 88.1	600	14.7	11.9 - 18.1	4,200
25-34	6,800	85.2	82.7 - 87.4	1,200	14.8	12.6 - 17.3	7,900
35+	2,000	77.0	71.3 - 81.8	600	23.0	18.2 - 28.7	2,600

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,000	83.7	81.1 - 86.0	1,400	16.3	14.0 - 18.9	8,300
Female	6,800	85.0	82.6 - 87.1	1,200	15.0	12.9 - 17.4	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,200	83.8	81.5 - 85.8	1,800	16.2	14.2 - 18.5	11,000
No	4,600	85.4	82.7 - 87.8	800	14.6	12.2 - 17.3	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	84.9	82.4 - 87.2	900	15.1	12.8 - 17.6	6,100
131-185%	3,000	83.9	80.0 - 87.2	600	16.1	12.8 - 20.0	3,600
186+%	4,600	83.1	79.6 - 86.1	900	16.9	13.9 - 20.4	5,500

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,800	84.9	81.4 - 87.8	500	15.1	12.2 - 18.6	3,200
\$15,001-\$25,000	1,900	85.9	81.3 - 89.5	300	14.1	10.5 - 18.7	2,200
\$25,001-\$40,000	3,000	84.5	80.7 - 87.7	500	15.5	12.3 - 19.3	3,500
>=\$40,001	5,300	82.4	79.2 - 85.2	1,100	17.6	14.8 - 20.8	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	88.2	81.8 - 92.5	100	11.8	7.5 - 18.2	1,100
Normal birth weight	12,800	84.1	82.3 - 85.8	2,400	15.9	14.2 - 17.7	15,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	85.8	80.8 - 89.6	200	14.2	10.4 - 19.2	1,500
No	12,300	84.4	82.6 - 86.1	2,300	15.6	13.9 - 17.4	14,500

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	86.4	82.9 - 89.2	500	13.6	10.8 - 17.1	3,300
No	10,500	84.0	82.0 - 85.9	2,000	16.0	14.1 - 18.0	12,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	85.9	83.5 - 87.9	1,000	14.1	12.1 - 16.5	6,900
No	7,800	83.4	80.9 - 85.7	1,500	16.6	14.3 - 19.1	9,400

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,000	84.1	82.3 - 85.7	2,700	15.9	14.3 - 17.7	16,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	80.3	76.3 - 83.7	400	19.7	16.3 - 23.7	1,900
Honolulu	10,400	83.9	81.7 - 85.9	2,000	16.1	14.1 - 18.3	12,400
Kauai	600	87.7	81.5 - 91.9	100	12.3	8.1 - 18.5	700
Maui	1,500	88.0	84.3 - 90.9	200	12.0	9.1 - 15.7	1,700

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	83.9	80.1 - 87.1	600	16.1	12.9 - 19.9	4,000
Native Hawaiian	3,900	85.3	83.5 - 87.0	700	14.7	13.0 - 16.5	4,500
Chinese	600	84.5	71.2 - 92.3	100	15.5	7.7 - 28.8	700
Filipino	2,900	87.7	83.6 - 91.0	400	12.3	9.0 - 16.4	3,300
Japanese	1,400	71.8	64.6 - 78.0	600	28.2	22.0 - 35.4	2,000
Other	1,900	87.5	81.6 - 91.7	300	12.5	8.3 - 18.4	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,600	85.1	80.0 - 89.0	300	14.9	11.0 - 20.0	1,800
20-24	3,500	87.2	84.0 - 89.8	500	12.8	10.2 - 16.0	4,000
25-34	6,800	85.1	82.5 - 87.3	1,200	14.9	12.7 - 17.5	8,000
35+	2,200	76.2	70.9 - 80.8	700	23.8	19.2 - 29.1	2,900

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,400	84.7	82.4 - 86.8	1,300	15.3	13.2 - 17.6	8,700
Female	6,700	83.3	80.7 - 85.7	1,300	16.7	14.3 - 19.3	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,600	83.3	81.1 - 85.3	1,900	16.7	14.7 - 18.9	11,500
No	4,400	85.7	82.9 - 88.1	700	14.3	11.9 - 17.1	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	6,100	86.2	83.7 - 88.3	1,000	13.8	11.7 - 16.3	7,100
131-185%	1,800	80.5	75.5 - 84.8	400	19.5	15.2 - 24.5	2,300
186+%	5,100	84.0	81.0 - 86.7	1,000	16.0	13.3 - 19.0	6,100

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,300	86.0	82.6 - 88.7	500	14.0	11.3 - 17.4	3,800
\$15,001-\$25,000	2,200	84.6	79.8 - 88.5	400	15.4	11.5 - 20.2	2,600
\$25,001-\$40,000	2,700	82.8	78.7 - 86.3	600	17.2	13.7 - 21.3	3,200
>=\$40,001	5,200	84.4	81.5 - 87.0	1,000	15.6	13.0 - 18.5	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	87.5	81.0 - 92.0	100	12.5	8.0 - 19.0	1,000
Normal birth weight	13,000	83.7	81.9 - 85.4	2,500	16.3	14.6 - 18.1	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	87.2	81.0 - 91.6	200	12.8	8.4 - 19.0	1,300
No	12,500	83.9	82.1 - 85.6	2,400	16.1	14.4 - 17.9	14,800

PRAMS Health Indicator Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	86.7	83.2 - 89.6	400	13.3	10.4 - 16.8	3,200
No	10,800	83.7	81.7 - 85.5	2,100	16.3	14.5 - 18.3	12,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,200	85.4	83.0 - 87.6	1,100	14.6	12.4 - 17.0	7,200
No	7,700	83.4	81.0 - 85.6	1,500	16.6	14.4 - 19.0	9,200