

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Pregnancy confirmation after the first trimester	Pregnancy confirmation after the first trimester

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/4/15

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	900	5.4	4.5 - 6.5	15,500	94.6	93.5 - 95.5	16,400
2001	800	4.9	4.1 - 5.9	15,100	95.1	94.1 - 95.9	15,900
2002	800	4.7	3.7 - 5.9	15,400	95.3	94.1 - 96.3	16,200
2003	900	5.6	4.5 - 7.0	15,800	94.4	93.0 - 95.5	16,800
2004	800	4.5	3.6 - 5.6	16,100	95.5	94.4 - 96.4	16,900
2005	900	5.4	4.4 - 6.7	15,500	94.6	93.3 - 95.6	16,400
2006	1,000	5.7	4.6 - 7.1	16,300	94.3	92.9 - 95.4	17,300
2007	900	5.2	4.2 - 6.5	16,200	94.8	93.5 - 95.8	17,100
2008	800	4.8	3.8 - 6.0	16,600	95.2	94.0 - 96.2	17,400
2009	900	5.4	4.1 - 7.1	16,400	94.6	92.9 - 95.9	17,400
2010	600	3.6	2.6 - 4.9	16,700	96.4	95.1 - 97.4	17,300
2011	700	4.0	2.9 - 5.6	16,900	96.0	94.4 - 97.1	17,600

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	700	4.0	2.9 - 5.6	16,900	96.0	94.4 - 97.1	17,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	3.2	1.7 - 5.8	2,200	96.8	94.2 - 98.3	2,300
Honolulu	600	4.4	2.9 - 6.6	12,000	95.6	93.4 - 97.1	12,600
Kauai	<50	1.5	0.6 - 4.0	800	98.5	96.0 - 99.4	900
Maui	100	3.9	2.4 - 6.3	1,800	96.1	93.7 - 97.6	1,900

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.2	0.3 - 4.9	4,300	98.8	95.1 - 99.7	4,400
Native Hawaiian	300	6.3	3.9 - 10.1	4,700	93.7	89.9 - 96.1	5,000
Chinese	<50	4.8	0.9 - 21.6	700	95.2	78.4 - 99.1	700
Filipino	100	2.4	0.8 - 7.0	2,900	97.6	93.0 - 99.2	3,000
Japanese	<50	2.2	0.6 - 7.5	1,700	97.8	92.5 - 99.4	1,800
Other	200	7.3	3.8 - 13.4	2,500	92.7	86.6 - 96.2	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	6.8	3.0 - 14.9	900	93.2	85.1 - 97.0	1,000
20-24	300	7.6	4.4 - 12.8	3,800	92.4	87.2 - 95.6	4,100
25-34	200	2.5	1.5 - 4.4	9,200	97.5	95.6 - 98.5	9,500
35+	100	3.0	1.2 - 7.3	2,900	97.0	92.7 - 98.8	3,000

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.2	2.6 - 6.7	8,600	95.8	93.3 - 97.4	9,000
Female	300	3.9	2.4 - 6.1	8,300	96.1	93.9 - 97.6	8,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.7	0.9 - 3.3	10,800	98.3	96.7 - 99.1	11,000
No	500	7.9	5.4 - 11.5	6,100	92.1	88.5 - 94.6	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	8.9	6.1 - 12.9	5,700	91.1	87.1 - 93.9	6,300
131-185%	100	3.6	1.5 - 8.7	2,600	96.4	91.3 - 98.5	2,700
186+%	<50	0.4	0.2 - 0.9	7,700	99.6	99.1 - 99.8	7,800

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	8.0	4.8 - 13.1	2,900	92.0	86.9 - 95.2	3,200
\$10,000-\$24,999	300	8.9	4.9 - 15.6	3,000	91.1	84.4 - 95.1	3,300
\$25,000-\$49,999	100	2.9	1.4 - 5.9	4,300	97.1	94.1 - 98.6	4,400
>=\$50,000	<50	0.3	0.1 - 0.7	5,900	99.7	99.3 - 99.9	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.3	3.3 - 8.4	1,200	94.7	91.6 - 96.7	1,300
Normal birth weight	600	4.0	2.7 - 5.7	15,700	96.0	94.3 - 97.3	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.5	3.0 - 17.2	800	92.5	82.8 - 97.0	900
No	600	3.9	2.7 - 5.6	15,900	96.1	94.4 - 97.3	16,500

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.9	2.1 - 7.4	3,300	96.1	92.6 - 97.9	3,400
No	600	4.1	2.8 - 6.0	13,500	95.9	94.0 - 97.2	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	7.2	4.9 - 10.5	7,200	92.8	89.5 - 95.1	7,800
No	200	1.6	0.9 - 2.7	9,500	98.4	97.3 - 99.1	9,700

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	600	3.6	2.6 - 4.9	16,700	96.4	95.1 - 97.4	17,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.3	3.3 - 8.3	2,100	94.7	91.7 - 96.7	2,200
Honolulu	400	3.2	2.0 - 5.0	12,200	96.8	95.0 - 98.0	12,600
Kauai	<50	2.6	1.2 - 5.5	700	97.4	94.5 - 98.8	700
Maui	100	4.8	3.0 - 7.4	1,700	95.2	92.6 - 97.0	1,800

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	1.1	0.3 - 3.7	4,300	98.9	96.3 - 99.7	4,300
Native Hawaiian	300	5.4	3.4 - 8.5	4,900	94.6	91.5 - 96.6	5,200
Chinese	<50	1.3	0.3 - 4.5	800	98.7	95.5 - 99.7	800
Filipino	200	5.5	2.9 - 10.3	2,800	94.5	89.7 - 97.1	3,000
Japanese	<50	0.4	0.1 - 2.2	1,500	99.6	97.8 - 99.9	1,600
Other	100	4.4	2.1 - 9.0	2,400	95.6	91.0 - 97.9	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	19.3	11.2 - 31.1	800	80.7	68.9 - 88.8	1,000
20-24	200	4.2	2.3 - 7.6	4,100	95.8	92.4 - 97.7	4,300
25-34	100	1.6	0.9 - 2.8	8,800	98.4	97.2 - 99.1	8,900
35+	100	3.2	1.4 - 7.1	3,000	96.8	92.9 - 98.6	3,100

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.5	2.9 - 6.8	8,300	95.5	93.2 - 97.1	8,700
Female	200	2.7	1.7 - 4.2	8,400	97.3	95.8 - 98.3	8,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	1.5	0.7 - 2.9	10,800	98.5	97.1 - 99.3	11,000
No	500	7.2	5.0 - 10.1	5,900	92.8	89.9 - 95.0	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	5.7	3.9 - 8.4	5,600	94.3	91.6 - 96.1	5,900
131-185%	100	2.0	0.7 - 5.1	2,800	98.0	94.9 - 99.3	2,900
186+%	200	2.1	1.0 - 4.4	7,300	97.9	95.6 - 99.0	7,500

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	8.0	5.2 - 12.2	2,800	92.0	87.8 - 94.8	3,100
\$10,000-\$24,999	100	3.4	1.5 - 7.2	2,900	96.6	92.8 - 98.5	3,000
\$25,000-\$49,999	100	2.7	1.2 - 5.8	4,200	97.3	94.2 - 98.8	4,400
>=\$50,000	100	1.7	0.7 - 4.3	5,900	98.3	95.7 - 99.3	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	9.9	7.0 - 13.7	1,200	90.1	86.3 - 93.0	1,300
Normal birth weight	500	3.1	2.1 - 4.5	15,500	96.9	95.5 - 97.9	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.1	2.1 - 7.8	1,200	95.9	92.2 - 97.9	1,300
No	600	3.6	2.5 - 5.0	15,300	96.4	95.0 - 97.5	15,900

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.3	1.9 - 5.8	3,400	96.7	94.2 - 98.1	3,500
No	500	3.7	2.5 - 5.3	13,100	96.3	94.7 - 97.5	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	4.8	3.3 - 6.8	7,200	95.2	93.2 - 96.7	7,500
No	300	2.7	1.5 - 4.7	9,400	97.3	95.3 - 98.5	9,600

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.4	4.1 - 7.1	16,400	94.6	92.9 - 95.9	17,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.6	3.6 - 8.7	2,200	94.4	91.3 - 96.4	2,300
Honolulu	600	5.2	3.5 - 7.6	11,600	94.8	92.4 - 96.5	12,200
Kauai	<50	4.1	2.2 - 7.3	800	95.9	92.7 - 97.8	800
Maui	100	6.8	4.8 - 9.7	1,900	93.2	90.3 - 95.2	2,100

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	0.9	0.4 - 1.7	4,200	99.1	98.3 - 99.6	4,200
Native Hawaiian	300	6.2	4.0 - 9.5	5,100	93.8	90.5 - 96.0	5,500
Chinese	0	0.0	-	700	100.0	-	700
Filipino	200	5.3	2.5 - 10.7	2,900	94.7	89.3 - 97.5	3,100
Japanese	100	9.6	4.3 - 20.2	1,300	90.4	79.8 - 95.7	1,500
Other	200	10.4	6.1 - 17.0	2,100	89.6	83.0 - 93.9	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	9.5	5.0 - 17.5	1,600	90.5	82.5 - 95.0	1,800
20-24	300	7.6	4.7 - 12.2	3,700	92.4	87.8 - 95.3	4,000
25-34	400	4.3	2.7 - 6.7	8,300	95.7	93.3 - 97.3	8,600
35+	100	3.0	1.4 - 6.3	2,900	97.0	93.7 - 98.6	3,000

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.6	3.0 - 7.0	8,800	95.4	93.0 - 97.0	9,200
Female	500	6.2	4.3 - 8.9	7,700	93.8	91.1 - 95.7	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.5	1.5 - 4.0	10,100	97.5	96.0 - 98.5	10,300
No	700	9.6	6.9 - 13.2	6,400	90.4	86.8 - 93.1	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	10.9	7.9 - 14.9	5,300	89.1	85.1 - 92.1	5,900
131-185%	100	2.1	0.7 - 6.2	2,600	97.9	93.8 - 99.3	2,700
186+%	200	2.2	1.0 - 4.6	6,900	97.8	95.4 - 99.0	7,100

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.2	8.5 - 20.0	2,400	86.8	80.0 - 91.5	2,800
\$10,000-\$24,999	200	5.5	3.2 - 9.4	3,500	94.5	90.6 - 96.8	3,700
\$25,000-\$49,999	200	5.0	2.6 - 9.5	3,300	95.0	90.5 - 97.4	3,500
>=\$50,000	100	2.0	0.8 - 4.6	5,700	98.0	95.4 - 99.2	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	8.0	5.4 - 11.7	1,200	92.0	88.3 - 94.6	1,300
Normal birth weight	800	5.2	3.8 - 7.0	15,200	94.8	93.0 - 96.2	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.3	7.6 - 22.2	1,400	86.7	77.8 - 92.4	1,600
No	700	4.4	3.2 - 6.1	14,600	95.6	93.9 - 96.8	15,300

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.4	5.3 - 13.1	3,400	91.6	86.9 - 94.7	3,800
No	600	4.4	3.1 - 6.2	12,600	95.6	93.8 - 96.9	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	5.1	3.4 - 7.5	6,700	94.9	92.5 - 96.6	7,000
No	500	5.5	3.7 - 8.0	9,300	94.5	92.0 - 96.3	9,800

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	4.8	3.8 - 6.0	16,600	95.2	94.0 - 96.2	17,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	3.3	1.5 - 7.1	2,200	96.7	92.9 - 98.5	2,300
Honolulu	600	5.0	3.8 - 6.6	11,700	95.0	93.4 - 96.2	12,300
Kauai	<50	3.0	0.8 - 10.8	800	97.0	89.2 - 99.2	800
Maui	100	5.6	3.0 - 10.1	1,900	94.4	89.9 - 97.0	2,000

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.5	1.3 - 4.6	4,100	97.5	95.4 - 98.7	4,200
Native Hawaiian	400	8.0	5.6 - 11.1	4,500	92.0	88.9 - 94.4	4,900
Chinese	<50	4.0	2.0 - 7.7	600	96.0	92.3 - 98.0	600
Filipino	100	1.7	0.7 - 3.8	3,100	98.3	96.2 - 99.3	3,200
Japanese	<50	0.9	0.1 - 5.4	1,800	99.1	94.6 - 99.9	1,800
Other	200	9.0	5.7 - 13.8	2,400	91.0	86.2 - 94.3	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	8.2	4.3 - 15.2	1,300	91.8	84.8 - 95.7	1,400
20-24	200	5.4	3.3 - 8.6	3,600	94.6	91.4 - 96.7	3,800
25-34	400	3.9	2.7 - 5.5	8,700	96.1	94.5 - 97.3	9,100
35+	200	5.0	3.0 - 8.3	3,000	95.0	91.7 - 97.0	3,200

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	4.9	3.6 - 6.7	8,700	95.1	93.3 - 96.4	9,200
Female	400	4.6	3.3 - 6.5	7,900	95.4	93.5 - 96.7	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.9	2.0 - 4.1	10,600	97.1	95.9 - 98.0	10,900
No	500	7.9	5.9 - 10.6	6,000	92.1	89.4 - 94.1	6,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	10.1	7.7 - 13.1	5,700	89.9	86.9 - 92.3	6,300
131-185%	<50	1.5	0.5 - 4.5	2,500	98.5	95.5 - 99.5	2,500
186+%	100	1.3	0.7 - 2.5	7,400	98.7	97.5 - 99.3	7,500

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	14.4	10.4 - 19.6	2,400	85.6	80.4 - 89.6	2,800
\$10,000-\$24,999	200	5.0	3.0 - 8.2	3,500	95.0	91.8 - 97.0	3,700
\$25,000-\$49,999	100	3.0	1.7 - 5.4	3,900	97.0	94.6 - 98.3	4,000
>=\$50,000	100	1.0	0.5 - 2.3	5,800	99.0	97.7 - 99.5	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.1	2.8 - 13.0	1,100	93.9	87.0 - 97.2	1,200
Normal birth weight	800	4.7	3.7 - 5.9	15,500	95.3	94.1 - 96.3	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.2	7.4 - 19.6	1,300	87.8	80.4 - 92.6	1,400
No	600	4.1	3.1 - 5.3	15,000	95.9	94.7 - 96.9	15,700

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.4	4.8 - 11.3	3,100	92.6	88.7 - 95.2	3,300
No	600	4.2	3.1 - 5.5	13,200	95.8	94.5 - 96.9	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	7.5	5.6 - 9.9	6,800	92.5	90.1 - 94.4	7,300
No	300	2.9	1.9 - 4.2	9,600	97.1	95.8 - 98.1	9,900

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.2	4.2 - 6.5	16,200	94.8	93.5 - 95.8	17,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	4.9	2.5 - 9.4	2,200	95.1	90.6 - 97.5	2,300
Honolulu	700	5.7	4.4 - 7.3	11,200	94.3	92.7 - 95.6	11,900
Kauai	<50	4.9	1.9 - 12.4	900	95.1	87.6 - 98.1	900
Maui	100	3.2	1.4 - 7.4	1,900	96.8	92.6 - 98.6	2,000

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	0.9	0.3 - 2.8	4,000	99.1	97.2 - 99.7	4,000
Native Hawaiian	400	9.6	6.9 - 13.2	4,200	90.4	86.8 - 93.1	4,700
Chinese	<50	2.4	0.9 - 6.3	600	97.6	93.7 - 99.1	600
Filipino	100	4.0	2.4 - 6.5	3,100	96.0	93.5 - 97.6	3,200
Japanese	<50	1.2	0.3 - 4.6	1,900	98.8	95.4 - 99.7	1,900
Other	200	9.1	5.8 - 14.1	2,400	90.9	85.9 - 94.2	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	15.9	9.9 - 24.5	1,200	84.1	75.5 - 90.1	1,500
20-24	300	7.8	5.4 - 11.0	4,000	92.2	89.0 - 94.6	4,300
25-34	200	2.9	1.9 - 4.4	8,100	97.1	95.6 - 98.1	8,400
35+	100	3.0	1.5 - 6.1	2,900	97.0	93.9 - 98.5	3,000

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.3	3.8 - 7.2	8,400	94.7	92.8 - 96.2	8,800
Female	400	5.2	3.7 - 7.2	7,900	94.8	92.8 - 96.3	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.9	2.0 - 4.2	10,500	97.1	95.8 - 98.0	10,800
No	600	9.2	6.9 - 12.1	5,800	90.8	87.9 - 93.1	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.9	7.6 - 13.0	5,500	90.1	87.0 - 92.4	6,100
131-185%	100	3.7	1.8 - 7.2	2,500	96.3	92.8 - 98.2	2,600
186+%	100	1.4	0.7 - 2.6	7,100	98.6	97.4 - 99.3	7,200

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	11.8	7.9 - 17.1	2,300	88.2	82.9 - 92.1	2,700
\$10,000-\$24,999	300	7.6	5.1 - 11.2	3,300	92.4	88.8 - 94.9	3,600
\$25,000-\$49,999	100	3.5	2.1 - 6.1	3,800	96.5	93.9 - 97.9	4,000
>=\$50,000	100	1.4	0.6 - 3.1	5,700	98.6	96.9 - 99.4	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.8	2.8 - 11.6	1,300	94.2	88.4 - 97.2	1,400
Normal birth weight	800	5.2	4.1 - 6.6	14,900	94.8	93.4 - 95.9	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.7	6.9 - 19.0	1,200	88.3	81.0 - 93.1	1,400
No	700	4.6	3.6 - 6.0	14,800	95.4	94.0 - 96.4	15,500

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	7.9	5.2 - 11.7	3,200	92.1	88.3 - 94.8	3,400
No	600	4.6	3.5 - 6.0	12,800	95.4	94.0 - 96.5	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	7.8	5.9 - 10.4	6,500	92.2	89.6 - 94.1	7,000
No	300	3.2	2.2 - 4.7	9,400	96.8	95.3 - 97.8	9,700

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	5.7	4.6 - 7.1	16,300	94.3	92.9 - 95.4	17,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.0	2.4 - 9.8	1,900	95.0	90.2 - 97.6	2,100
Honolulu	800	6.0	4.7 - 7.7	11,900	94.0	92.3 - 95.3	12,700
Kauai	<50	5.0	1.7 - 14.1	700	95.0	85.9 - 98.3	800
Maui	100	4.4	2.0 - 9.2	1,700	95.6	90.8 - 98.0	1,800

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.7	0.8 - 3.7	4,000	98.3	96.3 - 99.2	4,100
Native Hawaiian	400	8.1	5.7 - 11.6	4,300	91.9	88.4 - 94.3	4,700
Chinese	<50	2.8	1.2 - 6.4	600	97.2	93.6 - 98.8	600
Filipino	200	5.3	3.2 - 8.6	3,000	94.7	91.4 - 96.8	3,100
Japanese	100	3.7	1.7 - 7.9	1,900	96.3	92.1 - 98.3	2,000
Other	300	10.0	6.5 - 15.0	2,400	90.0	85.0 - 93.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	6.9	3.5 - 13.2	1,300	93.1	86.8 - 96.5	1,400
20-24	300	6.3	4.0 - 9.8	3,900	93.7	90.2 - 96.0	4,100
25-34	500	5.7	4.2 - 7.7	8,100	94.3	92.3 - 95.8	8,600
35+	100	4.3	2.4 - 7.5	3,000	95.7	92.5 - 97.6	3,200

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.6	5.0 - 8.7	8,300	93.4	91.3 - 95.0	8,900
Female	400	4.8	3.4 - 6.7	8,000	95.2	93.3 - 96.6	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.1	2.1 - 4.3	10,700	96.9	95.7 - 97.9	11,100
No	600	10.4	7.9 - 13.5	5,600	89.6	86.5 - 92.1	6,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	10.8	8.2 - 14.0	5,300	89.2	86.0 - 91.8	5,900
131-185%	100	4.2	2.0 - 8.3	2,200	95.8	91.7 - 98.0	2,300
186+%	200	2.4	1.5 - 3.8	7,700	97.6	96.2 - 98.5	7,900

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	10.7	7.2 - 15.6	2,600	89.3	84.4 - 92.8	2,900
\$10,000-\$24,999	300	9.9	6.9 - 14.0	3,200	90.1	86.0 - 93.1	3,500
\$25,000-\$49,999	200	4.5	2.7 - 7.3	3,900	95.5	92.7 - 97.3	4,100
>=\$50,000	100	1.7	0.9 - 3.1	5,600	98.3	96.9 - 99.1	5,700

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	9.8	5.5 - 16.8	1,300	90.2	83.2 - 94.5	1,500
Normal birth weight	800	5.3	4.2 - 6.7	14,900	94.7	93.3 - 95.8	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	15.2	9.8 - 22.8	1,300	84.8	77.2 - 90.2	1,600
No	700	4.6	3.6 - 5.9	14,700	95.4	94.1 - 96.4	15,400

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.2	5.5 - 12.0	3,400	91.8	88.0 - 94.5	3,700
No	700	4.9	3.8 - 6.4	12,700	95.1	93.6 - 96.2	13,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	8.1	6.1 - 10.7	6,600	91.9	89.3 - 93.9	7,200
No	400	4.0	2.9 - 5.6	9,400	96.0	94.4 - 97.1	9,800

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.4	4.4 - 6.7	15,500	94.6	93.3 - 95.6	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	6.9	4.0 - 11.7	2,000	93.1	88.3 - 96.0	2,100
Honolulu	600	5.1	3.9 - 6.6	11,300	94.9	93.4 - 96.1	11,900
Kauai	100	9.0	3.9 - 19.4	600	91.0	80.6 - 96.1	700
Maui	100	4.5	2.1 - 9.6	1,600	95.5	90.4 - 97.9	1,600

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.5	1.3 - 4.8	3,500	97.5	95.2 - 98.7	3,600
Native Hawaiian	400	9.0	6.4 - 12.6	4,200	91.0	87.4 - 93.6	4,700
Chinese	<50	1.2	0.4 - 3.9	600	98.8	96.1 - 99.6	600
Filipino	100	4.5	2.7 - 7.2	2,900	95.5	92.8 - 97.3	3,100
Japanese	100	3.4	1.7 - 6.7	2,100	96.6	93.3 - 98.3	2,100
Other	200	7.0	4.3 - 11.3	2,100	93.0	88.7 - 95.7	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	13.9	8.7 - 21.4	1,200	86.1	78.6 - 91.3	1,400
20-24	200	5.5	3.6 - 8.4	3,900	94.5	91.6 - 96.4	4,100
25-34	300	4.3	3.0 - 6.1	7,700	95.7	93.9 - 97.0	8,100
35+	100	4.1	2.3 - 7.3	2,600	95.9	92.7 - 97.7	2,700

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.6	4.2 - 7.5	7,900	94.4	92.5 - 95.8	8,300
Female	400	5.2	3.8 - 7.2	7,600	94.8	92.8 - 96.2	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.1	2.2 - 4.4	10,200	96.9	95.6 - 97.8	10,500
No	600	9.6	7.3 - 12.5	5,300	90.4	87.5 - 92.7	5,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	11.4	8.9 - 14.5	5,100	88.6	85.5 - 91.1	5,800
131-185%	<50	2.6	1.0 - 6.6	1,700	97.4	93.4 - 99.0	1,800
186+%	100	1.6	0.9 - 2.8	7,400	98.4	97.2 - 99.1	7,500

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	14.5	10.5 - 19.6	2,400	85.5	80.4 - 89.5	2,800
\$10,000-\$24,999	300	8.1	5.5 - 11.8	3,100	91.9	88.2 - 94.5	3,400
\$25,000-\$49,999	100	1.7	0.7 - 3.9	3,800	98.3	96.1 - 99.3	3,900
>=\$50,000	100	1.8	0.9 - 3.5	5,100	98.2	96.5 - 99.1	5,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.5	1.8 - 11.1	1,100	95.5	88.9 - 98.2	1,200
Normal birth weight	800	5.5	4.4 - 6.9	14,300	94.5	93.1 - 95.6	15,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.8	8.6 - 21.4	1,200	86.2	78.6 - 91.4	1,400
No	700	4.7	3.6 - 6.0	14,000	95.3	94.0 - 96.4	14,700

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.4	6.5 - 13.4	3,100	90.6	86.6 - 93.5	3,400
No	500	4.3	3.3 - 5.7	12,100	95.7	94.3 - 96.7	12,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	7.0	5.2 - 9.4	6,400	93.0	90.6 - 94.8	6,900
No	400	4.2	3.0 - 5.8	8,800	95.8	94.2 - 97.0	9,200

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	4.5	3.6 - 5.6	16,100	95.5	94.4 - 96.4	16,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	6.1	3.6 - 10.1	2,100	93.9	89.9 - 96.4	2,200
Honolulu	500	4.4	3.4 - 5.7	11,700	95.6	94.3 - 96.6	12,200
Kauai	<50	3.0	0.9 - 9.4	700	97.0	90.6 - 99.1	800
Maui	100	4.1	2.0 - 8.2	1,700	95.9	91.8 - 98.0	1,700

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.5	0.7 - 3.1	3,800	98.5	96.9 - 99.3	3,800
Native Hawaiian	300	7.2	5.1 - 10.2	4,400	92.8	89.8 - 94.9	4,700
Chinese	<50	1.7	0.8 - 3.6	600	98.3	96.4 - 99.2	600
Filipino	100	4.7	3.1 - 7.2	2,900	95.3	92.8 - 96.9	3,100
Japanese	<50	1.6	0.5 - 4.6	2,200	98.4	95.4 - 99.5	2,200
Other	200	7.2	4.6 - 11.3	2,300	92.8	88.7 - 95.4	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	14.5	9.4 - 21.8	1,100	85.5	78.2 - 90.6	1,200
20-24	200	5.2	3.4 - 7.8	4,100	94.8	92.2 - 96.6	4,300
25-34	300	3.4	2.4 - 4.9	7,800	96.6	95.1 - 97.6	8,100
35+	100	2.6	1.4 - 5.0	3,200	97.4	95.0 - 98.6	3,300

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.3	3.2 - 5.8	8,800	95.7	94.2 - 96.8	9,200
Female	400	4.8	3.5 - 6.6	7,300	95.2	93.4 - 96.5	7,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.2	1.5 - 3.1	11,600	97.8	96.9 - 98.5	11,800
No	500	10.1	7.7 - 13.1	4,600	89.9	86.9 - 92.3	5,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	7.3	5.5 - 9.8	5,700	92.7	90.2 - 94.5	6,100
131-185%	100	5.3	2.9 - 9.5	1,900	94.7	90.5 - 97.1	2,000
186+%	100	0.9	0.5 - 1.7	7,400	99.1	98.3 - 99.5	7,500

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	11.0	7.5 - 15.7	2,200	89.0	84.3 - 92.5	2,500
\$10,000-\$24,999	200	5.4	3.6 - 8.1	3,900	94.6	91.9 - 96.4	4,100
\$25,000-\$49,999	100	1.7	0.9 - 3.4	4,200	98.3	96.6 - 99.1	4,300
>=\$50,000	100	1.1	0.5 - 2.3	4,700	98.9	97.7 - 99.5	4,700

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.3	2.4 - 11.4	1,000	94.7	88.6 - 97.6	1,000
Normal birth weight	700	4.5	3.6 - 5.6	15,200	95.5	94.4 - 96.4	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.3	4.5 - 14.8	1,200	91.7	85.2 - 95.5	1,300
No	600	4.1	3.2 - 5.2	14,700	95.9	94.8 - 96.8	15,300

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	5.9	3.8 - 9.0	3,200	94.1	91.0 - 96.2	3,400
No	500	4.0	3.1 - 5.2	12,700	96.0	94.8 - 96.9	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	5.3	3.9 - 7.1	7,100	94.7	92.9 - 96.1	7,500
No	300	3.5	2.5 - 5.0	8,700	96.5	95.0 - 97.5	9,000

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.6	4.5 - 7.0	15,800	94.4	93.0 - 95.5	16,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	10.1	7.6 - 13.2	1,700	89.9	86.8 - 92.4	1,900
Honolulu	600	5.2	3.8 - 7.0	11,700	94.8	93.0 - 96.2	12,300
Kauai	<50	5.7	3.2 - 9.7	800	94.3	90.3 - 96.8	800
Maui	100	3.6	2.1 - 6.0	1,700	96.4	94.0 - 97.9	1,700

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.6	1.1 - 5.7	3,600	97.4	94.3 - 98.9	3,600
Native Hawaiian	400	8.8	7.2 - 10.7	4,100	91.2	89.3 - 92.8	4,500
Chinese	0	0.0	-	700	100.0	-	700
Filipino	200	4.2	2.2 - 7.8	3,500	95.8	92.2 - 97.8	3,600
Japanese	100	4.1	1.6 - 10.0	1,800	95.9	90.0 - 98.4	1,900
Other	200	9.4	5.3 - 16.0	2,100	90.6	84.0 - 94.7	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	15.9	10.6 - 23.0	1,300	84.1	77.0 - 89.4	1,500
20-24	300	8.4	5.8 - 11.9	3,600	91.6	88.1 - 94.2	3,900
25-34	300	3.4	2.3 - 5.2	8,200	96.6	94.8 - 97.7	8,500
35+	100	3.0	1.3 - 6.4	2,800	97.0	93.6 - 98.7	2,900

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.4	4.1 - 7.2	8,300	94.6	92.8 - 95.9	8,800
Female	500	5.8	4.2 - 8.0	7,500	94.2	92.0 - 95.8	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	3.0	2.0 - 4.5	10,800	97.0	95.5 - 98.0	11,100
No	600	10.7	8.3 - 13.7	5,000	89.3	86.3 - 91.7	5,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	8.4	6.5 - 10.9	6,800	91.6	89.1 - 93.5	7,400
131-185%	100	3.9	1.7 - 8.5	2,400	96.1	91.5 - 98.3	2,500
186+%	100	1.7	0.7 - 3.8	5,300	98.3	96.2 - 99.3	5,400

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	10.5	7.7 - 14.2	3,500	89.5	85.8 - 92.3	3,900
\$15,001-\$25,000	100	6.7	4.0 - 11.1	2,000	93.3	88.9 - 96.0	2,200
\$25,001-\$40,000	100	3.9	2.1 - 7.2	3,100	96.1	92.8 - 97.9	3,200
>=\$40,001	200	2.4	1.2 - 4.6	6,300	97.6	95.4 - 98.8	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	8.1	4.1 - 15.6	1,000	91.9	84.4 - 95.9	1,100
Normal birth weight	800	5.4	4.3 - 6.8	14,800	94.6	93.2 - 95.7	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.1	8.2 - 20.4	1,300	86.9	79.6 - 91.8	1,500
No	700	4.9	3.8 - 6.3	14,200	95.1	93.7 - 96.2	15,000

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.6	5.9 - 12.3	3,100	91.4	87.7 - 94.1	3,400
No	600	4.8	3.6 - 6.3	12,300	95.2	93.7 - 96.4	12,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	7.6	5.8 - 9.9	6,400	92.4	90.1 - 94.2	6,900
No	400	4.2	2.9 - 6.0	9,200	95.8	94.0 - 97.1	9,600

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	4.7	3.7 - 5.9	15,400	95.3	94.1 - 96.3	16,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	5.9	4.1 - 8.2	1,800	94.1	91.8 - 95.9	1,900
Honolulu	500	4.2	3.1 - 5.8	11,400	95.8	94.2 - 96.9	11,900
Kauai	<50	3.9	1.9 - 7.8	600	96.1	92.2 - 98.1	700
Maui	100	6.9	4.6 - 10.1	1,600	93.1	89.9 - 95.4	1,700

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.6	1.1 - 6.3	3,400	97.4	93.7 - 98.9	3,400
Native Hawaiian	400	8.4	6.8 - 10.4	4,000	91.6	89.6 - 93.2	4,400
Chinese	<50	3.3	0.5 - 19.4	600	96.7	80.6 - 99.5	600
Filipino	200	4.8	2.6 - 8.5	3,200	95.2	91.5 - 97.4	3,300
Japanese	<50	1.9	0.7 - 5.1	2,200	98.1	94.9 - 99.3	2,300
Other	100	3.6	1.4 - 9.1	2,100	96.4	90.9 - 98.6	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.2	7.0 - 17.4	1,300	88.8	82.6 - 93.0	1,500
20-24	300	8.6	5.9 - 12.2	3,700	91.4	87.8 - 94.1	4,000
25-34	200	2.4	1.6 - 3.8	8,000	97.6	96.2 - 98.4	8,200
35+	100	2.1	1.1 - 3.9	2,500	97.9	96.1 - 98.9	2,600

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.7	3.4 - 6.6	7,600	95.3	93.4 - 96.6	8,000
Female	400	4.7	3.4 - 6.3	7,800	95.3	93.7 - 96.6	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.3	1.4 - 3.5	10,900	97.7	96.5 - 98.6	11,100
No	500	10.0	7.7 - 12.9	4,600	90.0	87.1 - 92.3	5,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	7.2	5.4 - 9.5	5,700	92.8	90.5 - 94.6	6,200
131-185%	100	4.1	2.2 - 7.6	3,200	95.9	92.4 - 97.8	3,300
186+%	100	1.6	0.7 - 3.6	5,200	98.4	96.4 - 99.3	5,300

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	300	9.7	6.8 - 13.5	2,800	90.3	86.5 - 93.2	3,100
\$15,001-\$25,000	100	4.4	2.4 - 7.9	2,200	95.6	92.1 - 97.6	2,300
\$25,001-\$40,000	200	5.7	3.5 - 9.2	3,300	94.3	90.8 - 96.5	3,500
>=\$40,001	100	1.2	0.6 - 2.6	6,200	98.8	97.4 - 99.4	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	10.0	4.8 - 19.7	1,000	90.0	80.3 - 95.2	1,100
Normal birth weight	600	4.3	3.4 - 5.5	14,400	95.7	94.5 - 96.6	15,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.5	7.4 - 20.3	1,100	87.5	79.7 - 92.6	1,200
No	600	4.0	3.1 - 5.2	14,100	96.0	94.8 - 96.9	14,700

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.3	4.9 - 10.8	2,800	92.7	89.2 - 95.1	3,000
No	500	4.0	3.0 - 5.4	12,200	96.0	94.6 - 97.0	12,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	6.2	4.5 - 8.3	6,200	93.8	91.7 - 95.5	6,600
No	300	3.6	2.5 - 5.1	9,100	96.4	94.9 - 97.5	9,500

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	4.9	4.1 - 5.9	15,100	95.1	94.1 - 95.9	15,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	6.8	4.9 - 9.3	1,600	93.2	90.7 - 95.1	1,800
Honolulu	500	4.5	3.4 - 5.7	11,300	95.5	94.3 - 96.6	11,800
Kauai	100	9.7	6.0 - 15.3	700	90.3	84.7 - 94.0	700
Maui	100	4.0	2.4 - 6.5	1,600	96.0	93.5 - 97.6	1,600

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	2.1	1.2 - 3.9	3,400	97.9	96.1 - 98.8	3,500
Native Hawaiian	400	8.7	7.4 - 10.3	3,900	91.3	89.7 - 92.6	4,300
Chinese	0	0.0	-	700	100.0	-	700
Filipino	100	4.4	2.5 - 7.7	3,100	95.6	92.3 - 97.5	3,300
Japanese	100	3.0	1.1 - 8.0	1,900	97.0	92.0 - 98.9	2,000
Other	100	5.7	3.1 - 10.3	2,100	94.3	89.7 - 96.9	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.7	8.6 - 15.6	1,300	88.3	84.4 - 91.4	1,500
20-24	300	6.6	4.8 - 9.2	3,800	93.4	90.8 - 95.2	4,100
25-34	200	3.2	2.2 - 4.5	7,500	96.8	95.5 - 97.8	7,700
35+	100	3.4	1.7 - 6.6	2,500	96.6	93.4 - 98.3	2,600

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	4.2	3.2 - 5.5	7,700	95.8	94.5 - 96.8	8,100
Female	400	5.6	4.3 - 7.3	7,400	94.4	92.7 - 95.7	7,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	2.2	1.6 - 3.2	10,500	97.8	96.8 - 98.4	10,700
No	500	10.4	8.4 - 12.9	4,700	89.6	87.1 - 91.6	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.7	6.0 - 9.8	5,400	92.3	90.2 - 94.0	5,900
131-185%	100	3.8	2.4 - 5.9	3,400	96.2	94.1 - 97.6	3,600
186+%	100	2.1	1.1 - 3.8	5,200	97.9	96.2 - 98.9	5,400

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	300	9.5	7.0 - 12.7	2,800	90.5	87.3 - 93.0	3,100
\$15,001-\$25,000	100	3.3	1.8 - 5.7	2,100	96.7	94.3 - 98.2	2,200
\$25,001-\$40,000	200	4.5	2.9 - 7.0	3,300	95.5	93.0 - 97.1	3,500
>=\$40,001	200	2.9	1.9 - 4.4	6,100	97.1	95.6 - 98.1	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	10.2	5.8 - 17.2	1,000	89.8	82.8 - 94.2	1,100
Normal birth weight	700	4.5	3.7 - 5.5	14,200	95.5	94.5 - 96.3	14,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.1	4.7 - 10.5	1,400	92.9	89.5 - 95.3	1,500
No	700	4.6	3.7 - 5.8	13,500	95.4	94.2 - 96.3	14,100

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.4	4.6 - 8.9	3,000	93.6	91.1 - 95.4	3,300
No	500	4.3	3.4 - 5.4	11,600	95.7	94.6 - 96.6	12,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	6.2	4.9 - 7.8	6,200	93.8	92.2 - 95.1	6,700
No	400	3.9	2.9 - 5.3	8,800	96.1	94.7 - 97.1	9,100

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.4	4.5 - 6.5	15,500	94.6	93.5 - 95.5	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	7.2	5.0 - 10.3	1,800	92.8	89.7 - 95.0	1,900
Honolulu	600	4.8	3.8 - 6.1	11,500	95.2	93.9 - 96.2	12,100
Kauai	<50	5.3	2.8 - 9.7	600	94.7	90.3 - 97.2	700
Maui	100	7.9	5.5 - 11.1	1,500	92.1	88.9 - 94.5	1,700

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.6	0.8 - 3.2	3,900	98.4	96.8 - 99.2	4,000
Native Hawaiian	400	9.9	8.4 - 11.7	4,000	90.1	88.3 - 91.6	4,400
Chinese	<50	2.0	0.6 - 7.1	600	98.0	92.9 - 99.4	700
Filipino	200	5.7	3.5 - 9.3	3,000	94.3	90.7 - 96.5	3,200
Japanese	<50	2.4	1.0 - 5.9	1,900	97.6	94.1 - 99.0	2,000
Other	100	6.7	3.6 - 12.1	2,000	93.3	87.9 - 96.4	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	15.0	11.2 - 19.9	1,500	85.0	80.1 - 88.8	1,700
20-24	300	6.5	4.5 - 9.4	3,600	93.5	90.6 - 95.5	3,900
25-34	300	3.8	2.7 - 5.2	7,600	96.2	94.8 - 97.3	7,900
35+	100	2.6	1.6 - 4.2	2,700	97.4	95.8 - 98.4	2,800

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	5.6	4.4 - 7.1	8,000	94.4	92.9 - 95.6	8,400
Female	400	5.2	4.0 - 6.8	7,500	94.8	93.2 - 96.0	7,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.6	1.9 - 3.7	11,000	97.4	96.3 - 98.1	11,300
No	600	11.8	9.6 - 14.4	4,400	88.2	85.6 - 90.4	5,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	8.5	6.9 - 10.5	6,200	91.5	89.5 - 93.1	6,800
131-185%	100	2.5	1.2 - 5.0	2,200	97.5	95.0 - 98.8	2,200
186+%	200	2.6	1.7 - 4.1	6,000	97.4	95.9 - 98.3	6,100

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	10.9	8.4 - 13.9	3,200	89.1	86.1 - 91.6	3,600
\$15,001-\$25,000	200	5.7	3.8 - 8.5	2,500	94.3	91.5 - 96.2	2,600
\$25,001-\$40,000	100	3.2	1.9 - 5.3	3,000	96.8	94.7 - 98.1	3,100
>=\$40,001	200	2.7	1.7 - 4.3	6,000	97.3	95.7 - 98.3	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	7.1	3.3 - 14.4	1,000	92.9	85.6 - 96.7	1,000
Normal birth weight	800	5.3	4.4 - 6.4	14,400	94.7	93.6 - 95.6	15,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.9	9.1 - 18.1	1,200	87.1	81.9 - 90.9	1,300
No	600	4.5	3.6 - 5.5	13,900	95.5	94.5 - 96.4	14,500

PRAMS Health Indicator Report - Pregnancy confirmation after the first trimester- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.4	7.0 - 12.6	2,900	90.6	87.4 - 93.0	3,200
No	500	4.2	3.3 - 5.3	12,000	95.8	94.7 - 96.7	12,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	7.5	6.0 - 9.3	6,500	92.5	90.7 - 94.0	7,000
No	300	3.7	2.7 - 5.0	8,800	96.3	95.0 - 97.3	9,100