

**PRAMS Health Indicator Report - Entry into PNC- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Entry into PNC	Entry into PNC

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/7/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Entry into PNC- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	13,400	78.9	77.1 - 80.7	3,300	19.7	18.0 - 21.5	200	1.4	0.9 - 2.1	17,000
2001	13,300	80.2	78.5 - 81.9	3,000	18.3	16.7 - 20.1	200	1.4	1.0 - 2.1	16,500
2002	13,400	79.7	77.4 - 81.9	3,200	19.1	17.0 - 21.4	200	1.2	0.7 - 2.0	16,800
2003	13,800	79.9	77.8 - 81.9	3,200	18.8	16.8 - 20.9	200	1.3	0.8 - 2.1	17,300
2004	14,100	80.8	78.9 - 82.5	3,200	18.2	16.6 - 20.1	200	1.0	0.6 - 1.5	17,400
2005	13,100	77.2	75.1 - 79.2	3,600	21.2	19.3 - 23.3	300	1.5	1.0 - 2.3	17,000
2006	14,300	79.2	77.1 - 81.2	3,500	19.5	17.6 - 21.6	200	1.3	0.8 - 2.0	18,100
2007	14,000	77.3	75.2 - 79.3	3,800	21.2	19.2 - 23.3	300	1.5	1.0 - 2.2	18,100
2008	14,800	80.9	78.9 - 82.7	3,200	17.5	15.7 - 19.4	300	1.7	1.1 - 2.4	18,300
2009	14,700	81.6	79.0 - 83.9	3,100	17.4	15.1 - 19.9	200	1.0	0.5 - 2.0	18,100
2010	15,300	83.3	80.8 - 85.5	2,900	15.9	13.7 - 18.4	200	0.8	0.4 - 1.6	18,400
2011	15,800	86.0	83.6 - 88.0	2,400	13.0	11.0 - 15.3	200	1.1	0.6 - 2.0	18,400
2012	16,000	88.2	86.0 - 90.1	2,000	10.8	9.0 - 13.0	200	0.9	0.5 - 1.8	18,100
2013	15,900	88.3	86.0 - 90.2	2,000	10.9	9.0 - 13.1	200	0.8	0.4 - 1.7	18,000

PRAMS Health Indicator Report - Entry into PNC- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,900	88.3	86.0 - 90.2	2,000	10.9	9.0 - 13.1	200	0.8	0.4 - 1.7	18,000

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	79.7	74.5 - 84.0	400	19.1	14.9 - 24.2	<50	1.2	0.5 - 3.0	2,300
Honolulu	11,700	90.5	87.4 - 92.9	1,100	8.7	6.4 - 11.7	100	0.8	0.3 - 2.1	13,000
Kauai	700	84.7	80.3 - 88.2	100	15.3	11.8 - 19.7	0	0.0	-	800
Maui	1,700	85.2	80.8 - 88.8	300	13.6	10.2 - 17.9	<50	1.1	0.4 - 3.2	1,900

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,500	92.6	88.6 - 95.2	300	6.5	4.1 - 10.3	<50	0.9	0.2 - 3.5	4,900
Native Hawaiian	4,300	81.0	75.6 - 85.4	1,000	18.7	14.3 - 24.0	<50	0.3	0.1 - 1.0	5,300
Chinese	800	93.2	81.7 - 97.7	<50	3.3	1.4 - 7.9	<50	3.5	0.5 - 20.3	900
Filipino	2,700	92.9	89.4 - 95.3	200	6.7	4.4 - 10.2	<50	0.4	0.1 - 1.4	2,900
Japanese	1,700	94.0	86.4 - 97.5	100	5.4	2.1 - 13.3	<50	0.6	0.1 - 2.1	1,800
Other	1,900	83.8	75.3 - 89.7	300	14.5	9.0 - 22.7	<50	1.7	0.3 - 7.9	2,200

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	64.8	49.5 - 77.5	300	32.7	20.3 - 48.1	<50	2.6	0.9 - 6.8	900
20-24	3,600	89.1	83.6 - 92.9	400	10.7	6.9 - 16.2	<50	0.2	0.0 - 1.1	4,000
25-34	9,000	91.0	88.2 - 93.2	800	8.5	6.4 - 11.2	<50	0.5	0.1 - 1.7	9,800
35+	2,800	85.5	79.2 - 90.1	400	12.3	8.2 - 18.1	100	2.2	0.7 - 6.8	3,300

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	89.7	86.6 - 92.1	800	9.6	7.3 - 12.6	100	0.7	0.3 - 2.0	8,700
Female	8,100	87.0	83.5 - 89.9	1,100	12.1	9.3 - 15.5	100	0.9	0.3 - 2.5	9,300

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,600	92.5	90.1 - 94.4	700	6.4	4.7 - 8.6	100	1.1	0.5 - 2.5	11,500
No	5,300	80.9	76.2 - 84.8	1,200	18.8	14.8 - 23.4	<50	0.3	0.1 - 0.9	6,500

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,300	82.6	78.2 - 86.3	1,100	16.9	13.2 - 21.3	<50	0.5	0.2 - 1.2	6,500
131-185%	2,200	86.5	78.5 - 91.8	300	12.0	7.1 - 19.8	<50	1.5	0.3 - 7.1	2,500
186+%	6,900	94.5	91.5 - 96.4	300	4.5	2.8 - 7.1	100	1.1	0.4 - 3.1	7,300

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	3,100	79.3	73.1 - 84.4	800	20.0	15.0 - 26.3	<50	0.6	0.2 - 1.6	4,000
\$17,001-\$26,000	2,000	84.7	76.8 - 90.3	400	15.0	9.4 - 22.9	<50	0.3	0.0 - 1.9	2,400
\$26,001-\$51,000	3,600	90.5	85.5 - 94.0	300	7.8	4.8 - 12.3	100	1.7	0.5 - 5.7	4,000
>=\$51,001	5,900	94.2	90.9 - 96.3	300	5.0	3.1 - 8.1	<50	0.8	0.2 - 2.7	6,200

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	83.1	78.8 - 86.7	200	15.5	12.0 - 19.7	<50	1.4	0.5 - 3.4	1,300
Normal birth weight	14,800	88.7	86.2 - 90.7	1,800	10.5	8.5 - 12.9	100	0.8	0.4 - 1.8	16,700

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	62.6	48.6 - 74.7	400	37.4	25.3 - 51.4	0	0.0	-	1,000
No	14,900	89.6	87.3 - 91.5	1,600	9.5	7.7 - 11.7	100	0.9	0.4 - 1.8	16,600

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	83.3	77.2 - 88.1	500	16.5	11.8 - 22.7	<50	0.1	0.0 - 0.6	3,200
No	12,900	89.1	86.6 - 91.3	1,400	9.9	7.8 - 12.4	100	1.0	0.5 - 2.1	14,400

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	85.0	81.1 - 88.2	1,100	14.4	11.2 - 18.2	<50	0.6	0.2 - 2.2	7,800
No	9,300	90.8	88.0 - 93.0	800	8.2	6.1 - 10.9	100	1.0	0.4 - 2.3	10,200

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	16,000	88.2	86.0 - 90.1	2,000	10.8	9.0 - 13.0	200	0.9	0.5 - 1.8	18,100

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	81.9	77.3 - 85.7	400	16.7	13.0 - 21.3	<50	1.4	0.6 - 3.4	2,300
Honolulu	11,700	89.6	86.6 - 91.9	1,200	9.4	7.1 - 12.3	100	1.0	0.5 - 2.3	13,100
Kauai	700	84.3	79.0 - 88.5	100	15.7	11.5 - 21.0	0	0.0	-	800
Maui	1,700	88.5	84.6 - 91.5	200	11.5	8.5 - 15.4	0	0.0	-	1,900

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,800	93.2	89.6 - 95.6	300	6.8	4.4 - 10.4	0	0.0	-	4,100
Native Hawaiian	4,300	84.5	79.6 - 88.3	800	15.3	11.4 - 20.1	<50	0.3	0.1 - 1.0	5,100
Chinese	1,000	92.4	81.0 - 97.2	100	5.2	1.6 - 15.4	<50	2.4	0.4 - 14.9	1,100
Filipino	2,800	85.4	79.2 - 90.0	400	13.5	9.1 - 19.5	<50	1.2	0.3 - 4.5	3,300
Japanese	1,400	91.7	83.3 - 96.1	100	6.1	2.6 - 13.9	<50	2.2	0.5 - 9.1	1,600
Other	2,600	87.8	81.5 - 92.2	300	10.3	6.4 - 16.4	100	1.8	0.5 - 5.9	3,000

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	69.5	55.6 - 80.7	300	25.6	15.4 - 39.3	100	4.9	1.3 - 16.3	1,000
20-24	3,200	86.9	81.4 - 90.9	500	13.1	9.1 - 18.6	0	0.0	-	3,700
25-34	9,200	90.2	87.4 - 92.4	900	9.1	7.0 - 11.8	100	0.8	0.3 - 2.0	10,200
35+	2,900	89.7	83.9 - 93.5	300	9.1	5.5 - 14.7	<50	1.2	0.3 - 4.6	3,200

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,100	90.5	87.4 - 92.8	800	8.9	6.6 - 11.9	100	0.6	0.2 - 1.7	8,900
Female	7,900	86.1	82.7 - 88.9	1,200	12.7	10.1 - 15.9	100	1.2	0.5 - 2.9	9,100

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,100	90.1	87.4 - 92.2	1,000	9.3	7.2 - 11.9	100	0.6	0.2 - 1.8	11,200
No	5,900	85.2	81.2 - 88.6	900	13.4	10.2 - 17.3	100	1.4	0.6 - 3.3	6,900

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,400	84.1	79.9 - 87.5	1,000	15.4	12.0 - 19.5	<50	0.6	0.1 - 2.3	6,400
131-185%	2,700	87.8	81.7 - 92.1	300	11.3	7.3 - 17.3	<50	0.9	0.1 - 5.6	3,000
186+%	6,600	95.3	92.6 - 97.0	300	4.4	2.7 - 7.1	<50	0.3	0.1 - 0.7	6,900

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	3,300	82.1	76.3 - 86.8	600	15.8	11.5 - 21.4	100	2.0	0.7 - 5.4	4,000
\$17,001-\$26,000	1,800	82.6	74.8 - 88.4	400	17.4	11.6 - 25.2	0	0.0	-	2,200
\$26,001-\$51,000	4,000	90.9	86.8 - 93.8	400	8.4	5.7 - 12.3	<50	0.7	0.2 - 3.5	4,400
>=\$51,001	5,600	94.6	91.3 - 96.6	300	5.2	3.2 - 8.5	<50	0.2	0.1 - 0.6	5,900

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	84.7	80.4 - 88.3	200	13.2	9.8 - 17.4	<50	2.1	1.0 - 4.2	1,200
Normal birth weight	14,900	88.5	86.1 - 90.5	1,800	10.7	8.8 - 13.0	100	0.8	0.4 - 1.8	16,800

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	73.3	58.1 - 84.4	200	26.1	15.1 - 41.3	<50	0.6	0.1 - 3.6	700
No	14,900	89.0	86.7 - 90.9	1,700	10.1	8.3 - 12.3	200	0.9	0.5 - 1.9	16,700

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	82.2	75.3 - 87.5	500	17.6	12.3 - 24.5	<50	0.2	0.0 - 0.9	2,800
No	13,100	89.5	87.2 - 91.5	1,400	9.4	7.5 - 11.7	200	1.1	0.5 - 2.1	14,600

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,100	85.8	82.3 - 88.7	1,100	13.0	10.3 - 16.3	100	1.2	0.5 - 3.1	8,200
No	8,900	90.3	87.3 - 92.6	900	9.0	6.8 - 12.0	100	0.7	0.3 - 1.6	9,800

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,800	86.0	83.6 - 88.0	2,400	13.0	11.0 - 15.3	200	1.1	0.6 - 2.0	18,400

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,000	82.0	77.7 - 85.6	400	16.7	13.2 - 20.9	<50	1.3	0.5 - 3.2	2,400
Honolulu	11,500	87.0	83.8 - 89.7	1,600	11.9	9.3 - 15.0	100	1.1	0.5 - 2.5	13,200
Kauai	800	89.2	84.7 - 92.5	100	10.8	7.5 - 15.3	0	0.0	-	900
Maui	1,600	82.2	78.3 - 85.5	300	16.9	13.7 - 20.7	<50	0.9	0.3 - 2.4	1,900

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,100	91.4	87.3 - 94.3	400	8.3	5.5 - 12.4	<50	0.3	0.1 - 1.1	4,500
Native Hawaiian	4,200	80.5	75.5 - 84.7	1,000	19.2	15.0 - 24.2	<50	0.3	0.1 - 1.2	5,300
Chinese	700	93.0	79.9 - 97.8	<50	6.3	1.8 - 20.1	<50	0.7	0.1 - 3.8	700
Filipino	3,000	90.5	85.1 - 94.1	300	8.9	5.4 - 14.4	<50	0.7	0.3 - 1.6	3,300
Japanese	1,800	93.0	86.5 - 96.5	100	5.3	2.5 - 10.7	<50	1.7	0.3 - 9.0	1,900
Other	2,100	75.3	66.8 - 82.2	600	20.8	14.5 - 28.8	100	3.9	1.5 - 10.0	2,700

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	62.6	49.5 - 74.1	300	32.3	21.6 - 45.2	100	5.1	1.2 - 18.8	1,100
20-24	3,500	78.6	72.3 - 83.7	900	20.4	15.3 - 26.6	<50	1.0	0.3 - 3.7	4,400
25-34	8,900	90.7	88.0 - 92.8	900	8.7	6.6 - 11.3	100	0.7	0.3 - 1.5	9,800
35+	2,800	89.4	84.2 - 93.0	300	9.6	6.2 - 14.4	<50	1.0	0.2 - 5.6	3,100

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,000	84.9	81.4 - 87.8	1,300	14.0	11.2 - 17.4	100	1.1	0.5 - 2.8	9,400
Female	7,800	87.1	83.8 - 89.8	1,100	11.9	9.3 - 15.2	100	1.0	0.4 - 2.4	9,000

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,300	90.1	87.4 - 92.2	1,000	8.8	6.8 - 11.4	100	1.1	0.5 - 2.3	11,500
No	5,500	79.1	74.5 - 83.0	1,400	19.9	16.0 - 24.3	100	1.0	0.3 - 3.1	6,900

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,000	75.7	70.8 - 80.0	1,400	22.1	18.0 - 26.9	100	2.2	1.0 - 4.6	6,500
131-185%	2,400	85.9	78.9 - 90.8	400	13.8	8.9 - 20.7	<50	0.4	0.1 - 1.3	2,800
186+%	7,600	94.0	91.4 - 95.9	400	5.6	3.8 - 8.1	<50	0.4	0.1 - 2.2	8,100

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	73.1	65.8 - 79.3	800	23.4	17.6 - 30.4	100	3.5	1.4 - 8.4	3,300
\$10,000-\$24,999	2,700	79.0	72.3 - 84.5	700	20.2	14.8 - 26.9	<50	0.8	0.3 - 2.0	3,400
\$25,000-\$49,999	4,000	88.7	84.3 - 92.0	500	10.5	7.3 - 14.7	<50	0.9	0.2 - 3.6	4,600
>=\$50,000	5,800	93.9	90.6 - 96.1	400	6.0	3.8 - 9.3	<50	0.2	0.0 - 0.6	6,100

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	83.1	78.5 - 86.8	200	14.2	10.8 - 18.6	<50	2.7	1.4 - 5.3	1,300
Normal birth weight	14,700	86.2	83.6 - 88.4	2,200	12.9	10.8 - 15.4	200	0.9	0.4 - 2.0	17,000

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	75.6	63.4 - 84.6	200	23.4	14.4 - 35.6	<50	1.1	0.3 - 3.6	900
No	14,900	86.5	84.0 - 88.6	2,200	12.5	10.4 - 14.8	200	1.1	0.6 - 2.1	17,300

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	79.9	73.8 - 84.9	700	18.7	13.9 - 24.7	<50	1.4	0.4 - 4.6	3,500
No	12,800	87.3	84.7 - 89.5	1,700	11.7	9.5 - 14.2	100	1.0	0.5 - 2.1	14,700

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,600	80.5	76.3 - 84.2	1,500	17.9	14.5 - 22.0	100	1.5	0.6 - 3.5	8,300
No	9,000	90.4	87.7 - 92.5	900	8.9	6.9 - 11.5	100	0.7	0.3 - 1.7	10,000

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,300	83.3	80.8 - 85.5	2,900	15.9	13.7 - 18.4	200	0.8	0.4 - 1.6	18,400

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	77.9	73.3 - 81.9	500	21.4	17.4 - 25.9	<50	0.7	0.2 - 2.5	2,300
Honolulu	11,200	84.1	80.7 - 87.0	2,000	15.1	12.3 - 18.4	100	0.8	0.3 - 1.9	13,300
Kauai	700	86.0	81.4 - 89.6	100	13.5	9.9 - 18.0	<50	0.5	0.1 - 2.6	800
Maui	1,600	82.9	78.9 - 86.3	300	15.9	12.6 - 19.8	<50	1.2	0.5 - 2.9	1,900

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,900	87.8	82.9 - 91.4	500	12.2	8.6 - 17.1	0	0.0	-	4,400
Native Hawaiian	4,400	79.0	73.9 - 83.3	1,100	20.2	15.9 - 25.2	<50	0.9	0.3 - 2.9	5,500
Chinese	700	89.0	74.9 - 95.7	100	10.3	3.8 - 24.8	<50	0.7	0.1 - 3.9	800
Filipino	2,600	80.1	73.4 - 85.5	600	19.0	13.7 - 25.8	<50	0.8	0.4 - 1.9	3,200
Japanese	1,600	93.8	87.6 - 97.0	100	4.7	2.2 - 9.6	<50	1.5	0.2 - 9.6	1,700
Other	2,200	80.3	72.6 - 86.2	500	18.1	12.4 - 25.6	<50	1.7	0.5 - 5.8	2,700

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	60.8	48.4 - 72.0	400	35.9	25.2 - 48.3	<50	3.3	0.7 - 14.1	1,100
20-24	3,600	81.6	76.2 - 86.0	800	18.0	13.6 - 23.4	<50	0.5	0.2 - 1.1	4,500
25-34	8,000	84.9	81.3 - 87.8	1,400	14.5	11.6 - 18.0	100	0.6	0.2 - 1.7	9,400
35+	3,000	88.6	82.6 - 92.7	300	10.3	6.4 - 16.2	<50	1.1	0.3 - 4.3	3,400

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,700	83.0	79.5 - 86.1	1,500	15.8	12.9 - 19.3	100	1.1	0.5 - 2.4	9,200
Female	7,600	83.5	79.8 - 86.7	1,500	16.0	12.9 - 19.6	<50	0.5	0.1 - 1.8	9,100

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,200	88.9	86.1 - 91.3	1,300	11.0	8.6 - 13.9	<50	0.1	0.0 - 0.3	11,400
No	5,100	74.0	69.3 - 78.2	1,700	24.0	19.9 - 28.6	100	2.0	1.0 - 4.0	6,900

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	75.1	70.3 - 79.4	1,500	23.2	19.1 - 27.9	100	1.7	0.8 - 3.6	6,400
131-185%	2,600	86.6	80.0 - 91.3	400	13.1	8.5 - 19.7	<50	0.3	0.1 - 1.1	3,000
186+%	7,000	89.5	85.9 - 92.2	800	10.2	7.5 - 13.7	<50	0.3	0.0 - 2.2	7,800

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	69.6	62.5 - 75.9	900	27.6	21.6 - 34.6	100	2.8	1.2 - 6.5	3,400
\$10,000-\$24,999	2,500	78.3	71.6 - 83.8	700	21.0	15.5 - 27.7	<50	0.8	0.3 - 1.6	3,200
\$25,000-\$49,999	4,000	87.3	82.4 - 91.0	600	12.5	8.8 - 17.4	<50	0.2	0.0 - 1.1	4,600
>=\$50,000	5,600	90.6	86.6 - 93.5	600	9.0	6.2 - 12.9	<50	0.4	0.1 - 2.8	6,200

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	78.6	73.7 - 82.8	200	18.4	14.5 - 23.0	<50	3.0	1.5 - 5.8	1,300
Normal birth weight	14,200	83.6	80.9 - 86.0	2,700	15.7	13.4 - 18.4	100	0.7	0.3 - 1.5	17,000

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	73.9	62.8 - 82.6	400	25.1	16.5 - 36.3	<50	1.0	0.3 - 3.5	1,400
No	14,000	83.9	81.3 - 86.2	2,600	15.3	13.0 - 17.9	100	0.8	0.4 - 1.6	16,700

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	77.7	71.4 - 82.9	800	21.7	16.6 - 27.9	<50	0.6	0.2 - 1.5	3,800
No	12,100	84.5	81.7 - 87.0	2,100	14.6	12.2 - 17.4	100	0.9	0.4 - 1.9	14,300

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,400	80.1	76.2 - 83.5	1,500	19.1	15.8 - 22.9	100	0.8	0.3 - 2.1	8,000
No	8,700	85.9	82.5 - 88.8	1,300	13.3	10.5 - 16.7	100	0.8	0.3 - 2.1	10,100

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,700	81.6	79.0 - 83.9	3,100	17.4	15.1 - 19.9	200	1.0	0.5 - 2.0	18,100

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	78.7	74.1 - 82.6	500	21.1	17.1 - 25.6	<50	0.2	0.0 - 1.5	2,400
Honolulu	10,500	82.5	78.9 - 85.6	2,100	16.4	13.4 - 19.9	100	1.1	0.5 - 2.6	12,800
Kauai	700	86.5	81.8 - 90.2	100	12.9	9.3 - 17.5	<50	0.6	0.1 - 3.3	800
Maui	1,600	77.2	73.0 - 81.0	400	21.0	17.4 - 25.1	<50	1.7	0.8 - 3.6	2,100

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,800	89.8	85.6 - 92.8	400	10.2	7.2 - 14.4	0	0.0	-	4,200
Native Hawaiian	4,600	79.7	74.9 - 83.7	1,200	20.2	16.2 - 25.0	<50	0.1	0.0 - 0.6	5,800
Chinese	700	89.8	75.2 - 96.2	100	10.2	3.8 - 24.8	0	0.0	-	800
Filipino	2,700	84.2	78.0 - 88.9	500	14.5	10.0 - 20.5	<50	1.4	0.4 - 4.5	3,200
Japanese	1,300	83.1	72.6 - 90.1	300	16.6	9.6 - 27.1	<50	0.3	0.1 - 1.8	1,600
Other	1,600	65.4	56.4 - 73.4	700	29.2	21.7 - 38.0	100	5.4	2.4 - 11.7	2,500

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	64.8	54.4 - 74.0	600	32.2	23.4 - 42.5	100	3.0	0.9 - 9.0	1,800
20-24	3,100	75.1	68.9 - 80.4	1,000	24.7	19.4 - 30.9	<50	0.2	0.0 - 1.0	4,200
25-34	7,700	85.3	81.8 - 88.3	1,200	13.5	10.7 - 16.9	100	1.1	0.5 - 2.8	9,000
35+	2,700	89.3	84.0 - 93.0	300	9.9	6.4 - 14.9	<50	0.8	0.1 - 5.5	3,100

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,100	83.2	79.6 - 86.3	1,500	15.6	12.6 - 19.1	100	1.2	0.5 - 2.8	9,700
Female	6,700	79.7	75.7 - 83.1	1,600	19.5	16.1 - 23.3	100	0.9	0.3 - 2.3	8,400

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,400	88.3	85.5 - 90.7	1,100	10.7	8.5 - 13.5	100	0.9	0.4 - 2.2	10,700
No	5,300	71.9	67.1 - 76.2	2,000	26.9	22.7 - 31.6	100	1.2	0.5 - 3.1	7,400

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,400	69.6	64.4 - 74.3	1,800	28.6	24.0 - 33.7	100	1.8	0.8 - 4.0	6,300
131-185%	2,300	84.5	77.3 - 89.7	400	15.5	10.3 - 22.7	0	0.0	-	2,800
186+%	6,700	91.1	87.9 - 93.6	600	8.3	6.0 - 11.5	<50	0.6	0.1 - 2.4	7,300

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,900	62.3	54.3 - 69.7	1,100	35.4	28.2 - 43.4	100	2.3	0.8 - 6.2	3,100
\$10,000-\$24,999	3,000	78.6	72.7 - 83.6	800	20.4	15.6 - 26.2	<50	1.0	0.2 - 4.8	3,800
\$25,000-\$49,999	3,100	83.4	77.4 - 88.1	600	15.6	11.1 - 21.5	<50	1.0	0.2 - 5.0	3,700
>=\$50,000	5,600	91.9	88.4 - 94.5	500	7.9	5.4 - 11.4	<50	0.2	0.1 - 0.6	6,000

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	80.3	75.6 - 84.2	300	19.4	15.4 - 24.0	<50	0.4	0.1 - 2.0	1,300
Normal birth weight	13,700	81.8	79.0 - 84.3	2,900	17.1	14.7 - 19.8	200	1.1	0.6 - 2.1	16,700

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	66.0	55.4 - 75.3	500	31.6	22.6 - 42.2	<50	2.4	0.5 - 10.0	1,700
No	13,300	83.1	80.4 - 85.5	2,500	16.0	13.6 - 18.6	100	0.9	0.5 - 1.9	15,900

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	74.8	68.4 - 80.2	1,000	24.2	18.9 - 30.5	<50	1.0	0.2 - 4.5	3,900
No	11,400	83.4	80.5 - 85.9	2,100	15.5	13.1 - 18.3	100	1.1	0.5 - 2.2	13,700

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	76.9	72.6 - 80.7	1,600	22.2	18.4 - 26.4	100	0.9	0.4 - 2.4	7,300
No	8,600	84.7	81.3 - 87.6	1,400	14.1	11.3 - 17.4	100	1.2	0.5 - 2.8	10,200

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,800	80.9	78.9 - 82.7	3,200	17.5	15.7 - 19.4	300	1.7	1.1 - 2.4	18,300

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	2,000	82.0	76.0 - 86.7	400	16.3	11.8 - 22.1	<50	1.7	0.6 - 4.9	2,400
Honolulu	10,500	81.1	78.8 - 83.3	2,200	17.2	15.1 - 19.5	200	1.6	1.1 - 2.5	12,900
Kauai	700	81.8	71.9 - 88.7	200	18.2	11.3 - 28.1	0	0.0	-	900
Maui	1,600	77.6	70.9 - 83.1	400	19.9	14.7 - 26.3	100	2.5	1.0 - 6.3	2,100

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,800	87.1	83.5 - 90.0	500	12.3	9.5 - 15.9	<50	0.6	0.1 - 2.1	4,400
Native Hawaiian	3,900	77.3	72.9 - 81.2	1,100	21.8	18.0 - 26.2	<50	0.8	0.3 - 2.5	5,100
Chinese	500	83.4	77.8 - 87.9	100	12.5	8.7 - 17.7	<50	4.0	2.0 - 7.9	600
Filipino	2,700	80.2	75.7 - 84.1	600	17.5	13.9 - 21.9	100	2.2	1.1 - 4.5	3,300
Japanese	1,900	95.0	90.4 - 97.4	100	4.2	2.1 - 8.4	<50	0.8	0.1 - 5.0	2,000
Other	1,900	68.0	61.7 - 73.7	800	27.8	22.4 - 33.9	100	4.2	2.3 - 7.7	2,900

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	58.3	49.2 - 66.9	600	38.0	29.7 - 47.2	100	3.6	1.4 - 9.0	1,500
20-24	2,900	73.1	68.1 - 77.6	1,000	25.2	20.8 - 30.1	100	1.7	0.7 - 3.9	3,900
25-34	8,100	85.2	82.6 - 87.4	1,300	13.4	11.3 - 15.9	100	1.4	0.8 - 2.4	9,500
35+	2,900	87.6	83.5 - 90.8	400	11.0	8.0 - 15.0	<50	1.4	0.6 - 3.4	3,300

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,600	79.5	76.6 - 82.1	1,800	18.8	16.3 - 21.5	200	1.7	1.0 - 2.9	9,600
Female	7,100	82.4	79.5 - 84.9	1,400	16.0	13.6 - 18.8	100	1.6	0.9 - 2.7	8,700

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,900	87.0	84.8 - 88.8	1,400	12.0	10.2 - 14.1	100	1.1	0.6 - 1.8	11,400
No	4,800	70.7	66.8 - 74.3	1,800	26.6	23.1 - 30.5	200	2.7	1.6 - 4.4	6,800

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,700	68.3	64.4 - 72.0	2,000	28.8	25.3 - 32.7	200	2.8	1.8 - 4.5	6,800
131-185%	2,100	83.0	77.7 - 87.3	400	16.1	11.9 - 21.4	<50	0.9	0.3 - 2.4	2,600
186+%	7,100	91.5	89.2 - 93.3	600	7.8	6.1 - 10.0	100	0.7	0.3 - 1.7	7,800

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,900	60.9	54.8 - 66.7	1,100	34.5	29.0 - 40.6	100	4.5	2.5 - 8.0	3,100
\$10,000-\$24,999	3,000	74.7	69.8 - 79.1	900	23.8	19.5 - 28.6	100	1.5	0.7 - 3.1	4,000
\$25,000-\$49,999	3,500	84.2	80.2 - 87.6	600	15.3	12.0 - 19.4	<50	0.4	0.1 - 1.4	4,100
>=\$50,000	5,700	92.9	90.6 - 94.8	400	6.2	4.5 - 8.5	100	0.8	0.3 - 2.1	6,100

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	82.4	74.2 - 88.3	200	16.3	10.6 - 24.4	<50	1.3	0.3 - 5.5	1,200
Normal birth weight	13,800	80.8	78.7 - 82.7	3,000	17.6	15.7 - 19.6	300	1.7	1.2 - 2.5	17,000

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	71.4	63.0 - 78.6	400	26.0	19.1 - 34.3	<50	2.6	0.9 - 7.5	1,600
No	13,400	81.7	79.6 - 83.6	2,700	16.7	14.9 - 18.8	300	1.6	1.1 - 2.4	16,400

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	78.7	73.5 - 83.0	700	19.7	15.5 - 24.7	100	1.6	0.7 - 3.9	3,400
No	11,800	81.3	79.1 - 83.3	2,500	17.0	15.1 - 19.2	200	1.7	1.1 - 2.5	14,500

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	72.6	69.1 - 75.9	2,000	25.4	22.2 - 28.9	200	2.0	1.2 - 3.4	7,700
No	8,900	86.8	84.4 - 88.8	1,200	11.8	9.9 - 14.1	100	1.4	0.9 - 2.4	10,300

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,000	77.3	75.2 - 79.3	3,800	21.2	19.2 - 23.3	300	1.5	1.0 - 2.2	18,100

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	70.0	63.4 - 75.8	700	29.0	23.2 - 35.6	<50	1.0	0.3 - 3.7	2,400
Honolulu	9,900	79.0	76.6 - 81.3	2,400	19.2	17.0 - 21.7	200	1.7	1.1 - 2.6	12,500
Kauai	800	75.4	65.6 - 83.2	300	24.6	16.8 - 34.4	0	0.0	-	1,100
Maui	1,600	76.7	69.9 - 82.4	500	22.0	16.5 - 28.8	<50	1.2	0.3 - 4.5	2,100

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	82.7	78.5 - 86.2	700	16.7	13.3 - 20.9	<50	0.6	0.2 - 2.1	4,100
Native Hawaiian	3,600	72.9	68.2 - 77.1	1,300	25.5	21.4 - 30.2	100	1.6	0.7 - 3.4	5,000
Chinese	500	82.7	76.8 - 87.4	100	14.9	10.5 - 20.6	<50	2.4	1.0 - 5.6	700
Filipino	2,600	78.3	73.7 - 82.2	700	20.1	16.2 - 24.6	100	1.7	0.7 - 3.8	3,300
Japanese	1,800	84.5	78.6 - 89.1	300	13.4	9.2 - 19.2	<50	2.0	0.8 - 5.1	2,100
Other	2,000	69.9	63.8 - 75.4	800	28.3	22.9 - 34.4	100	1.8	0.7 - 4.1	2,900

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	57.8	48.6 - 66.5	700	42.2	33.5 - 51.4	0	0.0	-	1,600
20-24	3,100	68.9	64.1 - 73.3	1,300	29.7	25.3 - 34.4	100	1.4	0.6 - 3.3	4,500
25-34	7,400	82.6	79.9 - 85.1	1,400	15.8	13.5 - 18.5	100	1.5	0.9 - 2.6	8,900
35+	2,600	84.7	80.2 - 88.4	400	13.1	9.7 - 17.5	100	2.1	1.1 - 4.3	3,100

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,100	76.7	73.7 - 79.5	2,000	22.0	19.2 - 25.0	100	1.3	0.7 - 2.3	9,300
Female	6,900	78.0	75.0 - 80.8	1,800	20.3	17.7 - 23.3	100	1.7	1.0 - 2.8	8,800

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,500	84.2	81.9 - 86.3	1,600	14.6	12.6 - 16.8	100	1.2	0.7 - 2.0	11,300
No	4,500	66.0	61.9 - 69.8	2,200	32.1	28.3 - 36.1	100	1.9	1.0 - 3.4	6,800

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,300	64.1	60.0 - 68.0	2,300	33.9	30.1 - 38.0	100	2.0	1.1 - 3.5	6,700
131-185%	2,100	81.6	76.2 - 86.0	500	17.7	13.4 - 23.1	<50	0.7	0.2 - 2.7	2,600
186+%	6,700	88.9	86.4 - 90.9	800	10.1	8.1 - 12.5	100	1.0	0.6 - 1.9	7,500

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,600	51.8	45.5 - 58.0	1,400	45.6	39.4 - 51.9	100	2.6	1.2 - 5.5	3,000
\$10,000-\$24,999	2,800	73.3	68.2 - 77.8	1,000	25.0	20.6 - 30.0	100	1.7	0.8 - 3.7	3,800
\$25,000-\$49,999	3,400	82.3	78.1 - 85.8	700	16.8	13.3 - 21.0	<50	0.9	0.3 - 2.3	4,100
>=\$50,000	5,400	90.6	88.1 - 92.7	500	8.5	6.5 - 11.1	<50	0.8	0.4 - 1.8	6,000

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	73.4	65.3 - 80.2	400	25.4	18.7 - 33.5	<50	1.2	0.3 - 5.2	1,500
Normal birth weight	12,900	77.7	75.5 - 79.8	3,500	20.8	18.8 - 23.0	300	1.5	1.0 - 2.2	16,700

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	69.3	60.7 - 76.8	500	29.8	22.4 - 38.3	<50	0.9	0.1 - 5.7	1,500
No	12,800	78.1	75.9 - 80.2	3,300	20.4	18.4 - 22.6	200	1.5	1.0 - 2.2	16,400

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	72.9	67.6 - 77.6	900	26.2	21.6 - 31.5	<50	0.9	0.3 - 2.8	3,600
No	11,200	78.5	76.1 - 80.6	2,800	20.0	17.8 - 22.3	200	1.6	1.0 - 2.4	14,300

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,300	70.0	66.3 - 73.5	2,200	28.6	25.2 - 32.3	100	1.3	0.7 - 2.5	7,500
No	8,400	82.6	80.1 - 84.9	1,600	15.7	13.5 - 18.2	200	1.7	1.0 - 2.6	10,200

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,300	79.2	77.1 - 81.2	3,500	19.5	17.6 - 21.6	200	1.3	0.8 - 2.0	18,100

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	74.8	67.7 - 80.8	500	23.9	18.1 - 31.0	<50	1.2	0.3 - 4.7	2,100
Honolulu	10,600	80.1	77.6 - 82.3	2,400	18.5	16.3 - 20.9	200	1.4	0.9 - 2.3	13,200
Kauai	700	81.1	69.6 - 88.9	200	18.9	11.1 - 30.4	0	0.0	-	800
Maui	1,500	77.1	69.9 - 83.0	400	22.0	16.2 - 29.1	<50	0.9	0.2 - 3.9	1,900

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,800	89.1	85.4 - 91.9	500	10.7	7.9 - 14.3	<50	0.2	0.0 - 1.6	4,300
Native Hawaiian	3,700	75.4	70.7 - 79.6	1,200	23.8	19.7 - 28.5	<50	0.8	0.3 - 2.3	4,900
Chinese	500	82.0	76.0 - 86.7	100	14.7	10.4 - 20.3	<50	3.3	1.6 - 7.0	600
Filipino	2,700	80.3	75.5 - 84.4	600	18.6	14.7 - 23.3	<50	1.1	0.4 - 3.1	3,300
Japanese	1,800	86.6	80.9 - 90.9	300	11.8	7.9 - 17.5	<50	1.5	0.5 - 4.4	2,100
Other	1,800	63.2	56.7 - 69.2	900	33.5	27.6 - 39.9	100	3.4	1.6 - 6.9	2,800

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	57.2	48.1 - 65.8	600	38.9	30.6 - 48.0	100	3.9	1.5 - 9.5	1,600
20-24	3,300	74.5	69.6 - 78.9	1,000	23.9	19.6 - 28.7	100	1.6	0.7 - 3.6	4,400
25-34	7,200	82.2	79.3 - 84.7	1,500	17.2	14.6 - 20.1	100	0.7	0.3 - 1.4	8,800
35+	2,900	87.9	83.9 - 91.0	400	10.9	7.9 - 14.7	<50	1.3	0.5 - 3.1	3,300

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,200	78.0	74.9 - 80.7	1,900	20.9	18.2 - 23.9	100	1.2	0.6 - 2.2	9,200
Female	7,100	80.5	77.4 - 83.2	1,600	18.1	15.5 - 21.1	100	1.4	0.8 - 2.5	8,800

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,900	86.5	84.3 - 88.5	1,400	12.6	10.7 - 14.8	100	0.9	0.5 - 1.6	11,500
No	4,400	66.5	62.2 - 70.4	2,100	31.6	27.7 - 35.8	100	1.9	1.1 - 3.5	6,600

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,000	64.2	59.8 - 68.3	2,100	33.6	29.6 - 37.9	100	2.2	1.2 - 3.9	6,300
131-185%	2,000	81.2	75.2 - 86.0	400	18.3	13.5 - 24.3	<50	0.5	0.1 - 3.5	2,400
186+%	7,400	90.7	88.5 - 92.6	700	8.4	6.6 - 10.6	100	0.9	0.4 - 1.9	8,200

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	55.5	49.2 - 61.7	1,300	41.7	35.6 - 48.1	100	2.8	1.3 - 5.7	3,100
\$10,000-\$24,999	2,700	73.5	68.2 - 78.3	900	24.7	20.1 - 29.9	100	1.8	0.8 - 4.1	3,700
\$25,000-\$49,999	3,600	84.4	80.3 - 87.7	600	15.0	11.7 - 19.1	<50	0.6	0.2 - 1.9	4,300
>=\$50,000	5,400	92.2	89.6 - 94.1	400	7.0	5.2 - 9.5	<50	0.8	0.3 - 2.1	5,900

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	69.5	61.0 - 76.8	400	27.3	20.2 - 35.6	100	3.3	1.3 - 8.1	1,500
Normal birth weight	13,200	80.1	77.9 - 82.1	3,100	18.9	16.9 - 21.0	200	1.0	0.6 - 1.7	16,500

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	55.0	46.4 - 63.2	700	43.3	35.2 - 51.9	<50	1.7	0.4 - 6.2	1,700
No	13,200	81.9	79.7 - 83.8	2,700	16.9	15.0 - 19.0	200	1.3	0.8 - 2.0	16,100

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	71.3	66.0 - 76.1	1,100	27.5	22.8 - 32.8	<50	1.2	0.4 - 3.4	3,800
No	11,400	81.5	79.1 - 83.6	2,400	17.2	15.1 - 19.5	200	1.3	0.8 - 2.1	13,900

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	73.0	69.3 - 76.4	2,000	25.9	22.5 - 29.5	100	1.2	0.6 - 2.4	7,600
No	8,600	83.8	81.3 - 86.1	1,500	14.8	12.6 - 17.3	100	1.4	0.8 - 2.4	10,200

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,100	77.2	75.1 - 79.2	3,600	21.2	19.3 - 23.3	300	1.5	1.0 - 2.3	17,000

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	71.1	64.2 - 77.1	600	26.4	20.5 - 33.2	100	2.6	1.1 - 5.8	2,200
Honolulu	9,800	78.7	76.2 - 80.9	2,500	19.9	17.7 - 22.3	200	1.5	0.9 - 2.4	12,400
Kauai	500	72.7	60.7 - 82.2	200	27.3	17.8 - 39.3	0	0.0	-	700
Maui	1,300	76.4	69.2 - 82.4	400	22.0	16.3 - 29.1	<50	1.5	0.4 - 5.6	1,700

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	82.8	78.5 - 86.4	600	16.6	13.1 - 20.8	<50	0.6	0.2 - 2.3	3,700
Native Hawaiian	3,500	71.7	66.9 - 76.0	1,300	25.9	21.7 - 30.6	100	2.4	1.2 - 4.6	4,900
Chinese	500	84.9	79.7 - 88.9	100	12.2	8.6 - 17.0	<50	2.9	1.4 - 6.0	600
Filipino	2,500	81.1	76.8 - 84.8	500	17.5	13.9 - 21.8	<50	1.4	0.6 - 3.2	3,100
Japanese	2,000	87.5	82.6 - 91.2	200	10.9	7.5 - 15.7	<50	1.5	0.5 - 4.5	2,200
Other	1,600	63.6	57.3 - 69.4	900	35.3	29.6 - 41.5	<50	1.1	0.3 - 4.1	2,500

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	55.8	47.1 - 64.1	600	43.3	35.0 - 52.0	<50	0.8	0.1 - 5.4	1,500
20-24	3,100	73.6	69.0 - 77.8	1,100	25.5	21.4 - 30.1	<50	0.9	0.3 - 2.5	4,200
25-34	6,800	80.7	77.8 - 83.3	1,500	17.2	14.7 - 19.9	200	2.1	1.3 - 3.4	8,500
35+	2,400	83.1	78.3 - 87.0	500	15.7	11.9 - 20.4	<50	1.2	0.5 - 3.3	2,900

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,500	76.0	73.0 - 78.8	2,000	22.8	20.0 - 25.8	100	1.2	0.7 - 2.3	8,600
Female	6,600	78.5	75.4 - 81.2	1,600	19.7	17.0 - 22.6	200	1.9	1.1 - 3.2	8,400

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	83.7	81.4 - 85.8	1,700	15.6	13.5 - 17.9	100	0.7	0.3 - 1.3	10,800
No	4,100	65.8	61.8 - 69.6	1,900	31.1	27.4 - 35.1	200	3.1	1.9 - 5.0	6,200

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	63.4	59.4 - 67.3	2,100	33.7	30.0 - 37.7	200	2.8	1.7 - 4.7	6,100
131-185%	1,400	79.3	72.5 - 84.7	300	19.2	13.9 - 26.0	<50	1.5	0.5 - 4.0	1,800
186+%	6,800	88.9	86.5 - 91.0	800	10.8	8.8 - 13.2	<50	0.3	0.1 - 1.1	7,700

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	58.2	52.2 - 64.0	1,100	38.6	32.9 - 44.6	100	3.2	1.6 - 6.4	2,900
\$10,000-\$24,999	2,500	69.7	64.6 - 74.4	1,000	27.3	22.8 - 32.3	100	3.0	1.6 - 5.5	3,500
\$25,000-\$49,999	3,300	83.6	79.5 - 87.0	600	15.9	12.5 - 20.0	<50	0.5	0.1 - 2.3	4,000
>=\$50,000	4,800	89.3	86.3 - 91.7	500	10.3	7.9 - 13.2	<50	0.4	0.1 - 1.6	5,300

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	79.6	70.9 - 86.1	200	16.2	10.4 - 24.3	100	4.2	1.6 - 10.8	1,200
Normal birth weight	12,100	77.1	74.9 - 79.1	3,400	21.6	19.6 - 23.8	200	1.3	0.9 - 2.1	15,800

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	58.6	49.9 - 66.8	500	35.6	27.8 - 44.2	100	5.8	2.7 - 12.1	1,400
No	12,100	79.1	77.0 - 81.2	3,000	19.7	17.7 - 21.8	200	1.2	0.7 - 1.9	15,200

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	66.3	61.0 - 71.2	1,100	30.8	26.0 - 36.0	100	2.9	1.5 - 5.6	3,600
No	10,500	80.5	78.2 - 82.6	2,400	18.3	16.3 - 20.6	200	1.2	0.7 - 2.0	13,000

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,100	71.0	67.4 - 74.3	2,000	28.1	24.8 - 31.6	100	0.9	0.5 - 1.8	7,200
No	7,800	82.1	79.5 - 84.5	1,500	15.8	13.6 - 18.4	200	2.0	1.3 - 3.3	9,500

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,100	80.8	78.9 - 82.5	3,200	18.2	16.6 - 20.1	200	1.0	0.6 - 1.5	17,400

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	76.5	70.5 - 81.7	500	22.3	17.3 - 28.3	<50	1.1	0.3 - 3.9	2,200
Honolulu	10,300	81.7	79.6 - 83.7	2,200	17.4	15.5 - 19.5	100	0.9	0.5 - 1.5	12,600
Kauai	700	81.6	72.3 - 88.2	100	17.0	10.7 - 26.1	<50	1.4	0.2 - 8.5	800
Maui	1,400	79.2	72.9 - 84.4	400	19.8	14.8 - 26.1	<50	1.0	0.3 - 3.6	1,800

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	86.1	82.7 - 89.0	500	13.9	11.0 - 17.3	0	0.0	-	3,900
Native Hawaiian	3,700	77.2	73.0 - 80.9	1,100	22.1	18.4 - 26.2	<50	0.8	0.3 - 2.2	4,800
Chinese	600	87.2	83.7 - 90.0	100	9.7	7.2 - 12.8	<50	3.2	1.9 - 5.3	600
Filipino	2,600	79.4	75.4 - 82.9	600	18.8	15.4 - 22.6	100	1.8	0.9 - 3.6	3,200
Japanese	2,100	90.2	85.8 - 93.4	200	8.9	5.9 - 13.1	<50	0.9	0.2 - 3.4	2,300
Other	1,800	71.1	65.3 - 76.3	700	27.6	22.5 - 33.3	<50	1.3	0.4 - 4.0	2,600

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	59.2	50.7 - 67.3	500	40.5	32.5 - 49.1	<50	0.2	0.0 - 1.0	1,300
20-24	3,500	79.2	75.2 - 82.7	900	19.6	16.2 - 23.6	100	1.2	0.5 - 2.9	4,400
25-34	6,900	82.2	79.6 - 84.5	1,400	16.6	14.3 - 19.1	100	1.3	0.7 - 2.2	8,400
35+	2,900	87.7	84.0 - 90.7	400	12.1	9.1 - 15.8	<50	0.2	0.1 - 0.5	3,300

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	81.6	79.1 - 83.8	1,700	17.7	15.5 - 20.2	100	0.7	0.3 - 1.5	9,500
Female	6,300	79.8	77.0 - 82.4	1,500	18.9	16.4 - 21.6	100	1.3	0.7 - 2.2	7,900

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,400	84.7	82.7 - 86.5	1,800	14.7	12.9 - 16.7	100	0.6	0.4 - 1.1	12,200
No	3,700	71.6	67.6 - 75.3	1,400	26.6	23.0 - 30.5	100	1.8	0.9 - 3.5	5,200

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,500	70.8	67.2 - 74.1	1,800	27.9	24.6 - 31.5	100	1.3	0.7 - 2.4	6,400
131-185%	1,600	78.8	73.1 - 83.6	400	20.3	15.6 - 26.0	<50	0.9	0.3 - 2.6	2,100
186+%	7,000	91.7	89.7 - 93.3	600	8.0	6.4 - 9.9	<50	0.4	0.1 - 1.0	7,600

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	62.8	56.9 - 68.3	900	34.9	29.4 - 40.7	100	2.3	1.1 - 4.7	2,700
\$10,000-\$24,999	3,200	75.9	71.8 - 79.6	1,000	23.5	19.9 - 27.7	<50	0.5	0.1 - 1.9	4,300
\$25,000-\$49,999	3,800	86.2	82.9 - 89.0	600	13.5	10.7 - 16.8	<50	0.3	0.1 - 1.2	4,400
>=\$50,000	4,500	92.9	90.5 - 94.7	300	6.5	4.8 - 8.8	<50	0.6	0.2 - 1.5	4,800

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	74.0	65.2 - 81.3	300	23.3	16.5 - 31.9	<50	2.7	0.7 - 9.4	1,100
Normal birth weight	13,300	81.2	79.3 - 83.0	2,900	17.9	16.2 - 19.8	100	0.9	0.5 - 1.4	16,300

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	62.6	54.3 - 70.2	500	35.2	27.8 - 43.5	<50	2.2	0.7 - 6.2	1,400
No	13,100	82.8	80.9 - 84.5	2,600	16.4	14.7 - 18.2	100	0.9	0.5 - 1.4	15,800

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	69.7	64.8 - 74.2	1,000	29.2	24.7 - 34.1	<50	1.1	0.4 - 2.7	3,600
No	11,400	84.1	82.2 - 85.9	2,000	14.9	13.2 - 16.8	100	1.0	0.6 - 1.6	13,600

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	75.8	72.8 - 78.6	1,800	23.7	20.9 - 26.8	<50	0.4	0.2 - 1.0	7,700
No	7,900	85.1	82.8 - 87.2	1,200	13.4	11.5 - 15.7	100	1.5	0.9 - 2.4	9,300

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,800	79.9	77.8 - 81.9	3,200	18.8	16.8 - 20.9	200	1.3	0.8 - 2.1	17,300

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	73.4	69.2 - 77.2	500	26.4	22.6 - 30.6	<50	0.2	0.0 - 1.0	1,900
Honolulu	10,400	81.8	79.0 - 84.3	2,100	16.7	14.3 - 19.5	200	1.5	0.8 - 2.6	12,700
Kauai	600	75.2	68.4 - 80.9	200	24.0	18.4 - 30.7	<50	0.8	0.1 - 4.8	900
Maui	1,400	76.2	71.7 - 80.2	400	22.5	18.6 - 26.9	<50	1.4	0.5 - 3.4	1,800

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	89.1	84.6 - 92.4	400	10.9	7.6 - 15.4	0	0.0	-	3,700
Native Hawaiian	3,400	71.9	69.2 - 74.6	1,300	26.8	24.2 - 29.5	100	1.3	0.7 - 2.3	4,700
Chinese	700	94.8	83.0 - 98.5	<50	5.2	1.5 - 17.0	0	0.0	-	700
Filipino	3,000	79.0	73.4 - 83.7	800	20.3	15.7 - 25.8	<50	0.8	0.2 - 3.5	3,800
Japanese	1,700	86.0	78.0 - 91.4	300	14.0	8.6 - 22.0	0	0.0	-	2,000
Other	1,700	73.5	65.2 - 80.4	500	20.9	14.8 - 28.8	100	5.5	2.7 - 11.2	2,400

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	57.4	49.2 - 65.2	700	41.7	34.0 - 49.9	<50	0.9	0.2 - 3.1	1,600
20-24	2,800	70.2	65.2 - 74.8	1,200	28.6	24.1 - 33.5	<50	1.2	0.4 - 3.9	4,000
25-34	7,400	85.0	82.1 - 87.5	1,200	13.8	11.4 - 16.7	100	1.2	0.6 - 2.4	8,700
35+	2,700	90.2	85.5 - 93.4	200	8.0	5.2 - 12.0	100	1.9	0.6 - 5.6	3,000

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,200	78.8	75.6 - 81.6	1,800	19.9	17.1 - 22.9	100	1.4	0.7 - 2.8	9,100
Female	6,600	81.2	78.1 - 84.0	1,400	17.6	14.9 - 20.6	100	1.2	0.6 - 2.4	8,200

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,000	88.2	85.9 - 90.1	1,300	11.3	9.4 - 13.5	100	0.6	0.2 - 1.5	11,300
No	3,800	64.2	60.0 - 68.1	2,000	33.1	29.3 - 37.3	200	2.7	1.5 - 4.7	5,900

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,300	69.7	66.0 - 73.1	2,200	28.7	25.3 - 32.4	100	1.6	0.9 - 2.9	7,700
131-185%	2,200	87.9	82.2 - 92.0	300	11.2	7.4 - 16.6	<50	0.9	0.1 - 5.9	2,500
186+%	5,200	94.6	92.0 - 96.4	300	5.4	3.6 - 8.0	0	0.0	-	5,500

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,500	60.3	54.9 - 65.4	1,500	37.2	32.2 - 42.5	100	2.5	1.3 - 4.8	4,100
\$15,001-\$25,000	1,700	77.0	70.8 - 82.2	500	22.2	17.0 - 28.4	<50	0.8	0.3 - 2.3	2,200
\$25,001-\$40,000	2,700	83.9	78.6 - 88.0	500	15.3	11.3 - 20.4	<50	0.8	0.2 - 4.2	3,200
>=\$40,001	6,100	92.8	90.0 - 94.8	400	6.2	4.4 - 8.7	100	1.0	0.3 - 3.1	6,600

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	80.2	71.3 - 86.9	200	18.7	12.2 - 27.5	<50	1.1	0.3 - 3.9	1,200
Normal birth weight	12,800	80.0	77.7 - 82.0	3,000	18.8	16.8 - 21.0	200	1.3	0.7 - 2.2	16,100

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	61.6	52.9 - 69.6	600	36.3	28.4 - 45.0	<50	2.2	1.0 - 4.8	1,500
No	12,600	81.7	79.5 - 83.8	2,600	17.1	15.2 - 19.3	200	1.1	0.6 - 2.1	15,400

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	70.1	64.7 - 75.0	1,000	28.5	23.7 - 33.9	<50	1.4	0.7 - 2.7	3,500
No	11,100	82.9	80.5 - 85.0	2,100	15.9	13.8 - 18.1	200	1.3	0.7 - 2.4	13,300

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	71.7	68.1 - 75.1	2,000	27.8	24.4 - 31.5	<50	0.4	0.2 - 1.0	7,200
No	8,500	85.8	83.1 - 88.2	1,200	12.3	10.2 - 14.8	200	1.9	1.0 - 3.3	9,900

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,400	79.7	77.4 - 81.9	3,200	19.1	17.0 - 21.4	200	1.2	0.7 - 2.0	16,800

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	74.3	70.2 - 78.0	500	24.7	21.1 - 28.8	<50	1.0	0.4 - 2.8	1,900
Honolulu	10,000	80.5	77.4 - 83.3	2,300	18.3	15.6 - 21.3	100	1.2	0.6 - 2.2	12,500
Kauai	500	78.6	71.5 - 84.3	100	19.5	14.1 - 26.4	<50	1.9	0.5 - 6.5	700
Maui	1,400	80.6	76.2 - 84.4	300	18.2	14.5 - 22.5	<50	1.2	0.4 - 3.4	1,700

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	84.9	79.5 - 89.1	500	14.2	10.1 - 19.5	<50	0.9	0.3 - 3.2	3,600
Native Hawaiian	3,400	73.7	70.9 - 76.3	1,200	25.6	23.0 - 28.3	<50	0.7	0.3 - 1.6	4,600
Chinese	500	86.0	70.0 - 94.1	100	14.0	5.9 - 30.0	0	0.0	-	600
Filipino	2,700	79.3	72.9 - 84.4	700	19.6	14.5 - 25.8	<50	1.2	0.4 - 3.4	3,400
Japanese	2,100	89.5	82.8 - 93.7	200	10.5	6.3 - 17.2	0	0.0	-	2,300
Other	1,700	72.9	63.8 - 80.4	500	23.1	16.1 - 32.1	100	4.0	1.7 - 8.9	2,300

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	55.5	46.7 - 64.0	700	43.6	35.1 - 52.5	<50	0.9	0.3 - 3.2	1,500
20-24	3,000	71.4	66.4 - 76.0	1,100	26.4	22.0 - 31.3	100	2.2	1.0 - 5.0	4,200
25-34	7,200	84.9	81.6 - 87.7	1,200	14.2	11.5 - 17.5	100	0.9	0.4 - 1.9	8,400
35+	2,400	90.4	85.7 - 93.6	200	8.9	5.7 - 13.6	<50	0.7	0.3 - 2.1	2,700

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,600	79.6	76.2 - 82.6	1,600	19.6	16.7 - 23.0	100	0.8	0.4 - 1.7	8,300
Female	6,800	79.9	76.5 - 82.9	1,600	18.6	15.7 - 21.9	100	1.5	0.8 - 3.0	8,500

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,900	85.9	83.1 - 88.3	1,500	13.2	10.9 - 15.9	100	0.9	0.4 - 1.9	11,500
No	3,600	66.5	62.1 - 70.6	1,700	31.8	27.7 - 36.1	100	1.8	0.9 - 3.4	5,300

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,600	70.0	66.0 - 73.8	1,900	28.2	24.5 - 32.2	100	1.7	0.9 - 3.3	6,600
131-185%	2,900	83.8	78.2 - 88.2	500	15.0	10.8 - 20.5	<50	1.1	0.3 - 4.3	3,400
186+%	4,800	91.0	87.5 - 93.7	500	8.5	5.9 - 12.0	<50	0.5	0.1 - 2.2	5,300

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,200	65.5	60.0 - 70.6	1,100	31.9	26.9 - 37.3	100	2.6	1.3 - 5.3	3,300
\$15,001-\$25,000	1,800	74.7	67.5 - 80.7	600	23.7	17.8 - 30.8	<50	1.6	0.4 - 5.9	2,500
\$25,001-\$40,000	2,800	77.9	72.0 - 82.8	800	21.2	16.4 - 27.1	<50	0.9	0.2 - 3.1	3,600
>=\$40,001	5,900	91.7	88.6 - 94.0	500	8.0	5.7 - 11.0	<50	0.3	0.0 - 2.1	6,400

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	77.7	66.9 - 85.7	200	17.7	10.6 - 28.0	100	4.7	1.6 - 12.6	1,100
Normal birth weight	12,500	79.8	77.3 - 82.0	3,000	19.3	17.1 - 21.7	100	0.9	0.5 - 1.7	15,600

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	67.5	58.7 - 75.2	400	28.8	21.5 - 37.4	<50	3.7	1.4 - 9.1	1,300
No	12,300	80.8	78.3 - 83.0	2,800	18.2	16.0 - 20.7	200	1.0	0.5 - 1.8	15,200

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	73.0	67.4 - 77.9	800	24.9	20.2 - 30.3	100	2.1	0.9 - 5.0	3,200
No	10,700	81.4	78.7 - 83.8	2,300	17.6	15.3 - 20.3	100	1.0	0.5 - 1.9	13,200

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	72.9	68.9 - 76.5	1,800	25.9	22.3 - 29.8	100	1.2	0.5 - 2.7	7,100
No	8,200	84.6	81.7 - 87.1	1,400	14.3	11.9 - 17.1	100	1.1	0.6 - 2.2	9,600

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,300	80.2	78.5 - 81.9	3,000	18.3	16.7 - 20.1	200	1.4	1.0 - 2.1	16,500

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	75.4	71.2 - 79.1	400	23.3	19.7 - 27.4	<50	1.3	0.6 - 2.9	1,800
Honolulu	10,100	82.4	80.2 - 84.4	2,000	16.4	14.5 - 18.6	100	1.2	0.7 - 2.1	12,200
Kauai	500	67.4	59.9 - 74.1	200	31.8	25.1 - 39.2	<50	0.8	0.1 - 4.8	800
Maui	1,300	75.7	71.0 - 79.9	400	20.8	16.9 - 25.4	100	3.5	2.0 - 5.9	1,700

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	87.1	83.4 - 90.1	400	12.5	9.6 - 16.2	<50	0.4	0.1 - 1.3	3,500
Native Hawaiian	3,300	73.0	70.8 - 75.2	1,100	25.5	23.4 - 27.7	100	1.5	1.0 - 2.2	4,500
Chinese	700	94.3	85.0 - 98.0	<50	5.7	2.0 - 15.0	0	0.0	-	700
Filipino	2,700	79.4	74.5 - 83.5	700	19.4	15.4 - 24.2	<50	1.2	0.5 - 3.0	3,500
Japanese	1,800	87.8	82.0 - 91.9	200	10.9	7.0 - 16.5	<50	1.3	0.4 - 4.3	2,000
Other	1,700	73.8	67.0 - 79.5	500	22.5	17.1 - 28.9	100	3.8	1.7 - 8.0	2,300

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	55.8	49.8 - 61.7	700	41.4	35.6 - 47.5	<50	2.8	1.4 - 5.3	1,600
20-24	3,200	75.1	71.4 - 78.5	1,000	23.1	19.8 - 26.7	100	1.8	0.9 - 3.6	4,300
25-34	6,700	84.7	82.2 - 87.0	1,100	14.0	11.8 - 16.4	100	1.3	0.7 - 2.4	7,900
35+	2,400	89.4	85.4 - 92.4	300	10.3	7.3 - 14.2	<50	0.4	0.1 - 1.3	2,700

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	80.4	77.8 - 82.7	1,500	18.3	16.0 - 20.8	100	1.4	0.8 - 2.3	8,400
Female	6,500	80.1	77.5 - 82.4	1,500	18.4	16.2 - 20.9	100	1.5	0.8 - 2.6	8,100

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,700	88.1	86.2 - 89.8	1,200	11.1	9.5 - 13.0	100	0.8	0.4 - 1.5	11,000
No	3,500	64.4	60.9 - 67.8	1,800	32.9	29.6 - 36.4	100	2.7	1.7 - 4.2	5,500

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,400	70.0	66.7 - 73.0	1,700	27.6	24.6 - 30.7	200	2.5	1.5 - 4.0	6,200
131-185%	3,100	85.2	81.5 - 88.3	500	14.4	11.4 - 18.1	<50	0.4	0.1 - 1.1	3,600
186+%	5,000	91.4	88.8 - 93.5	500	8.5	6.4 - 11.1	<50	0.1	0.0 - 0.6	5,500

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,100	63.1	58.4 - 67.5	1,100	33.3	29.0 - 37.8	100	3.6	2.1 - 6.1	3,400
\$15,001-\$25,000	1,800	81.2	76.6 - 85.0	400	16.7	13.1 - 21.0	<50	2.1	0.9 - 5.0	2,200
\$25,001-\$40,000	2,900	81.6	77.7 - 85.0	600	18.0	14.6 - 21.9	<50	0.4	0.1 - 1.1	3,600
>=\$40,001	5,800	90.4	88.0 - 92.4	600	9.3	7.4 - 11.7	<50	0.2	0.1 - 0.7	6,500

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	78.9	71.3 - 84.9	200	19.5	13.7 - 27.1	<50	1.6	0.7 - 3.6	1,100
Normal birth weight	12,400	80.3	78.5 - 82.0	2,800	18.3	16.6 - 20.1	200	1.4	0.9 - 2.1	15,400

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	71.3	65.4 - 76.5	400	27.6	22.5 - 33.5	<50	1.1	0.5 - 2.5	1,500
No	11,900	81.2	79.2 - 82.9	2,600	17.4	15.7 - 19.2	200	1.4	1.0 - 2.2	14,700

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	74.3	70.2 - 77.9	800	24.8	21.2 - 28.9	<50	0.9	0.5 - 1.8	3,300
No	10,400	81.8	79.8 - 83.7	2,100	16.6	14.8 - 18.6	200	1.6	1.0 - 2.4	12,600

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	75.3	72.5 - 78.0	1,600	23.4	20.8 - 26.2	100	1.3	0.7 - 2.4	6,900
No	7,900	83.8	81.5 - 85.9	1,400	14.7	12.7 - 16.9	100	1.5	0.9 - 2.4	9,400

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,400	78.9	77.1 - 80.7	3,300	19.7	18.0 - 21.5	200	1.4	0.9 - 2.1	17,000

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	76.4	72.1 - 80.2	400	22.6	18.8 - 26.8	<50	1.0	0.4 - 2.5	1,900
Honolulu	10,100	80.1	77.8 - 82.2	2,300	18.5	16.4 - 20.7	200	1.4	0.8 - 2.4	12,600
Kauai	500	71.6	63.8 - 78.4	200	27.5	20.9 - 35.4	<50	0.8	0.1 - 4.7	700
Maui	1,300	76.0	71.3 - 80.1	400	22.4	18.4 - 27.0	<50	1.6	0.7 - 3.6	1,700

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	87.5	84.3 - 90.1	500	12.2	9.6 - 15.4	<50	0.3	0.1 - 1.1	4,000
Native Hawaiian	3,400	73.9	71.5 - 76.1	1,200	25.2	23.0 - 27.5	<50	0.9	0.5 - 1.6	4,600
Chinese	600	92.4	82.2 - 97.0	<50	6.7	2.4 - 17.2	<50	0.9	0.1 - 5.4	700
Filipino	2,600	75.6	70.5 - 80.2	800	21.9	17.7 - 26.9	100	2.4	1.0 - 5.5	3,400
Japanese	1,800	89.3	83.8 - 93.1	200	9.7	6.1 - 15.0	<50	1.0	0.2 - 4.3	2,000
Other	1,500	65.6	58.2 - 72.3	700	31.5	25.0 - 38.8	100	2.9	1.1 - 7.2	2,300

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	55.9	49.8 - 61.9	800	42.4	36.4 - 48.5	<50	1.7	0.5 - 5.1	1,900
20-24	3,100	75.9	72.0 - 79.4	900	22.7	19.4 - 26.4	100	1.4	0.5 - 4.0	4,000
25-34	6,800	83.9	81.3 - 86.2	1,200	15.1	12.9 - 17.7	100	1.0	0.5 - 2.0	8,100
35+	2,500	84.0	79.5 - 87.7	400	13.9	10.5 - 18.2	100	2.1	1.0 - 4.5	2,900

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,800	77.9	75.3 - 80.4	1,900	21.3	18.9 - 23.9	100	0.8	0.4 - 1.7	8,800
Female	6,600	80.0	77.3 - 82.5	1,500	18.0	15.7 - 20.6	200	2.0	1.2 - 3.3	8,200

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,100	85.8	83.8 - 87.6	1,500	13.1	11.3 - 15.0	100	1.1	0.7 - 2.0	11,700
No	3,300	63.5	59.8 - 67.1	1,800	34.6	31.2 - 38.3	100	1.8	0.9 - 3.8	5,200

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,000	69.4	66.3 - 72.4	2,100	29.1	26.2 - 32.2	100	1.5	0.9 - 2.5	7,200
131-185%	2,000	87.5	83.5 - 90.7	300	12.3	9.2 - 16.4	<50	0.2	0.0 - 0.9	2,300
186+%	5,500	88.9	86.2 - 91.2	600	10.2	8.1 - 12.8	100	0.9	0.3 - 2.5	6,200

**PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,500	63.5	59.1 - 67.7	1,300	34.0	29.8 - 38.4	100	2.5	1.5 - 4.3	3,900
\$15,001-\$25,000	2,100	79.1	74.5 - 83.0	500	20.1	16.2 - 24.5	<50	0.9	0.2 - 3.6	2,700
\$25,001-\$40,000	2,600	81.9	78.0 - 85.2	600	17.8	14.5 - 21.7	<50	0.3	0.1 - 1.0	3,200
>=\$40,001	5,600	88.5	85.8 - 90.8	700	10.6	8.4 - 13.2	100	0.9	0.3 - 2.5	6,300

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	66.9	57.8 - 74.8	300	28.8	21.4 - 37.5	<50	4.3	1.4 - 12.5	1,100
Normal birth weight	12,600	80.0	78.1 - 81.7	3,000	18.9	17.2 - 20.8	200	1.1	0.7 - 1.8	15,700

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	63.5	56.1 - 70.3	400	32.1	25.7 - 39.3	100	4.4	1.8 - 10.0	1,400
No	12,200	80.9	79.0 - 82.7	2,700	18.0	16.3 - 19.8	200	1.1	0.6 - 1.8	15,000

PRAMS Health Indicator Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	70.4	65.7 - 74.6	900	27.3	23.3 - 31.8	100	2.3	1.0 - 5.1	3,300
No	10,600	81.5	79.4 - 83.4	2,300	17.4	15.5 - 19.4	100	1.1	0.6 - 1.9	13,000

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,400	73.2	70.3 - 76.0	1,900	25.3	22.6 - 28.1	100	1.5	0.8 - 2.9	7,300
No	7,800	83.7	81.3 - 85.8	1,400	15.0	13.0 - 17.4	100	1.3	0.7 - 2.3	9,400