

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- for the State of Hawaii, for the Year(s) 2009;2010;2011

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Discuss health with HCW before pregnant	Discuss health with HCW before pregnant

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/4/15

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- for the State of Hawaii, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2009	6,800	37.1	34.1 - 40.2	11,500	62.9	59.8 - 65.9	18,300
2010	6,900	37.3	34.2 - 40.4	11,600	62.7	59.6 - 65.8	18,600
2011	7,500	40.7	37.6 - 43.9	11,000	59.3	56.1 - 62.4	18,500



PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,500	40.7	37.6 - 43.9	11,000	59.3	56.1 - 62.4	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	800	31.5	27.0 - 36.4	1,600	68.5	63.6 - 73.0	2,400
Honolulu	5,700	43.2	39.0 - 47.6	7,500	56.8	52.4 - 61.0	13,200
Kauai	300	32.4	26.9 - 38.5	600	67.6	61.5 - 73.1	900
Maui	800	38.6	34.2 - 43.2	1,200	61.4	56.8 - 65.8	2,000

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,700	38.9	32.7 - 45.4	2,700	61.1	54.6 - 67.3	4,500
Native Hawaiian	1,800	33.3	28.0 - 39.1	3,500	66.7	60.9 - 72.0	5,300
Chinese	400	56.5	40.0 - 71.7	300	43.5	28.3 - 60.0	700
Filipino	1,600	49.5	42.1 - 57.0	1,700	50.5	43.0 - 57.9	3,300
Japanese	700	35.0	25.9 - 45.3	1,200	65.0	54.7 - 74.1	1,900
Other	1,300	47.0	38.3 - 56.0	1,500	53.0	44.0 - 61.7	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	39.8	27.8 - 53.2	600	60.2	46.8 - 72.2	1,100
20-24	1,400	32.2	26.1 - 38.9	3,000	67.8	61.1 - 73.9	4,400
25-34	4,400	44.5	40.2 - 48.9	5,500	55.5	51.1 - 59.8	9,900
35+	1,300	41.0	33.8 - 48.7	1,900	59.0	51.3 - 66.2	3,200

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,900	41.5	37.1 - 46.0	5,500	58.5	54.0 - 62.9	9,400
Female	3,600	39.9	35.5 - 44.5	5,400	60.1	55.5 - 64.5	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	45.4	41.3 - 49.5	6,300	54.6	50.5 - 58.7	11,500
No	2,300	33.1	28.3 - 38.2	4,700	66.9	61.8 - 71.7	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,700	40.5	35.4 - 45.9	3,900	59.5	54.1 - 64.6	6,600
131-185%	900	34.2	26.6 - 42.6	1,800	65.8	57.4 - 73.4	2,800
186+%	3,500	43.2	38.4 - 48.2	4,600	56.8	51.8 - 61.6	8,100

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,300	38.5	31.4 - 46.2	2,100	61.5	53.8 - 68.6	3,400
\$10,000-\$24,999	1,400	39.9	33.0 - 47.3	2,100	60.1	52.7 - 67.0	3,400
\$25,000-\$49,999	1,900	40.7	34.4 - 47.3	2,700	59.3	52.7 - 65.6	4,600
>=\$50,000	2,600	42.5	37.0 - 48.1	3,600	57.5	51.9 - 63.0	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	37.8	32.8 - 43.2	800	62.2	56.8 - 67.2	1,300
Normal birth weight	7,000	41.0	37.7 - 44.5	10,100	59.0	55.5 - 62.3	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	38.3	26.6 - 51.5	600	61.7	48.5 - 73.4	900
No	7,100	40.8	37.5 - 44.1	10,300	59.2	55.9 - 62.5	17,400

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	34.5	27.9 - 41.7	2,300	65.5	58.3 - 72.1	3,500
No	6,200	42.1	38.6 - 45.7	8,600	57.9	54.3 - 61.4	14,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	37.3	32.7 - 42.0	5,200	62.7	58.0 - 67.3	8,300
No	4,400	43.3	39.0 - 47.7	5,700	56.7	52.3 - 61.0	10,100

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	6,900	37.3	34.2 - 40.4	11,600	62.7	59.6 - 65.8	18,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,000	40.9	36.0 - 46.0	1,400	59.1	54.0 - 64.0	2,300
Honolulu	5,000	37.1	33.1 - 41.3	8,500	62.9	58.7 - 66.9	13,500
Kauai	200	28.9	23.8 - 34.5	600	71.1	65.5 - 76.2	800
Maui	700	37.5	33.0 - 42.3	1,200	62.5	57.7 - 67.0	2,000

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,500	33.5	27.7 - 39.8	3,000	66.5	60.2 - 72.3	4,500
Native Hawaiian	2,000	36.6	31.4 - 42.2	3,500	63.4	57.8 - 68.6	5,600
Chinese	200	31.8	18.5 - 48.9	500	68.2	51.1 - 81.5	800
Filipino	1,300	39.2	32.2 - 46.6	2,000	60.8	53.4 - 67.8	3,300
Japanese	700	41.3	31.3 - 52.0	1,000	58.7	48.0 - 68.7	1,700
Other	1,100	41.5	33.1 - 50.5	1,600	58.5	49.5 - 66.9	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	30.1	20.2 - 42.4	800	69.9	57.6 - 79.8	1,100
20-24	1,400	31.6	25.8 - 38.1	3,100	68.4	61.9 - 74.2	4,500
25-34	3,800	39.7	35.5 - 44.1	5,800	60.3	55.9 - 64.5	9,600
35+	1,400	40.2	33.2 - 47.7	2,000	59.8	52.3 - 66.8	3,400

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,400	35.9	31.7 - 40.2	6,000	64.1	59.8 - 68.3	9,300
Female	3,600	38.7	34.3 - 43.2	5,700	61.3	56.8 - 65.7	9,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,600	39.5	35.6 - 43.6	7,000	60.5	56.4 - 64.4	11,600
No	2,300	33.5	28.9 - 38.4	4,700	66.5	61.6 - 71.1	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,600	40.0	34.9 - 45.3	3,900	60.0	54.7 - 65.1	6,500
131-185%	900	31.0	24.2 - 38.8	2,100	69.0	61.2 - 75.8	3,000
186+%	2,900	37.2	32.5 - 42.0	4,900	62.8	58.0 - 67.5	7,900

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,500	43.2	36.2 - 50.5	1,900	56.8	49.5 - 63.8	3,400
\$10,000-\$24,999	1,000	31.0	24.5 - 38.3	2,200	69.0	61.7 - 75.5	3,200
\$25,000-\$49,999	1,600	34.3	28.5 - 40.6	3,100	65.7	59.4 - 71.5	4,600
>=\$50,000	2,400	38.2	32.9 - 43.7	3,900	61.8	56.3 - 67.1	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	40.3	35.2 - 45.6	800	59.7	54.4 - 64.8	1,300
Normal birth weight	6,300	36.9	33.7 - 40.2	10,900	63.1	59.8 - 66.3	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	41.7	30.7 - 53.5	800	58.3	46.5 - 69.3	1,400
No	6,300	37.1	33.9 - 40.3	10,600	62.9	59.7 - 66.1	16,900

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	33.5	27.3 - 40.3	2,600	66.5	59.7 - 72.7	3,800
No	5,600	38.5	35.0 - 42.1	8,900	61.5	57.9 - 65.0	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,200	39.3	34.7 - 44.0	4,900	60.7	56.0 - 65.3	8,100
No	3,700	35.9	31.9 - 40.2	6,600	64.1	59.8 - 68.1	10,200

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	6,800	37.1	34.1 - 40.2	11,500	62.9	59.8 - 65.9	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	900	35.8	31.1 - 40.8	1,500	64.2	59.2 - 68.9	2,400
Honolulu	5,000	38.8	34.8 - 43.1	7,900	61.2	56.9 - 65.2	12,900
Kauai	200	28.1	23.1 - 33.8	600	71.9	66.2 - 76.9	800
Maui	700	31.9	27.7 - 36.4	1,400	68.1	63.6 - 72.3	2,100

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,500	36.2	30.4 - 42.4	2,700	63.8	57.6 - 69.6	4,200
Native Hawaiian	1,900	32.9	27.8 - 38.3	4,000	67.1	61.7 - 72.2	5,900
Chinese	400	50.1	34.1 - 66.1	400	49.9	33.9 - 65.9	800
Filipino	1,500	45.3	38.0 - 52.7	1,800	54.7	47.3 - 62.0	3,200
Japanese	500	31.2	22.5 - 41.5	1,100	68.8	58.5 - 77.5	1,600
Other	1,000	38.2	30.0 - 47.1	1,600	61.8	52.9 - 70.0	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	34.3	25.3 - 44.7	1,200	65.7	55.3 - 74.7	1,900
20-24	1,600	37.5	31.4 - 44.2	2,600	62.5	55.8 - 68.6	4,200
25-34	3,400	37.2	33.0 - 41.6	5,700	62.8	58.4 - 67.0	9,100
35+	1,200	38.2	31.2 - 45.7	1,900	61.8	54.3 - 68.8	3,100

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,600	36.6	32.5 - 40.9	6,200	63.4	59.1 - 67.5	9,800
Female	3,200	37.8	33.5 - 42.3	5,300	62.2	57.7 - 66.5	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,100	38.4	34.6 - 42.5	6,600	61.6	57.5 - 65.4	10,700
No	2,700	35.3	30.7 - 40.2	4,900	64.7	59.8 - 69.3	7,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,100	33.0	28.2 - 38.2	4,300	67.0	61.8 - 71.8	6,500
131-185%	1,000	35.1	27.7 - 43.3	1,800	64.9	56.7 - 72.3	2,800
186+%	2,900	39.7	35.0 - 44.6	4,400	60.3	55.4 - 65.0	7,300

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,100	35.8	28.7 - 43.5	2,000	64.2	56.5 - 71.3	3,100
\$10,000-\$24,999	1,300	32.9	26.9 - 39.4	2,600	67.1	60.6 - 73.1	3,900
\$25,000-\$49,999	1,200	32.9	26.6 - 39.9	2,500	67.1	60.1 - 73.4	3,700
>=\$50,000	2,500	41.0	35.7 - 46.4	3,600	59.0	53.6 - 64.3	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	42.6	37.6 - 47.9	800	57.4	52.1 - 62.4	1,300
Normal birth weight	6,200	36.7	33.5 - 40.0	10,700	63.3	60.0 - 66.5	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	45.9	35.8 - 56.3	900	54.1	43.7 - 64.2	1,700
No	5,800	36.4	33.2 - 39.6	10,200	63.6	60.4 - 66.8	16,100

PRAMS Health Indicator Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	37.1	30.8 - 43.8	2,500	62.9	56.2 - 69.2	4,000
No	5,200	37.4	34.0 - 41.0	8,600	62.6	59.0 - 66.0	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	35.6	31.0 - 40.4	4,800	64.4	59.6 - 69.0	7,400
No	4,000	38.5	34.5 - 42.7	6,300	61.5	57.3 - 65.5	10,300