

PRAMS Health Indicator Report - Attended childbirth class- for the State of Hawaii, for the Year(s) 2012;2013

PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Attended childbirth class	Attended childbirth class

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/10/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

PRAMS Health Indicator Report - Attended childbirth class- for the State of Hawaii, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2012	4,100	22.2	19.6 - 25.0	14,300	77.8	75.0 - 80.4	18,400
2013	4,500	24.4	21.5 - 27.6	13,900	75.6	72.4 - 78.5	18,400



PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	4,500	24.4	21.5 - 27.6	13,900	75.6	72.4 - 78.5	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	17.5	13.7 - 22.0	2,000	82.5	78.0 - 86.3	2,400
Honolulu	3,500	26.2	22.3 - 30.5	9,800	73.8	69.5 - 77.7	13,300
Kauai	200	20.2	16.2 - 24.9	700	79.8	75.1 - 83.8	800
Maui	400	22.6	18.2 - 27.5	1,500	77.4	72.5 - 81.8	2,000

PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,800	36.7	30.3 - 43.7	3,100	63.3	56.3 - 69.7	4,900
Native Hawaiian	700	12.6	9.1 - 17.3	4,800	87.4	82.7 - 90.9	5,500
Chinese	200	22.4	11.6 - 38.8	700	77.6	61.2 - 88.4	900
Filipino	500	17.8	12.1 - 25.6	2,500	82.2	74.4 - 87.9	3,000
Japanese	600	31.2	21.4 - 43.1	1,200	68.8	56.9 - 78.6	1,800
Other	700	29.8	21.3 - 40.0	1,600	70.2	60.0 - 78.7	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.8	2.6 - 12.4	800	94.2	87.6 - 97.4	900
20-24	1,100	26.7	20.4 - 34.1	3,000	73.3	65.9 - 79.6	4,100
25-34	2,700	26.9	22.8 - 31.5	7,300	73.1	68.5 - 77.2	10,000
35+	700	19.1	13.8 - 25.7	2,800	80.9	74.3 - 86.2	3,500

PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	2,200	24.5	20.5 - 29.1	6,800	75.5	70.9 - 79.5	9,000
Female	2,300	24.3	20.2 - 28.9	7,200	75.7	71.1 - 79.8	9,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,400	29.0	25.0 - 33.4	8,300	71.0	66.6 - 75.0	11,700
No	1,100	16.3	12.7 - 20.8	5,600	83.7	79.2 - 87.3	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	12.3	9.0 - 16.4	5,900	87.7	83.6 - 91.0	6,700
131-185%	700	26.4	18.5 - 36.2	1,800	73.6	63.8 - 81.5	2,500
186+%	2,500	34.1	29.0 - 39.7	4,900	65.9	60.3 - 71.0	7,400

PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	600	14.3	10.0 - 20.1	3,600	85.7	79.9 - 90.0	4,200
\$17,001-\$26,000	600	23.2	15.7 - 32.8	1,900	76.8	67.2 - 84.3	2,400
\$26,001-\$51,000	900	21.9	16.2 - 28.8	3,100	78.1	71.2 - 83.8	4,000
>=\$51,001	2,100	32.7	27.2 - 38.7	4,300	67.3	61.3 - 72.8	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	19.6	15.9 - 23.9	1,100	80.4	76.1 - 84.1	1,300
Normal birth weight	4,200	24.8	21.7 - 28.3	12,800	75.2	71.7 - 78.3	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	19.3	9.8 - 34.5	800	80.7	65.5 - 90.2	1,000
No	4,200	24.6	21.5 - 28.0	12,800	75.4	72.0 - 78.5	17,000

PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	20.6	14.5 - 28.4	2,600	79.4	71.6 - 85.5	3,200
No	3,700	25.1	21.8 - 28.8	11,000	74.9	71.2 - 78.2	14,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	15.8	12.3 - 20.1	6,800	84.2	79.9 - 87.7	8,100
No	3,200	31.1	26.8 - 35.7	7,100	68.9	64.3 - 73.2	10,400

PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	4,100	22.2	19.6 - 25.0	14,300	77.8	75.0 - 80.4	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	16.7	13.2 - 20.8	1,900	83.3	79.2 - 86.8	2,300
Honolulu	3,100	23.2	19.7 - 27.0	10,200	76.8	73.0 - 80.3	13,300
Kauai	200	27.4	22.1 - 33.4	600	72.6	66.6 - 77.9	800
Maui	400	20.2	16.5 - 24.4	1,600	79.8	75.6 - 83.5	2,000

PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,400	33.0	27.1 - 39.5	2,800	67.0	60.5 - 72.9	4,200
Native Hawaiian	600	11.7	8.4 - 16.1	4,600	88.3	83.9 - 91.6	5,200
Chinese	400	33.0	21.3 - 47.2	700	67.0	52.8 - 78.7	1,100
Filipino	700	20.7	15.1 - 27.6	2,600	79.3	72.4 - 84.9	3,300
Japanese	500	33.9	24.1 - 45.2	1,100	66.1	54.8 - 75.9	1,600
Other	500	17.1	11.7 - 24.3	2,500	82.9	75.7 - 88.3	3,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	12.5	6.1 - 23.9	900	87.5	76.1 - 93.9	1,100
20-24	700	19.1	13.9 - 25.5	3,000	80.9	74.5 - 86.1	3,700
25-34	2,600	25.2	21.6 - 29.2	7,700	74.8	70.8 - 78.4	10,300
35+	600	19.5	14.1 - 26.3	2,700	80.5	73.7 - 85.9	3,300

PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	2,000	22.4	18.8 - 26.5	7,100	77.6	73.5 - 81.2	9,100
Female	2,100	22.0	18.5 - 26.1	7,300	78.0	73.9 - 81.5	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	24.9	21.5 - 28.7	8,500	75.1	71.3 - 78.5	11,400
No	1,300	17.9	14.3 - 22.2	5,800	82.1	77.8 - 85.7	7,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	12.7	9.5 - 16.8	5,700	87.3	83.2 - 90.5	6,500
131-185%	600	19.9	14.0 - 27.4	2,500	80.1	72.6 - 86.0	3,100
186+%	2,300	32.7	28.0 - 37.8	4,700	67.3	62.2 - 72.0	7,000

PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Income (2012+)							
<=\$17,000	600	14.5	10.2 - 20.1	3,500	85.5	79.9 - 89.8	4,100
\$17,001-\$26,000	400	19.4	13.0 - 28.1	1,800	80.6	71.9 - 87.0	2,200
\$26,001-\$51,000	900	20.9	16.0 - 26.9	3,500	79.1	73.1 - 84.0	4,500
>=\$51,001	1,800	30.3	25.4 - 35.7	4,200	69.7	64.3 - 74.6	6,000

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	300	22.3	18.3 - 26.9	1,000	77.7	73.1 - 81.7	1,300
Normal birth weight	3,800	22.3	19.5 - 25.3	13,300	77.7	74.7 - 80.5	17,100

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester							
Yes	100	19.4	9.3 - 36.2	600	80.6	63.8 - 90.7	700
No	3,800	22.1	19.4 - 25.0	13,300	77.9	75.0 - 80.6	17,000

PRAMS Health Indicator Report - Attended childbirth class- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	23.5	17.3 - 31.2	2,200	76.5	68.8 - 82.7	2,800
No	3,200	21.7	18.8 - 24.8	11,700	78.3	75.2 - 81.2	14,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	14.3	11.2 - 18.0	7,200	85.7	82.0 - 88.8	8,400
No	2,900	28.9	25.1 - 33.1	7,100	71.1	66.9 - 74.9	10,000