

PRAMS Health Indicator Report - Received early and adequate prenatal care- for the State of Hawaii, for the Year(s) 2009;2010;2011;2012;2013

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Received early and adequate prenatal care	Received early and adequate prenatal care

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/14/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

PRAMS Health Indicator Report - Received early and adequate prenatal care- for the State of Hawaii, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2009	11,800	67.7	64.6 - 70.6	5,700	32.3	29.4 - 35.4	17,500
2010	12,200	70.6	67.5 - 73.5	5,100	29.4	26.5 - 32.5	17,300
2011	12,600	70.6	67.5 - 73.5	5,300	29.4	26.5 - 32.5	17,900
2012	12,600	69.1	66.0 - 72.0	5,600	30.9	28.0 - 34.0	18,200
2013	13,000	70.8	67.6 - 73.9	5,400	29.2	26.1 - 32.4	18,400



PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,000	70.8	67.6 - 73.9	5,400	29.2	26.1 - 32.4	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	59.6	54.0 - 65.0	1,000	40.4	35.0 - 46.0	2,400
Honolulu	9,600	72.7	68.3 - 76.7	3,600	27.3	23.3 - 31.7	13,200
Kauai	700	81.4	76.9 - 85.2	200	18.6	14.8 - 23.1	800
Maui	1,300	67.3	61.9 - 72.2	700	32.7	27.8 - 38.1	2,000

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	66.7	59.8 - 72.8	1,600	33.3	27.2 - 40.2	4,900
Native Hawaiian	3,800	70.1	64.3 - 75.3	1,600	29.9	24.7 - 35.7	5,500
Chinese	700	81.3	65.3 - 90.9	200	18.7	9.1 - 34.7	900
Filipino	2,200	75.7	67.7 - 82.3	700	24.3	17.7 - 32.3	3,000
Japanese	1,400	76.3	65.3 - 84.7	400	23.7	15.3 - 34.7	1,800
Other	1,600	67.0	57.1 - 75.6	800	33.0	24.4 - 42.9	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	64.1	49.4 - 76.5	300	35.9	23.5 - 50.6	900
20-24	2,900	71.6	64.3 - 77.8	1,200	28.4	22.2 - 35.7	4,000
25-34	7,000	70.0	65.4 - 74.2	3,000	30.0	25.8 - 34.6	10,000
35+	2,600	74.2	67.1 - 80.3	900	25.8	19.7 - 32.9	3,500

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,200	68.8	64.1 - 73.2	2,800	31.2	26.8 - 35.9	9,000
Female	6,900	72.8	68.2 - 76.9	2,600	27.2	23.1 - 31.8	9,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,600	72.5	68.3 - 76.4	3,200	27.5	23.6 - 31.7	11,800
No	4,500	67.8	62.6 - 72.7	2,100	32.2	27.3 - 37.4	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,300	64.8	59.3 - 70.0	2,300	35.2	30.0 - 40.7	6,600
131-185%	1,900	75.2	66.3 - 82.4	600	24.8	17.6 - 33.7	2,500
186+%	5,600	75.2	70.1 - 79.7	1,900	24.8	20.3 - 29.9	7,500

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	2,600	63.2	56.2 - 69.7	1,500	36.8	30.3 - 43.8	4,200
\$17,001-\$26,000	1,700	70.9	61.5 - 78.8	700	29.1	21.2 - 38.5	2,400
\$26,001-\$51,000	2,900	74.5	67.6 - 80.4	1,000	25.5	19.6 - 32.4	3,900
>=\$51,001	4,700	73.6	67.9 - 78.6	1,700	26.4	21.4 - 32.1	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	83.1	78.8 - 86.7	200	16.9	13.3 - 21.2	1,300
Normal birth weight	11,900	69.8	66.4 - 73.1	5,100	30.2	26.9 - 33.6	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	70.6	57.4 - 81.0	300	29.4	19.0 - 42.6	1,000
No	12,000	70.5	67.1 - 73.7	5,000	29.5	26.3 - 32.9	17,000

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	67.6	59.5 - 74.8	1,100	32.4	25.2 - 40.5	3,200
No	10,500	71.2	67.5 - 74.6	4,200	28.8	25.4 - 32.5	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	69.6	64.6 - 74.2	2,400	30.4	25.8 - 35.4	7,900
No	7,500	72.1	67.7 - 76.0	2,900	27.9	24.0 - 32.3	10,400

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,600	69.1	66.0 - 72.0	5,600	30.9	28.0 - 34.0	18,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	61.6	56.3 - 66.6	900	38.4	33.4 - 43.7	2,300
Honolulu	9,300	70.6	66.4 - 74.4	3,900	29.4	25.6 - 33.6	13,200
Kauai	600	76.8	70.9 - 81.7	200	23.2	18.3 - 29.1	800
Maui	1,300	64.3	59.4 - 69.0	700	35.7	31.0 - 40.6	2,000

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	71.8	65.5 - 77.3	1,200	28.2	22.7 - 34.5	4,200
Native Hawaiian	3,400	64.8	58.8 - 70.3	1,800	35.2	29.7 - 41.2	5,200
Chinese	900	78.1	64.7 - 87.4	200	21.9	12.6 - 35.3	1,100
Filipino	2,600	79.2	72.6 - 84.6	700	20.8	15.4 - 27.4	3,200
Japanese	1,100	73.8	62.6 - 82.6	400	26.2	17.4 - 37.4	1,600
Other	1,700	56.2	47.6 - 64.4	1,300	43.8	35.6 - 52.4	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	49.1	35.8 - 62.5	500	50.9	37.5 - 64.2	1,000
20-24	2,500	69.3	62.3 - 75.6	1,100	30.7	24.4 - 37.7	3,700
25-34	7,200	69.7	65.6 - 73.5	3,100	30.3	26.5 - 34.4	10,400
35+	2,300	73.2	65.6 - 79.5	900	26.8	20.5 - 34.4	3,200

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,200	68.2	63.7 - 72.4	2,900	31.8	27.6 - 36.3	9,100
Female	6,400	69.9	65.5 - 73.9	2,800	30.1	26.1 - 34.5	9,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,200	72.2	68.3 - 75.8	3,100	27.8	24.2 - 31.7	11,300
No	4,500	64.0	58.8 - 68.8	2,500	36.0	31.2 - 41.2	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,100	63.9	58.5 - 69.0	2,300	36.1	31.0 - 41.5	6,400
131-185%	2,200	72.2	64.3 - 79.0	900	27.8	21.0 - 35.7	3,100
186+%	5,000	72.7	67.7 - 77.1	1,900	27.3	22.9 - 32.3	6,900

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	2,400	58.6	51.6 - 65.4	1,700	41.4	34.6 - 48.4	4,000
\$17,001-\$26,000	1,700	76.2	68.3 - 82.6	500	23.8	17.4 - 31.7	2,200
\$26,001-\$51,000	3,200	72.2	65.8 - 77.8	1,200	27.8	22.2 - 34.2	4,400
>=\$51,001	4,300	71.9	66.5 - 76.8	1,700	28.1	23.2 - 33.5	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	82.2	77.5 - 86.1	200	17.8	13.9 - 22.5	1,200
Normal birth weight	11,500	68.0	64.7 - 71.2	5,400	32.0	28.8 - 35.3	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	61.5	45.8 - 75.1	300	38.5	24.9 - 54.2	700
No	11,800	69.9	66.7 - 73.0	5,100	30.1	27.0 - 33.3	16,900

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	66.5	58.4 - 73.7	900	33.5	26.3 - 41.6	2,800
No	10,400	70.2	66.7 - 73.4	4,400	29.8	26.6 - 33.3	14,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	66.8	62.1 - 71.2	2,800	33.2	28.8 - 37.9	8,300
No	7,000	70.7	66.5 - 74.6	2,900	29.3	25.4 - 33.5	9,800

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,600	70.6	67.5 - 73.5	5,300	29.4	26.5 - 32.5	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,300	60.5	55.0 - 65.7	800	39.5	34.3 - 45.0	2,100
Honolulu	9,400	72.3	68.2 - 76.1	3,600	27.7	23.9 - 31.8	13,000
Kauai	700	84.5	79.4 - 88.5	100	15.5	11.5 - 20.6	900
Maui	1,300	64.0	59.4 - 68.2	700	36.0	31.8 - 40.6	2,000

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	66.3	59.9 - 72.2	1,500	33.7	27.8 - 40.1	4,400
Native Hawaiian	3,900	76.4	71.3 - 80.8	1,200	23.6	19.2 - 28.7	5,100
Chinese	600	78.4	60.5 - 89.6	200	21.6	10.4 - 39.5	700
Filipino	2,500	77.6	70.7 - 83.2	700	22.4	16.8 - 29.3	3,200
Japanese	1,400	74.7	64.5 - 82.7	500	25.3	17.3 - 35.5	1,800
Other	1,400	53.5	44.4 - 62.4	1,200	46.5	37.6 - 55.6	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	66.1	52.7 - 77.3	300	33.9	22.7 - 47.3	1,000
20-24	2,900	68.9	62.3 - 74.8	1,300	31.1	25.2 - 37.7	4,200
25-34	6,600	70.0	65.7 - 73.9	2,900	30.0	26.1 - 34.3	9,500
35+	2,400	76.3	69.3 - 82.0	700	23.7	18.0 - 30.7	3,100

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,400	69.3	64.9 - 73.4	2,800	30.7	26.6 - 35.1	9,200
Female	6,300	72.0	67.6 - 75.9	2,400	28.0	24.1 - 32.4	8,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,800	70.1	66.1 - 73.8	3,300	29.9	26.2 - 33.9	11,200
No	4,800	71.4	66.5 - 75.9	1,900	28.6	24.1 - 33.5	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,100	65.1	59.8 - 70.0	2,200	34.9	30.0 - 40.2	6,300
131-185%	1,800	67.1	58.6 - 74.7	900	32.9	25.3 - 41.4	2,700
186+%	5,900	74.8	70.3 - 78.9	2,000	25.2	21.1 - 29.7	7,900

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,000	61.8	54.1 - 68.8	1,200	38.2	31.2 - 45.9	3,200
\$10,000-\$24,999	2,400	71.8	64.8 - 78.0	900	28.2	22.0 - 35.2	3,300
\$25,000-\$49,999	3,200	72.2	65.9 - 77.7	1,200	27.8	22.3 - 34.1	4,500
>=\$50,000	4,300	71.6	66.1 - 76.5	1,700	28.4	23.5 - 33.9	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	78.1	73.0 - 82.4	300	21.9	17.6 - 27.0	1,300
Normal birth weight	11,600	70.2	66.9 - 73.2	4,900	29.8	26.8 - 33.1	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	68.7	55.9 - 79.2	300	31.3	20.8 - 44.1	900
No	11,900	70.5	67.3 - 73.5	5,000	29.5	26.5 - 32.7	16,800

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	79.8	73.9 - 84.7	700	20.2	15.3 - 26.1	3,400
No	9,700	68.2	64.6 - 71.5	4,500	31.8	28.5 - 35.4	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	69.4	64.7 - 73.7	2,400	30.6	26.3 - 35.3	8,000
No	7,000	71.3	67.2 - 75.2	2,800	28.7	24.8 - 32.8	9,800

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	12,200	70.6	67.5 - 73.5	5,100	29.4	26.5 - 32.5	17,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	62.2	56.6 - 67.5	700	37.8	32.5 - 43.4	1,900
Honolulu	9,200	72.9	68.8 - 76.7	3,400	27.1	23.3 - 31.2	12,600
Kauai	700	82.6	77.7 - 86.6	100	17.4	13.4 - 22.3	800
Maui	1,200	58.9	54.0 - 63.5	800	41.1	36.5 - 46.0	2,000

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	74.7	68.9 - 79.8	1,100	25.3	20.2 - 31.1	4,300
Native Hawaiian	3,600	69.7	64.1 - 74.7	1,600	30.3	25.3 - 35.9	5,100
Chinese	500	74.7	56.7 - 87.0	200	25.3	13.0 - 43.3	700
Filipino	2,300	73.2	65.8 - 79.5	800	26.8	20.5 - 34.2	3,100
Japanese	1,200	77.0	66.7 - 84.9	400	23.0	15.1 - 33.3	1,600
Other	1,400	57.0	47.6 - 65.9	1,100	43.0	34.1 - 52.4	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	61.6	48.5 - 73.3	400	38.4	26.7 - 51.5	1,100
20-24	2,800	67.8	61.1 - 73.7	1,400	32.2	26.3 - 38.9	4,200
25-34	6,400	70.5	66.2 - 74.5	2,700	29.5	25.5 - 33.8	9,100
35+	2,400	78.0	70.9 - 83.8	700	22.0	16.2 - 29.1	3,000

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,900	68.7	64.2 - 72.8	2,700	31.3	27.2 - 35.8	8,600
Female	6,400	72.5	68.2 - 76.4	2,400	27.5	23.6 - 31.8	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,000	73.2	69.3 - 76.8	2,900	26.8	23.2 - 30.7	11,000
No	4,200	66.2	61.1 - 70.9	2,200	33.8	29.1 - 38.9	6,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,100	69.7	64.4 - 74.5	1,800	30.3	25.5 - 35.6	5,900
131-185%	1,800	66.6	58.2 - 74.1	900	33.4	25.9 - 41.8	2,700
186+%	5,600	74.6	70.0 - 78.7	1,900	25.4	21.3 - 30.0	7,600

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,000	65.4	57.8 - 72.2	1,100	34.6	27.8 - 42.2	3,100
\$10,000-\$24,999	2,000	68.3	60.7 - 75.2	900	31.7	24.8 - 39.3	2,900
\$25,000-\$49,999	3,200	72.1	65.8 - 77.6	1,200	27.9	22.4 - 34.2	4,400
>=\$50,000	4,500	74.8	69.6 - 79.4	1,500	25.2	20.6 - 30.4	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	83.8	79.2 - 87.5	200	16.2	12.5 - 20.8	1,200
Normal birth weight	11,200	69.5	66.2 - 72.6	4,900	30.5	27.4 - 33.8	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	70.5	59.4 - 79.6	400	29.5	20.4 - 40.6	1,300
No	11,100	70.3	67.1 - 73.4	4,700	29.7	26.6 - 32.9	15,800

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	70.8	64.2 - 76.7	1,000	29.2	23.3 - 35.8	3,600
No	9,500	70.2	66.7 - 73.5	4,000	29.8	26.5 - 33.3	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	70.0	65.4 - 74.2	2,200	30.0	25.8 - 34.6	7,500
No	6,800	70.7	66.4 - 74.6	2,800	29.3	25.4 - 33.6	9,700

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,800	67.7	64.6 - 70.6	5,700	32.3	29.4 - 35.4	17,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	58.2	52.7 - 63.5	800	41.8	36.5 - 47.3	2,000
Honolulu	8,700	69.3	65.1 - 73.2	3,800	30.7	26.8 - 34.9	12,500
Kauai	700	81.3	76.2 - 85.6	200	18.7	14.4 - 23.8	900
Maui	1,300	61.4	56.8 - 65.8	800	38.6	34.2 - 43.2	2,100

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,600	62.1	55.8 - 68.1	1,600	37.9	31.9 - 44.2	4,200
Native Hawaiian	3,900	69.7	64.2 - 74.8	1,700	30.3	25.2 - 35.8	5,600
Chinese	600	82.2	65.7 - 91.8	100	17.8	8.2 - 34.3	700
Filipino	2,300	73.5	66.4 - 79.6	800	26.5	20.4 - 33.6	3,200
Japanese	1,100	76.0	65.2 - 84.3	400	24.0	15.7 - 34.8	1,500
Other	1,300	54.9	45.7 - 63.8	1,000	45.1	36.2 - 54.3	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	76.1	66.5 - 83.6	400	23.9	16.4 - 33.5	1,800
20-24	2,600	64.2	57.4 - 70.5	1,400	35.8	29.5 - 42.6	4,000
25-34	5,600	63.7	59.2 - 68.0	3,200	36.3	32.0 - 40.8	8,800
35+	2,300	79.6	73.0 - 84.9	600	20.4	15.1 - 27.0	2,800

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,400	68.7	64.4 - 72.7	2,900	31.3	27.3 - 35.6	9,300
Female	5,400	66.5	61.9 - 70.7	2,700	33.5	29.3 - 38.1	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,100	68.4	64.4 - 72.2	3,300	31.6	27.8 - 35.6	10,300
No	4,800	66.6	61.7 - 71.2	2,400	33.4	28.8 - 38.3	7,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,000	65.2	59.8 - 70.2	2,100	34.8	29.8 - 40.2	6,100
131-185%	1,800	65.4	57.2 - 72.8	900	34.6	27.2 - 42.8	2,700
186+%	5,200	72.5	67.8 - 76.8	2,000	27.5	23.2 - 32.2	7,200

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,800	61.5	53.4 - 69.0	1,100	38.5	31.0 - 46.6	3,000
\$10,000-\$24,999	2,500	68.4	61.7 - 74.4	1,100	31.6	25.6 - 38.3	3,600
\$25,000-\$49,999	2,300	64.7	57.6 - 71.2	1,300	35.3	28.8 - 42.4	3,600
>=\$50,000	4,400	74.3	69.1 - 78.8	1,500	25.7	21.2 - 30.9	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	84.6	80.3 - 88.1	200	15.4	11.9 - 19.7	1,300
Normal birth weight	10,700	66.4	63.1 - 69.6	5,400	33.6	30.4 - 36.9	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	58.6	47.7 - 68.8	700	41.4	31.2 - 52.3	1,600
No	10,500	68.4	65.1 - 71.5	4,900	31.6	28.5 - 34.9	15,400

PRAMS Health Indicator Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	65.5	58.8 - 71.7	1,300	34.5	28.3 - 41.2	3,800
No	9,000	68.1	64.5 - 71.4	4,200	31.9	28.6 - 35.5	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,700	67.7	62.9 - 72.2	2,300	32.3	27.8 - 37.1	7,000
No	6,700	67.6	63.4 - 71.5	3,200	32.4	28.5 - 36.6	9,900