

PRAMS Health Indicator 3-Year Aggregate Report - Discuss health with HCW before pregnant- for the State of Hawaii, for the Year(s) 2009-2011

PRAMS Health Indicator 3-Year Aggregate Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Discuss health with HCW before pregnant	Discuss health with HCW before pregnant

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/28/15

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

PRAMS Health Indicator 3-Year Aggregate Report - Discuss health with HCW before pregnant- for the State of Hawaii, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2009-2011	7,100	38.4	36.6 - 40.2	11,400	61.6	59.8 - 63.4	18,400



PRAMS Health Indicator 3-Year Aggregate Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,100	38.4	36.6 - 40.2	11,400	61.6	59.8 - 63.4	18,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	900	36.0	33.3 - 38.9	1,500	64.0	61.1 - 66.7	2,400
Honolulu	5,200	39.7	37.3 - 42.2	8,000	60.3	57.8 - 62.7	13,200
Kauai	300	29.8	26.7 - 33.1	600	70.2	66.9 - 73.3	800
Maui	700	35.9	33.4 - 38.5	1,300	64.1	61.5 - 66.6	2,000

PRAMS Health Indicator 3-Year Aggregate Report - Discuss health with HCW before pregnant- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,600	36.2	32.7 - 39.8	2,800	63.8	60.2 - 67.3	4,400
Native Hawaiian	1,900	34.2	31.2 - 37.4	3,700	65.8	62.6 - 68.8	5,600
Chinese	300	46.0	36.8 - 55.6	400	54.0	44.4 - 63.2	800
Filipino	1,500	44.7	40.4 - 49.0	1,800	55.3	51.0 - 59.6	3,300
Japanese	600	35.8	30.3 - 41.8	1,100	64.2	58.2 - 69.7	1,700
Other	1,100	42.4	37.4 - 47.5	1,500	57.6	52.5 - 62.6	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	34.6	28.4 - 41.4	900	65.4	58.6 - 71.6	1,300
20-24	1,500	33.7	30.1 - 37.5	2,900	66.3	62.5 - 69.9	4,400
25-34	3,900	40.6	38.1 - 43.1	5,700	59.4	56.9 - 61.9	9,500
35+	1,300	39.8	35.6 - 44.1	1,900	60.2	55.9 - 64.4	3,200

PRAMS Health Indicator 3-Year Aggregate Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender							
Male	3,600	38.0	35.5 - 40.5	5,900	62.0	59.5 - 64.5	9,500
Female	3,500	38.8	36.3 - 41.4	5,500	61.2	58.6 - 63.7	8,900

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married							
Yes	4,600	41.2	38.9 - 43.5	6,600	58.8	56.5 - 61.1	11,300
No	2,400	34.0	31.3 - 36.8	4,700	66.0	63.2 - 68.7	7,200

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level							
0-130%	2,500	37.9	34.9 - 40.9	4,000	62.1	59.1 - 65.1	6,500
131-185%	1,000	33.4	29.0 - 38.0	1,900	66.6	62.0 - 71.0	2,900
186+%	3,100	40.1	37.3 - 42.9	4,700	59.9	57.1 - 62.7	7,800

PRAMS Health Indicator 3-Year Aggregate Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,300	39.3	35.1 - 43.6	2,000	60.7	56.4 - 64.9	3,300
\$10,000-\$24,999	1,200	34.6	30.8 - 38.6	2,300	65.4	61.4 - 69.2	3,500
\$25,000-\$49,999	1,600	36.2	32.6 - 40.0	2,700	63.8	60.0 - 67.4	4,300
>=\$50,000	2,500	40.5	37.4 - 43.7	3,700	59.5	56.3 - 62.6	6,200

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	40.3	37.3 - 43.3	800	59.7	56.7 - 62.7	1,300
Normal birth weight	6,500	38.2	36.3 - 40.1	10,500	61.8	59.9 - 63.7	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	42.7	36.2 - 49.5	800	57.3	50.5 - 63.8	1,400
No	6,400	38.1	36.3 - 40.0	10,400	61.9	60.0 - 63.7	16,800

PRAMS Health Indicator 3-Year Aggregate Report - Discuss health with HCW before pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	35.1	31.3 - 39.0	2,500	64.9	61.0 - 68.7	3,800
No	5,700	39.4	37.4 - 41.4	8,700	60.6	58.6 - 62.6	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,000	37.4	34.8 - 40.2	5,000	62.6	59.8 - 65.2	8,000
No	4,000	39.2	36.8 - 41.7	6,200	60.8	58.3 - 63.2	10,200