

PRAMS Health Indicator 3-Year Aggregate Report - Discussed quitting smoking with HCW during PNC- for the State of Hawaii, for the Year(s) 2009-2011

PRAMS Health Indicator 3-Year Aggregate Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Discussed quitting smoking with HCW during PNC	Discussed quitting smoking with HCW during PNC

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/28/15

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

PRAMS Health Indicator 3-Year Aggregate Report - Discussed quitting smoking with HCW during PNC- for the State of Hawaii, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2009-2011	2,000	86.5	82.8 - 89.4	300	13.5	10.6 - 17.2	2,300



PRAMS Health Indicator 3-Year Aggregate Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,000	86.5	82.8 - 89.4	300	13.5	10.6 - 17.2	2,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	87.9	82.2 - 91.9	<50	12.1	8.1 - 17.8	400
Honolulu	1,300	88.1	82.6 - 92.0	200	11.9	8.0 - 17.4	1,500
Kauai	100	74.5	64.9 - 82.2	<50	25.5	17.8 - 35.1	<50
Maui	200	80.0	73.5 - 85.2	100	20.0	14.8 - 26.5	300

PRAMS Health Indicator 3-Year Aggregate Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	79.6	69.1 - 87.2	100	20.4	12.8 - 30.9	400
Native Hawaiian	900	86.9	81.2 - 91.1	100	13.1	8.9 - 18.8	1,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	90.2	81.0 - 95.2	<50	9.8	4.8 - 19.0	300
Japanese	200	79.3	62.2 - 89.9	<50	20.7	10.1 - 37.8	200
Other	300	95.0	87.0 - 98.1	<50	5.0	1.9 - 13.0	300

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	86.7	72.8 - 94.0	<50	13.3	6.0 - 27.2	200
20-24	600	86.5	79.2 - 91.5	100	13.5	8.5 - 20.8	700
25-34	1,000	87.5	82.4 - 91.3	100	12.5	8.7 - 17.6	1,100
35+	200	82.2	67.7 - 91.1	<50	17.8	8.9 - 32.3	300

**PRAMS Health Indicator 3-Year Aggregate Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	85.7	80.2 - 89.8	200	14.3	10.2 - 19.8	1,200
Female	1,000	87.3	82.0 - 91.2	100	12.7	8.8 - 18.0	1,100

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	84.8	78.2 - 89.7	100	15.2	10.3 - 21.8	900
No	1,300	87.4	82.8 - 90.9	200	12.6	9.1 - 17.2	1,500

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	87.4	82.5 - 91.1	200	12.6	8.9 - 17.5	1,300
131-185%	300	88.6	76.8 - 94.8	<50	11.4	5.2 - 23.2	400
186+%	400	80.4	71.1 - 87.2	100	19.6	12.8 - 28.9	500

**PRAMS Health Indicator 3-Year Aggregate Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	700	88.8	82.5 - 93.0	100	11.2	7.0 - 17.5	700
\$10,000-\$24,999	600	85.0	77.0 - 90.6	100	15.0	9.4 - 23.0	700
\$25,000-\$49,999	400	87.2	77.8 - 93.0	100	12.8	7.0 - 22.2	500
>=\$50,000	200	79.1	66.8 - 87.6	100	20.9	12.4 - 33.2	300

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	89.9	84.1 - 93.8	<50	10.1	6.2 - 15.9	200
Normal birth weight	1,800	86.1	82.0 - 89.3	300	13.9	10.7 - 18.0	2,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	91.5	87.0 - 94.6	100	8.5	5.4 - 13.0	1,300
No	800	80.1	73.8 - 85.2	200	19.9	14.8 - 26.2	1,000

**PRAMS Health Indicator 3-Year Aggregate Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	89.0	85.5 - 91.7	200	11.0	8.3 - 14.5	2,200
No	<50	40.8	22.2 - 62.4	100	59.2	37.6 - 77.8	<50

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	88.3	84.0 - 91.6	200	11.7	8.4 - 16.0	1,400
No	700	83.6	76.7 - 88.8	100	16.4	11.2 - 23.3	900