

PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Entry into PNC	Entry into prenatal care

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/23/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- for the State of Hawaii, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	13,600	79.9	79.0 - 80.8	3,200	18.8	18.0 - 19.7	200	1.2	1.0 - 1.5	17,000
2001-2005	13,500	79.6	78.7 - 80.5	3,300	19.1	18.3 - 20.0	200	1.3	1.0 - 1.6	17,000
2002-2006	13,700	79.4	78.4 - 80.3	3,400	19.4	18.5 - 20.3	200	1.3	1.0 - 1.5	17,300
2003-2007	13,900	78.9	78.0 - 79.8	3,500	19.8	18.9 - 20.7	200	1.3	1.1 - 1.6	17,600
2004-2008	14,100	79.1	78.2 - 80.0	3,500	19.5	18.7 - 20.4	200	1.4	1.2 - 1.7	17,800
2005-2009	14,200	79.3	78.3 - 80.2	3,500	19.3	18.4 - 20.3	300	1.4	1.2 - 1.7	17,900
2006-2010	14,600	80.5	79.5 - 81.4	3,300	18.3	17.3 - 19.3	200	1.3	1.0 - 1.6	18,200
2007-2011	14,900	81.8	80.8 - 82.8	3,100	17.0	16.0 - 18.0	200	1.2	1.0 - 1.5	18,200
2008-2012	15,300	84.0	83.0 - 84.9	2,700	14.9	14.0 - 15.9	200	1.1	0.9 - 1.4	18,200
2009-2013	15,500	85.5	84.4 - 86.4	2,500	13.6	12.6 - 14.6	200	0.9	0.7 - 1.3	18,200

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- for the State of Hawaii, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,500	85.5	84.4 - 86.4	2,500	13.6	12.6 - 14.6	200	0.9	0.7 - 1.3	18,200

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	80.0	78.0 - 81.9	400	19.0	17.2 - 21.0	<50	1.0	0.6 - 1.5	2,300
Honolulu	11,300	86.7	85.3 - 88.0	1,600	12.3	11.1 - 13.6	100	1.0	0.7 - 1.4	13,100
Kauai	700	86.2	84.2 - 87.9	100	13.6	11.9 - 15.6	<50	0.2	0.1 - 0.7	800
Maui	1,600	83.1	81.4 - 84.7	300	15.9	14.3 - 17.6	<50	1.0	0.6 - 1.6	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,000	90.9	89.2 - 92.4	400	8.8	7.4 - 10.5	<50	0.3	0.1 - 0.8	4,400
Native Hawaiian	4,400	80.8	78.7 - 82.8	1,000	18.8	16.8 - 20.9	<50	0.4	0.2 - 0.8	5,400
Chinese	800	91.6	87.0 - 94.6	100	6.8	4.2 - 11.0	<50	1.6	0.5 - 5.0	800
Filipino	2,800	86.5	84.1 - 88.6	400	12.6	10.5 - 15.0	<50	0.9	0.5 - 1.6	3,200
Japanese	1,600	91.3	88.2 - 93.6	100	7.4	5.3 - 10.3	<50	1.2	0.5 - 2.9	1,700
Other	2,100	78.7	75.3 - 81.8	500	18.4	15.5 - 21.6	100	2.9	1.8 - 4.7	2,600

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	64.5	58.9 - 69.7	400	31.8	26.8 - 37.3	<50	3.7	2.0 - 6.7	1,200
20-24	3,400	82.0	79.6 - 84.3	700	17.6	15.4 - 20.0	<50	0.4	0.2 - 0.9	4,100
25-34	8,500	88.5	87.2 - 89.7	1,000	10.8	9.6 - 12.0	100	0.7	0.5 - 1.1	9,700
35+	2,800	88.5	86.1 - 90.4	300	10.3	8.4 - 12.5	<50	1.3	0.7 - 2.4	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,900	86.2	84.7 - 87.5	1,200	12.9	11.6 - 14.3	100	1.0	0.6 - 1.5	9,200
Female	7,600	84.8	83.2 - 86.2	1,300	14.3	13.0 - 15.8	100	0.9	0.6 - 1.4	9,000

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,100	90.0	88.9 - 91.0	1,000	9.2	8.2 - 10.3	100	0.8	0.5 - 1.2	11,200
No	5,400	78.1	76.1 - 79.9	1,400	20.7	18.9 - 22.6	100	1.2	0.8 - 1.8	6,900

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,000	77.4	75.4 - 79.4	1,400	21.2	19.3 - 23.2	100	1.3	0.9 - 2.0	6,400
131-185%	2,400	86.3	83.5 - 88.7	400	13.1	10.8 - 15.9	<50	0.6	0.2 - 1.5	2,800
186+%	6,900	92.8	91.6 - 93.9	500	6.6	5.6 - 7.9	<50	0.5	0.3 - 1.0	7,500

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	81.9	80.0 - 83.7	200	16.2	14.4 - 18.0	<50	1.9	1.3 - 2.7	1,300
Normal birth weight	14,400	85.7	84.6 - 86.8	2,300	13.4	12.4 - 14.5	100	0.9	0.6 - 1.2	16,900

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	69.9	64.5 - 74.7	300	28.9	24.1 - 34.3	<50	1.2	0.5 - 3.0	1,100
No	14,400	86.4	85.4 - 87.4	2,100	12.6	11.7 - 13.7	200	0.9	0.7 - 1.3	16,700

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	79.3	76.5 - 81.7	700	20.0	17.6 - 22.7	<50	0.7	0.3 - 1.4	3,500
No	12,500	86.8	85.7 - 87.9	1,700	12.2	11.1 - 13.3	100	1.0	0.7 - 1.4	14,400

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,500	81.8	80.0 - 83.3	1,400	17.2	15.7 - 18.9	100	1.0	0.7 - 1.6	7,900
No	8,900	88.4	87.1 - 89.6	1,100	10.7	9.6 - 12.0	100	0.9	0.6 - 1.3	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,300	84.0	83.0 - 84.9	2,700	14.9	14.0 - 15.9	200	1.1	0.9 - 1.4	18,200

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	80.5	78.4 - 82.4	400	18.4	16.6 - 20.5	<50	1.1	0.6 - 1.8	2,300
Honolulu	11,100	84.9	83.5 - 86.1	1,800	14.0	12.8 - 15.3	100	1.1	0.8 - 1.6	13,000
Kauai	700	85.6	83.0 - 87.8	100	14.2	12.0 - 16.8	<50	0.2	0.1 - 0.7	800
Maui	1,600	81.6	79.5 - 83.4	300	17.1	15.3 - 19.1	<50	1.3	0.8 - 2.1	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,900	89.8	88.1 - 91.3	400	10.0	8.5 - 11.7	<50	0.2	0.1 - 0.5	4,300
Native Hawaiian	4,300	80.1	78.1 - 82.1	1,000	19.4	17.5 - 21.4	<50	0.5	0.3 - 0.9	5,400
Chinese	700	89.9	85.5 - 93.1	100	8.5	5.6 - 12.8	<50	1.5	0.6 - 3.7	800
Filipino	2,700	84.1	81.6 - 86.2	500	14.7	12.6 - 17.1	<50	1.3	0.8 - 2.0	3,300
Japanese	1,600	91.6	88.7 - 93.8	100	7.1	5.1 - 9.8	<50	1.3	0.6 - 3.0	1,700
Other	2,100	75.7	72.4 - 78.7	600	21.0	18.2 - 24.1	100	3.4	2.2 - 5.0	2,800

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	63.0	58.0 - 67.8	400	33.1	28.5 - 38.1	<50	3.8	2.2 - 6.6	1,300
20-24	3,300	78.9	76.5 - 81.2	800	20.4	18.1 - 22.8	<50	0.7	0.4 - 1.2	4,100
25-34	8,400	87.3	86.0 - 88.5	1,100	11.8	10.6 - 13.0	100	0.9	0.6 - 1.3	9,600
35+	2,900	88.9	86.7 - 90.7	300	10.0	8.3 - 12.0	<50	1.1	0.6 - 2.1	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,900	84.1	82.7 - 85.5	1,400	14.7	13.4 - 16.1	100	1.2	0.8 - 1.7	9,400
Female	7,400	83.8	82.3 - 85.2	1,300	15.1	13.8 - 16.6	100	1.0	0.7 - 1.5	8,900

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,000	88.9	87.8 - 89.9	1,200	10.4	9.4 - 11.4	100	0.8	0.5 - 1.1	11,200
No	5,300	76.1	74.2 - 77.9	1,600	22.2	20.4 - 24.1	100	1.7	1.2 - 2.3	7,000

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	74.5	72.5 - 76.4	1,500	23.7	21.8 - 25.7	100	1.8	1.3 - 2.5	6,500
131-185%	2,400	85.7	83.0 - 88.0	400	13.9	11.6 - 16.5	<50	0.5	0.2 - 1.1	2,800
186+%	7,000	92.2	91.0 - 93.3	600	7.3	6.3 - 8.5	<50	0.5	0.2 - 0.9	7,600

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight										
Low birth weight	1,000	81.8	79.5 - 83.9	200	16.3	14.3 - 18.5	<50	1.9	1.3 - 2.8	1,300
Normal birth weight	14,200	84.1	83.1 - 85.2	2,500	14.8	13.8 - 15.9	200	1.0	0.8 - 1.4	16,900

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester										
Yes	900	71.4	66.6 - 75.7	300	26.9	22.6 - 31.7	<50	1.7	0.8 - 3.5	1,300
No	14,100	84.9	83.8 - 85.9	2,300	14.1	13.1 - 15.1	200	1.1	0.8 - 1.4	16,600

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke Before Pregnant										
Yes	2,800	78.4	75.8 - 80.8	700	20.6	18.2 - 23.2	<50	1.0	0.6 - 1.8	3,500
No	12,200	85.3	84.1 - 86.3	2,000	13.6	12.6 - 14.7	200	1.1	0.9 - 1.5	14,400

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,300	79.3	77.6 - 80.9	1,500	19.4	17.8 - 21.0	100	1.3	0.9 - 1.9	7,900
No	8,800	87.6	86.3 - 88.7	1,200	11.5	10.3 - 12.7	100	1.0	0.7 - 1.4	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,900	81.8	80.8 - 82.8	3,100	17.0	16.0 - 18.0	200	1.2	1.0 - 1.5	18,200

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	78.1	75.8 - 80.2	500	20.9	18.8 - 23.2	<50	1.0	0.6 - 1.7	2,400
Honolulu	10,700	82.8	81.5 - 84.0	2,100	15.9	14.7 - 17.2	200	1.3	1.0 - 1.7	12,900
Kauai	700	83.4	80.1 - 86.2	100	16.4	13.6 - 19.6	<50	0.2	0.1 - 0.7	900
Maui	1,600	79.2	76.9 - 81.4	400	19.2	17.2 - 21.5	<50	1.5	1.0 - 2.4	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,800	87.8	86.1 - 89.4	500	11.9	10.4 - 13.6	<50	0.3	0.1 - 0.6	4,300
Native Hawaiian	4,200	78.0	75.9 - 79.9	1,100	21.3	19.4 - 23.4	<50	0.7	0.4 - 1.2	5,300
Chinese	600	87.9	83.7 - 91.1	100	10.7	7.6 - 14.9	<50	1.4	0.9 - 2.4	700
Filipino	2,700	82.6	80.3 - 84.7	500	16.0	14.0 - 18.3	<50	1.4	0.9 - 2.0	3,300
Japanese	1,700	90.0	87.2 - 92.2	200	8.7	6.7 - 11.3	<50	1.3	0.6 - 2.7	1,900
Other	2,000	71.8	68.6 - 74.8	700	24.8	22.0 - 28.0	100	3.4	2.3 - 5.0	2,700

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	60.9	56.2 - 65.4	500	36.3	31.9 - 40.9	<50	2.8	1.5 - 5.2	1,400
20-24	3,200	75.5	73.1 - 77.7	1,000	23.6	21.3 - 25.9	<50	1.0	0.6 - 1.6	4,300
25-34	8,000	85.8	84.5 - 87.0	1,200	13.1	12.0 - 14.4	100	1.1	0.8 - 1.5	9,300
35+	2,800	87.9	85.9 - 89.7	300	10.8	9.1 - 12.8	<50	1.3	0.8 - 2.2	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,700	81.5	80.0 - 82.8	1,600	17.2	15.9 - 18.6	100	1.3	1.0 - 1.8	9,400
Female	7,200	82.2	80.7 - 83.6	1,500	16.7	15.4 - 18.1	100	1.1	0.8 - 1.6	8,800

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,900	87.7	86.6 - 88.7	1,300	11.4	10.4 - 12.5	100	0.9	0.6 - 1.2	11,300
No	5,100	72.3	70.4 - 74.2	1,800	25.9	24.1 - 27.8	100	1.8	1.3 - 2.4	7,000

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,600	70.5	68.5 - 72.4	1,800	27.4	25.5 - 29.4	100	2.1	1.6 - 2.8	6,600
131-185%	2,300	84.4	81.8 - 86.7	400	15.2	12.9 - 17.8	<50	0.5	0.2 - 0.8	2,700
186+%	7,000	91.0	89.8 - 92.1	600	8.4	7.3 - 9.5	<50	0.6	0.4 - 1.0	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,000	63.8	60.8 - 66.8	1,100	33.0	30.1 - 36.0	100	3.1	2.2 - 4.5	3,200
\$10,000-\$24,999	2,800	76.7	74.2 - 79.0	800	22.1	19.9 - 24.6	<50	1.2	0.8 - 1.8	3,600
\$25,000-\$49,999	3,600	85.4	83.4 - 87.1	600	14.0	12.2 - 15.9	<50	0.7	0.3 - 1.3	4,200
>=\$50,000	5,600	92.0	90.7 - 93.2	500	7.5	6.4 - 8.8	<50	0.5	0.3 - 0.8	6,100

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	79.4	76.6 - 81.8	300	19.0	16.5 - 21.6	<50	1.7	1.1 - 2.7	1,300
Normal birth weight	13,900	82.0	80.9 - 83.0	2,800	16.8	15.8 - 17.8	200	1.2	0.9 - 1.5	16,900

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	70.7	66.3 - 74.8	400	27.6	23.6 - 31.9	<50	1.7	0.8 - 3.3	1,400
No	13,700	82.7	81.6 - 83.7	2,700	16.1	15.2 - 17.1	200	1.2	0.9 - 1.5	16,500

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	76.7	74.2 - 79.1	800	22.2	19.9 - 24.7	<50	1.1	0.6 - 1.9	3,700
No	11,900	83.0	81.9 - 84.1	2,200	15.7	14.7 - 16.8	200	1.2	1.0 - 1.6	14,300

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	76.2	74.4 - 77.8	1,800	22.5	20.9 - 24.2	100	1.3	0.9 - 1.8	7,800
No	8,800	86.1	84.8 - 87.2	1,300	12.8	11.7 - 14.0	100	1.2	0.9 - 1.6	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,600	80.5	79.5 - 81.4	3,300	18.3	17.3 - 19.3	200	1.3	1.0 - 1.6	18,200

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	76.7	74.2 - 79.0	500	22.4	20.1 - 24.8	<50	1.0	0.5 - 1.8	2,300
Honolulu	10,500	81.4	80.1 - 82.6	2,200	17.3	16.1 - 18.5	200	1.3	1.0 - 1.7	12,900
Kauai	700	81.8	78.1 - 85.0	200	18.0	14.8 - 21.7	<50	0.2	0.1 - 0.7	900
Maui	1,600	78.3	75.7 - 80.6	400	20.2	17.9 - 22.7	<50	1.5	0.9 - 2.5	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	87.3	85.6 - 88.9	500	12.4	10.9 - 14.1	<50	0.3	0.1 - 0.6	4,300
Native Hawaiian	4,100	77.0	74.9 - 78.9	1,200	22.2	20.3 - 24.2	<50	0.8	0.5 - 1.3	5,300
Chinese	600	85.7	81.8 - 88.9	100	12.3	9.3 - 16.2	<50	1.9	1.3 - 3.0	700
Filipino	2,600	80.6	78.3 - 82.7	600	18.0	15.9 - 20.2	<50	1.4	1.0 - 2.2	3,300
Japanese	1,700	88.6	85.9 - 90.8	200	10.1	8.0 - 12.7	<50	1.3	0.7 - 2.4	1,900
Other	1,900	69.4	66.2 - 72.3	800	27.4	24.6 - 30.4	100	3.2	2.2 - 4.7	2,800

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	59.9	55.5 - 64.2	600	37.4	33.2 - 41.8	<50	2.7	1.6 - 4.7	1,500
20-24	3,200	74.7	72.4 - 76.8	1,000	24.3	22.1 - 26.5	<50	1.1	0.7 - 1.7	4,300
25-34	7,700	84.1	82.8 - 85.3	1,400	14.9	13.7 - 16.1	100	1.1	0.8 - 1.5	9,100
35+	2,800	87.6	85.6 - 89.4	400	11.0	9.4 - 12.9	<50	1.4	0.8 - 2.2	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,500	80.1	78.7 - 81.4	1,700	18.6	17.3 - 20.0	100	1.3	1.0 - 1.8	9,400
Female	7,100	80.8	79.4 - 82.2	1,600	18.0	16.6 - 19.4	100	1.2	0.9 - 1.6	8,800

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,800	87.0	85.9 - 88.0	1,400	12.2	11.2 - 13.2	100	0.8	0.6 - 1.1	11,300
No	4,800	69.9	68.0 - 71.7	2,000	28.2	26.4 - 30.1	100	1.9	1.5 - 2.6	6,900

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,400	68.2	66.3 - 70.1	1,900	29.7	27.8 - 31.6	100	2.1	1.6 - 2.8	6,500
131-185%	2,200	83.5	80.9 - 85.8	400	16.0	13.7 - 18.6	<50	0.5	0.2 - 0.9	2,700
186+%	7,000	90.3	89.2 - 91.4	700	9.0	7.9 - 10.1	100	0.7	0.5 - 1.1	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,900	60.3	57.2 - 63.2	1,200	36.7	33.9 - 39.7	100	3.0	2.1 - 4.2	3,100
\$10,000-\$24,999	2,800	75.6	73.2 - 77.9	800	23.0	20.8 - 25.4	100	1.4	0.9 - 2.1	3,700
\$25,000-\$49,999	3,500	84.4	82.5 - 86.2	600	15.0	13.2 - 16.9	<50	0.6	0.3 - 1.1	4,200
>=\$50,000	5,500	91.7	90.4 - 92.8	500	7.7	6.7 - 9.0	<50	0.6	0.4 - 1.0	6,000

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	76.4	73.3 - 79.3	300	21.7	18.9 - 24.8	<50	1.9	1.1 - 3.1	1,400
Normal birth weight	13,600	80.8	79.8 - 81.8	3,000	18.0	17.0 - 19.0	200	1.2	1.0 - 1.5	16,800

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	66.8	62.6 - 70.7	500	31.5	27.6 - 35.6	<50	1.7	0.9 - 3.3	1,600
No	13,300	81.7	80.7 - 82.7	2,800	17.1	16.1 - 18.1	200	1.2	1.0 - 1.5	16,300

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	75.0	72.5 - 77.3	900	23.9	21.6 - 26.4	<50	1.1	0.6 - 1.8	3,700
No	11,600	81.8	80.7 - 82.9	2,400	16.9	15.8 - 17.9	200	1.3	1.0 - 1.7	14,100

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,700	74.6	72.9 - 76.2	1,800	24.2	22.6 - 25.8	100	1.2	0.9 - 1.7	7,600
No	8,700	84.8	83.5 - 85.9	1,400	13.9	12.8 - 15.1	100	1.3	1.0 - 1.7	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,200	79.3	78.3 - 80.2	3,500	19.3	18.4 - 20.3	300	1.4	1.2 - 1.7	17,900

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	75.4	72.7 - 77.9	500	23.3	20.8 - 26.0	<50	1.3	0.8 - 2.2	2,300
Honolulu	10,200	80.3	79.1 - 81.4	2,300	18.2	17.1 - 19.4	200	1.5	1.2 - 1.9	12,800
Kauai	700	79.5	75.3 - 83.1	200	20.4	16.8 - 24.5	<50	0.1	0.0 - 0.6	900
Maui	1,500	77.1	74.3 - 79.6	400	21.3	18.9 - 24.0	<50	1.6	1.0 - 2.6	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,600	86.4	84.7 - 87.9	500	13.2	11.7 - 14.9	<50	0.4	0.2 - 0.8	4,100
Native Hawaiian	3,900	75.6	73.5 - 77.5	1,200	23.3	21.4 - 25.4	100	1.1	0.7 - 1.7	5,100
Chinese	600	84.8	81.5 - 87.6	100	12.8	10.1 - 16.0	<50	2.4	1.6 - 3.5	700
Filipino	2,600	80.8	78.7 - 82.7	600	17.7	15.8 - 19.7	100	1.5	1.0 - 2.3	3,300
Japanese	1,800	87.5	84.9 - 89.7	200	11.2	9.1 - 13.7	<50	1.3	0.7 - 2.2	2,000
Other	1,800	66.1	63.1 - 69.0	800	30.7	27.9 - 33.6	100	3.2	2.2 - 4.6	2,700

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	59.0	54.8 - 63.1	600	38.7	34.7 - 42.9	<50	2.3	1.3 - 3.9	1,600
20-24	3,100	73.0	70.8 - 75.1	1,100	25.8	23.8 - 28.0	<50	1.2	0.8 - 1.8	4,200
25-34	7,400	83.3	82.0 - 84.5	1,400	15.4	14.2 - 16.6	100	1.4	1.0 - 1.8	8,900
35+	2,700	86.6	84.7 - 88.3	400	12.0	10.4 - 13.8	<50	1.4	0.9 - 2.1	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,300	78.8	77.4 - 80.1	1,800	19.9	18.6 - 21.2	100	1.3	1.0 - 1.8	9,300
Female	6,900	79.8	78.4 - 81.1	1,600	18.7	17.4 - 20.1	100	1.5	1.1 - 1.9	8,600

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,600	85.9	84.9 - 86.9	1,500	13.1	12.2 - 14.1	100	1.0	0.7 - 1.3	11,100
No	4,600	68.3	66.4 - 70.1	2,000	29.6	27.8 - 31.4	100	2.1	1.6 - 2.8	6,800

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,300	66.0	64.0 - 67.8	2,000	31.7	29.9 - 33.6	200	2.3	1.8 - 3.0	6,500
131-185%	2,000	82.1	79.5 - 84.5	400	17.2	14.9 - 19.8	<50	0.7	0.4 - 1.2	2,400
186+%	6,900	90.2	89.2 - 91.2	700	9.1	8.1 - 10.1	100	0.7	0.5 - 1.1	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,800	57.8	54.8 - 60.7	1,200	39.1	36.3 - 42.0	100	3.1	2.2 - 4.3	3,000
\$10,000-\$24,999	2,800	74.1	71.8 - 76.2	900	24.2	22.0 - 26.4	100	1.8	1.2 - 2.6	3,800
\$25,000-\$49,999	3,400	83.6	81.7 - 85.3	600	15.7	14.0 - 17.6	<50	0.7	0.4 - 1.2	4,000
>=\$50,000	5,400	91.5	90.3 - 92.5	500	7.9	6.9 - 9.1	<50	0.6	0.4 - 1.0	5,900

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	76.6	73.2 - 79.6	300	21.4	18.4 - 24.7	<50	2.0	1.2 - 3.6	1,400
Normal birth weight	13,100	79.5	78.5 - 80.5	3,200	19.1	18.2 - 20.1	200	1.3	1.1 - 1.6	16,500

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	64.0	60.0 - 67.8	500	33.4	29.6 - 37.3	<50	2.6	1.6 - 4.4	1,600
No	12,900	80.8	79.8 - 81.7	2,900	17.9	17.0 - 18.9	200	1.3	1.0 - 1.6	16,000

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	72.8	70.3 - 75.0	900	25.7	23.5 - 28.1	100	1.5	1.0 - 2.3	3,700
No	11,300	81.0	80.0 - 82.0	2,400	17.6	16.6 - 18.6	200	1.4	1.1 - 1.7	13,900

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,400	72.7	71.0 - 74.3	1,900	26.0	24.4 - 27.6	100	1.3	0.9 - 1.7	7,500
No	8,500	84.0	82.9 - 85.1	1,500	14.4	13.4 - 15.6	200	1.5	1.2 - 2.0	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,100	79.1	78.2 - 80.0	3,500	19.5	18.7 - 20.4	200	1.4	1.2 - 1.7	17,800

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	74.9	72.1 - 77.5	500	23.6	21.0 - 26.4	<50	1.5	0.9 - 2.5	2,300
Honolulu	10,200	80.1	79.1 - 81.1	2,300	18.4	17.5 - 19.4	200	1.4	1.2 - 1.8	12,700
Kauai	700	78.5	74.1 - 82.3	200	21.2	17.4 - 25.6	<50	0.3	0.0 - 1.7	900
Maui	1,500	77.4	74.5 - 80.1	400	21.1	18.5 - 24.0	<50	1.5	0.8 - 2.5	1,900

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	85.7	84.0 - 87.1	600	13.9	12.5 - 15.6	<50	0.4	0.2 - 0.8	4,100
Native Hawaiian	3,700	74.9	72.9 - 76.8	1,200	23.8	22.0 - 25.8	100	1.3	0.9 - 1.9	4,900
Chinese	500	84.1	81.8 - 86.1	100	12.8	11.0 - 14.9	<50	3.2	2.3 - 4.3	600
Filipino	2,600	79.9	77.9 - 81.6	600	18.5	16.8 - 20.4	100	1.6	1.1 - 2.3	3,300
Japanese	1,900	88.7	86.6 - 90.5	200	9.9	8.2 - 11.9	<50	1.4	0.8 - 2.3	2,200
Other	1,800	67.2	64.5 - 69.8	800	30.4	27.8 - 33.1	100	2.4	1.7 - 3.5	2,700

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	57.6	53.6 - 61.5	600	40.6	36.8 - 44.6	<50	1.7	0.9 - 3.2	1,500
20-24	3,200	73.9	71.8 - 75.8	1,100	24.8	22.9 - 26.8	100	1.4	0.9 - 2.0	4,300
25-34	7,300	82.6	81.5 - 83.8	1,400	16.0	14.9 - 17.1	100	1.4	1.1 - 1.8	8,800
35+	2,700	86.3	84.5 - 87.9	400	12.5	10.9 - 14.2	<50	1.3	0.8 - 1.9	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,300	78.4	77.1 - 79.6	1,900	20.4	19.2 - 21.6	100	1.2	0.9 - 1.6	9,300
Female	6,800	79.8	78.5 - 81.1	1,600	18.6	17.4 - 19.9	100	1.6	1.2 - 2.0	8,500

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,800	85.2	84.3 - 86.1	1,600	13.9	13.0 - 14.8	100	0.9	0.7 - 1.1	11,500
No	4,300	68.0	66.2 - 69.7	1,900	29.7	28.0 - 31.5	100	2.3	1.8 - 2.9	6,300

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,300	66.2	64.4 - 67.9	2,000	31.6	29.9 - 33.3	100	2.2	1.7 - 2.8	6,500
131-185%	1,900	81.0	78.5 - 83.2	400	18.2	16.0 - 20.6	<50	0.9	0.5 - 1.5	2,300
186+%	7,000	90.3	89.4 - 91.2	700	9.0	8.1 - 9.9	100	0.7	0.5 - 1.0	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	57.7	55.0 - 60.4	1,200	39.1	36.5 - 41.9	100	3.1	2.3 - 4.2	3,000
\$10,000-\$24,999	2,800	73.6	71.4 - 75.6	1,000	24.8	22.8 - 26.9	100	1.7	1.2 - 2.4	3,800
\$25,000-\$49,999	3,500	84.2	82.5 - 85.7	600	15.3	13.7 - 17.0	<50	0.5	0.3 - 0.9	4,200
>=\$50,000	5,200	91.6	90.5 - 92.6	400	7.7	6.8 - 8.7	<50	0.7	0.5 - 1.1	5,600

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	75.4	71.8 - 78.7	300	22.1	18.9 - 25.6	<50	2.5	1.5 - 4.2	1,300
Normal birth weight	13,100	79.4	78.5 - 80.3	3,200	19.3	18.4 - 20.2	200	1.3	1.1 - 1.6	16,500

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	63.3	59.5 - 66.9	500	34.1	30.5 - 37.9	<50	2.6	1.6 - 4.2	1,500
No	12,900	80.7	79.8 - 81.6	2,900	18.0	17.1 - 18.9	200	1.3	1.1 - 1.6	16,000

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	71.7	69.4 - 73.9	1,000	26.7	24.6 - 29.0	100	1.5	1.0 - 2.3	3,600
No	11,300	81.1	80.2 - 82.1	2,400	17.5	16.6 - 18.4	200	1.4	1.1 - 1.7	13,900

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	72.5	71.0 - 74.0	2,000	26.3	24.8 - 27.8	100	1.2	0.9 - 1.6	7,600
No	8,300	84.1	83.0 - 85.1	1,400	14.3	13.3 - 15.3	200	1.6	1.3 - 2.0	9,900

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,900	78.9	78.0 - 79.8	3,500	19.8	18.9 - 20.7	200	1.3	1.1 - 1.6	17,600

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	73.1	70.3 - 75.7	600	25.7	23.1 - 28.4	<50	1.2	0.7 - 2.1	2,200
Honolulu	10,200	80.3	79.2 - 81.3	2,300	18.3	17.3 - 19.4	200	1.4	1.1 - 1.8	12,700
Kauai	700	77.2	73.0 - 80.9	200	22.4	18.7 - 26.6	<50	0.4	0.1 - 1.6	900
Maui	1,400	77.1	74.3 - 79.7	400	21.7	19.2 - 24.4	<50	1.2	0.7 - 2.1	1,900

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	86.0	84.3 - 87.5	500	13.7	12.2 - 15.4	<50	0.3	0.1 - 0.7	3,900
Native Hawaiian	3,600	73.8	72.0 - 75.6	1,200	24.8	23.0 - 26.7	100	1.4	1.0 - 2.0	4,900
Chinese	600	86.5	83.9 - 88.7	100	11.2	9.1 - 13.6	<50	2.3	1.6 - 3.3	700
Filipino	2,700	79.6	77.5 - 81.5	600	19.1	17.2 - 21.1	<50	1.3	0.9 - 2.0	3,400
Japanese	1,900	87.1	84.7 - 89.1	300	11.7	9.7 - 14.0	<50	1.2	0.7 - 2.1	2,100
Other	1,800	68.2	65.3 - 70.9	800	29.3	26.6 - 32.1	100	2.6	1.7 - 3.8	2,600

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	57.4	53.5 - 61.3	600	41.4	37.6 - 45.3	<50	1.2	0.6 - 2.4	1,500
20-24	3,200	73.3	71.3 - 75.3	1,100	25.4	23.5 - 27.4	100	1.3	0.8 - 1.9	4,300
25-34	7,100	82.6	81.3 - 83.7	1,400	16.1	15.0 - 17.3	100	1.3	1.0 - 1.7	8,700
35+	2,700	86.8	85.0 - 88.4	400	11.9	10.4 - 13.6	<50	1.3	0.8 - 2.1	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,200	78.3	77.0 - 79.5	1,900	20.6	19.4 - 21.9	100	1.2	0.9 - 1.5	9,200
Female	6,700	79.6	78.3 - 80.8	1,600	18.9	17.7 - 20.2	100	1.5	1.2 - 1.9	8,400

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,800	85.5	84.5 - 86.4	1,600	13.7	12.8 - 14.7	100	0.8	0.6 - 1.1	11,400
No	4,100	66.7	64.8 - 68.4	1,900	31.1	29.3 - 32.9	100	2.3	1.8 - 2.9	6,100

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,400	66.6	64.8 - 68.3	2,100	31.5	29.8 - 33.2	100	2.0	1.5 - 2.5	6,600
131-185%	1,900	82.0	79.5 - 84.3	400	17.1	14.9 - 19.5	<50	0.9	0.5 - 1.7	2,300
186+%	6,600	90.7	89.8 - 91.7	600	8.7	7.8 - 9.7	<50	0.6	0.4 - 0.8	7,300

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	75.0	71.3 - 78.4	300	22.5	19.3 - 26.1	<50	2.5	1.5 - 4.1	1,300
Normal birth weight	12,900	79.2	78.3 - 80.1	3,200	19.6	18.7 - 20.5	200	1.2	1.0 - 1.5	16,300

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	61.3	57.5 - 64.9	600	36.2	32.6 - 40.0	<50	2.5	1.6 - 4.0	1,500
No	12,700	80.7	79.8 - 81.6	2,900	18.1	17.2 - 19.0	200	1.2	1.0 - 1.5	15,800

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	70.1	67.8 - 72.3	1,000	28.4	26.3 - 30.7	100	1.5	1.0 - 2.2	3,600
No	11,100	81.5	80.5 - 82.4	2,400	17.3	16.3 - 18.2	200	1.3	1.0 - 1.6	13,600

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,400	72.4	70.8 - 73.9	2,000	26.8	25.3 - 28.3	100	0.9	0.6 - 1.2	7,500
No	8,200	83.9	82.8 - 84.9	1,400	14.4	13.4 - 15.5	200	1.7	1.3 - 2.1	9,800

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,700	79.4	78.4 - 80.3	3,400	19.4	18.5 - 20.3	200	1.3	1.0 - 1.5	17,300

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	74.0	71.5 - 76.4	500	24.7	22.3 - 27.2	<50	1.3	0.7 - 2.1	2,100
Honolulu	10,200	80.6	79.4 - 81.6	2,300	18.2	17.1 - 19.3	200	1.3	1.0 - 1.6	12,700
Kauai	600	77.9	73.9 - 81.4	200	21.3	17.8 - 25.3	<50	0.8	0.3 - 2.0	800
Maui	1,400	77.9	75.3 - 80.3	400	20.9	18.6 - 23.5	<50	1.2	0.7 - 2.0	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	86.5	84.7 - 88.1	500	13.2	11.6 - 14.9	<50	0.3	0.1 - 0.8	3,800
Native Hawaiian	3,500	74.0	72.3 - 75.7	1,200	24.8	23.2 - 26.5	100	1.2	0.8 - 1.7	4,800
Chinese	600	87.2	83.8 - 90.0	100	11.0	8.3 - 14.3	<50	1.8	1.2 - 2.8	600
Filipino	2,700	79.8	77.6 - 81.8	600	19.0	17.0 - 21.2	<50	1.2	0.8 - 1.9	3,400
Japanese	1,900	88.1	85.6 - 90.1	200	11.1	9.1 - 13.5	<50	0.8	0.4 - 1.5	2,200
Other	1,700	68.6	65.5 - 71.6	700	28.3	25.5 - 31.4	100	3.0	2.0 - 4.5	2,500

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	57.0	53.1 - 60.8	600	41.6	37.9 - 45.5	<50	1.4	0.7 - 2.6	1,500
20-24	3,100	73.9	71.8 - 75.8	1,000	24.7	22.8 - 26.7	100	1.4	0.9 - 2.2	4,200
25-34	7,100	83.0	81.7 - 84.2	1,400	15.8	14.6 - 17.0	100	1.2	0.9 - 1.6	8,600
35+	2,700	87.8	86.0 - 89.4	300	11.1	9.6 - 12.9	<50	1.1	0.6 - 1.8	3,000

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,100	78.8	77.5 - 80.1	1,800	20.1	18.9 - 21.4	100	1.1	0.8 - 1.4	9,000
Female	6,700	80.0	78.6 - 81.3	1,600	18.6	17.3 - 19.9	100	1.5	1.1 - 1.9	8,400

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,800	85.8	84.8 - 86.8	1,500	13.5	12.5 - 14.5	100	0.7	0.5 - 1.0	11,500
No	3,900	66.8	64.9 - 68.6	1,800	30.9	29.2 - 32.8	100	2.3	1.7 - 3.0	5,800

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,500	67.8	66.0 - 69.4	2,000	30.3	28.7 - 32.1	100	1.9	1.5 - 2.5	6,600
131-185%	2,000	82.6	80.1 - 84.9	400	16.4	14.2 - 18.9	<50	1.0	0.5 - 1.9	2,400
186+%	6,200	91.2	90.2 - 92.2	600	8.4	7.4 - 9.4	<50	0.4	0.3 - 0.7	6,800

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	75.9	72.0 - 79.4	300	21.0	17.7 - 24.7	<50	3.2	1.9 - 5.2	1,200
Normal birth weight	12,800	79.6	78.7 - 80.6	3,100	19.3	18.4 - 20.2	200	1.1	0.9 - 1.4	16,000

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	60.7	56.9 - 64.4	500	36.2	32.6 - 40.0	<50	3.0	2.0 - 4.7	1,500
No	12,600	81.3	80.3 - 82.2	2,700	17.6	16.7 - 18.6	200	1.1	0.9 - 1.4	15,500

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	70.0	67.7 - 72.3	1,000	28.2	26.1 - 30.5	100	1.7	1.2 - 2.5	3,500
No	11,000	82.1	81.1 - 83.1	2,200	16.8	15.8 - 17.8	200	1.2	0.9 - 1.5	13,400

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,400	72.9	71.4 - 74.4	1,900	26.2	24.7 - 27.8	100	0.8	0.6 - 1.2	7,400
No	8,200	84.3	83.2 - 85.4	1,400	14.1	13.1 - 15.2	200	1.6	1.2 - 2.0	9,700

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,500	79.6	78.7 - 80.5	3,300	19.1	18.3 - 20.0	200	1.3	1.0 - 1.6	17,000

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	74.1	71.8 - 76.3	500	24.6	22.5 - 26.9	<50	1.3	0.8 - 2.1	2,000
Honolulu	10,100	81.0	79.9 - 82.1	2,200	17.7	16.7 - 18.8	200	1.2	1.0 - 1.6	12,500
Kauai	600	75.1	71.4 - 78.4	200	23.9	20.6 - 27.6	<50	1.0	0.4 - 2.2	800
Maui	1,400	77.6	75.3 - 79.8	400	20.7	18.5 - 23.0	<50	1.7	1.1 - 2.6	1,700

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	86.0	84.2 - 87.6	500	13.6	12.0 - 15.4	<50	0.4	0.2 - 0.8	3,700
Native Hawaiian	3,400	73.5	72.0 - 75.0	1,200	25.1	23.7 - 26.7	100	1.3	1.0 - 1.9	4,700
Chinese	600	89.7	86.2 - 92.4	100	9.1	6.5 - 12.6	<50	1.2	0.7 - 1.8	700
Filipino	2,700	79.6	77.4 - 81.6	700	19.2	17.2 - 21.3	<50	1.3	0.8 - 1.9	3,400
Japanese	1,900	88.3	85.9 - 90.3	200	11.0	8.9 - 13.3	<50	0.8	0.4 - 1.5	2,200
Other	1,700	70.9	67.8 - 73.8	600	26.0	23.2 - 29.1	100	3.1	2.1 - 4.6	2,400

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	56.7	53.1 - 60.2	600	42.2	38.6 - 45.8	<50	1.2	0.7 - 2.0	1,500
20-24	3,100	74.0	72.0 - 75.9	1,000	24.5	22.7 - 26.5	100	1.5	1.0 - 2.2	4,200
25-34	7,000	83.5	82.3 - 84.7	1,300	15.2	14.0 - 16.4	100	1.3	1.0 - 1.8	8,400
35+	2,600	88.1	86.3 - 89.7	300	11.0	9.5 - 12.8	<50	0.9	0.5 - 1.6	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,000	79.3	78.0 - 80.5	1,700	19.6	18.4 - 20.9	100	1.1	0.8 - 1.5	8,800
Female	6,600	79.9	78.6 - 81.1	1,500	18.6	17.4 - 19.9	100	1.5	1.1 - 1.9	8,200

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,800	86.1	85.1 - 87.0	1,500	13.2	12.3 - 14.2	100	0.7	0.5 - 1.0	11,400
No	3,700	66.4	64.6 - 68.1	1,800	31.2	29.5 - 32.9	100	2.4	1.9 - 3.1	5,600

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,500	68.9	67.2 - 70.5	1,900	29.2	27.6 - 30.8	100	2.0	1.5 - 2.5	6,600
131-185%	2,200	83.6	81.3 - 85.6	400	15.5	13.5 - 17.7	<50	0.9	0.5 - 1.7	2,700
186+%	5,800	91.4	90.3 - 92.3	500	8.4	7.4 - 9.4	<50	0.3	0.1 - 0.5	6,300

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	78.2	74.4 - 81.5	200	19.0	15.8 - 22.6	<50	2.8	1.7 - 4.8	1,100
Normal birth weight	12,600	79.7	78.7 - 80.6	3,000	19.2	18.3 - 20.1	200	1.2	0.9 - 1.4	15,800

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	64.3	60.7 - 67.8	500	32.7	29.4 - 36.3	<50	2.9	1.9 - 4.5	1,400
No	12,400	81.1	80.2 - 82.0	2,700	17.8	16.9 - 18.7	200	1.1	0.9 - 1.4	15,300

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	70.6	68.3 - 72.7	1,000	27.7	25.6 - 29.9	100	1.7	1.2 - 2.4	3,400
No	10,800	82.2	81.2 - 83.1	2,200	16.6	15.7 - 17.6	200	1.2	0.9 - 1.5	13,200

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,300	73.4	71.9 - 74.8	1,900	25.8	24.3 - 27.3	100	0.9	0.6 - 1.2	7,200
No	8,000	84.3	83.2 - 85.4	1,300	14.1	13.1 - 15.2	200	1.6	1.2 - 2.0	9,500

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,600	79.9	79.0 - 80.8	3,200	18.8	18.0 - 19.7	200	1.2	1.0 - 1.5	17,000

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	75.2	73.2 - 77.2	500	23.8	21.9 - 25.9	<50	0.9	0.6 - 1.5	2,000
Honolulu	10,200	81.3	80.2 - 82.4	2,200	17.5	16.4 - 18.5	200	1.2	0.9 - 1.6	12,500
Kauai	600	74.9	71.6 - 78.0	200	24.0	21.0 - 27.2	<50	1.1	0.5 - 2.4	800
Maui	1,400	77.6	75.4 - 79.6	400	20.7	18.8 - 22.8	<50	1.7	1.2 - 2.5	1,700

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	87.0	85.3 - 88.5	500	12.7	11.2 - 14.4	<50	0.3	0.1 - 0.7	3,700
Native Hawaiian	3,400	74.0	72.7 - 75.2	1,200	25.0	23.7 - 26.3	<50	1.0	0.8 - 1.4	4,600
Chinese	600	91.1	87.4 - 93.9	100	8.1	5.4 - 11.9	<50	0.8	0.4 - 1.4	700
Filipino	2,700	78.5	76.3 - 80.6	700	20.0	18.0 - 22.2	100	1.5	1.0 - 2.2	3,500
Japanese	1,900	88.6	86.2 - 90.7	200	10.7	8.7 - 13.2	<50	0.6	0.3 - 1.4	2,100
Other	1,700	71.4	68.2 - 74.4	600	25.1	22.3 - 28.3	100	3.5	2.4 - 5.1	2,400

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	56.7	53.3 - 59.9	700	42.0	38.7 - 45.3	<50	1.4	0.8 - 2.2	1,600
20-24	3,100	74.4	72.5 - 76.3	1,000	24.0	22.2 - 25.8	100	1.6	1.0 - 2.4	4,200
25-34	7,000	84.1	82.9 - 85.3	1,200	14.7	13.6 - 15.9	100	1.1	0.8 - 1.5	8,300
35+	2,600	88.3	86.5 - 89.8	300	10.7	9.2 - 12.4	<50	1.1	0.6 - 1.8	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,000	79.7	78.4 - 80.8	1,700	19.3	18.2 - 20.6	100	1.0	0.7 - 1.4	8,800
Female	6,600	80.2	78.9 - 81.4	1,500	18.3	17.1 - 19.5	100	1.5	1.1 - 2.0	8,200

Married	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,000	86.5	85.5 - 87.4	1,500	12.7	11.8 - 13.6	100	0.8	0.6 - 1.1	11,600
No	3,600	66.0	64.2 - 67.7	1,700	31.9	30.2 - 33.6	100	2.2	1.7 - 2.8	5,400

Poverty Level	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	70.0	68.4 - 71.5	1,900	28.4	26.9 - 29.9	100	1.7	1.3 - 2.2	6,800
131-185%	2,400	84.8	82.7 - 86.7	400	14.5	12.7 - 16.6	<50	0.7	0.3 - 1.5	2,800
186+%	5,500	91.5	90.4 - 92.5	500	8.1	7.2 - 9.2	<50	0.4	0.2 - 0.7	6,000

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight										
Low birth weight	800	75.7	71.8 - 79.2	200	21.5	18.2 - 25.2	<50	2.8	1.6 - 4.9	1,100
Normal birth weight	12,700	80.3	79.3 - 81.1	3,000	18.6	17.8 - 19.5	200	1.1	0.9 - 1.4	15,800

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester										
Yes	900	65.3	61.8 - 68.6	500	32.1	28.8 - 35.5	<50	2.6	1.7 - 4.1	1,400
No	12,400	81.5	80.6 - 82.4	2,700	17.4	16.6 - 18.3	200	1.1	0.9 - 1.4	15,200

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke Before Pregnant										
Yes	2,400	71.4	69.3 - 73.5	900	27.0	25.0 - 29.1	100	1.5	1.1 - 2.3	3,400
No	10,800	82.4	81.4 - 83.3	2,200	16.5	15.5 - 17.4	200	1.2	0.9 - 1.5	13,200

**PRAMS Health Indicator 5-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,400	73.8	72.4 - 75.2	1,800	25.2	23.8 - 26.6	100	1.0	0.7 - 1.4	7,300
No	8,100	84.6	83.5 - 85.7	1,300	13.9	13.0 - 15.0	100	1.4	1.1 - 1.9	9,500