

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- for the State of Hawaii, for the Year(s) 2009;2010;2011

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Discussed quitting smoking with HCW during PNC	Discussed quitting smoking with HCW during PNC

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 9/4/15

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- for the State of Hawaii, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2009	2,100	85.6	79.3 - 90.2	400	14.4	9.8 - 20.7	2,500
2010	2,100	87.3	80.8 - 91.9	300	12.7	8.1 - 19.2	2,400
2011	1,800	86.5	78.9 - 91.7	300	13.5	8.3 - 21.1	2,100



PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,800	86.5	78.9 - 91.7	300	13.5	8.3 - 21.1	2,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	94.2	84.6 - 98.0	<50	5.8	2.0 - 15.4	400
Honolulu	1,200	85.8	74.2 - 92.6	200	14.2	7.4 - 25.8	1,400
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	200	84.1	71.8 - 91.7	<50	15.9	8.3 - 28.2	200

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	88.0	69.9 - 95.9	<50	12.0	4.1 - 30.1	400
Native Hawaiian	800	81.5	67.8 - 90.2	200	18.5	9.8 - 32.2	900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	200
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	100
20-24	600	86.5	69.7 - 94.7	100	13.5	5.3 - 30.3	700
25-34	900	85.6	73.7 - 92.7	100	14.4	7.3 - 26.3	1,000
35+	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	89.6	78.6 - 95.3	100	10.4	4.7 - 21.4	1,000
Female	900	83.6	71.8 - 91.1	200	16.4	8.9 - 28.2	1,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	81.3	65.7 - 90.8	100	18.7	9.2 - 34.3	800
No	1,200	89.5	80.6 - 94.6	100	10.5	5.4 - 19.4	1,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	85.5	73.8 - 92.5	200	14.5	7.5 - 26.2	1,100
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	400
186+%	400	79.6	61.5 - 90.6	100	20.4	9.4 - 38.5	600

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	88.7	76.6 - 94.9	100	11.3	5.1 - 23.4	600
\$10,000-\$24,999	500	85.4	67.0 - 94.4	100	14.6	5.6 - 33.0	600
\$25,000-\$49,999	400	91.1	73.9 - 97.4	<50	8.9	2.6 - 26.1	500
>=\$50,000	n/r	n/r	n/r	n/r	n/r	n/r	300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	88.8	77.4 - 94.8	<50	11.2	5.2 - 22.6	200
Normal birth weight	1,600	86.2	77.6 - 91.9	300	13.8	8.1 - 22.4	1,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	91.0	79.1 - 96.4	100	9.0	3.6 - 20.9	900
No	1,000	83.1	71.8 - 90.5	200	16.9	9.5 - 28.2	1,200

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	90.0	83.0 - 94.3	200	10.0	5.7 - 17.0	2,000
No	n/r	n/r	n/r	n/r	n/r	n/r	100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	87.4	77.6 - 93.3	200	12.6	6.7 - 22.4	1,300
No	600	84.7	70.1 - 92.9	100	15.3	7.1 - 29.9	800

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,100	87.3	80.8 - 91.9	300	12.7	8.1 - 19.2	2,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	85.2	74.0 - 92.0	100	14.8	8.0 - 26.0	400
Honolulu	1,400	90.1	79.2 - 95.6	200	9.9	4.4 - 20.8	1,500
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	200	80.9	69.3 - 88.8	100	19.1	11.2 - 30.7	300

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	76.7	54.3 - 90.1	100	23.3	9.9 - 45.7	400
Native Hawaiian	900	87.7	79.0 - 93.2	100	12.3	6.8 - 21.0	1,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	92.5	62.9 - 98.9	0	7.5	1.1 - 37.1	300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	n/r	n/r	n/r	n/r	n/r	n/r	400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	200
20-24	800	86.5	75.4 - 93.1	100	13.5	6.9 - 24.6	900
25-34	900	89.4	80.8 - 94.4	100	10.6	5.6 - 19.2	1,000
35+	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	85.3	74.9 - 91.8	200	14.7	8.2 - 25.1	1,200
Female	1,000	89.6	80.4 - 94.8	100	10.4	5.2 - 19.6	1,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	91.4	83.0 - 95.9	100	8.6	4.1 - 17.0	1,000
No	1,200	84.4	74.5 - 91.0	200	15.6	9.0 - 25.5	1,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	84.1	74.1 - 90.7	200	15.9	9.3 - 25.9	1,300
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	400
186+%	500	90.1	76.2 - 96.3	100	9.9	3.7 - 23.8	600

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	85.5	71.7 - 93.2	100	14.5	6.8 - 28.3	700
\$10,000-\$24,999	500	80.7	64.3 - 90.7	100	19.3	9.3 - 35.7	700
\$25,000-\$49,999	500	96.7	90.6 - 98.9	<50	3.3	1.1 - 9.4	500
>=\$50,000	300	87.7	66.6 - 96.2	0	12.3	3.8 - 33.4	400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	91.9	79.4 - 97.1	<50	8.1	2.9 - 20.6	200
Normal birth weight	1,900	87.0	79.8 - 91.8	300	13.0	8.2 - 20.2	2,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	91.2	81.8 - 96.0	100	8.8	4.0 - 18.2	1,400
No	800	81.8	70.9 - 89.2	200	18.2	10.8 - 29.1	1,000

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	89.3	82.8 - 93.5	200	10.7	6.5 - 17.2	2,300
No	n/r	n/r	n/r	n/r	n/r	n/r	100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	90.0	82.3 - 94.5	100	10.0	5.5 - 17.7	1,400
No	800	84.0	70.9 - 91.9	200	16.0	8.1 - 29.1	1,000

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,100	85.6	79.3 - 90.2	400	14.4	9.8 - 20.7	2,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	85.3	74.2 - 92.1	100	14.7	7.9 - 25.8	400
Honolulu	1,500	88.2	78.4 - 93.9	200	11.8	6.1 - 21.6	1,600
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	200	75.7	63.6 - 84.8	100	24.3	15.2 - 36.4	300

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	74.8	57.3 - 86.8	100	25.2	13.2 - 42.7	500
Native Hawaiian	1,100	90.4	80.4 - 95.6	100	9.6	4.4 - 19.6	1,200
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	300
20-24	600	86.3	71.1 - 94.2	100	13.7	5.8 - 28.9	700
25-34	1,100	87.5	78.8 - 93.0	200	12.5	7.0 - 21.2	1,200
35+	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	83.0	73.2 - 89.7	200	17.0	10.3 - 26.8	1,300
Female	1,100	88.5	79.5 - 93.9	100	11.5	6.1 - 20.5	1,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	80.0	66.8 - 88.8	200	20.0	11.2 - 33.2	800
No	1,500	88.3	80.8 - 93.1	200	11.7	6.9 - 19.2	1,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	91.7	85.2 - 95.5	100	8.3	4.5 - 14.8	1,500
131-185%	300	75.1	50.0 - 90.1	100	24.9	9.9 - 50.0	400
186+%	300	68.4	49.3 - 82.8	100	31.6	17.2 - 50.7	400

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	91.6	80.5 - 96.6	100	8.4	3.4 - 19.5	900
\$10,000-\$24,999	600	89.0	78.3 - 94.7	100	11.0	5.3 - 21.7	700
\$25,000-\$49,999	300	70.9	49.0 - 86.0	100	29.1	14.0 - 51.0	400
>=\$50,000	200	74.4	53.9 - 87.8	100	25.6	12.2 - 46.1	300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	89.4	78.0 - 95.3	<50	10.6	4.7 - 22.0	200
Normal birth weight	1,900	85.0	78.0 - 90.1	300	15.0	9.9 - 22.0	2,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	92.1	85.2 - 95.9	100	7.9	4.1 - 14.8	1,600
No	700	74.3	61.4 - 84.0	200	25.7	16.0 - 38.6	900

PRAMS Health Indicator Report - Discussed quitting smoking with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	87.9	81.5 - 92.2	300	12.1	7.8 - 18.5	2,300
No	n/r	n/r	n/r	n/r	n/r	n/r	200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	87.7	80.0 - 92.6	200	12.3	7.4 - 20.0	1,500
No	800	82.4	70.2 - 90.4	200	17.6	9.6 - 29.8	1,000