

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- for the State of Hawaii, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Smoke now (3-6 months after birth)	Smoke now (3-6 months after birth)

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/21/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- for the State of Hawaii, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	2,300	13.9	13.0 - 14.8	14,300	86.1	85.2 - 87.0	16,600
2001-2003	2,400	14.3	13.3 - 15.3	14,500	85.7	84.7 - 86.7	16,900
2002-2004	2,400	13.7	12.7 - 14.7	14,900	86.3	85.3 - 87.3	17,300
2003-2005	2,400	14.0	13.1 - 15.0	15,000	86.0	85.0 - 86.9	17,400
2004-2006	2,500	13.8	12.9 - 14.8	15,300	86.2	85.2 - 87.1	17,700
2005-2007	2,500	13.9	12.9 - 14.9	15,500	86.1	85.1 - 87.1	18,000
2006-2008	2,500	13.3	12.4 - 14.3	16,000	86.7	85.7 - 87.6	18,500
2007-2009	2,400	13.0	12.0 - 14.1	16,000	87.0	85.9 - 88.0	18,400
2008-2010	2,400	12.8	11.7 - 14.0	16,000	87.2	86.0 - 88.3	18,400
2009-2011	2,200	11.7	10.6 - 13.0	16,200	88.3	87.0 - 89.4	18,300
2010-2012	1,800	10.0	8.9 - 11.1	16,500	90.0	88.9 - 91.1	18,300
2011-2013	1,600	8.8	7.8 - 9.9	16,600	91.2	90.1 - 92.2	18,200

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- for the State of Hawaii, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,600	8.8	7.8 - 9.9	16,600	91.2	90.1 - 92.2	18,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	12.7	10.8 - 15.0	2,000	87.3	85.0 - 89.2	2,300
Honolulu	1,100	8.1	6.8 - 9.6	12,000	91.9	90.4 - 93.2	13,100
Kauai	100	8.5	6.7 - 10.7	800	91.5	89.3 - 93.3	800
Maui	200	8.6	7.1 - 10.4	1,800	91.4	89.6 - 92.9	1,900

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.3	5.6 - 9.5	4,100	92.7	90.5 - 94.4	4,500
Native Hawaiian	700	13.6	11.5 - 16.1	4,500	86.4	83.9 - 88.5	5,200
Chinese	<50	3.1	1.4 - 6.9	900	96.9	93.1 - 98.6	900
Filipino	200	5.1	3.5 - 7.3	3,000	94.9	92.7 - 96.5	3,200
Japanese	100	6.5	3.8 - 10.9	1,600	93.5	89.1 - 96.2	1,700
Other	300	9.4	6.7 - 13.0	2,400	90.6	87.0 - 93.3	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	9.1	5.8 - 14.0	900	90.9	86.0 - 94.2	1,000
20-24	500	12.3	9.9 - 15.2	3,500	87.7	84.8 - 90.1	4,000
25-34	800	8.4	7.1 - 10.0	9,100	91.6	90.0 - 92.9	9,900
35+	200	5.5	3.8 - 7.8	3,100	94.5	92.2 - 96.2	3,300

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.7	7.3 - 10.3	8,300	91.3	89.7 - 92.7	9,100
Female	800	8.9	7.5 - 10.5	8,300	91.1	89.5 - 92.5	9,100

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.4	4.4 - 6.6	10,800	94.6	93.4 - 95.6	11,400
No	1,000	14.5	12.5 - 16.7	5,800	85.5	83.3 - 87.5	6,800

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	13.1	11.2 - 15.2	5,700	86.9	84.8 - 88.8	6,500
131-185%	200	8.6	6.1 - 11.8	2,500	91.4	88.2 - 93.9	2,700
186+%	300	4.3	3.2 - 5.8	7,100	95.7	94.2 - 96.8	7,400

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	12.9	10.8 - 15.2	1,100	87.1	84.8 - 89.2	1,300
Normal birth weight	1,400	8.5	7.4 - 9.7	15,400	91.5	90.3 - 92.6	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	88.4	82.4 - 92.5	100	11.6	7.5 - 17.6	900
No	800	4.7	3.9 - 5.6	16,400	95.3	94.4 - 96.1	17,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	48.0	43.6 - 52.5	1,700	52.0	47.5 - 56.4	3,200
No	<50	0.3	0.1 - 0.6	14,900	99.7	99.4 - 99.9	14,900

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	11.8	10.2 - 13.7	7,200	88.2	86.3 - 89.8	8,100
No	600	6.1	4.9 - 7.5	9,300	93.9	92.5 - 95.1	9,900

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,800	10.0	8.9 - 11.1	16,500	90.0	88.9 - 91.1	18,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	14.7	12.7 - 17.0	2,000	85.3	83.0 - 87.3	2,300
Honolulu	1,200	9.1	7.8 - 10.7	12,000	90.9	89.3 - 92.2	13,200
Kauai	100	9.7	7.8 - 12.1	800	90.3	87.9 - 92.2	800
Maui	200	10.2	8.6 - 12.0	1,700	89.8	88.0 - 91.4	1,900

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.0	6.2 - 10.3	4,000	92.0	89.7 - 93.8	4,400
Native Hawaiian	800	15.4	13.2 - 17.9	4,500	84.6	82.1 - 86.8	5,300
Chinese	<50	2.5	1.4 - 4.4	800	97.5	95.6 - 98.6	800
Filipino	200	6.7	4.9 - 9.3	3,100	93.3	90.7 - 95.1	3,300
Japanese	200	9.0	5.9 - 13.6	1,600	91.0	86.4 - 94.1	1,700
Other	300	9.4	6.8 - 12.9	2,500	90.6	87.1 - 93.2	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.7	8.1 - 16.7	1,000	88.3	83.3 - 91.9	1,100
20-24	600	14.8	12.3 - 17.8	3,500	85.2	82.2 - 87.7	4,100
25-34	900	9.2	7.9 - 10.8	8,900	90.8	89.2 - 92.1	9,800
35+	200	5.4	3.8 - 7.7	3,100	94.6	92.3 - 96.2	3,300

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.7	8.3 - 11.3	8,300	90.3	88.7 - 91.7	9,200
Female	900	10.2	8.8 - 11.9	8,100	89.8	88.1 - 91.2	9,100

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.1	5.1 - 7.4	10,700	93.9	92.6 - 94.9	11,400
No	1,100	16.2	14.2 - 18.5	5,800	83.8	81.5 - 85.8	6,900

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	15.1	13.1 - 17.3	5,500	84.9	82.7 - 86.9	6,500
131-185%	300	9.9	7.4 - 13.2	2,600	90.1	86.8 - 92.6	2,900
186+%	400	5.5	4.3 - 7.1	7,100	94.5	92.9 - 95.7	7,600

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	13.5	11.4 - 15.9	1,100	86.5	84.1 - 88.6	1,300
Normal birth weight	1,600	9.7	8.6 - 11.0	15,300	90.3	89.0 - 91.4	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	91.4	86.2 - 94.8	100	8.6	5.2 - 13.8	1,000
No	900	5.0	4.2 - 5.9	16,300	95.0	94.1 - 95.8	17,200

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	51.7	47.5 - 55.9	1,700	48.3	44.1 - 52.5	3,400
No	<50	0.2	0.1 - 0.4	14,800	99.8	99.6 - 99.9	14,800

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	13.5	11.8 - 15.4	7,100	86.5	84.6 - 88.2	8,200
No	700	6.8	5.6 - 8.3	9,300	93.2	91.7 - 94.4	10,000

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,200	11.7	10.6 - 13.0	16,200	88.3	87.0 - 89.4	18,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	17.5	15.3 - 20.0	1,900	82.5	80.0 - 84.7	2,400
Honolulu	1,400	10.8	9.3 - 12.4	11,700	89.2	87.6 - 90.7	13,100
Kauai	100	11.3	9.3 - 13.8	700	88.7	86.2 - 90.7	800
Maui	200	11.5	9.8 - 13.4	1,800	88.5	86.6 - 90.2	2,000

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.1	7.2 - 11.5	4,000	90.9	88.5 - 92.8	4,400
Native Hawaiian	1,000	17.8	15.5 - 20.3	4,500	82.2	79.7 - 84.5	5,500
Chinese	<50	3.5	1.7 - 7.3	700	96.5	92.7 - 98.3	700
Filipino	200	7.3	5.3 - 9.9	3,000	92.7	90.1 - 94.7	3,300
Japanese	200	12.6	8.9 - 17.5	1,500	87.4	82.5 - 91.1	1,700
Other	300	10.8	7.9 - 14.5	2,400	89.2	85.5 - 92.1	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	15.8	11.7 - 21.0	1,100	84.2	79.0 - 88.3	1,300
20-24	700	16.9	14.3 - 19.9	3,600	83.1	80.1 - 85.7	4,300
25-34	1,000	10.6	9.1 - 12.3	8,500	89.4	87.7 - 90.9	9,500
35+	200	6.4	4.6 - 8.9	3,000	93.6	91.1 - 95.4	3,200

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	11.3	9.8 - 13.0	8,400	88.7	87.0 - 90.2	9,500
Female	1,100	12.2	10.6 - 14.0	7,800	87.8	86.0 - 89.4	8,900

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	7.1	5.9 - 8.4	10,400	92.9	91.6 - 94.1	11,200
No	1,400	19.1	16.9 - 21.4	5,800	80.9	78.6 - 83.1	7,100

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,200	18.2	16.0 - 20.6	5,300	81.8	79.4 - 84.0	6,500
131-185%	400	13.2	10.3 - 16.9	2,400	86.8	83.1 - 89.7	2,800
186+%	500	5.9	4.6 - 7.4	7,200	94.1	92.6 - 95.4	7,700

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	700	20.6	17.4 - 24.1	2,600	79.4	75.9 - 82.6	3,300
\$10,000-\$24,999	600	16.1	13.4 - 19.4	2,900	83.9	80.6 - 86.6	3,500
\$25,000-\$49,999	500	12.6	10.2 - 15.4	3,700	87.4	84.6 - 89.8	4,300
>=\$50,000	200	4.1	3.0 - 5.5	5,900	95.9	94.5 - 97.0	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	15.4	13.2 - 17.9	1,100	84.6	82.1 - 86.8	1,300
Normal birth weight	1,900	11.4	10.2 - 12.7	15,000	88.6	87.3 - 89.8	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	87.4	81.9 - 91.3	200	12.6	8.7 - 18.1	1,400
No	900	5.5	4.7 - 6.4	16,000	94.5	93.6 - 95.3	16,900

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	55.0	51.0 - 58.9	1,700	45.0	41.1 - 49.0	3,800
No	<50	0.2	0.1 - 0.4	14,400	99.8	99.6 - 99.9	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	16.5	14.7 - 18.6	6,700	83.5	81.4 - 85.3	8,000
No	800	7.9	6.6 - 9.4	9,400	92.1	90.6 - 93.4	10,200

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,400	12.8	11.7 - 14.0	16,000	87.2	86.0 - 88.3	18,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	17.9	15.4 - 20.7	2,000	82.1	79.3 - 84.6	2,400
Honolulu	1,600	12.1	10.7 - 13.7	11,500	87.9	86.3 - 89.3	13,100
Kauai	100	11.9	9.2 - 15.2	700	88.1	84.8 - 90.8	800
Maui	300	12.1	10.0 - 14.5	1,800	87.9	85.5 - 90.0	2,100

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.4	7.6 - 11.6	4,000	90.6	88.4 - 92.4	4,400
Native Hawaiian	1,100	20.3	18.0 - 22.9	4,400	79.7	77.1 - 82.0	5,500
Chinese	<50	3.7	1.8 - 7.5	700	96.3	92.5 - 98.2	700
Filipino	300	7.9	6.0 - 10.4	3,000	92.1	89.6 - 94.0	3,300
Japanese	200	13.4	9.9 - 17.9	1,500	86.6	82.1 - 90.1	1,800
Other	300	11.3	8.5 - 14.7	2,400	88.7	85.3 - 91.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	17.1	13.1 - 22.1	1,200	82.9	77.9 - 86.9	1,500
20-24	800	18.4	15.7 - 21.3	3,400	81.6	78.7 - 84.3	4,200
25-34	1,100	11.5	10.1 - 13.2	8,300	88.5	86.8 - 89.9	9,400
35+	200	7.6	5.7 - 9.9	3,000	92.4	90.1 - 94.3	3,300

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	12.3	10.8 - 13.9	8,400	87.7	86.1 - 89.2	9,600
Female	1,200	13.5	11.9 - 15.3	7,600	86.5	84.7 - 88.1	8,800

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.1	6.9 - 9.3	10,300	91.9	90.7 - 93.1	11,300
No	1,500	20.4	18.3 - 22.7	5,700	79.6	77.3 - 81.7	7,100

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	20.6	18.4 - 23.0	5,200	79.4	77.0 - 81.6	6,600
131-185%	400	13.6	10.7 - 17.2	2,400	86.4	82.8 - 89.3	2,800
186+%	500	6.0	4.9 - 7.4	7,100	94.0	92.6 - 95.1	7,600

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	700	22.7	19.4 - 26.3	2,500	77.3	73.7 - 80.6	3,200
\$10,000-\$24,999	700	17.9	15.1 - 21.0	3,000	82.1	79.0 - 84.9	3,700
\$25,000-\$49,999	500	13.3	11.0 - 16.0	3,600	86.7	84.0 - 89.0	4,100
>=\$50,000	300	4.7	3.6 - 6.0	5,900	95.3	94.0 - 96.4	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	15.7	13.0 - 18.8	1,100	84.3	81.2 - 87.0	1,300
Normal birth weight	2,100	12.6	11.4 - 13.9	14,900	87.4	86.1 - 88.6	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	88.1	83.4 - 91.6	200	11.9	8.4 - 16.6	1,600
No	900	5.6	4.8 - 6.5	15,800	94.4	93.5 - 95.2	16,700

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	59.9	56.3 - 63.5	1,500	40.1	36.5 - 43.7	3,800
No	100	0.4	0.2 - 0.7	14,500	99.6	99.3 - 99.8	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	18.5	16.6 - 20.6	6,400	81.5	79.4 - 83.4	7,800
No	900	8.5	7.3 - 9.9	9,500	91.5	90.1 - 92.7	10,400

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,400	13.0	12.0 - 14.1	16,000	87.0	85.9 - 88.0	18,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	17.8	15.2 - 20.9	2,000	82.2	79.1 - 84.8	2,400
Honolulu	1,600	12.4	11.2 - 13.8	11,300	87.6	86.2 - 88.8	12,900
Kauai	100	12.1	9.0 - 16.1	800	87.9	83.9 - 91.0	900
Maui	200	11.5	9.2 - 14.2	1,900	88.5	85.8 - 90.8	2,100

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	10.9	9.2 - 13.0	3,800	89.1	87.0 - 90.8	4,300
Native Hawaiian	1,100	21.4	19.1 - 24.0	4,200	78.6	76.0 - 80.9	5,300
Chinese	<50	3.7	1.8 - 7.5	700	96.3	92.5 - 98.2	700
Filipino	200	7.2	5.6 - 9.1	3,100	92.8	90.9 - 94.4	3,300
Japanese	200	11.6	8.7 - 15.2	1,700	88.4	84.8 - 91.3	1,900
Other	300	10.5	8.3 - 13.4	2,500	89.5	86.6 - 91.7	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	18.1	14.3 - 22.7	1,400	81.9	77.3 - 85.7	1,700
20-24	800	17.8	15.5 - 20.4	3,500	82.2	79.6 - 84.5	4,300
25-34	1,100	12.0	10.6 - 13.5	8,100	88.0	86.5 - 89.4	9,200
35+	200	7.0	5.3 - 9.0	3,000	93.0	91.0 - 94.7	3,200

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	12.5	11.1 - 14.0	8,400	87.5	86.0 - 88.9	9,600
Female	1,200	13.6	12.2 - 15.2	7,500	86.4	84.8 - 87.8	8,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.0	7.0 - 9.1	10,400	92.0	90.9 - 93.0	11,300
No	1,500	21.0	19.0 - 23.2	5,600	79.0	76.8 - 81.0	7,100

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	21.1	19.0 - 23.3	5,300	78.9	76.7 - 81.0	6,800
131-185%	400	13.2	10.5 - 16.3	2,300	86.8	83.7 - 89.5	2,700
186+%	500	6.0	5.0 - 7.2	7,100	94.0	92.8 - 95.0	7,500

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	24.1	20.9 - 27.7	2,400	75.9	72.3 - 79.1	3,100
\$10,000-\$24,999	700	17.7	15.3 - 20.4	3,200	82.3	79.6 - 84.7	3,900
\$25,000-\$49,999	500	12.5	10.5 - 14.9	3,500	87.5	85.1 - 89.5	4,000
>=\$50,000	300	5.1	4.1 - 6.3	5,800	94.9	93.7 - 95.9	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	17.4	14.1 - 21.2	1,100	82.6	78.8 - 85.9	1,400
Normal birth weight	2,100	12.6	11.6 - 13.8	14,800	87.4	86.2 - 88.4	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	90.0	85.9 - 93.0	200	10.0	7.0 - 14.1	1,600
No	900	5.5	4.8 - 6.3	15,800	94.5	93.7 - 95.2	16,700

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	62.3	58.9 - 65.5	1,400	37.7	34.5 - 41.1	3,700
No	100	0.4	0.3 - 0.7	14,600	99.6	99.3 - 99.7	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	18.3	16.6 - 20.3	6,300	81.7	79.7 - 83.4	7,700
No	1,000	9.2	8.0 - 10.5	9,500	90.8	89.5 - 92.0	10,400

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,500	13.3	12.4 - 14.3	16,000	86.7	85.7 - 87.6	18,500

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	17.8	14.9 - 21.2	1,900	82.2	78.8 - 85.1	2,400
Honolulu	1,700	12.7	11.7 - 13.9	11,400	87.3	86.1 - 88.3	13,100
Kauai	100	10.9	7.5 - 15.5	800	89.1	84.5 - 92.5	900
Maui	300	13.0	10.3 - 16.3	1,800	87.0	83.7 - 89.7	2,100

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.4	10.7 - 14.5	3,800	87.6	85.5 - 89.3	4,300
Native Hawaiian	1,100	21.9	19.6 - 24.3	4,000	78.1	75.7 - 80.4	5,100
Chinese	<50	3.0	1.9 - 4.7	600	97.0	95.3 - 98.1	600
Filipino	300	7.4	6.0 - 9.2	3,200	92.6	90.8 - 94.0	3,400
Japanese	200	9.7	7.4 - 12.6	1,900	90.3	87.4 - 92.6	2,100
Other	300	11.6	9.5 - 14.1	2,600	88.4	85.9 - 90.5	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	19.7	15.9 - 24.2	1,300	80.3	75.8 - 84.1	1,600
20-24	800	18.4	16.2 - 20.9	3,600	81.6	79.1 - 83.8	4,400
25-34	1,100	12.4	11.1 - 13.8	8,100	87.6	86.2 - 88.9	9,200
35+	200	6.1	4.8 - 7.9	3,100	93.9	92.1 - 95.2	3,300

**PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke
3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	13.0	11.8 - 14.5	8,300	87.0	85.5 - 88.2	9,500
Female	1,200	13.6	12.3 - 15.1	7,700	86.4	84.9 - 87.7	8,900

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.7	7.8 - 9.8	10,600	91.3	90.2 - 92.2	11,600
No	1,500	21.1	19.2 - 23.1	5,400	78.9	76.9 - 80.8	6,900

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	21.1	19.2 - 23.1	5,300	78.9	76.9 - 80.8	6,700
131-185%	300	13.1	10.7 - 15.9	2,300	86.9	84.1 - 89.3	2,600
186+%	600	7.0	6.0 - 8.2	7,300	93.0	91.8 - 94.0	7,900

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	700	23.6	20.7 - 26.9	2,400	76.4	73.1 - 79.3	3,100
\$10,000-\$24,999	700	18.0	15.7 - 20.6	3,200	82.0	79.4 - 84.3	3,900
\$25,000-\$49,999	600	12.9	11.1 - 15.0	3,700	87.1	85.0 - 88.9	4,300
>=\$50,000	300	5.6	4.6 - 6.9	5,700	94.4	93.1 - 95.4	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	17.5	14.0 - 21.8	1,200	82.5	78.2 - 86.0	1,400
Normal birth weight	2,200	13.0	12.0 - 14.0	14,800	87.0	86.0 - 88.0	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	92.9	90.0 - 95.0	100	7.1	5.0 - 10.0	1,600
No	1,000	5.7	5.0 - 6.4	15,900	94.3	93.6 - 95.0	16,800

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	65.1	62.0 - 68.0	1,300	34.9	32.0 - 38.0	3,700
No	100	0.4	0.2 - 0.7	14,700	99.6	99.3 - 99.8	14,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	18.5	16.8 - 20.3	6,300	81.5	79.7 - 83.2	7,700
No	1,000	9.5	8.5 - 10.7	9,400	90.5	89.3 - 91.5	10,400

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,500	13.9	12.9 - 14.9	15,500	86.1	85.1 - 87.1	18,000

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	17.4	14.5 - 20.7	1,900	82.6	79.3 - 85.5	2,300
Honolulu	1,700	13.2	12.1 - 14.4	11,200	86.8	85.6 - 87.9	12,900
Kauai	100	12.9	9.2 - 17.9	800	87.1	82.1 - 90.8	900
Maui	300	14.6	11.7 - 18.1	1,700	85.4	81.9 - 88.3	1,900

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	13.2	11.3 - 15.3	3,500	86.8	84.7 - 88.7	4,100
Native Hawaiian	1,100	22.2	19.9 - 24.7	3,900	77.8	75.3 - 80.1	5,000
Chinese	<50	2.4	1.4 - 3.9	600	97.6	96.1 - 98.6	600
Filipino	300	8.8	7.2 - 10.7	3,000	91.2	89.3 - 92.8	3,300
Japanese	200	9.6	7.4 - 12.3	2,000	90.4	87.7 - 92.6	2,200
Other	300	12.3	10.1 - 14.8	2,500	87.7	85.2 - 89.9	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	19.7	15.9 - 24.2	1,300	80.3	75.8 - 84.1	1,600
20-24	800	18.9	16.7 - 21.3	3,600	81.1	78.7 - 83.3	4,400
25-34	1,100	12.8	11.6 - 14.3	7,700	87.2	85.7 - 88.4	8,800
35+	200	6.8	5.3 - 8.7	3,000	93.2	91.3 - 94.7	3,200

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	13.6	12.3 - 15.0	8,000	86.4	85.0 - 87.7	9,200
Female	1,200	14.2	12.8 - 15.6	7,500	85.8	84.4 - 87.2	8,800

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.3	7.3 - 9.3	10,400	91.7	90.7 - 92.7	11,400
No	1,600	23.5	21.5 - 25.6	5,100	76.5	74.4 - 78.5	6,600

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	22.3	20.4 - 24.4	5,000	77.7	75.6 - 79.6	6,500
131-185%	300	12.6	10.2 - 15.5	2,000	87.4	84.5 - 89.8	2,300
186+%	600	7.5	6.4 - 8.6	7,300	92.5	91.4 - 93.6	7,800

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	27.1	24.0 - 30.5	2,200	72.9	69.5 - 76.0	3,000
\$10,000-\$24,999	700	18.1	15.8 - 20.7	3,100	81.9	79.3 - 84.2	3,700
\$25,000-\$49,999	500	12.4	10.6 - 14.4	3,700	87.6	85.6 - 89.4	4,200
>=\$50,000	300	5.7	4.7 - 6.9	5,500	94.3	93.1 - 95.3	5,800

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	18.2	14.6 - 22.5	1,200	81.8	77.5 - 85.4	1,400
Normal birth weight	2,200	13.5	12.5 - 14.6	14,300	86.5	85.4 - 87.5	16,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	94.6	91.9 - 96.4	100	5.4	3.6 - 8.1	1,600
No	1,000	6.1	5.4 - 6.9	15,400	93.9	93.1 - 94.6	16,400

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	65.5	62.5 - 68.4	1,300	34.5	31.6 - 37.5	3,700
No	<50	0.3	0.2 - 0.5	14,200	99.7	99.5 - 99.8	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	19.0	17.3 - 20.9	6,100	81.0	79.1 - 82.7	7,500
No	1,000	10.2	9.1 - 11.4	9,100	89.8	88.6 - 90.9	10,100

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,500	13.8	12.9 - 14.8	15,300	86.2	85.2 - 87.1	17,700

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	17.6	14.7 - 20.8	1,800	82.4	79.2 - 85.3	2,200
Honolulu	1,700	13.0	11.9 - 14.1	11,200	87.0	85.9 - 88.1	12,900
Kauai	100	12.2	8.5 - 17.2	700	87.8	82.8 - 91.5	800
Maui	300	16.2	13.2 - 19.8	1,500	83.8	80.2 - 86.8	1,800

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.6	10.8 - 14.6	3,500	87.4	85.4 - 89.2	4,000
Native Hawaiian	1,100	21.7	19.4 - 24.1	3,800	78.3	75.9 - 80.6	4,900
Chinese	<50	2.7	1.8 - 4.0	600	97.3	96.0 - 98.2	600
Filipino	300	9.2	7.6 - 11.0	3,000	90.8	89.0 - 92.4	3,300
Japanese	200	9.0	7.0 - 11.6	2,000	91.0	88.4 - 93.0	2,200
Other	400	13.7	11.4 - 16.4	2,300	86.3	83.6 - 88.6	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	21.8	17.9 - 26.3	1,100	78.2	73.7 - 82.1	1,400
20-24	800	19.0	16.8 - 21.3	3,500	81.0	78.7 - 83.2	4,400
25-34	1,100	12.2	10.9 - 13.5	7,600	87.8	86.5 - 89.1	8,700
35+	300	7.9	6.3 - 9.7	3,000	92.1	90.3 - 93.7	3,200

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender							
Male	1,300	13.7	12.4 - 15.1	8,000	86.3	84.9 - 87.6	9,300
Female	1,200	14.0	12.6 - 15.4	7,300	86.0	84.6 - 87.4	8,500

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married							
Yes	1,000	8.6	7.7 - 9.6	10,700	91.4	90.4 - 92.3	11,700
No	1,400	23.8	21.8 - 26.0	4,600	76.2	74.0 - 78.2	6,100

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level							
0-130%	1,400	21.6	19.7 - 23.6	5,000	78.4	76.4 - 80.3	6,300
131-185%	300	14.4	11.8 - 17.4	1,800	85.6	82.6 - 88.2	2,100
186+%	600	7.3	6.3 - 8.4	7,300	92.7	91.6 - 93.7	7,900

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	26.1	23.1 - 29.4	2,100	73.9	70.6 - 76.9	2,900
\$10,000-\$24,999	700	18.5	16.3 - 20.9	3,200	81.5	79.1 - 83.7	3,900
\$25,000-\$49,999	500	11.1	9.5 - 13.1	3,800	88.9	86.9 - 90.5	4,300
>=\$50,000	300	5.8	4.8 - 7.0	5,100	94.2	93.0 - 95.2	5,400

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	18.1	14.4 - 22.5	1,100	81.9	77.5 - 85.6	1,300
Normal birth weight	2,200	13.5	12.6 - 14.5	14,200	86.5	85.5 - 87.4	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	92.7	89.8 - 94.9	100	7.3	5.1 - 10.2	1,500
No	1,000	6.3	5.6 - 7.0	15,200	93.7	93.0 - 94.4	16,200

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	64.1	61.1 - 67.0	1,300	35.9	33.0 - 38.9	3,700
No	<50	0.3	0.2 - 0.6	13,900	99.7	99.4 - 99.8	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	18.8	17.2 - 20.6	6,200	81.2	79.4 - 82.8	7,600
No	1,000	10.2	9.1 - 11.4	8,800	89.8	88.6 - 90.9	9,800

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,400	14.0	13.1 - 15.0	15,000	86.0	85.0 - 86.9	17,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	18.8	16.2 - 21.7	1,700	81.2	78.3 - 83.8	2,100
Honolulu	1,700	13.1	11.9 - 14.3	11,100	86.9	85.7 - 88.1	12,700
Kauai	100	12.8	9.4 - 17.2	700	87.2	82.8 - 90.6	800
Maui	300	15.6	13.0 - 18.6	1,500	84.4	81.4 - 87.0	1,800

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	13.1	11.1 - 15.4	3,300	86.9	84.6 - 88.9	3,800
Native Hawaiian	1,000	21.5	19.6 - 23.6	3,800	78.5	76.4 - 80.4	4,800
Chinese	<50	3.1	1.5 - 6.4	600	96.9	93.6 - 98.5	700
Filipino	400	10.5	8.7 - 12.7	3,100	89.5	87.3 - 91.3	3,500
Japanese	200	9.9	7.6 - 12.7	2,000	90.1	87.3 - 92.4	2,200
Other	300	12.3	9.9 - 15.2	2,200	87.7	84.8 - 90.1	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	23.5	19.6 - 28.0	1,100	76.5	72.0 - 80.4	1,400
20-24	800	19.6	17.5 - 21.9	3,400	80.4	78.1 - 82.5	4,300
25-34	1,000	11.7	10.4 - 13.0	7,600	88.3	87.0 - 89.6	8,600
35+	300	8.4	6.8 - 10.4	2,800	91.6	89.6 - 93.2	3,100

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	13.7	12.4 - 15.0	8,000	86.3	85.0 - 87.6	9,200
Female	1,200	14.4	13.0 - 15.9	7,000	85.6	84.1 - 87.0	8,200

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.9	8.0 - 10.0	10,600	91.1	90.0 - 92.0	11,600
No	1,400	24.1	22.1 - 26.2	4,400	75.9	73.8 - 77.9	5,800

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	21.4	19.6 - 23.3	5,300	78.6	76.7 - 80.4	6,800
131-185%	300	12.4	10.0 - 15.4	1,900	87.6	84.6 - 90.0	2,200
186+%	500	7.0	5.9 - 8.2	6,500	93.0	91.8 - 94.1	7,000

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	16.1	12.6 - 20.3	1,000	83.9	79.7 - 87.4	1,200
Normal birth weight	2,300	13.9	12.9 - 14.9	14,000	86.1	85.1 - 87.1	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	92.2	88.7 - 94.6	100	7.8	5.4 - 11.3	1,500
No	1,000	6.5	5.8 - 7.2	14,900	93.5	92.8 - 94.2	15,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	64.3	61.3 - 67.2	1,300	35.7	32.8 - 38.7	3,600
No	<50	0.3	0.1 - 0.5	13,700	99.7	99.5 - 99.9	13,700

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	19.1	17.5 - 20.8	6,000	80.9	79.2 - 82.5	7,500
No	1,000	10.2	9.1 - 11.4	8,700	89.8	88.6 - 90.9	9,700

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,400	13.7	12.7 - 14.7	14,900	86.3	85.3 - 87.3	17,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	20.8	18.4 - 23.4	1,600	79.2	76.6 - 81.6	2,100
Honolulu	1,600	12.4	11.3 - 13.7	11,100	87.6	86.3 - 88.7	12,700
Kauai	100	13.4	10.5 - 17.1	700	86.6	82.9 - 89.5	800
Maui	300	14.3	12.2 - 16.8	1,500	85.7	83.2 - 87.8	1,800

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	13.2	11.0 - 15.7	3,200	86.8	84.3 - 89.0	3,700
Native Hawaiian	1,000	21.5	19.8 - 23.2	3,700	78.5	76.8 - 80.2	4,700
Chinese	<50	3.6	1.6 - 8.0	600	96.4	92.0 - 98.4	700
Filipino	300	8.6	6.9 - 10.7	3,200	91.4	89.3 - 93.1	3,500
Japanese	200	8.8	6.6 - 11.7	2,000	91.2	88.3 - 93.4	2,200
Other	300	13.8	10.9 - 17.4	2,100	86.2	82.6 - 89.1	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	22.6	18.9 - 26.9	1,100	77.4	73.1 - 81.1	1,500
20-24	900	20.3	18.1 - 22.7	3,400	79.7	77.3 - 81.9	4,200
25-34	900	11.0	9.8 - 12.4	7,600	89.0	87.6 - 90.2	8,600
35+	200	7.5	5.9 - 9.5	2,800	92.5	90.5 - 94.1	3,000

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender							
Male	1,200	13.7	12.4 - 15.1	7,800	86.3	84.9 - 87.6	9,100
Female	1,100	13.6	12.2 - 15.1	7,100	86.4	84.9 - 87.8	8,200

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married							
Yes	1,100	9.2	8.2 - 10.3	10,700	90.8	89.7 - 91.8	11,800
No	1,300	23.2	21.3 - 25.3	4,200	76.8	74.7 - 78.7	5,500

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level							
0-130%	1,400	19.9	18.2 - 21.7	5,500	80.1	78.3 - 81.8	6,900
131-185%	400	13.5	10.9 - 16.4	2,300	86.5	83.6 - 89.1	2,700
186+%	400	6.2	5.2 - 7.5	5,800	93.8	92.5 - 94.8	6,200

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	14.7	11.4 - 18.9	1,000	85.3	81.1 - 88.6	1,100
Normal birth weight	2,200	13.5	12.6 - 14.6	13,900	86.5	85.4 - 87.4	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	90.2	86.4 - 93.1	100	9.8	6.9 - 13.6	1,500
No	1,000	6.4	5.7 - 7.1	14,800	93.6	92.9 - 94.3	15,800

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	63.7	60.5 - 66.8	1,300	36.3	33.2 - 39.5	3,500
No	100	0.4	0.2 - 0.6	13,600	99.6	99.4 - 99.8	13,600

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	19.1	17.5 - 20.9	6,000	80.9	79.1 - 82.5	7,400
No	900	9.6	8.5 - 10.8	8,800	90.4	89.2 - 91.5	9,700

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,400	14.3	13.3 - 15.3	14,500	85.7	84.7 - 86.7	16,900

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	21.4	19.4 - 23.6	1,500	78.6	76.4 - 80.6	1,900
Honolulu	1,600	13.0	11.8 - 14.3	10,800	87.0	85.7 - 88.2	12,400
Kauai	100	17.4	14.3 - 21.0	600	82.6	79.0 - 85.7	800
Maui	300	14.4	12.5 - 16.5	1,500	85.6	83.5 - 87.5	1,800

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.9	10.7 - 15.5	3,100	87.1	84.5 - 89.3	3,600
Native Hawaiian	1,100	23.0	21.6 - 24.4	3,500	77.0	75.6 - 78.4	4,600
Chinese	<50	4.0	1.6 - 9.6	700	96.0	90.4 - 98.4	700
Filipino	300	9.4	7.5 - 11.6	3,200	90.6	88.4 - 92.5	3,600
Japanese	200	8.9	6.6 - 12.0	1,900	91.1	88.0 - 93.4	2,100
Other	300	14.7	11.6 - 18.5	2,000	85.3	81.5 - 88.4	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	21.6	18.2 - 25.3	1,200	78.4	74.7 - 81.8	1,600
20-24	900	21.2	19.0 - 23.5	3,300	78.8	76.5 - 81.0	4,100
25-34	1,000	11.8	10.6 - 13.2	7,400	88.2	86.8 - 89.4	8,400
35+	200	7.3	5.7 - 9.4	2,600	92.7	90.6 - 94.3	2,800

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	14.7	13.4 - 16.1	7,400	85.3	83.9 - 86.6	8,600
Female	1,100	13.8	12.5 - 15.3	7,100	86.2	84.7 - 87.5	8,200

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.7	8.6 - 10.8	10,200	90.3	89.2 - 91.4	11,300
No	1,300	23.6	21.8 - 25.6	4,200	76.4	74.4 - 78.2	5,600

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	21.1	19.4 - 22.9	5,300	78.9	77.1 - 80.6	6,800
131-185%	400	13.4	11.2 - 16.1	2,800	86.6	83.9 - 88.8	3,200
186+%	300	5.6	4.5 - 7.0	5,100	94.4	93.0 - 95.5	5,400

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,000	26.6	24.1 - 29.2	2,600	73.4	70.8 - 75.9	3,600
\$15,001-\$25,000	400	15.8	13.3 - 18.7	1,900	84.2	81.3 - 86.7	2,300
\$25,001-\$40,000	500	14.7	12.5 - 17.3	2,900	85.3	82.7 - 87.5	3,400
>=\$40,001	400	6.2	5.1 - 7.4	6,100	93.8	92.6 - 94.9	6,500

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	14.0	10.9 - 17.8	1,000	86.0	82.2 - 89.1	1,100
Normal birth weight	2,200	14.3	13.3 - 15.3	13,500	85.7	84.7 - 86.7	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	91.3	87.7 - 93.8	100	8.7	6.2 - 12.3	1,500
No	1,000	6.5	5.8 - 7.2	14,300	93.5	92.8 - 94.2	15,300

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	65.5	62.4 - 68.6	1,200	34.5	31.4 - 37.6	3,400
No	100	0.5	0.3 - 0.8	13,200	99.5	99.2 - 99.7	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	20.5	18.8 - 22.2	5,600	79.5	77.8 - 81.2	7,100
No	1,000	9.8	8.7 - 11.0	8,800	90.2	89.0 - 91.3	9,700

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,300	13.9	13.0 - 14.8	14,300	86.1	85.2 - 87.0	16,600

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	20.8	18.7 - 22.9	1,500	79.2	77.1 - 81.3	1,900
Honolulu	1,500	12.5	11.4 - 13.6	10,800	87.5	86.4 - 88.6	12,300
Kauai	100	20.4	17.0 - 24.4	600	79.6	75.6 - 83.0	700
Maui	200	13.9	12.0 - 16.0	1,500	86.1	84.0 - 88.0	1,700

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.9	10.9 - 15.2	3,200	87.1	84.8 - 89.1	3,700
Native Hawaiian	1,000	22.0	20.7 - 23.3	3,500	78.0	76.7 - 79.3	4,500
Chinese	<50	3.6	1.5 - 8.3	600	96.4	91.7 - 98.5	700
Filipino	300	9.3	7.6 - 11.3	3,100	90.7	88.7 - 92.4	3,400
Japanese	200	7.6	5.6 - 10.2	2,000	92.4	89.8 - 94.4	2,100
Other	300	15.3	12.2 - 19.0	1,900	84.7	81.0 - 87.8	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	20.9	18.0 - 24.1	1,300	79.1	75.9 - 82.0	1,600
20-24	900	21.0	18.9 - 23.2	3,200	79.0	76.8 - 81.1	4,100
25-34	900	11.0	9.9 - 12.3	7,200	89.0	87.7 - 90.1	8,100
35+	200	7.7	6.1 - 9.6	2,600	92.3	90.4 - 93.9	2,800

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	15.1	13.8 - 16.5	7,100	84.9	83.5 - 86.2	8,400
Female	1,000	12.6	11.5 - 13.9	7,200	87.4	86.1 - 88.5	8,200

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.4	8.5 - 10.5	10,300	90.6	89.5 - 91.5	11,400
No	1,200	23.4	21.7 - 25.3	4,000	76.6	74.7 - 78.3	5,300

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	19.8	18.3 - 21.4	5,200	80.2	78.6 - 81.7	6,500
131-185%	400	14.6	12.4 - 17.2	2,600	85.4	82.8 - 87.6	3,100
186+%	300	6.0	4.9 - 7.3	5,300	94.0	92.7 - 95.1	5,700

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	900	25.4	23.1 - 27.8	2,600	74.6	72.2 - 76.9	3,500
\$15,001-\$25,000	400	15.4	13.2 - 17.9	2,100	84.6	82.1 - 86.8	2,400
\$25,001-\$40,000	500	15.0	12.9 - 17.5	2,900	85.0	82.5 - 87.1	3,400
>=\$40,001	400	5.9	4.9 - 7.0	6,000	94.1	93.0 - 95.1	6,400

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	16.4	13.1 - 20.4	900	83.6	79.6 - 86.9	1,100
Normal birth weight	2,100	13.6	12.7 - 14.6	13,300	86.4	85.4 - 87.3	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	92.2	89.3 - 94.3	100	7.8	5.7 - 10.7	1,400
No	900	6.3	5.6 - 7.0	14,200	93.7	93.0 - 94.4	15,100

PRAMS Health Indicator 3-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	65.3	62.4 - 68.2	1,100	34.7	31.8 - 37.6	3,300
No	100	0.5	0.4 - 0.8	13,000	99.5	99.2 - 99.6	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	19.5	18.0 - 21.1	5,700	80.5	78.9 - 82.0	7,000
No	900	9.7	8.7 - 10.8	8,600	90.3	89.2 - 91.3	9,500