

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- for the State of Hawaii, for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Number of cigarettes smoked per avg day now	Number of cigarettes smoked on an average day now among new mothers who reported smoking in the last 2 years

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- for the State of Hawaii, for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
2000-2004	1,500	38.8	36.6 - 41.0	200	4.4	3.6 - 5.3	700	17.7	16.1 - 19.4	900	23.0	21.2 - 24.9	600	14.6	13.1 - 16.3	<50	1.2	0.9 - 1.7
2001-2005	1,500	38.7	36.5 - 41.0	200	4.4	3.6 - 5.4	700	18.1	16.5 - 19.9	900	23.4	21.5 - 25.4	500	13.3	11.8 - 14.9	100	1.6	1.1 - 2.3
2002-2006	1,500	38.9	36.7 - 41.3	200	4.5	3.7 - 5.6	700	18.6	16.8 - 20.4	900	22.3	20.4 - 24.3	500	13.4	11.9 - 15.1	100	1.8	1.2 - 2.6
2003-2007	1,500	38.0	35.7 - 40.2	200	4.8	3.9 - 5.9	800	20.0	18.2 - 21.9	900	22.0	20.1 - 24.0	500	12.8	11.3 - 14.4	100	2.0	1.4 - 2.8
2004-2008	1,500	38.1	35.8 - 40.3	200	5.2	4.2 - 6.3	800	20.5	18.6 - 22.4	800	21.1	19.2 - 23.1	500	12.6	11.1 - 14.2	100	2.0	1.4 - 2.8
2005-2009	1,600	40.0	37.7 - 42.5	200	5.2	4.2 - 6.5	800	20.3	18.3 - 22.4	800	20.0	18.1 - 22.1	500	11.8	10.3 - 13.5	100	2.0	1.4 - 2.9
2006-2010	1,700	41.8	39.3 - 44.4	200	5.8	4.7 - 7.3	800	20.1	18.1 - 22.3	800	18.8	16.9 - 20.9	500	11.3	9.8 - 13.0	100	1.6	1.1 - 2.5
2007-2011	1,900	46.4	43.7 - 49.1	200	5.5	4.4 - 7.0	800	19.5	17.5 - 21.8	700	17.1	15.1 - 19.2	400	9.8	8.3 - 11.5	<50	1.2	0.7 - 1.9
2008-2012	2,000	49.5	46.6 - 52.3	200	5.5	4.3 - 7.1	800	18.7	16.6 - 21.1	700	16.1	14.2 - 18.3	400	8.8	7.4 - 10.6	<50	0.9	0.5 - 1.6
2009-2013	2,100	52.9	49.8 - 55.9	200	5.9	4.6 - 7.7	800	19.0	16.7 - 21.6	600	13.7	11.8 - 15.8	300	7.3	5.9 - 9.0	<50	0.8	0.4 - 1.5

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- for the State of Hawaii, for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**


*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#
2000-2004	<50	0.3	0.1 - 0.7	3,900
2001-2005	<50	0.5	0.2 - 0.9	3,900
2002-2006	<50	0.5	0.2 - 0.9	4,000
2003-2007	<50	0.5	0.2 - 0.9	4,000
2004-2008	<50	0.6	0.3 - 1.0	3,900
2005-2009	<50	0.6	0.3 - 1.2	4,100
2006-2010	<50	0.5	0.2 - 1.2	4,200
2007-2011	<50	0.5	0.2 - 1.2	4,200
2008-2012	<50	0.5	0.2 - 1.2	4,000
2009-2013	<50	0.3	0.1 - 1.1	4,100

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- for the State of Hawaii, for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	2,100	52.9	49.8 - 55.9	200	5.9	4.6 - 7.7	800	19.0	16.7 - 21.6	600	13.7	11.8 - 15.8	300	7.3	5.9 - 9.0	<50	0.8	0.4 - 1.5

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	300	46.6	42.2 - 51.1	<50	4.0	2.6 - 6.2	100	21.8	18.3 - 25.7	100	16.8	13.7 - 20.6	100	9.4	7.1 - 12.5	<50	1.1	0.5 - 2.5
<b>Honolulu</b>	1,400	53.2	48.9 - 57.5	200	6.9	5.0 - 9.4	500	19.1	15.9 - 22.8	300	12.6	10.1 - 15.7	200	7.0	5.1 - 9.5	<50	0.7	0.3 - 2.0
<b>Kauai</b>	100	56.0	50.4 - 61.4	<50	3.2	1.8 - 5.8	<50	16.8	13.0 - 21.4	<50	15.6	12.0 - 20.1	<50	6.8	4.5 - 10.1	<50	1.6	0.7 - 3.7
<b>Maui</b>	300	58.3	53.8 - 62.8	<50	4.4	2.8 - 6.6	100	15.6	12.6 - 19.1	100	14.7	11.7 - 18.3	<50	6.5	4.6 - 9.2	<50	0.5	0.1 - 1.7

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 1.1	4,100

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.0 - 1.5	700
<50	0.4	0.1 - 1.7	2,700
0	0.0	-	200
0	0.0	-	500

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	600	61.2	54.8 - 67.2	<50	5.2	3.1 - 8.6	100	15.1	11.0 - 20.5	100	11.2	7.8 - 15.9	100	6.2	3.8 - 10.0	<50	0.4	0.1 - 1.1
Native Hawaiian	700	44.2	39.6 - 48.8	100	6.5	4.4 - 9.4	400	23.6	19.8 - 27.8	300	16.0	13.0 - 19.4	100	9.1	6.8 - 12.1	<50	0.7	0.3 - 2.1
Chinese	100	75.3	58.4 - 86.8	0	0.0	-	<50	19.1	8.8 - 36.5	<50	3.4	1.3 - 8.6	<50	1.3	0.2 - 8.0	<50	0.9	0.2 - 5.0
Filipino	300	62.8	54.5 - 70.4	<50	4.9	2.0 - 11.4	100	14.2	9.4 - 20.8	100	9.5	5.9 - 14.9	<50	8.5	4.8 - 14.5	<50	0.1	0.0 - 0.6
Japanese	200	55.4	44.5 - 65.7	<50	4.0	1.2 - 12.6	100	18.4	11.3 - 28.7	100	15.7	9.2 - 25.3	<50	6.0	2.6 - 13.2	<50	0.5	0.1 - 1.9
Other	300	48.0	39.1 - 56.9	<50	9.2	4.9 - 16.6	100	17.7	11.7 - 26.1	100	16.3	10.8 - 23.9	<50	4.9	2.2 - 10.5	<50	2.5	0.7 - 8.1

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	100	49.1	38.6 - 59.7	<50	8.5	4.2 - 16.2	100	21.2	13.7 - 31.4	<50	13.4	7.6 - 22.5	<50	4.4	2.4 - 7.9	<50	2.9	0.7 - 11.1
20-24	700	51.3	45.8 - 56.9	100	5.3	3.1 - 8.8	300	22.1	17.8 - 27.0	200	15.1	11.7 - 19.3	100	6.0	4.0 - 8.8	<50	0.2	0.1 - 0.6
25-34	1,100	54.2	49.9 - 58.4	100	6.2	4.4 - 8.8	400	18.2	15.1 - 21.9	300	12.6	10.1 - 15.6	200	7.5	5.5 - 10.2	<50	0.9	0.4 - 2.2
35+	200	53.9	45.1 - 62.6	<50	4.7	1.9 - 10.8	100	12.6	7.8 - 19.8	100	14.8	9.6 - 22.2	100	12.2	7.4 - 19.5	<50	0.4	0.1 - 1.3

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.7	0.1 - 4.5	900
0	0.0	-	1,600
0	0.0	-	100
0	0.0	-	600
0	0.0	-	400
<50	1.4	0.3 - 6.2	500

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.1 - 3.3	300
0	0.0	-	1,300
<50	0.3	0.0 - 1.9	2,000
<50	1.4	0.2 - 8.7	500



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	1,000	51.6	47.2 - 56.0	100	6.2	4.3 - 8.9	400	19.7	16.3 - 23.5	300	13.6	11.0 - 16.8	200	7.9	5.9 - 10.5	<50	1.0	0.4 - 2.4
<b>Female</b>	1,100	54.1	49.8 - 58.2	100	5.6	3.9 - 8.2	400	18.5	15.4 - 22.0	300	13.8	11.2 - 16.8	100	6.8	5.0 - 9.2	<50	0.6	0.2 - 1.6

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	1,000	59.3	54.5 - 63.9	100	5.1	3.3 - 7.7	300	16.0	12.7 - 20.0	200	13.3	10.4 - 17.0	100	6.1	4.2 - 8.8	<50	0.2	0.1 - 0.5
<b>No</b>	1,100	48.2	44.3 - 52.1	200	6.6	4.7 - 9.1	500	21.3	18.2 - 24.7	300	14.0	11.6 - 16.7	200	8.2	6.4 - 10.6	<50	1.2	0.6 - 2.5

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	800	44.2	40.0 - 48.5	100	6.7	4.6 - 9.5	400	21.3	18.0 - 25.0	300	16.8	14.0 - 20.0	200	9.2	7.0 - 11.9	<50	1.5	0.7 - 3.1
<b>131-185%</b>	400	53.7	45.7 - 61.6	<50	6.2	3.3 - 11.6	100	20.7	14.8 - 28.2	100	11.4	7.3 - 17.3	<50	7.0	4.0 - 12.0	0	0.0	-
<b>186+%</b>	800	68.4	62.7 - 73.5	<50	4.0	2.3 - 6.9	200	12.9	9.5 - 17.2	100	9.6	6.6 - 13.8	100	5.0	3.0 - 8.2	<50	0.1	0.0 - 0.4

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	1,900
<50	0.6	0.2 - 2.1	2,100

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	1,700
<50	0.6	0.2 - 1.9	2,300

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.4	0.1 - 1.8	1,900
<50	0.9	0.1 - 6.2	700
0	0.0	-	1,200

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	200	46.8	42.1 - 51.6	<50	5.5	3.7 - 8.1	100	18.0	14.6 - 22.1	100	18.9	15.3 - 23.0	<50	9.8	7.2 - 13.2	<50	1.0	0.4 - 2.4
Normal birth weight	2,000	53.5	50.2 - 56.8	200	6.0	4.5 - 7.9	700	19.0	16.5 - 21.8	500	13.2	11.2 - 15.6	300	7.1	5.6 - 9.0	<50	0.8	0.4 - 1.6

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	200	12.9	9.5 - 17.2	100	4.7	2.7 - 8.1	300	26.0	21.4 - 31.3	400	31.0	26.2 - 36.1	300	21.8	17.5 - 26.8	<50	2.5	1.2 - 5.0
No	2,000	69.2	65.7 - 72.5	200	6.5	4.8 - 8.7	500	16.2	13.6 - 19.1	200	6.6	5.0 - 8.6	<50	1.5	0.9 - 2.4	<50	0.1	0.0 - 0.3

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,700	47.3	44.0 - 50.5	200	6.6	5.1 - 8.6	700	21.1	18.5 - 23.9	500	15.3	13.2 - 17.7	300	8.4	6.8 - 10.4	<50	0.9	0.4 - 1.7
No	400	92.0	86.4 - 95.4	<50	1.0	0.5 - 2.2	<50	4.5	2.1 - 9.5	<50	2.2	0.7 - 7.2	0	0.0	-	<50	0.2	0.0 - 1.4

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	300
<50	0.4	0.1 - 1.2	3,700

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.2	0.3 - 3.8	1,200
0	0.0	-	2,800

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.4	0.1 - 1.3	3,500
0	0.0	-	500

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	1,100	47.4	43.5 - 51.4	100	5.1	3.6 - 7.3	500	23.1	19.9 - 26.7	300	15.4	12.9 - 18.3	200	7.3	5.6 - 9.5	<50	1.3	0.6 - 2.6
<b>No</b>	1,100	60.3	55.5 - 64.9	100	6.3	4.3 - 9.2	300	14.3	11.2 - 18.0	200	11.2	8.6 - 14.5	100	7.4	5.2 - 10.4	<50	0.2	0.1 - 0.4

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
 State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
 (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 1.7	2,200
<50	0.3	0.0 - 2.2	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	2,000	49.5	46.6 - 52.3	200	5.5	4.3 - 7.1	800	18.7	16.6 - 21.1	700	16.1	14.2 - 18.3	400	8.8	7.4 - 10.6	<50	0.9	0.5 - 1.6

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	300	43.6	39.0 - 48.3	<50	4.4	2.9 - 6.8	100	22.1	18.4 - 26.4	100	18.3	14.8 - 22.4	100	10.4	7.7 - 13.8	<50	0.9	0.4 - 2.2
<b>Honolulu</b>	1,300	49.7	45.7 - 53.7	200	6.3	4.6 - 8.6	500	18.1	15.2 - 21.5	400	15.6	13.0 - 18.7	200	8.7	6.7 - 11.1	<50	1.0	0.4 - 2.1
<b>Kauai</b>	100	53.0	46.3 - 59.6	<50	2.6	1.3 - 5.2	<50	19.3	14.2 - 25.5	<50	15.2	11.4 - 19.9	<50	9.0	5.2 - 15.2	<50	0.9	0.3 - 3.1
<b>Maui</b>	300	54.8	49.8 - 59.6	<50	3.9	2.4 - 6.2	100	17.1	13.7 - 21.2	100	16.4	12.8 - 20.7	<50	7.4	5.1 - 10.6	<50	0.5	0.1 - 1.7

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 1.2	4,000

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.0 - 1.5	700
<50	0.6	0.2 - 1.8	2,700
0	0.0	-	200
0	0.0	-	500



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	500	59.3	53.3 - 65.0	<50	5.5	3.4 - 8.6	100	13.3	9.7 - 17.9	100	12.0	8.4 - 16.6	100	8.8	6.2 - 12.4	<50	0.5	0.2 - 1.6
Native Hawaiian	600	39.0	34.7 - 43.4	100	6.2	4.3 - 8.8	400	23.2	19.6 - 27.3	300	20.0	16.8 - 23.6	200	10.8	8.3 - 13.9	<50	0.7	0.2 - 2.1
Chinese	100	77.2	62.3 - 87.4	0	0.0	-	<50	14.7	6.6 - 29.5	<50	5.6	2.6 - 11.9	<50	1.5	0.2 - 8.8	<50	1.0	0.2 - 5.5
Filipino	300	59.2	51.4 - 66.7	<50	5.0	2.1 - 11.5	100	14.5	10.0 - 20.6	100	11.9	7.9 - 17.6	<50	8.5	5.0 - 14.1	<50	0.4	0.1 - 2.5
Japanese	200	47.7	37.7 - 57.9	<50	2.0	0.4 - 9.9	100	23.9	16.2 - 33.9	100	17.7	11.1 - 27.0	<50	8.1	4.0 - 15.6	<50	0.5	0.2 - 2.0
Other	300	49.6	41.5 - 57.7	<50	7.6	4.0 - 13.7	100	16.1	10.8 - 23.4	100	17.1	11.7 - 24.4	<50	5.4	2.7 - 10.4	<50	2.8	1.0 - 8.1

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	44.9	35.6 - 54.6	<50	7.6	3.9 - 14.5	100	19.8	13.3 - 28.4	100	15.0	9.3 - 23.4	<50	7.8	4.6 - 12.9	<50	3.8	1.4 - 10.2
20-24	600	48.3	43.0 - 53.6	100	4.5	2.6 - 7.7	300	21.2	17.3 - 25.8	200	18.9	15.2 - 23.2	100	7.0	4.9 - 10.1	<50	0.1	0.0 - 0.3
25-34	1,000	50.1	46.0 - 54.1	100	6.0	4.3 - 8.4	400	18.8	15.8 - 22.3	300	15.0	12.4 - 18.1	200	8.8	6.7 - 11.4	<50	0.9	0.4 - 2.2
35+	200	53.6	45.3 - 61.8	<50	4.5	2.0 - 9.6	<50	10.3	6.5 - 16.0	100	14.4	9.4 - 21.4	100	15.0	9.9 - 22.2	<50	0.8	0.3 - 2.6

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.7	0.1 - 4.5	900
<50	0.2	0.0 - 1.2	1,600
0	0.0	-	100
<50	0.4	0.1 - 2.5	500
0	0.0	-	400
<50	1.4	0.3 - 6.2	500

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.1	0.3 - 4.0	300
0	0.0	-	1,300
<50	0.4	0.1 - 1.8	2,000
<50	1.4	0.2 - 8.9	400

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	1,000	49.9	45.9 - 54.0	100	5.5	3.9 - 7.7	400	18.7	15.7 - 22.2	300	15.2	12.6 - 18.3	200	9.6	7.5 - 12.2	<50	1.0	0.4 - 2.4
<b>Female</b>	1,000	49.0	44.9 - 53.1	100	5.5	3.8 - 7.9	400	18.7	15.8 - 22.0	300	17.0	14.2 - 20.3	200	8.1	6.2 - 10.5	<50	0.8	0.4 - 1.8

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	900	54.8	50.4 - 59.2	100	5.2	3.5 - 7.6	300	15.2	12.3 - 18.7	300	16.3	13.2 - 20.0	100	8.0	6.0 - 10.7	<50	0.4	0.2 - 1.1
<b>No</b>	1,100	45.5	41.8 - 49.3	100	5.8	4.1 - 8.0	500	21.3	18.3 - 24.6	400	16.0	13.6 - 18.8	200	9.4	7.5 - 11.8	<50	1.2	0.6 - 2.5

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	800	40.3	36.4 - 44.3	100	5.2	3.6 - 7.6	400	21.2	18.1 - 24.7	400	19.5	16.6 - 22.8	200	11.6	9.2 - 14.4	<50	1.7	0.9 - 3.3
<b>131-185%</b>	300	50.1	42.6 - 57.5	<50	6.5	3.5 - 11.8	100	19.8	14.4 - 26.6	100	14.7	10.3 - 20.5	<50	7.6	4.6 - 12.3	0	0.0	-
<b>186+%</b>	800	64.8	59.4 - 69.8	100	4.3	2.6 - 7.1	200	13.6	10.3 - 17.7	100	10.8	7.7 - 15.0	100	6.4	4.3 - 9.5	<50	0.1	0.0 - 0.4

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	2,000
<50	0.9	0.3 - 2.4	2,000

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	1,700
<50	0.8	0.3 - 2.1	2,300

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.1 - 1.8	1,900
<50	1.4	0.3 - 5.6	700
0	0.0	-	1,200

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	44.1	38.7 - 49.6	<50	6.6	4.2 - 10.2	100	16.8	13.0 - 21.4	100	19.7	15.4 - 24.7	<50	12.0	8.5 - 16.6	<50	0.9	0.3 - 2.3
Normal birth weight	1,800	50.0	46.9 - 53.1	200	5.4	4.1 - 7.1	700	18.7	16.4 - 21.3	600	15.8	13.7 - 18.2	300	8.5	7.0 - 10.4	<50	0.9	0.5 - 1.7

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	10.6	7.8 - 14.3	100	4.1	2.4 - 6.9	300	24.3	20.2 - 28.8	400	33.6	29.0 - 38.4	300	23.4	19.4 - 28.0	<50	2.6	1.3 - 4.9
No	1,800	67.7	64.3 - 70.9	200	6.2	4.7 - 8.3	400	16.1	13.7 - 18.9	200	7.8	6.1 - 10.0	100	2.0	1.3 - 3.1	<50	0.1	0.0 - 0.4

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,600	44.6	41.6 - 47.7	200	6.1	4.7 - 7.9	700	20.2	17.8 - 22.8	600	17.6	15.4 - 20.0	400	10.0	8.3 - 11.9	<50	1.0	0.5 - 1.8
No	400	88.4	82.5 - 92.5	<50	1.0	0.5 - 2.3	<50	6.3	3.6 - 10.7	<50	4.0	1.6 - 9.5	0	0.0	-	<50	0.3	0.0 - 1.6

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	300
<50	0.5	0.2 - 1.3	3,700

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.4	0.6 - 3.7	1,300
0	0.0	-	2,700

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 1.3	3,600
0	0.0	-	400

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	1,000	45.5	41.8 - 49.3	100	5.1	3.6 - 7.1	500	20.4	17.5 - 23.6	400	18.0	15.4 - 21.0	200	9.2	7.4 - 11.5	<50	1.3	0.6 - 2.6
<b>No</b>	1,000	55.1	50.5 - 59.5	100	5.9	4.0 - 8.6	300	16.8	13.7 - 20.5	200	13.3	10.5 - 16.7	100	8.1	5.9 - 11.0	<50	0.4	0.2 - 1.0

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.4	0.1 - 1.6	2,300
<50	0.5	0.1 - 2.1	1,700



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	1,900	46.4	43.7 - 49.1	200	5.5	4.4 - 7.0	800	19.5	17.5 - 21.8	700	17.1	15.1 - 19.2	400	9.8	8.3 - 11.5	<50	1.2	0.7 - 1.9

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	300	39.1	34.5 - 43.9	<50	4.4	2.7 - 7.0	200	23.2	19.3 - 27.7	100	20.9	17.1 - 25.4	100	11.5	8.7 - 15.1	<50	0.7	0.2 - 1.9
<b>Honolulu</b>	1,300	47.1	43.4 - 50.8	200	6.1	4.5 - 8.2	500	18.9	16.2 - 22.0	500	16.1	13.6 - 19.0	300	9.6	7.7 - 11.9	<50	1.4	0.8 - 2.6
<b>Kauai</b>	100	48.3	40.6 - 56.2	<50	3.9	1.8 - 8.4	<50	20.3	14.4 - 27.8	<50	18.0	12.9 - 24.6	<50	8.5	4.5 - 15.3	<50	0.9	0.3 - 3.1
<b>Maui</b>	300	51.5	46.1 - 56.8	<50	4.8	3.0 - 7.7	100	17.5	13.7 - 22.1	100	16.6	12.8 - 21.2	<50	9.2	6.4 - 13.1	<50	0.5	0.1 - 1.6

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 1.2	4,200

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.0 - 1.4	700
<50	0.7	0.3 - 1.8	2,800
0	0.0	-	200
0	0.0	-	500

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	500	53.5	48.0 - 59.0	100	5.8	3.7 - 8.9	100	13.5	10.2 - 17.7	100	14.4	10.8 - 18.9	100	11.6	8.7 - 15.3	<50	0.5	0.2 - 1.7
Native Hawaiian	600	35.5	31.5 - 39.8	100	6.3	4.5 - 8.8	400	24.2	20.7 - 28.1	300	20.5	17.3 - 24.0	200	11.8	9.3 - 14.8	<50	1.3	0.6 - 2.8
Chinese	100	71.7	55.3 - 83.8	0	0.0	-	<50	16.6	7.5 - 32.7	<50	8.9	4.5 - 17.1	<50	1.7	0.3 - 10.0	<50	1.2	0.2 - 6.3
Filipino	300	57.1	49.7 - 64.2	<50	6.2	3.0 - 12.3	100	15.0	10.6 - 20.7	100	14.7	10.4 - 20.4	<50	6.2	3.6 - 10.7	<50	0.4	0.1 - 2.4
Japanese	200	46.9	37.9 - 56.1	<50	3.0	1.0 - 8.8	100	26.7	19.3 - 35.9	100	15.0	9.5 - 22.7	<50	7.9	4.1 - 14.7	<50	0.5	0.1 - 1.7
Other	300	49.1	41.5 - 56.8	<50	5.1	2.5 - 9.9	100	16.7	11.6 - 23.4	100	17.2	12.0 - 24.0	<50	7.4	4.3 - 12.4	<50	3.2	1.2 - 8.1

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	100	37.2	29.1 - 46.1	<50	7.9	4.2 - 14.3	100	25.4	18.6 - 33.5	100	16.8	11.1 - 24.7	<50	8.7	5.4 - 13.7	<50	3.1	1.0 - 9.0
20-24	600	45.4	40.7 - 50.3	100	5.7	3.7 - 8.6	300	21.0	17.4 - 25.2	300	19.0	15.6 - 22.9	100	8.4	6.2 - 11.3	<50	0.5	0.1 - 1.5
25-34	900	46.8	42.8 - 50.7	100	5.4	3.8 - 7.6	400	19.3	16.3 - 22.7	300	17.1	14.4 - 20.2	200	9.5	7.5 - 12.0	<50	1.4	0.7 - 2.8
35+	300	55.2	47.2 - 63.0	<50	3.9	1.8 - 8.1	100	11.3	7.3 - 17.0	100	11.2	7.1 - 17.3	100	16.3	11.0 - 23.3	<50	0.8	0.3 - 2.5

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.1 - 4.2	1,000
<50	0.4	0.1 - 1.3	1,600
0	0.0	-	100
<50	0.4	0.1 - 2.4	600
0	0.0	-	400
<50	1.4	0.3 - 5.7	600

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.0	0.3 - 3.5	400
0	0.0	-	1,400
<50	0.6	0.2 - 1.9	1,900
<50	1.3	0.2 - 8.5	500

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	1,000	46.9	43.2 - 50.7	100	5.9	4.3 - 8.0	400	20.1	17.2 - 23.4	300	15.6	13.1 - 18.4	200	10.3	8.2 - 12.8	<50	1.1	0.5 - 2.5
<b>Female</b>	900	45.8	41.9 - 49.6	100	5.2	3.6 - 7.4	400	18.9	16.2 - 22.0	400	18.6	15.7 - 21.8	200	9.3	7.4 - 11.7	<50	1.2	0.6 - 2.3

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	900	52.0	47.9 - 56.1	100	5.2	3.7 - 7.5	300	16.4	13.6 - 19.7	300	17.0	14.0 - 20.5	200	8.6	6.6 - 11.1	<50	0.7	0.3 - 1.4
<b>No</b>	1,000	42.0	38.5 - 45.6	100	5.8	4.2 - 7.9	500	21.9	19.1 - 25.0	400	17.1	14.7 - 19.8	300	10.7	8.8 - 13.1	<50	1.6	0.8 - 2.9

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	700	36.3	32.7 - 40.1	100	5.5	3.9 - 7.8	500	22.7	19.7 - 26.1	400	20.3	17.5 - 23.5	200	12.3	10.0 - 15.0	<50	2.2	1.3 - 3.8
<b>131-185%</b>	300	48.3	41.2 - 55.5	<50	6.0	3.2 - 10.9	100	18.7	13.7 - 25.1	100	17.0	12.5 - 22.9	100	8.3	5.2 - 12.8	<50	0.3	0.0 - 2.1
<b>186+%</b>	800	61.3	56.3 - 66.0	100	5.1	3.3 - 7.7	200	15.1	11.9 - 19.0	100	10.9	8.1 - 14.6	100	7.5	5.3 - 10.6	<50	0.1	0.0 - 0.3

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.0	0.0 - 0.2	2,100
<50	1.0	0.4 - 2.4	2,100

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.0	0.0 - 0.2	1,800
<50	0.9	0.4 - 2.1	2,400

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.2 - 1.8	2,000
<50	1.3	0.3 - 5.4	700
<50	0.1	0.0 - 0.3	1,200

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	400	34.0	29.0 - 39.5	100	6.6	4.1 - 10.3	200	22.5	18.3 - 27.2	200	22.7	18.6 - 27.3	100	11.3	8.4 - 15.1	<50	1.8	0.9 - 3.5
\$10,000-\$24,999	400	41.8	36.7 - 47.0	<50	4.0	2.4 - 6.5	200	21.4	17.4 - 26.0	200	17.8	14.2 - 22.1	100	11.9	8.9 - 15.7	<50	2.6	1.2 - 5.4
\$25,000-\$49,999	500	50.0	44.4 - 55.5	100	5.8	3.5 - 9.2	200	20.7	16.5 - 25.6	200	14.7	11.0 - 19.2	100	8.4	6.1 - 11.6	<50	0.2	0.0 - 1.3
>=\$50,000	500	63.5	57.3 - 69.2	<50	5.9	3.5 - 9.6	100	11.6	8.2 - 16.0	100	10.8	7.6 - 15.1	100	8.2	5.3 - 12.5	<50	0.1	0.0 - 0.5

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	38.0	32.5 - 43.9	<50	4.7	2.8 - 8.0	100	21.5	16.6 - 27.3	100	19.9	15.3 - 25.5	100	15.4	11.1 - 20.8	<50	0.5	0.2 - 1.9
Normal birth weight	1,800	47.2	44.3 - 50.1	200	5.6	4.4 - 7.2	700	19.2	17.0 - 21.6	600	16.8	14.8 - 19.1	400	9.3	7.8 - 11.1	<50	1.2	0.7 - 2.1

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	9.9	7.3 - 13.2	100	3.6	2.2 - 5.9	300	24.0	20.3 - 28.0	500	34.4	30.2 - 38.9	300	23.6	19.9 - 27.6	<50	3.0	1.8 - 5.2
No	1,800	65.7	62.5 - 68.9	200	6.6	5.1 - 8.6	500	17.2	14.8 - 19.9	200	7.7	6.1 - 9.6	100	2.5	1.7 - 3.6	<50	0.2	0.1 - 0.6

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.2	0.4 - 3.4	1,000
<50	0.6	0.1 - 3.8	1,100
<50	0.3	0.1 - 1.6	1,000
0	0.0	-	800

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	400
<50	0.6	0.2 - 1.3	3,800

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.5	0.7 - 3.5	1,400
0	0.0	-	2,700



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	1,500	41.3	38.5 - 44.1	200	6.1	4.8 - 7.8	800	21.0	18.7 - 23.4	700	18.8	16.7 - 21.1	400	11.0	9.4 - 12.9	<50	1.3	0.8 - 2.2
<b>No</b>	400	90.1	84.9 - 93.6	<50	0.6	0.2 - 1.7	<50	6.9	4.0 - 11.7	<50	2.1	0.8 - 5.6	0	0.0	-	<50	0.3	0.0 - 1.7

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	1,000	42.7	39.2 - 46.2	100	5.4	4.0 - 7.4	500	20.4	17.7 - 23.4	400	19.1	16.5 - 22.0	200	10.1	8.2 - 12.3	<50	1.7	1.0 - 3.1
<b>No</b>	900	51.5	47.3 - 55.7	100	5.5	3.8 - 7.8	300	18.5	15.4 - 22.0	300	14.5	11.8 - 17.7	200	9.0	6.8 - 11.8	<50	0.5	0.2 - 1.2

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.3 - 1.4	3,700
0	0.0	-	400

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 1.6	2,300
<50	0.5	0.1 - 1.9	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	1,700	41.8	39.3 - 44.4	200	5.8	4.7 - 7.3	800	20.1	18.1 - 22.3	800	18.8	16.9 - 20.9	500	11.3	9.8 - 13.0	100	1.6	1.1 - 2.5

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	300	38.3	33.5 - 43.5	<50	4.4	2.6 - 7.3	100	19.9	16.0 - 24.3	200	24.0	19.7 - 28.9	100	12.5	9.3 - 16.5	<50	0.7	0.2 - 2.8
<b>Honolulu</b>	1,200	41.4	38.1 - 44.9	200	6.5	5.0 - 8.5	600	19.9	17.3 - 22.9	500	18.1	15.6 - 20.8	300	11.3	9.3 - 13.5	100	2.1	1.3 - 3.3
<b>Kauai</b>	100	47.5	39.0 - 56.3	<50	3.3	1.4 - 7.6	<50	22.2	15.7 - 30.4	<50	16.5	11.2 - 23.5	<50	9.7	5.1 - 17.5	<50	0.9	0.3 - 2.9
<b>Maui</b>	200	46.3	40.6 - 52.2	<50	4.9	3.0 - 8.1	100	20.5	15.9 - 26.0	100	16.6	12.5 - 21.7	100	10.8	7.5 - 15.2	<50	0.9	0.2 - 3.8

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 1.2	4,200

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.0 - 1.4	700
<50	0.7	0.3 - 1.8	2,800
0	0.0	-	200
0	0.0	-	500

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	500	52.4	47.2 - 57.5	100	5.9	3.9 - 8.8	100	13.6	10.5 - 17.5	200	15.1	11.7 - 19.3	100	11.4	8.7 - 14.8	<50	1.0	0.4 - 2.5
Native Hawaiian	500	29.6	26.0 - 33.5	100	6.6	4.7 - 9.1	400	24.2	20.7 - 28.0	400	22.9	19.6 - 26.5	200	14.4	11.7 - 17.7	<50	2.0	1.1 - 3.7
Chinese	100	71.8	54.7 - 84.3	<50	1.0	0.2 - 5.6	<50	17.4	7.7 - 34.6	<50	8.5	4.1 - 16.9	0	0.0	-	<50	1.3	0.2 - 6.8
Filipino	300	50.6	43.4 - 57.8	<50	7.8	4.2 - 14.1	100	17.0	12.4 - 22.9	100	16.7	12.3 - 22.4	<50	7.0	4.1 - 11.8	<50	0.4	0.1 - 2.5
Japanese	200	44.3	35.9 - 52.9	<50	3.6	1.3 - 9.3	100	25.8	18.7 - 34.5	100	18.6	12.6 - 26.6	<50	7.2	3.9 - 12.9	<50	0.5	0.1 - 1.8
Other	300	43.0	36.2 - 50.1	<50	4.2	2.2 - 7.7	100	19.4	14.2 - 25.9	100	17.5	12.5 - 23.8	100	11.0	7.3 - 16.2	<50	3.6	1.5 - 8.3

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	35.2	27.7 - 43.5	<50	8.7	5.0 - 14.8	100	23.9	17.6 - 31.6	100	18.6	12.9 - 26.0	<50	10.0	6.5 - 15.2	<50	2.8	0.9 - 8.1
20-24	500	40.1	35.6 - 44.7	100	7.1	4.9 - 10.1	300	22.4	18.7 - 26.5	300	18.8	15.5 - 22.6	100	10.6	8.1 - 13.7	<50	1.1	0.5 - 2.5
25-34	800	42.2	38.5 - 45.9	100	4.7	3.3 - 6.7	400	19.3	16.4 - 22.5	400	20.4	17.5 - 23.6	200	10.9	8.8 - 13.4	<50	2.0	1.1 - 3.5
35+	200	51.6	43.9 - 59.2	<50	4.1	2.0 - 8.2	100	13.1	8.7 - 19.0	100	12.5	8.1 - 18.8	100	16.6	11.6 - 23.2	<50	0.8	0.3 - 2.5

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.1 - 4.1	1,000
<50	0.4	0.1 - 1.3	1,600
0	0.0	-	100
<50	0.4	0.1 - 2.5	500
0	0.0	-	400
<50	1.4	0.3 - 5.5	600

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.9	0.2 - 3.1	400
0	0.0	-	1,300
<50	0.6	0.2 - 1.9	1,900
<50	1.3	0.2 - 8.5	500

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	1,000	44.1	40.6 - 47.7	100	5.9	4.4 - 7.9	400	19.9	17.1 - 23.0	400	16.9	14.4 - 19.7	300	11.7	9.7 - 14.2	<50	1.4	0.7 - 2.8
<b>Female</b>	800	39.3	35.7 - 43.0	100	5.8	4.2 - 7.9	400	20.3	17.4 - 23.5	400	20.9	17.9 - 24.1	200	10.9	8.8 - 13.4	<50	1.9	1.1 - 3.2

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	900	48.8	44.9 - 52.7	100	5.1	3.7 - 7.0	300	17.4	14.7 - 20.6	300	18.6	15.7 - 22.0	200	9.2	7.3 - 11.6	<50	0.9	0.4 - 1.7
<b>No</b>	800	36.3	33.1 - 39.7	200	6.4	4.8 - 8.6	500	22.2	19.4 - 25.2	400	18.9	16.4 - 21.7	300	13.0	10.8 - 15.5	100	2.3	1.4 - 3.7

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	600	31.5	28.2 - 35.0	100	6.0	4.3 - 8.2	500	23.1	20.0 - 26.4	400	21.4	18.5 - 24.5	300	14.7	12.3 - 17.5	100	2.8	1.7 - 4.5
<b>131-185%</b>	300	43.4	36.8 - 50.2	<50	5.9	3.2 - 10.7	100	20.0	14.8 - 26.4	100	20.3	15.4 - 26.3	100	8.7	5.7 - 13.0	<50	0.3	0.1 - 2.2
<b>186+%</b>	700	57.6	52.8 - 62.1	100	5.1	3.4 - 7.6	200	15.3	12.3 - 18.9	200	13.0	10.0 - 16.8	100	8.3	6.1 - 11.1	<50	0.7	0.3 - 1.8

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.0	0.0 - 0.2	2,200
<50	1.1	0.4 - 2.5	2,000

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.0	0.0 - 0.2	1,800
<50	0.9	0.4 - 2.1	2,300

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.2 - 1.7	2,000
<50	1.4	0.3 - 5.7	600
<50	0.1	0.0 - 0.3	1,200



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	300	27.9	23.4 - 33.0	100	7.4	4.8 - 11.1	200	23.0	18.8 - 27.9	200	22.6	18.6 - 27.2	200	14.9	11.6 - 19.0	<50	3.0	1.7 - 5.2
\$10,000-\$24,999	400	38.6	33.9 - 43.4	<50	4.6	2.8 - 7.3	200	20.8	17.0 - 25.2	200	19.7	16.1 - 24.0	100	13.3	10.2 - 17.1	<50	2.5	1.1 - 5.4
\$25,000-\$49,999	500	44.5	39.3 - 49.8	100	5.8	3.7 - 9.0	200	20.9	16.8 - 25.6	200	18.7	14.8 - 23.4	100	9.3	6.8 - 12.6	<50	0.5	0.1 - 1.7
>=\$50,000	500	60.3	54.5 - 65.9	<50	5.2	3.1 - 8.7	100	13.6	10.1 - 18.1	100	11.9	8.6 - 16.1	100	8.3	5.6 - 11.9	<50	0.8	0.2 - 2.4

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	31.2	25.6 - 37.5	<50	6.1	3.5 - 10.4	100	22.9	17.4 - 29.4	100	23.0	17.6 - 29.5	100	16.6	11.8 - 22.8	<50	0.2	0.0 - 1.3
Normal birth weight	1,600	42.8	40.1 - 45.5	200	5.8	4.6 - 7.3	800	19.7	17.6 - 22.0	700	18.4	16.4 - 20.7	400	10.9	9.3 - 12.7	100	1.8	1.2 - 2.7

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	200	9.8	7.4 - 12.8	100	4.1	2.7 - 6.4	400	22.6	19.2 - 26.4	500	33.5	29.6 - 37.6	400	24.7	21.2 - 28.5	100	3.9	2.5 - 6.1
No	1,600	62.1	58.8 - 65.2	200	6.9	5.4 - 8.9	500	18.4	15.9 - 21.1	200	9.4	7.7 - 11.5	100	3.0	2.1 - 4.2	<50	0.2	0.1 - 0.8

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.2	0.4 - 3.4	1,000
<50	0.6	0.1 - 3.8	1,100
<50	0.4	0.1 - 1.6	1,000
0	0.0	-	800

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	300
<50	0.6	0.2 - 1.3	3,800

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.4	0.6 - 3.1	1,600
0	0.0	-	2,500

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	1,400	37.6	35.1 - 40.3	200	6.3	5.0 - 7.8	800	20.9	18.8 - 23.3	800	20.3	18.2 - 22.6	500	12.5	10.8 - 14.4	100	1.8	1.2 - 2.7
<b>No</b>	300	85.3	78.7 - 90.1	<50	1.7	0.5 - 5.2	<50	10.3	6.4 - 16.2	<50	2.4	0.9 - 6.5	0	0.0	-	<50	0.3	0.1 - 1.9

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	900	37.0	33.7 - 40.3	100	6.0	4.4 - 8.0	500	20.3	17.6 - 23.2	500	21.2	18.6 - 24.1	300	12.6	10.6 - 15.0	100	2.4	1.5 - 3.9
<b>No</b>	900	48.1	44.1 - 52.1	100	5.5	4.0 - 7.7	400	20.1	17.0 - 23.5	300	15.9	13.2 - 19.1	200	9.2	7.1 - 11.8	<50	0.7	0.3 - 1.5

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.2 - 1.3	3,800
0	0.0	-	400

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 1.6	2,300
<50	0.5	0.1 - 1.9	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	1,600	40.0	37.7 - 42.5	200	5.2	4.2 - 6.5	800	20.3	18.3 - 22.4	800	20.0	18.1 - 22.1	500	11.8	10.3 - 13.5	100	2.0	1.4 - 2.9

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	200	37.4	32.2 - 42.9	<50	4.2	2.4 - 7.2	100	18.7	14.7 - 23.5	200	27.0	22.3 - 32.4	100	11.7	8.5 - 15.9	<50	1.0	0.3 - 3.2
<b>Honolulu</b>	1,100	39.9	36.9 - 43.0	200	5.5	4.2 - 7.1	600	20.3	17.9 - 23.0	500	18.8	16.5 - 21.4	300	12.2	10.3 - 14.4	100	2.5	1.7 - 3.7
<b>Kauai</b>	100	45.4	36.1 - 55.0	<50	3.5	1.4 - 8.7	<50	22.2	15.3 - 31.0	<50	16.1	10.1 - 24.6	<50	10.9	5.9 - 19.1	<50	0.9	0.3 - 2.9
<b>Maui</b>	200	42.4	36.3 - 48.7	<50	5.9	3.4 - 9.9	100	21.2	16.2 - 27.3	100	18.9	14.3 - 24.6	<50	10.3	6.7 - 15.3	<50	0.9	0.2 - 3.9

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.3 - 1.2	4,100

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	700
<50	0.7	0.3 - 1.6	2,800
<50	1.1	0.2 - 6.6	200
<50	0.4	0.1 - 2.8	500

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	500	50.9	46.0 - 55.7	100	5.8	3.9 - 8.4	100	14.1	11.1 - 17.8	200	15.4	12.3 - 19.2	100	11.2	8.6 - 14.6	<50	1.8	0.9 - 3.5
Native Hawaiian	400	27.5	24.1 - 31.2	100	5.8	4.2 - 8.1	400	23.3	19.9 - 27.0	400	25.3	21.9 - 29.1	200	15.0	12.3 - 18.3	<50	2.4	1.5 - 4.1
Chinese	<50	69.2	50.3 - 83.2	<50	1.3	0.2 - 6.9	<50	15.7	5.7 - 36.5	<50	8.8	4.1 - 18.1	<50	2.3	0.7 - 7.6	<50	2.7	0.8 - 9.2
Filipino	200	45.6	39.0 - 52.4	<50	5.2	2.7 - 9.7	100	21.4	16.6 - 27.2	100	19.3	14.7 - 24.8	<50	7.2	4.3 - 11.8	<50	0.4	0.1 - 2.8
Japanese	200	46.7	39.0 - 54.6	<50	4.8	2.2 - 10.2	100	22.7	16.8 - 30.0	100	18.2	12.7 - 25.4	<50	6.8	4.0 - 11.5	<50	0.8	0.2 - 3.0
Other	200	43.0	36.5 - 49.7	<50	3.6	1.9 - 6.5	100	20.3	15.4 - 26.3	100	16.6	12.2 - 22.2	100	12.6	8.7 - 18.0	<50	3.4	1.5 - 7.7

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	34.5	27.4 - 42.2	<50	6.7	3.6 - 12.0	100	25.9	19.6 - 33.4	100	19.0	13.7 - 25.8	<50	10.5	6.8 - 16.0	<50	2.9	1.0 - 8.0
20-24	500	40.4	36.2 - 44.7	100	5.4	3.9 - 7.6	300	22.2	18.7 - 26.1	200	18.7	15.6 - 22.3	100	11.2	8.7 - 14.3	<50	1.8	0.9 - 3.4
25-34	800	39.8	36.4 - 43.4	100	4.9	3.5 - 6.9	400	19.4	16.7 - 22.4	400	22.2	19.3 - 25.3	200	11.4	9.2 - 14.0	<50	1.8	1.1 - 3.0
35+	200	46.0	38.8 - 53.4	<50	4.4	2.4 - 8.0	100	12.3	8.6 - 17.3	100	15.5	10.6 - 22.0	100	17.0	12.1 - 23.4	<50	2.8	1.2 - 6.7

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.8	0.2 - 3.7	1,000
<50	0.5	0.2 - 1.5	1,600
0	0.0	-	100
<50	0.9	0.2 - 3.2	500
0	0.0	-	400
<50	0.5	0.1 - 2.1	600

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.1 - 2.9	500
<50	0.3	0.1 - 1.2	1,300
<50	0.5	0.2 - 1.3	1,900
<50	1.9	0.4 - 8.3	400



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	900	42.3	39.0 - 45.8	100	5.4	4.0 - 7.2	400	19.3	16.7 - 22.2	400	17.9	15.5 - 20.7	300	12.5	10.4 - 15.1	<50	2.1	1.3 - 3.5
<b>Female</b>	700	37.6	34.2 - 41.1	100	5.1	3.7 - 6.9	400	21.3	18.5 - 24.4	400	22.3	19.4 - 25.4	200	11.1	9.0 - 13.4	<50	1.9	1.2 - 3.1

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	800	47.5	43.8 - 51.2	100	5.3	3.9 - 7.2	300	18.2	15.5 - 21.3	300	17.8	15.1 - 20.9	200	9.5	7.7 - 11.8	<50	1.3	0.7 - 2.4
<b>No</b>	800	34.5	31.4 - 37.7	100	5.2	3.9 - 6.9	500	21.8	19.2 - 24.7	500	21.7	19.1 - 24.5	300	13.5	11.4 - 16.1	100	2.5	1.6 - 3.9

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	600	30.3	27.2 - 33.7	100	5.3	3.9 - 7.2	500	22.9	20.0 - 26.0	500	22.7	19.9 - 25.7	300	15.2	12.8 - 18.0	100	3.1	2.0 - 4.6
<b>131-185%</b>	200	40.6	34.2 - 47.3	<50	5.2	2.9 - 9.2	100	20.9	15.5 - 27.4	100	21.2	16.3 - 27.2	100	10.0	6.6 - 15.0	<50	0.4	0.1 - 2.5
<b>186+%</b>	700	56.4	52.0 - 60.7	100	4.7	3.2 - 6.9	200	15.6	12.8 - 19.0	200	13.2	10.4 - 16.5	100	8.5	6.4 - 11.2	<50	1.3	0.6 - 2.7

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 0.9	2,100
<50	0.8	0.3 - 2.1	2,000

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 1.0	1,800
<50	0.8	0.3 - 1.8	2,300

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.2 - 1.3	2,100
<50	1.6	0.4 - 6.6	600
<50	0.2	0.1 - 1.0	1,200

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	300	25.3	21.1 - 29.9	100	6.5	4.3 - 9.7	200	22.5	18.6 - 27.0	300	25.0	20.9 - 29.6	200	15.9	12.5 - 20.1	<50	4.0	2.4 - 6.4
\$10,000-\$24,999	400	37.8	33.4 - 42.3	<50	3.9	2.5 - 6.2	200	21.6	18.0 - 25.8	200	20.3	16.8 - 24.2	100	13.5	10.5 - 17.2	<50	2.1	1.0 - 4.3
\$25,000-\$49,999	400	44.9	39.8 - 50.0	<50	5.2	3.5 - 7.7	200	20.8	16.8 - 25.5	200	17.4	13.9 - 21.6	100	10.6	7.8 - 14.3	<50	0.8	0.3 - 2.3
>=\$50,000	400	57.5	52.0 - 62.9	<50	5.0	2.9 - 8.3	100	14.2	10.9 - 18.3	100	14.1	10.5 - 18.5	100	7.9	5.5 - 11.0	<50	1.1	0.4 - 2.9

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	26.2	20.2 - 33.1	<50	5.0	2.5 - 9.5	100	23.1	17.1 - 30.4	100	24.6	18.6 - 31.9	100	19.7	14.2 - 26.8	<50	0.8	0.1 - 4.8
Normal birth weight	1,500	41.3	38.8 - 43.9	200	5.3	4.2 - 6.6	700	19.9	17.9 - 22.1	700	19.6	17.7 - 21.8	400	11.2	9.6 - 12.9	100	2.1	1.5 - 3.0

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	8.4	6.3 - 11.1	100	3.4	2.2 - 5.2	400	22.1	19.0 - 25.5	600	35.7	32.0 - 39.6	400	24.5	21.2 - 28.1	100	4.6	3.2 - 6.6
No	1,500	60.8	57.7 - 63.8	200	6.3	4.9 - 8.1	500	19.1	16.7 - 21.8	200	9.7	8.0 - 11.7	100	3.6	2.6 - 5.0	<50	0.3	0.1 - 1.0

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.9	0.3 - 2.2	1,100
<50	0.8	0.2 - 3.3	1,100
<50	0.4	0.1 - 1.8	900
<50	0.3	0.0 - 1.8	700

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.1 - 4.0	300
<50	0.6	0.3 - 1.2	3,700

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.3	0.6 - 2.8	1,600
<50	0.1	0.0 - 0.6	2,500

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	1,400	36.6	34.2 - 39.1	200	5.3	4.3 - 6.7	800	21.0	18.9 - 23.2	800	21.5	19.5 - 23.7	500	12.9	11.2 - 14.7	100	2.1	1.5 - 3.0
<b>No</b>	300	81.9	74.3 - 87.6	<50	2.7	1.0 - 7.0	<50	11.5	7.0 - 18.3	<50	2.8	1.0 - 7.4	0	0.0	-	<50	1.2	0.3 - 4.5

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	800	36.5	33.4 - 39.7	100	5.2	3.9 - 6.9	400	19.8	17.2 - 22.6	500	22.3	19.7 - 25.2	300	12.5	10.5 - 14.9	100	2.9	1.9 - 4.3
<b>No</b>	800	44.3	40.6 - 48.0	100	5.4	3.9 - 7.5	400	21.1	18.2 - 24.3	300	17.5	14.8 - 20.5	200	10.4	8.3 - 13.1	<50	1.0	0.5 - 2.0

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.3 - 1.3	3,700
0	0.0	-	300

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.8	0.3 - 1.8	2,300
<50	0.3	0.1 - 1.1	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	1,500	38.1	35.8 - 40.3	200	5.2	4.2 - 6.3	800	20.5	18.6 - 22.4	800	21.1	19.2 - 23.1	500	12.6	11.1 - 14.2	100	2.0	1.4 - 2.8

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	200	35.7	30.2 - 41.5	<50	4.6	2.6 - 7.9	100	19.0	14.7 - 24.2	200	28.9	23.7 - 34.6	100	10.5	7.3 - 14.9	<50	1.3	0.5 - 3.6
<b>Honolulu</b>	1,000	38.1	35.4 - 40.8	100	5.3	4.2 - 6.7	500	20.1	17.9 - 22.5	500	20.1	17.9 - 22.4	400	13.3	11.5 - 15.4	100	2.5	1.8 - 3.7
<b>Kauai</b>	100	47.2	36.7 - 57.8	<50	2.4	0.6 - 8.8	<50	21.7	14.2 - 31.6	<50	15.8	9.4 - 25.4	<50	11.8	6.4 - 20.8	0	0.0	-
<b>Maui</b>	200	37.5	31.1 - 44.3	<50	6.6	3.9 - 10.9	100	24.1	18.5 - 30.7	100	18.7	13.8 - 24.9	100	11.5	7.7 - 17.0	<50	0.7	0.1 - 4.5

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.3 - 1.0	3,900

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	600
<50	0.6	0.3 - 1.3	2,700
<50	1.1	0.2 - 7.0	200
<50	0.9	0.2 - 3.2	400



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	44.7	40.1 - 49.4	100	6.2	4.3 - 8.9	100	15.0	12.0 - 18.7	200	17.7	14.5 - 21.6	100	14.1	11.2 - 17.7	<50	2.0	1.0 - 3.8
Native Hawaiian	400	28.5	25.1 - 32.2	100	5.4	3.8 - 7.6	300	22.0	18.9 - 25.6	400	26.5	23.1 - 30.2	200	14.3	11.7 - 17.4	<50	2.6	1.5 - 4.3
Chinese	<50	48.2	36.6 - 60.1	<50	3.6	1.1 - 11.2	<50	18.6	11.1 - 29.5	<50	20.9	12.6 - 32.7	<50	6.6	2.9 - 14.4	<50	2.0	0.4 - 9.8
Filipino	200	42.4	36.6 - 48.4	<50	4.5	2.6 - 7.8	100	25.2	20.4 - 30.7	100	19.6	15.3 - 24.8	<50	6.2	3.8 - 9.8	<50	0.4	0.1 - 2.7
Japanese	200	49.8	42.7 - 57.0	<50	3.8	1.9 - 7.6	100	20.7	15.4 - 27.4	100	16.0	11.3 - 22.2	<50	8.6	5.3 - 13.6	<50	1.0	0.3 - 3.6
Other	200	39.4	33.6 - 45.5	<50	4.5	2.6 - 7.8	100	21.1	16.5 - 26.5	100	17.3	13.1 - 22.7	100	14.4	10.6 - 19.4	<50	2.7	1.3 - 5.8

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	100	30.9	24.7 - 38.0	<50	6.2	3.4 - 10.9	100	26.9	21.0 - 33.9	100	22.8	17.2 - 29.4	<50	10.7	6.9 - 16.3	<50	1.6	0.5 - 4.5
20-24	500	38.4	34.5 - 42.4	100	5.1	3.6 - 7.3	300	21.7	18.5 - 25.2	300	21.4	18.3 - 25.0	100	11.0	8.7 - 13.9	<50	1.9	1.0 - 3.5
25-34	700	38.6	35.4 - 42.0	100	5.1	3.8 - 6.9	300	19.2	16.6 - 22.1	400	21.9	19.1 - 24.9	200	12.5	10.3 - 15.0	<50	2.1	1.3 - 3.4
35+	200	42.3	35.6 - 49.3	<50	4.4	2.4 - 8.2	100	14.9	10.7 - 20.3	100	15.0	10.7 - 20.7	100	20.2	15.0 - 26.5	<50	2.7	1.0 - 6.8

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.0 - 1.4	900
<50	0.7	0.3 - 1.8	1,500
0	0.0	-	<50
<50	1.6	0.6 - 4.0	500
0	0.0	-	400
<50	0.5	0.1 - 2.1	600

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.9	0.2 - 3.2	400
<50	0.5	0.2 - 1.4	1,300
<50	0.6	0.2 - 1.5	1,700
<50	0.5	0.1 - 3.2	400

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	800	39.1	36.0 - 42.2	100	5.6	4.3 - 7.2	400	20.9	18.4 - 23.7	400	18.6	16.2 - 21.3	300	13.2	11.2 - 15.6	<50	2.0	1.3 - 3.2
<b>Female</b>	700	37.0	33.8 - 40.2	100	4.8	3.5 - 6.5	400	19.9	17.3 - 22.8	400	23.8	21.0 - 26.9	200	11.9	9.8 - 14.3	<50	2.0	1.2 - 3.3

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	800	43.6	40.3 - 47.0	100	5.4	4.0 - 7.1	300	18.9	16.4 - 21.7	300	18.7	16.2 - 21.6	200	11.6	9.6 - 13.9	<50	1.5	0.9 - 2.6
<b>No</b>	700	33.5	30.5 - 36.5	100	5.0	3.8 - 6.6	500	21.7	19.2 - 24.5	500	23.1	20.4 - 25.9	300	13.4	11.3 - 15.8	100	2.4	1.6 - 3.8

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	600	30.1	27.1 - 33.2	100	4.7	3.5 - 6.4	400	22.5	19.8 - 25.4	500	24.0	21.2 - 27.0	300	15.2	12.9 - 17.8	100	2.7	1.8 - 4.1
<b>131-185%</b>	200	40.2	34.1 - 46.6	<50	4.5	2.4 - 8.1	100	19.0	14.4 - 24.6	100	22.9	18.0 - 28.8	100	12.1	8.4 - 16.9	<50	0.8	0.2 - 2.9
<b>186+%</b>	600	51.2	47.0 - 55.3	100	5.7	4.0 - 7.9	200	17.5	14.6 - 20.9	200	14.0	11.3 - 17.2	100	9.7	7.5 - 12.5	<50	1.7	0.9 - 3.1

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.2 - 1.2	2,100
<50	0.6	0.3 - 1.5	1,900

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 1.0	1,800
<50	0.8	0.4 - 1.6	2,100

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.9	0.4 - 1.7	2,000
<50	0.6	0.1 - 3.6	500
<50	0.2	0.1 - 1.0	1,100

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	300	25.8	21.8 - 30.2	<50	4.5	2.9 - 7.0	200	22.3	18.5 - 26.6	300	26.6	22.6 - 31.1	200	15.2	12.0 - 19.1	<50	4.1	2.5 - 6.7
\$10,000-\$24,999	400	36.1	32.1 - 40.4	100	4.9	3.3 - 7.2	200	21.8	18.3 - 25.6	200	21.2	17.8 - 25.0	200	14.1	11.3 - 17.5	<50	1.7	0.9 - 3.4
\$25,000-\$49,999	400	44.4	39.7 - 49.3	100	5.7	3.9 - 8.4	200	19.0	15.4 - 23.1	200	17.8	14.3 - 21.8	100	11.9	9.1 - 15.5	<50	0.8	0.3 - 2.3
>=\$50,000	300	51.5	46.1 - 56.9	<50	5.1	3.1 - 8.1	100	16.8	13.1 - 21.2	100	15.7	12.0 - 20.2	100	9.2	6.6 - 12.7	<50	1.4	0.6 - 3.4

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	21.6	15.4 - 29.5	<50	4.4	2.0 - 9.6	100	24.6	18.0 - 32.8	100	27.1	20.3 - 35.3	100	20.1	14.0 - 27.9	<50	1.4	0.4 - 5.3
Normal birth weight	1,400	39.4	37.1 - 41.8	200	5.2	4.3 - 6.5	700	20.1	18.2 - 22.1	700	20.6	18.7 - 22.7	400	12.0	10.5 - 13.7	100	2.1	1.4 - 2.9

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	6.8	5.2 - 9.0	100	3.6	2.5 - 5.3	300	22.3	19.3 - 25.6	500	35.6	32.0 - 39.3	400	25.7	22.6 - 29.2	100	4.6	3.2 - 6.5
No	1,400	58.7	55.7 - 61.6	100	6.1	4.8 - 7.7	500	19.2	16.9 - 21.7	300	11.5	9.7 - 13.6	100	4.1	3.0 - 5.4	<50	0.4	0.1 - 1.1

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.5	0.7 - 3.0	1,000
<50	0.2	0.0 - 1.4	1,100
<50	0.4	0.1 - 1.9	900
<50	0.3	0.0 - 2.0	700

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.7	0.1 - 4.3	300
<50	0.6	0.3 - 1.1	3,600

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.4	0.7 - 2.5	1,500
<50	0.1	0.0 - 0.6	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	1,300	35.7	33.4 - 38.0	200	5.2	4.2 - 6.4	800	20.8	18.9 - 22.9	800	22.2	20.2 - 24.3	500	13.4	11.9 - 15.2	100	2.1	1.5 - 3.0
<b>No</b>	200	77.9	68.8 - 84.9	<50	3.9	1.5 - 9.7	<50	13.3	8.0 - 21.3	<50	3.9	1.3 - 10.8	0	0.0	-	<50	1.0	0.2 - 6.5

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	800	35.1	32.1 - 38.2	100	5.1	3.8 - 6.7	400	19.9	17.4 - 22.6	500	23.0	20.4 - 25.8	300	13.6	11.5 - 15.9	100	2.6	1.7 - 3.9
<b>No</b>	700	41.5	38.1 - 44.9	100	5.4	4.0 - 7.2	400	21.3	18.6 - 24.4	300	19.2	16.6 - 22.2	200	10.8	8.8 - 13.2	<50	1.4	0.8 - 2.5

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.4 - 1.1	3,700
0	0.0	-	200

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.8	0.4 - 1.6	2,200
<50	0.3	0.1 - 1.1	1,700



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	1,500	38.0	35.7 - 40.2	200	4.8	3.9 - 5.9	800	20.0	18.2 - 21.9	900	22.0	20.1 - 24.0	500	12.8	11.3 - 14.4	100	2.0	1.4 - 2.8

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	200	34.7	29.6 - 40.0	<50	5.1	3.2 - 8.2	100	17.8	14.0 - 22.5	200	30.6	25.7 - 35.9	100	10.5	7.6 - 14.3	<50	1.3	0.5 - 3.6
<b>Honolulu</b>	1,000	38.2	35.4 - 41.0	100	4.5	3.5 - 5.8	500	20.2	17.9 - 22.6	600	20.5	18.3 - 23.0	400	13.7	11.8 - 15.9	100	2.5	1.7 - 3.6
<b>Kauai</b>	100	47.6	38.1 - 57.4	<50	2.6	0.8 - 8.2	<50	16.4	10.3 - 25.2	<50	21.9	14.9 - 30.8	<50	10.4	5.9 - 17.7	0	0.0	-
<b>Maui</b>	200	37.0	31.0 - 43.4	<50	7.5	4.7 - 11.7	100	23.5	18.2 - 29.8	100	18.9	14.4 - 24.5	<50	11.2	7.6 - 16.2	<50	1.1	0.3 - 4.2

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 0.9	4,000

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	600
<50	0.4	0.2 - 1.0	2,700
<50	1.1	0.2 - 6.5	200
<50	0.9	0.2 - 3.2	400

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	44.7	39.9 - 49.6	100	5.7	3.8 - 8.3	100	15.1	11.9 - 18.9	200	19.4	15.8 - 23.5	100	12.8	9.9 - 16.3	<50	2.2	1.1 - 4.3
Native Hawaiian	500	30.0	26.7 - 33.4	100	5.0	3.6 - 7.0	300	22.1	19.1 - 25.3	400	25.5	22.4 - 28.8	200	14.2	11.9 - 17.0	<50	2.7	1.6 - 4.4
Chinese	<50	45.8	28.3 - 64.5	<50	3.8	1.1 - 12.1	<50	14.2	7.3 - 25.6	<50	14.6	7.3 - 27.2	<50	19.6	6.1 - 47.7	<50	2.1	0.4 - 10.5
Filipino	200	40.1	34.1 - 46.3	<50	4.6	2.7 - 7.7	100	25.7	20.6 - 31.6	100	20.3	15.9 - 25.7	<50	7.9	4.9 - 12.6	<50	0.3	0.0 - 1.6
Japanese	200	52.8	45.5 - 60.0	<50	3.5	1.7 - 7.1	100	16.7	11.9 - 23.1	100	18.5	13.4 - 25.0	<50	7.5	4.5 - 12.4	<50	0.9	0.2 - 3.3
Other	200	33.5	27.6 - 40.0	<50	4.1	2.2 - 7.3	100	19.9	15.2 - 25.5	100	21.8	16.6 - 28.2	100	17.5	12.8 - 23.5	<50	2.6	1.1 - 6.0

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	100	29.9	24.0 - 36.5	<50	5.5	3.1 - 9.8	100	26.8	21.0 - 33.5	100	26.6	20.9 - 33.2	<50	10.3	6.8 - 15.4	<50	0.5	0.1 - 3.2
20-24	500	37.9	34.2 - 41.8	100	5.3	3.8 - 7.4	300	22.4	19.3 - 26.0	300	20.4	17.4 - 23.8	200	11.5	9.3 - 14.2	<50	1.9	1.0 - 3.5
25-34	700	39.2	35.9 - 42.7	100	4.6	3.4 - 6.2	300	17.2	14.7 - 19.9	400	23.0	20.2 - 26.1	200	13.1	10.9 - 15.8	<50	2.4	1.5 - 3.8
35+	200	42.2	35.2 - 49.5	<50	3.3	1.6 - 6.8	100	15.6	11.1 - 21.5	100	17.6	12.9 - 23.5	100	18.2	13.1 - 24.6	<50	2.6	1.0 - 6.7

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.0 - 1.4	1,000
<50	0.5	0.2 - 1.4	1,500
0	0.0	-	<50
<50	1.1	0.4 - 3.1	500
0	0.0	-	400
<50	0.5	0.1 - 2.3	500

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.4	0.1 - 2.3	500
<50	0.5	0.2 - 1.4	1,400
<50	0.4	0.2 - 1.2	1,800
<50	0.5	0.1 - 3.3	400

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	800	38.7	35.6 - 41.9	100	5.3	4.1 - 6.9	400	20.8	18.3 - 23.5	400	20.0	17.6 - 22.7	300	12.5	10.5 - 14.8	<50	2.2	1.4 - 3.4
<b>Female</b>	700	37.1	34.0 - 40.4	100	4.3	3.2 - 5.8	400	19.1	16.6 - 21.9	500	24.1	21.4 - 27.2	300	13.1	10.9 - 15.6	<50	1.9	1.1 - 3.1

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	800	44.5	41.1 - 47.9	100	4.9	3.6 - 6.5	300	18.6	16.0 - 21.4	300	19.0	16.4 - 21.9	200	11.2	9.3 - 13.6	<50	1.6	0.9 - 2.8
<b>No</b>	700	32.4	29.5 - 35.4	100	4.8	3.6 - 6.3	500	21.2	18.7 - 23.9	500	24.6	22.0 - 27.4	300	14.0	11.9 - 16.5	100	2.4	1.6 - 3.7

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	600	30.3	27.4 - 33.3	100	4.7	3.5 - 6.2	400	21.4	18.9 - 24.2	500	24.7	22.0 - 27.6	300	15.5	13.2 - 18.0	100	2.7	1.7 - 4.1
<b>131-185%</b>	200	42.5	36.1 - 49.0	<50	5.1	2.8 - 9.1	100	17.8	13.4 - 23.3	100	22.0	17.0 - 27.9	100	11.9	8.2 - 16.9	<50	0.8	0.2 - 2.9
<b>186+%</b>	500	51.0	46.6 - 55.3	100	5.4	3.8 - 7.6	200	17.8	14.7 - 21.4	200	15.1	12.1 - 18.6	100	8.7	6.6 - 11.5	<50	1.8	0.9 - 3.3

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 1.2	2,100
<50	0.3	0.1 - 1.0	1,900

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 0.9	1,800
<50	0.6	0.3 - 1.3	2,200

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.7	0.4 - 1.5	2,100
0	0.0	-	500
<50	0.3	0.1 - 1.1	1,100

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	23.8	17.2 - 31.9	<50	3.4	1.4 - 7.8	100	24.2	17.6 - 32.2	100	28.4	21.5 - 36.5	100	18.1	12.5 - 25.5	<50	1.5	0.4 - 5.4
Normal birth weight	1,400	39.1	36.8 - 41.5	200	4.9	4.0 - 6.1	700	19.6	17.7 - 21.6	800	21.5	19.6 - 23.6	500	12.3	10.8 - 14.0	100	2.1	1.5 - 2.9

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	7.3	5.5 - 9.7	100	3.4	2.3 - 5.0	300	21.3	18.3 - 24.5	600	37.1	33.5 - 40.8	400	25.3	22.1 - 28.7	100	4.7	3.3 - 6.7
No	1,400	57.9	54.9 - 60.8	100	5.7	4.5 - 7.2	500	19.0	16.8 - 21.5	300	12.1	10.2 - 14.2	100	4.8	3.7 - 6.3	<50	0.3	0.1 - 1.0

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,300	35.0	32.7 - 37.3	200	4.6	3.7 - 5.7	800	20.5	18.6 - 22.5	900	23.4	21.4 - 25.5	500	13.9	12.3 - 15.7	100	2.1	1.5 - 3.0
No	200	84.9	77.2 - 90.3	<50	3.8	1.6 - 8.8	<50	9.3	5.2 - 16.2	<50	1.1	0.2 - 6.8	0	0.0	-	<50	0.9	0.1 - 5.7

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.7	0.1 - 4.4	300
<50	0.4	0.2 - 0.9	3,700

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	1.0	0.5 - 2.0	1,500
<50	0.1	0.0 - 0.6	2,400

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.3 - 0.9	3,700
0	0.0	-	300



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	700	33.9	31.1 - 36.9	100	4.6	3.4 - 6.0	400	20.4	17.9 - 23.0	500	23.8	21.2 - 26.5	300	13.9	11.8 - 16.2	100	2.8	1.9 - 4.2
<b>No</b>	800	42.7	39.3 - 46.3	100	5.2	3.9 - 6.9	300	19.5	16.9 - 22.4	400	20.2	17.5 - 23.2	200	11.1	9.1 - 13.6	<50	1.1	0.6 - 2.1

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.7	0.3 - 1.4	2,200
<50	0.2	0.0 - 0.7	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	1,500	38.9	36.7 - 41.3	200	4.5	3.7 - 5.6	700	18.6	16.8 - 20.4	900	22.3	20.4 - 24.3	500	13.4	11.9 - 15.1	100	1.8	1.2 - 2.6

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	200	35.5	30.8 - 40.5	<50	4.2	2.6 - 6.8	100	16.7	13.2 - 20.8	200	30.5	26.0 - 35.3	100	11.8	9.1 - 15.3	<50	1.3	0.5 - 3.6
<b>Honolulu</b>	1,100	39.9	37.0 - 42.9	100	4.3	3.3 - 5.7	500	18.4	16.2 - 20.7	600	20.7	18.4 - 23.3	400	14.1	12.1 - 16.4	100	2.1	1.4 - 3.1
<b>Kauai</b>	100	46.0	37.0 - 55.4	<50	3.0	1.2 - 7.0	<50	14.1	8.7 - 22.1	<50	22.4	15.8 - 30.8	<50	13.0	8.1 - 20.3	<50	0.4	0.1 - 1.9
<b>Maui</b>	100	34.5	28.9 - 40.5	<50	7.1	4.5 - 11.0	100	24.8	19.6 - 30.8	100	20.3	15.9 - 25.7	<50	11.3	7.9 - 16.0	<50	1.1	0.3 - 4.4

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 0.9	4,000

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	600
<50	0.5	0.2 - 1.1	2,700
<50	1.1	0.2 - 6.8	200
<50	0.9	0.2 - 3.4	400

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	46.3	41.2 - 51.5	100	6.6	4.5 - 9.7	100	13.2	10.1 - 16.9	200	18.9	15.2 - 23.4	100	12.7	9.7 - 16.6	<50	2.0	1.0 - 4.2
Native Hawaiian	500	31.3	28.2 - 34.4	100	4.6	3.4 - 6.3	300	20.6	18.0 - 23.5	400	26.0	23.1 - 29.0	200	14.9	12.6 - 17.4	<50	2.3	1.4 - 3.8
Chinese	<50	40.9	21.5 - 63.6	<50	4.3	1.2 - 13.8	<50	23.7	8.8 - 49.9	<50	6.9	2.9 - 15.3	<50	22.0	6.7 - 52.3	<50	2.3	0.4 - 11.9
Filipino	200	43.6	37.2 - 50.2	<50	2.9	1.5 - 5.4	100	24.9	19.7 - 30.9	100	17.6	13.3 - 22.8	100	9.7	6.2 - 14.8	<50	0.3	0.0 - 1.6
Japanese	200	54.0	46.4 - 61.4	<50	2.4	1.0 - 5.6	100	14.7	10.0 - 21.0	100	19.7	14.4 - 26.4	<50	8.3	5.1 - 13.3	<50	0.9	0.2 - 3.3
Other	200	30.2	24.2 - 37.0	<50	3.9	1.9 - 7.6	100	18.5	13.6 - 24.7	100	25.8	19.8 - 33.0	100	18.3	13.1 - 24.9	<50	2.1	0.8 - 5.4

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	33.6	27.5 - 40.3	<50	4.8	2.6 - 8.6	100	22.4	17.4 - 28.5	100	27.5	21.9 - 34.1	100	10.7	7.3 - 15.5	<50	0.5	0.1 - 3.2
20-24	500	38.1	34.3 - 42.0	100	4.4	3.0 - 6.3	300	21.7	18.7 - 25.2	300	21.0	18.0 - 24.5	200	12.6	10.2 - 15.5	<50	1.6	0.8 - 3.1
25-34	700	40.9	37.4 - 44.5	100	5.0	3.6 - 6.7	300	16.1	13.6 - 18.8	400	22.2	19.4 - 25.3	200	13.4	11.1 - 16.1	<50	2.0	1.2 - 3.3
35+	200	39.4	32.4 - 47.0	<50	2.5	1.2 - 5.5	100	13.8	9.5 - 19.6	100	21.0	15.6 - 27.8	100	19.6	14.4 - 26.1	<50	3.0	1.2 - 7.2

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.0 - 1.4	900
<50	0.3	0.1 - 1.1	1,500
0	0.0	-	<50
<50	1.1	0.4 - 3.1	500
0	0.0	-	400
<50	1.2	0.3 - 4.8	500

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.4	0.1 - 2.3	500
<50	0.5	0.2 - 1.4	1,400
<50	0.5	0.1 - 1.5	1,800
<50	0.5	0.1 - 3.4	400

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	800	39.0	35.8 - 42.2	100	4.9	3.7 - 6.5	400	19.7	17.3 - 22.4	400	21.0	18.4 - 23.8	300	12.8	10.8 - 15.1	<50	2.1	1.3 - 3.4
<b>Female</b>	800	38.9	35.6 - 42.2	100	4.1	3.0 - 5.6	300	17.3	14.9 - 20.0	500	23.7	21.0 - 26.7	300	14.1	11.8 - 16.7	<50	1.4	0.8 - 2.5

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	800	45.0	41.5 - 48.5	100	4.9	3.7 - 6.7	300	17.2	14.7 - 20.0	400	19.2	16.5 - 22.3	200	11.9	9.8 - 14.2	<50	1.5	0.9 - 2.6
<b>No</b>	700	33.5	30.6 - 36.6	100	4.1	3.1 - 5.6	400	19.8	17.4 - 22.4	500	25.1	22.5 - 27.9	300	14.8	12.6 - 17.3	<50	2.0	1.3 - 3.2

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	700	32.8	29.8 - 35.9	100	4.2	3.1 - 5.6	400	18.8	16.4 - 21.4	500	25.0	22.4 - 27.8	300	16.5	14.2 - 19.1	<50	2.1	1.3 - 3.4
<b>131-185%</b>	200	42.3	36.0 - 48.9	<50	6.1	3.5 - 10.4	100	18.2	13.9 - 23.6	100	22.8	17.5 - 29.1	100	10.1	6.9 - 14.5	<50	0.5	0.1 - 2.0
<b>186+%</b>	500	51.9	47.2 - 56.6	<50	4.7	3.2 - 6.9	200	17.2	14.0 - 21.0	100	14.4	11.3 - 18.2	100	9.6	7.2 - 12.7	<50	2.0	1.1 - 3.7

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 1.2	2,000
<50	0.4	0.1 - 1.3	1,900

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.1 - 0.9	1,900
<50	0.7	0.3 - 1.5	2,100

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.3 - 1.3	2,100
0	0.0	-	600
<50	0.2	0.0 - 1.4	1,000



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	28.4	21.0 - 37.2	<50	3.9	1.7 - 8.6	100	18.3	12.6 - 25.7	100	29.4	21.9 - 38.2	<50	17.3	11.9 - 24.4	<50	2.0	0.7 - 6.0
Normal birth weight	1,500	39.8	37.4 - 42.2	200	4.6	3.7 - 5.7	700	18.6	16.8 - 20.5	800	21.8	19.9 - 23.9	500	13.0	11.4 - 14.7	100	1.8	1.2 - 2.6

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	8.1	6.1 - 10.7	100	3.4	2.2 - 5.1	300	18.2	15.5 - 21.2	600	37.1	33.5 - 40.8	400	28.0	24.7 - 31.7	100	4.4	3.0 - 6.3
No	1,400	58.3	55.3 - 61.2	100	5.2	4.0 - 6.6	500	18.8	16.6 - 21.3	300	12.9	11.0 - 15.1	100	4.5	3.4 - 5.9	<50	0.2	0.1 - 0.9

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,300	35.7	33.4 - 38.1	100	4.2	3.3 - 5.2	700	19.3	17.4 - 21.3	800	23.7	21.6 - 25.8	500	14.8	13.1 - 16.6	100	1.9	1.3 - 2.7
No	200	81.3	73.2 - 87.4	<50	5.1	2.2 - 11.2	<50	7.8	4.2 - 14.2	<50	4.4	1.9 - 9.9	<50	0.5	0.1 - 2.8	<50	0.9	0.1 - 5.5

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.7	0.1 - 4.7	300
<50	0.4	0.2 - 0.9	3,700

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.8	0.4 - 1.8	1,500
<50	0.1	0.0 - 0.6	2,400

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.3 - 1.0	3,600
0	0.0	-	300

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	800	35.0	32.1 - 38.1	100	4.0	3.0 - 5.3	400	19.2	16.9 - 21.7	500	24.0	21.4 - 26.7	300	15.0	12.8 - 17.4	100	2.3	1.5 - 3.6
<b>No</b>	700	43.5	39.9 - 47.1	100	5.2	3.8 - 7.0	300	18.0	15.4 - 20.9	400	20.5	17.7 - 23.5	200	11.4	9.3 - 13.9	<50	1.2	0.6 - 2.1

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.3 - 1.2	2,200
<50	0.3	0.1 - 1.4	1,700

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	1,500	38.7	36.5 - 41.0	200	4.4	3.6 - 5.4	700	18.1	16.5 - 19.9	900	23.4	21.5 - 25.4	500	13.3	11.8 - 14.9	100	1.6	1.1 - 2.3

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	200	34.8	30.5 - 39.3	<50	3.4	2.1 - 5.5	100	18.9	15.5 - 22.8	200	30.2	26.2 - 34.5	100	11.6	9.3 - 14.4	<50	1.2	0.5 - 2.7
<b>Honolulu</b>	1,100	40.0	37.2 - 43.0	100	4.2	3.2 - 5.5	500	17.7	15.6 - 20.0	600	21.7	19.4 - 24.3	400	14.0	12.1 - 16.2	100	1.9	1.2 - 2.8
<b>Kauai</b>	100	39.8	32.0 - 48.3	<50	4.4	2.2 - 8.7	<50	12.4	7.9 - 19.0	100	29.6	22.8 - 37.5	<50	12.0	7.8 - 17.9	<50	0.7	0.2 - 2.3
<b>Maui</b>	100	35.2	30.0 - 40.7	<50	7.3	4.7 - 11.1	100	22.4	17.9 - 27.6	100	21.3	17.2 - 26.2	<50	11.8	8.5 - 16.0	<50	1.1	0.5 - 2.5

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 0.9	3,900

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	600
<50	0.5	0.2 - 1.1	2,700
<50	1.1	0.2 - 6.7	200
<50	0.9	0.3 - 3.4	400

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	46.1	40.9 - 51.3	100	6.8	4.6 - 10.0	100	12.1	9.2 - 15.8	200	19.3	15.4 - 23.8	100	13.9	10.7 - 17.8	<50	1.6	0.6 - 3.7
Native Hawaiian	500	32.1	29.3 - 34.9	100	4.2	3.2 - 5.5	300	20.1	17.8 - 22.7	400	27.4	24.8 - 30.1	200	13.9	12.0 - 15.9	<50	2.1	1.4 - 3.2
Chinese	<50	43.2	23.7 - 65.1	<50	3.8	1.0 - 13.7	<50	22.7	8.2 - 49.1	<50	5.1	2.2 - 11.5	<50	23.4	8.7 - 49.4	<50	1.7	0.3 - 9.0
Filipino	200	41.6	35.4 - 48.0	<50	2.5	1.2 - 5.1	100	23.6	18.8 - 29.3	100	19.8	15.4 - 25.1	100	11.2	7.6 - 16.3	<50	0.3	0.0 - 1.5
Japanese	200	53.3	45.5 - 61.0	<50	3.6	1.7 - 7.5	100	15.5	10.6 - 22.0	100	19.4	14.0 - 26.2	<50	7.3	4.3 - 12.3	<50	0.9	0.2 - 3.5
Other	100	29.7	23.5 - 36.7	<50	3.7	1.8 - 7.4	100	18.0	13.1 - 24.2	100	27.8	21.5 - 35.3	100	17.2	12.0 - 24.0	<50	2.3	0.9 - 6.0

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	33.8	28.1 - 40.0	<50	3.5	1.9 - 6.3	100	23.2	18.5 - 28.7	100	27.1	21.9 - 33.0	100	10.9	7.8 - 15.2	<50	1.1	0.4 - 2.9
20-24	500	38.8	35.2 - 42.5	<50	3.0	2.1 - 4.3	300	21.0	18.1 - 24.1	300	23.8	20.7 - 27.1	200	11.9	9.7 - 14.5	<50	1.1	0.6 - 2.2
25-34	700	40.9	37.4 - 44.5	100	6.1	4.6 - 8.1	300	15.2	12.9 - 17.8	400	21.6	18.9 - 24.7	200	14.0	11.7 - 16.8	<50	1.6	1.0 - 2.7
35+	100	34.7	27.7 - 42.3	<50	3.3	1.7 - 6.4	<50	13.6	9.3 - 19.5	100	25.1	19.2 - 32.1	100	18.5	13.5 - 25.0	<50	4.3	1.9 - 9.4

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.0 - 1.5	900
<50	0.3	0.1 - 1.2	1,500
0	0.0	-	<50
<50	1.0	0.4 - 2.9	600
0	0.0	-	400
<50	1.2	0.3 - 5.0	500

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.4	0.1 - 2.3	500
<50	0.5	0.2 - 1.3	1,400
<50	0.5	0.2 - 1.6	1,700
<50	0.6	0.1 - 3.6	400



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	800	37.4	34.4 - 40.5	100	4.9	3.7 - 6.4	400	19.7	17.4 - 22.3	500	23.1	20.5 - 25.8	300	12.4	10.6 - 14.6	<50	1.9	1.2 - 3.0
<b>Female</b>	800	40.1	36.9 - 43.4	100	3.8	2.8 - 5.2	300	16.4	14.1 - 18.9	400	23.8	21.1 - 26.6	300	14.2	12.0 - 16.8	<50	1.3	0.8 - 2.2

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	800	43.6	40.2 - 47.1	100	5.2	3.9 - 7.0	300	17.0	14.6 - 19.7	400	20.5	17.8 - 23.5	200	12.1	10.1 - 14.4	<50	1.3	0.7 - 2.3
<b>No</b>	700	34.2	31.4 - 37.2	100	3.6	2.8 - 4.8	400	19.1	16.9 - 21.5	500	26.1	23.6 - 28.7	300	14.4	12.3 - 16.7	<50	1.9	1.2 - 2.9

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	700	33.4	30.6 - 36.4	100	4.0	3.0 - 5.1	400	18.1	15.9 - 20.5	500	26.1	23.6 - 28.8	300	15.9	13.8 - 18.4	<50	1.9	1.2 - 2.9
<b>131-185%</b>	200	39.5	33.6 - 45.7	<50	6.6	4.0 - 10.7	100	17.8	13.8 - 22.8	100	24.2	19.1 - 30.1	100	11.4	8.2 - 15.7	<50	0.5	0.1 - 2.0
<b>186+%</b>	500	53.9	49.0 - 58.7	<50	4.6	3.0 - 6.9	200	17.4	14.1 - 21.4	100	13.8	10.7 - 17.7	100	8.6	6.2 - 11.6	<50	1.5	0.7 - 3.0

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.2 - 1.2	2,000
<50	0.4	0.1 - 1.3	1,900

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.1 - 0.9	1,900
<50	0.7	0.3 - 1.5	2,000

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.3 - 1.3	2,100
0	0.0	-	600
<50	0.2	0.0 - 1.5	900

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	33.0	25.4 - 41.6	<50	2.7	1.4 - 5.2	<50	16.7	11.7 - 23.2	100	28.1	21.0 - 36.6	<50	16.1	11.3 - 22.5	<50	2.7	1.1 - 6.4
Normal birth weight	1,400	39.2	36.9 - 41.6	200	4.5	3.7 - 5.6	700	18.2	16.5 - 20.1	800	23.1	21.2 - 25.1	500	12.9	11.4 - 14.6	100	1.5	1.1 - 2.2

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	7.8	5.9 - 10.3	<50	3.1	2.1 - 4.7	300	18.0	15.5 - 20.9	600	39.2	35.7 - 42.9	400	26.9	23.8 - 30.3	100	4.0	2.8 - 5.7
No	1,400	58.1	55.2 - 60.9	100	5.1	4.0 - 6.5	400	18.1	16.0 - 20.4	300	13.3	11.4 - 15.5	100	5.1	3.9 - 6.5	<50	0.2	0.1 - 0.8

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	35.4	33.2 - 37.8	100	3.9	3.1 - 4.9	700	18.8	17.0 - 20.7	900	24.8	22.8 - 27.0	500	14.8	13.2 - 16.6	100	1.7	1.2 - 2.4
No	200	79.7	71.5 - 86.0	<50	6.5	3.0 - 13.6	<50	6.9	3.8 - 12.4	<50	5.4	2.6 - 11.0	<50	0.5	0.1 - 2.9	<50	0.9	0.1 - 5.8

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.8	0.1 - 4.8	300
<50	0.5	0.2 - 0.9	3,600

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.8	0.4 - 1.8	1,500
<50	0.1	0.0 - 0.6	2,400

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.5	0.3 - 1.1	3,500
0	0.0	-	300

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	800	34.8	32.0 - 37.7	100	3.9	2.9 - 5.1	400	18.9	16.7 - 21.3	500	25.0	22.5 - 27.6	300	15.1	13.0 - 17.3	<50	1.9	1.2 - 2.9
<b>No</b>	700	43.3	39.8 - 46.8	100	5.0	3.7 - 6.8	300	17.3	14.9 - 20.1	400	21.6	18.8 - 24.6	200	11.2	9.1 - 13.6	<50	1.3	0.7 - 2.3

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.6	0.3 - 1.2	2,200
<50	0.4	0.1 - 1.4	1,700

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	1,500	38.8	36.6 - 41.0	200	4.4	3.6 - 5.3	700	17.7	16.1 - 19.4	900	23.0	21.2 - 24.9	600	14.6	13.1 - 16.3	<50	1.2	0.9 - 1.7

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	200	33.7	29.9 - 37.6	<50	3.6	2.2 - 5.6	100	18.3	15.3 - 21.8	200	28.2	24.7 - 32.0	100	15.1	12.6 - 18.0	<50	1.1	0.5 - 2.4
<b>Honolulu</b>	1,100	40.1	37.3 - 43.1	100	4.3	3.3 - 5.6	500	17.5	15.4 - 19.8	600	21.6	19.2 - 24.1	400	15.1	13.1 - 17.4	<50	1.1	0.7 - 1.8
<b>Kauai</b>	100	39.8	32.8 - 47.3	<50	4.0	2.2 - 7.3	<50	12.4	8.3 - 18.1	100	30.7	24.6 - 37.6	<50	11.6	7.8 - 16.9	<50	1.4	0.5 - 4.1
<b>Maui</b>	200	37.5	32.7 - 42.6	<50	5.9	3.9 - 8.7	100	20.9	16.9 - 25.6	100	20.7	17.0 - 25.1	<50	12.2	9.3 - 15.8	<50	2.3	1.3 - 4.2

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 0.7	3,900

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	600
<50	0.3	0.1 - 1.0	2,600
0	0.0	-	200
<50	0.4	0.1 - 2.8	400



**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	44.1	39.0 - 49.3	<50	5.7	3.7 - 8.7	100	12.7	9.8 - 16.4	200	19.7	15.9 - 24.3	100	16.7	13.2 - 20.8	<50	1.0	0.4 - 3.1
Native Hawaiian	500	33.2	30.8 - 35.7	100	4.4	3.5 - 5.6	300	19.5	17.5 - 21.7	400	26.1	23.9 - 28.4	200	14.9	13.2 - 16.8	<50	1.7	1.2 - 2.4
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	200	40.5	34.3 - 46.9	<50	3.3	1.7 - 6.6	100	22.0	17.2 - 27.8	100	20.0	15.6 - 25.4	100	13.0	9.1 - 18.1	<50	0.5	0.1 - 1.8
Japanese	200	56.5	48.5 - 64.2	<50	3.0	1.3 - 6.9	100	15.4	10.4 - 22.2	100	18.4	13.1 - 25.2	<50	6.2	3.5 - 10.9	<50	0.5	0.1 - 2.9
Other	100	29.4	23.1 - 36.7	<50	4.1	2.1 - 7.7	100	17.1	12.2 - 23.4	100	28.1	21.6 - 35.8	100	18.7	13.3 - 25.6	<50	1.7	0.6 - 4.9

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	35.8	30.6 - 41.4	<50	3.4	2.0 - 5.7	100	21.8	17.6 - 26.8	200	27.3	22.5 - 32.6	100	10.8	8.1 - 14.3	<50	0.6	0.2 - 1.3
20-24	500	37.8	34.4 - 41.4	<50	3.4	2.4 - 4.8	300	20.4	17.7 - 23.5	300	24.5	21.5 - 27.8	200	12.9	10.7 - 15.4	<50	0.8	0.5 - 1.4
25-34	600	41.3	37.7 - 44.9	100	6.0	4.5 - 7.9	200	14.9	12.6 - 17.6	300	19.8	17.2 - 22.8	300	16.0	13.5 - 18.9	<50	1.6	1.0 - 2.6
35+	100	36.6	29.7 - 44.1	<50	2.5	1.3 - 4.8	<50	12.9	8.7 - 18.8	100	24.5	18.8 - 31.4	100	21.2	15.8 - 27.8	<50	2.2	0.8 - 6.0

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	900
<50	0.1	0.0 - 1.0	1,500
n/r	n/r	n/r	<50
<50	0.6	0.2 - 2.3	600
0	0.0	-	400
<50	0.8	0.1 - 5.3	500

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 2.0	600
<50	0.2	0.0 - 1.0	1,400
<50	0.4	0.1 - 1.5	1,600
0	0.0	-	400

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	800	37.3	34.4 - 40.3	100	4.9	3.8 - 6.3	400	19.2	16.9 - 21.7	500	22.9	20.5 - 25.5	300	14.4	12.4 - 16.5	<50	1.2	0.7 - 2.0
<b>Female</b>	700	40.5	37.3 - 43.8	100	3.8	2.8 - 5.1	300	16.0	13.8 - 18.5	400	23.1	20.5 - 26.0	300	14.9	12.7 - 17.5	<50	1.3	0.8 - 2.1

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	800	42.3	38.9 - 45.6	100	4.9	3.6 - 6.5	300	17.0	14.7 - 19.7	400	20.7	18.0 - 23.6	300	14.2	12.1 - 16.6	<50	1.0	0.5 - 1.9
<b>No</b>	700	35.5	32.7 - 38.4	100	3.9	3.0 - 5.0	400	18.3	16.2 - 20.7	500	25.3	22.9 - 27.8	300	15.1	13.0 - 17.4	<50	1.5	1.0 - 2.2

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	700	34.5	31.7 - 37.3	100	4.0	3.1 - 5.2	300	16.6	14.6 - 18.9	500	25.8	23.4 - 28.4	400	17.2	15.0 - 19.5	<50	1.6	1.1 - 2.3
<b>131-185%</b>	200	38.0	32.4 - 43.8	<50	6.6	4.1 - 10.4	100	18.7	14.7 - 23.5	200	23.8	19.0 - 29.4	100	12.4	9.1 - 16.6	<50	0.5	0.1 - 1.9
<b>186+%</b>	400	53.6	48.5 - 58.6	<50	3.9	2.5 - 6.1	100	18.0	14.5 - 22.1	100	13.8	10.6 - 17.9	100	10.0	7.4 - 13.4	<50	0.7	0.2 - 1.7

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.2	0.1 - 0.7	2,000
<50	0.3	0.1 - 1.3	1,800

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	1,900
<50	0.5	0.2 - 1.3	2,000

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 0.8	2,100
0	0.0	-	600
0	0.0	-	800

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	32.8	25.5 - 41.1	<50	2.8	1.4 - 5.3	<50	16.9	12.1 - 23.0	100	27.9	21.0 - 36.0	<50	17.6	12.8 - 23.6	<50	2.1	0.9 - 4.9
Normal birth weight	1,400	39.4	37.1 - 41.7	200	4.5	3.6 - 5.5	600	17.8	16.1 - 19.6	800	22.8	20.9 - 24.7	500	14.2	12.7 - 15.9	<50	1.2	0.8 - 1.7

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	8.9	6.9 - 11.4	<50	3.1	2.1 - 4.7	200	16.7	14.3 - 19.4	600	38.1	34.7 - 41.6	400	29.7	26.5 - 33.1	<50	3.1	2.2 - 4.4
No	1,400	57.9	55.0 - 60.7	100	5.2	4.1 - 6.5	400	18.1	16.0 - 20.4	300	13.4	11.5 - 15.5	100	5.3	4.2 - 6.7	<50	0.1	0.0 - 0.3

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	35.1	32.9 - 37.4	100	4.1	3.3 - 5.0	600	18.3	16.6 - 20.2	800	24.5	22.6 - 26.6	600	16.3	14.7 - 18.2	<50	1.3	0.9 - 1.9
No	200	78.9	71.0 - 85.1	<50	5.5	2.4 - 12.1	<50	8.5	4.9 - 14.5	<50	5.7	2.9 - 10.9	<50	1.3	0.5 - 3.6	0	0.0	-

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
0	0.0	-	300
<50	0.3	0.1 - 0.7	3,600

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.4	0.1 - 1.2	1,400
0	0.0	-	2,300

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 0.8	3,400
0	0.0	-	300

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by  
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	700	34.3	31.6 - 37.1	100	3.5	2.6 - 4.6	400	18.8	16.7 - 21.1	500	25.3	22.9 - 27.9	400	16.5	14.5 - 18.8	<50	1.3	0.9 - 2.0
<b>No</b>	700	44.3	40.8 - 47.8	100	5.4	4.1 - 7.2	300	16.3	14.0 - 19.0	300	20.3	17.6 - 23.2	200	12.3	10.2 - 14.8	<50	1.2	0.7 - 2.0

**PRAMS Health Indicator 5-Year Aggregate Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

41 cigarettes or more			Weighted Total Responses (5-Yr Avg)
#	%	C.I.(95%)	#
<50	0.3	0.1 - 0.8	2,100
<50	0.2	0.0 - 1.6	1,700