

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- for the State of Hawaii,  
for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Smoke now (3-6 months after birth)	Smoke now (when survey is filled out, baby is 3-6 months old)

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/23/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	2,400	13.9	13.2 - 14.7	14,600	86.1	85.3 - 86.8	17,000
2001-2005	2,400	14.0	13.3 - 14.8	14,700	86.0	85.2 - 86.7	17,100
2002-2006	2,400	13.9	13.1 - 14.7	15,100	86.1	85.3 - 86.9	17,500
2003-2007	2,500	13.9	13.2 - 14.7	15,300	86.1	85.3 - 86.8	17,800
2004-2008	2,400	13.4	12.7 - 14.2	15,600	86.6	85.8 - 87.3	18,100
2005-2009	2,400	13.5	12.7 - 14.3	15,700	86.5	85.7 - 87.3	18,100
2006-2010	2,400	13.2	12.4 - 14.1	16,000	86.8	85.9 - 87.6	18,400
2007-2011	2,200	12.2	11.4 - 13.0	16,200	87.8	87.0 - 88.6	18,400
2008-2012	2,000	11.1	10.3 - 12.0	16,300	88.9	88.0 - 89.7	18,300
2009-2013	1,900	10.5	9.6 - 11.4	16,300	89.5	88.6 - 90.4	18,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,900	10.5	9.6 - 11.4	16,300	89.5	88.6 - 90.4	18,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	15.1	13.5 - 16.9	2,000	84.9	83.1 - 86.5	2,300
<b>Honolulu</b>	1,300	9.8	8.6 - 11.0	11,800	90.2	89.0 - 91.4	13,100
<b>Kauai</b>	100	10.5	8.9 - 12.3	700	89.5	87.7 - 91.1	800
<b>Maui</b>	200	10.0	8.7 - 11.4	1,800	90.0	88.6 - 91.3	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.9	6.5 - 9.6	4,100	92.1	90.4 - 93.5	4,400
Native Hawaiian	900	16.3	14.5 - 18.2	4,500	83.7	81.8 - 85.5	5,400
Chinese	<50	3.3	1.8 - 6.2	800	96.7	93.8 - 98.2	800
Filipino	200	6.5	5.0 - 8.4	3,000	93.5	91.6 - 95.0	3,200
Japanese	200	9.8	7.1 - 13.3	1,500	90.2	86.7 - 92.9	1,700
Other	300	10.6	8.3 - 13.4	2,400	89.4	86.6 - 91.7	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.9	9.7 - 16.9	1,000	87.1	83.1 - 90.3	1,200
20-24	600	15.0	13.0 - 17.4	3,500	85.0	82.6 - 87.0	4,100
25-34	900	9.6	8.5 - 10.9	8,700	90.4	89.1 - 91.5	9,700
35+	200	6.4	4.9 - 8.2	3,000	93.6	91.8 - 95.1	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	10.2	9.0 - 11.5	8,300	89.8	88.5 - 91.0	9,200
Female	1,000	10.8	9.6 - 12.1	8,000	89.2	87.9 - 90.4	9,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.2	5.4 - 7.2	10,500	93.8	92.8 - 94.6	11,200
No	1,200	17.4	15.7 - 19.2	5,800	82.6	80.8 - 84.3	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	16.2	14.6 - 18.0	5,400	83.8	82.0 - 85.4	6,500
131-185%	300	10.8	8.6 - 13.5	2,500	89.2	86.5 - 91.4	2,800
186+%	400	5.0	4.1 - 6.1	7,100	95.0	93.9 - 95.9	7,400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	14.1	12.4 - 15.9	1,100	85.9	84.1 - 87.6	1,300
Normal birth weight	1,700	10.2	9.3 - 11.2	15,100	89.8	88.8 - 90.7	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	87.1	82.8 - 90.5	200	12.9	9.5 - 17.2	1,200
No	900	5.1	4.5 - 5.9	16,100	94.9	94.1 - 95.5	17,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	52.7	49.5 - 56.0	1,700	47.3	44.0 - 50.5	3,500
No	<50	0.3	0.2 - 0.5	14,600	99.7	99.5 - 99.8	14,600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	14.7	13.2 - 16.2	6,800	85.3	83.8 - 86.8	8,000
<b>No</b>	700	7.0	6.1 - 8.2	9,400	93.0	91.8 - 93.9	10,100



**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,000	11.1	10.3 - 12.0	16,300	88.9	88.0 - 89.7	18,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	16.0	14.2 - 17.9	2,000	84.0	82.1 - 85.8	2,400
<b>Honolulu</b>	1,400	10.4	9.3 - 11.5	11,700	89.6	88.5 - 90.7	13,100
<b>Kauai</b>	100	10.6	8.7 - 12.9	800	89.4	87.1 - 91.3	800
<b>Maui</b>	200	10.8	9.4 - 12.5	1,800	89.2	87.5 - 90.6	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.5	7.1 - 10.2	4,000	91.5	89.8 - 92.9	4,300
Native Hawaiian	1,000	18.0	16.2 - 19.9	4,400	82.0	80.1 - 83.8	5,400
Chinese	<50	2.9	1.7 - 5.1	800	97.1	94.9 - 98.3	800
Filipino	200	6.8	5.3 - 8.5	3,100	93.2	91.5 - 94.7	3,300
Japanese	200	10.7	8.1 - 14.0	1,600	89.3	86.0 - 91.9	1,700
Other	300	9.9	7.8 - 12.4	2,500	90.1	87.6 - 92.2	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	14.6	11.5 - 18.3	1,100	85.4	81.7 - 88.5	1,300
20-24	600	15.7	13.7 - 17.9	3,500	84.3	82.1 - 86.3	4,100
25-34	1,000	10.3	9.3 - 11.6	8,600	89.7	88.4 - 90.7	9,600
35+	200	6.3	5.0 - 8.0	3,000	93.7	92.0 - 95.0	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	10.7	9.6 - 11.9	8,400	89.3	88.1 - 90.4	9,400
Female	1,000	11.6	10.4 - 12.9	7,900	88.4	87.1 - 89.6	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	6.9	6.0 - 7.8	10,500	93.1	92.2 - 94.0	11,300
No	1,300	18.0	16.4 - 19.7	5,800	82.0	80.3 - 83.6	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	17.5	15.9 - 19.2	5,400	82.5	80.8 - 84.1	6,600
131-185%	300	11.6	9.5 - 14.1	2,500	88.4	85.9 - 90.5	2,800
186+%	400	5.4	4.5 - 6.5	7,100	94.6	93.5 - 95.5	7,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	14.6	12.6 - 16.8	1,100	85.4	83.2 - 87.4	1,300
Normal birth weight	1,800	10.9	10.0 - 11.8	15,100	89.1	88.2 - 90.0	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	89.4	85.7 - 92.2	100	10.6	7.8 - 14.3	1,300
No	900	5.1	4.6 - 5.8	16,100	94.9	94.2 - 95.4	17,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	55.4	52.3 - 58.4	1,600	44.6	41.6 - 47.7	3,600
No	<50	0.3	0.2 - 0.5	14,600	99.7	99.5 - 99.8	14,700

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	15.5	14.1 - 17.0	6,700	84.5	83.0 - 85.9	8,000
<b>No</b>	800	7.6	6.7 - 8.7	9,400	92.4	91.3 - 93.3	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,200	12.2	11.4 - 13.0	16,200	87.8	87.0 - 88.6	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	17.5	15.5 - 19.6	2,000	82.5	80.4 - 84.5	2,400
<b>Honolulu</b>	1,500	11.4	10.3 - 12.5	11,600	88.6	87.5 - 89.7	13,100
<b>Kauai</b>	100	11.1	8.9 - 13.7	800	88.9	86.3 - 91.1	900
<b>Maui</b>	200	11.6	9.9 - 13.4	1,800	88.4	86.6 - 90.1	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	10.4	8.9 - 12.1	3,900	89.6	87.9 - 91.1	4,300
Native Hawaiian	1,000	19.0	17.3 - 20.9	4,300	81.0	79.1 - 82.7	5,400
Chinese	<50	3.5	2.1 - 5.8	700	96.5	94.2 - 97.9	700
Filipino	200	7.3	5.9 - 9.0	3,100	92.7	91.0 - 94.1	3,300
Japanese	200	11.4	8.9 - 14.4	1,700	88.6	85.6 - 91.1	1,900
Other	300	10.4	8.4 - 12.7	2,500	89.6	87.3 - 91.6	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	17.1	14.0 - 20.8	1,200	82.9	79.2 - 86.0	1,400
20-24	800	17.4	15.5 - 19.6	3,600	82.6	80.4 - 84.5	4,300
25-34	1,000	11.0	9.9 - 12.2	8,400	89.0	87.8 - 90.1	9,400
35+	200	6.4	5.1 - 8.0	3,000	93.6	92.0 - 94.9	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	11.8	10.7 - 13.0	8,400	88.2	87.0 - 89.3	9,500
Female	1,100	12.5	11.4 - 13.8	7,800	87.5	86.2 - 88.6	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.6	6.8 - 8.6	10,500	92.4	91.4 - 93.2	11,400
No	1,400	19.5	17.9 - 21.2	5,700	80.5	78.8 - 82.1	7,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	19.2	17.6 - 20.9	5,400	80.8	79.1 - 82.4	6,700
131-185%	300	12.7	10.5 - 15.2	2,400	87.3	84.8 - 89.5	2,800
186+%	500	6.2	5.3 - 7.3	7,200	93.8	92.7 - 94.7	7,700



**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	700	21.4	19.0 - 24.0	2,500	78.6	76.0 - 81.0	3,200
\$10,000-\$24,999	600	16.9	14.9 - 19.1	3,000	83.1	80.9 - 85.1	3,700
\$25,000-\$49,999	500	12.4	10.7 - 14.3	3,700	87.6	85.7 - 89.3	4,200
>=\$50,000	300	4.7	3.9 - 5.7	5,800	95.3	94.3 - 96.1	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	16.3	14.0 - 18.9	1,100	83.7	81.1 - 86.0	1,400
Normal birth weight	2,000	11.8	11.0 - 12.8	15,000	88.2	87.2 - 89.0	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	90.1	86.8 - 92.7	100	9.9	7.3 - 13.2	1,400
No	900	5.4	4.9 - 6.1	16,000	94.6	93.9 - 95.1	16,900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,200	58.7	55.9 - 61.5	1,500	41.3	38.5 - 44.1	3,700
<b>No</b>	<50	0.3	0.2 - 0.4	14,600	99.7	99.6 - 99.8	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,300	16.9	15.6 - 18.4	6,600	83.1	81.6 - 84.4	7,900
<b>No</b>	900	8.5	7.5 - 9.5	9,500	91.5	90.5 - 92.5	10,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,400	13.2	12.4 - 14.1	16,000	86.8	85.9 - 87.6	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	18.1	16.0 - 20.4	1,900	81.9	79.6 - 84.0	2,400
<b>Honolulu</b>	1,600	12.5	11.5 - 13.6	11,400	87.5	86.4 - 88.5	13,100
<b>Kauai</b>	100	11.9	9.4 - 14.9	800	88.1	85.1 - 90.6	900
<b>Maui</b>	300	12.6	10.7 - 14.7	1,800	87.4	85.3 - 89.3	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	11.0	9.5 - 12.6	3,800	89.0	87.4 - 90.5	4,300
Native Hawaiian	1,100	21.0	19.2 - 23.0	4,200	79.0	77.0 - 80.8	5,300
Chinese	<50	3.3	1.9 - 5.6	700	96.7	94.4 - 98.1	700
Filipino	300	7.9	6.5 - 9.6	3,100	92.1	90.4 - 93.5	3,300
Japanese	200	11.5	9.2 - 14.4	1,700	88.5	85.6 - 90.8	1,900
Other	300	11.9	9.9 - 14.3	2,500	88.1	85.7 - 90.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	18.6	15.4 - 22.2	1,200	81.4	77.8 - 84.6	1,500
20-24	800	18.6	16.7 - 20.7	3,500	81.4	79.3 - 83.3	4,300
25-34	1,100	12.1	11.0 - 13.3	8,100	87.9	86.7 - 89.0	9,200
35+	200	6.8	5.5 - 8.4	3,100	93.2	91.6 - 94.5	3,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	12.8	11.7 - 14.0	8,300	87.2	86.0 - 88.3	9,500
Female	1,200	13.7	12.5 - 15.0	7,600	86.3	85.0 - 87.5	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.3	7.4 - 9.2	10,400	91.7	90.8 - 92.6	11,400
No	1,500	21.3	19.6 - 23.0	5,500	78.7	77.0 - 80.4	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	21.1	19.5 - 22.8	5,200	78.9	77.2 - 80.5	6,600
131-185%	400	13.5	11.4 - 16.0	2,300	86.5	84.0 - 88.6	2,700
186+%	500	6.6	5.8 - 7.6	7,200	93.4	92.4 - 94.2	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	23.8	21.3 - 26.5	2,400	76.2	73.5 - 78.7	3,200
\$10,000-\$24,999	700	17.8	15.8 - 20.0	3,100	82.2	80.0 - 84.2	3,700
\$25,000-\$49,999	600	13.4	11.7 - 15.3	3,600	86.6	84.7 - 88.3	4,200
>=\$50,000	300	5.1	4.2 - 6.0	5,800	94.9	94.0 - 95.8	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	16.9	14.4 - 19.7	1,200	83.1	80.3 - 85.6	1,400
Normal birth weight	2,200	12.9	12.0 - 13.8	14,800	87.1	86.2 - 88.0	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	90.2	87.2 - 92.6	200	9.8	7.4 - 12.8	1,600
No	1,000	5.8	5.2 - 6.4	15,800	94.2	93.6 - 94.8	16,700

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,400	62.4	59.7 - 64.9	1,400	37.6	35.1 - 40.3	3,800
<b>No</b>	100	0.4	0.2 - 0.5	14,500	99.6	99.5 - 99.8	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,500	18.7	17.3 - 20.3	6,300	81.3	79.7 - 82.7	7,800
<b>No</b>	900	9.1	8.2 - 10.1	9,400	90.9	89.9 - 91.8	10,400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,400	13.5	12.7 - 14.3	15,700	86.5	85.7 - 87.3	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	17.5	15.4 - 19.9	1,900	82.5	80.1 - 84.6	2,300
<b>Honolulu</b>	1,700	12.8	11.9 - 13.8	11,300	87.2	86.2 - 88.1	12,900
<b>Kauai</b>	100	12.5	9.8 - 15.9	800	87.5	84.1 - 90.2	900
<b>Maui</b>	300	13.4	11.3 - 15.7	1,700	86.6	84.3 - 88.7	2,000



**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	11.6	10.2 - 13.1	3,700	88.4	86.9 - 89.8	4,200
Native Hawaiian	1,100	21.9	20.1 - 23.9	4,000	78.1	76.1 - 79.9	5,200
Chinese	<50	3.0	1.7 - 5.3	600	97.0	94.7 - 98.3	700
Filipino	300	8.0	6.7 - 9.5	3,100	92.0	90.5 - 93.3	3,300
Japanese	200	10.8	8.8 - 13.3	1,800	89.2	86.7 - 91.2	2,000
Other	300	11.6	9.8 - 13.7	2,500	88.4	86.3 - 90.2	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	18.8	15.7 - 22.2	1,300	81.2	77.8 - 84.3	1,600
20-24	800	18.2	16.4 - 20.1	3,500	81.8	79.9 - 83.6	4,300
25-34	1,100	12.5	11.5 - 13.7	7,900	87.5	86.3 - 88.5	9,100
35+	200	7.2	5.9 - 8.7	3,000	92.8	91.3 - 94.1	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	13.0	11.9 - 14.1	8,200	87.0	85.9 - 88.1	9,400
Female	1,200	14.0	12.9 - 15.2	7,500	86.0	84.8 - 87.1	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.2	7.4 - 9.0	10,400	91.8	91.0 - 92.6	11,300
No	1,500	22.2	20.6 - 23.9	5,300	77.8	76.1 - 79.4	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	21.8	20.2 - 23.5	5,100	78.2	76.5 - 79.8	6,600
131-185%	300	13.3	11.2 - 15.7	2,100	86.7	84.3 - 88.8	2,500
186+%	500	6.6	5.8 - 7.5	7,200	93.4	92.5 - 94.2	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	25.6	23.1 - 28.3	2,300	74.4	71.7 - 76.9	3,100
\$10,000-\$24,999	700	18.0	16.1 - 20.1	3,100	82.0	79.9 - 83.9	3,800
\$25,000-\$49,999	500	12.4	10.8 - 14.1	3,600	87.6	85.9 - 89.2	4,100
>=\$50,000	300	5.3	4.5 - 6.2	5,600	94.7	93.8 - 95.5	5,900

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	17.4	14.8 - 20.5	1,100	82.6	79.5 - 85.2	1,400
Normal birth weight	2,200	13.1	12.3 - 14.0	14,500	86.9	86.0 - 87.7	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	91.6	88.9 - 93.7	100	8.4	6.3 - 11.1	1,600
No	1,000	5.8	5.3 - 6.4	15,600	94.2	93.6 - 94.7	16,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,400	63.4	60.9 - 65.8	1,400	36.6	34.2 - 39.1	3,700
<b>No</b>	100	0.4	0.3 - 0.6	14,300	99.6	99.4 - 99.7	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	18.9	17.5 - 20.3	6,200	81.1	79.7 - 82.5	7,600
<b>No</b>	1,000	9.6	8.7 - 10.6	9,300	90.4	89.4 - 91.3	10,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,400	13.4	12.7 - 14.2	15,600	86.6	85.8 - 87.3	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	17.5	15.2 - 20.0	1,900	82.5	80.0 - 84.8	2,300
<b>Honolulu</b>	1,600	12.7	11.9 - 13.6	11,300	87.3	86.4 - 88.1	12,900
<b>Kauai</b>	100	11.6	8.7 - 15.2	800	88.4	84.8 - 91.3	900
<b>Maui</b>	300	14.2	12.0 - 16.7	1,700	85.8	83.3 - 88.0	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.5	11.1 - 14.1	3,600	87.5	85.9 - 88.9	4,100
Native Hawaiian	1,100	21.4	19.7 - 23.3	3,900	78.6	76.7 - 80.3	5,000
Chinese	<50	3.0	2.2 - 4.1	600	97.0	95.9 - 97.8	600
Filipino	300	8.4	7.2 - 9.8	3,100	91.6	90.2 - 92.8	3,400
Japanese	200	9.4	7.7 - 11.4	2,000	90.6	88.6 - 92.3	2,200
Other	300	12.0	10.3 - 14.0	2,500	88.0	86.0 - 89.7	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	20.5	17.5 - 23.9	1,200	79.5	76.1 - 82.5	1,500
20-24	800	18.7	17.0 - 20.5	3,500	81.3	79.5 - 83.0	4,400
25-34	1,100	11.9	11.0 - 13.0	7,900	88.1	87.0 - 89.0	9,000
35+	200	7.2	6.0 - 8.6	3,000	92.8	91.4 - 94.0	3,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	13.3	12.3 - 14.3	8,200	86.7	85.7 - 87.7	9,400
Female	1,200	13.6	12.5 - 14.7	7,500	86.4	85.3 - 87.5	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.6	7.9 - 9.3	10,600	91.4	90.7 - 92.1	11,600
No	1,400	22.2	20.7 - 23.8	5,000	77.8	76.2 - 79.3	6,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	21.1	19.7 - 22.7	5,200	78.9	77.3 - 80.3	6,600
131-185%	300	13.2	11.3 - 15.3	2,000	86.8	84.7 - 88.7	2,300
186+%	600	7.1	6.3 - 7.9	7,300	92.9	92.1 - 93.7	7,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	700	24.7	22.3 - 27.1	2,200	75.3	72.9 - 77.7	3,000
\$10,000-\$24,999	700	18.3	16.5 - 20.2	3,200	81.7	79.8 - 83.5	3,900
\$25,000-\$49,999	500	11.5	10.2 - 13.0	3,800	88.5	87.0 - 89.8	4,200
>=\$50,000	300	5.7	4.9 - 6.7	5,400	94.3	93.3 - 95.1	5,700

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	17.9	15.0 - 21.2	1,100	82.1	78.8 - 85.0	1,300
Normal birth weight	2,200	13.1	12.3 - 13.9	14,500	86.9	86.1 - 87.7	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	93.2	91.0 - 94.8	100	6.8	5.2 - 9.0	1,500
No	1,000	5.9	5.4 - 6.5	15,500	94.1	93.5 - 94.6	16,500



**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,400	64.3	62.0 - 66.6	1,300	35.7	33.4 - 38.0	3,700
<b>No</b>	100	0.4	0.2 - 0.5	14,300	99.6	99.5 - 99.8	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	18.3	17.0 - 19.7	6,300	81.7	80.3 - 83.0	7,700
<b>No</b>	1,000	9.8	9.0 - 10.7	9,100	90.2	89.3 - 91.0	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,500	13.9	13.2 - 14.7	15,300	86.1	85.3 - 86.8	17,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	18.7	16.5 - 21.1	1,800	81.3	78.9 - 83.5	2,200
<b>Honolulu</b>	1,700	13.1	12.2 - 14.0	11,200	86.9	86.0 - 87.8	12,900
<b>Kauai</b>	100	12.3	9.6 - 15.8	800	87.7	84.2 - 90.4	900
<b>Maui</b>	300	14.6	12.5 - 17.0	1,600	85.4	83.0 - 87.5	1,900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	13.2	11.7 - 14.9	3,400	86.8	85.1 - 88.3	4,000
Native Hawaiian	1,100	21.8	20.1 - 23.5	3,800	78.2	76.5 - 79.9	4,900
Chinese	<50	2.9	1.7 - 4.9	600	97.1	95.1 - 98.3	700
Filipino	300	9.4	8.1 - 11.0	3,100	90.6	89.0 - 91.9	3,400
Japanese	200	9.6	7.8 - 11.7	2,000	90.4	88.3 - 92.2	2,200
Other	300	12.5	10.7 - 14.6	2,400	87.5	85.4 - 89.3	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	22.2	19.1 - 25.7	1,200	77.8	74.3 - 80.9	1,500
20-24	800	19.3	17.7 - 21.2	3,500	80.7	78.8 - 82.3	4,400
25-34	1,100	12.2	11.2 - 13.2	7,700	87.8	86.8 - 88.8	8,800
35+	200	7.3	6.1 - 8.7	2,900	92.7	91.3 - 93.9	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	13.6	12.6 - 14.7	8,000	86.4	85.3 - 87.4	9,300
Female	1,200	14.2	13.1 - 15.4	7,300	85.8	84.6 - 86.9	8,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.8	8.0 - 9.6	10,600	91.2	90.4 - 92.0	11,600
No	1,500	23.5	21.9 - 25.1	4,800	76.5	74.9 - 78.1	6,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	21.5	20.1 - 23.1	5,300	78.5	76.9 - 79.9	6,700
131-185%	300	12.9	10.9 - 15.1	2,000	87.1	84.9 - 89.1	2,300
186+%	500	7.2	6.4 - 8.1	6,800	92.8	91.9 - 93.6	7,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	17.2	14.4 - 20.4	1,100	82.8	79.6 - 85.6	1,300
Normal birth weight	2,300	13.7	12.9 - 14.5	14,200	86.3	85.5 - 87.1	16,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	92.7	90.3 - 94.5	100	7.3	5.5 - 9.7	1,500
No	1,000	6.3	5.7 - 6.9	15,200	93.7	93.1 - 94.3	16,200

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	65.0	62.7 - 67.3	1,300	35.0	32.7 - 37.3	3,700
No	<50	0.3	0.2 - 0.4	14,000	99.7	99.6 - 99.8	14,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	19.1	17.8 - 20.5	6,100	80.9	79.5 - 82.2	7,500
<b>No</b>	1,000	10.1	9.3 - 11.0	9,000	89.9	89.0 - 90.7	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,400	13.9	13.1 - 14.7	15,100	86.1	85.3 - 86.9	17,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	19.2	17.2 - 21.5	1,700	80.8	78.5 - 82.8	2,100
<b>Honolulu</b>	1,600	12.8	11.9 - 13.8	11,100	87.2	86.2 - 88.1	12,800
<b>Kauai</b>	100	13.4	10.6 - 16.8	700	86.6	83.2 - 89.4	800
<b>Maui</b>	300	15.3	13.2 - 17.6	1,500	84.7	82.4 - 86.8	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.9	11.3 - 14.7	3,300	87.1	85.3 - 88.7	3,800
Native Hawaiian	1,100	22.0	20.5 - 23.7	3,700	78.0	76.3 - 79.5	4,800
Chinese	<50	2.9	1.5 - 5.5	600	97.1	94.5 - 98.5	600
Filipino	300	8.8	7.5 - 10.4	3,100	91.2	89.6 - 92.5	3,400
Japanese	200	9.2	7.5 - 11.4	2,000	90.8	88.6 - 92.5	2,200
Other	300	13.6	11.5 - 16.0	2,200	86.4	84.0 - 88.5	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	21.5	18.5 - 24.8	1,200	78.5	75.2 - 81.5	1,500
20-24	800	19.7	18.0 - 21.5	3,400	80.3	78.5 - 82.0	4,300
25-34	1,000	12.0	11.0 - 13.0	7,600	88.0	87.0 - 89.0	8,700
35+	200	7.5	6.3 - 9.0	2,800	92.5	91.0 - 93.7	3,100



**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	13.7	12.7 - 14.8	7,800	86.3	85.2 - 87.3	9,100
Female	1,200	14.0	13.0 - 15.2	7,200	86.0	84.8 - 87.0	8,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.9	8.1 - 9.7	10,600	91.1	90.3 - 91.9	11,600
No	1,400	23.7	22.1 - 25.3	4,500	76.3	74.7 - 77.9	5,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	21.1	19.6 - 22.6	5,200	78.9	77.4 - 80.4	6,600
131-185%	300	13.5	11.5 - 15.8	2,100	86.5	84.2 - 88.5	2,500
186+%	500	6.8	6.0 - 7.7	6,400	93.2	92.3 - 94.0	6,900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	16.0	13.2 - 19.2	1,000	84.0	80.8 - 86.8	1,200
Normal birth weight	2,200	13.7	12.9 - 14.5	14,000	86.3	85.5 - 87.1	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	91.9	89.3 - 93.9	100	8.1	6.1 - 10.7	1,500
No	1,000	6.3	5.8 - 6.9	14,900	93.7	93.1 - 94.2	15,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	64.3	61.9 - 66.6	1,300	35.7	33.4 - 38.1	3,600
No	100	0.4	0.2 - 0.6	13,700	99.6	99.4 - 99.8	13,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	19.4	18.0 - 20.7	6,000	80.6	79.3 - 82.0	7,400
No	1,000	9.9	9.0 - 10.8	8,900	90.1	89.2 - 91.0	9,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,400	14.0	13.3 - 14.8	14,700	86.0	85.2 - 86.7	17,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	19.5	17.6 - 21.5	1,600	80.5	78.5 - 82.4	2,000
<b>Honolulu</b>	1,600	12.8	12.0 - 13.8	10,900	87.2	86.2 - 88.0	12,500
<b>Kauai</b>	100	15.6	12.9 - 18.7	600	84.4	81.3 - 87.1	800
<b>Maui</b>	300	15.2	13.3 - 17.3	1,500	84.8	82.7 - 86.7	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.8	11.2 - 14.6	3,200	87.2	85.4 - 88.8	3,700
Native Hawaiian	1,000	22.1	20.7 - 23.5	3,600	77.9	76.5 - 79.3	4,700
Chinese	<50	3.6	2.0 - 6.7	600	96.4	93.3 - 98.0	700
Filipino	300	9.6	8.2 - 11.2	3,100	90.4	88.8 - 91.8	3,400
Japanese	200	8.9	7.2 - 11.0	2,000	91.1	89.0 - 92.8	2,200
Other	300	13.9	11.7 - 16.4	2,100	86.1	83.6 - 88.3	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	21.7	18.9 - 24.7	1,200	78.3	75.3 - 81.1	1,500
20-24	900	20.3	18.7 - 22.1	3,400	79.7	77.9 - 81.3	4,200
25-34	1,000	11.6	10.6 - 12.6	7,500	88.4	87.4 - 89.4	8,500
35+	200	8.0	6.7 - 9.5	2,700	92.0	90.5 - 93.3	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	14.3	13.3 - 15.3	7,600	85.7	84.7 - 86.7	8,900
Female	1,100	13.7	12.7 - 14.8	7,100	86.3	85.2 - 87.3	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	9.1	8.4 - 10.0	10,400	90.9	90.0 - 91.6	11,500
No	1,300	23.9	22.4 - 25.4	4,300	76.1	74.6 - 77.6	5,600

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	21.1	19.8 - 22.6	5,200	78.9	77.4 - 80.2	6,600
131-185%	400	13.4	11.5 - 15.5	2,300	86.6	84.5 - 88.5	2,700
186+%	400	6.4	5.5 - 7.3	5,900	93.6	92.7 - 94.5	6,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	15.8	13.1 - 18.9	1,000	84.2	81.1 - 86.9	1,100
Normal birth weight	2,200	13.8	13.1 - 14.6	13,700	86.2	85.4 - 86.9	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	92.2	89.7 - 94.1	100	7.8	5.9 - 10.3	1,500
No	1,000	6.4	5.9 - 7.0	14,600	93.6	93.0 - 94.1	15,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	64.6	62.2 - 66.8	1,200	35.4	33.2 - 37.8	3,500
No	100	0.4	0.3 - 0.6	13,400	99.6	99.4 - 99.7	13,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	19.4	18.2 - 20.8	5,800	80.6	79.2 - 81.8	7,300
No	1,000	10.0	9.2 - 10.9	8,700	90.0	89.1 - 90.8	9,700



**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,400	13.9	13.2 - 14.7	14,600	86.1	85.3 - 86.8	17,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	20.7	19.0 - 22.6	1,600	79.3	77.4 - 81.0	2,000
<b>Honolulu</b>	1,600	12.6	11.8 - 13.6	10,900	87.4	86.4 - 88.2	12,500
<b>Kauai</b>	100	16.5	13.9 - 19.4	600	83.5	80.6 - 86.1	700
<b>Maui</b>	300	14.2	12.6 - 16.0	1,500	85.8	84.0 - 87.4	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	13.1	11.5 - 14.8	3,200	86.9	85.2 - 88.5	3,700
Native Hawaiian	1,000	21.6	20.5 - 22.9	3,600	78.4	77.1 - 79.5	4,600
Chinese	<50	3.7	2.0 - 6.7	600	96.3	93.3 - 98.0	700
Filipino	300	9.7	8.3 - 11.3	3,100	90.3	88.7 - 91.7	3,500
Japanese	200	8.4	6.7 - 10.5	2,000	91.6	89.5 - 93.3	2,100
Other	300	14.3	12.0 - 16.9	2,000	85.7	83.1 - 88.0	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	22.9	20.3 - 25.8	1,200	77.1	74.2 - 79.7	1,500
20-24	900	20.6	19.0 - 22.3	3,300	79.4	77.7 - 81.0	4,200
25-34	900	11.1	10.2 - 12.1	7,400	88.9	87.9 - 89.8	8,300
35+	200	7.8	6.5 - 9.3	2,700	92.2	90.7 - 93.5	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	14.5	13.5 - 15.5	7,500	85.5	84.5 - 86.5	8,800
Female	1,100	13.3	12.3 - 14.4	7,100	86.7	85.6 - 87.7	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.5	8.7 - 10.3	10,500	90.5	89.7 - 91.3	11,600
No	1,300	23.4	22.0 - 25.0	4,100	76.6	75.0 - 78.0	5,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	20.1	18.8 - 21.4	5,400	79.9	78.6 - 81.2	6,800
131-185%	400	14.2	12.3 - 16.2	2,400	85.8	83.8 - 87.7	2,800
186+%	400	6.3	5.5 - 7.3	5,600	93.7	92.7 - 94.5	6,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	15.9	13.3 - 19.0	900	84.1	81.0 - 86.7	1,100
Normal birth weight	2,200	13.7	13.0 - 14.5	13,600	86.3	85.5 - 87.0	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	91.1	88.6 - 93.1	100	8.9	6.9 - 11.4	1,400
No	1,000	6.4	5.8 - 6.9	14,500	93.6	93.1 - 94.2	15,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	64.9	62.6 - 67.1	1,200	35.1	32.9 - 37.4	3,400
No	100	0.4	0.3 - 0.6	13,300	99.6	99.4 - 99.7	13,400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	19.4	18.2 - 20.7	5,800	80.6	79.3 - 81.8	7,300
No	900	9.8	9.0 - 10.7	8,700	90.2	89.3 - 91.0	9,600