

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- for the State of Hawaii,  
for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Smoking 3 months before pregnancy	Smoking 3 months before pregnancy

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	3,400	20.4	19.6 - 21.3	13,400	79.6	78.7 - 80.4	16,800
2001-2005	3,500	20.6	19.8 - 21.5	13,500	79.4	78.5 - 80.2	17,000
2002-2006	3,600	20.7	19.8 - 21.6	13,800	79.3	78.4 - 80.2	17,400
2003-2007	3,700	20.7	19.8 - 21.6	14,100	79.3	78.4 - 80.2	17,800
2004-2008	3,700	20.3	19.5 - 21.2	14,400	79.7	78.8 - 80.5	18,100
2005-2009	3,700	20.7	19.8 - 21.6	14,400	79.3	78.4 - 80.2	18,100
2006-2010	3,800	20.6	19.7 - 21.7	14,600	79.4	78.3 - 80.3	18,400
2007-2011	3,700	20.3	19.2 - 21.3	14,700	79.7	78.7 - 80.8	18,400
2008-2012	3,600	19.5	18.5 - 20.6	14,700	80.5	79.4 - 81.5	18,300
2009-2013	3,500	19.4	18.3 - 20.6	14,700	80.6	79.4 - 81.7	18,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,500	19.4	18.3 - 20.6	14,700	80.6	79.4 - 81.7	18,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	25.6	23.6 - 27.8	1,700	74.4	72.2 - 76.4	2,300
<b>Honolulu</b>	2,400	18.1	16.7 - 19.7	10,700	81.9	80.3 - 83.3	13,000
<b>Kauai</b>	200	19.6	17.5 - 21.8	700	80.4	78.2 - 82.5	800
<b>Maui</b>	400	20.3	18.6 - 22.1	1,600	79.7	77.9 - 81.4	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	700	16.2	14.2 - 18.5	3,700	83.8	81.5 - 85.8	4,400
Native Hawaiian	1,400	26.8	24.6 - 29.1	4,000	73.2	70.9 - 75.4	5,400
Chinese	100	12.3	8.4 - 17.6	700	87.7	82.4 - 91.6	800
Filipino	500	15.1	12.7 - 17.8	2,700	84.9	82.2 - 87.3	3,200
Japanese	300	18.0	14.5 - 22.2	1,400	82.0	77.8 - 85.5	1,700
Other	500	17.8	14.9 - 21.2	2,200	82.2	78.8 - 85.1	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	23.5	19.2 - 28.5	900	76.5	71.5 - 80.8	1,200
20-24	1,100	26.7	24.0 - 29.5	3,000	73.3	70.5 - 76.0	4,100
25-34	1,800	18.5	17.0 - 20.1	7,900	81.5	79.9 - 83.0	9,700
35+	400	11.4	9.5 - 13.7	2,900	88.6	86.3 - 90.5	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,700	18.4	16.8 - 20.0	7,500	81.6	80.0 - 83.2	9,200
Female	1,800	20.5	18.9 - 22.2	7,100	79.5	77.8 - 81.1	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	12.8	11.6 - 14.1	9,800	87.2	85.9 - 88.4	11,200
No	2,100	30.1	28.1 - 32.3	4,900	69.9	67.7 - 71.9	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,700	26.4	24.4 - 28.6	4,800	73.6	71.4 - 75.6	6,500
131-185%	600	20.3	17.4 - 23.5	2,200	79.7	76.5 - 82.6	2,800
186+%	1,000	13.1	11.6 - 14.7	6,500	86.9	85.3 - 88.4	7,400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	22.9	20.9 - 25.0	1,000	77.1	75.0 - 79.1	1,300
Normal birth weight	3,200	19.1	17.9 - 20.4	13,600	80.9	79.6 - 82.1	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	99.4	96.8 - 99.9	<50	0.6	0.1 - 3.2	1,200
No	2,400	13.9	12.8 - 14.9	14,600	86.1	85.1 - 87.2	17,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	24.7	22.9 - 26.5	6,000	75.3	73.5 - 77.1	8,000
No	1,500	15.1	13.7 - 16.6	8,600	84.9	83.4 - 86.3	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,600	19.5	18.5 - 20.6	14,700	80.5	79.4 - 81.5	18,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	25.6	23.5 - 27.8	1,800	74.4	72.2 - 76.5	2,400
<b>Honolulu</b>	2,400	18.3	17.0 - 19.8	10,700	81.7	80.2 - 83.0	13,100
<b>Kauai</b>	200	18.6	16.3 - 21.3	700	81.4	78.7 - 83.7	800
<b>Maui</b>	400	20.6	18.7 - 22.6	1,600	79.4	77.4 - 81.3	2,000



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	17.6	15.6 - 19.8	3,600	82.4	80.2 - 84.4	4,300
Native Hawaiian	1,500	27.2	25.1 - 29.5	3,900	72.8	70.5 - 74.9	5,300
Chinese	100	11.5	7.9 - 16.6	700	88.5	83.4 - 92.1	800
Filipino	500	14.7	12.5 - 17.1	2,800	85.3	82.9 - 87.5	3,300
Japanese	300	17.8	14.6 - 21.6	1,400	82.2	78.4 - 85.4	1,700
Other	500	16.9	14.3 - 19.8	2,300	83.1	80.2 - 85.7	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	24.7	20.7 - 29.3	1,000	75.3	70.7 - 79.3	1,300
20-24	1,100	26.8	24.3 - 29.5	3,000	73.2	70.5 - 75.7	4,100
25-34	1,800	18.4	17.0 - 19.9	7,800	81.6	80.1 - 83.0	9,600
35+	400	11.5	9.6 - 13.6	2,900	88.5	86.4 - 90.4	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,800	18.9	17.5 - 20.5	7,600	81.1	79.5 - 82.5	9,400
Female	1,800	20.2	18.7 - 21.8	7,100	79.8	78.2 - 81.3	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	12.9	11.8 - 14.1	9,800	87.1	85.9 - 88.2	11,300
No	2,100	30.2	28.2 - 32.3	4,900	69.8	67.7 - 71.8	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,800	26.8	24.9 - 28.8	4,800	73.2	71.2 - 75.1	6,500
131-185%	600	20.5	17.7 - 23.5	2,200	79.5	76.5 - 82.3	2,800
186+%	1,000	13.1	11.7 - 14.6	6,600	86.9	85.4 - 88.3	7,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	22.6	20.3 - 25.1	1,000	77.4	74.9 - 79.7	1,300
Normal birth weight	3,300	19.3	18.2 - 20.5	13,700	80.7	79.5 - 81.8	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	99.4	97.1 - 99.9	<50	0.6	0.1 - 2.9	1,300
No	2,300	13.5	12.5 - 14.5	14,700	86.5	85.5 - 87.5	17,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	25.5	23.8 - 27.2	5,900	74.5	72.8 - 76.2	8,000
No	1,500	14.9	13.6 - 16.3	8,700	85.1	83.7 - 86.4	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,700	20.3	19.2 - 21.3	14,700	79.7	78.7 - 80.8	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	26.4	24.1 - 28.8	1,800	73.6	71.2 - 75.9	2,400
<b>Honolulu</b>	2,500	19.2	17.9 - 20.5	10,500	80.8	79.5 - 82.1	13,000
<b>Kauai</b>	200	18.1	15.4 - 21.2	700	81.9	78.8 - 84.6	900
<b>Maui</b>	400	21.0	19.0 - 23.3	1,600	79.0	76.7 - 81.0	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	19.2	17.2 - 21.3	3,500	80.8	78.7 - 82.8	4,300
Native Hawaiian	1,500	27.6	25.5 - 29.7	3,900	72.4	70.3 - 74.5	5,300
Chinese	100	10.7	7.2 - 15.6	600	89.3	84.4 - 92.8	700
Filipino	500	15.0	12.9 - 17.3	2,800	85.0	82.7 - 87.1	3,300
Japanese	400	18.9	15.8 - 22.5	1,500	81.1	77.5 - 84.2	1,900
Other	500	17.7	15.2 - 20.5	2,300	82.3	79.5 - 84.8	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	25.9	22.0 - 30.1	1,100	74.1	69.9 - 78.0	1,400
20-24	1,200	28.5	26.1 - 31.0	3,100	71.5	69.0 - 73.9	4,300
25-34	1,700	18.5	17.1 - 19.9	7,700	81.5	80.1 - 82.9	9,400
35+	400	12.1	10.2 - 14.2	2,800	87.9	85.8 - 89.8	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,900	19.9	18.5 - 21.4	7,600	80.1	78.6 - 81.5	9,500
Female	1,800	20.7	19.2 - 22.2	7,000	79.3	77.8 - 80.8	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	13.6	12.5 - 14.8	9,800	86.4	85.2 - 87.5	11,300
No	2,200	31.0	29.1 - 33.0	4,900	69.0	67.0 - 70.9	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,800	27.8	25.9 - 29.7	4,800	72.2	70.3 - 74.1	6,600
131-185%	600	21.4	18.6 - 24.4	2,200	78.6	75.6 - 81.4	2,800
186+%	1,100	13.8	12.5 - 15.3	6,600	86.2	84.7 - 87.5	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,000	29.8	27.1 - 32.7	2,300	70.2	67.3 - 72.9	3,200
\$10,000-\$24,999	1,000	26.4	24.0 - 29.0	2,700	73.6	71.0 - 76.0	3,700
\$25,000-\$49,999	900	22.0	19.8 - 24.3	3,300	78.0	75.7 - 80.2	4,200
>=\$50,000	700	10.9	9.5 - 12.4	5,500	89.1	87.6 - 90.5	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	23.2	20.7 - 26.0	1,000	76.8	74.0 - 79.3	1,300
Normal birth weight	3,400	20.0	19.0 - 21.1	13,600	80.0	78.9 - 81.0	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	99.3	97.5 - 99.8	<50	0.7	0.2 - 2.5	1,400
No	2,300	13.5	12.6 - 14.4	14,600	86.5	85.6 - 87.4	16,900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	26.6	24.9 - 28.4	5,800	73.4	71.6 - 75.1	7,900
No	1,600	15.4	14.1 - 16.7	8,700	84.6	83.3 - 85.9	10,300



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,800	20.6	19.7 - 21.7	14,600	79.4	78.3 - 80.3	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	27.2	24.7 - 29.8	1,700	72.8	70.2 - 75.3	2,400
<b>Honolulu</b>	2,500	19.4	18.2 - 20.7	10,500	80.6	79.3 - 81.8	13,100
<b>Kauai</b>	200	20.0	16.9 - 23.6	700	80.0	76.4 - 83.1	900
<b>Maui</b>	400	21.1	18.8 - 23.6	1,600	78.9	76.4 - 81.2	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	900	20.1	18.2 - 22.2	3,500	79.9	77.8 - 81.8	4,300
Native Hawaiian	1,500	28.3	26.2 - 30.4	3,800	71.7	69.6 - 73.8	5,300
Chinese	100	9.8	6.5 - 14.7	600	90.2	85.3 - 93.5	700
Filipino	500	14.4	12.5 - 16.5	2,900	85.6	83.5 - 87.5	3,300
Japanese	400	18.5	15.6 - 21.7	1,600	81.5	78.3 - 84.4	1,900
Other	500	18.6	16.2 - 21.3	2,300	81.4	78.7 - 83.8	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	27.7	23.9 - 31.8	1,100	72.3	68.2 - 76.1	1,500
20-24	1,200	28.5	26.2 - 30.9	3,100	71.5	69.1 - 73.8	4,300
25-34	1,700	18.9	17.6 - 20.3	7,500	81.1	79.7 - 82.4	9,200
35+	400	11.8	10.1 - 13.8	2,900	88.2	86.2 - 89.9	3,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	2,000	20.6	19.2 - 22.0	7,600	79.4	78.0 - 80.8	9,500
Female	1,800	20.7	19.3 - 22.2	7,000	79.3	77.8 - 80.7	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	14.0	13.0 - 15.1	9,800	86.0	84.9 - 87.0	11,400
No	2,200	31.4	29.6 - 33.3	4,800	68.6	66.7 - 70.4	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,900	29.0	27.2 - 30.9	4,700	71.0	69.1 - 72.8	6,600
131-185%	600	21.5	19.0 - 24.4	2,100	78.5	75.6 - 81.0	2,700
186+%	1,000	13.5	12.3 - 14.9	6,700	86.5	85.1 - 87.7	7,700

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,000	31.0	28.2 - 33.9	2,200	69.0	66.1 - 71.8	3,200
\$10,000-\$24,999	1,000	27.2	24.9 - 29.7	2,700	72.8	70.3 - 75.1	3,700
\$25,000-\$49,999	900	21.5	19.5 - 23.7	3,300	78.5	76.3 - 80.5	4,200
>=\$50,000	700	10.9	9.7 - 12.3	5,400	89.1	87.7 - 90.3	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	22.4	19.6 - 25.4	1,100	77.6	74.6 - 80.4	1,400
Normal birth weight	3,500	20.5	19.5 - 21.6	13,500	79.5	78.4 - 80.5	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	99.4	97.8 - 99.8	<50	0.6	0.2 - 2.2	1,600
No	2,200	13.1	12.2 - 14.0	14,600	86.9	86.0 - 87.8	16,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	27.5	25.9 - 29.2	5,600	72.5	70.8 - 74.1	7,800
No	1,600	15.5	14.3 - 16.8	8,800	84.5	83.2 - 85.7	10,400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,700	20.7	19.8 - 21.6	14,400	79.3	78.4 - 80.2	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	26.2	23.6 - 28.8	1,700	73.8	71.2 - 76.4	2,300
<b>Honolulu</b>	2,500	19.6	18.5 - 20.8	10,400	80.4	79.2 - 81.5	12,900
<b>Kauai</b>	200	20.8	17.3 - 24.8	700	79.2	75.2 - 82.7	900
<b>Maui</b>	400	21.3	18.8 - 23.9	1,600	78.7	76.1 - 81.2	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	900	20.9	19.0 - 22.9	3,300	79.1	77.1 - 81.0	4,200
Native Hawaiian	1,500	28.9	26.8 - 31.0	3,700	71.1	69.0 - 73.2	5,200
Chinese	100	7.6	4.9 - 11.7	600	92.4	88.3 - 95.1	700
Filipino	400	13.5	11.9 - 15.4	2,900	86.5	84.6 - 88.1	3,300
Japanese	400	18.2	15.6 - 21.0	1,700	81.8	79.0 - 84.4	2,000
Other	500	18.7	16.4 - 21.1	2,300	81.3	78.9 - 83.6	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	27.8	24.2 - 31.7	1,200	72.2	68.3 - 75.8	1,600
20-24	1,200	28.1	26.0 - 30.3	3,100	71.9	69.7 - 74.0	4,300
25-34	1,700	19.1	17.9 - 20.4	7,300	80.9	79.6 - 82.1	9,000
35+	400	11.6	10.0 - 13.4	2,800	88.4	86.6 - 90.0	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,900	20.5	19.2 - 21.8	7,500	79.5	78.2 - 80.8	9,400
Female	1,800	20.9	19.6 - 22.3	6,900	79.1	77.7 - 80.4	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	13.6	12.6 - 14.6	9,700	86.4	85.4 - 87.4	11,300
No	2,200	32.3	30.5 - 34.1	4,600	67.7	65.9 - 69.5	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,000	29.8	28.0 - 31.6	4,600	70.2	68.4 - 72.0	6,600
131-185%	500	20.7	18.2 - 23.4	2,000	79.3	76.6 - 81.8	2,500
186+%	1,000	13.2	12.1 - 14.4	6,700	86.8	85.6 - 87.9	7,700



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,000	32.5	29.8 - 35.3	2,100	67.5	64.7 - 70.2	3,100
\$10,000-\$24,999	1,000	27.5	25.3 - 29.9	2,800	72.5	70.1 - 74.7	3,800
\$25,000-\$49,999	800	20.2	18.3 - 22.2	3,300	79.8	77.8 - 81.7	4,100
>=\$50,000	600	10.8	9.6 - 12.1	5,300	89.2	87.9 - 90.4	5,900

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	22.0	19.1 - 25.3	1,100	78.0	74.7 - 80.9	1,400
Normal birth weight	3,400	20.6	19.6 - 21.6	13,300	79.4	78.4 - 80.4	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	99.2	97.7 - 99.8	<50	0.8	0.2 - 2.3	1,600
No	2,200	13.0	12.3 - 13.9	14,400	87.0	86.1 - 87.7	16,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,100	27.6	26.0 - 29.2	5,500	72.4	70.8 - 74.0	7,600
<b>No</b>	1,600	15.7	14.6 - 16.8	8,600	84.3	83.2 - 85.4	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,700	20.3	19.5 - 21.2	14,400	79.7	78.8 - 80.5	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	25.6	23.0 - 28.4	1,700	74.4	71.6 - 77.0	2,300
<b>Honolulu</b>	2,500	19.2	18.3 - 20.3	10,400	80.8	79.7 - 81.7	12,900
<b>Kauai</b>	200	20.1	16.4 - 24.4	700	79.9	75.6 - 83.6	900
<b>Maui</b>	400	21.3	18.7 - 24.1	1,500	78.7	75.9 - 81.3	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	900	20.8	19.0 - 22.6	3,200	79.2	77.4 - 81.0	4,100
Native Hawaiian	1,400	28.6	26.7 - 30.7	3,500	71.4	69.3 - 73.3	5,000
Chinese	<50	5.1	4.0 - 6.6	600	94.9	93.4 - 96.0	600
Filipino	500	13.6	12.1 - 15.2	2,900	86.4	84.8 - 87.9	3,300
Japanese	400	17.1	14.9 - 19.6	1,800	82.9	80.4 - 85.1	2,200
Other	500	18.9	16.9 - 21.2	2,300	81.1	78.8 - 83.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	29.1	25.6 - 32.8	1,100	70.9	67.2 - 74.4	1,500
20-24	1,200	28.3	26.3 - 30.3	3,100	71.7	69.7 - 73.7	4,300
25-34	1,600	18.3	17.2 - 19.5	7,300	81.7	80.5 - 82.8	8,900
35+	400	11.2	9.8 - 12.9	2,900	88.8	87.1 - 90.2	3,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,900	20.4	19.2 - 21.6	7,500	79.6	78.4 - 80.8	9,400
Female	1,800	20.2	19.0 - 21.5	6,900	79.8	78.5 - 81.0	8,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	13.8	12.9 - 14.7	10,000	86.2	85.3 - 87.1	11,600
No	2,100	32.1	30.4 - 33.9	4,400	67.9	66.1 - 69.6	6,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,900	28.9	27.3 - 30.6	4,700	71.1	69.4 - 72.7	6,600
131-185%	500	21.0	18.7 - 23.6	1,900	79.0	76.4 - 81.3	2,300
186+%	1,000	13.1	12.1 - 14.2	6,800	86.9	85.8 - 87.9	7,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	900	31.5	29.0 - 34.1	2,000	68.5	65.9 - 71.0	3,000
\$10,000-\$24,999	1,100	27.7	25.6 - 29.8	2,800	72.3	70.2 - 74.4	3,900
\$25,000-\$49,999	800	19.5	17.8 - 21.3	3,400	80.5	78.7 - 82.2	4,200
>=\$50,000	600	10.5	9.4 - 11.7	5,100	89.5	88.3 - 90.6	5,700

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	22.3	19.1 - 25.8	1,000	77.7	74.2 - 80.9	1,300
Normal birth weight	3,400	20.2	19.3 - 21.1	13,300	79.8	78.9 - 80.7	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	99.5	98.5 - 99.8	<50	0.5	0.2 - 1.5	1,500
No	2,100	12.9	12.2 - 13.7	14,400	87.1	86.3 - 87.8	16,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	26.6	25.2 - 28.2	5,600	73.4	71.8 - 74.8	7,700
No	1,600	15.6	14.6 - 16.7	8,500	84.4	83.3 - 85.4	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,700	20.7	19.8 - 21.6	14,100	79.3	78.4 - 80.2	17,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	26.9	24.4 - 29.6	1,600	73.1	70.4 - 75.6	2,200
<b>Honolulu</b>	2,500	19.5	18.5 - 20.6	10,300	80.5	79.4 - 81.5	12,800
<b>Kauai</b>	200	21.8	18.2 - 26.0	700	78.2	74.0 - 81.8	900
<b>Maui</b>	400	21.3	18.8 - 24.0	1,500	78.7	76.0 - 81.2	1,900



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	21.4	19.5 - 23.4	3,100	78.6	76.6 - 80.5	4,000
Native Hawaiian	1,400	29.3	27.4 - 31.2	3,400	70.7	68.8 - 72.6	4,900
Chinese	<50	4.3	3.0 - 6.3	600	95.7	93.7 - 97.0	700
Filipino	500	14.5	12.8 - 16.3	2,900	85.5	83.7 - 87.2	3,400
Japanese	400	18.5	16.1 - 21.2	1,800	81.5	78.8 - 83.9	2,200
Other	500	17.9	15.8 - 20.3	2,200	82.1	79.7 - 84.2	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	30.6	27.1 - 34.4	1,000	69.4	65.6 - 72.9	1,500
20-24	1,300	29.0	27.0 - 31.1	3,100	71.0	68.9 - 73.0	4,300
25-34	1,600	18.3	17.2 - 19.6	7,100	81.7	80.4 - 82.8	8,800
35+	400	11.2	9.7 - 12.9	2,800	88.8	87.1 - 90.3	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,900	20.5	19.3 - 21.7	7,400	79.5	78.3 - 80.7	9,300
Female	1,800	21.0	19.7 - 22.3	6,700	79.0	77.7 - 80.3	8,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	14.2	13.3 - 15.2	9,900	85.8	84.8 - 86.7	11,600
No	2,000	32.8	31.1 - 34.6	4,200	67.2	65.4 - 68.9	6,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,900	29.0	27.4 - 30.7	4,700	71.0	69.3 - 72.6	6,700
131-185%	500	20.5	18.1 - 23.1	1,800	79.5	76.9 - 81.9	2,300
186+%	1,000	13.3	12.2 - 14.5	6,400	86.7	85.5 - 87.8	7,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	21.6	18.4 - 25.0	1,000	78.4	75.0 - 81.6	1,300
Normal birth weight	3,400	20.7	19.7 - 21.6	13,000	79.3	78.4 - 80.3	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	99.5	98.5 - 99.8	<50	0.5	0.2 - 1.5	1,500
No	2,100	13.2	12.4 - 14.0	14,100	86.8	86.0 - 87.6	16,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	27.1	25.7 - 28.7	5,500	72.9	71.3 - 74.3	7,500
No	1,600	16.0	14.9 - 17.1	8,400	84.0	82.9 - 85.1	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,600	20.7	19.8 - 21.6	13,800	79.3	78.4 - 80.2	17,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	27.7	25.2 - 30.2	1,500	72.3	69.8 - 74.8	2,100
<b>Honolulu</b>	2,500	19.3	18.2 - 20.4	10,300	80.7	79.6 - 81.8	12,700
<b>Kauai</b>	200	22.9	19.3 - 27.0	600	77.1	73.0 - 80.7	800
<b>Maui</b>	400	21.7	19.3 - 24.3	1,400	78.3	75.7 - 80.7	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	21.4	19.4 - 23.5	3,000	78.6	76.5 - 80.6	3,800
Native Hawaiian	1,400	29.6	27.9 - 31.4	3,300	70.4	68.6 - 72.1	4,800
Chinese	<50	4.0	2.4 - 6.4	600	96.0	93.6 - 97.6	600
Filipino	500	14.4	12.7 - 16.3	2,900	85.6	83.7 - 87.3	3,400
Japanese	400	17.9	15.4 - 20.6	1,800	82.1	79.4 - 84.6	2,200
Other	500	18.3	15.9 - 20.9	2,100	81.7	79.1 - 84.1	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	30.5	27.0 - 34.2	1,000	69.5	65.8 - 73.0	1,500
20-24	1,200	29.6	27.5 - 31.7	3,000	70.4	68.3 - 72.5	4,200
25-34	1,600	18.1	16.9 - 19.4	7,100	81.9	80.6 - 83.1	8,600
35+	300	11.4	9.8 - 13.1	2,700	88.6	86.9 - 90.2	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,800	20.4	19.2 - 21.7	7,200	79.6	78.3 - 80.8	9,000
Female	1,800	21.1	19.8 - 22.4	6,600	78.9	77.6 - 80.2	8,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	14.3	13.3 - 15.3	9,900	85.7	84.7 - 86.7	11,500
No	2,000	33.5	31.7 - 35.3	3,900	66.5	64.7 - 68.3	5,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,900	29.1	27.5 - 30.7	4,700	70.9	69.3 - 72.5	6,600
131-185%	500	20.9	18.5 - 23.5	1,900	79.1	76.5 - 81.5	2,400
186+%	900	12.6	11.5 - 13.8	6,000	87.4	86.2 - 88.5	6,900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	21.0	17.8 - 24.6	1,000	79.0	75.4 - 82.2	1,200
Normal birth weight	3,300	20.7	19.8 - 21.7	12,800	79.3	78.3 - 80.2	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	99.5	98.6 - 99.8	<50	0.5	0.2 - 1.4	1,500
No	2,100	13.2	12.4 - 14.0	13,800	86.8	86.0 - 87.6	15,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	27.6	26.1 - 29.2	5,300	72.4	70.8 - 73.9	7,400
No	1,500	15.7	14.7 - 16.9	8,300	84.3	83.1 - 85.3	9,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,500	20.6	19.8 - 21.5	13,500	79.4	78.5 - 80.2	17,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	27.3	25.1 - 29.6	1,500	72.7	70.4 - 74.9	2,000
<b>Honolulu</b>	2,400	19.3	18.2 - 20.4	10,000	80.7	79.6 - 81.8	12,400
<b>Kauai</b>	200	23.6	20.3 - 27.3	600	76.4	72.7 - 79.7	800
<b>Maui</b>	400	21.5	19.3 - 23.8	1,400	78.5	76.2 - 80.7	1,700



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	21.2	19.2 - 23.3	2,900	78.8	76.7 - 80.8	3,700
Native Hawaiian	1,400	29.8	28.3 - 31.4	3,200	70.2	68.6 - 71.7	4,600
Chinese	<50	5.2	3.2 - 8.3	600	94.8	91.7 - 96.8	700
Filipino	500	14.9	13.2 - 16.8	2,900	85.1	83.2 - 86.8	3,400
Japanese	400	16.9	14.6 - 19.6	1,800	83.1	80.4 - 85.4	2,200
Other	400	18.1	15.7 - 20.8	2,000	81.9	79.2 - 84.3	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	30.2	27.0 - 33.6	1,000	69.8	66.4 - 73.0	1,500
20-24	1,300	30.6	28.7 - 32.7	2,900	69.4	67.3 - 71.3	4,200
25-34	1,500	17.4	16.2 - 18.6	7,000	82.6	81.4 - 83.8	8,400
35+	300	11.0	9.5 - 12.8	2,600	89.0	87.2 - 90.5	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,800	20.6	19.4 - 21.8	7,000	79.4	78.2 - 80.6	8,800
Female	1,700	20.7	19.5 - 22.0	6,500	79.3	78.0 - 80.5	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	14.3	13.4 - 15.3	9,800	85.7	84.7 - 86.6	11,400
No	1,900	33.6	31.9 - 35.3	3,700	66.4	64.7 - 68.1	5,600

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,900	29.2	27.6 - 30.8	4,600	70.8	69.2 - 72.4	6,500
131-185%	500	19.3	17.1 - 21.6	2,100	80.7	78.4 - 82.9	2,700
186+%	800	12.3	11.2 - 13.5	5,600	87.7	86.5 - 88.8	6,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	21.2	18.1 - 24.8	900	78.8	75.2 - 81.9	1,100
Normal birth weight	3,300	20.6	19.7 - 21.5	12,600	79.4	78.5 - 80.3	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	99.4	98.5 - 99.8	<50	0.6	0.2 - 1.5	1,400
No	2,000	13.1	12.4 - 13.9	13,500	86.9	86.1 - 87.6	15,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	27.3	25.8 - 28.8	5,200	72.7	71.2 - 74.2	7,200
No	1,500	15.8	14.8 - 17.0	8,100	84.2	83.0 - 85.2	9,600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,400	20.4	19.6 - 21.3	13,400	79.6	78.7 - 80.4	16,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	500	28.2	26.1 - 30.3	1,400	71.8	69.7 - 73.9	1,900
<b>Honolulu</b>	2,300	18.9	17.8 - 20.0	10,100	81.1	80.0 - 82.2	12,400
<b>Kauai</b>	200	25.4	22.3 - 28.9	600	74.6	71.1 - 77.7	700
<b>Maui</b>	400	20.8	18.9 - 22.9	1,400	79.2	77.1 - 81.1	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	20.8	18.8 - 22.8	2,900	79.2	77.2 - 81.2	3,700
Native Hawaiian	1,300	29.5	28.2 - 30.9	3,200	70.5	69.1 - 71.8	4,500
Chinese	<50	5.1	3.1 - 8.2	600	94.9	91.8 - 96.9	700
Filipino	500	14.8	13.0 - 16.7	3,000	85.2	83.3 - 87.0	3,500
Japanese	400	17.0	14.5 - 19.8	1,800	83.0	80.2 - 85.5	2,100
Other	400	18.3	15.8 - 21.1	1,900	81.7	78.9 - 84.2	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	32.3	29.2 - 35.6	1,000	67.7	64.4 - 70.8	1,500
20-24	1,200	30.4	28.5 - 32.4	2,900	69.6	67.6 - 71.5	4,100
25-34	1,400	16.6	15.5 - 17.8	6,900	83.4	82.2 - 84.5	8,300
35+	300	11.1	9.6 - 12.9	2,600	88.9	87.1 - 90.4	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,800	20.7	19.5 - 21.9	6,900	79.3	78.1 - 80.5	8,700
Female	1,600	20.2	19.0 - 21.5	6,500	79.8	78.5 - 81.0	8,100

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	14.5	13.6 - 15.5	9,900	85.5	84.5 - 86.4	11,500
No	1,800	33.2	31.6 - 35.0	3,500	66.8	65.0 - 68.4	5,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,900	27.9	26.5 - 29.4	4,800	72.1	70.6 - 73.5	6,700
131-185%	500	19.8	17.7 - 22.1	2,200	80.2	77.9 - 82.3	2,700
186+%	700	12.2	11.1 - 13.5	5,300	87.8	86.5 - 88.9	6,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking 3 months before pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	21.1	18.0 - 24.6	900	78.9	75.4 - 82.0	1,100
Normal birth weight	3,200	20.4	19.5 - 21.3	12,500	79.6	78.7 - 80.5	15,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	99.2	98.2 - 99.7	<50	0.8	0.3 - 1.8	1,400
No	2,000	12.9	12.1 - 13.6	13,400	87.1	86.4 - 87.9	15,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	26.9	25.5 - 28.3	5,200	73.1	71.7 - 74.5	7,200
No	1,500	15.7	14.7 - 16.8	8,100	84.3	83.2 - 85.3	9,600