

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Smoking during last 3 months of pregnancy	Smoking during last 3 months of pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/23/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- for the State of Hawaii,
for the Year(s)**

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013


Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	1,500	8.7	8.1 - 9.3	15,500	91.3	90.7 - 91.9	17,000
2001-2005	1,500	8.7	8.1 - 9.3	15,600	91.3	90.7 - 91.9	17,100
2002-2006	1,500	8.7	8.0 - 9.3	16,000	91.3	90.7 - 92.0	17,500
2003-2007	1,500	8.7	8.1 - 9.3	16,300	91.3	90.7 - 91.9	17,800
2004-2008	1,500	8.5	8.0 - 9.2	16,500	91.5	90.8 - 92.0	18,100
2005-2009	1,600	8.9	8.2 - 9.6	16,500	91.1	90.4 - 91.8	18,100
2006-2010	1,600	8.8	8.1 - 9.5	16,800	91.2	90.5 - 91.9	18,400
2007-2011	1,400	7.9	7.2 - 8.6	16,900	92.1	91.4 - 92.8	18,400
2008-2012	1,300	7.1	6.4 - 7.8	17,000	92.9	92.2 - 93.6	18,300
2009-2013	1,200	6.4	5.8 - 7.2	17,000	93.6	92.8 - 94.2	18,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- for the State of Hawaii,
for the Year(s)**

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	6.4	5.8 - 7.2	17,000	93.6	92.8 - 94.2	18,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	10.3	8.9 - 11.9	2,100	89.7	88.1 - 91.1	2,300
Honolulu	700	5.6	4.8 - 6.6	12,300	94.4	93.4 - 95.2	13,000
Kauai	100	7.7	6.3 - 9.2	800	92.3	90.8 - 93.7	800
Maui	100	6.8	5.7 - 8.0	1,800	93.2	92.0 - 94.3	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	4.3	3.3 - 5.7	4,200	95.7	94.3 - 96.7	4,400
Native Hawaiian	600	10.5	9.1 - 12.1	4,800	89.5	87.9 - 90.9	5,400
Chinese	<50	3.6	1.7 - 7.6	800	96.4	92.4 - 98.3	800
Filipino	100	3.9	2.8 - 5.6	3,100	96.1	94.4 - 97.2	3,200
Japanese	100	5.0	3.2 - 7.8	1,600	95.0	92.2 - 96.8	1,700
Other	200	6.5	4.7 - 8.8	2,500	93.5	91.2 - 95.3	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.0	4.7 - 10.4	1,100	93.0	89.6 - 95.3	1,200
20-24	300	8.5	7.0 - 10.3	3,800	91.5	89.7 - 93.0	4,100
25-34	600	6.2	5.3 - 7.2	9,100	93.8	92.8 - 94.7	9,700
35+	100	4.5	3.2 - 6.1	3,100	95.5	93.9 - 96.8	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.0	5.1 - 7.0	8,700	94.0	93.0 - 94.9	9,200
Female	600	6.9	5.9 - 8.0	8,300	93.1	92.0 - 94.1	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.4	2.8 - 4.1	10,800	96.6	95.9 - 97.2	11,200
No	800	11.4	10.0 - 12.9	6,200	88.6	87.1 - 90.0	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	11.0	9.7 - 12.6	5,800	89.0	87.4 - 90.3	6,500
131-185%	100	5.1	3.7 - 7.0	2,600	94.9	93.0 - 96.3	2,800
186+%	200	2.9	2.2 - 3.8	7,200	97.1	96.2 - 97.8	7,400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	8.4	7.1 - 9.9	1,200	91.6	90.1 - 92.9	1,300
Normal birth weight	1,100	6.3	5.6 - 7.0	15,800	93.7	93.0 - 94.4	16,800

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	33.1	30.1 - 36.2	2,400	66.9	63.8 - 69.9	3,500
No	<50	0.1	0.0 - 0.3	14,600	99.9	99.7 - 100.0	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	9.2	8.1 - 10.4	7,200	90.8	89.6 - 91.9	8,000
No	400	4.3	3.5 - 5.2	9,700	95.7	94.8 - 96.5	10,100

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,300	7.1	6.4 - 7.8	17,000	92.9	92.2 - 93.6	18,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	10.7	9.2 - 12.4	2,100	89.3	87.6 - 90.8	2,400
Honolulu	800	6.4	5.5 - 7.3	12,200	93.6	92.7 - 94.5	13,100
Kauai	100	8.0	6.3 - 10.1	800	92.0	89.9 - 93.7	800
Maui	100	6.8	5.6 - 8.2	1,900	93.2	91.8 - 94.4	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	5.1	4.1 - 6.5	4,100	94.9	93.5 - 95.9	4,300
Native Hawaiian	600	11.4	10.0 - 13.0	4,700	88.6	87.0 - 90.0	5,300
Chinese	<50	4.0	1.9 - 8.1	800	96.0	91.9 - 98.1	800
Filipino	100	4.1	3.0 - 5.6	3,200	95.9	94.4 - 97.0	3,300
Japanese	100	6.2	4.3 - 8.9	1,600	93.8	91.1 - 95.7	1,700
Other	200	6.5	4.9 - 8.6	2,600	93.5	91.4 - 95.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	8.9	6.6 - 12.0	1,200	91.1	88.0 - 93.4	1,300
20-24	400	9.1	7.6 - 10.9	3,700	90.9	89.1 - 92.4	4,100
25-34	600	6.7	5.8 - 7.6	9,000	93.3	92.4 - 94.2	9,600
35+	200	4.9	3.7 - 6.4	3,100	95.1	93.6 - 96.3	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.7	5.9 - 7.7	8,800	93.3	92.3 - 94.1	9,400
Female	700	7.4	6.4 - 8.5	8,200	92.6	91.5 - 93.6	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.9	3.3 - 4.6	10,800	96.1	95.4 - 96.7	11,300
No	800	12.1	10.7 - 13.5	6,200	87.9	86.5 - 89.3	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	12.3	10.9 - 13.8	5,700	87.7	86.2 - 89.1	6,500
131-185%	200	5.9	4.5 - 7.8	2,700	94.1	92.2 - 95.5	2,800
186+%	200	3.1	2.4 - 3.9	7,300	96.9	96.1 - 97.6	7,500

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	9.0	7.4 - 11.0	1,200	91.0	89.0 - 92.6	1,300
Normal birth weight	1,200	6.9	6.2 - 7.6	15,800	93.1	92.4 - 93.8	16,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	35.9	33.1 - 38.9	2,300	64.1	61.1 - 66.9	3,600
No	<50	0.0	0.0 - 0.3	14,700	100.0	99.7 - 100.0	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.3	9.1 - 11.5	7,100	89.7	88.5 - 90.9	8,000
No	500	4.5	3.8 - 5.4	9,700	95.5	94.6 - 96.2	10,200

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,400	7.9	7.2 - 8.6	16,900	92.1	91.4 - 92.8	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	11.2	9.6 - 13.0	2,100	88.8	87.0 - 90.4	2,400
Honolulu	1,000	7.4	6.5 - 8.3	12,100	92.6	91.7 - 93.5	13,000
Kauai	100	8.0	6.2 - 10.3	800	92.0	89.7 - 93.8	900
Maui	200	7.3	6.0 - 8.9	1,900	92.7	91.1 - 94.0	2,100

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.4	5.2 - 7.7	4,100	93.6	92.3 - 94.8	4,300
Native Hawaiian	700	12.6	11.1 - 14.2	4,700	87.4	85.8 - 88.9	5,300
Chinese	<50	4.4	2.1 - 8.9	700	95.6	91.1 - 97.9	700
Filipino	100	4.4	3.3 - 5.8	3,200	95.6	94.2 - 96.7	3,300
Japanese	100	7.0	5.1 - 9.5	1,700	93.0	90.5 - 94.9	1,900
Other	200	7.0	5.4 - 9.0	2,600	93.0	91.0 - 94.6	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	10.5	8.0 - 13.6	1,300	89.5	86.4 - 92.0	1,400
20-24	400	10.1	8.6 - 11.9	3,900	89.9	88.1 - 91.4	4,300
25-34	700	7.3	6.5 - 8.3	8,700	92.7	91.7 - 93.5	9,400
35+	200	5.3	4.1 - 6.8	3,100	94.7	93.2 - 95.9	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	7.7	6.8 - 8.7	8,800	92.3	91.3 - 93.2	9,500
Female	700	8.1	7.1 - 9.1	8,100	91.9	90.9 - 92.9	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.4	3.8 - 5.2	10,800	95.6	94.8 - 96.2	11,300
No	900	13.4	12.1 - 14.9	6,100	86.6	85.1 - 87.9	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	13.7	12.3 - 15.2	5,700	86.3	84.8 - 87.7	6,600
131-185%	200	6.9	5.4 - 8.7	2,600	93.1	91.3 - 94.6	2,800
186+%	300	3.5	2.8 - 4.3	7,400	96.5	95.7 - 97.2	7,700

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	15.9	13.8 - 18.3	2,700	84.1	81.7 - 86.2	3,200
\$10,000-\$24,999	400	11.1	9.4 - 13.0	3,300	88.9	87.0 - 90.6	3,700
\$25,000-\$49,999	300	6.6	5.4 - 8.0	4,000	93.4	92.0 - 94.6	4,200
>=\$50,000	200	2.9	2.3 - 3.8	5,900	97.1	96.2 - 97.7	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	10.3	8.4 - 12.5	1,200	89.7	87.5 - 91.6	1,300
Normal birth weight	1,300	7.7	7.0 - 8.4	15,700	92.3	91.6 - 93.0	17,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	38.6	35.9 - 41.5	2,300	61.4	58.5 - 64.1	3,700
No	<50	0.1	0.0 - 0.2	14,600	99.9	99.8 - 100.0	14,700

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	11.6	10.4 - 12.9	7,000	88.4	87.1 - 89.6	7,900
No	500	5.0	4.3 - 5.8	9,800	95.0	94.2 - 95.7	10,300

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,600	8.8	8.1 - 9.5	16,800	91.2	90.5 - 91.9	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	12.4	10.7 - 14.5	2,100	87.6	85.5 - 89.3	2,400
Honolulu	1,100	8.2	7.4 - 9.1	12,000	91.8	90.9 - 92.6	13,100
Kauai	100	8.4	6.3 - 11.1	800	91.6	88.9 - 93.7	900
Maui	200	8.2	6.7 - 9.9	1,900	91.8	90.1 - 93.3	2,100

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.8	5.6 - 8.1	4,000	93.2	91.9 - 94.4	4,300
Native Hawaiian	700	14.1	12.6 - 15.8	4,500	85.9	84.2 - 87.4	5,300
Chinese	<50	4.2	1.9 - 8.9	700	95.8	91.1 - 98.1	700
Filipino	200	4.9	3.8 - 6.3	3,200	95.1	93.7 - 96.2	3,300
Japanese	100	7.6	5.7 - 10.1	1,800	92.4	89.9 - 94.3	1,900
Other	200	8.2	6.5 - 10.3	2,600	91.8	89.7 - 93.5	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.2	8.8 - 14.3	1,400	88.8	85.7 - 91.2	1,500
20-24	500	10.9	9.3 - 12.6	3,900	89.1	87.4 - 90.7	4,300
25-34	800	8.4	7.5 - 9.5	8,400	91.6	90.5 - 92.5	9,200
35+	200	5.6	4.4 - 7.2	3,100	94.4	92.8 - 95.6	3,300

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.6	7.7 - 9.6	8,700	91.4	90.4 - 92.3	9,500
Female	800	8.9	8.0 - 10.0	8,100	91.1	90.0 - 92.0	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	4.9	4.2 - 5.6	10,800	95.1	94.4 - 95.8	11,400
No	1,100	15.0	13.6 - 16.6	5,900	85.0	83.4 - 86.4	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	15.6	14.1 - 17.1	5,600	84.4	82.9 - 85.9	6,600
131-185%	200	7.6	6.0 - 9.5	2,500	92.4	90.5 - 94.0	2,700
186+%	300	3.7	3.0 - 4.5	7,400	96.3	95.5 - 97.0	7,700

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	18.2	16.0 - 20.7	2,600	81.8	79.3 - 84.0	3,200
\$10,000-\$24,999	400	11.9	10.2 - 13.8	3,300	88.1	86.2 - 89.8	3,700
\$25,000-\$49,999	300	7.6	6.3 - 9.1	3,900	92.4	90.9 - 93.7	4,200
>=\$50,000	200	3.0	2.4 - 3.9	5,900	97.0	96.1 - 97.6	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	10.7	8.7 - 13.2	1,200	89.3	86.8 - 91.3	1,400
Normal birth weight	1,500	8.6	7.9 - 9.3	15,500	91.4	90.7 - 92.1	16,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	42.1	39.5 - 44.9	2,200	57.9	55.1 - 60.5	3,800
No	<50	0.1	0.0 - 0.2	14,600	99.9	99.8 - 100.0	14,600

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	13.0	11.8 - 14.3	6,700	87.0	85.7 - 88.2	7,800
No	600	5.5	4.8 - 6.4	9,800	94.5	93.6 - 95.2	10,400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,600	8.9	8.2 - 9.6	16,500	91.1	90.4 - 91.8	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	12.5	10.7 - 14.7	2,000	87.5	85.3 - 89.3	2,300
Honolulu	1,100	8.4	7.6 - 9.2	11,800	91.6	90.8 - 92.4	12,900
Kauai	100	8.7	6.4 - 11.7	800	91.3	88.3 - 93.6	900
Maui	200	7.9	6.3 - 9.9	1,800	92.1	90.1 - 93.7	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.9	5.8 - 8.2	3,900	93.1	91.8 - 94.2	4,200
Native Hawaiian	700	14.4	12.9 - 16.1	4,400	85.6	83.9 - 87.1	5,200
Chinese	<50	3.4	1.6 - 7.1	600	96.6	92.9 - 98.4	700
Filipino	200	5.0	4.0 - 6.3	3,200	95.0	93.7 - 96.0	3,300
Japanese	200	7.8	6.1 - 10.1	1,900	92.2	89.9 - 93.9	2,000
Other	200	8.1	6.6 - 10.0	2,600	91.9	90.0 - 93.4	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.4	8.1 - 13.2	1,400	89.6	86.8 - 91.9	1,600
20-24	500	11.0	9.5 - 12.6	3,800	89.0	87.4 - 90.5	4,300
25-34	800	8.5	7.6 - 9.5	8,300	91.5	90.5 - 92.4	9,000
35+	200	6.2	5.0 - 7.7	3,000	93.8	92.3 - 95.0	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.9	8.0 - 9.9	8,600	91.1	90.1 - 92.0	9,400
Female	800	8.8	7.9 - 9.8	7,900	91.2	90.2 - 92.1	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.8	4.2 - 5.5	10,700	95.2	94.5 - 95.8	11,300
No	1,100	15.5	14.1 - 17.0	5,800	84.5	83.0 - 85.9	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	15.7	14.3 - 17.3	5,500	84.3	82.7 - 85.7	6,600
131-185%	200	7.9	6.4 - 9.9	2,300	92.1	90.1 - 93.6	2,500
186+%	300	3.6	3.0 - 4.3	7,400	96.4	95.7 - 97.0	7,700

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	19.6	17.3 - 22.1	2,500	80.4	77.9 - 82.7	3,100
\$10,000-\$24,999	500	11.8	10.3 - 13.6	3,400	88.2	86.4 - 89.7	3,800
\$25,000-\$49,999	300	7.0	5.9 - 8.4	3,800	93.0	91.6 - 94.1	4,100
>=\$50,000	200	3.1	2.4 - 3.8	5,700	96.9	96.2 - 97.6	5,900

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	12.1	9.8 - 14.8	1,200	87.9	85.2 - 90.2	1,400
Normal birth weight	1,400	8.6	7.9 - 9.3	15,300	91.4	90.7 - 92.1	16,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	42.5	40.0 - 45.1	2,200	57.5	54.9 - 60.0	3,700
No	<50	0.1	0.0 - 0.3	14,400	99.9	99.7 - 100.0	14,400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	13.3	12.1 - 14.6	6,600	86.7	85.4 - 87.9	7,600
No	600	5.6	4.9 - 6.4	9,700	94.4	93.6 - 95.1	10,300

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,500	8.5	8.0 - 9.2	16,500	91.5	90.8 - 92.0	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	11.9	10.0 - 14.1	2,000	88.1	85.9 - 90.0	2,300
Honolulu	1,000	8.0	7.4 - 8.8	11,900	92.0	91.2 - 92.6	12,900
Kauai	100	7.9	5.6 - 11.2	800	92.1	88.8 - 94.4	900
Maui	200	8.1	6.5 - 10.2	1,800	91.9	89.8 - 93.5	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.3	6.2 - 8.5	3,800	92.7	91.5 - 93.8	4,100
Native Hawaiian	700	13.9	12.4 - 15.5	4,300	86.1	84.5 - 87.6	5,000
Chinese	<50	1.8	1.2 - 2.8	600	98.2	97.2 - 98.8	600
Filipino	200	4.8	3.9 - 5.9	3,200	95.2	94.1 - 96.1	3,300
Japanese	200	7.0	5.5 - 8.8	2,000	93.0	91.2 - 94.5	2,200
Other	200	8.1	6.7 - 9.7	2,600	91.9	90.3 - 93.3	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.9	8.6 - 13.6	1,300	89.1	86.4 - 91.4	1,500
20-24	500	11.0	9.7 - 12.5	3,900	89.0	87.5 - 90.3	4,400
25-34	700	7.9	7.1 - 8.8	8,200	92.1	91.2 - 92.9	9,000
35+	200	5.8	4.8 - 7.1	3,100	94.2	92.9 - 95.2	3,300

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.8	8.0 - 9.7	8,600	91.2	90.3 - 92.0	9,400
Female	700	8.3	7.4 - 9.2	7,900	91.7	90.8 - 92.6	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.2	4.6 - 5.8	11,000	94.8	94.2 - 95.4	11,600
No	900	14.6	13.3 - 16.0	5,500	85.4	84.0 - 86.7	6,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	14.9	13.7 - 16.3	5,600	85.1	83.7 - 86.3	6,600
131-185%	200	7.8	6.4 - 9.6	2,200	92.2	90.4 - 93.6	2,300
186+%	300	3.7	3.1 - 4.4	7,500	96.3	95.6 - 96.9	7,800

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	18.1	16.1 - 20.4	2,400	81.9	79.6 - 83.9	3,000
\$10,000-\$24,999	500	11.7	10.3 - 13.3	3,400	88.3	86.7 - 89.7	3,900
\$25,000-\$49,999	300	6.7	5.7 - 7.9	4,000	93.3	92.1 - 94.3	4,200
>=\$50,000	200	3.1	2.5 - 3.8	5,500	96.9	96.2 - 97.5	5,700

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	13.1	10.6 - 16.1	1,200	86.9	83.9 - 89.4	1,300
Normal birth weight	1,400	8.2	7.6 - 8.8	15,300	91.8	91.2 - 92.4	16,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	41.8	39.4 - 44.2	2,100	58.2	55.8 - 60.6	3,700
No	<50	0.1	0.0 - 0.2	14,400	99.9	99.8 - 100.0	14,400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	12.3	11.3 - 13.5	6,700	87.7	86.5 - 88.7	7,700
No	600	5.7	5.1 - 6.4	9,500	94.3	93.6 - 94.9	10,100

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,500	8.7	8.1 - 9.3	16,300	91.3	90.7 - 91.9	17,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	12.4	10.6 - 14.5	1,900	87.6	85.5 - 89.4	2,200
Honolulu	1,000	8.2	7.5 - 8.9	11,800	91.8	91.1 - 92.5	12,800
Kauai	100	8.1	5.8 - 11.1	800	91.9	88.9 - 94.2	900
Maui	200	8.4	6.8 - 10.3	1,700	91.6	89.7 - 93.2	1,900

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.9	6.7 - 9.3	3,700	92.1	90.7 - 93.3	4,000
Native Hawaiian	700	13.9	12.5 - 15.4	4,200	86.1	84.6 - 87.5	4,900
Chinese	<50	2.0	0.9 - 4.1	600	98.0	95.9 - 99.1	700
Filipino	200	5.7	4.7 - 7.1	3,200	94.3	92.9 - 95.3	3,400
Japanese	100	6.2	4.9 - 8.0	2,000	93.8	92.0 - 95.1	2,200
Other	200	8.0	6.5 - 9.7	2,500	92.0	90.3 - 93.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.8	8.5 - 13.6	1,300	89.2	86.4 - 91.5	1,500
20-24	500	11.6	10.2 - 13.1	3,900	88.4	86.9 - 89.8	4,400
25-34	700	8.1	7.3 - 9.0	8,100	91.9	91.0 - 92.7	8,800
35+	200	5.3	4.3 - 6.6	3,000	94.7	93.4 - 95.7	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.8	8.0 - 9.7	8,500	91.2	90.3 - 92.0	9,300
Female	700	8.6	7.7 - 9.6	7,800	91.4	90.4 - 92.3	8,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.4	4.8 - 6.0	11,000	94.6	94.0 - 95.2	11,600
No	900	14.9	13.6 - 16.3	5,300	85.1	83.7 - 86.4	6,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	14.5	13.3 - 15.8	5,700	85.5	84.2 - 86.7	6,700
131-185%	200	7.8	6.2 - 9.6	2,100	92.2	90.4 - 93.8	2,300
186+%	300	3.8	3.2 - 4.5	7,100	96.2	95.5 - 96.8	7,300

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	12.5	10.0 - 15.4	1,200	87.5	84.6 - 90.0	1,300
Normal birth weight	1,400	8.4	7.8 - 9.1	15,100	91.6	90.9 - 92.2	16,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	41.6	39.3 - 44.1	2,100	58.4	55.9 - 60.7	3,700
No	<50	0.1	0.0 - 0.2	14,100	99.9	99.8 - 100.0	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	12.6	11.5 - 13.8	6,600	87.4	86.2 - 88.5	7,500
No	600	5.8	5.2 - 6.5	9,400	94.2	93.5 - 94.8	10,000

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,500	8.7	8.0 - 9.3	16,000	91.3	90.7 - 92.0	17,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	13.0	11.3 - 15.1	1,800	87.0	84.9 - 88.7	2,100
Honolulu	1,000	7.9	7.2 - 8.7	11,800	92.1	91.3 - 92.8	12,800
Kauai	100	9.3	7.0 - 12.4	700	90.7	87.6 - 93.0	800
Maui	200	8.4	6.9 - 10.3	1,700	91.6	89.7 - 93.1	1,800

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.1	6.8 - 9.6	3,500	91.9	90.4 - 93.2	3,800
Native Hawaiian	700	13.9	12.6 - 15.3	4,100	86.1	84.7 - 87.4	4,800
Chinese	<50	1.7	0.8 - 4.0	600	98.3	96.0 - 99.2	600
Filipino	200	5.4	4.4 - 6.8	3,200	94.6	93.2 - 95.6	3,400
Japanese	100	5.9	4.5 - 7.7	2,100	94.1	92.3 - 95.5	2,200
Other	200	8.2	6.6 - 10.1	2,300	91.8	89.9 - 93.4	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.8	8.5 - 13.5	1,300	89.2	86.5 - 91.5	1,500
20-24	500	12.0	10.6 - 13.5	3,800	88.0	86.5 - 89.4	4,300
25-34	700	7.8	7.0 - 8.7	8,000	92.2	91.3 - 93.0	8,600
35+	200	5.4	4.4 - 6.7	2,900	94.6	93.3 - 95.6	3,100

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.5	7.7 - 9.4	8,300	91.5	90.6 - 92.3	9,100
Female	700	8.8	7.9 - 9.8	7,700	91.2	90.2 - 92.1	8,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.5	4.9 - 6.1	10,900	94.5	93.9 - 95.1	11,600
No	900	14.9	13.6 - 16.4	5,000	85.1	83.6 - 86.4	5,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	14.4	13.2 - 15.7	5,700	85.6	84.3 - 86.8	6,600
131-185%	200	7.1	5.7 - 8.9	2,300	92.9	91.1 - 94.3	2,500
186+%	200	3.6	3.0 - 4.3	6,600	96.4	95.7 - 97.0	6,900

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	12.1	9.8 - 15.0	1,100	87.9	85.0 - 90.2	1,200
Normal birth weight	1,400	8.4	7.7 - 9.0	14,800	91.6	91.0 - 92.3	16,200

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	41.5	39.0 - 43.9	2,100	58.5	56.1 - 61.0	3,600
No	<50	0.0	0.0 - 0.1	13,800	100.0	99.9 - 100.0	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	12.4	11.3 - 13.6	6,500	87.6	86.4 - 88.7	7,400
No	600	5.9	5.3 - 6.7	9,200	94.1	93.3 - 94.7	9,800

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,500	8.7	8.1 - 9.3	15,600	91.3	90.7 - 91.9	17,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	12.8	11.2 - 14.5	1,800	87.2	85.5 - 88.8	2,000
Honolulu	1,000	7.9	7.2 - 8.7	11,500	92.1	91.3 - 92.8	12,500
Kauai	100	10.9	8.5 - 13.7	700	89.1	86.3 - 91.5	800
Maui	100	8.3	6.9 - 9.9	1,600	91.7	90.1 - 93.1	1,800

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.3	6.9 - 9.8	3,400	91.7	90.2 - 93.1	3,700
Native Hawaiian	600	13.8	12.6 - 15.0	4,000	86.2	85.0 - 87.4	4,700
Chinese	<50	2.5	1.1 - 5.3	700	97.5	94.7 - 98.9	700
Filipino	200	5.8	4.7 - 7.1	3,300	94.2	92.9 - 95.3	3,500
Japanese	100	5.5	4.2 - 7.2	2,100	94.5	92.8 - 95.8	2,200
Other	200	8.2	6.5 - 10.1	2,200	91.8	89.9 - 93.5	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.1	9.1 - 13.5	1,300	88.9	86.5 - 90.9	1,500
20-24	500	12.4	11.1 - 13.9	3,700	87.6	86.1 - 88.9	4,200
25-34	600	7.4	6.6 - 8.3	7,800	92.6	91.7 - 93.4	8,400
35+	200	5.6	4.5 - 6.9	2,800	94.4	93.1 - 95.5	2,900

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.9	8.1 - 9.7	8,100	91.1	90.3 - 91.9	8,900
Female	700	8.4	7.6 - 9.4	7,500	91.6	90.6 - 92.4	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.7	5.1 - 6.3	10,800	94.3	93.7 - 94.9	11,400
No	800	14.7	13.5 - 16.1	4,800	85.3	83.9 - 86.5	5,600

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	13.9	12.7 - 15.1	5,700	86.1	84.9 - 87.3	6,600
131-185%	200	7.4	6.0 - 9.0	2,500	92.6	91.0 - 94.0	2,700
186+%	200	3.5	2.9 - 4.2	6,100	96.5	95.8 - 97.1	6,300

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	100	11.9	9.6 - 14.6	1,000	88.1	85.4 - 90.4	1,100
Normal birth weight	1,300	8.4	7.8 - 9.0	14,600	91.6	91.0 - 92.2	15,900

	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke Before Pregnant							
Yes	1,400	41.3	39.0 - 43.7	2,000	58.7	56.3 - 61.0	3,500
No	<50	0.1	0.0 - 0.2	13,500	99.9	99.8 - 100.0	13,500

	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
WIC During Pregnancy							
Yes	900	12.2	11.2 - 13.3	6,400	87.8	86.7 - 88.8	7,300
No	600	6.1	5.4 - 6.8	9,100	93.9	93.2 - 94.6	9,600

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,500	8.7	8.1 - 9.3	15,500	91.3	90.7 - 91.9	17,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	13.6	12.1 - 15.3	1,700	86.4	84.7 - 87.9	2,000
Honolulu	1,000	7.9	7.2 - 8.6	11,500	92.1	91.4 - 92.8	12,500
Kauai	100	10.4	8.4 - 13.0	700	89.6	87.0 - 91.6	700
Maui	100	8.3	7.0 - 9.7	1,600	91.7	90.3 - 93.0	1,800

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.1	6.8 - 9.6	3,400	91.9	90.4 - 93.2	3,700
Native Hawaiian	700	14.2	13.2 - 15.2	3,900	85.8	84.8 - 86.8	4,600
Chinese	<50	2.4	1.1 - 5.3	700	97.6	94.7 - 98.9	700
Filipino	200	6.1	5.0 - 7.5	3,300	93.9	92.5 - 95.0	3,500
Japanese	100	4.6	3.4 - 6.3	2,100	95.4	93.7 - 96.6	2,200
Other	200	8.1	6.5 - 10.2	2,200	91.9	89.8 - 93.5	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.9	9.9 - 14.2	1,400	88.1	85.8 - 90.1	1,500
20-24	500	12.5	11.2 - 14.0	3,600	87.5	86.0 - 88.8	4,200
25-34	600	7.3	6.6 - 8.2	7,700	92.7	91.8 - 93.4	8,300
35+	200	5.3	4.3 - 6.5	2,800	94.7	93.5 - 95.7	2,900

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	9.1	8.3 - 9.9	8,000	90.9	90.1 - 91.7	8,800
Female	700	8.3	7.4 - 9.1	7,500	91.7	90.9 - 92.6	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	5.8	5.2 - 6.5	10,900	94.2	93.5 - 94.8	11,600
No	800	14.8	13.5 - 16.1	4,600	85.2	83.9 - 86.5	5,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	13.6	12.5 - 14.7	5,800	86.4	85.3 - 87.5	6,800
131-185%	200	7.3	6.0 - 8.9	2,600	92.7	91.1 - 94.0	2,800
186+%	200	3.4	2.8 - 4.1	5,800	96.6	95.9 - 97.2	6,000

PRAMS Health Indicator 5-Year Aggregate Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	11.7	9.6 - 14.3	1,000	88.3	85.7 - 90.4	1,100
Normal birth weight	1,300	8.4	7.8 - 9.0	14,500	91.6	91.0 - 92.2	15,800

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	41.7	39.4 - 44.0	2,000	58.3	56.0 - 60.6	3,400
No	<50	0.1	0.0 - 0.2	13,400	99.9	99.8 - 100.0	13,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	12.0	11.1 - 13.1	6,400	88.0	86.9 - 88.9	7,300
No	600	6.2	5.5 - 6.9	9,000	93.8	93.1 - 94.5	9,600