

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- for the State of Hawaii,
for the Year(s)**

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Smoking cessation during pregnancy	Among new mothers who smoked before pregnancy, those that quit during pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/23/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	2,000	58.3	56.0 - 60.6	1,400	41.7	39.4 - 44.0	3,400
2001-2005	2,000	58.7	56.3 - 61.0	1,400	41.3	39.0 - 43.7	3,500
2002-2006	2,100	58.5	56.1 - 61.0	1,500	41.5	39.0 - 43.9	3,600
2003-2007	2,100	58.4	55.9 - 60.7	1,500	41.6	39.3 - 44.1	3,700
2004-2008	2,100	58.2	55.8 - 60.6	1,500	41.8	39.4 - 44.2	3,700
2005-2009	2,200	57.5	54.9 - 60.0	1,600	42.5	40.0 - 45.1	3,700
2006-2010	2,200	57.9	55.1 - 60.5	1,600	42.1	39.5 - 44.9	3,800
2007-2011	2,300	61.4	58.5 - 64.1	1,400	38.6	35.9 - 41.5	3,700
2008-2012	2,300	64.1	61.1 - 66.9	1,300	35.9	33.1 - 38.9	3,600
2009-2013	2,400	66.9	63.8 - 69.9	1,200	33.1	30.1 - 36.2	3,500

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,400	66.9	63.8 - 69.9	1,200	33.1	30.1 - 36.2	3,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	59.8	55.1 - 64.3	200	40.2	35.7 - 44.9	600
Honolulu	1,600	69.2	64.8 - 73.3	700	30.8	26.7 - 35.2	2,400
Kauai	100	60.8	54.6 - 66.6	100	39.2	33.4 - 45.4	200
Maui	300	66.5	61.6 - 71.1	100	33.5	28.9 - 38.4	400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	73.2	66.5 - 79.0	200	26.8	21.0 - 33.5	700
Native Hawaiian	900	60.7	55.9 - 65.3	600	39.3	34.7 - 44.1	1,400
Chinese	100	76.4	55.8 - 89.3	<50	23.6	10.7 - 44.2	100
Filipino	400	73.9	65.3 - 81.1	100	26.1	18.9 - 34.7	500
Japanese	200	72.6	60.6 - 81.9	100	27.4	18.1 - 39.4	300
Other	300	63.5	53.7 - 72.4	200	36.5	27.6 - 46.3	500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	69.7	58.5 - 79.0	100	30.3	21.0 - 41.5	300
20-24	800	68.6	62.9 - 73.8	300	31.4	26.2 - 37.1	1,100
25-34	1,200	66.6	62.2 - 70.8	600	33.4	29.2 - 37.8	1,800
35+	200	61.2	51.3 - 70.3	100	38.8	29.7 - 48.7	400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	67.6	63.1 - 71.8	500	32.4	28.2 - 36.9	1,700
Female	1,200	66.3	61.9 - 70.5	600	33.7	29.5 - 38.1	1,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	73.5	68.7 - 77.9	400	26.5	22.1 - 31.3	1,400
No	1,300	62.4	58.3 - 66.3	800	37.6	33.7 - 41.7	2,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	58.2	53.8 - 62.6	700	41.8	37.4 - 46.2	1,700
131-185%	400	76.0	68.1 - 82.4	100	24.0	17.6 - 31.9	600
186+%	800	77.6	71.8 - 82.5	200	22.4	17.5 - 28.2	1,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	63.6	58.4 - 68.5	100	36.4	31.5 - 41.6	300
Normal birth weight	2,200	67.4	64.0 - 70.6	1,000	32.6	29.4 - 36.0	3,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,200	100.0	-	1,200
No	2,400	100.0	-	0	0.0	-	2,400

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	66.9	63.8 - 69.9	1,200	33.1	30.1 - 36.2	3,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	63.1	59.0 - 67.0	700	36.9	33.0 - 41.0	2,000
No	1,100	71.7	66.7 - 76.2	400	28.3	23.8 - 33.3	1,500

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,300	64.1	61.1 - 66.9	1,300	35.9	33.1 - 38.9	3,600

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	58.2	53.2 - 63.0	300	41.8	37.0 - 46.8	600
Honolulu	1,600	65.5	61.4 - 69.4	800	34.5	30.6 - 38.6	2,400
Kauai	100	57.1	49.5 - 64.4	100	42.9	35.6 - 50.5	200
Maui	300	67.1	61.7 - 72.0	100	32.9	28.0 - 38.3	400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	70.8	64.6 - 76.3	200	29.2	23.7 - 35.4	800
Native Hawaiian	800	57.9	53.3 - 62.4	600	42.1	37.6 - 46.7	1,500
Chinese	100	72.1	50.8 - 86.6	<50	27.9	13.4 - 49.2	100
Filipino	300	72.3	64.2 - 79.2	100	27.7	20.8 - 35.8	500
Japanese	200	65.4	54.3 - 75.1	100	34.6	24.9 - 45.7	300
Other	300	61.4	52.3 - 69.7	200	38.6	30.3 - 47.7	500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	63.6	53.8 - 72.4	100	36.4	27.6 - 46.2	300
20-24	700	66.6	61.1 - 71.7	400	33.4	28.3 - 38.9	1,100
25-34	1,100	64.0	59.7 - 68.0	600	36.0	32.0 - 40.3	1,800
35+	200	57.6	48.5 - 66.3	200	42.4	33.7 - 51.5	400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	64.8	60.6 - 68.8	600	35.2	31.2 - 39.4	1,800
Female	1,100	63.4	59.1 - 67.4	700	36.6	32.6 - 40.9	1,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	69.5	64.9 - 73.7	400	30.5	26.3 - 35.1	1,400
No	1,300	60.4	56.5 - 64.2	800	39.6	35.8 - 43.5	2,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	54.1	49.9 - 58.3	800	45.9	41.7 - 50.1	1,800
131-185%	400	72.1	64.6 - 78.5	200	27.9	21.5 - 35.4	600
186+%	800	76.3	70.8 - 81.0	200	23.7	19.0 - 29.2	1,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	60.1	53.9 - 66.1	100	39.9	33.9 - 46.1	300
Normal birth weight	2,100	64.6	61.4 - 67.6	1,200	35.4	32.4 - 38.6	3,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,300	100.0	-	1,300
No	2,300	100.0	-	0	0.0	-	2,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	64.1	61.1 - 66.9	1,300	35.9	33.1 - 38.9	3,600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	60.0	56.1 - 63.8	800	40.0	36.2 - 43.9	2,000
No	1,100	69.6	64.9 - 73.9	500	30.4	26.1 - 35.1	1,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,300	61.4	58.5 - 64.1	1,400	38.6	35.9 - 41.5	3,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	57.6	52.4 - 62.6	300	42.4	37.4 - 47.6	600
Honolulu	1,500	62.0	58.1 - 65.7	900	38.0	34.3 - 41.9	2,500
Kauai	100	55.8	46.9 - 64.3	100	44.2	35.7 - 53.1	200
Maui	300	65.3	59.5 - 70.6	200	34.7	29.4 - 40.5	400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	66.8	61.0 - 72.2	300	33.2	27.8 - 39.0	800
Native Hawaiian	800	54.4	49.9 - 58.7	700	45.6	41.3 - 50.1	1,500
Chinese	100	66.7	44.3 - 83.4	<50	33.3	16.6 - 55.7	100
Filipino	400	71.4	63.8 - 78.0	100	28.6	22.0 - 36.2	500
Japanese	200	63.6	53.6 - 72.5	100	36.4	27.5 - 46.4	400
Other	300	60.4	51.9 - 68.2	200	39.6	31.8 - 48.1	500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	59.2	50.2 - 67.7	100	40.8	32.3 - 49.8	400
20-24	800	64.8	59.8 - 69.6	400	35.2	30.4 - 40.2	1,200
25-34	1,100	60.5	56.3 - 64.5	700	39.5	35.5 - 43.7	1,700
35+	200	56.3	47.5 - 64.7	200	43.7	35.3 - 52.5	400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	61.7	57.7 - 65.5	700	38.3	34.5 - 42.3	1,900
Female	1,100	61.0	57.0 - 64.9	700	39.0	35.1 - 43.0	1,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	67.4	63.1 - 71.4	500	32.6	28.6 - 36.9	1,500
No	1,200	57.1	53.4 - 60.7	900	42.9	39.3 - 46.6	2,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	50.8	46.8 - 54.8	900	49.2	45.2 - 53.2	1,800
131-185%	400	69.4	62.2 - 75.7	200	30.6	24.3 - 37.8	600
186+%	800	74.6	69.5 - 79.1	300	25.4	20.9 - 30.5	1,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	46.7	41.1 - 52.3	500	53.3	47.7 - 58.9	1,000
\$10,000-\$24,999	600	58.3	52.8 - 63.6	400	41.7	36.4 - 47.2	1,000
\$25,000-\$49,999	700	70.8	65.3 - 75.7	300	29.2	24.3 - 34.7	900
>=\$50,000	500	73.0	66.5 - 78.7	200	27.0	21.3 - 33.5	700

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	56.1	49.3 - 62.7	100	43.9	37.3 - 50.7	300
Normal birth weight	2,100	62.0	58.9 - 64.9	1,300	38.0	35.1 - 41.1	3,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,400	100.0	-	1,400
No	2,300	100.0	-	0	0.0	-	2,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	61.4	58.5 - 64.1	1,400	38.6	35.9 - 41.5	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	57.0	53.3 - 60.6	900	43.0	39.4 - 46.7	2,100
No	1,100	67.6	63.2 - 71.7	500	32.4	28.3 - 36.8	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,200	57.9	55.1 - 60.5	1,600	42.1	39.5 - 44.9	3,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	54.2	48.7 - 59.5	300	45.8	40.5 - 51.3	600
Honolulu	1,500	58.2	54.5 - 61.7	1,100	41.8	38.3 - 45.5	2,500
Kauai	100	58.1	48.6 - 67.1	100	41.9	32.9 - 51.4	200
Maui	300	61.5	55.1 - 67.6	200	38.5	32.4 - 44.9	400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	66.4	61.0 - 71.4	300	33.6	28.6 - 39.0	900
Native Hawaiian	700	50.0	45.7 - 54.3	700	50.0	45.7 - 54.3	1,500
Chinese	<50	66.6	42.4 - 84.4	<50	33.4	15.6 - 57.6	100
Filipino	300	66.7	59.2 - 73.5	200	33.3	26.5 - 40.8	500
Japanese	200	59.1	49.7 - 68.0	100	40.9	32.0 - 50.3	400
Other	300	56.1	48.4 - 63.5	200	43.9	36.5 - 51.6	500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	59.3	50.9 - 67.3	200	40.7	32.7 - 49.1	400
20-24	800	62.3	57.4 - 66.9	500	37.7	33.1 - 42.6	1,200
25-34	1,000	55.5	51.6 - 59.5	800	44.5	40.5 - 48.4	1,700
35+	200	52.5	44.2 - 60.7	200	47.5	39.3 - 55.8	400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	58.8	55.0 - 62.5	800	41.2	37.5 - 45.0	2,000
Female	1,000	56.9	52.9 - 60.7	800	43.1	39.3 - 47.1	1,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	65.2	61.1 - 69.1	600	34.8	30.9 - 38.9	1,600
No	1,200	52.5	48.9 - 56.1	1,000	47.5	43.9 - 51.1	2,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	46.5	42.7 - 50.3	1,000	53.5	49.7 - 57.3	1,900
131-185%	400	66.2	59.2 - 72.5	200	33.8	27.5 - 40.8	600
186+%	800	72.8	68.0 - 77.2	300	27.2	22.8 - 32.0	1,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	41.2	36.0 - 46.7	600	58.8	53.3 - 64.0	1,000
\$10,000-\$24,999	600	56.6	51.3 - 61.6	400	43.4	38.4 - 48.7	1,000
\$25,000-\$49,999	600	65.6	60.1 - 70.7	300	34.4	29.3 - 39.9	900
>=\$50,000	500	72.3	66.2 - 77.7	200	27.7	22.3 - 33.8	700

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	52.2	44.8 - 59.6	100	47.8	40.4 - 55.2	300
Normal birth weight	2,000	58.5	55.6 - 61.3	1,400	41.5	38.7 - 44.4	3,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,600	100.0	-	1,600
No	2,200	100.0	-	0	0.0	-	2,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	57.9	55.1 - 60.5	1,600	42.1	39.5 - 44.9	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	53.2	49.6 - 56.8	1,000	46.8	43.2 - 50.4	2,100
No	1,000	64.3	60.1 - 68.4	600	35.7	31.6 - 39.9	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,200	57.5	54.9 - 60.0	1,600	42.5	40.0 - 45.1	3,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	52.0	46.1 - 57.7	300	48.0	42.3 - 53.9	600
Honolulu	1,500	57.9	54.6 - 61.1	1,100	42.1	38.9 - 45.4	2,500
Kauai	100	58.2	48.0 - 67.8	100	41.8	32.2 - 52.0	200
Maui	300	62.9	56.0 - 69.4	200	37.1	30.6 - 44.0	400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	67.4	62.4 - 72.0	300	32.6	28.0 - 37.6	900
Native Hawaiian	700	50.0	45.8 - 54.2	700	50.0	45.8 - 54.2	1,500
Chinese	<50	67.7	44.3 - 84.7	<50	32.3	15.3 - 55.7	100
Filipino	300	63.4	56.5 - 69.9	200	36.6	30.1 - 43.5	400
Japanese	200	57.1	48.6 - 65.2	200	42.9	34.8 - 51.4	400
Other	300	56.6	49.5 - 63.4	200	43.4	36.6 - 50.5	500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	62.7	54.6 - 70.0	200	37.3	30.0 - 45.4	400
20-24	700	61.5	56.9 - 65.9	500	38.5	34.1 - 43.1	1,200
25-34	1,000	55.7	51.9 - 59.4	800	44.3	40.6 - 48.1	1,700
35+	200	46.6	39.0 - 54.5	200	53.4	45.5 - 61.0	400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	57.3	53.7 - 60.8	800	42.7	39.2 - 46.3	1,900
Female	1,100	57.7	54.0 - 61.4	800	42.3	38.6 - 46.0	1,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	64.7	60.8 - 68.3	500	35.3	31.7 - 39.2	1,500
No	1,200	52.5	49.1 - 55.9	1,100	47.5	44.1 - 50.9	2,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	47.2	43.6 - 50.8	1,000	52.8	49.2 - 56.4	2,000
131-185%	300	63.3	56.3 - 69.7	200	36.7	30.3 - 43.7	500
186+%	700	72.7	68.3 - 76.7	300	27.3	23.3 - 31.7	1,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	39.8	34.9 - 45.0	600	60.2	55.0 - 65.1	1,000
\$10,000-\$24,999	600	57.3	52.5 - 62.0	400	42.7	38.0 - 47.5	1,000
\$25,000-\$49,999	500	66.3	61.1 - 71.1	300	33.7	28.9 - 38.9	800
>=\$50,000	500	71.7	66.0 - 76.8	200	28.3	23.2 - 34.0	600

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	45.2	37.4 - 53.2	200	54.8	46.8 - 62.6	300
Normal birth weight	2,000	58.7	56.0 - 61.4	1,400	41.3	38.6 - 44.0	3,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,600	100.0	-	1,600
No	2,200	100.0	-	0	0.0	-	2,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	57.5	54.9 - 60.0	1,600	42.5	40.0 - 45.1	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	52.5	49.0 - 55.9	1,000	47.5	44.1 - 51.0	2,100
No	1,000	64.0	60.1 - 67.8	600	36.0	32.2 - 39.9	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,100	58.2	55.8 - 60.6	1,500	41.8	39.4 - 44.2	3,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	53.9	47.7 - 60.0	300	46.1	40.0 - 52.3	600
Honolulu	1,500	58.4	55.5 - 61.3	1,000	41.6	38.7 - 44.5	2,500
Kauai	100	60.6	49.2 - 71.0	100	39.4	29.0 - 50.8	200
Maui	300	61.8	54.5 - 68.6	200	38.2	31.4 - 45.5	400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	65.4	60.6 - 69.9	300	34.6	30.1 - 39.4	900
Native Hawaiian	700	51.4	47.3 - 55.5	700	48.6	44.5 - 52.7	1,400
Chinese	<50	64.0	51.1 - 75.3	<50	36.0	24.7 - 48.9	<50
Filipino	300	64.9	58.8 - 70.6	200	35.1	29.4 - 41.2	500
Japanese	200	60.2	52.6 - 67.4	100	39.8	32.6 - 47.4	400
Other	300	57.4	51.0 - 63.5	200	42.6	36.5 - 49.0	500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	63.3	55.9 - 70.2	200	36.7	29.8 - 44.1	400
20-24	700	61.0	56.7 - 65.0	500	39.0	35.0 - 43.3	1,200
25-34	900	56.9	53.3 - 60.4	700	43.1	39.6 - 46.7	1,600
35+	200	48.5	41.2 - 55.8	200	51.5	44.2 - 58.8	400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	57.4	54.0 - 60.6	800	42.6	39.4 - 46.0	1,900
Female	1,000	59.1	55.6 - 62.5	700	40.9	37.5 - 44.4	1,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	62.4	58.9 - 65.8	600	37.6	34.2 - 41.1	1,600
No	1,100	54.9	51.6 - 58.2	900	45.1	41.8 - 48.4	2,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	48.6	45.2 - 52.0	1,000	51.4	48.0 - 54.8	1,900
131-185%	300	63.2	56.7 - 69.3	200	36.8	30.7 - 43.3	500
186+%	700	72.1	67.9 - 75.9	300	27.9	24.1 - 32.1	1,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	42.6	37.8 - 47.5	500	57.4	52.5 - 62.2	900
\$10,000-\$24,999	600	58.1	53.6 - 62.5	500	41.9	37.5 - 46.4	1,100
\$25,000-\$49,999	500	65.9	61.0 - 70.5	300	34.1	29.5 - 39.0	800
>=\$50,000	400	70.4	64.8 - 75.4	200	29.6	24.6 - 35.2	600

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	41.3	33.1 - 50.0	200	58.7	50.0 - 66.9	300
Normal birth weight	2,000	59.7	57.2 - 62.1	1,400	40.3	37.9 - 42.8	3,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,500	100.0	-	1,500
No	2,100	100.0	-	0	0.0	-	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	58.2	55.8 - 60.6	1,500	41.8	39.4 - 44.2	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	54.1	50.8 - 57.4	900	45.9	42.6 - 49.2	2,000
No	1,000	63.4	59.8 - 66.8	600	36.6	33.2 - 40.2	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,100	58.4	55.9 - 60.7	1,500	41.6	39.3 - 44.1	3,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	55.0	49.3 - 60.7	300	45.0	39.3 - 50.7	600
Honolulu	1,500	58.3	55.3 - 61.3	1,000	41.7	38.7 - 44.7	2,500
Kauai	100	64.1	53.8 - 73.3	100	35.9	26.7 - 46.2	200
Maui	200	60.7	53.7 - 67.3	200	39.3	32.7 - 46.3	400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	63.7	58.6 - 68.5	300	36.3	31.5 - 41.4	800
Native Hawaiian	700	52.9	49.0 - 56.7	700	47.1	43.3 - 51.0	1,400
Chinese	<50	54.0	33.9 - 72.9	<50	46.0	27.1 - 66.1	<50
Filipino	300	61.0	54.4 - 67.2	200	39.0	32.8 - 45.6	500
Japanese	300	67.2	59.8 - 73.9	100	32.8	26.1 - 40.2	400
Other	300	55.4	48.5 - 62.1	200	44.6	37.9 - 51.5	500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	65.4	58.2 - 72.0	200	34.6	28.0 - 41.8	500
20-24	800	60.1	56.0 - 64.1	500	39.9	35.9 - 44.0	1,300
25-34	900	56.2	52.5 - 59.8	700	43.8	40.2 - 47.5	1,600
35+	200	52.8	45.1 - 60.4	200	47.2	39.6 - 54.9	400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	57.7	54.3 - 61.0	800	42.3	39.0 - 45.7	1,900
Female	1,000	59.1	55.5 - 62.5	700	40.9	37.5 - 44.5	1,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	62.4	58.8 - 65.8	600	37.6	34.2 - 41.2	1,600
No	1,100	55.1	51.8 - 58.4	900	44.9	41.6 - 48.2	2,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	50.4	47.0 - 53.7	1,000	49.6	46.3 - 53.0	1,900
131-185%	300	62.7	55.9 - 69.0	200	37.3	31.0 - 44.1	500
186+%	700	71.5	67.1 - 75.5	300	28.5	24.5 - 32.9	1,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	42.8	34.5 - 51.6	200	57.2	48.4 - 65.5	300
Normal birth weight	2,000	59.7	57.2 - 62.2	1,400	40.3	37.8 - 42.8	3,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,500	100.0	-	1,500
No	2,100	100.0	-	0	0.0	-	2,100

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	58.4	55.9 - 60.7	1,500	41.6	39.3 - 44.1	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	54.0	50.7 - 57.3	900	46.0	42.7 - 49.3	2,000
No	1,000	63.9	60.2 - 67.3	600	36.1	32.7 - 39.8	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,100	58.5	56.1 - 61.0	1,500	41.5	39.0 - 43.9	3,600

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	54.1	48.7 - 59.4	300	45.9	40.6 - 51.3	600
Honolulu	1,400	59.0	55.9 - 62.1	1,000	41.0	37.9 - 44.1	2,400
Kauai	100	60.2	50.4 - 69.3	100	39.8	30.7 - 49.6	200
Maui	200	61.4	54.9 - 67.6	100	38.6	32.4 - 45.1	400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	62.9	57.4 - 68.1	300	37.1	31.9 - 42.6	800
Native Hawaiian	700	53.5	49.9 - 57.0	700	46.5	43.0 - 50.1	1,400
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	61.7	54.9 - 68.1	200	38.3	31.9 - 45.1	500
Japanese	300	68.5	60.7 - 75.4	100	31.5	24.6 - 39.3	400
Other	300	54.6	47.1 - 61.9	200	45.4	38.1 - 52.9	500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	65.5	58.5 - 72.0	200	34.5	28.0 - 41.5	400
20-24	700	59.7	55.6 - 63.7	500	40.3	36.3 - 44.4	1,200
25-34	900	57.0	53.2 - 60.7	700	43.0	39.3 - 46.8	1,500
35+	200	52.4	44.6 - 60.1	200	47.6	39.9 - 55.4	300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	58.8	55.4 - 62.2	800	41.2	37.8 - 44.6	1,800
Female	1,000	58.2	54.7 - 61.7	700	41.8	38.3 - 45.3	1,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	62.0	58.4 - 65.6	600	38.0	34.4 - 41.6	1,600
No	1,100	55.6	52.3 - 58.9	900	44.4	41.1 - 47.7	1,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	50.7	47.3 - 54.1	900	49.3	45.9 - 52.7	1,900
131-185%	300	66.8	60.0 - 72.9	200	33.2	27.1 - 40.0	500
186+%	600	71.3	66.6 - 75.6	200	28.7	24.4 - 33.4	900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	43.0	34.2 - 52.2	100	57.0	47.8 - 65.8	300
Normal birth weight	2,000	59.9	57.3 - 62.4	1,300	40.1	37.6 - 42.7	3,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,500	100.0	-	1,500
No	2,100	100.0	-	0	0.0	-	2,100

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	58.5	56.1 - 61.0	1,500	41.5	39.0 - 43.9	3,600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	55.6	52.3 - 58.8	900	44.4	41.2 - 47.7	2,000
No	900	62.2	58.4 - 65.8	600	37.8	34.2 - 41.6	1,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,000	58.7	56.3 - 61.0	1,400	41.3	39.0 - 43.7	3,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	55.0	50.1 - 59.8	200	45.0	40.2 - 49.9	500
Honolulu	1,400	59.2	56.1 - 62.3	1,000	40.8	37.7 - 43.9	2,400
Kauai	100	56.5	47.8 - 64.8	100	43.5	35.2 - 52.2	200
Maui	200	61.5	55.6 - 67.1	100	38.5	32.9 - 44.4	400

PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	61.7	56.1 - 67.0	300	38.3	33.0 - 43.9	800
Native Hawaiian	700	54.4	51.2 - 57.5	600	45.6	42.5 - 48.8	1,400
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	60.6	54.0 - 66.9	200	39.4	33.1 - 46.0	500
Japanese	300	69.2	61.2 - 76.2	100	30.8	23.8 - 38.8	400
Other	200	55.3	47.4 - 62.8	200	44.7	37.2 - 52.6	400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	64.6	58.1 - 70.6	200	35.4	29.4 - 41.9	400
20-24	800	60.2	56.3 - 63.9	500	39.8	36.1 - 43.7	1,300
25-34	800	57.3	53.5 - 61.0	600	42.7	39.0 - 46.5	1,400
35+	200	50.8	42.9 - 58.7	200	49.2	41.3 - 57.1	300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	57.6	54.3 - 60.8	800	42.4	39.2 - 45.7	1,800
Female	1,000	59.8	56.4 - 63.2	700	40.2	36.8 - 43.6	1,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	60.7	57.1 - 64.2	600	39.3	35.8 - 42.9	1,600
No	1,000	56.9	53.7 - 60.0	800	43.1	40.0 - 46.3	1,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	53.1	49.9 - 56.2	900	46.9	43.8 - 50.1	1,900
131-185%	300	62.9	56.4 - 68.9	200	37.1	31.1 - 43.6	500
186+%	600	71.7	66.8 - 76.1	200	28.3	23.9 - 33.2	800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	44.9	36.3 - 53.9	100	55.1	46.1 - 63.7	200
Normal birth weight	1,900	59.8	57.4 - 62.2	1,300	40.2	37.8 - 42.6	3,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,400	100.0	-	1,400
No	2,000	100.0	-	0	0.0	-	2,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	58.7	56.3 - 61.0	1,400	41.3	39.0 - 43.7	3,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	55.9	52.7 - 59.0	900	44.1	41.0 - 47.3	1,900
No	900	62.0	58.3 - 65.5	600	38.0	34.5 - 41.7	1,500

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,000	58.3	56.0 - 60.6	1,400	41.7	39.4 - 44.0	3,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	53.8	49.4 - 58.1	300	46.2	41.9 - 50.6	500
Honolulu	1,400	58.8	55.7 - 61.8	900	41.2	38.2 - 44.3	2,300
Kauai	100	61.7	54.1 - 68.8	100	38.3	31.2 - 45.9	200
Maui	200	60.1	54.8 - 65.3	100	39.9	34.7 - 45.2	400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	61.1	55.5 - 66.4	300	38.9	33.6 - 44.5	800
Native Hawaiian	700	52.9	50.2 - 55.7	600	47.1	44.3 - 49.8	1,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	58.6	51.9 - 65.1	200	41.4	34.9 - 48.1	500
Japanese	300	74.3	66.3 - 80.9	100	25.7	19.1 - 33.7	400
Other	200	55.6	47.5 - 63.4	200	44.4	36.6 - 52.5	400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	64.2	58.3 - 69.7	200	35.8	30.3 - 41.7	500
20-24	700	60.1	56.3 - 63.7	500	39.9	36.3 - 43.7	1,200
25-34	800	55.7	51.9 - 59.5	600	44.3	40.5 - 48.1	1,400
35+	200	53.6	45.9 - 61.2	100	46.4	38.8 - 54.1	300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	56.7	53.5 - 59.9	800	43.3	40.1 - 46.5	1,800
Female	1,000	60.0	56.6 - 63.4	600	40.0	36.6 - 43.4	1,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	59.9	56.4 - 63.3	700	40.1	36.7 - 43.6	1,700
No	1,000	56.7	53.6 - 59.8	700	43.3	40.2 - 46.4	1,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	52.2	49.1 - 55.3	900	47.8	44.7 - 50.9	1,800
131-185%	300	63.8	57.7 - 69.6	200	36.2	30.4 - 42.3	500
186+%	500	72.5	67.4 - 77.0	200	27.5	23.0 - 32.6	700

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	45.8	37.5 - 54.4	100	54.2	45.6 - 62.5	200
Normal birth weight	1,900	59.4	57.0 - 61.8	1,300	40.6	38.2 - 43.0	3,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,400	100.0	-	1,400
No	2,000	100.0	-	0	0.0	-	2,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	58.3	56.0 - 60.6	1,400	41.7	39.4 - 44.0	3,400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking cessation during pregnancy- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	56.0	52.9 - 59.0	800	44.0	41.0 - 47.1	1,900
No	900	61.3	57.6 - 64.8	600	38.7	35.2 - 42.4	1,500