

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- for the State of Hawaii, for the Year(s) 2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Smoking - relapsed post-partum	New mothers who relapsed, after quitting smoking during pregnancy

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/23/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- for the State of Hawaii, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001-2005	400	44.2	39.7 - 48.9	500	55.8	51.1 - 60.3	900
2002-2006	600	44.6	40.7 - 48.5	700	55.4	51.5 - 59.3	1,300
2003-2007	800	44.5	41.1 - 48.0	1,000	55.5	52.0 - 58.9	1,800
2004-2008	900	43.5	40.4 - 46.7	1,200	56.5	53.3 - 59.6	2,100
2005-2009	900	42.2	38.9 - 45.6	1,200	57.8	54.4 - 61.1	2,200
2006-2010	900	41.6	38.2 - 45.2	1,300	58.4	54.8 - 61.8	2,200
2007-2011	900	38.6	35.1 - 42.3	1,400	61.4	57.7 - 64.9	2,300
2008-2012	800	36.1	32.5 - 39.9	1,500	63.9	60.1 - 67.5	2,300
2009-2013	800	35.5	31.7 - 39.5	1,500	64.5	60.5 - 68.3	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- for the State of Hawaii, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	800	35.5	31.7 - 39.5	1,500	64.5	60.5 - 68.3	2,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	36.4	30.8 - 42.5	200	63.6	57.5 - 69.2	400
<b>Honolulu</b>	600	36.7	31.5 - 42.2	1,000	63.3	57.8 - 68.5	1,600
<b>Kauai</b>	<50	27.3	20.9 - 34.8	100	72.7	65.2 - 79.1	100
<b>Maui</b>	100	30.2	24.9 - 36.0	200	69.8	64.0 - 75.1	300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	29.9	22.8 - 38.1	400	70.1	61.9 - 77.2	500
Native Hawaiian	300	39.6	33.5 - 46.0	500	60.4	54.0 - 66.5	900
Chinese	<50	24.4	10.6 - 47.0	100	75.6	53.0 - 89.4	100
Filipino	100	27.8	19.5 - 38.0	300	72.2	62.0 - 80.5	400
Japanese	100	37.7	25.4 - 51.9	100	62.3	48.1 - 74.6	200
Other	100	43.8	32.1 - 56.3	200	56.2	43.7 - 67.9	300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	39.0	26.8 - 52.7	100	61.0	47.3 - 73.2	200
20-24	300	40.1	33.1 - 47.4	500	59.9	52.6 - 66.9	800
25-34	400	33.7	28.5 - 39.5	800	66.3	60.5 - 71.5	1,200
35+	100	26.9	17.7 - 38.7	200	73.1	61.3 - 82.3	200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	36.4	31.0 - 42.2	700	63.6	57.8 - 69.0	1,100
Female	400	34.7	29.5 - 40.2	800	65.3	59.8 - 70.5	1,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	32.5	26.9 - 38.7	700	67.5	61.3 - 73.1	1,100
No	500	38.0	32.9 - 43.2	800	62.0	56.8 - 67.1	1,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	41.1	35.4 - 47.1	600	58.9	52.9 - 64.6	1,000
131-185%	200	39.0	29.7 - 49.1	300	61.0	50.9 - 70.3	400
186+%	200	24.0	18.3 - 30.9	600	76.0	69.1 - 81.7	800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	40.2	34.1 - 46.7	100	59.8	53.3 - 65.9	200
Normal birth weight	800	35.1	31.0 - 39.4	1,400	64.9	60.6 - 69.0	2,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	800	35.5	31.7 - 39.5	1,500	64.5	60.5 - 68.3	2,400

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	35.5	31.7 - 39.5	1,500	64.5	60.5 - 68.3	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	38.3	33.3 - 43.6	800	61.7	56.4 - 66.7	1,200
No	300	31.2	25.7 - 37.3	800	68.8	62.7 - 74.3	1,100



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	800	36.1	32.5 - 39.9	1,500	63.9	60.1 - 67.5	2,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	39.0	32.9 - 45.5	200	61.0	54.5 - 67.1	300
<b>Honolulu</b>	600	36.5	31.5 - 41.7	1,000	63.5	58.3 - 68.5	1,600
<b>Kauai</b>	<50	25.2	18.5 - 33.3	100	74.8	66.7 - 81.5	100
<b>Maui</b>	100	34.3	28.2 - 40.9	200	65.7	59.1 - 71.8	300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	29.1	22.5 - 36.7	400	70.9	63.3 - 77.5	500
Native Hawaiian	400	43.6	37.4 - 49.9	500	56.4	50.1 - 62.6	800
Chinese	<50	20.3	8.5 - 41.1	100	79.7	58.9 - 91.5	100
Filipino	100	28.8	20.9 - 38.3	200	71.2	61.7 - 79.1	300
Japanese	100	38.2	26.1 - 51.9	100	61.8	48.1 - 73.9	200
Other	100	38.8	28.4 - 50.3	200	61.2	49.7 - 71.6	300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	42.1	30.2 - 55.1	100	57.9	44.9 - 69.8	200
20-24	300	39.7	33.2 - 46.6	400	60.3	53.4 - 66.8	700
25-34	400	35.1	30.0 - 40.6	700	64.9	59.4 - 70.0	1,100
35+	100	23.7	15.5 - 34.5	200	76.3	65.5 - 84.5	200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	35.0	30.0 - 40.4	700	65.0	59.6 - 70.0	1,200
Female	400	37.3	32.1 - 42.7	700	62.7	57.3 - 67.9	1,100

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	33.2	27.9 - 39.1	700	66.8	60.9 - 72.1	1,000
No	500	38.4	33.6 - 43.5	800	61.6	56.5 - 66.4	1,300

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	42.4	36.9 - 48.2	500	57.6	51.8 - 63.1	900
131-185%	200	40.4	31.4 - 50.2	200	59.6	49.8 - 68.6	400
186+%	200	24.8	19.4 - 31.2	600	75.2	68.8 - 80.6	800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	41.1	33.9 - 48.7	100	58.9	51.3 - 66.1	200
Normal birth weight	800	35.7	31.9 - 39.8	1,400	64.3	60.2 - 68.1	2,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	800	36.1	32.5 - 39.9	1,500	63.9	60.1 - 67.5	2,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	36.1	32.5 - 39.9	1,500	63.9	60.1 - 67.5	2,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	37.7	32.9 - 42.7	800	62.3	57.3 - 67.1	1,200
No	400	33.8	28.4 - 39.7	700	66.2	60.3 - 71.6	1,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	900	38.6	35.1 - 42.3	1,400	61.4	57.7 - 64.9	2,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	45.3	38.7 - 52.0	200	54.7	48.0 - 61.3	400
<b>Honolulu</b>	600	38.1	33.4 - 43.0	1,000	61.9	57.0 - 66.6	1,500
<b>Kauai</b>	<50	31.2	21.6 - 42.9	100	68.8	57.1 - 78.4	100
<b>Maui</b>	100	35.3	28.8 - 42.4	200	64.7	57.6 - 71.2	300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	33.4	26.9 - 40.6	400	66.6	59.4 - 73.1	600
Native Hawaiian	400	45.8	39.8 - 52.0	400	54.2	48.0 - 60.2	800
Chinese	<50	29.7	13.7 - 52.9	<50	70.3	47.1 - 86.3	100
Filipino	100	32.5	24.5 - 41.6	200	67.5	58.4 - 75.5	400
Japanese	100	39.7	28.4 - 52.2	100	60.3	47.8 - 71.6	200
Other	100	37.2	27.5 - 48.0	200	62.8	52.0 - 72.5	300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	49.2	37.6 - 60.9	100	50.8	39.1 - 62.4	200
20-24	300	42.5	36.4 - 48.7	500	57.5	51.3 - 63.6	800
25-34	400	37.0	31.9 - 42.5	700	63.0	57.5 - 68.1	1,100
35+	<50	21.7	14.2 - 31.8	200	78.3	68.2 - 85.8	200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	37.1	32.3 - 42.3	700	62.9	57.7 - 67.7	1,200
Female	400	40.2	35.2 - 45.4	700	59.8	54.6 - 64.8	1,100

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	36.6	31.4 - 42.1	700	63.4	57.9 - 68.6	1,000
No	500	40.3	35.6 - 45.2	700	59.7	54.8 - 64.4	1,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	45.8	40.4 - 51.3	500	54.2	48.7 - 59.6	900
131-185%	200	41.7	32.7 - 51.4	200	58.3	48.6 - 67.3	400
186+%	200	28.2	22.9 - 34.0	600	71.8	66.0 - 77.1	800



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	46.5	38.5 - 54.8	200	53.5	45.2 - 61.5	400
\$10,000-\$24,999	200	43.0	36.1 - 50.0	300	57.0	50.0 - 63.9	600
\$25,000-\$49,999	300	39.4	32.6 - 46.6	400	60.6	53.4 - 67.4	700
>=\$50,000	100	25.3	19.1 - 32.7	400	74.7	67.3 - 80.9	500

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	45.7	37.4 - 54.1	100	54.3	45.9 - 62.6	200
Normal birth weight	800	38.0	34.3 - 41.9	1,300	62.0	58.1 - 65.7	2,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	900	38.6	35.1 - 42.3	1,400	61.4	57.7 - 64.9	2,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	38.6	35.1 - 42.3	1,400	61.4	57.7 - 64.9	2,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	39.6	34.9 - 44.6	700	60.4	55.4 - 65.1	1,200
No	400	37.5	32.3 - 43.1	700	62.5	56.9 - 67.7	1,100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	900	41.6	38.2 - 45.2	1,300	58.4	54.8 - 61.8	2,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	43.0	35.9 - 50.4	200	57.0	49.6 - 64.1	300
<b>Honolulu</b>	600	42.6	38.1 - 47.3	800	57.4	52.7 - 61.9	1,500
<b>Kauai</b>	<50	30.2	20.4 - 42.1	100	69.8	57.9 - 79.6	100
<b>Maui</b>	100	38.8	31.3 - 46.9	200	61.2	53.1 - 68.7	300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	32.5	26.5 - 39.1	400	67.5	60.9 - 73.5	600
Native Hawaiian	400	51.2	45.1 - 57.2	400	48.8	42.8 - 54.9	700
Chinese	<50	32.5	15.1 - 56.8	<50	67.5	43.2 - 84.9	<50
Filipino	100	37.3	28.8 - 46.6	200	62.7	53.4 - 71.2	300
Japanese	100	39.8	28.9 - 51.8	100	60.2	48.2 - 71.1	200
Other	100	42.8	33.5 - 52.8	200	57.2	47.2 - 66.5	300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	48.4	37.4 - 59.5	100	51.6	40.5 - 62.6	300
20-24	400	46.6	40.6 - 52.7	400	53.4	47.3 - 59.4	800
25-34	400	39.3	34.3 - 44.6	600	60.7	55.4 - 65.7	1,000
35+	100	25.6	17.2 - 36.4	200	74.4	63.6 - 82.8	200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	38.8	34.2 - 43.7	700	61.2	56.3 - 65.8	1,200
Female	500	44.8	39.7 - 50.0	600	55.2	50.0 - 60.3	1,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	39.1	34.1 - 44.3	600	60.9	55.7 - 65.9	1,000
No	500	43.9	39.2 - 48.8	600	56.1	51.2 - 60.8	1,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	49.0	43.5 - 54.5	500	51.0	45.5 - 56.5	900
131-185%	200	46.3	37.5 - 55.3	200	53.7	44.7 - 62.5	400
186+%	200	31.4	26.3 - 37.0	500	68.6	63.0 - 73.7	800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	52.5	44.1 - 60.8	200	47.5	39.2 - 55.9	400
\$10,000-\$24,999	300	43.9	37.3 - 50.8	300	56.1	49.2 - 62.7	600
\$25,000-\$49,999	300	44.5	37.8 - 51.4	300	55.5	48.6 - 62.2	600
>=\$50,000	100	27.9	21.8 - 34.9	300	72.1	65.1 - 78.2	500

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	51.3	41.8 - 60.7	100	48.7	39.3 - 58.2	200
Normal birth weight	800	40.9	37.2 - 44.6	1,200	59.1	55.4 - 62.8	2,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	900	41.6	38.2 - 45.2	1,300	58.4	54.8 - 61.8	2,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	41.6	38.2 - 45.2	1,300	58.4	54.8 - 61.8	2,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	43.2	38.5 - 48.0	600	56.8	52.0 - 61.5	1,100
No	400	40.3	35.2 - 45.6	600	59.7	54.4 - 64.8	1,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	900	42.2	38.9 - 45.6	1,200	57.8	54.4 - 61.1	2,200

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	42.6	34.8 - 50.8	200	57.4	49.2 - 65.2	300
<b>Honolulu</b>	600	42.6	38.4 - 46.8	800	57.4	53.2 - 61.6	1,500
<b>Kauai</b>	<50	32.3	21.6 - 45.1	100	67.7	54.9 - 78.4	100
<b>Maui</b>	100	43.5	35.3 - 52.1	200	56.5	47.9 - 64.7	300



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	32.8	27.2 - 39.0	400	67.2	61.0 - 72.8	600
Native Hawaiian	400	54.5	48.6 - 60.3	300	45.5	39.7 - 51.4	700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	100	41.0	32.8 - 49.8	200	59.0	50.2 - 67.2	300
Japanese	100	32.7	23.3 - 43.7	100	67.3	56.3 - 76.7	200
Other	100	39.2	30.8 - 48.3	200	60.8	51.7 - 69.2	300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	51.7	41.6 - 61.7	100	48.3	38.3 - 58.4	300
20-24	300	44.1	38.4 - 49.9	400	55.9	50.1 - 61.6	700
25-34	400	41.1	36.3 - 46.1	600	58.9	53.9 - 63.7	1,000
35+	<50	24.5	16.6 - 34.6	100	75.5	65.4 - 83.4	200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	38.1	33.7 - 42.8	700	61.9	57.2 - 66.3	1,100
Female	500	46.4	41.6 - 51.3	600	53.6	48.7 - 58.4	1,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	38.6	33.9 - 43.5	600	61.4	56.5 - 66.1	1,000
No	500	45.2	40.7 - 49.9	600	54.8	50.1 - 59.3	1,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	48.9	43.7 - 54.1	500	51.1	45.9 - 56.3	900
131-185%	100	45.9	37.1 - 54.9	200	54.1	45.1 - 62.9	300
186+%	200	31.6	26.8 - 36.8	500	68.4	63.2 - 73.2	700

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	54.3	46.2 - 62.2	200	45.7	37.8 - 53.8	400
\$10,000-\$24,999	300	43.3	37.1 - 49.7	300	56.7	50.3 - 62.9	600
\$25,000-\$49,999	200	42.5	36.1 - 49.1	300	57.5	50.9 - 63.9	500
>=\$50,000	100	29.8	23.8 - 36.6	300	70.2	63.4 - 76.2	500

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	52.4	40.8 - 63.7	100	47.6	36.3 - 59.2	100
Normal birth weight	800	41.5	38.1 - 45.0	1,200	58.5	55.0 - 61.9	2,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	900	42.2	38.9 - 45.6	1,200	57.8	54.4 - 61.1	2,200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	42.2	38.9 - 45.6	1,200	57.8	54.4 - 61.1	2,200

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	42.8	38.2 - 47.6	600	57.2	52.4 - 61.8	1,100
No	400	42.3	37.5 - 47.3	600	57.7	52.7 - 62.5	1,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	900	43.5	40.4 - 46.7	1,200	56.5	53.3 - 59.6	2,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	45.9	37.8 - 54.2	200	54.1	45.8 - 62.2	300
<b>Honolulu</b>	600	43.2	39.5 - 47.0	800	56.8	53.0 - 60.5	1,500
<b>Kauai</b>	<50	30.6	19.6 - 44.5	100	69.4	55.5 - 80.4	100
<b>Maui</b>	100	47.8	38.8 - 56.9	100	52.2	43.1 - 61.2	300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	38.4	32.7 - 44.4	300	61.6	55.6 - 67.3	600
Native Hawaiian	400	53.3	47.6 - 58.9	300	46.7	41.1 - 52.4	700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	100	43.6	36.2 - 51.4	200	56.4	48.6 - 63.8	300
Japanese	100	26.4	18.8 - 35.6	200	73.6	64.4 - 81.2	200
Other	100	42.5	34.6 - 50.9	200	57.5	49.1 - 65.4	300

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	55.9	46.7 - 64.7	100	44.1	35.3 - 53.3	300
20-24	300	44.9	39.7 - 50.3	400	55.1	49.7 - 60.3	700
25-34	400	41.1	36.6 - 45.8	500	58.9	54.2 - 63.4	900
35+	100	31.2	22.5 - 41.4	100	68.8	58.6 - 77.5	200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	40.9	36.7 - 45.3	600	59.1	54.7 - 63.3	1,100
Female	500	46.2	41.8 - 50.8	600	53.8	49.2 - 58.2	1,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	41.3	36.9 - 45.8	600	58.7	54.2 - 63.1	1,000
No	500	45.5	41.2 - 49.9	600	54.5	50.1 - 58.8	1,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	48.2	43.3 - 53.1	500	51.8	46.9 - 56.7	900
131-185%	100	42.3	34.4 - 50.6	200	57.7	49.4 - 65.6	300
186+%	300	36.5	31.7 - 41.6	500	63.5	58.4 - 68.3	700

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	51.8	44.3 - 59.2	200	48.2	40.8 - 55.7	400
\$10,000-\$24,999	300	45.3	39.6 - 51.2	300	54.7	48.8 - 60.4	600
\$25,000-\$49,999	200	39.4	33.5 - 45.6	300	60.6	54.4 - 66.5	500
>=\$50,000	200	35.8	29.6 - 42.6	300	64.2	57.4 - 70.4	400

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	53.9	40.4 - 66.8	100	46.1	33.2 - 59.6	100
Normal birth weight	900	42.9	39.7 - 46.1	1,100	57.1	53.9 - 60.3	2,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	900	43.5	40.4 - 46.7	1,200	56.5	53.3 - 59.6	2,100



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	43.5	40.4 - 46.7	1,200	56.5	53.3 - 59.6	2,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	44.8	40.4 - 49.2	600	55.2	50.8 - 59.6	1,100
No	400	42.8	38.3 - 47.3	600	57.2	52.7 - 61.7	1,000

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	800	44.5	41.1 - 48.0	1,000	55.5	52.0 - 58.9	1,800

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	44.2	35.5 - 53.3	100	55.8	46.7 - 64.5	300
<b>Honolulu</b>	500	45.0	40.9 - 49.2	700	55.0	50.8 - 59.1	1,200
<b>Kauai</b>	<50	32.7	21.0 - 47.2	100	67.3	52.8 - 79.0	100
<b>Maui</b>	100	48.0	38.0 - 58.2	100	52.0	41.8 - 62.0	200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	39.9	33.6 - 46.5	300	60.1	53.5 - 66.4	500
Native Hawaiian	300	52.8	46.5 - 58.9	300	47.2	41.1 - 53.5	600
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	100	45.6	37.3 - 54.2	100	54.4	45.8 - 62.7	200
Japanese	100	25.4	17.5 - 35.2	200	74.6	64.8 - 82.5	200
Other	100	48.5	39.3 - 57.8	100	51.5	42.2 - 60.7	200

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	56.2	46.4 - 65.5	100	43.8	34.5 - 53.6	200
20-24	300	46.3	40.5 - 52.1	300	53.7	47.9 - 59.5	600
25-34	300	41.2	36.2 - 46.4	400	58.8	53.6 - 63.8	700
35+	100	34.8	24.7 - 46.4	100	65.2	53.6 - 75.3	200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	42.6	37.9 - 47.5	500	57.4	52.5 - 62.1	900
Female	400	46.4	41.6 - 51.3	500	53.6	48.7 - 58.4	900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	41.6	36.9 - 46.6	500	58.4	53.4 - 63.1	800
No	400	47.1	42.4 - 52.0	500	52.9	48.0 - 57.6	900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	48.6	43.3 - 53.9	400	51.4	46.1 - 56.7	800
131-185%	100	44.2	35.4 - 53.4	100	55.8	46.6 - 64.6	300
186+%	200	37.8	32.4 - 43.4	400	62.2	56.6 - 67.6	600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	57.4	42.7 - 70.9	<50	42.6	29.1 - 57.3	100
Normal birth weight	700	43.7	40.3 - 47.3	900	56.3	52.7 - 59.7	1,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50
No	800	44.5	41.1 - 47.9	1,000	55.5	52.1 - 58.9	1,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	44.5	41.1 - 48.0	1,000	55.5	52.0 - 58.9	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	45.7	40.9 - 50.6	500	54.3	49.4 - 59.1	900
No	400	43.7	38.8 - 48.7	500	56.3	51.3 - 61.2	800

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	600	44.6	40.7 - 48.5	700	55.4	51.5 - 59.3	1,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	39.3	29.7 - 49.8	100	60.7	50.2 - 70.3	200
<b>Honolulu</b>	400	45.4	40.7 - 50.1	500	54.6	49.9 - 59.3	900
<b>Kauai</b>	<50	29.4	16.7 - 46.3	<50	70.6	53.7 - 83.3	100
<b>Maui</b>	100	53.4	41.8 - 64.6	100	46.6	35.4 - 58.2	200

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	39.2	32.1 - 46.8	200	60.8	53.2 - 67.9	400
Native Hawaiian	200	52.0	45.0 - 58.9	200	48.0	41.1 - 55.0	500
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	100	45.6	36.1 - 55.5	100	54.4	44.5 - 63.9	200
Japanese	<50	25.0	16.4 - 36.2	100	75.0	63.8 - 83.6	200
Other	100	52.2	41.4 - 62.9	100	47.8	37.1 - 58.6	200

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	53.9	43.1 - 64.4	100	46.1	35.6 - 56.9	200
20-24	200	45.0	38.2 - 51.9	200	55.0	48.1 - 61.8	400
25-34	200	42.3	36.6 - 48.2	300	57.7	51.8 - 63.4	600
35+	<50	38.6	26.7 - 52.2	100	61.4	47.8 - 73.3	100



**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	42.3	37.0 - 47.9	400	57.7	52.1 - 63.0	700
Female	300	46.8	41.3 - 52.4	400	53.2	47.6 - 58.7	700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	41.9	36.5 - 47.5	400	58.1	52.5 - 63.5	600
No	300	47.1	41.6 - 52.6	400	52.9	47.4 - 58.4	700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	46.7	40.7 - 52.9	300	53.3	47.1 - 59.3	600
131-185%	100	47.5	37.8 - 57.4	100	52.5	42.6 - 62.2	200
186+%	200	38.5	32.3 - 45.0	300	61.5	55.0 - 67.7	400

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	52.2	34.9 - 68.9	<50	47.8	31.1 - 65.1	100
Normal birth weight	600	44.2	40.2 - 48.2	700	55.8	51.8 - 59.8	1,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50
No	600	44.4	40.6 - 48.4	700	55.6	51.6 - 59.4	1,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	44.6	40.7 - 48.5	700	55.4	51.5 - 59.3	1,300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	45.7	40.3 - 51.2	400	54.3	48.8 - 59.7	700
No	300	43.4	37.8 - 49.2	300	56.6	50.8 - 62.2	600

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	400	44.2	39.7 - 48.9	500	55.8	51.1 - 60.3	900

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	44.1	32.4 - 56.5	100	55.9	43.5 - 67.6	100
<b>Honolulu</b>	300	43.3	37.8 - 48.8	400	56.7	51.2 - 62.2	600
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	<50
<b>Maui</b>	100	53.9	40.5 - 66.9	<50	46.1	33.1 - 59.5	100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	41.0	32.2 - 50.3	100	59.0	49.7 - 67.8	200
Native Hawaiian	200	50.5	42.5 - 58.5	200	49.5	41.5 - 57.5	300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	100	47.4	36.6 - 58.4	100	52.6	41.6 - 63.4	100
Japanese	<50	19.9	11.4 - 32.6	100	80.1	67.4 - 88.6	100
Other	100	51.1	38.1 - 64.0	100	48.9	36.0 - 61.9	100

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	57.8	45.1 - 69.4	100	42.2	30.6 - 54.9	100
20-24	100	41.3	33.8 - 49.3	200	58.7	50.7 - 66.2	300
25-34	200	40.6	34.0 - 47.6	200	59.4	52.4 - 66.0	400
35+	<50	50.2	34.0 - 66.4	<50	49.8	33.6 - 66.0	100

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	42.0	35.6 - 48.6	300	58.0	51.4 - 64.4	400
Female	200	46.3	40.0 - 52.8	300	53.7	47.2 - 60.0	500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	38.7	32.4 - 45.4	300	61.3	54.6 - 67.6	400
No	200	49.1	42.8 - 55.5	200	50.9	44.5 - 57.2	500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	45.7	38.9 - 52.6	200	54.3	47.4 - 61.1	400
131-185%	100	45.1	33.0 - 57.7	100	54.9	42.3 - 67.0	100
186+%	100	37.4	30.1 - 45.3	200	62.6	54.7 - 69.9	300

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	<50
Normal birth weight	400	44.2	39.5 - 48.9	500	55.8	51.1 - 60.5	900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50
No	400	44.0	39.4 - 48.7	500	56.0	51.3 - 60.6	900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	44.2	39.7 - 48.9	500	55.8	51.1 - 60.3	900

**PRAMS Health Indicator 5-Year Aggregate Report - Smoking - relapsed post-partum- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	44.7	38.4 - 51.1	300	55.3	48.9 - 61.6	500
<b>No</b>	200	43.4	36.8 - 50.2	200	56.6	49.8 - 63.2	400