

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Number of cigarettes smoked per avg day before pregnancy	Number of cigarettes smoked per avg day before pregnancy

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/14/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
2000	300	8.2	6.0 - 11.3	200	4.3	2.6 - 6.8	700	18.8	15.6 - 22.4	1,100	31.2	27.2 - 35.5	1,100	29.3	25.3 - 33.6	200	6.2	4.5 - 8.6
2001	200	5.8	4.0 - 8.5	100	4.0	2.5 - 6.2	800	21.5	17.9 - 25.5	1,200	34.7	30.6 - 39.0	900	26.4	22.6 - 30.6	300	7.1	5.3 - 9.5
2002	300	8.4	5.6 - 12.6	100	3.9	2.1 - 7.2	600	17.3	13.2 - 22.3	1,200	34.6	29.5 - 40.1	1,100	30.9	25.9 - 36.4	100	4.1	2.4 - 7.0
2003	400	9.3	6.5 - 13.2	100	3.7	2.0 - 6.8	900	22.9	18.6 - 27.7	1,400	34.5	29.6 - 39.9	1,000	25.5	21.0 - 30.6	100	3.1	1.7 - 5.5
2004	200	6.3	4.3 - 9.1	100	2.1	1.2 - 4.0	1,000	25.6	21.5 - 30.0	1,300	33.4	29.0 - 38.1	900	23.2	19.4 - 27.5	200	4.1	2.6 - 6.4
2005	200	5.3	3.4 - 8.1	100	3.7	2.2 - 6.4	1,000	25.1	20.9 - 29.8	1,300	34.0	29.2 - 39.1	800	21.8	17.8 - 26.3	200	6.3	4.2 - 9.4
2006	300	6.1	4.1 - 9.0	200	4.0	2.4 - 6.6	1,000	24.5	20.2 - 29.4	1,400	34.2	29.3 - 39.5	900	21.7	17.7 - 26.4	300	6.1	4.0 - 9.3
2007	300	6.5	4.4 - 9.4	200	4.2	2.6 - 6.9	1,000	26.7	22.2 - 31.6	1,100	29.0	24.5 - 34.0	1,000	25.5	21.1 - 30.4	200	4.2	2.5 - 7.0
2008	200	5.5	3.4 - 8.6	100	3.0	1.6 - 5.4	1,000	28.0	23.3 - 33.2	1,100	29.5	24.8 - 34.8	1,000	25.5	21.1 - 30.6	100	3.2	1.8 - 5.9
2009	700	14.2	10.6 - 18.8	500	10.8	7.6 - 15.2	1,300	28.5	23.3 - 34.4	1,200	26.2	21.4 - 31.7	700	14.5	10.8 - 19.4	200	5.1	2.9 - 9.0
2010	400	10.1	7.0 - 14.3	400	8.9	5.8 - 13.3	1,300	29.7	24.1 - 36.1	1,200	28.3	22.9 - 34.5	800	18.0	13.7 - 23.3	200	4.0	1.8 - 8.8
2011	600	13.5	9.4 - 19.1	300	7.6	4.6 - 12.1	1,300	30.8	25.0 - 37.3	1,100	27.6	22.0 - 33.9	700	17.3	12.8 - 23.0	100	1.7	0.7 - 4.1
2012	300	9.4	6.2 - 14.1	400	12.1	7.9 - 18.1	1,100	33.5	26.7 - 41.1	900	26.8	20.7 - 34.0	400	14.0	9.5 - 20.0	100	2.6	1.1 - 5.9
2013	600	14.3	9.6 - 20.8	400	9.1	5.6 - 14.6	1,200	30.5	23.9 - 38.0	1,000	25.9	19.8 - 33.1	600	14.7	10.3 - 20.7	200	4.9	2.4 - 9.8


**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
2000	100	2.0	1.0 - 4.0	3,700
2001	<50	0.5	0.2 - 1.3	3,600
2002	<50	0.8	0.2 - 3.2	3,600
2003	<50	1.0	0.3 - 3.2	3,900
2004	200	5.3	3.5 - 8.0	3,900
2005	100	3.8	2.3 - 6.4	3,800
2006	100	3.4	1.9 - 6.1	4,100
2007	200	4.0	2.3 - 6.8	3,900
2008	200	5.3	3.3 - 8.3	3,700
2009	<50	0.5	0.1 - 3.6	4,700
2010	<50	0.9	0.2 - 3.8	4,300
2011	100	1.5	0.5 - 4.5	4,100
2012	100	1.6	0.4 - 5.6	3,200
2013	<50	0.5	0.2 - 1.4	3,900

## PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	600	14.3	9.6 - 20.8	400	9.1	5.6 - 14.6	1,200	30.5	23.9 - 38.0	1,000	25.9	19.8 - 33.1	600	14.7	10.3 - 20.7	200	4.9	2.4 - 9.8

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	100	11.1	5.8 - 20.2	100	9.3	4.7 - 17.8	200	30.7	21.2 - 42.1	100	19.4	11.7 - 30.5	100	25.0	16.2 - 36.3	<50	3.4	0.9 - 11.9
<b>Honolulu</b>	400	15.8	9.5 - 25.0	200	9.1	4.6 - 17.1	800	29.5	20.9 - 39.8	700	27.5	19.4 - 37.4	300	12.6	7.2 - 21.2	100	5.4	2.2 - 12.6
<b>Kauai</b>	<50	13.7	7.1 - 24.9	<50	8.9	4.0 - 19.0	<50	31.0	20.8 - 43.4	<50	30.8	20.7 - 43.2	<50	13.2	6.9 - 24.0	0	0.0	-
<b>Maui</b>	<50	9.3	4.2 - 19.4	<50	9.3	4.2 - 19.4	100	37.0	26.0 - 49.6	100	22.2	13.6 - 34.2	100	14.8	8.0 - 25.9	<50	5.6	1.9 - 14.8

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	<50	0.5	0.2 - 1.4	3,900

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	<50	1.1	0.2 - 6.8	600
<b>Honolulu</b>	<50	0.1	0.0 - 0.7	2,700
<b>Kauai</b>	<50	2.3	0.4 - 11.3	200
<b>Maui</b>	<50	1.9	0.3 - 10.6	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	200	28.3	15.3 - 46.3	100	10.6	3.8 - 26.0	100	14.8	7.4 - 27.5	200	29.9	17.3 - 46.6	100	10.6	4.2 - 24.2	<50	5.0	0.9 - 23.9
Native Hawaiian	100	8.4	3.4 - 19.2	100	4.3	2.3 - 7.9	600	38.5	27.8 - 50.4	400	27.9	18.8 - 39.2	200	13.1	7.8 - 21.0	100	7.1	2.9 - 16.3
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	100	13.9	4.7 - 34.4	100	10.9	3.4 - 29.9	100	24.8	11.1 - 46.6	100	23.5	9.5 - 47.2	100	19.6	7.5 - 42.4	<50	7.3	1.1 - 36.4
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	0	1.2	0.2 - 7.6	100	18.1	6.2 - 42.6	200	37.2	19.4 - 59.2	100	25.2	11.2 - 47.2	100	17.1	6.3 - 38.7	0	1.2	0.2 - 7.6

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	300	20.2	10.9 - 34.4	200	14.5	7.0 - 27.7	300	27.0	16.8 - 40.4	200	18.8	11.0 - 30.3	200	12.1	5.5 - 24.5	100	7.0	2.4 - 19.1
25-34	200	10.8	5.7 - 19.3	100	4.7	2.2 - 9.8	700	37.7	27.9 - 48.7	500	25.8	17.4 - 36.5	300	15.2	9.4 - 23.8	100	5.1	2.0 - 12.6
35+	100	16.6	5.7 - 39.4	100	13.7	3.9 - 38.5	<50	7.4	3.4 - 15.3	200	41.2	22.5 - 63.0	100	20.3	8.2 - 42.2	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	0.8	0.1 - 5.1	800
Native Hawaiian	<50	0.7	0.2 - 2.8	1,500
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	500
Japanese	n/r	n/r	n/r	400
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	200
20-24	<50	0.3	0.1 - 1.5	1,300
25-34	<50	0.7	0.2 - 2.6	1,900
35+	<50	0.8	0.1 - 4.0	500



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	300	16.5	9.6 - 27.0	200	13.4	7.3 - 23.2	500	28.0	19.2 - 38.9	300	14.7	8.8 - 23.4	400	20.2	12.9 - 30.2	100	6.5	2.4 - 16.4
<b>Female</b>	300	12.5	6.9 - 21.7	100	5.6	2.4 - 12.6	700	32.6	23.5 - 43.2	700	35.1	25.8 - 45.8	200	10.2	5.5 - 18.1	100	3.6	1.3 - 9.4

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	300	16.1	8.9 - 27.4	200	10.5	4.9 - 21.1	600	34.4	23.9 - 46.7	400	25.2	16.3 - 36.8	200	12.6	6.7 - 22.5	<50	1.3	0.5 - 3.3
<b>No</b>	300	12.9	7.5 - 21.4	200	8.0	4.3 - 14.5	600	27.4	19.6 - 36.7	600	26.4	18.7 - 36.0	400	16.4	10.6 - 24.6	200	7.8	3.6 - 16.4

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	4.9	1.7 - 13.2	100	5.6	2.5 - 11.8	700	41.8	31.7 - 52.7	400	23.5	16.0 - 33.3	300	16.6	10.6 - 25.2	100	6.7	2.9 - 15.0
<b>131-185%</b>	100	17.4	6.0 - 41.2	100	13.6	3.6 - 40.1	100	20.6	8.6 - 41.8	200	32.0	14.9 - 55.7	100	16.3	5.9 - 37.6	0	0.0	-
<b>186+%</b>	300	23.6	13.3 - 38.3	200	16.0	8.0 - 29.4	200	15.2	7.6 - 27.9	300	28.5	17.2 - 43.4	100	12.5	5.4 - 26.2	<50	3.5	0.6 - 18.0

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	0.8	0.2 - 2.9	1,700
Female	<50	0.3	0.1 - 1.1	2,100

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	<50	1.0	0.4 - 2.5	2,100

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	0.8	0.3 - 2.2	1,800
131-185%	0	0.0	-	500
186+%	<50	0.7	0.1 - 4.0	1,100

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Income (2012+)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$17,000	100	4.4	1.3 - 13.7	100	6.7	2.9 - 14.9	500	40.1	28.2 - 53.3	400	26.3	17.1 - 38.3	200	14.6	7.9 - 25.3	100	6.8	2.4 - 18.1
\$17,001-\$26,000	100	17.5	6.4 - 39.8	<50	7.0	1.4 - 28.7	200	24.9	12.6 - 43.3	200	33.5	17.7 - 54.0	100	14.0	6.1 - 28.8	<50	3.2	0.8 - 11.4
\$26,001-\$51,000	100	8.6	2.7 - 24.2	100	6.9	1.7 - 24.1	300	34.6	20.5 - 52.1	100	20.3	9.6 - 38.0	200	23.6	11.8 - 41.7	<50	5.9	1.2 - 25.1
>=\$51,001	200	26.2	14.1 - 43.6	200	19.8	9.5 - 36.8	100	12.7	5.3 - 27.6	200	27.8	15.2 - 45.3	100	12.1	4.7 - 27.8	<50	0.4	0.1 - 2.3

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	<50	7.8	4.2 - 14.2	<50	5.5	2.6 - 11.1	100	25.4	17.7 - 35.0	100	40.7	30.8 - 51.4	100	16.1	9.0 - 27.3	<50	3.4	1.3 - 8.5
Normal birth weight	500	14.9	9.8 - 22.1	300	9.5	5.6 - 15.5	1,100	31.0	23.9 - 39.1	900	24.6	18.1 - 32.5	500	14.4	9.7 - 20.9	200	5.1	2.4 - 10.5

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	<50	2.5	1.0 - 6.1	200	23.2	13.1 - 37.6	300	34.2	22.8 - 47.8	300	30.9	19.5 - 45.1	100	7.1	2.8 - 16.9
No	600	19.5	13.2 - 28.0	300	11.5	6.8 - 18.8	900	32.7	24.8 - 41.8	700	23.0	16.1 - 31.8	300	9.0	5.3 - 15.1	100	4.2	1.5 - 10.9

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2012+)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$17,000	<50	1.0	0.3 - 2.9	1,400
\$17,001-\$26,000	0	0.0	-	600
\$26,001-\$51,000	0	0.0	-	700
>=\$51,001	<50	0.9	0.1 - 5.4	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	<50	1.1	0.2 - 5.7	300
Normal birth weight	<50	0.5	0.2 - 1.5	3,500

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.1	0.8 - 5.4	1,000
No	0	0.0	-	2,800

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	400	10.6	6.5 - 16.9	1,200	35.6	28.2 - 43.8	1,000	30.2	23.3 - 38.2	600	17.2	12.0 - 24.0	200	5.7	2.8 - 11.4
<b>No</b>	600	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	300	12.6	6.9 - 21.9	100	5.3	2.5 - 10.8	700	33.9	24.9 - 44.1	500	27.3	19.2 - 37.2	300	13.4	8.5 - 20.3	100	6.9	3.0 - 15.1
<b>No</b>	300	16.7	9.7 - 27.2	200	13.6	7.3 - 24.0	500	25.2	16.5 - 36.5	500	25.1	16.4 - 36.3	300	16.3	9.2 - 27.2	100	2.8	0.7 - 10.9

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.6	0.2 - 1.6	3,300
No	0	0.0	-	600

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.7	0.2 - 2.0	2,000
No	<50	0.4	0.1 - 2.5	1,800

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	300	9.4	6.2 - 14.1	400	12.1	7.9 - 18.1	1,100	33.5	26.7 - 41.1	900	26.8	20.7 - 34.0	400	14.0	9.5 - 20.0	100	2.6	1.1 - 5.9

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	100	10.3	5.2 - 19.4	100	10.7	5.6 - 19.3	100	26.6	17.9 - 37.6	200	32.7	23.0 - 44.1	100	12.9	7.1 - 22.2	<50	6.8	3.0 - 14.8
<b>Honolulu</b>	100	6.5	2.8 - 14.4	300	12.2	6.5 - 21.8	800	37.0	27.1 - 48.2	600	27.2	18.6 - 38.0	300	13.2	7.2 - 22.8	<50	1.8	0.3 - 9.2
<b>Kauai</b>	<50	12.2	6.1 - 23.0	<50	11.8	5.9 - 22.3	100	27.6	17.8 - 40.1	100	23.9	14.7 - 36.3	<50	20.4	12.1 - 32.2	<50	4.1	1.2 - 13.0
<b>Maui</b>	100	21.8	14.0 - 32.3	100	13.5	7.5 - 23.1	100	27.9	18.9 - 39.2	100	18.6	11.3 - 29.2	100	15.8	9.1 - 26.2	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	100	1.6	0.4 - 5.6	3,200

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	0	0.0	-	500
<b>Honolulu</b>	<50	2.0	0.4 - 8.7	2,000
<b>Kauai</b>	0	0.0	-	200
<b>Maui</b>	<50	2.4	0.4 - 12.9	400



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	100	16.4	8.2 - 29.8	100	20.7	11.3 - 34.9	200	24.2	12.8 - 40.9	200	22.3	11.2 - 39.5	100	14.3	5.9 - 30.5	<50	1.5	0.4 - 5.6
Native Hawaiian	100	7.6	3.8 - 14.7	100	7.8	2.9 - 19.2	400	30.3	20.5 - 42.2	400	32.1	22.4 - 43.6	200	15.2	9.0 - 24.5	100	3.6	1.0 - 12.3
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	<50	7.6	3.4 - 16.0	100	18.1	6.3 - 41.8	100	33.8	18.5 - 53.4	100	14.7	5.8 - 32.8	100	23.0	9.9 - 44.8	<50	2.8	0.7 - 10.0
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	<50	3.1	0.8 - 11.0	<50	10.8	3.2 - 31.2	200	39.3	21.9 - 60.0	100	35.1	17.8 - 57.5	<50	9.3	1.8 - 37.1	<50	2.3	0.4 - 13.2

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	100	8.4	3.1 - 20.8	100	11.5	4.4 - 26.8	300	39.8	26.0 - 55.4	200	29.8	18.0 - 45.0	100	7.5	2.5 - 20.4	<50	3.1	1.2 - 7.9
25-34	200	8.7	5.2 - 14.1	300	13.2	7.7 - 21.6	500	28.2	20.3 - 37.6	500	27.3	19.3 - 37.1	300	18.0	11.5 - 26.9	100	2.6	0.7 - 9.0
35+	100	18.8	5.9 - 46.0	<50	6.3	2.1 - 17.4	100	40.3	21.7 - 62.2	100	18.4	6.6 - 42.1	<50	12.1	5.3 - 25.4	<50	2.4	0.4 - 13.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	0.7	0.1 - 3.8	700
Native Hawaiian	<50	3.3	0.8 - 12.5	1,400
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	400
Japanese	n/r	n/r	n/r	200
Other	0	0.0	-	400

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	200
20-24	0	0.0	-	800
25-34	<50	2.2	0.5 - 9.4	1,900
35+	<50	1.7	0.3 - 9.2	300

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	100	7.2	3.5 - 14.1	200	14.7	8.1 - 25.2	500	32.7	23.1 - 44.2	400	26.4	17.6 - 37.7	200	15.1	9.0 - 24.4	<50	1.2	0.4 - 3.3
<b>Female</b>	200	11.2	6.7 - 18.2	200	10.1	5.4 - 17.9	600	34.2	25.2 - 44.5	500	27.1	19.2 - 36.8	200	13.0	7.4 - 22.0	100	3.6	1.3 - 9.8

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	12.7	6.6 - 23.1	100	11.5	5.5 - 22.7	400	30.4	19.9 - 43.5	400	30.0	19.4 - 43.3	200	14.1	7.8 - 24.3	0	0.0	-
<b>No</b>	200	7.5	4.4 - 12.4	200	12.5	7.4 - 20.3	700	35.4	26.9 - 44.8	500	24.9	18.0 - 33.5	300	13.9	8.4 - 22.1	100	4.1	1.7 - 9.3

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	7.9	3.9 - 15.1	100	7.8	3.9 - 15.1	600	39.6	30.0 - 50.2	400	24.9	17.3 - 34.4	200	12.8	7.3 - 21.3	100	4.4	1.7 - 11.1
<b>131-185%</b>	<50	6.4	2.6 - 14.6	<50	10.6	2.5 - 35.6	100	15.8	6.4 - 34.0	200	42.0	24.0 - 62.4	100	25.3	11.6 - 46.7	0	0.0	-
<b>186+%</b>	100	12.7	6.6 - 22.8	200	22.2	11.3 - 39.1	200	25.7	14.2 - 41.9	200	28.9	16.2 - 45.9	100	10.6	4.0 - 25.0	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	2.6	0.5 - 13.0	1,400
Female	<50	0.8	0.2 - 3.0	1,800

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.2	0.3 - 4.5	1,200
No	<50	1.8	0.3 - 9.3	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	2.6	0.6 - 11.3	1,600
131-185%	0	0.0	-	400
186+%	0	0.0	-	800

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Income (2012+)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$17,000	100	6.2	2.3 - 15.7	<50	3.7	1.7 - 7.8	500	43.6	31.4 - 56.5	300	24.9	15.8 - 37.0	200	14.7	7.4 - 26.9	100	6.5	2.5 - 16.0
\$17,001-\$26,000	<50	7.9	3.5 - 16.7	100	20.0	8.5 - 40.3	100	28.7	15.9 - 46.2	100	21.4	11.1 - 37.2	100	12.8	5.0 - 29.3	0	0.0	-
\$26,001-\$51,000	<50	6.3	2.0 - 18.1	100	10.0	3.4 - 25.9	200	21.6	11.2 - 37.6	300	38.3	24.2 - 54.7	200	23.8	12.9 - 39.7	0	0.0	-
>=\$51,001	100	16.8	8.7 - 29.8	100	24.0	11.3 - 43.8	200	28.8	15.3 - 47.5	200	25.2	12.3 - 44.6	<50	5.3	1.1 - 22.1	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	<50	8.4	3.9 - 17.2	<50	7.1	3.0 - 16.2	100	41.4	29.6 - 54.2	100	27.2	17.8 - 39.1	<50	10.2	5.1 - 19.5	<50	1.9	0.3 - 9.9
Normal birth weight	300	9.5	6.1 - 14.6	400	12.5	8.0 - 19.0	1,000	32.9	25.6 - 41.0	800	26.8	20.2 - 34.6	400	14.3	9.5 - 20.9	100	2.6	1.1 - 6.3

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	<50	5.2	1.0 - 22.3	200	22.0	12.0 - 36.6	200	27.5	16.0 - 43.0	200	33.1	20.7 - 48.4	100	9.7	3.8 - 22.7
No	300	12.4	8.1 - 18.3	300	14.3	9.2 - 21.5	900	37.0	29.0 - 45.9	700	26.7	19.8 - 35.1	200	7.9	4.2 - 14.4	<50	0.4	0.1 - 1.3

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2012+)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$17,000	<50	0.4	0.1 - 2.4	1,100
\$17,001-\$26,000	<50	9.2	2.0 - 33.1	500
\$26,001-\$51,000	0	0.0	-	700
>=\$51,001	0	0.0	-	600

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	<50	3.8	1.1 - 12.0	300
Normal birth weight	<50	1.4	0.3 - 6.3	2,900

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.5	0.8 - 7.4	700
No	<50	1.3	0.2 - 8.5	2,400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	400	13.4	8.7 - 19.9	1,100	37.0	29.6 - 45.1	900	29.6	22.9 - 37.4	400	15.4	10.5 - 22.0	100	2.8	1.2 - 6.5
<b>No</b>	300	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	8.7	4.8 - 15.3	100	8.3	4.5 - 14.9	600	33.9	25.2 - 43.9	500	28.5	20.5 - 38.1	300	15.5	9.5 - 24.1	100	4.2	1.7 - 10.5
<b>No</b>	200	10.5	5.8 - 18.4	200	16.7	9.4 - 28.0	500	34.0	23.7 - 46.0	400	25.3	16.3 - 36.9	200	12.6	6.7 - 22.4	<50	0.6	0.2 - 2.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	1.8	0.5 - 6.1	2,900
No	0	0.0	-	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.8	0.2 - 3.1	1,700
No	<50	0.3	0.1 - 1.8	1,400



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	600	13.5	9.4 - 19.1	300	7.6	4.6 - 12.1	1,300	30.8	25.0 - 37.3	1,100	27.6	22.0 - 33.9	700	17.3	12.8 - 23.0	100	1.7	0.7 - 4.1

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	<50	5.2	2.3 - 11.2	<50	6.7	3.2 - 13.5	200	38.0	28.8 - 48.2	200	27.7	19.7 - 37.4	100	17.8	11.3 - 26.8	<50	3.4	1.2 - 9.4
<b>Honolulu</b>	400	14.9	9.3 - 23.1	200	7.7	3.9 - 14.6	800	28.5	20.8 - 37.7	800	28.0	20.4 - 37.0	500	17.6	11.5 - 25.8	<50	1.5	0.4 - 5.6
<b>Kauai</b>	<50	27.0	16.2 - 41.4	<50	5.1	1.5 - 16.0	<50	19.3	10.3 - 33.2	100	34.4	22.1 - 49.2	<50	14.2	6.7 - 27.6	0	0.0	-
<b>Maui</b>	100	12.1	7.2 - 19.5	<50	8.7	4.7 - 15.5	200	38.1	29.4 - 47.7	100	22.7	15.8 - 31.6	100	16.2	10.3 - 24.5	<50	1.2	0.2 - 6.6

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	100	1.5	0.5 - 4.5	4,100

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	<50	1.1	0.2 - 6.8	700
<b>Honolulu</b>	<50	1.7	0.4 - 6.5	2,800
<b>Kauai</b>	0	0.0	-	200
<b>Maui</b>	<50	1.0	0.2 - 5.6	500

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	200	20.9	11.4 - 35.0	100	8.2	3.7 - 17.4	300	31.7	20.3 - 45.7	200	17.2	9.0 - 30.3	200	22.0	12.6 - 35.6	0	0.0	-
Native Hawaiian	100	8.8	4.3 - 17.3	100	7.0	2.9 - 16.1	500	33.8	24.5 - 44.5	400	26.3	18.5 - 36.0	300	17.9	11.0 - 27.7	100	4.5	1.8 - 10.9
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	100	14.9	5.7 - 33.5	100	9.6	2.7 - 29.0	200	30.3	17.1 - 47.7	200	39.0	23.2 - 57.6	<50	5.4	2.4 - 11.8	0	0.0	-
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	100	13.5	4.6 - 33.4	<50	6.3	1.2 - 26.6	100	21.5	9.7 - 40.9	200	29.5	15.0 - 49.8	100	23.3	10.2 - 45.0	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	300	20.0	11.4 - 32.9	100	8.0	3.4 - 17.9	500	32.7	22.9 - 44.4	300	20.2	12.3 - 31.5	200	15.3	8.0 - 27.5	<50	1.4	0.5 - 4.1
25-34	200	11.2	6.7 - 18.3	100	6.5	3.0 - 13.4	600	30.8	22.6 - 40.4	600	29.7	21.8 - 39.2	400	18.0	12.2 - 25.9	100	2.5	0.8 - 7.6
35+	<50	8.6	4.0 - 17.4	<50	10.0	2.7 - 30.9	100	21.1	8.9 - 42.2	200	40.1	22.9 - 60.2	100	19.0	7.8 - 39.4	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,000
Native Hawaiian	<50	1.6	0.2 - 10.4	1,500
Chinese	n/r	n/r	n/r	100
Filipino	<50	0.8	0.1 - 4.5	600
Japanese	n/r	n/r	n/r	400
Other	<50	5.8	1.2 - 23.4	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	200
20-24	<50	2.3	0.5 - 9.9	1,400
25-34	<50	1.2	0.2 - 7.7	2,100
35+	<50	1.1	0.2 - 6.4	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	200	12.2	7.0 - 20.4	100	6.0	2.6 - 13.2	600	33.2	24.6 - 43.1	500	26.8	19.0 - 36.3	400	19.6	12.8 - 29.0	<50	0.6	0.2 - 2.3
<b>Female</b>	300	14.6	8.9 - 23.0	200	9.0	4.9 - 15.9	600	28.7	21.3 - 37.5	600	28.2	20.8 - 37.2	300	15.3	9.9 - 22.8	100	2.7	1.0 - 7.3

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	300	16.6	10.3 - 25.6	100	8.4	4.1 - 16.4	500	28.6	20.2 - 38.8	500	31.7	22.9 - 42.0	300	14.5	8.9 - 22.8	0	0.0	-
<b>No</b>	300	11.3	6.4 - 19.1	200	7.0	3.6 - 13.3	800	32.4	24.8 - 41.1	600	24.6	17.8 - 32.9	500	19.4	13.1 - 27.6	100	3.0	1.3 - 7.1

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	300	14.3	7.9 - 24.4	100	8.1	4.1 - 15.6	500	29.2	21.7 - 38.1	500	29.4	21.5 - 38.7	200	14.1	8.8 - 21.7	100	3.5	1.3 - 9.1
<b>131-185%</b>	100	14.0	5.8 - 30.2	100	8.2	2.3 - 25.4	300	31.0	18.4 - 47.3	200	19.8	10.0 - 35.3	200	26.4	14.3 - 43.6	<50	0.6	0.1 - 3.3
<b>186+%</b>	200	13.5	7.9 - 22.0	100	6.3	2.6 - 14.7	400	31.9	21.6 - 44.4	400	30.3	20.1 - 43.0	200	15.2	8.5 - 25.8	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	1.5	0.3 - 7.4	1,900
Female	<50	1.5	0.3 - 6.5	2,200

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.3	0.0 - 1.6	1,700
No	100	2.4	0.7 - 7.6	2,400

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	1.4	0.2 - 8.9	1,800
131-185%	0	0.0	-	800
186+%	<50	2.7	0.7 - 10.1	1,300

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	100	10.6	4.0 - 25.3	100	5.5	1.8 - 15.3	300	30.9	20.8 - 43.3	300	30.5	20.1 - 43.2	200	15.2	7.9 - 27.2	<50	4.9	1.4 - 15.1
\$10,000-\$24,999	200	19.9	10.3 - 34.9	100	10.2	4.0 - 23.6	200	21.1	13.6 - 31.3	200	22.0	13.5 - 33.7	300	25.5	15.2 - 39.6	<50	1.3	0.4 - 4.8
\$25,000-\$49,999	100	7.0	2.9 - 16.2	100	8.5	3.5 - 19.3	500	40.5	28.6 - 53.6	300	28.7	18.4 - 41.9	100	12.2	6.3 - 22.3	<50	0.4	0.1 - 2.3
>=\$50,000	200	21.2	11.9 - 34.8	<50	5.9	1.9 - 16.6	200	25.9	13.9 - 43.1	200	30.6	17.6 - 47.8	100	15.8	7.1 - 31.5	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	<50	11.3	6.3 - 19.2	<50	9.1	4.4 - 17.7	100	30.1	20.8 - 41.4	100	23.3	15.5 - 33.4	100	20.6	13.2 - 30.7	<50	5.7	2.4 - 12.9
Normal birth weight	500	13.7	9.2 - 19.8	300	7.4	4.3 - 12.5	1,200	30.9	24.6 - 37.9	1,000	28.0	21.9 - 34.9	600	17.0	12.1 - 23.3	100	1.4	0.4 - 4.3

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	<50	0.4	0.1 - 2.4	200	22.1	13.9 - 33.3	400	38.0	26.3 - 51.4	300	35.5	24.5 - 48.2	<50	1.3	0.4 - 4.8
No	600	17.5	12.2 - 24.4	300	9.7	5.9 - 15.5	1,100	33.4	26.5 - 41.2	800	24.3	18.3 - 31.6	400	12.1	7.6 - 18.7	100	1.9	0.7 - 5.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	<50	2.5	0.4 - 14.9	1,000
\$10,000-\$24,999	0	0.0	-	1,000
\$25,000-\$49,999	<50	2.6	0.6 - 11.4	1,200
>=\$50,000	<50	0.6	0.1 - 3.6	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	400
Normal birth weight	100	1.6	0.5 - 4.9	3,800

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.7	0.4 - 16.0	900
No	<50	1.2	0.3 - 4.4	3,200



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	300	8.8	5.4 - 14.0	1,300	35.6	29.1 - 42.7	1,100	31.9	25.6 - 38.9	700	20.0	14.8 - 26.5	100	2.0	0.8 - 4.8
<b>No</b>	600	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	300	13.6	8.0 - 22.2	200	7.2	3.8 - 13.4	700	31.0	23.8 - 39.2	600	23.7	17.3 - 31.7	500	19.5	13.2 - 27.6	100	2.6	0.9 - 6.8
<b>No</b>	200	13.2	8.1 - 20.7	100	8.1	3.8 - 16.5	500	30.6	21.5 - 41.5	600	33.1	23.9 - 43.8	200	14.1	8.4 - 22.7	<50	0.6	0.2 - 2.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	1.7	0.6 - 5.2	3,600
No	0	0.0	-	600

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	2.4	0.7 - 7.6	2,400
No	<50	0.3	0.0 - 1.6	1,700

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	400	10.1	7.0 - 14.3	400	8.9	5.8 - 13.3	1,300	29.7	24.1 - 36.1	1,200	28.3	22.9 - 34.5	800	18.0	13.7 - 23.3	200	4.0	1.8 - 8.8

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	100	6.7	3.4 - 12.9	100	10.6	6.2 - 17.7	200	31.9	24.1 - 41.0	200	32.7	24.8 - 41.8	100	18.0	12.0 - 26.1	0	0.0	-
<b>Honolulu</b>	300	9.7	5.6 - 16.2	200	8.1	4.2 - 15.1	900	30.9	22.9 - 40.1	800	27.3	19.8 - 36.3	500	16.9	11.1 - 24.8	200	6.0	2.6 - 13.0
<b>Kauai</b>	<50	18.3	10.7 - 29.5	<50	10.2	4.8 - 20.1	<50	20.7	12.5 - 32.3	100	32.5	22.3 - 44.7	<50	16.3	9.2 - 27.2	<50	2.0	0.4 - 10.3
<b>Maui</b>	100	14.0	8.5 - 22.1	100	10.2	5.7 - 17.5	100	23.8	16.6 - 32.8	100	26.0	18.6 - 35.2	100	24.9	17.6 - 34.0	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	<50	0.9	0.2 - 3.8	4,300

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	0	0.0	-	700
<b>Honolulu</b>	<50	1.2	0.2 - 6.0	2,800
<b>Kauai</b>	0	0.0	-	200
<b>Maui</b>	<50	1.1	0.2 - 6.4	500

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	100	15.4	7.7 - 28.6	200	17.6	9.4 - 30.6	200	26.2	15.4 - 41.1	200	17.3	9.5 - 29.5	200	19.3	10.9 - 31.7	<50	4.1	0.6 - 23.1
Native Hawaiian	100	6.1	3.8 - 9.5	200	10.7	5.4 - 20.1	500	29.3	21.4 - 38.6	500	30.7	22.7 - 40.1	300	18.6	12.3 - 27.2	100	4.0	1.2 - 12.0
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	100	13.0	5.5 - 28.0	<50	2.8	1.1 - 6.9	400	47.8	32.3 - 63.7	200	26.9	15.2 - 43.0	100	9.6	4.0 - 21.0	0	0.0	-
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	100	14.3	5.5 - 32.2	<50	1.1	0.2 - 6.8	100	17.6	7.5 - 35.9	100	23.4	10.3 - 44.9	100	25.6	12.2 - 45.9	100	12.7	3.3 - 37.9

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	<50	1.7	0.3 - 9.3	100	24.9	8.4 - 54.4	200	48.8	27.5 - 70.6	<50	8.0	3.0 - 19.7	<50	14.8	6.8 - 29.3	0	0.0	-
20-24	100	7.5	4.2 - 13.0	100	5.8	2.4 - 13.6	500	31.8	22.2 - 43.3	500	31.2	22.1 - 42.1	300	20.8	13.5 - 30.7	<50	2.8	0.5 - 14.3
25-34	200	11.2	6.6 - 18.6	100	7.0	3.9 - 12.5	500	28.1	20.4 - 37.4	600	31.2	22.9 - 40.8	300	16.0	10.4 - 23.8	100	4.6	1.6 - 12.4
35+	100	18.4	7.6 - 38.0	100	15.0	6.0 - 32.9	100	17.9	8.1 - 35.3	100	21.6	10.8 - 38.6	100	18.9	7.6 - 39.8	<50	8.2	1.5 - 35.0

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	<50	0.7	0.2 - 2.4	1,600
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	800
Japanese	n/r	n/r	n/r	300
Other	<50	5.4	0.8 - 29.1	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	<50	1.8	0.3 - 10.5	300
20-24	0	0.0	-	1,500
25-34	<50	1.8	0.3 - 8.7	1,900
35+	0	0.0	-	500

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	200	10.5	6.3 - 16.9	200	11.1	6.4 - 18.8	600	27.4	20.0 - 36.3	700	32.1	24.3 - 40.9	300	14.1	9.6 - 20.1	100	4.6	1.7 - 12.1
<b>Female</b>	200	9.6	5.7 - 15.8	100	6.5	3.5 - 11.5	700	32.3	24.2 - 41.6	500	24.4	17.3 - 33.1	500	22.2	15.3 - 31.2	100	3.4	0.9 - 11.8

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	300	12.8	7.8 - 20.4	200	9.4	5.2 - 16.3	500	23.8	16.4 - 33.3	700	33.8	24.9 - 44.0	400	18.0	11.5 - 27.1	<50	2.2	0.4 - 11.5
<b>No</b>	200	7.7	4.6 - 12.8	200	8.4	4.6 - 15.1	800	34.8	27.0 - 43.4	500	23.7	17.6 - 31.0	400	18.0	12.8 - 24.7	100	5.7	2.3 - 13.1

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	7.2	4.1 - 12.5	100	6.0	2.7 - 12.8	600	31.1	23.1 - 40.5	500	26.5	19.4 - 35.0	400	20.0	14.0 - 27.7	100	7.1	2.8 - 16.7
<b>131-185%</b>	100	12.8	5.4 - 27.4	100	7.7	2.1 - 24.2	200	31.2	18.5 - 47.6	300	37.6	23.5 - 54.2	100	10.7	4.0 - 25.4	0	0.0	-
<b>186+%</b>	200	13.3	7.5 - 22.5	200	13.8	7.9 - 23.1	400	25.8	16.7 - 37.6	400	26.9	17.6 - 38.8	200	17.7	10.4 - 28.4	<50	2.5	0.6 - 10.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	0.3	0.0 - 1.5	2,200
Female	<50	1.6	0.3 - 8.1	2,100

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,000
No	<50	1.7	0.4 - 6.9	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	2.0	0.5 - 8.1	1,900
131-185%	0	0.0	-	800
186+%	0	0.0	-	1,400



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	100	8.2	3.6 - 17.5	100	5.9	1.8 - 17.4	300	29.3	19.4 - 41.6	300	30.3	20.5 - 42.4	300	22.9	15.0 - 33.3	<50	0.4	0.1 - 1.9
\$10,000-\$24,999	100	8.4	3.9 - 17.0	<50	3.0	1.3 - 6.8	300	31.3	20.0 - 45.3	200	24.1	14.7 - 36.8	200	18.3	9.9 - 31.4	100	14.5	5.8 - 31.8
\$25,000-\$49,999	100	10.2	5.0 - 19.6	200	13.9	7.2 - 25.3	500	36.1	25.0 - 48.9	400	30.5	20.3 - 43.0	100	9.3	4.7 - 17.8	0	0.0	-
>=\$50,000	100	15.8	8.2 - 28.4	100	11.7	5.5 - 23.2	100	16.6	8.3 - 30.5	300	30.1	18.2 - 45.4	200	21.7	11.6 - 37.0	<50	4.1	1.0 - 15.8

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	14.8	9.1 - 23.3	<50	5.6	2.5 - 11.7	100	26.5	18.5 - 36.4	100	25.5	17.4 - 35.8	100	23.9	16.2 - 33.7	<50	2.4	0.7 - 7.8
Normal birth weight	400	9.6	6.3 - 14.2	400	9.2	5.9 - 14.1	1,200	30.1	24.0 - 37.0	1,100	28.6	22.7 - 35.3	700	17.4	12.8 - 23.2	200	4.2	1.8 - 9.5

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	<50	0.9	0.3 - 2.6	300	23.3	14.5 - 35.3	500	33.6	23.8 - 45.1	400	29.7	20.5 - 41.0	100	10.0	4.1 - 22.2
No	400	15.2	10.6 - 21.2	400	12.9	8.4 - 19.3	900	33.0	26.2 - 40.7	700	25.6	19.4 - 33.0	300	12.1	8.1 - 17.6	<50	1.0	0.2 - 5.4

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	<50	3.1	0.6 - 14.4	1,100
\$10,000-\$24,999	<50	0.6	0.1 - 3.2	900
\$25,000-\$49,999	0	0.0	-	1,300
>=\$50,000	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	<50	1.4	0.2 - 7.3	400
Normal birth weight	<50	0.9	0.2 - 4.4	3,900

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.4	0.5 - 11.4	1,400
No	<50	0.2	0.0 - 1.0	2,800

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	400	9.9	6.5 - 14.8	1,300	33.1	26.9 - 39.9	1,200	31.5	25.5 - 38.2	800	20.0	15.3 - 25.8	200	4.5	2.0 - 9.7
<b>No</b>	400	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	100	5.0	2.8 - 8.9	200	7.2	3.7 - 13.5	800	35.7	28.0 - 44.2	600	25.4	19.0 - 33.0	500	20.8	15.0 - 28.0	100	5.4	2.1 - 13.0
<b>No</b>	300	16.1	10.2 - 24.5	200	11.2	6.4 - 18.7	400	22.1	14.6 - 32.0	600	31.3	22.6 - 41.6	300	15.2	9.3 - 23.9	<50	2.5	0.5 - 11.2

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.0	0.2 - 4.2	3,800
No	0	0.0	-	400

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.5	0.1 - 1.6	2,300
No	<50	1.5	0.2 - 9.7	1,900

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	700	14.2	10.6 - 18.8	500	10.8	7.6 - 15.2	1,300	28.5	23.3 - 34.4	1,200	26.2	21.4 - 31.7	700	14.5	10.8 - 19.4	200	5.1	2.9 - 9.0

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	100	12.4	7.6 - 19.6	100	9.5	5.4 - 16.2	200	24.9	17.9 - 33.5	200	31.0	23.2 - 40.0	100	18.4	12.4 - 26.5	<50	3.9	1.6 - 9.5
<b>Honolulu</b>	400	13.9	9.0 - 20.9	300	10.9	6.5 - 17.6	1,000	30.8	23.3 - 39.4	700	23.8	17.3 - 31.9	400	13.8	8.7 - 21.1	200	6.0	2.9 - 12.2
<b>Kauai</b>	<50	16.1	9.5 - 25.8	<50	10.1	5.0 - 19.0	100	36.2	26.3 - 47.4	<50	19.7	12.1 - 30.3	<50	12.5	6.9 - 21.6	<50	5.6	2.1 - 14.0
<b>Maui</b>	100	17.5	11.6 - 25.6	100	12.7	7.8 - 19.8	100	18.1	12.2 - 26.1	200	35.5	27.3 - 44.6	100	14.3	9.1 - 21.9	<50	1.9	0.5 - 6.4

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	<50	0.5	0.1 - 3.6	4,700

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	0	0.0	-	800
<b>Honolulu</b>	<50	0.8	0.1 - 5.4	3,100
<b>Kauai</b>	0	0.0	-	200
<b>Maui</b>	0	0.0	-	600

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	200	19.1	11.2 - 30.6	200	15.3	8.7 - 25.7	200	22.1	13.6 - 33.9	300	25.4	16.2 - 37.5	200	14.6	7.5 - 26.6	<50	3.4	1.0 - 11.2
Native Hawaiian	100	6.4	3.5 - 11.6	100	7.3	3.6 - 14.1	600	29.9	22.1 - 39.1	600	33.9	26.0 - 42.9	300	18.7	12.3 - 27.3	100	3.9	1.5 - 9.4
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	100	17.1	7.3 - 35.2	100	16.5	6.6 - 35.6	100	29.0	14.8 - 48.8	100	14.1	5.8 - 30.7	100	16.4	7.3 - 32.8	<50	6.9	1.3 - 29.3
Japanese	100	19.1	8.4 - 38.0	<50	9.2	3.1 - 24.4	100	27.8	13.5 - 48.8	100	24.1	11.2 - 44.3	<50	8.7	2.9 - 23.4	<50	6.1	0.9 - 31.5
Other	100	19.5	9.3 - 36.5	<50	1.9	0.5 - 6.7	200	35.3	19.6 - 54.9	100	23.6	11.7 - 41.7	100	8.9	2.7 - 26.0	100	10.8	2.9 - 33.2

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	<50	7.9	3.9 - 15.5	100	9.6	3.0 - 26.4	200	38.0	22.1 - 57.0	100	22.9	11.6 - 40.4	100	16.2	6.5 - 35.0	<50	5.4	0.8 - 28.7
20-24	200	12.1	6.9 - 20.6	200	11.7	5.9 - 21.9	500	35.2	25.1 - 46.9	300	24.4	16.4 - 34.5	200	11.4	6.0 - 20.6	100	5.2	1.8 - 14.1
25-34	400	16.4	10.9 - 23.9	300	12.3	7.8 - 19.0	500	23.9	17.2 - 32.2	700	29.8	22.6 - 38.2	300	12.3	7.8 - 18.9	100	4.2	1.7 - 10.0
35+	100	17.0	6.9 - 36.0	<50	3.1	1.0 - 9.1	100	20.6	10.3 - 36.9	100	18.9	8.7 - 36.2	200	31.3	16.9 - 50.6	<50	9.0	2.4 - 28.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,100
Native Hawaiian	0	0.0	-	1,900
Chinese	n/r	n/r	n/r	200
Filipino	0	0.0	-	500
Japanese	<50	5.0	0.7 - 27.4	500
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	600
20-24	0	0.0	-	1,400
25-34	<50	1.1	0.2 - 7.2	2,300
35+	0	0.0	-	500



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	400	16.4	11.0 - 23.6	300	11.5	7.1 - 18.1	600	24.5	18.0 - 32.5	600	23.9	17.6 - 31.6	400	16.7	11.3 - 24.0	100	6.0	2.8 - 12.3
<b>Female</b>	300	11.8	7.6 - 17.9	200	10.1	6.0 - 16.6	700	32.8	25.0 - 41.7	700	28.7	21.7 - 36.9	300	12.3	7.6 - 19.1	100	4.2	1.7 - 10.2

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	400	20.2	13.5 - 29.1	300	16.5	10.5 - 24.9	600	33.4	25.0 - 43.1	300	18.1	12.0 - 26.5	200	9.3	5.2 - 16.0	<50	1.1	0.4 - 2.7
<b>No</b>	300	10.1	6.6 - 15.1	200	6.9	3.9 - 12.0	700	25.1	18.8 - 32.7	900	31.8	25.2 - 39.3	500	18.1	12.8 - 25.1	200	7.9	4.2 - 14.3

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	200	9.3	6.0 - 14.1	100	6.0	3.4 - 10.2	700	30.1	22.6 - 38.8	600	27.7	21.0 - 35.6	500	19.5	13.3 - 27.6	200	7.5	3.7 - 14.8
<b>131-185%</b>	100	14.3	5.9 - 31.0	100	7.0	2.4 - 18.4	300	38.0	24.0 - 54.3	100	19.4	10.6 - 33.0	100	12.8	5.6 - 26.9	<50	4.9	0.9 - 22.3
<b>186+%</b>	300	24.8	16.1 - 36.3	200	15.4	8.8 - 25.8	300	23.8	15.5 - 34.9	300	23.9	15.5 - 34.9	100	9.8	5.1 - 18.0	<50	2.2	1.0 - 5.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	1.0	0.2 - 6.8	2,400
Female	0	0.0	-	2,300

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.3	0.2 - 8.5	1,900
No	0	0.0	-	2,800

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,300
131-185%	<50	3.5	0.5 - 20.5	700
186+%	0	0.0	-	1,300

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	100	7.1	3.2 - 15.1	100	6.7	2.9 - 14.9	300	24.3	15.0 - 36.9	400	34.4	23.8 - 47.0	200	19.3	11.0 - 31.8	100	8.1	2.9 - 20.8
\$10,000-\$24,999	200	12.5	7.6 - 20.0	100	4.5	2.4 - 8.3	400	32.8	22.9 - 44.6	300	21.4	14.8 - 30.0	300	21.9	13.6 - 33.2	100	6.9	2.8 - 15.8
\$25,000-\$49,999	300	25.6	15.3 - 39.5	<50	3.4	1.7 - 6.9	300	34.1	22.8 - 47.4	200	24.6	15.5 - 36.7	100	5.7	2.3 - 13.6	<50	4.0	0.9 - 16.4
>=\$50,000	100	15.9	8.3 - 28.4	200	24.3	14.1 - 38.4	200	26.5	15.9 - 40.7	200	19.3	10.5 - 32.8	100	11.9	6.1 - 21.9	<50	2.2	0.7 - 6.4

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	19.1	12.2 - 28.5	<50	5.4	2.5 - 11.3	100	19.0	12.3 - 28.2	100	29.8	21.7 - 39.5	100	23.0	15.3 - 33.1	<50	3.7	1.4 - 9.5
Normal birth weight	600	13.9	10.0 - 18.9	500	11.4	7.9 - 16.2	1,300	29.6	23.9 - 36.0	1,100	25.4	20.3 - 31.3	600	13.9	9.9 - 19.2	200	5.3	2.9 - 9.6

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	<50	2.1	0.4 - 10.1	100	3.8	1.5 - 9.8	300	15.6	9.5 - 24.4	700	37.5	28.2 - 47.8	500	30.2	21.7 - 40.4	200	9.3	4.6 - 17.8
No	600	21.3	16.0 - 27.9	400	14.9	10.3 - 21.2	1,100	36.2	29.1 - 43.8	600	19.5	14.6 - 25.5	200	5.4	3.0 - 9.6	100	2.7	0.9 - 7.5

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	0	0.0	-	1,200
\$10,000-\$24,999	0	0.0	-	1,300
\$25,000-\$49,999	<50	2.6	0.4 - 15.7	1,000
>=\$50,000	0	0.0	-	900

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	400
Normal birth weight	<50	0.6	0.1 - 4.0	4,300

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.5	0.2 - 9.3	1,700
No	0	0.0	-	3,000

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	500	12.6	8.9 - 17.6	1,300	33.2	27.3 - 39.8	1,200	30.6	25.0 - 36.8	700	17.0	12.6 - 22.5	200	6.0	3.3 - 10.5
<b>No</b>	700	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	400	13.7	9.2 - 19.8	200	7.9	4.6 - 13.4	700	26.1	19.9 - 33.5	700	27.7	21.6 - 34.8	500	18.9	13.4 - 25.9	100	4.8	2.2 - 10.0
<b>No</b>	300	14.9	9.5 - 22.6	300	14.6	9.1 - 22.4	700	31.6	23.2 - 41.4	500	24.3	17.1 - 33.5	200	9.0	4.9 - 15.8	100	5.6	2.3 - 13.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.6	0.1 - 4.2	4,000
No	0	0.0	-	700

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.0	0.1 - 6.3	2,700
No	0	0.0	-	2,100

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	200	5.5	3.4 - 8.6	100	3.0	1.6 - 5.4	1,000	28.0	23.3 - 33.2	1,100	29.5	24.8 - 34.8	1,000	25.5	21.1 - 30.6	100	3.2	1.8 - 5.9

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	100	12.1	5.3 - 25.2	<50	4.4	1.2 - 15.2	200	26.8	16.2 - 41.0	200	29.9	18.7 - 44.2	100	24.5	14.3 - 38.5	<50	2.4	0.4 - 14.1
<b>Honolulu</b>	100	4.1	2.2 - 7.6	100	3.3	1.6 - 6.5	700	27.2	21.8 - 33.5	700	29.2	23.6 - 35.6	600	24.8	19.6 - 30.8	100	4.2	2.2 - 7.8
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Maui</b>	<50	2.1	0.3 - 12.8	0	0.0	-	100	31.0	18.4 - 47.2	200	36.7	22.8 - 53.3	100	27.4	15.5 - 43.7	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	200	5.3	3.3 - 8.3	3,700

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	0	0.0	-	600
<b>Honolulu</b>	200	7.2	4.5 - 11.5	2,600
<b>Kauai</b>	n/r	n/r	n/r	100
<b>Maui</b>	<50	2.7	0.4 - 15.9	400



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	<50	5.5	2.2 - 13.2	100	7.1	3.1 - 15.4	200	28.2	19.3 - 39.1	100	16.6	9.9 - 26.5	300	31.7	22.4 - 42.7	<50	2.6	0.7 - 9.5
Native Hawaiian	100	4.7	2.0 - 10.5	<50	1.0	0.1 - 6.2	400	28.8	21.2 - 37.8	500	37.5	29.0 - 46.8	300	21.2	14.6 - 29.7	100	3.9	1.5 - 9.7
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	<50	2.4	0.4 - 13.9	0	0.0	-	100	28.6	17.4 - 43.1	100	31.0	19.4 - 45.5	100	33.3	21.3 - 48.0	<50	4.8	1.3 - 16.2
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	<50	7.8	2.7 - 20.6	<50	5.7	1.9 - 15.9	200	26.2	15.8 - 40.1	100	18.9	10.5 - 31.8	200	27.2	16.9 - 40.7	<50	2.6	0.4 - 15.1

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	<50	3.6	0.5 - 20.2	0	0.0	-	200	40.2	25.0 - 57.5	100	21.4	10.4 - 39.2	100	20.5	10.1 - 37.2	<50	8.3	2.8 - 22.0
20-24	100	8.6	4.3 - 16.5	<50	3.1	1.1 - 8.9	300	26.9	19.0 - 36.6	300	29.2	21.0 - 39.0	300	27.9	19.9 - 37.5	0	0.0	-
25-34	100	3.4	1.5 - 7.8	100	4.0	1.8 - 8.7	500	26.6	20.1 - 34.2	600	32.1	25.1 - 40.0	400	23.2	17.1 - 30.6	100	4.4	2.0 - 9.5
35+	<50	7.0	2.2 - 20.6	<50	0.8	0.2 - 4.6	100	25.3	14.3 - 40.7	100	27.8	15.8 - 44.0	100	33.5	20.8 - 49.3	<50	2.4	0.4 - 14.4

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	100	8.3	3.9 - 16.8	900
Native Hawaiian	<50	3.0	1.0 - 8.4	1,500
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	400
Japanese	n/r	n/r	n/r	300
Other	100	11.6	5.4 - 23.1	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	<50	6.0	1.6 - 20.1	400
20-24	100	4.4	1.7 - 10.7	1,200
25-34	100	6.3	3.3 - 11.6	1,700
35+	<50	3.1	0.7 - 12.1	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	100	6.2	3.4 - 11.0	100	4.0	1.9 - 8.1	600	29.6	23.3 - 36.9	500	25.9	19.9 - 33.0	500	26.9	21.0 - 33.8	100	4.2	2.0 - 8.6
<b>Female</b>	100	4.5	2.1 - 9.7	<50	1.8	0.5 - 5.6	400	26.1	19.6 - 33.8	600	33.8	26.6 - 41.9	400	23.9	17.5 - 31.6	<50	2.1	0.7 - 6.0

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	9.5	5.7 - 15.6	100	4.0	1.8 - 8.7	500	27.4	20.9 - 35.0	400	24.2	18.0 - 31.7	400	26.0	19.8 - 33.3	100	4.0	1.7 - 9.0
<b>No</b>	<50	2.1	0.7 - 6.1	<50	2.1	0.8 - 5.5	600	28.5	22.2 - 35.9	700	34.0	27.2 - 41.5	500	25.2	19.1 - 32.3	100	2.6	1.1 - 6.3

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	3.1	1.2 - 7.7	<50	0.6	0.1 - 3.9	500	27.9	21.4 - 35.5	600	30.8	24.0 - 38.5	600	28.7	22.2 - 36.2	100	4.8	2.3 - 9.4
<b>131-185%</b>	<50	7.3	2.5 - 19.5	0	0.0	-	100	24.7	14.5 - 38.8	200	37.3	24.6 - 52.0	100	20.5	11.5 - 34.0	<50	1.9	0.3 - 11.6
<b>186+%</b>	100	7.8	3.8 - 15.4	100	5.6	2.4 - 12.2	300	31.4	22.9 - 41.4	200	22.7	15.3 - 32.2	300	25.2	17.5 - 34.8	<50	1.4	0.2 - 8.9

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	100	3.1	1.4 - 6.7	2,000
Female	100	7.9	4.4 - 13.6	1,700

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	5.0	2.4 - 9.9	1,700
No	100	5.6	3.0 - 10.1	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	100	4.2	2.0 - 8.4	1,900
131-185%	<50	8.3	2.8 - 21.9	500
186+%	100	6.0	2.7 - 12.7	1,000

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	100	6.8	2.7 - 16.2	0	0.0	-	200	22.5	14.2 - 33.9	300	35.0	24.6 - 47.0	200	28.3	18.9 - 40.1	<50	2.5	0.7 - 8.8
\$10,000-\$24,999	0	0.0	-	<50	1.0	0.2 - 6.4	400	32.7	24.0 - 42.8	400	30.7	22.2 - 40.6	300	28.7	20.6 - 38.3	100	4.9	1.9 - 11.8
\$25,000-\$49,999	<50	5.7	2.1 - 14.4	<50	1.5	0.2 - 8.9	300	30.2	20.8 - 41.6	200	22.4	14.4 - 33.3	200	27.9	19.1 - 38.8	<50	1.7	0.3 - 10.6
>=\$50,000	100	12.9	6.4 - 24.1	<50	6.6	2.6 - 15.5	200	24.2	15.4 - 35.8	200	31.1	20.9 - 43.7	100	17.0	9.7 - 28.1	<50	3.7	1.0 - 13.3

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	200	5.4	3.3 - 8.7	100	2.8	1.5 - 5.4	1,000	28.5	23.6 - 33.9	1,000	30.1	25.1 - 35.6	900	24.7	20.2 - 29.9	100	3.1	1.6 - 5.8

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	<50	0.8	0.1 - 4.8	300	19.0	13.1 - 26.6	500	33.8	26.2 - 42.4	600	35.4	27.8 - 43.9	100	5.5	2.7 - 10.8
No	200	9.5	6.0 - 14.9	100	4.6	2.4 - 8.7	700	34.7	28.2 - 41.9	600	26.3	20.5 - 33.1	400	18.1	13.3 - 24.2	<50	1.6	0.5 - 5.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	<50	4.9	1.7 - 13.6	900
\$10,000-\$24,999	<50	2.1	0.5 - 7.5	1,200
\$25,000-\$49,999	100	10.7	5.4 - 19.9	800
>=\$50,000	<50	4.5	1.4 - 13.8	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	200	5.4	3.3 - 8.6	3,500

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	5.6	2.7 - 11.0	1,600
No	100	5.1	2.7 - 9.2	2,100

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	100	3.1	1.7 - 5.8	1,000	29.6	24.7 - 35.0	1,100	31.2	26.2 - 36.7	1,000	27.0	22.3 - 32.2	100	3.4	1.9 - 6.2
<b>No</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	100	6.1	3.3 - 10.8	100	2.5	1.0 - 6.3	500	25.2	19.3 - 32.2	700	30.9	24.5 - 38.1	600	25.8	19.9 - 32.7	<50	2.2	0.9 - 5.6
<b>No</b>	100	4.8	2.2 - 10.0	100	3.7	1.6 - 8.2	500	33.0	25.7 - 41.3	400	27.7	20.9 - 35.7	400	24.3	18.0 - 31.9	100	4.8	2.2 - 10.4

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	200	5.6	3.5 - 8.8	3,500
No	n/r	n/r	n/r	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	200	7.4	4.4 - 12.1	2,200
No	<50	1.7	0.5 - 6.4	1,500



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	300	6.5	4.4 - 9.4	200	4.2	2.6 - 6.9	1,000	26.7	22.2 - 31.6	1,100	29.0	24.5 - 34.0	1,000	25.5	21.1 - 30.4	200	4.2	2.5 - 7.0

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	<50	1.9	0.3 - 11.5	<50	5.0	1.6 - 14.8	100	15.8	7.9 - 29.0	300	41.8	29.3 - 55.4	200	33.7	22.2 - 47.5	<50	1.7	0.3 - 10.5
<b>Honolulu</b>	200	7.1	4.5 - 11.1	100	4.1	2.2 - 7.5	800	29.3	23.8 - 35.5	700	27.0	21.7 - 33.1	600	22.7	17.7 - 28.6	100	4.3	2.3 - 7.8
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Maui</b>	<50	9.7	3.8 - 22.5	<50	6.0	1.6 - 20.1	100	30.1	17.6 - 46.3	100	24.6	13.6 - 40.3	100	23.3	12.7 - 39.0	<50	6.4	1.6 - 21.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	200	4.0	2.3 - 6.8	3,900

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	0	0.0	-	600
<b>Honolulu</b>	100	5.5	3.1 - 9.5	2,600
<b>Kauai</b>	n/r	n/r	n/r	200
<b>Maui</b>	0	0.0	-	500

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	100	9.1	4.7 - 16.7	100	6.9	3.2 - 14.2	300	24.7	17.0 - 34.5	200	15.5	9.4 - 24.4	300	32.2	23.4 - 42.4	100	7.1	3.3 - 14.5
Native Hawaiian	<50	2.0	0.5 - 7.1	100	3.8	1.5 - 9.4	400	25.6	18.2 - 34.8	400	31.6	23.6 - 40.8	400	27.0	19.5 - 36.0	100	5.2	2.2 - 11.6
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	100	12.5	5.9 - 24.4	<50	2.3	0.4 - 13.5	200	33.3	22.2 - 46.6	200	38.0	26.2 - 51.4	100	12.0	5.7 - 23.6	0	0.0	-
Japanese	<50	11.4	4.5 - 26.2	<50	2.7	0.4 - 15.7	100	22.5	11.8 - 38.5	200	39.4	24.8 - 56.1	100	24.1	12.7 - 40.8	0	0.0	-
Other	<50	3.1	0.8 - 11.6	<50	2.6	0.4 - 15.3	200	29.2	18.2 - 43.3	200	31.4	19.9 - 45.6	100	24.0	13.7 - 38.6	<50	3.8	1.1 - 11.7

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	100	6.1	3.1 - 11.7	100	4.3	1.9 - 9.7	400	26.6	19.7 - 34.9	400	26.7	19.7 - 35.1	400	26.0	19.0 - 34.5	100	3.8	1.6 - 8.7
25-34	100	6.3	3.5 - 11.1	100	4.4	2.0 - 9.1	400	24.1	18.0 - 31.3	500	31.1	24.3 - 38.8	500	27.3	20.8 - 35.0	100	4.7	2.3 - 9.5
35+	100	15.4	6.8 - 31.3	<50	6.5	1.7 - 21.6	100	24.5	13.3 - 40.7	100	25.4	13.9 - 41.8	100	21.3	10.7 - 38.0	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	4.6	1.8 - 11.3	1,000
Native Hawaiian	100	4.9	2.1 - 10.9	1,400
Chinese	n/r	n/r	n/r	<50
Filipino	<50	1.8	0.3 - 11.0	500
Japanese	0	0.0	-	400
Other	<50	6.0	1.6 - 20.0	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	400
20-24	100	6.4	3.1 - 12.6	1,400
25-34	<50	2.2	0.7 - 6.4	1,700
35+	<50	7.0	1.9 - 22.9	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	100	6.3	3.6 - 10.7	<50	2.2	0.8 - 5.7	600	29.4	23.1 - 36.6	600	32.0	25.5 - 39.3	400	22.2	16.6 - 29.0	100	4.0	1.9 - 8.1
<b>Female</b>	100	6.7	3.8 - 11.4	100	6.4	3.5 - 11.2	500	23.7	18.0 - 30.7	500	25.9	19.8 - 32.9	600	28.9	22.5 - 36.2	100	4.4	2.1 - 9.0

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	9.3	5.7 - 15.0	100	6.7	3.6 - 12.0	500	28.1	21.6 - 35.6	500	29.0	22.3 - 36.7	400	21.2	15.4 - 28.5	100	3.1	1.3 - 7.2
<b>No</b>	100	4.4	2.3 - 8.0	100	2.4	1.0 - 5.7	600	25.6	19.9 - 32.3	700	29.0	23.1 - 35.8	600	28.6	22.6 - 35.5	100	5.0	2.7 - 9.3

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	3.6	1.7 - 7.5	100	3.5	1.6 - 7.4	500	24.7	18.7 - 31.9	600	31.4	24.8 - 38.7	500	25.6	19.6 - 32.8	100	5.1	2.6 - 9.9
<b>131-185%</b>	100	14.7	7.2 - 27.4	0	0.0	-	100	24.6	14.2 - 39.0	100	28.1	17.3 - 42.3	200	30.5	18.8 - 45.6	<50	2.1	0.3 - 12.6
<b>186+%</b>	100	7.7	4.0 - 14.3	100	5.9	2.8 - 12.2	300	29.4	21.7 - 38.4	300	25.5	18.2 - 34.5	300	25.3	18.1 - 34.3	100	4.3	1.8 - 10.0

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	100	3.9	1.8 - 8.2	2,000
Female	100	4.1	1.9 - 8.5	1,900

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.7	1.1 - 6.8	1,700
No	100	4.9	2.5 - 9.3	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	100	6.1	3.3 - 11.1	2,000
131-185%	0	0.0	-	500
186+%	<50	1.9	0.5 - 6.9	1,200

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	<50	3.7	1.3 - 10.5	<50	0.5	0.1 - 2.7	300	26.4	17.9 - 37.2	300	29.5	20.6 - 40.2	300	25.2	17.1 - 35.6	100	8.9	4.3 - 17.5
\$10,000-\$24,999	100	6.2	2.8 - 13.0	100	5.2	2.0 - 12.5	200	20.4	13.3 - 30.1	300	34.5	25.3 - 44.9	300	28.5	19.9 - 38.9	<50	1.3	0.2 - 7.8
\$25,000-\$49,999	100	5.5	2.2 - 13.2	<50	5.1	2.0 - 12.3	300	29.7	20.9 - 40.4	200	21.8	14.4 - 31.5	300	30.2	21.2 - 41.0	<50	4.1	1.5 - 10.7
>=\$50,000	100	11.3	5.9 - 20.6	<50	4.6	1.5 - 12.7	200	30.5	21.1 - 41.8	200	29.6	20.1 - 41.2	200	19.4	11.9 - 30.0	<50	3.1	0.8 - 10.8

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	300	7.1	4.8 - 10.4	200	4.3	2.5 - 7.1	1,000	27.2	22.5 - 32.3	1,000	28.6	23.9 - 33.8	900	24.6	20.1 - 29.7	100	3.9	2.2 - 6.8

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	<50	0.8	0.1 - 4.9	0	0.0	-	200	15.8	10.4 - 23.1	600	38.1	30.2 - 46.7	600	37.8	29.8 - 46.4	100	6.7	3.5 - 12.6
No	200	10.2	6.8 - 14.9	200	7.0	4.2 - 11.3	800	33.8	27.7 - 40.4	500	23.1	17.9 - 29.2	400	17.4	12.9 - 23.1	100	2.5	1.1 - 5.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	100	5.7	2.2 - 13.8	1,000
\$10,000-\$24,999	<50	4.1	1.4 - 11.4	1,000
\$25,000-\$49,999	<50	3.7	1.2 - 10.5	900
>=\$50,000	<50	1.6	0.3 - 9.9	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	200	4.4	2.5 - 7.4	3,600

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.8	0.1 - 5.2	1,500
No	100	6.1	3.4 - 10.4	2,400



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	200	4.5	2.7 - 7.4	1,000	28.5	23.8 - 33.7	1,100	31.0	26.2 - 36.3	1,000	27.2	22.6 - 32.4	200	4.5	2.7 - 7.4
<b>No</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	100	6.2	3.5 - 10.7	100	4.7	2.4 - 9.0	500	25.7	19.8 - 32.6	600	30.0	23.7 - 37.2	500	24.0	18.2 - 31.0	100	5.8	3.1 - 10.7
<b>No</b>	100	7.1	4.1 - 12.0	100	3.2	1.4 - 7.3	500	27.9	21.5 - 35.4	500	28.3	21.9 - 35.7	500	26.2	19.9 - 33.6	<50	2.5	1.0 - 6.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	200	4.3	2.5 - 7.2	3,700
No	n/r	n/r	n/r	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	3.5	1.6 - 7.4	2,000
No	100	4.8	2.2 - 9.9	1,800

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	300	6.1	4.1 - 9.0	200	4.0	2.4 - 6.6	1,000	24.5	20.2 - 29.4	1,400	34.2	29.3 - 39.5	900	21.7	17.7 - 26.4	300	6.1	4.0 - 9.3

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	<50	3.3	0.9 - 11.8	<50	5.9	2.0 - 16.2	200	22.0	13.0 - 34.7	200	35.5	24.0 - 49.0	200	26.8	16.8 - 39.8	<50	1.9	0.3 - 11.5
<b>Honolulu</b>	200	7.3	4.7 - 11.2	100	3.9	2.0 - 7.2	700	23.5	18.4 - 29.4	1,000	35.3	29.4 - 41.8	600	20.2	15.5 - 25.7	200	7.0	4.3 - 11.1
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Maui</b>	<50	3.0	0.4 - 17.3	<50	3.4	0.8 - 13.2	100	29.9	17.0 - 47.0	100	21.8	11.2 - 38.1	100	27.8	15.4 - 44.9	<50	10.5	3.8 - 25.8

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	100	3.4	1.9 - 6.1	4,100

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	<50	4.6	1.2 - 16.0	700
<b>Honolulu</b>	100	2.8	1.3 - 6.1	2,800
<b>Kauai</b>	n/r	n/r	n/r	200
<b>Maui</b>	<50	3.7	0.6 - 20.4	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	100	11.3	6.3 - 19.4	100	8.2	4.1 - 15.8	200	18.6	11.9 - 27.9	300	31.2	22.6 - 41.2	300	26.2	18.3 - 36.0	<50	4.5	1.7 - 10.9
Native Hawaiian	100	4.3	1.9 - 9.8	<50	1.9	0.5 - 6.8	300	22.1	15.4 - 30.6	500	34.0	26.0 - 43.1	400	24.3	17.3 - 33.0	100	9.5	5.3 - 16.4
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	<50	2.3	0.3 - 13.4	<50	2.9	0.5 - 16.8	200	43.0	28.7 - 58.5	100	33.9	21.0 - 49.8	<50	11.1	4.4 - 25.2	<50	4.5	1.2 - 15.6
Japanese	<50	7.8	2.6 - 21.0	<50	2.6	0.4 - 15.4	100	23.3	11.8 - 40.9	100	33.7	19.7 - 51.4	100	26.0	14.2 - 42.8	0	0.0	-
Other	<50	2.9	0.9 - 9.2	<50	3.7	1.0 - 12.9	200	28.5	17.9 - 42.1	300	40.4	27.9 - 54.2	100	11.9	6.2 - 21.5	<50	6.0	2.3 - 15.1

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	0	0.0	-	<50	2.6	0.4 - 15.2	200	34.5	20.8 - 51.2	200	38.1	23.8 - 54.8	100	18.3	8.7 - 34.5	<50	3.3	0.5 - 18.8
20-24	100	7.3	3.6 - 14.2	100	7.6	3.8 - 14.8	300	24.7	17.1 - 34.2	300	27.2	19.2 - 36.9	300	20.7	13.8 - 29.9	100	7.7	3.8 - 15.1
25-34	100	5.6	3.1 - 9.9	100	2.8	1.3 - 6.3	400	20.9	15.3 - 27.9	800	38.9	31.7 - 46.7	400	22.5	16.9 - 29.4	100	7.0	4.0 - 12.0
35+	100	12.2	5.4 - 25.5	0	0.0	-	100	29.1	17.5 - 44.1	100	28.4	16.4 - 44.4	100	24.7	13.8 - 40.3	<50	0.9	0.2 - 5.0

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,100
Native Hawaiian	100	3.9	1.5 - 9.7	1,600
Chinese	n/r	n/r	n/r	<50
Filipino	<50	2.3	0.3 - 13.4	400
Japanese	<50	6.5	1.7 - 22.0	400
Other	<50	6.6	2.2 - 18.0	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	<50	3.3	0.5 - 18.6	500
20-24	100	4.9	1.9 - 11.9	1,300
25-34	<50	2.2	0.7 - 6.4	2,000
35+	<50	4.7	1.2 - 16.2	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	200	7.3	4.4 - 12.0	100	3.7	1.8 - 7.6	500	24.8	18.9 - 31.7	700	32.5	25.9 - 39.8	500	22.6	17.1 - 29.3	100	6.0	3.3 - 10.6
<b>Female</b>	100	4.8	2.5 - 8.9	100	4.2	2.0 - 8.6	500	24.2	18.2 - 31.4	700	36.1	29.0 - 43.8	400	20.7	15.2 - 27.6	100	6.3	3.4 - 11.3

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	9.5	6.0 - 14.8	100	5.9	3.2 - 10.6	500	24.4	18.5 - 31.6	600	33.9	27.0 - 41.6	400	20.1	14.8 - 26.8	100	3.5	1.6 - 7.3
<b>No</b>	100	3.3	1.5 - 7.0	100	2.4	0.9 - 6.0	600	24.6	18.7 - 31.5	800	34.4	27.7 - 41.8	500	23.0	17.4 - 29.8	200	8.3	5.0 - 13.5

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	4.3	2.1 - 8.5	<50	2.4	0.9 - 6.4	400	22.6	16.6 - 30.0	700	38.0	30.6 - 46.1	400	19.6	14.1 - 26.7	100	7.3	4.0 - 12.8
<b>131-185%</b>	0	0.0	-	<50	4.3	1.3 - 12.9	200	28.5	18.0 - 41.9	200	34.4	23.1 - 47.9	200	28.5	18.2 - 41.7	<50	4.3	1.1 - 15.1
<b>186+%</b>	100	11.6	6.9 - 18.8	<50	3.8	1.5 - 9.5	300	23.3	16.4 - 32.1	400	29.1	21.2 - 38.5	300	24.4	17.4 - 33.2	100	6.8	3.5 - 12.8

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	100	3.2	1.3 - 7.2	2,200
Female	100	3.6	1.6 - 8.2	2,000

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.6	1.0 - 6.7	1,900
No	100	4.0	1.9 - 8.4	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	100	5.8	3.0 - 11.0	2,000
131-185%	0	0.0	-	700
186+%	<50	0.9	0.1 - 5.6	1,200



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	<50	4.0	1.5 - 10.4	<50	0.4	0.1 - 2.1	300	24.7	16.4 - 35.5	400	39.2	29.0 - 50.4	200	17.1	10.3 - 27.2	<50	4.6	1.6 - 12.8
\$10,000-\$24,999	<50	4.0	1.5 - 10.4	100	5.2	2.0 - 12.5	200	22.8	15.1 - 32.8	400	32.5	23.5 - 43.1	300	26.2	18.0 - 36.4	100	9.4	4.8 - 17.5
\$25,000-\$49,999	<50	4.4	1.7 - 10.8	<50	3.8	1.4 - 9.8	200	23.0	15.3 - 33.1	400	39.6	29.9 - 50.3	200	22.6	15.1 - 32.3	100	5.7	2.3 - 13.2
>=\$50,000	100	13.5	7.2 - 23.9	<50	3.4	0.9 - 12.0	200	24.9	16.0 - 36.5	200	24.9	15.7 - 37.2	200	25.3	16.3 - 37.0	<50	6.5	2.6 - 15.3

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	300	6.6	4.5 - 9.8	200	4.2	2.5 - 7.0	900	23.5	19.1 - 28.6	1,300	34.4	29.3 - 39.9	800	20.9	16.8 - 25.8	300	6.6	4.4 - 10.0

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	<50	1.2	0.2 - 5.3	200	10.7	6.6 - 17.1	700	39.6	31.6 - 48.1	500	30.4	23.3 - 38.6	200	10.6	6.4 - 17.0
No	300	10.5	7.1 - 15.3	100	5.9	3.4 - 10.1	800	34.3	28.0 - 41.1	700	30.3	24.3 - 37.1	400	15.5	11.3 - 21.1	100	3.0	1.4 - 6.3

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	100	10.0	4.9 - 19.1	1,000
\$10,000-\$24,999	0	0.0	-	1,100
\$25,000-\$49,999	<50	0.9	0.1 - 5.9	1,000
>=\$50,000	<50	1.5	0.2 - 9.4	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	100	3.7	2.0 - 6.6	3,800

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	7.5	4.0 - 13.6	1,700
No	<50	0.4	0.1 - 2.8	2,400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	200	4.2	2.5 - 7.0	1,000	26.1	21.6 - 31.3	1,400	36.4	31.2 - 41.9	900	23.1	18.8 - 28.1	300	6.5	4.3 - 9.9
<b>No</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	100	2.6	1.1 - 5.9	100	3.3	1.6 - 7.0	600	25.8	19.9 - 32.8	800	37.1	30.3 - 44.4	400	19.6	14.4 - 26.0	200	7.5	4.4 - 12.4
<b>No</b>	200	10.7	6.8 - 16.5	100	4.8	2.4 - 9.6	400	22.7	16.8 - 30.0	600	31.3	24.4 - 39.2	400	23.2	17.3 - 30.4	100	4.6	2.3 - 9.0

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	3.6	2.0 - 6.5	3,900
No	n/r	n/r	n/r	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	4.1	1.9 - 8.5	2,300
No	<50	2.6	1.0 - 6.6	1,800

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	200	5.3	3.4 - 8.1	100	3.7	2.2 - 6.4	1,000	25.1	20.9 - 29.8	1,300	34.0	29.2 - 39.1	800	21.8	17.8 - 26.3	200	6.3	4.2 - 9.4

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	0	0.0	-	<50	2.9	0.4 - 16.8	200	29.8	18.8 - 43.8	200	35.9	23.8 - 50.2	100	22.5	13.1 - 35.7	<50	2.9	0.6 - 11.8
<b>Honolulu</b>	200	5.9	3.6 - 9.5	100	4.4	2.4 - 7.8	600	23.2	18.4 - 28.7	900	34.4	28.8 - 40.4	600	22.1	17.4 - 27.6	200	6.6	4.1 - 10.5
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Maui</b>	<50	6.5	2.0 - 19.2	0	0.0	-	200	35.3	22.0 - 51.4	100	25.7	13.9 - 42.6	100	21.0	11.0 - 36.4	<50	8.9	3.0 - 23.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	100	3.8	2.3 - 6.4	3,800

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	<50	6.0	2.0 - 16.4	500
<b>Honolulu</b>	100	3.5	1.7 - 6.8	2,700
<b>Kauai</b>	n/r	n/r	n/r	200
<b>Maui</b>	<50	2.4	0.4 - 14.1	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	100	8.0	3.8 - 16.3	100	7.6	3.6 - 15.6	200	27.1	18.6 - 37.5	200	23.1	15.2 - 33.5	200	23.7	15.8 - 34.1	100	6.7	2.9 - 14.6
Native Hawaiian	100	4.3	1.8 - 9.7	100	3.7	1.4 - 9.2	400	24.5	17.7 - 32.8	600	39.4	31.1 - 48.3	300	19.0	13.0 - 27.0	100	4.5	2.0 - 10.2
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	<50	5.3	1.8 - 14.4	<50	1.8	0.3 - 10.5	200	33.7	23.0 - 46.3	200	33.7	22.9 - 46.5	100	21.5	13.0 - 33.4	<50	2.0	0.3 - 12.0
Japanese	<50	4.7	1.3 - 16.1	<50	2.4	0.4 - 13.9	100	16.5	8.3 - 30.1	200	34.6	22.2 - 49.6	100	32.3	20.2 - 47.3	<50	9.4	3.7 - 21.8
Other	<50	3.1	0.7 - 12.4	0	0.0	-	100	22.5	12.5 - 37.0	200	38.1	25.4 - 52.7	100	16.3	8.3 - 29.6	100	13.1	5.8 - 27.0

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	0	0.0	-	<50	10.1	3.4 - 26.6	100	16.0	7.0 - 32.3	200	44.4	29.1 - 60.8	100	15.5	6.8 - 31.7	<50	8.4	2.9 - 22.3
20-24	100	5.1	2.4 - 10.6	<50	0.9	0.1 - 5.8	400	27.6	20.3 - 36.2	400	32.1	24.4 - 41.0	300	22.4	16.0 - 30.5	100	6.5	3.2 - 12.8
25-34	100	5.4	2.9 - 10.0	100	4.6	2.3 - 9.1	400	25.2	19.3 - 32.3	600	35.8	28.8 - 43.5	400	23.5	17.6 - 30.7	100	4.0	2.0 - 8.2
35+	<50	10.9	4.0 - 26.4	<50	2.7	0.4 - 15.7	100	25.8	14.3 - 42.0	100	21.2	11.0 - 36.9	100	18.3	9.0 - 33.7	100	13.2	5.2 - 29.6

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	3.7	1.3 - 10.5	900
Native Hawaiian	100	4.5	2.0 - 10.2	1,500
Chinese	n/r	n/r	n/r	<50
Filipino	<50	2.0	0.3 - 12.0	500
Japanese	0	0.0	-	400
Other	<50	6.9	2.4 - 18.6	400

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	<50	5.6	1.5 - 18.9	400
20-24	100	5.4	2.5 - 11.2	1,300
25-34	<50	1.3	0.3 - 4.9	1,700
35+	<50	7.9	2.4 - 23.1	400



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	100	5.2	2.8 - 9.5	<50	1.4	0.3 - 5.2	500	26.2	20.3 - 33.2	600	31.6	25.2 - 38.8	400	22.2	16.8 - 28.7	200	8.8	5.4 - 14.1
<b>Female</b>	100	5.3	2.8 - 9.7	100	6.1	3.4 - 10.8	500	24.0	18.3 - 30.7	700	36.4	29.7 - 43.8	400	21.4	15.9 - 28.1	100	3.8	1.8 - 7.7

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	9.7	6.0 - 15.5	100	4.9	2.4 - 9.7	400	24.4	18.2 - 32.0	500	31.8	24.7 - 39.8	300	19.2	13.7 - 26.3	100	5.4	2.7 - 10.5
<b>No</b>	100	2.2	0.8 - 5.6	100	2.9	1.3 - 6.7	600	25.6	20.2 - 31.9	800	35.5	29.3 - 42.3	500	23.5	18.3 - 29.7	200	6.9	4.1 - 11.3

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	3.4	1.6 - 7.2	100	3.1	1.3 - 7.2	400	21.7	16.4 - 28.1	800	38.3	31.5 - 45.5	500	22.1	16.7 - 28.6	100	6.6	3.8 - 11.3
<b>131-185%</b>	0	0.0	-	0	7.0	1.9 - 23.2	100	35.9	21.1 - 53.8	100	28.5	15.6 - 46.2	100	25.4	13.3 - 43.0	0	0.0	-
<b>186+%</b>	100	10.4	6.0 - 17.4	100	4.8	2.1 - 10.7	300	28.7	21.2 - 37.5	300	25.1	18.0 - 33.9	200	20.0	13.7 - 28.2	100	7.9	4.2 - 14.4

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	100	4.6	2.3 - 9.0	1,900
Female	100	3.0	1.3 - 6.9	1,900

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	4.4	2.1 - 9.0	1,600
No	100	3.4	1.6 - 7.2	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	100	4.9	2.5 - 9.3	2,100
131-185%	0	3.2	0.5 - 18.1	300
186+%	<50	3.1	1.2 - 8.0	1,200

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	<50	4.1	1.6 - 10.3	<50	2.2	0.6 - 8.4	200	17.4	11.2 - 25.9	400	35.1	26.4 - 45.0	300	24.7	17.3 - 33.9	100	9.6	5.2 - 17.2
\$10,000-\$24,999	<50	2.2	0.6 - 7.8	<50	3.8	1.3 - 10.7	300	25.1	17.5 - 34.6	400	43.1	33.7 - 53.1	200	18.7	12.2 - 27.7	100	4.9	1.9 - 12.0
\$25,000-\$49,999	<50	6.3	2.6 - 14.3	<50	4.4	1.5 - 12.4	200	31.5	22.0 - 42.8	200	24.5	16.0 - 35.7	200	26.0	17.3 - 37.1	<50	4.4	1.5 - 12.4
>=\$50,000	100	11.2	5.4 - 21.5	<50	6.8	2.7 - 16.1	200	29.8	20.0 - 41.9	200	27.2	17.6 - 39.4	100	14.3	7.7 - 25.0	<50	7.1	3.0 - 15.9

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	200	5.4	3.4 - 8.3	100	4.1	2.4 - 6.9	900	25.9	21.5 - 30.9	1,200	35.0	30.0 - 40.3	700	19.6	15.7 - 24.2	200	6.2	4.0 - 9.5

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	<50	0.8	0.1 - 5.3	<50	1.1	0.2 - 7.0	200	12.9	8.2 - 19.6	600	43.2	34.9 - 51.8	400	29.9	22.7 - 38.2	100	8.0	4.4 - 14.2
No	200	7.9	5.0 - 12.1	100	5.3	3.0 - 9.1	800	32.4	26.6 - 38.7	700	28.6	23.0 - 34.8	400	17.0	12.7 - 22.4	100	5.3	3.0 - 9.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	100	6.8	3.2 - 14.1	1,100
\$10,000-\$24,999	<50	2.2	0.6 - 8.0	1,000
\$25,000-\$49,999	<50	2.9	0.8 - 10.2	800
>=\$50,000	<50	3.7	1.2 - 11.1	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	100	3.9	2.2 - 6.6	3,500

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	4.1	1.8 - 9.4	1,400
No	100	3.6	1.8 - 7.1	2,400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	100	3.9	2.3 - 6.7	1,000	26.5	22.1 - 31.4	1,300	35.9	30.9 - 41.2	800	23.0	18.8 - 27.7	200	6.6	4.4 - 9.9
<b>No</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	100	5.3	3.0 - 9.5	100	2.8	1.2 - 6.5	500	21.8	16.6 - 28.1	700	34.4	28.1 - 41.4	500	24.1	18.7 - 30.6	100	6.8	4.0 - 11.3
<b>No</b>	100	5.3	2.8 - 10.0	100	5.0	2.5 - 9.9	500	28.8	22.3 - 36.3	600	33.4	26.4 - 41.3	300	18.8	13.5 - 25.6	100	5.9	3.1 - 10.9

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	4.0	2.4 - 6.8	3,600
No	n/r	n/r	n/r	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	4.7	2.4 - 9.0	2,100
No	<50	2.8	1.2 - 6.5	1,700

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	200	6.3	4.3 - 9.1	100	2.1	1.2 - 4.0	1,000	25.6	21.5 - 30.0	1,300	33.4	29.0 - 38.1	900	23.2	19.4 - 27.5	200	4.1	2.6 - 6.4

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	100	8.6	3.8 - 18.6	0	0.0	-	200	26.8	17.4 - 38.9	200	37.0	26.1 - 49.3	100	18.8	11.2 - 29.8	<50	4.9	1.7 - 13.6
<b>Honolulu</b>	100	4.7	2.7 - 8.0	100	3.2	1.7 - 5.9	600	23.3	18.7 - 28.7	900	33.9	28.5 - 39.7	700	25.8	20.9 - 31.3	100	3.8	2.1 - 6.7
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Maui</b>	<50	10.1	4.4 - 21.3	0	0.0	-	200	35.2	23.4 - 49.1	100	26.1	15.9 - 39.9	100	18.1	10.1 - 30.4	<50	4.0	1.1 - 13.8

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	200	5.3	3.5 - 8.0	3,900

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	<50	4.0	1.1 - 13.8	600
<b>Honolulu</b>	100	5.3	3.2 - 8.8	2,600
<b>Kauai</b>	n/r	n/r	n/r	200
<b>Maui</b>	<50	6.4	2.2 - 17.4	500



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	<50	5.7	2.5 - 12.5	<50	1.1	0.2 - 7.0	200	23.0	15.7 - 32.4	200	28.7	20.6 - 38.5	300	31.0	22.6 - 40.9	<50	4.6	1.8 - 11.1
Native Hawaiian	100	5.4	2.7 - 10.6	<50	1.5	0.4 - 5.4	400	27.6	20.9 - 35.6	600	41.4	33.5 - 49.8	300	18.6	13.0 - 26.0	100	3.7	1.6 - 8.3
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	100	9.7	4.7 - 19.2	<50	1.8	0.3 - 10.3	100	24.6	15.8 - 36.0	200	37.4	26.9 - 49.3	100	16.8	9.7 - 27.7	<50	4.6	1.6 - 12.6
Japanese	<50	9.0	3.5 - 21.1	<50	7.9	3.1 - 18.6	100	29.1	18.1 - 43.3	100	23.3	13.4 - 37.4	100	19.3	10.6 - 32.5	<50	4.0	1.1 - 13.7
Other	<50	4.4	1.1 - 15.3	0	0.0	-	100	21.8	12.7 - 34.8	100	23.5	14.3 - 36.2	200	33.0	21.9 - 46.5	<50	4.4	1.3 - 13.4

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	<50	5.7	1.5 - 18.9	0	0.0	-	200	34.8	22.8 - 49.0	100	28.0	17.5 - 41.6	100	21.5	12.2 - 34.9	<50	3.8	1.0 - 13.3
20-24	100	5.7	3.0 - 10.7	<50	2.8	1.1 - 7.0	400	25.7	19.1 - 33.6	500	38.7	31.1 - 47.0	200	17.7	12.3 - 24.8	100	4.3	2.0 - 9.0
25-34	100	7.5	4.4 - 12.5	<50	2.8	1.2 - 6.3	400	23.1	17.4 - 29.9	500	29.5	23.1 - 36.8	400	26.9	20.8 - 33.9	100	5.1	2.7 - 9.4
35+	<50	4.2	1.1 - 14.5	0	0.0	-	100	23.4	13.5 - 37.4	200	37.3	24.6 - 52.1	100	29.9	18.1 - 45.2	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	5.7	2.5 - 12.5	800
Native Hawaiian	<50	1.8	0.5 - 6.5	1,500
Chinese	n/r	n/r	n/r	<50
Filipino	<50	5.1	1.8 - 13.8	500
Japanese	<50	7.5	2.5 - 20.1	500
Other	100	12.9	6.2 - 25.2	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	<50	6.3	2.1 - 17.1	500
20-24	100	5.0	2.3 - 10.5	1,400
25-34	100	5.2	2.7 - 9.9	1,600
35+	<50	5.1	1.4 - 17.4	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	100	5.5	3.1 - 9.6	100	2.5	1.2 - 5.2	600	28.6	23.0 - 34.9	700	32.0	26.2 - 38.4	500	23.9	18.8 - 29.9	100	2.9	1.3 - 6.1
<b>Female</b>	100	7.1	4.3 - 11.7	<50	1.8	0.6 - 5.1	400	22.0	16.7 - 28.5	600	35.1	28.6 - 42.2	400	22.5	17.0 - 29.0	100	5.6	3.1 - 9.7

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	100	7.2	4.5 - 11.4	100	2.6	1.2 - 5.5	500	26.3	21.0 - 32.4	600	30.9	25.1 - 37.3	500	25.3	20.1 - 31.4	100	3.4	1.8 - 6.7
<b>No</b>	100	5.2	2.8 - 9.6	<50	1.6	0.5 - 4.6	500	24.7	19.0 - 31.5	700	36.2	29.6 - 43.3	400	20.9	15.7 - 27.4	100	4.9	2.6 - 8.9

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	6.2	3.6 - 10.8	<50	2.1	0.9 - 5.1	400	22.5	17.2 - 28.9	700	34.3	27.9 - 41.2	400	23.1	17.7 - 29.5	100	3.7	1.8 - 7.4
<b>131-185%</b>	0	0.0	-	<50	1.7	0.3 - 10.5	100	25.6	15.8 - 38.5	200	39.9	28.1 - 53.0	100	22.3	13.5 - 34.5	<50	5.3	1.8 - 14.5
<b>186+%</b>	100	7.9	4.3 - 14.1	<50	3.0	1.1 - 7.9	300	26.5	19.5 - 35.0	300	32.3	24.6 - 41.1	200	22.8	16.3 - 31.0	100	5.5	2.7 - 11.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	100	4.7	2.6 - 8.3	2,100
Female	100	6.0	3.2 - 10.9	1,800

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	4.2	2.2 - 8.1	2,000
No	100	6.4	3.7 - 11.0	1,800

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	200	8.0	4.9 - 12.9	1,900
131-185%	<50	5.2	1.8 - 14.3	500
186+%	<50	2.0	0.5 - 7.1	1,100

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	100	7.7	3.6 - 15.9	0	0.0	-	200	17.4	11.0 - 26.5	400	41.6	31.8 - 52.1	200	18.2	11.5 - 27.8	<50	4.5	1.8 - 11.0
\$10,000-\$24,999	100	4.0	1.7 - 9.0	100	3.9	1.8 - 8.4	400	28.4	21.4 - 36.6	400	26.8	20.0 - 34.8	300	25.3	18.8 - 33.2	100	5.3	2.6 - 10.4
\$25,000-\$49,999	100	6.9	3.3 - 14.1	<50	1.6	0.3 - 7.6	200	19.9	13.0 - 29.3	300	39.9	30.2 - 50.4	200	27.8	19.4 - 38.1	<50	1.5	0.3 - 6.4
>=\$50,000	<50	6.6	2.6 - 15.8	<50	3.3	0.9 - 11.5	200	31.5	21.2 - 43.9	200	31.9	21.6 - 44.3	100	18.1	10.9 - 28.6	<50	6.6	2.6 - 15.8

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	<50	2.8	0.4 - 15.7	0	0.0	-	100	34.4	20.1 - 52.1	100	34.6	19.8 - 53.1	<50	16.5	7.2 - 33.4	<50	3.3	0.5 - 18.6
Normal birth weight	200	6.6	4.4 - 9.5	100	2.3	1.2 - 4.3	900	24.9	20.7 - 29.5	1,200	33.3	28.7 - 38.2	900	23.8	19.7 - 28.3	200	4.2	2.6 - 6.6

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	<50	1.0	0.2 - 6.3	<50	1.3	0.3 - 4.7	300	20.9	15.1 - 28.3	500	32.5	25.4 - 40.6	500	34.1	26.9 - 42.2	<50	3.0	1.2 - 7.0
No	200	9.3	6.4 - 13.5	100	2.6	1.3 - 5.3	700	28.2	23.1 - 34.0	800	33.8	28.3 - 39.8	400	16.9	12.9 - 21.9	100	4.8	2.8 - 8.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	100	10.5	5.5 - 19.2	900
\$10,000-\$24,999	100	6.2	3.3 - 11.7	1,300
\$25,000-\$49,999	<50	2.3	0.6 - 8.2	800
>=\$50,000	<50	2.0	0.3 - 12.1	600

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	<50	8.4	2.2 - 27.1	300
Normal birth weight	200	5.0	3.2 - 7.8	3,600

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	7.1	3.8 - 12.8	1,400
No	100	4.2	2.4 - 7.5	2,500

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	100	2.3	1.2 - 4.2	1,000	27.3	23.0 - 32.0	1,300	35.6	31.0 - 40.6	900	24.8	20.7 - 29.3	200	4.4	2.8 - 6.9
<b>No</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	100	6.6	4.0 - 10.6	<50	2.0	0.8 - 4.8	500	21.4	16.5 - 27.3	800	38.4	32.2 - 45.0	500	21.6	16.7 - 27.5	100	3.2	1.6 - 6.5
<b>No</b>	100	5.3	2.9 - 9.6	<50	2.4	1.0 - 5.7	500	31.2	24.9 - 38.3	500	27.3	21.3 - 34.3	400	25.5	19.7 - 32.4	100	4.7	2.5 - 8.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	200	5.6	3.7 - 8.5	3,600
No	n/r	n/r	n/r	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	6.8	4.2 - 11.0	2,100
No	100	3.5	1.5 - 7.9	1,700



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	400	9.3	6.5 - 13.2	100	3.7	2.0 - 6.8	900	22.9	18.6 - 27.7	1,400	34.5	29.6 - 39.9	1,000	25.5	21.0 - 30.6	100	3.1	1.7 - 5.5

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	100	9.6	5.7 - 15.9	<50	2.3	0.8 - 6.1	100	23.2	17.1 - 30.7	200	36.4	29.2 - 44.4	200	26.7	20.3 - 34.4	<50	1.7	0.5 - 6.4
<b>Honolulu</b>	300	9.7	6.0 - 15.2	100	4.0	1.8 - 8.6	700	23.8	18.2 - 30.4	900	33.4	26.9 - 40.7	700	25.0	19.2 - 32.0	100	3.1	1.4 - 6.7
<b>Kauai</b>	<50	6.9	1.9 - 21.7	<50	3.8	0.6 - 19.8	<50	17.4	8.4 - 32.8	100	30.4	17.8 - 46.8	100	33.9	20.9 - 50.0	<50	7.6	2.1 - 23.4
<b>Maui</b>	<50	7.1	3.5 - 13.7	<50	4.3	1.5 - 11.9	100	18.3	11.5 - 27.8	200	41.7	31.8 - 52.3	100	23.1	15.5 - 33.0	<50	2.7	0.8 - 9.0

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	<50	1.0	0.3 - 3.2	3,900

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	0	0.0	-	600
<b>Honolulu</b>	<50	1.1	0.2 - 4.8	2,800
<b>Kauai</b>	0	0.0	-	200
<b>Maui</b>	<50	2.8	0.7 - 10.0	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	100	14.4	7.2 - 26.6	100	6.9	2.6 - 17.5	100	15.4	8.5 - 26.3	300	32.4	21.2 - 45.9	200	26.9	16.9 - 39.9	<50	3.2	0.7 - 13.5
Native Hawaiian	100	7.0	4.7 - 10.3	<50	2.0	1.0 - 4.2	400	24.6	20.2 - 29.6	500	36.7	31.6 - 42.0	400	25.7	21.3 - 30.7	<50	3.3	1.7 - 6.1
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	<50	5.0	1.4 - 15.7	<50	3.4	0.5 - 19.4	200	31.8	19.2 - 47.7	200	33.1	21.0 - 48.0	100	20.1	10.6 - 34.6	<50	3.4	0.5 - 19.4
Japanese	0	7.6	2.0 - 24.9	0	1.6	0.3 - 9.2	100	32.5	17.2 - 52.8	200	40.5	23.6 - 60.0	100	16.5	6.6 - 35.7	0	1.3	0.2 - 7.6
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	<50	4.5	1.8 - 11.0	100	9.6	3.0 - 26.7	100	24.2	14.3 - 38.0	200	36.4	23.8 - 51.3	100	21.4	12.0 - 35.3	<50	3.8	1.3 - 10.4
20-24	100	5.3	2.5 - 11.0	<50	1.6	0.6 - 3.9	300	26.8	19.7 - 35.3	500	37.1	29.1 - 45.9	300	25.5	18.7 - 33.8	<50	2.8	1.3 - 5.8
25-34	200	13.2	8.2 - 20.6	100	3.0	1.1 - 7.5	300	20.0	14.0 - 27.7	600	35.4	27.6 - 44.0	400	23.0	16.5 - 31.2	100	3.7	1.4 - 9.6
35+	<50	11.5	3.5 - 31.7	<50	5.9	0.9 - 30.7	100	20.8	9.3 - 40.2	100	19.2	9.6 - 34.6	200	42.6	25.8 - 61.4	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	0.8	0.1 - 4.6	900
Native Hawaiian	<50	0.7	0.2 - 2.5	1,500
Chinese	n/r	n/r	n/r	<50
Filipino	<50	3.4	0.5 - 19.4	700
Japanese	0	0.0	-	500
Other	n/r	n/r	n/r	400

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	500
20-24	<50	0.8	0.2 - 3.0	1,300
25-34	<50	1.7	0.4 - 7.5	1,700
35+	0	0.0	-	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	200	8.7	5.1 - 14.3	100	4.4	2.0 - 9.3	400	19.7	14.6 - 25.9	700	37.5	30.3 - 45.2	500	25.0	18.8 - 32.3	100	3.9	1.7 - 9.0
<b>Female</b>	200	9.9	6.0 - 16.0	100	3.0	1.1 - 8.3	500	26.0	19.6 - 33.6	600	31.6	25.0 - 39.0	500	26.1	19.9 - 33.4	<50	2.2	1.1 - 4.4

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	11.0	6.6 - 17.8	100	5.9	2.8 - 12.2	400	21.8	15.8 - 29.4	600	32.7	25.4 - 41.0	500	25.3	18.7 - 33.3	100	3.0	1.0 - 8.5
<b>No</b>	200	7.6	4.6 - 12.5	<50	1.6	0.7 - 3.6	500	23.8	18.3 - 30.4	700	36.2	29.8 - 43.2	500	25.7	20.0 - 32.3	100	3.1	1.8 - 5.5

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	200	8.1	5.0 - 12.9	100	3.3	1.4 - 7.7	500	21.8	16.8 - 27.8	800	37.2	30.9 - 44.0	600	24.7	19.3 - 31.2	100	3.4	1.7 - 6.9
<b>131-185%</b>	100	21.4	10.4 - 39.1	<50	1.1	0.2 - 6.6	200	31.2	18.2 - 48.1	100	18.1	9.2 - 32.5	100	27.5	15.6 - 43.8	<50	0.7	0.1 - 3.6
<b>186+%</b>	100	7.1	3.0 - 16.1	<50	4.5	1.1 - 16.5	200	21.4	12.3 - 34.5	300	36.3	24.1 - 50.6	200	29.9	18.7 - 44.1	<50	0.8	0.1 - 4.8

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	0.9	0.3 - 2.6	2,000
Female	<50	1.1	0.2 - 7.3	2,000

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.2	0.0 - 1.0	1,900
No	<50	1.8	0.5 - 6.3	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	1.5	0.4 - 5.6	2,300
131-185%	0	0.0	-	500
186+%	0	0.0	-	700

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	100	4.9	2.5 - 9.5	<50	1.0	0.4 - 3.0	300	17.8	12.7 - 24.4	600	39.8	31.9 - 48.2	400	29.7	22.7 - 37.8	100	3.9	2.1 - 7.3
\$15,001-\$25,000	100	13.1	6.1 - 25.8	100	9.1	3.2 - 23.4	200	26.8	16.5 - 40.5	200	34.4	23.4 - 47.4	100	16.5	8.8 - 28.9	0	0.0	-
\$25,001-\$40,000	100	16.1	7.9 - 29.9	<50	3.0	0.4 - 17.6	200	22.8	13.8 - 35.3	200	29.8	19.2 - 43.2	200	24.8	15.0 - 38.1	<50	3.5	0.7 - 16.4
>=\$40,001	100	11.2	5.6 - 21.3	<50	2.5	1.0 - 6.2	200	26.7	16.7 - 39.8	300	31.2	20.5 - 44.4	200	27.7	17.4 - 40.9	<50	0.7	0.1 - 4.3

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	300	9.1	6.3 - 13.1	100	3.2	1.7 - 6.3	900	22.9	18.5 - 27.9	1,300	35.2	30.0 - 40.8	1,000	25.6	20.9 - 30.8	100	3.0	1.6 - 5.6

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	100	3.3	1.0 - 10.4	300	17.8	11.8 - 26.0	500	34.2	26.7 - 42.5	600	36.0	28.1 - 44.7	100	6.2	3.0 - 12.2
No	400	15.8	11.1 - 22.0	100	4.1	2.0 - 8.2	600	26.4	20.8 - 32.9	800	34.2	27.7 - 41.3	400	18.4	13.5 - 24.6	<50	1.1	0.4 - 2.6

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	<50	2.9	0.9 - 8.8	1,400
\$15,001-\$25,000	0	0.0	-	700
\$25,001-\$40,000	0	0.0	-	800
>=\$40,001	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	200
Normal birth weight	<50	1.0	0.3 - 3.5	3,700

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.6	0.8 - 8.0	1,600
No	0	0.0	-	2,300



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	100	4.1	2.2 - 7.5	900	25.2	20.6 - 30.4	1,400	38.1	32.7 - 43.7	1,000	28.1	23.3 - 33.6	100	3.4	1.9 - 6.1
<b>No</b>	400	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	100	5.5	3.3 - 9.0	100	4.5	2.0 - 9.8	500	21.6	16.5 - 27.6	800	36.9	30.5 - 43.9	500	25.1	19.5 - 31.7	100	4.9	2.5 - 9.3
<b>No</b>	200	13.9	8.6 - 21.6	100	2.8	1.1 - 7.2	400	24.6	17.9 - 32.8	600	31.7	24.3 - 40.2	500	25.7	18.9 - 34.0	<50	0.9	0.3 - 2.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.1	0.3 - 3.6	3,600
No	0	0.0	-	400

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.5	0.4 - 5.9	2,100
No	<50	0.4	0.1 - 2.4	1,800

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	300	8.4	5.6 - 12.6	100	3.9	2.1 - 7.2	600	17.3	13.2 - 22.3	1,200	34.6	29.5 - 40.1	1,100	30.9	25.9 - 36.4	100	4.1	2.4 - 7.0

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	<50	7.1	3.9 - 12.4	<50	1.5	0.4 - 5.3	100	16.9	11.8 - 23.6	200	33.7	26.4 - 41.8	200	37.4	30.0 - 45.5	<50	3.4	1.6 - 7.1
<b>Honolulu</b>	200	9.9	5.9 - 15.9	100	5.1	2.5 - 9.9	400	16.3	11.0 - 23.6	800	33.0	26.1 - 40.8	700	29.9	23.1 - 37.7	100	4.7	2.4 - 9.1
<b>Kauai</b>	<50	5.0	1.4 - 16.4	0	0.0	-	<50	22.1	11.6 - 37.9	100	53.1	38.1 - 67.6	<50	17.9	9.5 - 31.4	<50	1.9	0.3 - 9.5
<b>Maui</b>	<50	2.9	1.1 - 7.5	<50	2.1	0.6 - 6.6	100	21.9	14.0 - 32.5	100	37.3	27.6 - 48.2	100	33.4	23.9 - 44.4	<50	2.5	0.7 - 8.5

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	<50	0.8	0.2 - 3.2	3,600

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	0	0.0	-	600
<b>Honolulu</b>	<50	1.1	0.3 - 4.7	2,400
<b>Kauai</b>	0	0.0	-	200
<b>Maui</b>	0	0.0	-	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	100	8.2	3.2 - 19.5	100	6.9	2.3 - 18.9	100	15.8	8.7 - 27.1	300	31.1	20.0 - 45.1	300	35.6	23.7 - 49.5	<50	2.3	0.3 - 14.1
Native Hawaiian	100	6.7	4.4 - 10.1	<50	2.7	1.3 - 5.3	200	14.0	10.6 - 18.2	500	36.2	31.0 - 41.8	500	33.3	28.2 - 38.7	100	6.6	4.3 - 10.1
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	<50	8.3	2.2 - 27.0	0	0.0	-	100	18.5	9.1 - 33.9	200	37.5	23.2 - 54.3	100	31.6	17.1 - 50.8	0	0.0	-
Japanese	100	19.5	7.5 - 41.9	0	1.3	0.2 - 7.9	100	28.2	12.9 - 51.0	200	37.6	20.7 - 58.3	100	13.4	4.9 - 31.7	0	0.0	-
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	<50	5.5	2.1 - 13.3	0	0.0	-	100	28.4	15.7 - 45.7	100	38.5	24.7 - 54.5	100	24.9	15.5 - 37.4	<50	2.7	0.7 - 9.7
20-24	<50	2.1	0.9 - 4.8	<50	1.3	0.4 - 3.8	200	15.7	10.0 - 23.7	500	40.2	31.6 - 49.4	500	34.1	25.7 - 43.6	100	5.2	2.1 - 12.4
25-34	300	15.7	9.8 - 24.1	100	7.3	3.6 - 14.4	300	17.9	11.7 - 26.5	500	29.6	22.3 - 38.0	400	26.3	19.4 - 34.7	100	3.2	1.3 - 7.4
35+	<50	1.3	0.2 - 6.8	<50	2.2	0.3 - 12.2	<50	7.4	2.9 - 17.9	100	32.2	16.7 - 53.0	100	48.3	30.1 - 67.0	<50	6.0	2.0 - 16.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	<50	0.6	0.1 - 3.3	1,400
Chinese	n/r	n/r	n/r	<50
Filipino	<50	4.2	0.6 - 23.4	500
Japanese	0	0.0	-	400
Other	n/r	n/r	n/r	400

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	400
20-24	<50	1.5	0.2 - 9.3	1,300
25-34	0	0.0	-	1,600
35+	<50	2.6	0.4 - 14.4	300

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	200	8.6	4.8 - 14.8	100	3.5	1.4 - 8.5	300	14.3	9.4 - 21.2	600	34.6	27.5 - 42.6	600	32.9	25.7 - 40.9	100	4.6	2.0 - 10.0
<b>Female</b>	200	8.3	4.6 - 14.6	100	4.3	1.9 - 9.7	400	20.1	14.1 - 27.7	600	34.6	27.4 - 42.5	500	29.0	22.3 - 36.8	100	3.7	1.8 - 7.3

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	12.0	6.9 - 20.0	100	4.6	2.0 - 10.4	300	19.9	13.5 - 28.4	500	28.4	21.0 - 37.3	500	29.8	22.2 - 38.7	100	4.2	2.1 - 8.1
<b>No</b>	100	5.3	3.1 - 8.8	100	3.3	1.3 - 8.0	300	14.9	10.3 - 21.0	800	40.2	33.5 - 47.3	600	31.9	25.5 - 38.9	100	4.1	1.7 - 9.2

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	5.8	3.3 - 10.1	<50	1.6	0.8 - 3.5	300	17.6	12.2 - 24.7	700	36.5	30.0 - 43.6	600	32.0	25.5 - 39.3	100	6.0	3.1 - 11.3
<b>131-185%</b>	100	15.1	7.1 - 29.0	100	8.9	3.3 - 22.1	100	14.6	7.5 - 26.4	200	32.7	21.0 - 47.1	200	27.1	16.0 - 41.9	<50	1.6	0.5 - 5.8
<b>186+%</b>	100	12.5	5.1 - 27.5	<50	0.9	0.1 - 5.2	100	16.6	8.6 - 29.6	200	37.3	24.0 - 52.8	200	28.2	17.2 - 42.5	<50	1.5	0.4 - 5.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	1.6	0.4 - 6.5	1,800
Female	0	0.0	-	1,800

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.2	0.2 - 7.4	1,700
No	<50	0.4	0.1 - 2.4	1,900

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	0.4	0.1 - 2.4	1,900
131-185%	0	0.0	-	700
186+%	<50	3.1	0.5 - 18.2	600



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	100	4.7	2.6 - 8.3	<50	3.0	1.0 - 8.7	200	14.3	8.7 - 22.6	500	39.5	31.5 - 48.1	400	31.5	24.2 - 39.9	100	6.3	2.8 - 13.6
\$15,001-\$25,000	<50	4.6	1.2 - 16.3	<50	4.7	1.2 - 16.4	100	23.3	12.8 - 38.6	200	27.2	17.2 - 40.2	200	37.7	24.4 - 53.2	<50	2.5	0.9 - 7.1
\$25,001-\$40,000	100	12.4	5.8 - 24.5	<50	4.9	1.3 - 17.1	200	19.8	11.2 - 32.6	300	36.0	24.3 - 49.6	200	23.6	14.4 - 36.2	<50	3.3	0.7 - 13.6
>=\$40,001	100	16.2	7.6 - 31.2	<50	2.1	0.7 - 6.0	100	14.7	7.5 - 26.7	200	32.5	20.9 - 46.8	200	28.9	18.2 - 42.6	<50	2.8	1.1 - 7.1

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	300	9.1	6.0 - 13.5	100	4.0	2.1 - 7.5	600	17.4	13.1 - 22.7	1,200	34.9	29.6 - 40.7	1,000	29.6	24.6 - 35.2	100	4.1	2.3 - 7.2

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	<50	0.6	0.1 - 3.4	100	4.0	1.4 - 10.9	100	8.6	5.2 - 13.9	500	35.4	27.3 - 44.4	500	41.5	33.0 - 50.5	100	10.0	5.6 - 17.3
No	300	13.5	8.9 - 19.9	100	3.1	1.4 - 7.1	500	22.8	16.7 - 30.1	800	34.5	28.0 - 41.8	500	24.1	18.3 - 31.0	<50	0.7	0.3 - 2.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	<50	0.6	0.1 - 3.6	1,300
\$15,001-\$25,000	0	0.0	-	600
\$25,001-\$40,000	0	0.0	-	800
>=\$40,001	<50	2.8	0.4 - 16.7	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	200
Normal birth weight	<50	0.8	0.2 - 3.5	3,300

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,300
No	<50	1.2	0.3 - 5.2	2,200

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	100	4.3	2.3 - 7.8	600	18.9	14.5 - 24.2	1,200	37.8	32.3 - 43.7	1,100	33.7	28.3 - 39.6	100	4.5	2.6 - 7.6
<b>No</b>	300	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	7.5	4.4 - 12.6	100	2.6	0.9 - 7.1	400	18.3	12.8 - 25.5	700	35.1	28.6 - 42.3	600	31.2	24.8 - 38.4	100	5.0	2.4 - 10.2
<b>No</b>	100	7.5	3.8 - 14.2	100	5.8	2.7 - 12.2	200	16.3	10.9 - 23.7	500	34.8	26.7 - 43.8	500	31.3	23.5 - 40.2	<50	3.1	1.7 - 5.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.8	0.2 - 3.5	3,300
No	0	0.0	-	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.4	0.1 - 2.2	2,000
No	<50	1.3	0.2 - 8.2	1,500

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	200	5.8	4.0 - 8.5	100	4.0	2.5 - 6.2	800	21.5	17.9 - 25.5	1,200	34.7	30.6 - 39.0	900	26.4	22.6 - 30.6	300	7.1	5.3 - 9.5

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	<50	6.3	3.2 - 12.0	<50	1.4	0.4 - 4.5	100	17.1	11.9 - 24.0	200	40.6	32.8 - 49.0	200	27.9	21.1 - 35.9	<50	5.9	3.0 - 11.4
<b>Honolulu</b>	200	6.2	3.8 - 9.9	100	4.7	2.7 - 7.9	600	23.0	18.3 - 28.5	800	32.8	27.6 - 38.5	600	26.0	21.1 - 31.6	200	6.8	4.6 - 10.1
<b>Kauai</b>	<50	3.9	0.7 - 20.3	<50	1.7	0.3 - 8.4	100	25.2	14.7 - 39.8	100	34.1	21.5 - 49.5	100	26.4	15.3 - 41.6	<50	8.6	3.5 - 19.7
<b>Maui</b>	<50	3.9	1.4 - 10.5	<50	4.7	1.7 - 12.5	100	15.9	10.3 - 23.9	100	38.6	28.9 - 49.2	100	26.9	18.8 - 36.9	<50	10.0	5.1 - 18.7

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	<50	0.5	0.2 - 1.3	3,600

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	<50	0.8	0.1 - 4.1	600
<b>Honolulu</b>	<50	0.5	0.1 - 1.7	2,500
<b>Kauai</b>	0	0.0	-	200
<b>Maui</b>	0	0.0	-	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	100	9.3	4.5 - 18.3	<50	2.3	0.8 - 6.5	100	16.8	10.5 - 25.8	300	36.0	26.6 - 46.7	200	27.3	18.8 - 37.7	100	6.7	3.2 - 13.6
Native Hawaiian	100	3.7	2.4 - 5.8	100	4.5	3.0 - 6.8	300	20.3	17.0 - 24.0	500	36.9	32.8 - 41.3	300	24.9	21.3 - 28.9	100	9.4	7.0 - 12.3
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	<50	2.4	0.7 - 8.3	<50	2.4	0.7 - 8.3	100	22.7	12.8 - 37.1	200	45.9	33.2 - 59.3	100	23.0	14.1 - 35.3	<50	3.5	1.2 - 9.5
Japanese	<50	7.6	1.8 - 26.8	<50	12.2	3.3 - 36.1	100	31.5	16.9 - 51.0	100	22.3	11.4 - 38.9	100	22.1	10.5 - 40.7	<50	4.3	1.2 - 14.5
Other	<50	6.7	2.4 - 17.2	<50	2.9	0.4 - 17.1	100	23.6	13.0 - 38.9	100	26.8	15.6 - 41.9	200	31.8	19.3 - 47.7	<50	8.2	2.6 - 22.7

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	<50	5.2	2.3 - 11.2	<50	4.5	1.8 - 10.5	100	22.5	14.5 - 33.2	200	39.8	29.8 - 50.7	100	19.5	12.0 - 30.1	<50	8.6	5.0 - 14.3
20-24	100	5.9	3.5 - 9.8	100	3.7	1.8 - 7.5	300	21.0	15.9 - 27.3	500	39.5	32.6 - 46.9	300	23.7	17.9 - 30.6	100	5.4	3.1 - 9.3
25-34	100	5.7	2.8 - 11.2	100	3.8	1.6 - 8.9	300	22.0	16.2 - 29.2	400	29.2	23.5 - 35.6	500	31.7	25.4 - 38.7	100	7.3	4.7 - 11.2
35+	<50	7.8	1.9 - 27.1	<50	5.3	2.2 - 12.2	100	19.5	9.8 - 34.9	100	30.9	18.0 - 47.6	100	24.2	13.4 - 39.7	<50	12.3	4.0 - 32.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	1.5	0.4 - 5.3	800
Native Hawaiian	<50	0.3	0.1 - 1.7	1,400
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	500
Japanese	0	0.0	-	300
Other	0	0.0	-	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	500
20-24	<50	0.8	0.2 - 2.8	1,400
25-34	<50	0.4	0.1 - 2.2	1,500
35+	0	0.0	-	300



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	100	6.4	3.7 - 10.7	100	5.1	2.8 - 9.1	400	22.5	17.8 - 28.0	700	35.2	29.6 - 41.2	500	25.6	20.5 - 31.5	100	4.6	3.1 - 6.8
<b>Female</b>	100	5.2	3.1 - 8.7	<50	2.6	1.5 - 4.6	300	20.2	15.1 - 26.5	600	34.1	28.3 - 40.3	400	27.3	21.9 - 33.5	200	10.2	6.8 - 15.0

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	100	7.0	4.1 - 11.8	100	5.1	2.7 - 9.5	400	21.4	16.1 - 27.9	600	32.6	26.7 - 39.2	500	26.8	21.1 - 33.5	100	6.2	3.8 - 10.0
<b>No</b>	100	4.7	2.8 - 7.8	100	2.9	1.7 - 4.9	400	21.6	17.1 - 26.8	700	36.7	31.3 - 42.4	500	25.9	21.2 - 31.3	100	8.0	5.5 - 11.5

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	5.8	3.5 - 9.6	100	3.3	1.7 - 6.5	400	22.3	17.8 - 27.6	700	38.2	32.6 - 44.1	400	22.7	18.4 - 27.6	100	7.5	5.4 - 10.2
<b>131-185%</b>	<50	3.1	0.7 - 11.8	<50	4.7	1.8 - 12.0	100	19.6	12.1 - 30.3	200	33.7	24.9 - 43.9	200	33.3	23.9 - 44.1	<50	4.7	1.7 - 12.0
<b>186+%</b>	100	9.4	4.6 - 18.0	<50	3.9	1.3 - 11.6	200	23.1	15.1 - 33.7	200	25.9	18.4 - 35.1	200	31.1	21.9 - 42.0	<50	5.8	2.5 - 13.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	0.6	0.2 - 1.9	2,000
Female	<50	0.3	0.1 - 2.0	1,600

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.7	0.2 - 2.4	1,800
No	<50	0.2	0.0 - 1.3	1,800

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	0.2	0.0 - 1.2	1,900
131-185%	<50	0.9	0.2 - 5.3	700
186+%	<50	0.8	0.1 - 4.6	700

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>&lt;=\$15,000</b>	100	5.3	2.8 - 10.0	<50	3.0	1.0 - 9.1	200	20.5	15.0 - 27.4	400	36.3	29.2 - 44.0	300	24.3	18.5 - 31.2	100	10.6	6.9 - 15.8
<b>\$15,001-\$25,000</b>	<50	5.9	2.1 - 15.3	<50	3.8	1.8 - 7.8	100	18.9	12.3 - 28.1	300	42.2	32.4 - 52.7	200	22.9	15.9 - 31.9	<50	4.6	2.2 - 9.7
<b>\$25,001-\$40,000</b>	<50	4.4	1.6 - 11.4	<50	1.6	0.6 - 4.1	100	16.5	11.1 - 23.9	200	29.5	21.8 - 38.6	300	39.3	29.8 - 49.7	100	7.9	3.7 - 16.1
<b>&gt;=\$40,001</b>	100	7.8	3.8 - 15.1	100	6.2	2.7 - 13.6	200	29.0	20.3 - 39.5	200	28.9	21.5 - 37.6	200	23.7	16.5 - 32.7	<50	4.5	2.3 - 8.4

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Low birth weight</b>	<50	1.5	0.3 - 7.6	0	0.0	-	100	23.7	14.3 - 36.8	100	38.4	24.4 - 54.6	100	24.4	14.5 - 38.0	<50	12.0	5.7 - 23.3
<b>Normal birth weight</b>	200	6.1	4.2 - 9.0	100	4.3	2.7 - 6.6	700	21.3	17.6 - 25.6	1,200	34.4	30.2 - 38.9	900	26.5	22.6 - 30.9	200	6.8	4.9 - 9.3

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	<50	0.5	0.2 - 1.7	100	3.6	1.7 - 7.7	200	14.2	9.9 - 19.9	500	36.2	30.0 - 43.0	500	33.5	27.4 - 40.2	200	11.2	7.9 - 15.6
<b>No</b>	200	9.7	6.6 - 14.2	100	3.7	1.9 - 6.7	600	26.6	21.5 - 32.3	700	34.1	28.7 - 39.9	400	21.4	16.8 - 26.9	100	4.3	2.5 - 7.5

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	0	0.0	-	1,100
\$15,001-\$25,000	<50	1.6	0.5 - 5.6	700
\$25,001-\$40,000	<50	0.7	0.1 - 4.4	700
>=\$40,001	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	200
Normal birth weight	<50	0.5	0.2 - 1.4	3,400

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.7	0.2 - 2.6	1,500
No	<50	0.3	0.0 - 1.6	2,100

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	100	4.2	2.7 - 6.6	800	22.8	19.1 - 27.1	1,200	36.8	32.6 - 41.3	900	28.0	24.1 - 32.4	300	7.6	5.6 - 10.1
<b>No</b>	200	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	100	5.6	3.5 - 9.0	100	3.0	1.8 - 4.9	400	18.9	14.7 - 24.0	800	39.0	33.5 - 44.7	500	27.6	22.9 - 32.9	100	5.6	3.9 - 7.9
<b>No</b>	100	6.1	3.3 - 11.0	100	5.2	2.6 - 10.1	400	24.7	19.0 - 31.4	500	29.4	23.6 - 36.0	400	24.9	19.1 - 31.8	100	9.0	5.8 - 13.8

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.5	0.2 - 1.4	3,400
No	0	0.0	-	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.3	0.1 - 1.9	2,000
No	<50	0.6	0.2 - 2.1	1,600

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Totals</b>	300	8.2	6.0 - 11.3	200	4.3	2.6 - 6.8	700	18.8	15.6 - 22.4	1,100	31.2	27.2 - 35.5	1,100	29.3	25.3 - 33.6	200	6.2	4.5 - 8.6

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Hawaii</b>	<50	6.0	3.0 - 11.4	<50	2.4	0.9 - 6.4	100	21.3	15.3 - 28.9	200	30.3	23.2 - 38.3	200	34.5	27.1 - 42.9	<50	3.5	1.4 - 8.4
<b>Honolulu</b>	200	9.0	6.0 - 13.3	100	5.2	3.0 - 8.9	400	16.5	12.6 - 21.4	800	32.3	27.0 - 38.2	700	28.4	23.1 - 34.3	200	6.3	4.1 - 9.5
<b>Kauai</b>	<50	2.4	0.4 - 13.2	0	0.0	-	100	30.0	19.3 - 43.5	100	32.6	21.3 - 46.5	100	23.3	13.6 - 37.0	<50	11.6	4.9 - 25.1
<b>Maui</b>	<50	10.1	4.9 - 19.6	<50	3.8	1.1 - 12.5	100	22.7	15.1 - 32.6	100	24.6	16.8 - 34.5	100	30.9	22.1 - 41.4	<50	6.3	2.8 - 13.8

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Totals</b>	100	2.0	1.0 - 4.0	3,700

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<b>Hawaii</b>	<50	2.0	0.5 - 7.1	600
<b>Honolulu</b>	100	2.3	1.0 - 5.2	2,500
<b>Kauai</b>	0	0.0	-	200
<b>Maui</b>	<50	1.5	0.3 - 8.1	400



**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	100	8.4	4.2 - 16.3	100	7.7	3.4 - 16.4	100	15.5	9.7 - 23.9	200	27.7	19.4 - 37.9	300	35.5	26.6 - 45.5	<50	4.4	2.1 - 9.0
Native Hawaiian	100	6.2	4.4 - 8.8	<50	2.2	1.2 - 4.0	300	21.0	17.4 - 25.0	500	34.2	29.9 - 38.7	400	27.2	23.2 - 31.5	100	6.9	4.9 - 9.7
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	<50	8.7	3.4 - 20.5	<50	4.2	1.0 - 16.3	200	28.0	17.8 - 41.2	100	26.4	16.6 - 39.3	100	24.5	14.5 - 38.2	<50	8.2	3.0 - 20.3
Japanese	<50	6.8	2.7 - 16.0	<50	5.5	1.3 - 20.1	<50	12.4	5.0 - 27.5	100	34.9	20.9 - 52.0	200	38.8	23.9 - 56.0	<50	1.7	0.3 - 9.7
Other	100	14.7	6.2 - 30.9	<50	3.0	0.8 - 10.3	100	12.5	5.1 - 27.5	200	32.1	19.1 - 48.6	100	21.0	10.4 - 37.8	<50	9.2	3.7 - 21.4

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	100	8.1	3.9 - 16.0	<50	3.4	1.4 - 8.3	200	21.4	13.8 - 31.6	300	35.6	26.6 - 45.7	200	23.9	16.3 - 33.5	<50	2.9	1.2 - 7.2
20-24	100	8.0	4.4 - 13.9	<50	3.5	1.5 - 8.0	200	19.9	15.3 - 25.5	400	32.5	26.3 - 39.5	400	28.8	22.4 - 36.2	100	6.4	4.2 - 9.8
25-34	100	8.1	4.6 - 13.7	100	6.1	2.9 - 12.4	200	18.1	12.9 - 24.7	400	29.6	22.9 - 37.4	400	28.0	21.6 - 35.4	100	8.3	4.8 - 14.2
35+	<50	9.8	4.2 - 21.3	<50	1.9	0.3 - 10.6	100	13.0	6.4 - 24.5	100	24.4	14.1 - 38.9	200	45.1	31.5 - 59.5	<50	4.3	1.7 - 10.3

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	0.8	0.1 - 4.5	900
Native Hawaiian	<50	2.3	1.2 - 4.3	1,400
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	600
Japanese	0	0.0	-	400
Other	<50	7.5	2.1 - 23.5	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	<50	4.7	1.3 - 16.0	700
20-24	<50	0.9	0.2 - 3.1	1,200
25-34	<50	1.7	0.8 - 3.8	1,300
35+	<50	1.5	0.2 - 8.3	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Male</b>	200	8.5	5.5 - 12.9	100	5.6	3.0 - 10.2	400	18.7	14.5 - 23.6	600	30.3	25.2 - 35.9	600	28.7	23.5 - 34.5	100	7.1	4.6 - 10.8
<b>Female</b>	100	7.9	4.9 - 12.5	<50	2.6	1.4 - 4.8	300	19.0	14.4 - 24.5	500	32.4	26.2 - 39.2	500	30.1	24.1 - 36.8	100	5.2	3.2 - 8.4

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	9.5	6.2 - 14.4	100	6.1	3.4 - 10.7	300	17.1	12.6 - 22.7	500	29.6	23.8 - 36.2	600	31.8	25.8 - 38.5	100	5.0	2.8 - 8.7
<b>No</b>	100	7.0	4.3 - 11.3	<50	2.5	1.1 - 5.7	400	20.5	16.3 - 25.4	600	32.6	27.3 - 38.4	500	26.9	21.9 - 32.7	100	7.4	5.0 - 10.8

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>0-130%</b>	100	6.8	4.1 - 11.1	<50	1.1	0.4 - 2.7	300	15.7	12.5 - 19.7	600	31.9	26.9 - 37.5	600	33.1	28.0 - 38.7	200	8.7	6.0 - 12.5
<b>131-185%</b>	<50	5.8	2.6 - 12.6	<50	6.7	2.5 - 16.6	100	23.4	14.6 - 35.2	200	36.5	26.4 - 48.0	100	23.7	14.9 - 35.4	0	0.0	-
<b>186+%</b>	100	8.9	4.9 - 15.8	100	8.7	4.3 - 16.7	200	23.7	16.2 - 33.2	200	25.8	17.7 - 36.1	300	28.5	19.8 - 39.1	<50	4.4	1.8 - 10.0

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	1.2	0.6 - 2.7	2,000
Female	<50	2.9	1.1 - 7.5	1,600

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.9	0.3 - 2.4	1,800
No	100	3.1	1.3 - 6.9	1,900

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	100	2.6	1.0 - 6.3	1,900
131-185%	<50	3.9	1.4 - 10.5	500
186+%	0	0.0	-	900

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	100	7.2	4.0 - 12.7	<50	1.0	0.3 - 3.4	200	13.4	9.8 - 18.1	500	36.0	29.6 - 42.9	400	30.9	25.0 - 37.5	100	8.2	5.3 - 12.6
\$15,001-\$25,000	<50	7.4	3.2 - 16.1	<50	1.9	0.5 - 6.9	100	16.5	10.2 - 25.5	200	32.0	23.2 - 42.3	200	36.6	26.9 - 47.6	<50	5.6	2.8 - 10.8
\$25,001-\$40,000	<50	4.7	2.2 - 9.6	<50	3.9	1.2 - 11.5	200	26.9	18.7 - 37.0	200	25.6	17.3 - 36.3	200	28.2	19.9 - 38.3	<50	7.0	3.1 - 15.2
>=\$40,001	100	10.2	5.6 - 17.8	100	10.4	5.3 - 19.2	200	24.9	17.0 - 34.9	200	26.5	18.4 - 36.6	200	25.1	16.4 - 36.4	<50	3.0	0.8 - 10.0

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	<50	11.1	3.5 - 29.9	0	0.0	-	100	26.7	14.6 - 43.5	100	19.2	11.1 - 31.2	100	39.1	25.7 - 54.2	<50	4.0	1.4 - 10.3
Normal birth weight	300	8.1	5.8 - 11.2	200	4.6	2.8 - 7.4	600	18.4	15.2 - 22.1	1,100	32.1	27.9 - 36.7	900	28.2	24.1 - 32.8	200	6.4	4.5 - 8.9

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	<50	2.0	0.5 - 6.8	<50	2.1	0.6 - 6.7	100	10.8	7.4 - 15.6	400	31.1	24.9 - 38.2	600	43.0	35.8 - 50.4	100	9.3	5.7 - 14.8
No	300	12.1	8.7 - 16.6	100	5.6	3.3 - 9.4	500	23.0	18.6 - 28.1	700	31.4	26.3 - 37.1	500	21.2	16.7 - 26.5	100	4.4	2.8 - 6.6

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	<50	3.3	1.2 - 8.7	1,400
\$15,001-\$25,000	0	0.0	-	600
\$25,001-\$40,000	<50	3.7	1.5 - 8.8	700
>=\$40,001	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	300
Normal birth weight	100	2.2	1.1 - 4.3	3,300

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.7	0.8 - 3.8	1,400
No	100	2.3	0.9 - 5.7	2,200

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	0	0.0	-	200	4.6	2.9 - 7.4	700	20.5	17.1 - 24.4	1,100	34.0	29.7 - 38.6	1,100	31.9	27.7 - 36.5	200	6.8	4.9 - 9.3
<b>No</b>	300	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<b>Yes</b>	200	7.7	4.9 - 11.9	<50	2.2	0.9 - 5.0	400	19.4	15.4 - 24.2	700	32.8	27.8 - 38.2	600	30.2	25.3 - 35.5	100	6.2	4.1 - 9.3
<b>No</b>	100	8.9	5.6 - 13.9	100	6.9	3.9 - 12.0	300	18.0	13.4 - 23.8	500	29.2	23.0 - 36.4	500	28.2	21.9 - 35.6	100	6.2	3.6 - 10.3

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	100	2.2	1.1 - 4.3	3,400
No	0	0.0	-	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.6	0.7 - 3.3	2,000
No	<50	2.6	0.9 - 7.3	1,600