

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- for the State of Hawaii,
for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke
3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted
total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses:
This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For
most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was
asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked
how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that
particular dimension.*

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Number of cigarettes smoked per avg day last 3 months of pregnancy	Number of cigarettes smoked per avg day last 3 months of pregnancy

Suggested citation:

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and
years), Report Created: 2/14/17*

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- for the State of Hawaii,
for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
2000	2,300	62.4	58.1 - 66.6	200	4.5	3.0 - 6.7	600	16.8	13.8 - 20.4	300	8.8	6.8 - 11.4	200	5.5	3.8 - 8.1	100	1.9	0.9 - 3.7
2001	2,300	59.2	54.9 - 63.4	200	6.2	4.4 - 8.8	700	18.1	15.2 - 21.5	400	9.5	7.2 - 12.5	200	5.9	4.2 - 8.3	<50	1.0	0.6 - 1.8
2002	2,400	63.9	58.5 - 69.0	200	4.8	2.9 - 8.1	400	11.7	9.0 - 15.1	300	9.1	6.4 - 12.8	300	8.4	5.8 - 11.8	100	2.0	0.8 - 5.1
2003	2,500	60.5	55.2 - 65.6	200	4.2	2.5 - 6.7	800	18.9	15.2 - 23.3	400	10.0	7.0 - 13.9	200	4.9	3.0 - 7.8	<50	1.2	0.4 - 3.2
2004	2,500	63.4	58.6 - 68.0	200	4.5	2.9 - 7.0	600	15.4	12.2 - 19.3	400	9.2	6.7 - 12.5	200	6.2	4.2 - 9.0	<50	0.2	0.0 - 1.4
2005	2,400	62.8	57.7 - 67.7	200	5.8	3.8 - 8.7	600	16.1	12.7 - 20.3	400	9.8	7.1 - 13.4	100	3.6	2.0 - 6.3	<50	1.0	0.3 - 2.9
2006	2,400	58.5	53.2 - 63.7	100	3.4	1.9 - 5.9	800	20.0	16.0 - 24.7	500	12.7	9.5 - 16.8	200	3.8	2.2 - 6.5	100	1.6	0.7 - 3.7
2007	2,400	60.6	55.3 - 65.6	300	7.0	4.7 - 10.5	900	22.0	17.9 - 26.7	300	7.0	4.7 - 10.3	100	2.0	0.9 - 4.3	100	1.3	0.5 - 3.3
2008	2,100	57.2	51.7 - 62.6	300	6.7	4.4 - 10.0	800	20.3	16.2 - 25.2	400	11.3	8.2 - 15.4	100	3.8	2.2 - 6.5	<50	0.3	0.0 - 1.8
2009	3,000	63.1	57.0 - 68.8	300	5.3	3.1 - 8.9	700	15.9	12.2 - 20.5	500	11.0	7.4 - 16.2	100	2.6	1.3 - 5.4	100	2.1	0.8 - 5.5
2010	2,800	66.3	59.8 - 72.3	300	6.1	3.5 - 10.5	700	16.8	12.2 - 22.6	300	6.1	3.8 - 9.8	200	3.7	1.9 - 7.0	<50	0.9	0.2 - 3.8
2011	3,200	77.4	71.8 - 82.2	100	2.0	1.0 - 4.0	400	10.0	7.2 - 13.8	300	7.6	4.6 - 12.5	100	2.2	1.1 - 4.5	<50	0.1	0.0 - 0.7
2012	2,400	76.6	69.8 - 82.3	200	6.1	3.1 - 11.6	300	10.6	7.1 - 15.7	200	5.3	2.7 - 10.0	<50	1.3	0.6 - 2.5	<50	0.1	0.0 - 0.8
2013	2,800	73.8	66.9 - 79.6	200	5.6	2.8 - 10.9	500	12.0	8.4 - 16.8	200	5.7	3.2 - 9.8	100	2.8	1.1 - 7.0	<50	0.2	0.1 - 0.6


**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- for the State of Hawaii,
for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
2000	0	0.0	-	3,700
2001	0	0.0	-	3,800
2002	0	0.0	-	3,800
2003	<50	0.4	0.1 - 1.2	4,100
2004	<50	1.1	0.4 - 2.7	3,900
2005	<50	0.8	0.3 - 2.5	3,900
2006	0	0.0	-	4,100
2007	<50	0.1	0.0 - 0.5	3,900
2008	<50	0.4	0.1 - 2.5	3,700
2009	0	0.0	-	4,700
2010	0	0.0	-	4,300
2011	<50	0.6	0.1 - 4.0	4,100
2012	0	0.0	-	3,200
2013	0	0.0	-	3,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,800	73.8	66.9 - 79.6	200	5.6	2.8 - 10.9	500	12.0	8.4 - 16.8	200	5.7	3.2 - 9.8	100	2.8	1.1 - 7.0	<50	0.2	0.1 - 0.6

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	400	62.4	50.7 - 72.9	<50	3.1	0.8 - 11.2	200	31.1	21.4 - 42.7	<50	1.4	0.2 - 8.5	<50	2.0	0.3 - 11.4	0	0.0	-
Honolulu	2,100	78.1	68.6 - 85.4	200	6.6	2.9 - 14.3	200	7.4	3.7 - 14.2	100	5.2	2.3 - 11.4	100	2.6	0.7 - 9.7	<50	0.1	0.0 - 0.7
Kauai	100	64.1	51.8 - 74.8	<50	6.5	2.5 - 15.7	<50	10.0	4.8 - 19.6	<50	15.2	8.3 - 26.2	<50	1.9	0.4 - 9.5	<50	2.3	0.4 - 11.1
Maui	200	64.2	51.5 - 75.1	<50	1.9	0.3 - 10.8	100	17.0	9.5 - 28.5	<50	11.3	5.5 - 22.0	<50	5.7	2.0 - 15.1	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	3,800

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	0	0.0	-	2,700
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race- Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	600	79.0	63.7 - 89.0	<50	4.5	0.7 - 25.1	100	9.2	4.7 - 17.4	<50	2.8	1.0 - 7.2	<50	4.5	0.7 - 25.1	0	0.0	-
Native Hawaiian	1,000	65.3	54.1 - 75.0	100	4.8	1.7 - 12.8	200	16.2	10.2 - 24.7	100	8.7	4.0 - 18.0	100	4.6	1.5 - 12.9	<50	0.5	0.1 - 1.6
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	400	80.6	58.1 - 92.6	<50	7.3	1.1 - 36.4	<50	1.4	0.4 - 4.9	<50	10.0	2.8 - 30.0	<50	0.6	0.1 - 3.4	0	0.0	-
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	400	70.7	49.4 - 85.6	0	5.7	1.0 - 26.7	100	21.8	9.3 - 43.0	0	1.8	0.5 - 7.1	0	0.0	-	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	1,000	77.4	65.9 - 85.9	100	6.7	2.1 - 18.9	200	12.8	7.2 - 21.6	<50	2.0	0.8 - 4.7	<50	0.6	0.1 - 3.5	<50	0.6	0.2 - 1.8
25-34	1,400	73.8	64.0 - 81.7	100	5.1	1.9 - 13.3	200	9.3	5.3 - 16.0	200	8.4	4.4 - 15.6	100	3.3	1.1 - 10.1	0	0.0	-
35+	300	63.9	41.8 - 81.4	<50	6.5	0.9 - 33.5	100	23.1	10.2 - 44.3	<50	6.5	0.9 - 33.5	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	800
Native Hawaiian	0	0.0	-	1,500
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	500
Japanese	n/r	n/r	n/r	400
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	200
20-24	0	0.0	-	1,300
25-34	0	0.0	-	1,900
35+	0	0.0	-	500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,300	76.0	66.0 - 83.8	100	4.7	1.4 - 14.4	200	13.1	8.0 - 20.6	100	5.4	2.2 - 12.9	<50	0.6	0.2 - 2.4	<50	0.2	0.0 - 1.1
Female	1,500	72.0	62.2 - 80.0	100	6.3	2.7 - 14.2	200	11.0	6.5 - 18.1	100	5.9	2.9 - 11.7	100	4.6	1.6 - 12.3	<50	0.2	0.0 - 0.9

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,400	80.4	69.4 - 88.1	100	6.6	2.3 - 17.3	100	6.4	2.9 - 13.7	100	4.3	1.8 - 10.2	<50	2.1	0.3 - 12.9	<50	0.2	0.0 - 1.1
No	1,500	68.5	59.3 - 76.4	100	4.8	1.9 - 11.5	300	16.4	11.1 - 23.6	100	6.8	3.3 - 13.3	100	3.4	1.2 - 9.3	<50	0.2	0.0 - 0.9

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,100	63.4	53.2 - 72.5	100	7.1	2.9 - 16.4	400	20.0	13.6 - 28.4	100	7.0	3.5 - 13.7	<50	2.0	0.8 - 4.8	<50	0.4	0.1 - 1.3
131-185%	400	84.1	61.4 - 94.6	<50	7.5	1.3 - 33.4	<50	7.0	1.4 - 28.6	<50	1.3	0.4 - 4.5	0	0.0	-	0	0.0	-
186+%	1,000	86.5	73.9 - 93.5	<50	1.3	0.4 - 3.8	100	5.7	2.0 - 14.9	<50	3.4	0.7 - 15.1	<50	3.2	0.5 - 19.0	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	1,700
Female	0	0.0	-	2,100

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	0	0.0	-	2,100

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	1,800
131-185%	0	0.0	-	500
186+%	0	0.0	-	1,100

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$17,000	800	61.7	49.4 - 72.7	100	6.2	2.0 - 17.9	300	22.2	14.3 - 32.8	100	4.9	1.9 - 12.2	100	4.4	1.3 - 13.7	<50	0.5	0.2 - 1.7
\$17,001-\$26,000	400	62.1	42.9 - 78.1	100	18.3	6.9 - 40.4	100	8.8	4.1 - 17.7	100	9.0	2.9 - 24.4	<50	1.8	0.3 - 10.9	0	0.0	-
\$26,001-\$51,000	700	91.1	78.5 - 96.6	<50	1.9	0.6 - 5.9	<50	5.5	1.3 - 21.0	<50	1.5	0.5 - 4.0	0	0.0	-	0	0.0	-
>=\$51,001	700	83.5	67.2 - 92.6	<50	0.4	0.1 - 2.3	100	7.2	2.4 - 19.5	<50	4.6	0.9 - 19.6	<50	4.3	0.6 - 24.4	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	200	63.9	53.1 - 73.4	<50	2.2	0.7 - 7.0	100	19.2	11.8 - 29.7	<50	12.5	6.9 - 21.7	<50	1.0	0.2 - 5.0	<50	1.1	0.2 - 5.7
Normal birth weight	2,600	74.8	67.4 - 81.1	200	5.9	2.9 - 11.7	400	11.3	7.6 - 16.6	200	4.9	2.4 - 9.5	100	3.0	1.1 - 7.6	<50	0.1	0.0 - 0.5

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	200	21.4	11.2 - 36.8	500	45.6	32.8 - 59.0	200	21.7	12.6 - 34.6	100	10.7	4.2 - 24.4	<50	0.7	0.2 - 2.3
No	2,800	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2012+)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$17,000	0	0.0	-	1,400
\$17,001-\$26,000	0	0.0	-	600
\$26,001-\$51,000	0	0.0	-	700
>=\$51,001	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	300
Normal birth weight	0	0.0	-	3,500

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,000
No	0	0.0	-	2,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	2,300	69.3	61.6 - 76.0	200	6.6	3.3 - 12.7	500	14.0	9.8 - 19.6	200	6.7	3.8 - 11.4	100	3.3	1.3 - 8.2	<50	0.2	0.1 - 0.7
No	600	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,400	71.2	62.1 - 78.9	100	4.6	1.6 - 12.6	200	11.3	7.4 - 16.8	200	8.9	4.9 - 15.7	100	3.6	1.3 - 9.8	<50	0.4	0.1 - 1.2
No	1,400	76.0	64.9 - 84.4	100	6.8	2.7 - 16.2	200	12.9	7.3 - 21.9	<50	2.3	0.5 - 9.3	<50	2.0	0.3 - 12.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,300
No	0	0.0	-	600

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,000
No	0	0.0	-	1,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,400	76.6	69.8 - 82.3	200	6.1	3.1 - 11.6	300	10.6	7.1 - 15.7	200	5.3	2.7 - 10.0	<50	1.3	0.6 - 2.5	<50	0.1	0.0 - 0.8

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	400	68.6	57.2 - 78.1	<50	6.0	2.4 - 14.2	100	17.7	10.5 - 28.3	<50	6.0	2.4 - 14.2	<50	1.7	0.3 - 10.0	0	0.0	-
Honolulu	1,600	78.2	67.8 - 85.9	200	7.7	3.4 - 16.3	200	8.5	4.2 - 16.5	100	4.9	1.7 - 13.4	<50	0.5	0.1 - 1.6	<50	0.2	0.0 - 1.3
Kauai	200	77.0	64.9 - 85.9	0	0.0	-	<50	15.0	8.0 - 26.4	<50	5.8	2.1 - 14.8	<50	2.2	0.4 - 11.5	0	0.0	-
Maui	300	78.7	67.6 - 86.8	<50	1.4	0.2 - 8.0	<50	10.0	4.5 - 20.8	<50	5.6	2.3 - 13.1	<50	4.2	1.5 - 11.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	3,200

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	500
Honolulu	0	0.0	-	2,000
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	600	90.4	76.8 - 96.4	<50	7.0	1.9 - 22.5	<50	0.7	0.1 - 4.0	<50	1.9	0.7 - 5.5	0	0.0	-	0	0.0	-
Native Hawaiian	1,000	69.9	58.7 - 79.1	100	5.8	1.9 - 16.3	200	13.8	8.3 - 22.2	100	8.0	3.4 - 17.3	<50	2.2	0.9 - 5.0	<50	0.3	0.1 - 1.9
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	300	73.5	52.9 - 87.3	<50	1.2	0.2 - 6.5	100	21.0	8.5 - 43.2	<50	3.0	0.8 - 10.7	<50	1.4	0.2 - 8.0	0	0.0	-
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	300	70.6	47.6 - 86.4	100	13.1	3.5 - 38.7	<50	7.0	2.6 - 17.5	<50	8.1	1.2 - 38.9	<50	1.2	0.2 - 6.7	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	600	81.2	67.9 - 89.8	0	0.0	-	100	14.9	7.1 - 28.5	<50	2.8	0.9 - 8.0	<50	1.1	0.2 - 6.8	0	0.0	-
25-34	1,400	73.6	64.0 - 81.4	200	9.5	4.7 - 18.2	200	8.7	5.0 - 14.7	100	6.9	3.0 - 14.8	<50	1.4	0.6 - 3.0	0	0.0	-
35+	200	72.3	50.9 - 86.8	<50	4.1	1.1 - 14.1	100	19.1	6.9 - 42.7	<50	4.6	1.6 - 12.5	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	700
Native Hawaiian	0	0.0	-	1,400
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	400
Japanese	n/r	n/r	n/r	200
Other	0	0.0	-	400

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	200
20-24	0	0.0	-	800
25-34	0	0.0	-	1,900
35+	0	0.0	-	300

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,100	77.8	67.4 - 85.5	<50	0.6	0.1 - 3.9	200	12.6	7.0 - 21.5	100	6.6	2.5 - 16.3	<50	2.1	0.9 - 4.8	<50	0.3	0.1 - 1.9
Female	1,400	75.7	66.1 - 83.2	200	10.4	5.2 - 19.5	200	9.1	5.1 - 15.6	100	4.2	1.7 - 10.0	<50	0.6	0.2 - 2.2	0	0.0	-

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,000	80.9	69.4 - 88.8	<50	3.3	0.9 - 12.0	100	9.6	4.3 - 19.9	100	5.3	1.8 - 14.4	<50	0.9	0.2 - 3.0	0	0.0	-
No	1,500	74.0	65.2 - 81.3	200	7.7	3.6 - 15.8	200	11.3	7.1 - 17.5	100	5.2	2.2 - 12.0	<50	1.5	0.6 - 3.4	<50	0.2	0.0 - 1.3

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,200	72.0	62.3 - 80.1	100	4.6	1.8 - 11.3	200	15.6	9.9 - 23.8	100	6.5	2.7 - 14.7	<50	1.2	0.4 - 3.5	0	0.0	-
131-185%	300	68.7	46.4 - 84.8	<50	6.6	1.0 - 33.7	<50	9.2	2.2 - 31.1	100	12.7	3.6 - 36.5	<50	2.7	0.7 - 9.3	0	0.0	-
186+%	700	85.9	70.8 - 93.9	100	7.2	1.9 - 24.1	<50	5.4	1.6 - 17.0	<50	0.8	0.1 - 5.1	<50	0.6	0.1 - 3.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	1,400
Female	0	0.0	-	1,800

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,200
No	0	0.0	-	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	1,600
131-185%	0	0.0	-	400
186+%	0	0.0	-	800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$17,000	700	68.3	55.6 - 78.7	100	8.9	3.5 - 20.6	100	12.6	7.0 - 21.5	100	8.6	3.3 - 20.4	<50	1.3	0.3 - 4.7	<50	0.4	0.1 - 2.4
\$17,001-\$26,000	300	77.5	61.4 - 88.1	<50	2.0	0.3 - 11.6	100	16.1	7.1 - 32.4	<50	3.2	0.8 - 11.6	<50	1.2	0.2 - 7.2	0	0.0	-
\$26,001-\$51,000	500	74.7	58.5 - 86.1	<50	3.6	0.5 - 20.6	100	12.4	5.0 - 27.4	100	7.3	2.2 - 21.7	<50	2.1	0.7 - 5.8	0	0.0	-
>=\$51,001	500	85.7	65.8 - 94.9	100	9.4	2.5 - 30.1	<50	4.8	0.9 - 22.4	0	0.0	-	0	0.0	-	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	200	68.5	55.4 - 79.2	<50	7.5	2.6 - 19.8	<50	16.3	8.8 - 28.4	<50	1.9	0.3 - 10.1	<50	3.8	1.1 - 12.2	<50	1.9	0.3 - 10.1
Normal birth weight	2,300	77.3	69.9 - 83.3	200	6.0	2.9 - 12.0	300	10.2	6.5 - 15.6	200	5.5	2.8 - 10.7	<50	1.0	0.5 - 2.4	0	0.0	-

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	200	26.1	14.2 - 42.9	300	45.4	31.3 - 60.3	200	22.5	12.0 - 38.2	<50	5.4	2.6 - 10.9	<50	0.6	0.1 - 3.5
No	2,400	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
 Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
 Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2012+)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$17,000	0	0.0	-	1,100
\$17,001-\$26,000	0	0.0	-	500
\$26,001-\$51,000	0	0.0	-	700
>=\$51,001	0	0.0	-	600

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	200
Normal birth weight	0	0.0	-	2,900

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	700
No	0	0.0	-	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	2,100	74.1	66.7 - 80.4	200	6.8	3.5 - 12.7	300	11.8	7.8 - 17.3	200	5.8	3.0 - 11.1	<50	1.4	0.7 - 2.8	<50	0.2	0.0 - 0.9
No	300	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	71.6	62.2 - 79.4	100	6.5	2.8 - 14.1	200	11.5	7.3 - 17.6	200	8.8	4.2 - 17.3	<50	1.7	0.8 - 4.0	0	0.0	-
No	1,200	81.9	70.9 - 89.4	100	5.9	1.9 - 16.4	100	9.9	4.7 - 19.8	<50	1.2	0.4 - 3.4	<50	0.7	0.2 - 2.5	<50	0.3	0.1 - 1.9

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,900
No	0	0.0	-	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	0	0.0	-	1,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	3,200	77.4	71.8 - 82.2	100	2.0	1.0 - 4.0	400	10.0	7.2 - 13.8	300	7.6	4.6 - 12.5	100	2.2	1.1 - 4.5	<50	0.1	0.0 - 0.7

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	400	67.2	57.0 - 75.9	<50	1.2	0.2 - 6.8	200	23.5	16.0 - 33.3	<50	3.9	1.4 - 10.8	<50	4.2	1.7 - 10.1	0	0.0	-
Honolulu	2,300	80.7	72.7 - 86.8	<50	1.5	0.5 - 4.8	200	6.0	3.1 - 11.5	300	9.1	5.0 - 16.3	<50	1.5	0.4 - 5.6	<50	0.2	0.0 - 1.0
Kauai	100	66.5	51.8 - 78.6	<50	2.6	0.5 - 13.2	<50	13.7	6.4 - 26.9	<50	11.6	5.0 - 24.8	<50	5.6	1.6 - 17.3	0	0.0	-
Maui	400	75.5	66.4 - 82.7	<50	5.9	2.7 - 12.5	100	14.0	8.6 - 22.1	<50	2.4	0.7 - 7.9	<50	2.2	0.6 - 7.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.6	0.1 - 4.0	4,100

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	<50	0.9	0.1 - 5.7	2,800
Kauai	0	0.0	-	200
Maui	0	0.0	-	500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race- Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	800	78.2	65.2 - 87.4	<50	0.6	0.1 - 3.5	100	9.8	4.3 - 20.7	100	9.7	3.8 - 22.4	<50	1.7	0.6 - 4.8	0	0.0	-
Native Hawaiian	1,000	70.2	60.6 - 78.3	<50	1.7	0.7 - 4.1	200	14.9	9.7 - 22.2	100	8.2	3.8 - 16.9	<50	3.0	1.6 - 5.8	<50	0.3	0.1 - 1.9
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	500	87.4	70.0 - 95.4	<50	3.1	1.2 - 7.6	<50	3.2	1.1 - 9.2	<50	6.3	0.9 - 32.2	0	0.0	-	0	0.0	-
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	400	76.3	56.7 - 88.7	<50	5.5	1.1 - 23.7	<50	7.5	2.1 - 23.8	100	10.8	3.4 - 29.5	0	0.0	-	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	1,100	76.9	65.8 - 85.2	<50	2.2	1.0 - 4.5	200	11.7	6.1 - 21.3	100	6.8	2.6 - 16.4	<50	0.7	0.2 - 2.4	0	0.0	-
25-34	1,600	79.0	71.4 - 85.0	100	2.6	0.9 - 6.8	200	9.1	6.0 - 13.6	100	5.9	2.6 - 12.8	100	3.5	1.4 - 8.1	0	0.0	-
35+	300	77.8	57.1 - 90.2	0	0.0	-	<50	4.7	1.8 - 11.8	100	14.3	4.2 - 38.9	<50	2.1	0.6 - 7.2	<50	1.1	0.2 - 6.4

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,000
Native Hawaiian	<50	1.6	0.2 - 10.4	1,500
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	600
Japanese	n/r	n/r	n/r	400
Other	0	0.0	-	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	200
20-24	<50	1.7	0.3 - 11.0	1,400
25-34	0	0.0	-	2,100
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,500	77.3	68.9 - 84.0	<50	2.2	1.2 - 4.2	200	9.8	6.1 - 15.2	200	8.1	3.9 - 16.0	<50	2.3	0.6 - 8.1	<50	0.3	0.0 - 1.4
Female	1,700	77.5	69.5 - 84.0	<50	1.8	0.5 - 6.2	200	10.2	6.4 - 16.1	200	7.2	3.4 - 14.4	<50	2.1	1.1 - 3.9	0	0.0	-

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,400	79.7	70.9 - 86.4	<50	2.7	0.9 - 7.7	200	8.7	4.9 - 14.9	100	5.5	2.2 - 13.2	100	3.4	1.2 - 9.1	0	0.0	-
No	1,800	75.8	68.0 - 82.2	<50	1.5	0.7 - 3.1	300	11.0	7.2 - 16.3	200	9.2	4.9 - 16.4	<50	1.3	0.6 - 2.8	<50	0.2	0.0 - 1.2

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,300	70.9	62.0 - 78.5	<50	2.6	1.4 - 4.9	300	16.2	10.7 - 23.8	100	5.9	2.4 - 13.6	<50	2.7	1.4 - 5.1	<50	0.3	0.0 - 1.6
131-185%	700	87.1	74.8 - 93.9	<50	0.7	0.1 - 4.0	<50	2.4	0.8 - 6.8	100	8.2	2.8 - 21.9	<50	1.6	0.6 - 4.6	0	0.0	-
186+%	1,100	81.1	69.9 - 88.8	<50	2.3	0.5 - 10.4	100	5.8	2.8 - 11.9	100	8.6	3.6 - 19.3	<50	2.1	0.3 - 13.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	1,900
Female	<50	1.1	0.2 - 7.3	2,200

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	<50	1.0	0.2 - 6.7	2,400

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	1.4	0.2 - 8.9	1,800
131-185%	0	0.0	-	800
186+%	0	0.0	-	1,300

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	700	68.1	55.7 - 78.4	<50	3.5	1.6 - 7.3	100	14.8	8.9 - 23.6	100	8.8	3.2 - 22.1	<50	1.8	0.6 - 5.2	<50	0.5	0.1 - 2.8
\$10,000-\$24,999	700	70.9	58.2 - 81.0	<50	1.8	0.7 - 4.5	200	15.7	8.4 - 27.4	100	8.1	3.1 - 19.5	<50	3.5	1.6 - 7.4	0	0.0	-
\$25,000-\$49,999	1,100	90.7	82.7 - 95.2	<50	2.5	0.5 - 11.4	<50	2.9	1.3 - 6.1	<50	3.2	0.9 - 10.8	<50	0.7	0.2 - 2.5	0	0.0	-
>=\$50,000	600	78.7	62.3 - 89.2	0	0.0	-	100	7.0	2.6 - 17.5	100	10.6	3.6 - 27.4	<50	3.7	0.5 - 21.3	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	200	61.4	50.3 - 71.4	<50	6.6	3.0 - 13.8	100	22.1	14.0 - 32.9	<50	2.7	0.8 - 8.9	<50	5.9	2.4 - 13.6	<50	1.4	0.2 - 7.4
Normal birth weight	3,000	79.0	72.8 - 84.1	100	1.6	0.6 - 3.9	300	8.9	6.0 - 13.0	300	8.1	4.8 - 13.4	100	1.8	0.7 - 4.5	0	0.0	-

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	100	8.9	4.5 - 17.0	400	44.4	32.6 - 56.9	300	33.8	22.0 - 48.0	100	9.7	4.7 - 18.9	<50	0.5	0.1 - 3.0
No	3,200	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	<50	2.5	0.4 - 15.0	1,000
\$10,000-\$24,999	0	0.0	-	1,000
\$25,000-\$49,999	0	0.0	-	1,200
>=\$50,000	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	400
Normal birth weight	<50	0.7	0.1 - 4.4	3,700

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.7	0.4 - 16.0	900
No	0	0.0	-	3,200

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	2,600	73.9	67.6 - 79.4	100	2.3	1.2 - 4.6	400	11.6	8.3 - 15.9	300	8.8	5.3 - 14.3	100	2.5	1.2 - 5.1	<50	0.1	0.0 - 0.8
No	600	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,800	75.8	68.1 - 82.2	100	3.3	1.6 - 6.7	300	10.7	6.9 - 16.2	200	8.1	4.2 - 15.0	<50	0.9	0.4 - 2.2	<50	0.2	0.0 - 1.2
No	1,400	79.8	70.9 - 86.5	<50	0.3	0.1 - 1.6	200	9.2	5.5 - 15.0	100	7.1	3.1 - 15.6	100	3.6	1.3 - 9.2	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.7	0.1 - 4.6	3,600
No	0	0.0	-	600

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.0	0.2 - 6.8	2,400
No	0	0.0	-	1,700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,800	66.3	59.8 - 72.3	300	6.1	3.5 - 10.5	700	16.8	12.2 - 22.6	300	6.1	3.8 - 9.8	200	3.7	1.9 - 7.0	<50	0.9	0.2 - 3.8

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	500	68.0	58.9 - 75.9	<50	3.7	1.5 - 9.1	100	17.5	11.5 - 25.6	<50	6.5	3.1 - 13.0	<50	4.3	1.7 - 10.2	0	0.0	-
Honolulu	1,900	66.3	56.8 - 74.7	200	6.7	3.2 - 13.7	500	17.1	10.8 - 26.0	200	5.5	2.6 - 11.4	100	3.2	1.1 - 8.8	<50	1.2	0.2 - 6.0
Kauai	100	63.4	51.2 - 74.1	<50	10.2	4.8 - 20.1	<50	12.2	6.2 - 22.6	<50	10.2	4.8 - 20.1	<50	4.1	1.2 - 12.6	0	0.0	-
Maui	300	65.3	55.9 - 73.7	<50	4.5	1.8 - 10.5	100	15.7	9.9 - 23.8	<50	7.8	4.0 - 14.6	<50	5.6	2.5 - 11.9	<50	1.1	0.2 - 6.4

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	4,300

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	700
Honolulu	0	0.0	-	2,800
Kauai	0	0.0	-	200
Maui	0	0.0	-	500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	600	68.0	53.3 - 79.8	<50	2.5	1.0 - 6.2	100	15.5	7.0 - 30.8	100	11.6	5.0 - 24.7	<50	2.5	1.0 - 6.3	0	0.0	-
Native Hawaiian	1,000	62.1	52.3 - 71.0	100	7.7	3.7 - 15.4	300	19.4	12.5 - 28.8	100	6.4	3.4 - 11.5	100	3.8	1.4 - 10.0	<50	0.7	0.2 - 2.4
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	600	77.1	60.4 - 88.1	100	6.9	1.6 - 24.6	100	8.9	3.0 - 23.8	<50	1.6	0.4 - 6.0	<50	5.6	1.4 - 19.5	0	0.0	-
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	300	59.2	38.7 - 77.0	0	0.0	-	100	22.3	9.5 - 44.1	<50	7.7	1.9 - 26.7	<50	5.4	0.8 - 29.1	<50	5.4	0.8 - 29.1

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	62.1	39.1 - 80.7	<50	3.8	0.9 - 14.1	100	23.5	8.6 - 50.3	<50	4.4	1.1 - 15.4	<50	4.4	1.1 - 15.4	<50	1.8	0.3 - 10.5
20-24	1,000	67.9	56.3 - 77.6	100	6.3	2.1 - 17.2	200	12.0	6.2 - 21.9	200	9.8	4.8 - 19.1	100	4.0	1.5 - 10.3	0	0.0	-
25-34	1,200	64.1	54.3 - 72.9	100	7.6	3.8 - 14.8	400	20.7	13.6 - 30.3	100	3.5	2.0 - 6.1	<50	2.2	0.6 - 8.3	<50	1.8	0.3 - 8.7
35+	400	72.6	52.6 - 86.3	<50	1.5	0.4 - 5.0	100	12.3	3.9 - 32.9	<50	5.9	1.2 - 24.7	<50	7.7	1.9 - 26.7	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	0	0.0	-	1,600
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	800
Japanese	n/r	n/r	n/r	300
Other	0	0.0	-	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	300
20-24	0	0.0	-	1,500
25-34	0	0.0	-	1,900
35+	0	0.0	-	500

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,500	69.4	60.4 - 77.1	100	6.1	2.8 - 12.9	400	15.9	9.9 - 24.4	100	4.7	2.6 - 8.4	<50	2.0	1.0 - 4.1	<50	1.8	0.4 - 7.2
Female	1,300	63.1	53.4 - 71.8	100	6.1	2.7 - 13.2	400	17.7	11.3 - 26.6	200	7.7	3.8 - 14.7	100	5.5	2.3 - 12.3	0	0.0	-

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,400	70.8	60.6 - 79.2	100	4.0	1.6 - 9.6	300	17.3	10.6 - 27.0	100	5.7	2.5 - 12.6	<50	2.1	0.6 - 7.9	0	0.0	-
No	1,400	62.6	53.9 - 70.5	200	7.9	3.9 - 15.3	400	16.3	10.6 - 24.1	200	6.5	3.7 - 11.3	100	5.0	2.4 - 10.2	<50	1.7	0.4 - 6.9

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,100	55.9	46.5 - 64.8	100	6.2	2.6 - 14.0	400	22.3	15.1 - 31.7	100	7.4	4.1 - 12.9	100	6.5	3.3 - 12.4	<50	1.8	0.3 - 8.5
131-185%	600	78.0	61.3 - 88.8	100	9.3	2.7 - 27.1	100	7.3	2.5 - 19.5	<50	5.5	1.4 - 19.1	0	0.0	-	0	0.0	-
186+%	1,000	74.8	62.7 - 84.0	100	4.0	1.5 - 10.2	200	15.5	8.0 - 27.8	100	5.0	1.7 - 13.8	<50	0.3	0.0 - 1.6	<50	0.4	0.1 - 2.1

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
 Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
 Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,200
Female	0	0.0	-	2,100

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,000
No	0	0.0	-	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,000
131-185%	0	0.0	-	800
186+%	0	0.0	-	1,400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	600	58.0	45.9 - 69.2	<50	2.3	1.0 - 5.1	200	21.0	12.4 - 33.2	100	11.1	5.7 - 20.5	100	7.1	3.1 - 15.2	<50	0.5	0.1 - 3.1
\$10,000-\$24,999	600	62.8	47.9 - 75.7	100	10.3	3.6 - 26.2	200	17.0	8.2 - 31.9	<50	1.6	0.6 - 4.5	<50	5.2	1.5 - 16.1	<50	3.1	0.5 - 18.2
\$25,000-\$49,999	900	69.5	56.7 - 79.9	100	6.1	1.9 - 17.8	200	17.0	9.3 - 29.0	100	7.3	3.1 - 16.2	0	0.0	-	0	0.0	-
>=\$50,000	700	76.5	61.0 - 87.1	100	5.9	2.1 - 15.8	100	12.7	5.0 - 28.8	<50	3.8	0.7 - 18.4	<50	0.5	0.1 - 2.5	<50	0.6	0.1 - 3.5

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	300	79.9	70.3 - 87.0	<50	3.3	1.2 - 8.8	<50	6.2	2.6 - 14.4	<50	6.7	3.0 - 14.4	<50	2.4	0.7 - 8.3	<50	1.4	0.2 - 7.3
Normal birth weight	2,500	65.0	57.9 - 71.5	200	6.4	3.5 - 11.3	700	17.8	12.8 - 24.2	200	6.1	3.6 - 10.1	100	3.8	1.9 - 7.5	<50	0.9	0.2 - 4.4

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	300	18.1	10.6 - 29.4	700	49.8	38.3 - 61.4	300	18.3	11.4 - 28.0	200	11.0	5.8 - 19.9	<50	2.8	0.7 - 10.8
No	2,800	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	0	0.0	-	1,100
\$10,000-\$24,999	0	0.0	-	900
\$25,000-\$49,999	0	0.0	-	1,300
>=\$50,000	0	0.0	-	900

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	400
Normal birth weight	0	0.0	-	3,900

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,400
No	0	0.0	-	2,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	2,400	62.6	55.6 - 69.1	300	6.7	3.8 - 11.6	700	18.7	13.6 - 25.1	300	6.8	4.2 - 10.9	200	4.1	2.2 - 7.7	<50	1.0	0.2 - 4.2
No	400	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,400	61.2	52.6 - 69.1	100	6.3	3.0 - 12.6	400	18.6	12.6 - 26.5	200	7.7	4.4 - 13.2	100	4.8	2.2 - 10.0	<50	1.5	0.3 - 7.2
No	1,400	72.9	62.5 - 81.3	100	4.8	1.8 - 12.3	300	15.1	8.7 - 25.0	100	4.4	1.7 - 10.7	<50	2.5	0.8 - 8.1	<50	0.3	0.0 - 1.6

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
 Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
 Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,800
No	0	0.0	-	400

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,300
No	0	0.0	-	1,900

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	3,000	63.1	57.0 - 68.8	300	5.3	3.1 - 8.9	700	15.9	12.2 - 20.5	500	11.0	7.4 - 16.2	100	2.6	1.3 - 5.4	100	2.1	0.8 - 5.5

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	400	53.7	44.6 - 62.5	100	6.2	3.0 - 12.5	200	27.9	20.5 - 36.8	100	8.0	4.2 - 14.6	<50	4.2	1.8 - 9.2	0	0.0	-
Honolulu	2,000	63.3	54.4 - 71.4	200	5.1	2.3 - 10.9	400	12.7	8.0 - 19.5	400	13.8	8.5 - 21.5	100	2.3	0.7 - 7.3	100	2.8	0.9 - 8.2
Kauai	200	65.7	54.3 - 75.6	<50	7.1	3.0 - 15.6	<50	18.2	10.9 - 28.7	<50	3.5	1.0 - 11.2	<50	3.5	1.0 - 11.2	<50	2.0	0.4 - 10.4
Maui	400	73.7	64.9 - 81.0	<50	4.5	1.8 - 10.5	100	15.5	10.0 - 23.3	<50	3.4	1.2 - 9.1	<50	1.9	0.5 - 6.5	<50	1.0	0.2 - 5.9

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	4,700

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	800
Honolulu	0	0.0	-	3,100
Kauai	0	0.0	-	300
Maui	0	0.0	-	600

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	900	80.4	68.8 - 88.4	<50	3.9	1.3 - 11.4	100	7.4	3.5 - 14.9	100	5.0	1.5 - 15.5	<50	3.4	0.7 - 15.5	0	0.0	-
Native Hawaiian	1,000	53.7	44.5 - 62.7	100	6.0	2.7 - 12.9	400	20.1	14.5 - 27.3	300	16.6	9.9 - 26.4	100	3.5	1.3 - 9.1	0	0.0	-
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	300	66.0	47.1 - 81.0	<50	9.5	2.7 - 28.4	<50	6.3	2.6 - 14.4	100	15.8	5.7 - 36.8	<50	2.3	0.6 - 8.3	0	0.0	-
Japanese	300	60.0	40.1 - 77.0	<50	1.4	0.2 - 8.5	200	30.7	15.6 - 51.6	<50	1.7	0.3 - 9.9	0	0.0	-	<50	6.2	1.3 - 25.5
Other	300	61.1	41.7 - 77.6	<50	1.5	0.4 - 5.3	100	18.6	7.6 - 38.8	<50	6.2	1.2 - 27.2	<50	1.7	0.5 - 5.8	100	10.8	2.9 - 33.2

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	400	70.6	51.9 - 84.3	<50	4.1	1.4 - 11.4	100	13.6	5.6 - 29.5	<50	6.3	1.2 - 27.3	0	0.0	-	<50	5.4	0.8 - 29.0
20-24	900	63.8	52.2 - 74.0	100	8.7	3.9 - 18.5	200	13.8	8.2 - 22.2	200	13.7	7.0 - 25.1	0	0.0	-	0	0.0	-
25-34	1,400	62.9	54.1 - 70.9	100	4.2	1.7 - 10.0	400	17.9	12.4 - 25.0	200	10.3	5.5 - 18.4	<50	1.9	1.0 - 3.9	100	2.7	0.8 - 9.0
35+	300	53.2	35.4 - 70.2	<50	2.4	0.7 - 8.7	100	15.4	6.3 - 32.8	100	12.1	4.2 - 30.2	100	15.9	5.7 - 37.0	<50	1.0	0.2 - 5.5

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,100
Native Hawaiian	0	0.0	-	1,900
Chinese	n/r	n/r	n/r	200
Filipino	0	0.0	-	500
Japanese	0	0.0	-	500
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	600
20-24	0	0.0	-	1,400
25-34	0	0.0	-	2,300
35+	0	0.0	-	500

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,500	61.8	53.1 - 69.7	200	7.0	3.6 - 13.2	300	10.6	6.7 - 16.3	300	13.6	8.2 - 21.6	100	3.3	1.5 - 7.4	100	3.8	1.3 - 10.3
Female	1,500	64.5	55.8 - 72.3	100	3.5	1.5 - 8.1	500	21.7	15.6 - 29.3	200	8.2	4.1 - 15.7	<50	1.9	0.5 - 7.5	<50	0.2	0.0 - 1.2

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,500	78.8	70.0 - 85.5	100	2.9	0.9 - 8.6	200	9.8	5.6 - 16.5	100	5.8	2.4 - 13.3	<50	1.4	0.6 - 3.2	<50	1.3	0.2 - 8.5
No	1,500	52.2	44.4 - 60.0	200	7.0	3.8 - 12.4	600	20.1	14.8 - 26.6	400	14.6	9.3 - 22.2	100	3.5	1.4 - 8.3	100	2.6	0.8 - 8.0

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,200	51.7	43.1 - 60.2	200	7.7	4.0 - 14.3	500	21.3	15.4 - 28.7	300	13.0	7.6 - 21.4	100	3.1	1.2 - 7.6	100	3.1	1.0 - 9.6
131-185%	500	69.3	53.0 - 81.8	<50	1.7	0.6 - 4.7	100	10.8	5.2 - 21.0	100	9.7	3.0 - 27.4	<50	5.1	1.0 - 22.1	<50	3.5	0.5 - 20.5
186+%	1,000	82.5	72.2 - 89.6	<50	2.0	0.8 - 5.0	100	6.2	2.6 - 14.4	100	8.4	3.6 - 18.5	<50	0.9	0.2 - 3.1	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,400
Female	0	0.0	-	2,300

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,900
No	0	0.0	-	2,800

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,300
131-185%	0	0.0	-	700
186+%	0	0.0	-	1,300

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	500	42.4	30.8 - 55.0	100	11.4	5.3 - 23.0	300	23.4	14.4 - 35.5	200	17.7	9.2 - 31.3	100	4.6	1.5 - 13.7	<50	0.5	0.1 - 2.9
\$10,000-\$24,999	800	63.9	52.7 - 73.8	<50	3.7	1.3 - 10.1	200	16.6	10.8 - 24.6	100	6.4	2.2 - 16.9	100	4.2	1.3 - 12.7	100	5.3	1.5 - 16.8
\$25,000-\$49,999	700	72.1	59.0 - 82.2	<50	1.1	0.4 - 3.2	100	11.8	6.0 - 21.7	100	11.3	4.8 - 24.3	<50	1.1	0.3 - 3.9	<50	2.6	0.4 - 15.7
>=\$50,000	700	82.7	70.2 - 90.7	<50	2.4	0.8 - 6.8	100	5.7	2.2 - 14.4	100	8.5	3.0 - 21.9	<50	0.7	0.1 - 4.2	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	300	65.7	55.4 - 74.7	<50	3.1	1.1 - 8.3	100	21.1	13.9 - 30.8	<50	6.4	2.6 - 15.0	<50	3.7	1.4 - 9.5	0	0.0	-
Normal birth weight	2,700	63.3	56.7 - 69.4	200	5.6	3.2 - 9.5	600	14.8	11.0 - 19.7	500	11.5	7.6 - 17.2	100	2.6	1.1 - 5.7	100	2.3	0.8 - 6.0

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	300	14.4	8.6 - 23.1	700	43.0	33.5 - 53.1	500	29.8	20.8 - 40.8	100	7.1	3.5 - 14.1	100	5.6	2.1 - 14.2
No	3,000	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	0	0.0	-	1,200
\$10,000-\$24,999	0	0.0	-	1,300
\$25,000-\$49,999	0	0.0	-	1,000
>=\$50,000	0	0.0	-	900

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	400
Normal birth weight	0	0.0	-	4,300

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	0	0.0	-	3,000

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	2,300	57.8	51.2 - 64.2	300	6.2	3.7 - 10.3	700	18.5	14.2 - 23.8	500	12.1	8.0 - 17.8	100	3.1	1.5 - 6.2	100	2.3	0.8 - 6.3
No	600	94.5	76.5 - 98.9	0	0.0	-	0	0.0	-	<50	4.6	0.7 - 25.3	0	0.0	-	<50	0.9	0.1 - 5.1

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,500	57.2	49.4 - 64.7	200	7.1	3.8 - 12.8	500	17.8	13.2 - 23.5	300	11.3	6.7 - 18.3	100	4.1	1.8 - 9.0	100	2.5	0.8 - 7.8
No	1,500	70.6	60.7 - 78.9	100	3.0	1.1 - 8.2	300	13.5	8.0 - 21.9	200	10.7	5.6 - 19.5	<50	0.7	0.2 - 2.0	<50	1.5	0.2 - 9.5

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	4,000
No	0	0.0	-	700

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,600
No	0	0.0	-	2,100

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,100	57.2	51.7 - 62.6	300	6.7	4.4 - 10.0	800	20.3	16.2 - 25.2	400	11.3	8.2 - 15.4	100	3.8	2.2 - 6.5	<50	0.3	0.0 - 1.8

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	54.9	40.7 - 68.3	100	11.2	4.9 - 23.7	100	22.7	12.9 - 36.7	100	9.5	3.8 - 22.0	<50	1.7	0.3 - 10.4	0	0.0	-
Honolulu	1,500	57.4	50.8 - 63.8	100	5.3	3.0 - 9.0	500	20.6	15.7 - 26.6	300	11.0	7.5 - 15.9	100	4.7	2.6 - 8.4	<50	0.4	0.1 - 2.6
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	300	64.4	47.7 - 78.1	<50	7.9	2.5 - 22.7	100	14.6	6.4 - 30.1	100	13.1	5.2 - 29.1	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.4	0.1 - 2.5	3,700

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	<50	0.6	0.1 - 3.6	2,600
Kauai	n/r	n/r	n/r	100
Maui	0	0.0	-	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race- Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	500	61.8	50.7 - 71.8	100	9.5	4.8 - 18.2	100	12.8	7.0 - 22.2	100	9.3	4.7 - 17.9	100	6.5	2.8 - 14.3	0	0.0	-
Native Hawaiian	700	49.8	40.7 - 59.0	100	8.6	4.6 - 15.4	400	24.1	17.1 - 32.9	200	13.5	8.3 - 21.2	<50	3.0	1.0 - 8.4	0	0.0	-
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	300	69.0	54.5 - 80.6	0	0.0	-	100	14.3	6.8 - 27.5	<50	9.5	3.8 - 21.9	<50	4.8	1.3 - 16.2	<50	2.4	0.4 - 13.9
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	400	64.6	50.5 - 76.5	<50	4.7	1.4 - 14.8	100	18.6	10.0 - 32.1	100	9.5	3.9 - 21.1	<50	2.6	0.4 - 15.1	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	47.5	31.3 - 64.3	<50	10.1	3.5 - 26.3	100	26.5	14.2 - 44.1	<50	6.6	1.7 - 21.9	<50	6.6	1.7 - 21.9	<50	2.6	0.4 - 15.3
20-24	700	64.1	54.0 - 73.0	100	7.8	3.8 - 15.1	200	16.5	10.2 - 25.5	100	9.0	4.6 - 16.7	<50	2.7	0.8 - 8.4	0	0.0	-
25-34	1,000	58.1	50.0 - 65.8	100	5.5	2.8 - 10.6	400	20.6	14.8 - 28.0	200	11.4	7.1 - 17.7	100	3.5	1.5 - 8.0	0	0.0	-
35+	200	44.1	29.8 - 59.5	<50	5.5	1.7 - 16.2	100	23.5	12.5 - 39.6	100	21.9	11.5 - 37.8	<50	4.9	1.3 - 16.8	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	<50	1.0	0.1 - 6.2	1,500
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	400
Japanese	n/r	n/r	n/r	300
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	400
20-24	0	0.0	-	1,200
25-34	<50	0.8	0.1 - 5.2	1,700
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,200	59.8	52.4 - 66.9	100	6.8	3.9 - 11.5	300	17.3	12.3 - 23.9	200	11.9	7.8 - 17.7	100	4.1	2.0 - 8.3	0	0.0	-
Female	900	54.2	45.9 - 62.2	100	6.6	3.5 - 12.1	400	23.8	17.5 - 31.5	200	10.6	6.5 - 16.9	100	3.4	1.4 - 7.7	<50	0.6	0.1 - 3.9

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,000	61.3	53.3 - 68.7	100	5.5	2.9 - 10.1	300	20.2	14.4 - 27.6	100	8.6	5.1 - 14.1	100	4.5	2.1 - 9.4	0	0.0	-
No	1,100	53.9	46.3 - 61.3	200	7.7	4.5 - 13.0	400	20.4	14.9 - 27.3	300	13.6	9.1 - 19.8	100	3.2	1.4 - 6.9	<50	0.5	0.1 - 3.3

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	800	43.6	36.1 - 51.5	200	8.5	5.0 - 14.0	500	27.4	20.9 - 34.9	300	15.7	10.8 - 22.3	100	4.2	2.0 - 8.8	<50	0.5	0.1 - 3.5
131-185%	300	60.8	46.1 - 73.7	<50	6.9	2.3 - 18.7	100	17.5	8.8 - 31.6	<50	8.0	3.0 - 19.8	<50	4.2	1.1 - 14.6	0	0.0	-
186+%	800	76.7	67.1 - 84.2	<50	3.6	1.4 - 9.1	100	10.5	5.6 - 18.8	100	6.1	2.6 - 13.5	<50	3.1	1.1 - 8.9	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,000
Female	<50	0.8	0.1 - 5.3	1,700

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	<50	0.7	0.1 - 4.5	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	1,900
131-185%	<50	2.7	0.4 - 15.7	500
186+%	0	0.0	-	1,000

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	300	33.9	23.8 - 45.9	100	6.6	2.6 - 15.7	300	34.0	23.7 - 46.1	100	17.3	10.0 - 28.2	100	6.9	2.9 - 15.8	<50	1.2	0.2 - 7.6
\$10,000-\$24,999	700	57.2	47.1 - 66.7	100	9.1	4.8 - 16.5	200	20.3	13.5 - 29.4	100	10.3	5.6 - 18.3	<50	3.2	1.1 - 9.1	0	0.0	-
\$25,000-\$49,999	500	65.0	53.4 - 75.1	<50	4.7	1.6 - 13.2	100	13.8	7.5 - 24.0	100	12.0	6.2 - 21.8	<50	2.7	0.7 - 9.7	0	0.0	-
>=\$50,000	500	72.7	60.4 - 82.3	<50	5.4	2.0 - 13.4	100	12.8	6.3 - 24.4	<50	6.0	2.2 - 15.1	<50	3.1	0.8 - 11.1	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	2,000	58.3	52.5 - 63.8	300	7.2	4.8 - 10.8	700	19.7	15.5 - 24.8	400	11.2	8.0 - 15.4	100	2.9	1.5 - 5.4	<50	0.3	0.0 - 2.0

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	300	15.7	10.5 - 22.8	800	47.5	39.1 - 56.0	400	26.5	19.6 - 34.7	100	8.8	5.1 - 14.8	<50	0.7	0.1 - 4.2
No	2,100	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	0	0.0	-	900
\$10,000-\$24,999	0	0.0	-	1,200
\$25,000-\$49,999	<50	1.7	0.3 - 10.6	800
>=\$50,000	0	0.0	-	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	<50	0.4	0.1 - 2.7	3,500

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.9	0.1 - 5.7	1,600
No	0	0.0	-	2,100

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,900	54.8	49.1 - 60.3	300	7.1	4.7 - 10.6	800	21.5	17.1 - 26.6	400	12.0	8.7 - 16.2	100	4.0	2.3 - 6.8	<50	0.3	0.0 - 1.9
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	54.0	46.6 - 61.2	200	7.0	4.0 - 11.8	400	20.3	14.9 - 27.0	300	14.4	9.9 - 20.5	100	4.4	2.2 - 8.5	0	0.0	-
No	900	62.1	53.7 - 69.9	100	6.6	3.5 - 12.1	300	19.2	13.3 - 26.9	100	7.4	4.0 - 13.0	<50	3.0	1.2 - 7.6	<50	0.7	0.1 - 4.4

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.4	0.1 - 2.6	3,500
No	n/r	n/r	n/r	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,200
No	<50	0.9	0.1 - 6.0	1,500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,400	60.6	55.3 - 65.6	300	7.0	4.7 - 10.5	900	22.0	17.9 - 26.7	300	7.0	4.7 - 10.3	100	2.0	0.9 - 4.3	100	1.3	0.5 - 3.3

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	400	61.9	48.2 - 73.9	<50	4.9	1.3 - 16.8	100	18.9	10.5 - 31.5	100	12.2	5.8 - 24.1	<50	2.1	0.3 - 12.8	0	0.0	-
Honolulu	1,500	58.7	52.3 - 64.9	200	7.8	4.8 - 12.3	600	24.5	19.3 - 30.5	100	4.9	2.8 - 8.7	100	2.0	0.8 - 5.0	100	2.0	0.8 - 5.0
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	300	65.6	49.2 - 78.9	<50	9.4	3.2 - 24.7	<50	10.4	4.1 - 24.0	100	11.7	4.6 - 26.9	<50	3.0	0.5 - 17.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.1	0.0 - 0.5	3,900

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	<50	0.1	0.0 - 0.8	2,600
Kauai	n/r	n/r	n/r	200
Maui	0	0.0	-	500

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race- Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	700	67.5	57.2 - 76.3	100	6.2	2.7 - 13.6	200	21.9	14.5 - 31.5	<50	2.3	0.6 - 8.3	<50	1.1	0.2 - 6.6	<50	1.1	0.2 - 6.6
Native Hawaiian	700	49.1	39.9 - 58.4	100	8.2	4.2 - 15.4	300	23.3	16.3 - 32.1	200	11.6	6.8 - 19.0	100	4.8	2.1 - 10.8	<50	2.9	1.0 - 8.3
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	400	68.1	54.7 - 79.0	<50	2.3	0.4 - 13.5	100	21.8	12.8 - 34.5	<50	7.9	3.1 - 18.5	0	0.0	-	0	0.0	-
Japanese	300	68.0	50.9 - 81.4	<50	11.8	4.1 - 29.7	100	16.8	7.9 - 32.2	<50	3.3	0.5 - 18.9	0	0.0	-	0	0.0	-
Other	300	63.9	49.3 - 76.3	<50	6.9	2.4 - 18.1	100	22.4	12.5 - 36.8	<50	6.2	1.9 - 18.3	0	0.0	-	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	1,000	67.6	58.9 - 75.2	100	5.9	3.0 - 11.5	300	18.9	13.0 - 26.7	100	5.7	2.8 - 11.4	<50	1.9	0.5 - 6.8	0	0.0	-
25-34	900	55.2	47.3 - 62.9	100	5.5	2.7 - 10.8	500	27.0	20.5 - 34.6	100	6.8	3.6 - 12.3	<50	2.2	0.8 - 6.5	100	3.0	1.2 - 7.6
35+	200	62.1	45.2 - 76.5	<50	7.0	1.9 - 23.0	100	15.2	6.7 - 31.0	<50	12.0	4.7 - 27.2	<50	3.6	0.5 - 20.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,000
Native Hawaiian	0	0.0	-	1,400
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	500
Japanese	0	0.0	-	400
Other	<50	0.7	0.1 - 3.8	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	400
20-24	0	0.0	-	1,400
25-34	<50	0.2	0.0 - 1.2	1,700
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,200	58.8	51.3 - 65.9	200	7.7	4.4 - 13.0	500	23.3	17.6 - 30.3	100	6.6	3.7 - 11.4	<50	2.0	0.7 - 5.9	<50	1.4	0.4 - 5.0
Female	1,200	62.4	54.9 - 69.4	100	6.4	3.4 - 11.7	400	20.6	15.2 - 27.3	100	7.4	4.2 - 12.6	<50	2.0	0.7 - 5.7	<50	1.3	0.3 - 4.7

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,100	68.1	60.2 - 75.0	100	5.4	2.7 - 10.6	300	19.4	13.9 - 26.5	100	4.6	2.2 - 9.2	<50	0.8	0.1 - 5.2	<50	1.5	0.4 - 5.4
No	1,200	55.1	47.9 - 62.0	200	8.2	4.9 - 13.4	500	23.9	18.4 - 30.4	200	8.7	5.4 - 13.8	100	2.9	1.2 - 6.5	<50	1.2	0.3 - 4.4

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,000	51.8	44.2 - 59.2	100	6.5	3.5 - 11.7	500	26.6	20.4 - 33.7	200	10.5	6.7 - 16.1	100	2.7	1.1 - 6.8	<50	2.0	0.7 - 5.9
131-185%	300	54.1	39.8 - 67.8	100	10.9	4.3 - 24.9	100	25.2	14.8 - 39.4	<50	7.7	2.6 - 20.5	0	0.0	-	<50	2.1	0.3 - 12.6
186+%	900	75.1	66.1 - 82.4	100	7.6	3.8 - 14.7	200	14.0	8.6 - 22.0	<50	0.9	0.1 - 5.7	<50	2.0	0.5 - 7.5	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	0.2	0.0 - 1.0	2,000
Female	0	0.0	-	1,900

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.2	0.0 - 1.2	1,700
No	0	0.0	-	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,000
131-185%	0	0.0	-	500
186+%	<50	0.3	0.1 - 1.7	1,200

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	500	48.4	37.8 - 59.1	100	5.8	2.1 - 14.6	300	30.3	21.3 - 41.0	100	8.8	4.3 - 17.2	<50	2.7	0.7 - 9.7	<50	4.0	1.4 - 11.3
\$10,000-\$24,999	600	55.0	44.4 - 65.1	100	7.1	3.2 - 15.0	200	24.2	16.4 - 34.3	100	11.0	5.9 - 19.7	<50	2.7	0.7 - 9.7	0	0.0	-
\$25,000-\$49,999	600	64.6	53.8 - 74.1	100	11.8	6.2 - 21.3	200	17.0	10.5 - 26.4	<50	5.0	2.0 - 12.3	0	0.0	-	<50	1.2	0.2 - 7.3
>=\$50,000	600	74.7	63.3 - 83.5	<50	4.9	1.7 - 13.5	100	15.6	8.8 - 26.1	<50	1.7	0.3 - 10.5	<50	3.1	0.8 - 11.0	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	2,200	62.1	56.6 - 67.3	200	6.9	4.5 - 10.5	700	20.7	16.6 - 25.5	300	7.0	4.6 - 10.5	100	1.8	0.8 - 4.2	100	1.4	0.6 - 3.7

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	300	17.9	12.0 - 25.7	900	55.8	47.2 - 64.1	300	17.7	12.0 - 25.2	100	5.1	2.4 - 10.6	100	3.3	1.3 - 8.3
No	2,400	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	0	0.0	-	1,000
\$10,000-\$24,999	0	0.0	-	1,000
\$25,000-\$49,999	<50	0.4	0.1 - 2.2	900
>=\$50,000	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	<50	0.1	0.0 - 0.6	3,600

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.2	0.0 - 1.3	1,500
No	0	0.0	-	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	2,100	58.1	52.6 - 63.4	300	7.5	5.0 - 11.2	900	23.3	18.9 - 28.2	300	7.5	5.0 - 11.0	100	2.2	1.0 - 4.6	100	1.4	0.5 - 3.6
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,100	53.2	45.8 - 60.4	100	7.1	4.0 - 12.4	500	26.3	20.3 - 33.3	200	9.0	5.5 - 14.3	<50	1.9	0.6 - 5.4	100	2.5	1.0 - 6.3
No	1,300	70.2	62.6 - 76.9	100	7.3	4.0 - 12.9	300	15.8	10.9 - 22.2	100	5.0	2.4 - 9.9	<50	1.5	0.4 - 5.6	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.1	0.0 - 0.5	3,700
No	n/r	n/r	n/r	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,000
No	<50	0.2	0.0 - 1.1	1,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,400	58.5	53.2 - 63.7	100	3.4	1.9 - 5.9	800	20.0	16.0 - 24.7	500	12.7	9.5 - 16.8	200	3.8	2.2 - 6.5	100	1.6	0.7 - 3.7

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	49.9	37.0 - 62.8	<50	4.6	1.2 - 16.0	200	24.5	14.9 - 37.6	100	16.8	8.9 - 29.5	<50	1.9	0.3 - 11.5	<50	2.3	0.4 - 13.9
Honolulu	1,700	60.7	54.2 - 66.8	100	2.8	1.3 - 5.7	500	17.8	13.3 - 23.4	400	13.1	9.3 - 18.2	100	4.4	2.3 - 8.1	<50	1.3	0.4 - 3.9
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	200	54.2	37.8 - 69.8	<50	7.0	2.1 - 20.8	100	23.7	12.2 - 41.2	<50	10.3	3.5 - 26.6	<50	4.7	1.2 - 16.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	4,100

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	700
Honolulu	0	0.0	-	2,800
Kauai	n/r	n/r	n/r	200
Maui	0	0.0	-	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race- Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	800	73.0	63.2 - 80.9	<50	3.6	1.2 - 10.1	100	12.1	7.0 - 20.1	100	10.2	5.6 - 18.1	<50	1.2	0.2 - 7.2	0	0.0	-
Native Hawaiian	700	46.7	37.8 - 55.8	<50	2.1	0.5 - 7.5	400	24.1	17.0 - 32.8	300	19.4	13.1 - 27.6	100	4.9	2.1 - 11.0	<50	2.9	1.0 - 8.3
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	300	62.9	47.2 - 76.2	<50	5.2	1.4 - 17.8	100	20.6	10.5 - 36.3	<50	2.3	0.3 - 13.4	<50	6.8	2.3 - 18.4	<50	2.3	0.3 - 13.4
Japanese	300	70.2	52.5 - 83.3	0	0.0	-	100	23.3	11.8 - 40.9	<50	3.9	0.6 - 21.5	<50	2.6	0.4 - 15.4	0	0.0	-
Other	300	52.9	39.6 - 65.9	<50	6.8	2.5 - 17.1	100	20.6	11.7 - 33.7	100	13.8	6.7 - 26.3	<50	4.1	1.1 - 14.6	<50	1.7	0.3 - 10.1

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	300	61.9	45.1 - 76.2	<50	3.3	0.5 - 18.8	100	29.0	16.5 - 45.9	<50	3.3	0.5 - 18.6	<50	2.5	0.4 - 14.9	0	0.0	-
20-24	800	60.5	50.4 - 69.8	<50	3.9	1.4 - 10.2	200	15.2	9.2 - 24.1	200	13.9	8.2 - 22.6	100	5.4	2.3 - 12.2	<50	1.0	0.2 - 6.5
25-34	1,100	55.5	47.9 - 63.0	100	3.3	1.5 - 7.2	400	22.7	16.8 - 29.8	300	12.9	8.5 - 19.1	100	3.3	1.4 - 7.6	<50	2.2	0.7 - 6.4
35+	300	62.5	46.7 - 76.0	<50	2.4	0.4 - 14.3	100	11.5	4.5 - 26.2	100	18.9	9.3 - 34.6	<50	2.5	0.4 - 14.5	<50	2.3	0.3 - 13.3

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,100
Native Hawaiian	0	0.0	-	1,600
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	400
Japanese	0	0.0	-	400
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	500
20-24	0	0.0	-	1,300
25-34	0	0.0	-	2,000
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,300	61.2	53.8 - 68.2	100	3.7	1.7 - 7.8	400	18.2	13.1 - 24.7	300	11.6	7.6 - 17.3	100	4.1	2.0 - 8.2	<50	1.2	0.3 - 4.6
Female	1,100	55.5	47.8 - 63.0	100	3.1	1.4 - 6.9	400	22.0	16.2 - 29.1	300	13.9	9.3 - 20.4	100	3.5	1.5 - 7.9	<50	2.0	0.7 - 5.9

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,300	67.7	60.1 - 74.4	100	3.3	1.4 - 7.5	200	12.3	8.0 - 18.4	200	12.7	8.4 - 18.8	100	2.8	1.2 - 6.4	<50	1.2	0.3 - 4.5
No	1,200	51.0	43.6 - 58.3	100	3.5	1.6 - 7.3	600	26.3	20.3 - 33.4	300	12.8	8.5 - 18.8	100	4.6	2.2 - 9.1	<50	1.9	0.6 - 5.6

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	900	43.5	35.9 - 51.5	100	3.2	1.3 - 7.6	600	28.7	22.0 - 36.4	300	15.7	10.6 - 22.5	100	5.6	2.9 - 10.7	100	3.3	1.4 - 7.7
131-185%	500	72.4	59.3 - 82.5	0	0.0	-	100	10.4	4.7 - 21.5	100	15.3	8.0 - 27.2	<50	1.9	0.3 - 11.7	0	0.0	-
186+%	900	73.5	64.5 - 81.0	100	5.2	2.4 - 11.0	100	9.9	5.5 - 17.4	100	8.6	4.6 - 15.6	<50	2.7	0.9 - 7.8	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,200
Female	0	0.0	-	2,000

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,900
No	0	0.0	-	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,000
131-185%	0	0.0	-	700
186+%	0	0.0	-	1,200

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	400	38.4	28.3 - 49.6	100	5.6	2.2 - 13.8	300	25.6	17.1 - 36.3	200	21.0	13.3 - 31.5	<50	4.1	1.4 - 11.7	100	5.4	2.1 - 13.2
\$10,000-\$24,999	600	55.7	45.1 - 65.8	<50	0.4	0.1 - 2.1	300	26.4	18.1 - 36.8	100	9.1	4.5 - 17.6	100	8.4	4.1 - 16.4	0	0.0	-
\$25,000-\$49,999	700	70.4	60.1 - 79.0	<50	1.6	0.4 - 6.6	100	10.5	5.7 - 18.7	200	15.3	9.1 - 24.7	<50	1.2	0.2 - 7.3	<50	0.9	0.1 - 5.9
>=\$50,000	500	73.2	61.0 - 82.7	<50	6.7	2.6 - 15.8	100	13.2	6.6 - 24.6	<50	5.4	2.0 - 13.6	<50	1.5	0.2 - 9.4	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	2,300	60.3	54.7 - 65.6	100	3.7	2.1 - 6.4	700	18.1	14.1 - 22.9	500	12.2	8.9 - 16.4	200	4.1	2.4 - 7.0	100	1.7	0.7 - 4.0

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	100	8.2	4.7 - 14.0	800	48.2	39.9 - 56.6	500	30.7	23.5 - 39.0	200	9.1	5.3 - 15.2	100	3.8	1.6 - 8.7
No	2,400	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	0	0.0	-	1,000
\$10,000-\$24,999	0	0.0	-	1,100
\$25,000-\$49,999	0	0.0	-	1,000
>=\$50,000	0	0.0	-	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	0	0.0	-	3,800

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	0	0.0	-	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	2,200	55.8	50.3 - 61.2	100	3.6	2.1 - 6.3	800	21.3	17.1 - 26.2	500	13.6	10.1 - 17.9	200	4.0	2.3 - 6.9	100	1.7	0.7 - 3.9
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	53.9	46.5 - 61.1	100	3.2	1.4 - 7.3	500	22.7	17.1 - 29.5	300	13.7	9.3 - 19.7	100	4.5	2.3 - 8.7	<50	2.0	0.7 - 5.7
No	1,200	64.3	56.5 - 71.5	100	3.7	1.8 - 7.7	300	17.0	11.8 - 23.9	200	10.9	6.9 - 16.9	100	2.9	1.1 - 7.4	<50	1.1	0.3 - 4.2

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,900
No	n/r	n/r	n/r	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,300
No	0	0.0	-	1,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,400	62.8	57.7 - 67.7	200	5.8	3.8 - 8.7	600	16.1	12.7 - 20.3	400	9.8	7.1 - 13.4	100	3.6	2.0 - 6.3	<50	1.0	0.3 - 2.9

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	57.5	43.7 - 70.3	<50	2.9	0.4 - 16.5	100	19.2	10.7 - 31.8	100	11.1	4.9 - 23.4	<50	7.2	2.6 - 18.3	<50	2.1	0.3 - 12.7
Honolulu	1,700	63.2	57.1 - 69.0	200	6.0	3.7 - 9.5	400	15.0	11.2 - 19.9	300	10.3	7.0 - 14.8	100	3.7	1.9 - 7.2	<50	1.0	0.3 - 3.7
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	300	68.8	52.5 - 81.5	<50	6.5	1.7 - 21.8	100	19.1	9.5 - 34.5	<50	3.2	0.5 - 18.0	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.8	0.3 - 2.5	3,900

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	<50	0.8	0.2 - 3.1	2,700
Kauai	n/r	n/r	n/r	200
Maui	<50	2.4	0.4 - 14.1	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	600	67.6	56.9 - 76.8	100	9.1	4.5 - 17.4	100	9.1	4.5 - 17.4	100	10.5	5.5 - 19.1	<50	1.2	0.2 - 7.2	<50	1.4	0.2 - 8.3
Native Hawaiian	1,000	62.1	53.2 - 70.2	100	3.7	1.4 - 9.2	300	17.0	11.4 - 24.7	200	11.2	6.7 - 18.0	100	4.2	1.6 - 10.2	<50	1.0	0.2 - 6.5
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	300	63.7	51.0 - 74.8	<50	7.3	2.9 - 17.2	100	23.4	14.4 - 35.6	<50	5.6	1.9 - 15.1	0	0.0	-	0	0.0	-
Japanese	300	59.0	44.1 - 72.5	<50	4.7	1.3 - 16.1	100	11.8	5.2 - 24.7	100	11.8	4.7 - 26.5	<50	10.2	4.1 - 23.5	<50	2.4	0.4 - 13.9
Other	300	57.6	43.2 - 70.8	<50	6.1	2.2 - 15.9	100	23.4	13.5 - 37.6	<50	7.5	2.6 - 20.1	<50	3.0	0.5 - 17.1	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	300	79.0	62.6 - 89.4	<50	9.9	3.4 - 25.8	<50	8.6	2.9 - 22.8	0	0.0	-	<50	2.5	0.4 - 14.7	0	0.0	-
20-24	900	64.3	55.5 - 72.3	100	5.3	2.5 - 11.1	200	17.2	11.5 - 24.8	100	8.1	4.4 - 14.4	<50	3.2	1.2 - 8.5	<50	1.2	0.2 - 7.3
25-34	1,100	62.2	54.5 - 69.4	100	4.0	1.9 - 8.1	300	18.0	12.8 - 24.7	200	10.9	6.8 - 17.0	<50	2.9	1.1 - 7.6	<50	1.3	0.3 - 4.8
35+	200	43.6	28.8 - 59.6	<50	11.2	4.7 - 24.3	<50	11.9	5.0 - 25.7	100	21.3	10.8 - 37.5	<50	9.4	3.1 - 24.8	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	1.2	0.2 - 7.2	900
Native Hawaiian	<50	0.8	0.1 - 5.1	1,500
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	500
Japanese	0	0.0	-	400
Other	<50	2.3	0.3 - 13.3	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	400
20-24	<50	0.8	0.1 - 4.7	1,400
25-34	<50	0.7	0.1 - 4.6	1,700
35+	<50	2.6	0.4 - 15.3	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,200	59.7	52.4 - 66.6	100	6.4	3.7 - 11.0	300	16.2	11.6 - 22.2	200	8.3	5.1 - 13.3	100	6.2	3.4 - 11.1	<50	2.0	0.7 - 5.8
Female	1,300	66.0	58.7 - 72.6	100	5.2	2.8 - 9.4	300	16.0	11.3 - 22.2	200	11.3	7.2 - 17.1	<50	1.0	0.2 - 4.7	0	0.0	-

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,100	66.9	58.9 - 74.0	100	5.1	2.5 - 9.9	200	12.4	8.0 - 18.7	100	8.4	4.8 - 14.3	100	4.5	2.0 - 9.7	<50	0.7	0.1 - 4.1
No	1,400	60.1	53.3 - 66.5	100	6.3	3.8 - 10.4	400	18.6	14.0 - 24.4	200	10.7	7.1 - 15.8	100	3.0	1.4 - 6.7	<50	1.2	0.3 - 4.5

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,200	57.1	49.9 - 64.0	100	5.6	3.1 - 10.0	400	19.3	14.3 - 25.5	200	11.9	7.9 - 17.5	100	4.1	2.0 - 8.5	<50	1.4	0.4 - 5.0
131-185%	200	61.4	43.8 - 76.4	0	7.8	2.4 - 22.2	100	17.0	7.5 - 34.1	0	3.2	0.5 - 18.1	0	7.5	2.0 - 24.3	0	0.0	-
186+%	900	72.2	63.4 - 79.6	100	6.0	2.9 - 11.9	100	10.7	6.2 - 17.6	100	6.9	3.4 - 13.5	<50	2.5	0.8 - 8.1	<50	0.9	0.1 - 5.4

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	1.2	0.3 - 4.3	1,900
Female	<50	0.5	0.1 - 3.4	1,900

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.1	0.7 - 6.0	1,600
No	0	0.0	-	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	0.6	0.1 - 3.8	2,100
131-185%	0	3.2	0.5 - 18.1	300
186+%	<50	0.9	0.1 - 5.4	1,200

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	600	49.3	39.7 - 58.9	100	6.9	3.4 - 13.5	300	23.5	16.3 - 32.5	200	13.3	7.9 - 21.6	100	5.7	2.5 - 12.7	<50	1.4	0.2 - 8.5
\$10,000-\$24,999	700	63.9	53.9 - 72.8	100	7.2	3.5 - 14.4	200	15.6	9.7 - 24.1	100	8.0	4.0 - 15.4	<50	2.9	0.9 - 9.3	<50	1.2	0.2 - 7.2
\$25,000-\$49,999	600	70.6	59.3 - 79.9	<50	4.2	1.4 - 11.7	100	9.8	4.9 - 18.7	100	10.2	5.1 - 19.5	<50	3.8	1.0 - 13.2	0	0.0	-
>=\$50,000	500	72.5	60.6 - 82.0	<50	5.7	2.1 - 14.4	100	10.8	5.3 - 21.0	<50	5.7	1.9 - 15.9	<50	2.1	0.5 - 8.5	<50	1.5	0.2 - 9.3

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	2,300	64.3	58.9 - 69.2	200	5.1	3.2 - 7.9	600	16.7	13.1 - 21.1	300	9.2	6.5 - 13.0	100	3.0	1.6 - 5.6	<50	1.1	0.4 - 3.2

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	200	15.6	10.4 - 22.7	600	43.4	35.2 - 51.9	400	26.4	19.4 - 34.7	100	9.7	5.6 - 16.4	<50	2.7	0.9 - 7.7
No	2,400	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	0	0.0	-	1,200
\$10,000-\$24,999	<50	1.2	0.2 - 7.5	1,000
\$25,000-\$49,999	<50	1.3	0.2 - 8.0	800
>=\$50,000	<50	1.5	0.2 - 9.4	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	<50	0.6	0.2 - 2.4	3,600

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.3	0.8 - 6.6	1,400
No	0	0.0	-	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	2,200	61.0	55.7 - 66.1	200	5.9	3.9 - 8.9	600	16.8	13.2 - 21.2	400	10.4	7.5 - 14.3	100	3.8	2.2 - 6.7	<50	1.1	0.3 - 3.1
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	57.9	50.9 - 64.6	200	7.1	4.2 - 11.7	400	17.5	12.8 - 23.4	200	11.3	7.5 - 16.6	100	3.9	1.9 - 8.0	<50	1.3	0.3 - 4.8
No	1,100	68.1	60.5 - 75.0	100	4.3	2.2 - 8.4	200	14.8	10.1 - 21.2	100	8.1	4.7 - 13.9	100	3.4	1.4 - 8.0	<50	0.6	0.1 - 3.9

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.9	0.3 - 2.7	3,600
No	n/r	n/r	n/r	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.1	0.3 - 3.9	2,200
No	<50	0.6	0.1 - 3.9	1,700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,500	63.4	58.6 - 68.0	200	4.5	2.9 - 7.0	600	15.4	12.2 - 19.3	400	9.2	6.7 - 12.5	200	6.2	4.2 - 9.0	<50	0.2	0.0 - 1.4

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	400	57.5	45.2 - 68.9	<50	5.2	1.8 - 14.2	100	13.6	7.3 - 23.9	100	14.7	7.8 - 25.8	100	9.1	4.1 - 19.1	0	0.0	-
Honolulu	1,600	63.2	57.3 - 68.8	100	4.8	2.8 - 8.0	400	15.0	11.2 - 19.9	300	9.8	6.7 - 14.1	200	5.9	3.7 - 9.4	<50	0.3	0.1 - 2.2
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	300	67.8	54.3 - 78.9	<50	3.9	1.1 - 13.5	100	16.1	8.5 - 28.5	<50	2.0	0.3 - 11.8	<50	6.1	2.1 - 16.6	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	1.1	0.4 - 2.7	3,900

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	<50	0.9	0.2 - 3.3	2,600
Kauai	n/r	n/r	n/r	200
Maui	<50	3.9	1.1 - 13.5	500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	600	67.8	57.9 - 76.3	<50	1.1	0.2 - 7.0	100	13.8	8.2 - 22.2	100	6.9	3.3 - 14.0	100	9.2	4.8 - 16.8	0	0.0	-
Native Hawaiian	900	59.8	51.4 - 67.7	100	6.7	3.6 - 12.1	300	17.9	12.3 - 25.4	200	11.7	7.3 - 18.3	<50	3.1	1.2 - 7.7	0	0.0	-
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	400	69.9	58.1 - 79.6	<50	6.9	2.8 - 16.0	100	12.8	6.8 - 22.8	<50	3.3	0.9 - 11.4	<50	3.5	1.0 - 12.1	<50	1.8	0.3 - 10.3
Japanese	300	65.9	51.5 - 77.8	<50	4.0	1.1 - 13.7	100	19.3	10.3 - 33.3	<50	4.4	1.2 - 15.3	<50	6.4	2.2 - 17.4	0	0.0	-
Other	300	58.2	44.7 - 70.5	<50	2.1	0.3 - 12.6	100	9.8	4.5 - 20.0	100	15.3	7.7 - 27.9	100	12.5	5.9 - 24.5	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	400	70.4	56.3 - 81.5	0	0.0	-	100	25.0	14.8 - 38.8	<50	2.9	0.4 - 16.2	0	0.0	-	0	0.0	-
20-24	800	61.1	52.8 - 68.9	100	6.8	3.7 - 12.3	200	15.6	10.4 - 22.8	100	8.9	5.1 - 15.1	100	5.9	2.9 - 11.5	0	0.0	-
25-34	1,000	65.5	58.1 - 72.2	100	5.1	2.6 - 9.6	200	11.7	7.7 - 17.5	200	9.5	5.9 - 14.8	100	7.7	4.6 - 12.6	<50	0.6	0.1 - 3.5
35+	200	54.1	39.5 - 68.0	0	0.0	-	100	17.5	9.1 - 31.0	100	16.8	8.0 - 32.0	<50	9.3	3.7 - 21.6	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	1.1	0.2 - 7.0	800
Native Hawaiian	<50	0.7	0.1 - 4.7	1,500
Chinese	n/r	n/r	n/r	<50
Filipino	<50	1.8	0.3 - 10.3	500
Japanese	0	0.0	-	500
Other	<50	2.1	0.3 - 12.6	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	<50	1.8	0.3 - 10.4	500
20-24	<50	1.7	0.4 - 6.0	1,400
25-34	0	0.0	-	1,600
35+	<50	2.3	0.4 - 13.4	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,200	58.1	51.5 - 64.5	100	5.0	2.8 - 8.8	400	17.5	13.0 - 23.2	200	11.2	7.6 - 16.2	200	7.2	4.6 - 11.3	<50	0.4	0.1 - 2.6
Female	1,200	69.6	62.5 - 75.8	100	4.0	2.0 - 7.8	200	13.0	8.9 - 18.7	100	6.8	3.9 - 11.7	100	5.0	2.6 - 9.4	0	0.0	-

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,300	64.8	58.2 - 70.8	100	6.1	3.6 - 10.1	300	13.5	9.7 - 18.5	200	8.8	5.6 - 13.6	100	6.9	4.3 - 11.0	0	0.0	-
No	1,100	61.9	54.6 - 68.6	100	2.8	1.2 - 6.3	300	17.6	12.6 - 24.0	200	9.6	6.1 - 14.8	100	5.4	2.9 - 9.9	<50	0.5	0.1 - 3.0

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,100	56.4	49.3 - 63.2	100	5.3	2.9 - 9.3	300	15.2	10.8 - 21.0	300	12.9	8.8 - 18.6	200	8.1	5.0 - 12.9	<50	0.5	0.1 - 2.9
131-185%	400	69.5	56.6 - 80.0	<50	1.7	0.3 - 10.5	100	17.9	9.8 - 30.3	<50	7.3	3.1 - 16.5	<50	1.7	0.3 - 10.5	0	0.0	-
186+%	800	75.6	67.1 - 82.4	100	4.9	2.1 - 10.7	100	9.9	5.7 - 16.5	100	5.3	2.4 - 11.4	<50	4.4	1.9 - 9.7	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	0.5	0.1 - 3.4	2,100
Female	<50	1.7	0.6 - 4.9	1,800

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,000
No	<50	2.2	0.9 - 5.6	1,800

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	1.6	0.6 - 4.7	1,900
131-185%	<50	1.7	0.3 - 10.4	500
186+%	0	0.0	-	1,100

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	500	57.1	46.6 - 67.0	<50	3.5	1.2 - 9.9	100	14.4	8.4 - 23.6	100	15.0	8.8 - 24.4	100	6.7	3.0 - 14.3	<50	1.0	0.2 - 6.1
\$10,000-\$24,999	800	62.5	54.1 - 70.2	100	5.3	2.6 - 10.4	200	13.8	8.9 - 20.7	100	10.2	6.1 - 16.6	100	7.2	3.9 - 13.0	0	0.0	-
\$25,000-\$49,999	500	67.1	56.6 - 76.1	<50	3.9	1.3 - 10.9	100	15.8	9.6 - 24.8	100	8.3	3.9 - 16.8	<50	3.8	1.3 - 10.5	0	0.0	-
>=\$50,000	400	76.5	64.5 - 85.3	<50	5.5	1.9 - 15.1	100	10.7	5.1 - 21.2	<50	2.3	0.5 - 10.6	<50	4.9	1.7 - 13.5	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	40.3	24.5 - 58.3	<50	6.7	1.8 - 22.4	100	34.7	20.3 - 52.5	100	18.3	8.0 - 36.5	0	0.0	-	0	0.0	-
Normal birth weight	2,300	65.2	60.2 - 69.9	200	4.3	2.7 - 6.9	500	13.9	10.7 - 17.9	300	8.5	6.0 - 11.8	200	6.7	4.6 - 9.7	<50	0.3	0.0 - 1.6

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	200	12.3	8.0 - 18.6	600	42.2	34.4 - 50.4	400	25.0	18.6 - 32.8	200	16.9	11.7 - 23.8	<50	0.6	0.1 - 3.9
No	2,500	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	<50	2.3	0.6 - 8.1	900
\$10,000-\$24,999	<50	0.9	0.1 - 5.6	1,300
\$25,000-\$49,999	<50	1.2	0.2 - 7.0	800
>=\$50,000	0	0.0	-	600

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	300
Normal birth weight	<50	1.1	0.5 - 2.9	3,600

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.9	1.1 - 7.2	1,400
No	0	0.0	-	2,500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	2,200	61.3	56.3 - 66.1	200	4.8	3.1 - 7.5	600	16.1	12.7 - 20.2	400	9.8	7.1 - 13.3	200	6.6	4.5 - 9.6	<50	0.2	0.0 - 1.5
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,300	62.1	55.6 - 68.3	100	3.8	2.0 - 7.3	300	14.9	10.7 - 20.3	300	11.9	8.1 - 17.0	100	5.5	3.2 - 9.3	<50	0.4	0.1 - 2.6
No	1,100	64.3	56.9 - 71.0	100	5.5	3.0 - 10.1	300	16.0	11.3 - 22.2	100	6.1	3.3 - 10.9	100	7.4	4.3 - 12.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.1	0.4 - 2.9	3,600
No	n/r	n/r	n/r	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.4	0.5 - 4.0	2,100
No	<50	0.7	0.1 - 4.4	1,700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,500	60.5	55.2 - 65.6	200	4.2	2.5 - 6.7	800	18.9	15.2 - 23.3	400	10.0	7.0 - 13.9	200	4.9	3.0 - 7.8	<50	1.2	0.4 - 3.2

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	400	57.4	49.5 - 64.9	<50	4.4	1.9 - 9.8	100	21.8	16.0 - 29.0	100	12.8	8.4 - 19.1	<50	3.0	1.4 - 6.3	0	0.0	-
Honolulu	1,800	61.0	53.7 - 67.7	100	3.4	1.6 - 7.3	500	18.4	13.6 - 24.5	300	9.7	6.0 - 15.5	200	5.5	3.1 - 9.8	<50	1.7	0.6 - 4.6
Kauai	100	60.2	44.6 - 74.0	<50	13.4	5.6 - 28.8	<50	8.5	3.0 - 21.8	<50	12.6	5.6 - 26.1	<50	5.2	1.4 - 17.8	0	0.0	-
Maui	300	62.3	52.1 - 71.5	<50	4.2	1.8 - 9.9	100	22.7	15.2 - 32.5	<50	5.8	2.5 - 12.6	<50	3.2	1.1 - 8.7	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.4	0.1 - 1.2	4,100

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	<50	0.5	0.1 - 2.9	600
Honolulu	<50	0.2	0.0 - 1.4	2,900
Kauai	0	0.0	-	200
Maui	<50	1.8	0.3 - 9.9	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	500	57.9	44.6 - 70.1	100	6.6	2.5 - 16.5	100	13.8	7.0 - 25.4	100	13.7	6.8 - 25.7	100	8.0	2.9 - 20.1	0	0.0	-
Native Hawaiian	900	58.4	53.2 - 63.5	100	3.3	1.9 - 5.9	300	22.1	18.0 - 26.8	100	7.7	5.4 - 10.8	100	6.2	4.0 - 9.4	<50	1.6	0.7 - 4.0
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	400	55.9	41.1 - 69.8	<50	3.0	1.0 - 8.3	200	21.2	11.4 - 36.0	100	11.5	4.6 - 26.0	<50	4.2	0.9 - 17.0	<50	3.2	0.5 - 18.6
Japanese	400	83.0	66.5 - 92.3	0	0.0	-	100	14.5	5.9 - 31.4	<50	2.6	0.7 - 9.1	0	0.0	-	0	0.0	-
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	300	61.5	46.9 - 74.3	<50	8.4	3.0 - 21.1	100	17.0	8.7 - 30.7	<50	5.3	1.2 - 20.7	<50	3.8	1.5 - 9.3	<50	4.0	0.6 - 22.4
20-24	800	60.3	52.0 - 68.1	100	4.8	2.3 - 9.7	200	16.2	11.3 - 22.6	200	12.6	7.5 - 20.5	100	3.8	2.1 - 7.0	<50	1.0	0.3 - 3.5
25-34	1,100	59.3	50.7 - 67.4	100	2.9	1.1 - 7.3	400	21.9	15.7 - 29.6	200	8.8	5.0 - 15.1	100	6.7	3.2 - 13.3	<50	0.4	0.1 - 2.2
35+	200	65.5	47.5 - 80.0	<50	1.6	0.2 - 9.1	100	16.9	7.8 - 32.7	<50	13.1	4.9 - 30.6	<50	1.6	0.2 - 9.1	<50	1.4	0.2 - 8.4

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	<50	0.7	0.2 - 2.4	1,600
Chinese	n/r	n/r	n/r	<50
Filipino	<50	1.0	0.2 - 5.9	700
Japanese	0	0.0	-	500
Other	n/r	n/r	n/r	400

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	600
20-24	<50	1.3	0.4 - 3.7	1,400
25-34	0	0.0	-	1,800
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,300	63.0	55.7 - 69.8	100	5.3	2.9 - 9.7	400	18.8	13.9 - 24.9	100	7.1	4.0 - 12.1	100	4.6	2.1 - 10.1	<50	0.6	0.2 - 2.1
Female	1,200	58.0	50.2 - 65.3	100	3.0	1.3 - 6.7	400	19.0	13.7 - 25.7	300	12.9	8.3 - 19.5	100	5.1	2.9 - 8.8	<50	1.8	0.5 - 6.2

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,300	63.4	55.0 - 71.0	100	5.1	2.4 - 10.5	300	16.5	11.4 - 23.4	100	7.5	3.9 - 13.9	100	6.9	3.6 - 12.9	<50	0.3	0.0 - 1.6
No	1,200	57.8	51.0 - 64.4	100	3.3	1.9 - 5.5	400	21.1	16.1 - 27.1	300	12.3	8.2 - 18.0	100	3.0	1.7 - 5.2	<50	2.0	0.7 - 6.0

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,300	55.2	48.6 - 61.7	100	5.1	2.8 - 9.0	500	20.3	15.6 - 25.9	300	12.3	8.2 - 18.1	100	5.6	3.2 - 9.5	<50	0.8	0.3 - 2.3
131-185%	400	65.1	48.7 - 78.5	<50	2.9	1.0 - 8.3	100	21.3	10.9 - 37.6	<50	5.3	1.2 - 20.6	<50	5.3	1.2 - 20.6	0	0.0	-
186+%	500	73.8	60.0 - 84.1	<50	4.5	1.3 - 14.7	100	15.4	7.7 - 28.3	<50	5.5	1.7 - 16.6	<50	0.8	0.1 - 4.8	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	0.5	0.1 - 1.8	2,100
Female	<50	0.3	0.1 - 2.1	2,100

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.4	0.1 - 2.1	2,000
No	<50	0.5	0.1 - 1.8	2,100

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	0.7	0.3 - 2.1	2,400
131-185%	0	0.0	-	600
186+%	0	0.0	-	700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	700	47.3	39.5 - 55.3	100	3.9	2.1 - 7.1	400	26.7	20.1 - 34.6	200	14.3	8.9 - 22.1	100	5.5	3.3 - 8.9	<50	1.3	0.5 - 3.6
\$15,001-\$25,000	400	65.7	52.0 - 77.2	100	9.4	3.5 - 23.1	100	13.2	7.0 - 23.4	100	10.1	4.0 - 23.5	<50	1.5	0.4 - 5.7	0	0.0	-
\$25,001-\$40,000	600	75.2	63.1 - 84.3	<50	0.4	0.1 - 2.3	100	10.2	5.2 - 18.9	<50	3.9	1.9 - 7.9	100	9.9	3.9 - 22.7	0	0.0	-
>=\$40,001	500	64.8	51.4 - 76.1	<50	5.5	2.1 - 13.8	200	22.2	13.0 - 35.2	100	7.6	2.7 - 19.2	0	0.0	-	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	56.3	36.7 - 74.2	<50	10.9	2.1 - 40.6	<50	20.1	10.3 - 35.6	<50	9.8	3.8 - 22.9	<50	2.8	0.5 - 15.5	0	0.0	-
Normal birth weight	2,400	60.9	55.3 - 66.1	100	3.7	2.3 - 6.1	700	18.7	14.8 - 23.3	400	10.0	6.9 - 14.2	200	5.0	3.1 - 8.1	<50	1.2	0.5 - 3.4

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	200	10.5	6.5 - 16.7	800	47.8	39.5 - 56.2	400	25.2	18.3 - 33.7	200	12.4	7.7 - 19.2	<50	3.0	1.1 - 7.9
No	2,500	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	<50	0.9	0.3 - 3.3	1,500
\$15,001-\$25,000	0	0.0	-	700
\$25,001-\$40,000	<50	0.4	0.1 - 2.3	800
>=\$40,001	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	200
Normal birth weight	<50	0.4	0.2 - 1.3	3,900

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.1	0.4 - 3.1	1,600
No	0	0.0	-	2,500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	2,000	55.6	49.8 - 61.3	200	4.6	2.7 - 7.6	700	20.7	16.4 - 25.7	400	11.7	8.3 - 16.2	200	5.7	3.5 - 9.1	<50	1.2	0.4 - 3.7
No	400	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	54.7	47.9 - 61.5	100	5.1	2.8 - 9.3	500	20.3	15.5 - 26.1	300	11.3	7.2 - 17.4	100	5.9	3.4 - 10.0	<50	1.8	0.6 - 5.6
No	1,300	68.0	59.7 - 75.2	100	3.0	1.3 - 6.6	300	17.1	11.7 - 24.4	200	8.2	4.7 - 13.8	100	3.3	1.2 - 8.9	<50	0.4	0.1 - 2.2

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.5	0.2 - 1.4	3,500
No	0	0.0	-	400

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.8	0.3 - 2.2	2,200
No	0	0.0	-	1,900

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,400	63.9	58.5 - 69.0	200	4.8	2.9 - 8.1	400	11.7	9.0 - 15.1	300	9.1	6.4 - 12.8	300	8.4	5.8 - 11.8	100	2.0	0.8 - 5.1

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	400	59.2	51.1 - 66.7	<50	0.9	0.2 - 5.3	100	16.5	11.5 - 23.1	100	13.1	8.6 - 19.5	100	9.8	5.8 - 16.2	<50	0.6	0.1 - 3.0
Honolulu	1,700	65.7	58.3 - 72.5	200	5.8	3.1 - 10.5	300	9.7	6.5 - 14.4	200	8.1	4.8 - 13.5	200	8.2	5.0 - 13.2	100	2.4	0.8 - 7.3
Kauai	100	50.0	35.0 - 65.0	0	0.0	-	<50	24.8	13.9 - 40.0	<50	23.3	12.3 - 39.6	0	0.0	-	<50	1.9	0.3 - 9.7
Maui	200	65.6	54.8 - 75.0	<50	7.2	3.2 - 15.5	<50	11.7	7.0 - 19.0	<50	2.8	0.8 - 10.1	<50	11.1	5.7 - 20.6	<50	1.5	0.2 - 8.6

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	3,800

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	0	0.0	-	2,600
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race- Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	600	63.8	50.1 - 75.6	<50	5.0	1.5 - 15.5	100	8.5	3.0 - 21.7	100	16.7	8.8 - 29.4	100	6.0	2.5 - 13.7	0	0.0	-
Native Hawaiian	800	55.6	50.1 - 61.0	100	4.6	2.7 - 7.9	300	20.1	16.1 - 24.8	100	9.2	6.6 - 12.8	100	9.1	6.2 - 13.1	<50	1.3	0.5 - 3.3
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	400	77.4	61.6 - 88.0	<50	5.3	1.2 - 20.5	<50	8.1	2.8 - 21.4	<50	5.3	1.2 - 20.5	<50	2.8	0.8 - 9.7	<50	1.1	0.2 - 6.5
Japanese	300	74.6	54.2 - 87.9	<50	10.1	2.5 - 32.8	<50	2.9	0.8 - 10.4	<50	7.8	2.2 - 23.9	<50	4.6	0.7 - 25.3	0	0.0	-
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	300	61.9	46.3 - 75.4	100	13.7	4.7 - 33.9	100	13.9	7.9 - 23.4	<50	5.5	2.2 - 13.4	<50	5.0	1.7 - 13.5	0	0.0	-
20-24	900	65.2	56.1 - 73.2	<50	1.6	0.6 - 4.1	200	12.8	8.4 - 19.0	200	11.3	6.3 - 19.4	100	6.8	3.8 - 11.7	<50	2.4	0.4 - 12.1
25-34	1,000	65.1	56.7 - 72.7	100	6.4	3.2 - 12.3	200	10.5	6.8 - 15.7	100	8.3	5.0 - 13.5	100	9.1	5.0 - 15.8	<50	0.6	0.2 - 2.2
35+	200	53.7	34.9 - 71.6	0	0.0	-	<50	10.5	2.9 - 31.6	<50	7.9	3.0 - 19.0	100	17.1	7.1 - 35.8	<50	10.7	3.0 - 31.5

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	0	0.0	-	1,500
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	500
Japanese	0	0.0	-	400
Other	n/r	n/r	n/r	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	400
20-24	0	0.0	-	1,500
25-34	0	0.0	-	1,600
35+	0	0.0	-	300

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,300	68.7	61.5 - 75.0	100	2.7	1.4 - 5.1	200	10.9	8.0 - 14.7	100	7.3	4.1 - 12.6	200	8.3	5.2 - 12.9	<50	2.2	0.5 - 9.0
Female	1,100	59.2	51.2 - 66.8	100	7.0	3.5 - 13.3	200	12.6	8.4 - 18.6	200	10.9	7.0 - 16.7	200	8.4	4.9 - 14.3	<50	1.8	0.6 - 5.8

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	67.9	59.6 - 75.3	100	5.0	2.3 - 10.4	100	8.2	5.1 - 12.7	200	9.7	5.4 - 16.9	100	6.7	3.9 - 11.4	<50	2.5	0.9 - 6.3
No	1,200	60.2	53.1 - 66.8	100	4.7	2.3 - 9.6	300	15.1	11.0 - 20.3	200	8.6	5.9 - 12.4	200	9.9	6.1 - 15.5	<50	1.6	0.2 - 9.8

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,100	56.7	49.5 - 63.6	100	5.7	2.9 - 10.9	300	17.1	12.7 - 22.6	200	7.7	5.0 - 11.9	200	10.3	6.6 - 15.7	<50	2.4	0.7 - 8.1
131-185%	600	73.9	60.6 - 83.9	<50	3.9	1.1 - 13.1	100	6.3	2.6 - 14.3	100	11.9	5.1 - 25.1	<50	1.6	0.6 - 4.5	<50	2.4	0.4 - 14.7
186+%	500	77.1	62.7 - 87.0	<50	3.9	0.8 - 16.4	<50	3.0	1.2 - 7.4	<50	7.3	2.3 - 20.8	100	8.3	2.9 - 21.2	<50	0.5	0.1 - 2.9

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	1,900
Female	0	0.0	-	1,900

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,800
No	0	0.0	-	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,000
131-185%	0	0.0	-	800
186+%	0	0.0	-	600

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	600	46.6	38.4 - 55.0	100	5.4	2.1 - 13.0	300	19.4	13.7 - 26.7	100	10.7	7.0 - 16.1	200	14.3	8.9 - 22.2	<50	3.6	1.0 - 12.3
\$15,001-\$25,000	500	79.7	68.1 - 87.9	<50	5.3	1.6 - 16.5	100	10.8	5.4 - 20.3	0	0.0	-	<50	4.2	1.8 - 9.5	0	0.0	-
\$25,001-\$40,000	700	70.7	58.4 - 80.6	<50	3.4	0.9 - 11.6	100	7.7	3.9 - 14.7	100	12.9	6.1 - 25.0	<50	2.5	1.0 - 6.3	<50	2.8	0.6 - 11.9
>=\$40,001	500	74.4	61.2 - 84.3	<50	5.3	1.7 - 15.3	<50	3.6	1.6 - 8.0	100	7.7	2.7 - 19.9	100	8.4	3.3 - 20.0	<50	0.5	0.1 - 2.7

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	2,300	65.4	59.8 - 70.5	200	5.2	3.1 - 8.7	400	11.7	8.8 - 15.2	300	9.0	6.2 - 13.0	200	6.5	4.5 - 9.5	100	2.2	0.8 - 5.5

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	200	13.4	8.1 - 21.5	400	32.5	25.3 - 40.7	300	25.3	18.3 - 33.9	300	23.2	16.5 - 31.5	100	5.6	2.2 - 13.6
No	2,400	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	0	0.0	-	1,300
\$15,001-\$25,000	0	0.0	-	600
\$25,001-\$40,000	0	0.0	-	900
>=\$40,001	0	0.0	-	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	200
Normal birth weight	0	0.0	-	3,500

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,400
No	0	0.0	-	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,900	59.1	53.2 - 64.8	200	5.5	3.2 - 9.3	400	13.1	10.0 - 17.0	300	10.1	7.1 - 14.2	300	9.8	6.9 - 13.9	100	2.4	0.9 - 6.0
No	300	97.5	85.8 - 99.6	0	0.0	-	<50	2.5	0.4 - 14.2	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,400	63.6	56.5 - 70.0	100	3.3	1.6 - 6.4	300	14.5	10.6 - 19.6	200	10.7	6.8 - 16.4	100	5.6	3.7 - 8.4	100	2.4	0.7 - 7.4
No	1,000	63.5	54.7 - 71.5	100	7.3	3.5 - 14.8	100	8.0	5.0 - 12.6	100	7.0	4.1 - 11.7	200	12.6	7.5 - 20.4	<50	1.5	0.3 - 7.5

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,200
No	0	0.0	-	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,200
No	0	0.0	-	1,500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,300	59.2	54.9 - 63.4	200	6.2	4.4 - 8.8	700	18.1	15.2 - 21.5	400	9.5	7.2 - 12.5	200	5.9	4.2 - 8.3	<50	1.0	0.6 - 1.8

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	53.3	45.2 - 61.2	<50	8.1	4.5 - 14.1	100	18.6	13.3 - 25.5	100	14.0	9.3 - 20.6	<50	4.1	2.0 - 7.9	<50	1.9	0.5 - 6.5
Honolulu	1,600	61.7	56.0 - 67.1	200	5.7	3.5 - 9.3	400	16.4	12.7 - 20.9	200	8.4	5.6 - 12.4	200	6.6	4.3 - 10.1	<50	1.1	0.6 - 2.0
Kauai	100	47.7	34.2 - 61.6	<50	8.4	3.4 - 19.5	100	29.8	18.7 - 44.0	<50	9.7	4.0 - 21.5	<50	4.4	1.2 - 14.9	0	0.0	-
Maui	200	57.4	47.2 - 67.0	<50	5.5	2.3 - 12.7	100	22.3	15.0 - 31.8	<50	10.3	5.4 - 18.8	<50	4.5	1.9 - 10.0	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	3,800

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	0	0.0	-	2,600
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	600	69.3	59.3 - 77.8	<50	4.8	2.0 - 11.5	100	11.4	6.5 - 19.2	100	11.6	6.4 - 20.3	<50	2.8	1.1 - 6.8	0	0.0	-
Native Hawaiian	700	50.5	46.2 - 54.7	100	6.6	4.8 - 9.1	300	22.2	18.8 - 26.0	200	10.9	8.5 - 13.9	100	7.6	5.6 - 10.2	<50	2.3	1.3 - 3.9
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	400	60.7	47.7 - 72.4	<50	6.0	2.2 - 15.3	100	18.0	10.3 - 29.3	100	11.9	5.4 - 24.3	<50	3.5	0.8 - 13.9	0	0.0	-
Japanese	200	76.1	55.1 - 89.2	<50	6.4	1.0 - 32.1	<50	7.2	1.7 - 25.4	<50	8.3	1.8 - 30.2	<50	2.1	0.3 - 12.0	0	0.0	-
Other	300	55.9	41.1 - 69.7	<50	4.9	1.5 - 15.0	100	26.5	15.8 - 41.0	<50	2.7	0.4 - 16.0	<50	8.9	3.0 - 23.5	<50	1.2	0.2 - 6.7

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	300	60.4	50.6 - 69.3	<50	7.7	4.2 - 13.7	100	21.1	14.3 - 30.1	<50	6.0	3.1 - 11.6	<50	4.1	2.1 - 8.1	<50	0.6	0.1 - 3.4
20-24	900	62.0	55.0 - 68.5	100	7.4	4.3 - 12.5	300	17.7	13.2 - 23.4	100	7.7	4.6 - 12.7	100	4.2	2.6 - 6.9	<50	1.0	0.4 - 2.3
25-34	900	57.3	50.1 - 64.2	100	5.3	2.7 - 10.1	200	16.5	12.0 - 22.3	200	11.9	8.0 - 17.3	100	7.6	4.5 - 12.7	<50	1.4	0.6 - 3.1
35+	200	53.4	37.6 - 68.5	<50	2.4	0.7 - 7.9	100	22.6	12.9 - 36.6	<50	13.1	5.8 - 27.0	<50	8.5	2.2 - 28.0	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	800
Native Hawaiian	0	0.0	-	1,500
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	600
Japanese	0	0.0	-	300
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	500
20-24	0	0.0	-	1,500
25-34	0	0.0	-	1,500
35+	0	0.0	-	300

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,200	55.7	49.6 - 61.6	200	8.6	5.6 - 13.1	400	20.0	15.8 - 24.9	200	9.0	6.0 - 13.4	100	6.2	3.9 - 9.6	<50	0.5	0.2 - 1.4
Female	1,100	63.4	57.4 - 69.1	100	3.3	2.1 - 5.3	300	15.9	12.0 - 20.8	200	10.2	7.1 - 14.4	100	5.6	3.2 - 9.5	<50	1.6	0.8 - 3.2

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,100	61.3	54.6 - 67.6	100	5.3	3.0 - 9.2	300	17.6	13.3 - 23.0	200	10.1	6.5 - 15.2	100	5.0	2.9 - 8.5	<50	0.7	0.3 - 2.1
No	1,200	57.3	51.7 - 62.7	100	7.0	4.5 - 10.8	400	18.6	14.8 - 23.1	200	9.1	6.4 - 12.6	100	6.7	4.3 - 10.5	<50	1.3	0.7 - 2.5

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,100	55.8	50.1 - 61.3	100	6.7	4.1 - 10.8	400	18.8	15.1 - 23.2	200	11.1	7.9 - 15.3	100	6.3	4.2 - 9.4	<50	1.3	0.6 - 2.6
131-185%	500	60.1	49.7 - 69.6	<50	4.7	2.5 - 8.6	100	19.6	12.7 - 28.9	100	9.2	4.4 - 18.2	<50	6.0	2.7 - 12.8	<50	0.5	0.1 - 2.4
186+%	500	75.5	65.8 - 83.2	<50	4.2	1.4 - 11.7	100	10.6	5.7 - 18.7	100	7.1	3.4 - 14.2	<50	1.7	0.6 - 4.5	<50	1.0	0.3 - 3.1

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,100
Female	0	0.0	-	1,700

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,800
No	0	0.0	-	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,000
131-185%	0	0.0	-	800
186+%	0	0.0	-	700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	700	54.2	46.8 - 61.4	100	6.7	3.4 - 12.7	200	19.1	14.3 - 25.2	100	10.2	6.9 - 14.9	100	8.5	5.2 - 13.7	<50	1.4	0.5 - 3.3
\$15,001-\$25,000	400	56.7	46.8 - 66.2	100	8.0	4.1 - 14.9	100	14.8	9.5 - 22.4	100	14.2	8.2 - 23.5	<50	5.0	2.0 - 12.0	<50	1.2	0.4 - 4.0
\$25,001-\$40,000	500	60.3	50.5 - 69.3	100	7.0	3.6 - 13.2	200	20.0	13.8 - 28.3	100	7.5	3.5 - 15.2	<50	5.2	2.2 - 11.8	0	0.0	-
>=\$40,001	600	70.6	61.3 - 78.4	<50	1.1	0.3 - 4.1	100	13.5	8.4 - 21.1	100	8.6	4.3 - 16.5	<50	5.0	2.2 - 10.8	<50	1.2	0.4 - 3.1

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	54.2	39.8 - 68.0	<50	4.1	1.5 - 10.7	100	23.6	13.3 - 38.3	<50	11.8	5.6 - 23.1	<50	6.3	2.6 - 14.5	0	0.0	-
Normal birth weight	2,100	59.6	55.1 - 63.9	200	6.4	4.4 - 9.1	600	17.7	14.7 - 21.2	300	9.4	7.0 - 12.5	200	5.9	4.0 - 8.4	<50	1.1	0.6 - 1.9

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	200	15.2	10.8 - 20.9	700	44.4	38.0 - 51.0	400	23.4	18.1 - 29.6	200	14.4	10.3 - 19.9	<50	2.5	1.4 - 4.4
No	2,300	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	0	0.0	-	1,300
\$15,001-\$25,000	0	0.0	-	700
\$25,001-\$40,000	0	0.0	-	800
>=\$40,001	0	0.0	-	900

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	300
Normal birth weight	0	0.0	-	3,600

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,600
No	0	0.0	-	2,300

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,900	56.0	51.4 - 60.5	200	6.0	4.2 - 8.7	700	19.9	16.6 - 23.7	300	10.3	7.8 - 13.5	200	6.7	4.7 - 9.4	<50	1.1	0.6 - 1.9
No	200	96.3	87.9 - 98.9	0	0.0	-	<50	2.1	0.4 - 10.7	0	0.0	-	0	0.0	-	<50	1.6	0.3 - 8.6

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	56.9	51.4 - 62.2	100	4.9	3.4 - 7.1	400	20.7	16.8 - 25.3	200	11.3	8.1 - 15.4	100	5.4	3.4 - 8.4	<50	0.8	0.3 - 2.0
No	1,100	61.9	54.9 - 68.4	100	7.8	4.5 - 13.2	300	15.2	10.9 - 20.7	100	7.3	4.4 - 11.8	100	6.6	3.9 - 10.9	<50	1.3	0.6 - 2.6

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,300
No	0	0.0	-	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,100
No	0	0.0	-	1,700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,300	62.4	58.1 - 66.6	200	4.5	3.0 - 6.7	600	16.8	13.8 - 20.4	300	8.8	6.8 - 11.4	200	5.5	3.8 - 8.1	100	1.9	0.9 - 3.7

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	53.1	45.0 - 61.1	<50	4.2	2.1 - 8.5	100	19.0	13.2 - 26.4	100	15.1	10.1 - 22.1	<50	6.3	3.4 - 11.3	<50	2.3	0.8 - 6.2
Honolulu	1,600	63.1	57.2 - 68.6	100	4.1	2.3 - 7.2	500	18.1	14.0 - 23.0	200	7.5	5.1 - 10.9	100	5.4	3.2 - 9.1	<50	1.8	0.7 - 4.7
Kauai	200	77.0	64.1 - 86.3	<50	1.7	0.3 - 9.0	<50	10.2	4.6 - 21.1	<50	4.4	1.2 - 14.4	<50	6.6	2.3 - 17.7	0	0.0	-
Maui	200	63.9	52.9 - 73.6	<50	9.5	4.7 - 18.5	<50	8.8	4.5 - 16.4	<50	10.6	5.4 - 19.7	<50	4.4	1.6 - 11.6	<50	2.9	0.7 - 10.5

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	3,700

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	0	0.0	-	2,500
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race- Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	600	67.8	57.7 - 76.4	<50	2.2	0.8 - 6.0	100	14.5	8.5 - 23.5	100	9.2	4.7 - 17.2	100	5.8	2.5 - 12.7	<50	0.6	0.1 - 3.8
Native Hawaiian	800	55.4	50.8 - 60.0	100	5.9	4.1 - 8.6	300	20.2	16.7 - 24.2	100	10.5	8.0 - 13.7	100	6.5	4.5 - 9.3	<50	1.4	0.6 - 2.9
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	300	53.8	40.4 - 66.6	<50	6.4	2.2 - 16.8	100	23.3	13.5 - 37.0	100	9.9	4.6 - 20.1	<50	3.6	0.8 - 14.3	<50	3.0	0.5 - 17.5
Japanese	400	83.6	68.6 - 92.2	<50	3.4	0.5 - 19.6	<50	8.4	2.7 - 23.2	<50	4.7	1.6 - 12.7	0	0.0	-	0	0.0	-
Other	300	63.8	46.8 - 77.9	<50	3.7	0.6 - 21.1	100	11.9	4.8 - 26.7	<50	4.5	1.0 - 17.5	<50	9.9	3.0 - 27.8	<50	6.2	1.9 - 18.3

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	600	75.3	66.4 - 82.4	<50	4.6	2.5 - 8.4	100	14.1	8.4 - 22.6	<50	4.2	2.1 - 8.2	<50	1.9	0.7 - 5.0	0	0.0	-
20-24	800	63.2	56.3 - 69.6	<50	3.1	1.6 - 5.9	300	20.2	15.0 - 26.6	100	10.1	6.5 - 15.4	<50	2.5	1.3 - 4.8	<50	0.9	0.3 - 2.4
25-34	700	56.2	48.2 - 63.9	100	7.3	3.9 - 13.1	200	17.5	12.2 - 24.3	100	5.7	3.6 - 9.1	100	10.0	6.1 - 15.8	<50	3.3	1.2 - 9.1
35+	200	55.7	41.5 - 69.1	0	0.0	-	<50	9.0	4.7 - 16.6	100	23.4	13.6 - 37.4	<50	8.1	2.1 - 26.5	<50	3.7	1.3 - 10.3

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	0	0.0	-	1,400
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	600
Japanese	0	0.0	-	400
Other	0	0.0	-	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	800
20-24	0	0.0	-	1,300
25-34	0	0.0	-	1,300
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,200	58.7	52.8 - 64.4	100	5.6	3.3 - 9.3	400	18.9	14.9 - 23.7	200	8.9	6.2 - 12.6	100	5.5	3.2 - 9.4	<50	2.3	0.9 - 5.9
Female	1,100	67.0	60.5 - 72.9	100	3.2	1.8 - 5.4	200	14.3	10.0 - 20.1	100	8.7	5.8 - 12.8	100	5.6	3.2 - 9.4	<50	1.3	0.6 - 2.8

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,100	63.6	56.9 - 69.9	100	4.0	2.0 - 7.8	300	15.8	11.6 - 21.3	200	8.7	5.7 - 12.9	100	6.0	3.3 - 10.9	<50	1.9	0.7 - 4.9
No	1,200	61.3	55.5 - 66.8	100	5.0	3.1 - 8.0	300	17.8	13.7 - 22.8	200	9.0	6.3 - 12.6	100	5.1	3.2 - 8.1	<50	1.9	0.7 - 5.0

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,100	55.0	49.4 - 60.5	100	4.1	2.4 - 6.9	400	20.3	16.2 - 25.2	200	12.1	9.1 - 16.0	100	6.1	4.0 - 9.2	<50	2.4	1.1 - 5.2
131-185%	300	70.0	57.7 - 79.9	<50	1.3	0.2 - 6.7	100	16.5	9.1 - 28.0	<50	8.9	3.7 - 19.9	<50	3.4	1.2 - 9.4	0	0.0	-
186+%	700	73.6	63.2 - 81.9	<50	4.8	2.2 - 10.3	100	11.6	6.0 - 21.2	<50	3.9	1.4 - 10.2	<50	4.6	1.6 - 12.3	<50	1.6	0.2 - 9.8

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,100
Female	0	0.0	-	1,700

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,800
No	0	0.0	-	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,000
131-185%	0	0.0	-	500
186+%	0	0.0	-	900

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	700	50.2	43.5 - 56.8	100	5.2	2.9 - 9.1	300	22.4	17.1 - 28.7	200	13.7	10.1 - 18.2	100	6.7	4.1 - 10.7	<50	2.0	1.0 - 4.0
\$15,001-\$25,000	500	72.7	62.7 - 80.8	<50	2.4	0.8 - 6.7	100	12.5	8.0 - 19.0	100	10.9	5.3 - 21.2	<50	1.5	0.4 - 5.4	0	0.0	-
\$25,001-\$40,000	400	60.3	49.6 - 70.1	<50	4.9	1.8 - 12.8	100	19.8	12.3 - 30.1	<50	3.4	1.4 - 8.1	<50	6.4	3.4 - 11.9	<50	5.2	1.6 - 16.2
>=\$40,001	600	77.6	67.2 - 85.5	<50	3.0	1.3 - 6.7	100	9.7	4.6 - 19.3	<50	5.3	2.2 - 12.0	<50	4.4	1.3 - 13.5	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	50.5	35.4 - 65.5	<50	3.5	1.0 - 11.8	100	21.6	12.7 - 34.4	<50	17.2	7.8 - 33.8	<50	5.7	2.4 - 13.1	<50	1.5	0.3 - 7.9
Normal birth weight	2,200	63.7	59.1 - 68.0	200	4.6	3.0 - 6.9	600	16.6	13.4 - 20.4	300	8.3	6.3 - 10.9	200	5.0	3.2 - 7.5	100	1.9	0.9 - 4.0

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	0	0.0	-	200	12.0	8.2 - 17.4	600	44.8	37.8 - 52.0	300	23.5	18.2 - 29.7	200	14.7	10.2 - 20.9	100	5.0	2.5 - 9.7
No	2,300	100.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	0	0.0	-	1,400
\$15,001-\$25,000	0	0.0	-	600
\$25,001-\$40,000	0	0.0	-	700
>=\$40,001	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	300
Normal birth weight	0	0.0	-	3,400

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,400
No	0	0.0	-	2,300

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,900	59.3	54.6 - 63.9	200	4.7	3.0 - 7.1	600	18.2	14.8 - 22.1	300	9.5	7.2 - 12.5	200	6.1	4.1 - 9.0	100	2.1	1.1 - 4.2
No	300	90.9	72.5 - 97.4	<50	1.3	0.2 - 6.7	<50	5.8	0.9 - 29.6	0	0.0	-	<50	2.1	0.4 - 10.7	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,300	59.8	54.4 - 65.0	100	4.8	2.9 - 7.9	300	16.5	13.0 - 20.7	200	11.2	8.2 - 15.1	100	5.6	3.6 - 8.5	<50	2.1	0.9 - 4.8
No	1,100	65.7	58.5 - 72.3	100	4.2	2.2 - 7.7	300	17.2	12.2 - 23.8	100	5.8	3.5 - 9.4	100	5.4	2.7 - 10.7	<50	1.6	0.5 - 5.2

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,300
No	0	0.0	-	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,100
No	0	0.0	-	1,600