

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Number of cigarettes smoked per avg day now	Number of cigarettes smoked per avg day now

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/14/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
2000	1,400	38.3	34.1 - 42.8	200	4.1	2.7 - 6.3	700	19.2	15.8 - 23.1	800	20.8	17.5 - 24.5	600	16.0	13.0 - 19.5	100	1.6	0.9 - 2.8
2001	1,300	35.2	31.1 - 39.6	200	5.7	3.9 - 8.3	600	16.9	14.0 - 20.3	1,000	26.0	22.3 - 30.0	500	14.1	11.4 - 17.3	100	2.1	1.2 - 3.6
2002	1,600	42.4	37.0 - 48.1	200	4.8	2.9 - 7.8	500	13.7	10.5 - 17.8	800	22.1	17.9 - 26.9	600	15.7	12.1 - 20.2	<50	0.8	0.3 - 1.8
2003	1,500	37.4	32.4 - 42.8	100	3.0	1.8 - 4.8	700	18.0	14.3 - 22.4	1,100	25.5	21.2 - 30.3	600	15.1	11.6 - 19.5	<50	1.0	0.3 - 3.1
2004	1,600	40.7	36.0 - 45.5	200	4.4	2.8 - 6.8	800	20.6	16.9 - 24.8	800	20.6	17.0 - 24.9	500	12.3	9.4 - 15.8	<50	0.7	0.2 - 2.1
2005	1,500	37.8	33.0 - 42.8	200	4.3	2.7 - 7.0	800	21.2	17.4 - 25.7	900	22.8	18.7 - 27.5	400	9.2	6.6 - 12.7	100	3.5	2.0 - 6.2
2006	1,500	36.6	31.7 - 41.8	300	6.2	4.0 - 9.4	800	19.2	15.3 - 23.8	900	20.6	16.5 - 25.3	600	14.6	11.2 - 18.8	100	2.8	1.5 - 5.5
2007	1,500	37.4	32.5 - 42.6	200	6.3	4.2 - 9.4	800	21.0	16.9 - 25.8	800	20.5	16.5 - 25.1	500	12.3	9.2 - 16.3	100	2.0	0.9 - 4.3
2008	1,400	37.9	32.8 - 43.3	200	4.6	2.8 - 7.6	800	20.4	16.3 - 25.2	800	21.1	16.9 - 26.0	500	14.5	11.0 - 18.9	<50	0.9	0.3 - 2.5
2009	2,300	48.8	42.8 - 54.8	200	4.8	2.7 - 8.3	900	19.7	15.3 - 25.0	800	16.0	12.1 - 20.9	400	9.0	6.0 - 13.4	<50	1.0	0.3 - 3.6
2010	2,000	46.3	40.1 - 52.7	300	7.2	4.3 - 11.9	900	20.2	15.5 - 26.0	700	16.7	12.3 - 22.2	300	7.1	4.6 - 10.7	100	1.6	0.5 - 4.9
2011	2,500	59.6	53.0 - 65.8	200	4.7	2.5 - 8.5	700	16.4	12.2 - 21.7	500	11.9	8.3 - 16.7	300	6.9	4.4 - 10.9	<50	0.5	0.2 - 1.4
2012	1,800	55.0	47.4 - 62.4	200	6.4	3.5 - 11.3	500	16.1	11.1 - 22.9	500	15.4	10.8 - 21.4	200	6.7	3.7 - 12.0	<50	0.4	0.1 - 1.3
2013	2,100	56.4	48.7 - 63.7	300	6.8	3.6 - 12.4	800	22.1	16.2 - 29.3	300	8.0	5.2 - 12.0	200	6.4	3.7 - 10.8	<50	0.3	0.1 - 1.0


**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
2000	0	0.0	-	3,700
2001	0	0.0	-	3,800
2002	<50	0.5	0.1 - 3.4	3,800
2003	0	0.0	-	4,100
2004	<50	0.7	0.3 - 2.2	3,900
2005	<50	1.1	0.4 - 2.8	3,900
2006	0	0.0	-	4,100
2007	<50	0.4	0.1 - 2.0	3,900
2008	<50	0.7	0.2 - 2.5	3,700
2009	<50	0.7	0.1 - 4.3	4,700
2010	<50	0.8	0.2 - 3.9	4,400
2011	0	0.0	-	4,200
2012	0	0.0	-	3,200
2013	0	0.0	-	3,800

**PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,100	56.4	48.7 - 63.7	300	6.8	3.6 - 12.4	800	22.1	16.2 - 29.3	300	8.0	5.2 - 12.0	200	6.4	3.7 - 10.8	<50	0.3	0.1 - 1.0

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	49.9	38.6 - 61.2	<50	2.0	0.3 - 11.4	100	20.8	13.2 - 31.2	100	16.0	8.9 - 27.2	100	10.2	4.9 - 20.2	<50	1.1	0.2 - 6.8
Honolulu	1,500	57.2	46.8 - 67.0	200	8.1	3.9 - 16.2	700	24.4	16.6 - 34.5	100	5.1	2.3 - 10.9	100	5.1	2.1 - 11.9	0	0.0	-
Kauai	100	59.6	47.3 - 70.8	<50	4.2	1.3 - 12.7	<50	13.3	6.9 - 24.1	<50	5.8	2.2 - 14.2	<50	12.9	6.7 - 23.5	<50	4.2	1.3 - 12.7
Maui	200	58.5	45.9 - 70.1	<50	5.7	2.0 - 15.1	<50	11.3	5.5 - 22.0	100	17.0	9.5 - 28.5	<50	7.5	3.1 - 17.4	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	3,800

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	0	0.0	-	2,700
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	54.9	38.7 - 70.1	<50	5.6	1.4 - 19.2	200	24.1	12.5 - 41.4	100	8.3	4.1 - 16.1	100	6.4	1.6 - 22.2	<50	0.8	0.1 - 5.0
Native Hawaiian	800	52.9	41.3 - 64.1	100	7.2	2.8 - 17.4	300	22.8	14.2 - 34.6	100	9.1	5.1 - 15.8	100	7.7	4.0 - 14.5	<50	0.3	0.0 - 1.3
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	300	69.0	47.1 - 84.8	0	0.0	-	100	18.8	7.0 - 41.5	<50	2.4	0.6 - 9.4	<50	9.2	2.3 - 30.4	<50	0.6	0.1 - 3.4
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	300	48.0	28.0 - 68.7	100	12.1	3.2 - 36.8	100	25.3	11.1 - 47.8	100	8.9	2.6 - 26.3	0	5.7	1.0 - 26.8	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	700	55.8	42.1 - 68.6	100	6.3	1.8 - 19.5	300	25.0	14.9 - 38.8	100	8.2	3.7 - 17.2	<50	3.9	1.8 - 8.2	<50	0.8	0.2 - 3.1
25-34	1,100	59.6	48.8 - 69.5	100	7.2	3.1 - 16.2	400	19.7	12.3 - 29.9	100	6.1	3.3 - 11.2	100	7.2	3.3 - 15.2	<50	0.2	0.0 - 0.9
35+	200	45.0	25.6 - 66.0	<50	7.2	1.3 - 32.0	100	22.4	8.9 - 46.1	100	13.1	4.5 - 32.5	100	12.2	3.9 - 32.4	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	800
Native Hawaiian	0	0.0	-	1,500
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	500
Japanese	n/r	n/r	n/r	400
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	200
20-24	0	0.0	-	1,300
25-34	0	0.0	-	1,900
35+	0	0.0	-	500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	800	49.6	38.7 - 60.6	200	9.1	3.9 - 19.7	400	24.1	15.4 - 35.5	200	9.1	4.8 - 16.6	100	7.5	3.7 - 14.9	<50	0.6	0.1 - 2.2
Female	1,300	61.8	51.4 - 71.2	100	4.9	1.9 - 12.3	400	20.5	13.2 - 30.4	200	7.1	4.1 - 12.2	100	5.5	2.4 - 12.1	<50	0.2	0.0 - 0.9

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,000	60.4	48.1 - 71.4	100	4.9	1.6 - 13.8	400	23.7	14.6 - 36.1	100	5.8	2.9 - 11.3	100	5.3	1.9 - 13.9	0	0.0	-
No	1,100	53.0	43.3 - 62.6	200	8.4	3.9 - 17.2	400	20.8	13.9 - 29.8	200	9.8	5.8 - 16.2	200	7.4	4.0 - 13.2	<50	0.6	0.2 - 1.9

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	900	48.6	38.2 - 59.1	200	9.4	4.2 - 19.7	400	23.7	15.8 - 34.0	200	11.4	7.2 - 17.5	100	6.1	3.1 - 11.6	<50	0.7	0.2 - 2.2
131-185%	300	60.6	38.0 - 79.4	<50	0.6	0.1 - 3.2	100	22.4	8.4 - 47.4	<50	7.1	1.4 - 28.5	<50	9.3	2.5 - 28.7	0	0.0	-
186+%	800	73.5	58.8 - 84.3	<50	4.4	1.2 - 14.6	100	13.4	6.2 - 26.7	100	4.8	1.3 - 16.5	<50	3.9	0.8 - 17.5	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	1,700
Female	0	0.0	-	2,100

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	0	0.0	-	2,100

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	1,800
131-185%	0	0.0	-	500
186+%	0	0.0	-	1,100

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$17,000	600	43.0	31.0 - 55.9	200	14.4	6.8 - 27.9	400	25.6	16.2 - 38.0	200	12.7	7.6 - 20.5	<50	3.3	1.5 - 7.0	<50	1.0	0.3 - 2.9
\$17,001-\$26,000	300	44.3	26.8 - 63.3	<50	1.2	0.2 - 7.2	200	40.6	23.2 - 60.7	<50	4.2	1.6 - 10.4	100	9.7	3.3 - 25.4	0	0.0	-
\$26,001-\$51,000	500	74.7	57.1 - 86.8	<50	1.4	0.5 - 3.8	<50	6.2	1.6 - 21.1	100	11.0	3.6 - 29.0	<50	6.7	1.9 - 21.4	0	0.0	-
>=\$51,001	600	73.5	56.6 - 85.5	<50	5.0	1.1 - 19.7	100	14.0	5.9 - 29.9	<50	1.7	0.6 - 5.3	<50	5.7	1.3 - 22.0	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	46.0	35.9 - 56.5	<50	3.4	1.3 - 8.5	100	17.7	11.5 - 26.3	100	21.4	14.0 - 31.4	<50	10.5	4.7 - 21.6	<50	1.0	0.2 - 5.0
Normal birth weight	2,000	57.2	48.8 - 65.1	200	7.1	3.7 - 13.3	800	22.5	16.2 - 30.4	200	6.8	4.0 - 11.3	200	6.1	3.3 - 10.9	<50	0.3	0.1 - 1.1

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	200	19.2	10.5 - 32.6	100	5.0	1.2 - 18.6	300	33.4	21.3 - 48.2	200	19.1	11.9 - 29.1	200	21.9	12.5 - 35.5	<50	1.3	0.4 - 3.9
No	2,000	69.7	60.6 - 77.6	200	7.5	3.7 - 14.6	500	17.8	11.7 - 26.2	100	4.1	1.7 - 9.2	<50	0.9	0.3 - 2.5	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2012+)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$17,000	0	0.0	-	1,400
\$17,001-\$26,000	0	0.0	-	600
\$26,001-\$51,000	0	0.0	-	700
>=\$51,001	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	300
Normal birth weight	0	0.0	-	3,500

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,000
No	0	0.0	-	2,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,700	50.6	42.5 - 58.8	300	7.8	4.1 - 14.3	800	24.4	17.9 - 32.4	300	9.3	6.1 - 13.9	200	7.5	4.4 - 12.5	<50	0.4	0.1 - 1.2
No	500	91.7	67.3 - 98.4	<50	0.7	0.1 - 3.7	<50	7.6	1.3 - 33.6	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	900	46.1	36.2 - 56.2	100	4.8	1.6 - 12.9	600	30.5	21.6 - 41.2	200	10.6	6.4 - 16.9	100	7.4	3.9 - 13.6	<50	0.7	0.2 - 2.0
No	1,200	68.5	57.0 - 78.1	100	7.2	3.0 - 16.4	200	13.4	7.2 - 23.5	100	5.4	2.4 - 11.7	100	5.5	2.1 - 13.6	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,300
No	0	0.0	-	500

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,000
No	0	0.0	-	1,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	1,800	55.0	47.4 - 62.4	200	6.4	3.5 - 11.3	500	16.1	11.1 - 22.9	500	15.4	10.8 - 21.4	200	6.7	3.7 - 12.0	<50	0.4	0.1 - 1.3

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	55.3	44.1 - 66.1	<50	7.3	3.2 - 15.7	100	12.9	7.1 - 22.2	100	18.5	11.2 - 29.0	<50	4.7	1.6 - 12.9	<50	1.3	0.2 - 7.6
Honolulu	1,100	51.9	40.9 - 62.7	200	7.5	3.5 - 15.4	400	17.3	10.2 - 27.8	300	15.5	9.2 - 24.7	200	7.6	3.4 - 16.3	<50	0.2	0.0 - 1.3
Kauai	100	62.4	49.7 - 73.6	0	0.0	-	<50	17.2	9.6 - 28.9	<50	12.7	6.4 - 23.6	<50	7.7	3.3 - 17.2	0	0.0	-
Maui	300	66.5	55.1 - 76.3	<50	2.8	0.8 - 9.4	100	13.9	8.0 - 23.0	100	12.7	6.5 - 23.3	<50	4.2	1.5 - 11.1	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	3,200

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	500
Honolulu	0	0.0	-	2,000
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	500	73.6	58.1 - 84.9	<50	3.8	1.5 - 9.6	100	13.4	5.3 - 29.9	100	7.1	2.4 - 19.0	<50	1.2	0.3 - 3.9	<50	0.9	0.1 - 5.8
Native Hawaiian	600	43.9	32.9 - 55.5	100	5.3	1.8 - 15.0	300	20.6	12.4 - 32.4	300	20.4	12.8 - 30.8	100	9.4	4.3 - 19.4	<50	0.3	0.1 - 1.9
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	200	59.3	39.9 - 76.2	<50	3.2	1.1 - 8.9	<50	11.0	3.5 - 29.9	<50	9.8	4.8 - 18.9	100	16.7	5.4 - 41.0	0	0.0	-
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	200	40.8	23.2 - 61.2	100	22.6	8.9 - 46.3	100	20.7	7.9 - 44.2	100	13.6	4.2 - 36.3	<50	2.3	0.4 - 13.2	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	400	56.1	40.9 - 70.2	0	0.0	-	200	21.3	10.9 - 37.3	200	19.5	10.4 - 33.7	<50	3.1	1.0 - 8.8	0	0.0	-
25-34	1,100	55.0	45.1 - 64.6	200	8.4	4.3 - 15.8	300	15.1	9.1 - 23.9	200	11.9	7.1 - 19.4	200	9.3	4.6 - 17.9	<50	0.3	0.1 - 2.1
35+	100	41.6	23.5 - 62.3	<50	11.6	2.5 - 40.3	<50	7.8	3.0 - 18.8	100	36.1	17.7 - 59.8	<50	2.9	0.8 - 9.7	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	700
Native Hawaiian	0	0.0	-	1,400
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	400
Japanese	n/r	n/r	n/r	200
Other	0	0.0	-	400

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	200
20-24	0	0.0	-	800
25-34	0	0.0	-	1,900
35+	0	0.0	-	300

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	800	54.0	42.7 - 64.8	100	4.9	2.1 - 11.0	200	14.7	8.3 - 24.9	300	20.1	12.4 - 30.9	100	6.0	2.3 - 14.8	<50	0.3	0.1 - 1.9
Female	1,000	55.8	45.6 - 65.6	100	7.5	3.4 - 15.8	300	17.2	10.4 - 27.1	200	11.7	7.1 - 18.8	100	7.3	3.3 - 15.3	<50	0.4	0.1 - 2.3

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	700	62.5	49.7 - 73.8	100	6.0	2.1 - 15.7	100	8.9	3.8 - 19.6	200	15.5	8.5 - 26.6	100	7.0	2.9 - 16.2	0	0.0	-
No	1,000	50.5	41.3 - 59.7	100	6.6	3.1 - 13.3	400	20.4	13.5 - 29.6	300	15.4	9.9 - 23.1	100	6.6	2.9 - 14.2	<50	0.6	0.2 - 2.1

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	800	48.7	38.6 - 58.9	100	4.0	1.6 - 9.5	300	19.1	11.9 - 29.2	300	17.8	11.5 - 26.4	200	10.0	4.8 - 19.7	<50	0.4	0.1 - 2.6
131-185%	200	54.7	34.6 - 73.4	<50	9.0	2.2 - 30.5	100	20.2	7.2 - 45.1	<50	5.0	1.9 - 12.1	<50	11.1	3.3 - 31.1	0	0.0	-
186+%	600	72.6	56.2 - 84.6	<50	3.9	0.8 - 17.5	<50	6.1	1.7 - 20.1	100	16.5	7.5 - 32.5	<50	0.8	0.1 - 5.1	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	1,400
Female	0	0.0	-	1,800

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,200
No	0	0.0	-	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	1,600
131-185%	0	0.0	-	400
186+%	0	0.0	-	800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$17,000	500	48.6	36.2 - 61.2	<50	1.1	0.3 - 3.8	300	28.5	17.8 - 42.2	100	12.4	6.9 - 21.4	100	8.4	3.2 - 20.3	<50	1.1	0.3 - 3.8
\$17,001-\$26,000	200	47.1	30.6 - 64.4	100	11.5	4.0 - 28.8	<50	7.2	3.3 - 15.0	100	24.3	11.7 - 43.7	<50	9.9	3.0 - 28.0	0	0.0	-
\$26,001-\$51,000	400	60.2	43.7 - 74.6	<50	4.9	1.2 - 18.2	100	10.1	3.2 - 27.7	100	14.1	6.4 - 28.4	100	10.8	3.9 - 26.3	0	0.0	-
>=\$51,001	400	72.4	53.5 - 85.7	<50	5.1	1.0 - 22.1	100	8.3	2.3 - 25.5	100	14.2	5.3 - 32.6	0	0.0	-	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	45.6	33.6 - 58.0	<50	10.8	4.8 - 22.5	<50	10.1	4.6 - 20.9	100	28.3	18.6 - 40.4	<50	3.4	1.0 - 11.0	<50	1.9	0.3 - 9.9
Normal birth weight	1,600	55.8	47.6 - 63.7	200	6.0	3.0 - 11.5	500	16.6	11.2 - 24.0	400	14.3	9.5 - 20.9	200	7.0	3.7 - 12.8	<50	0.2	0.0 - 1.4

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	<50	5.5	2.5 - 11.6	100	8.8	2.9 - 23.5	200	29.7	17.0 - 46.6	200	30.2	19.6 - 43.5	200	24.3	13.1 - 40.7	<50	1.5	0.4 - 5.5
No	1,700	70.0	61.2 - 77.5	100	5.6	2.8 - 11.2	300	12.0	7.4 - 19.1	300	11.0	6.3 - 18.4	<50	1.4	0.3 - 6.0	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2012+)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$17,000	0	0.0	-	1,100
\$17,001-\$26,000	0	0.0	-	500
\$26,001-\$51,000	0	0.0	-	700
>=\$51,001	0	0.0	-	600

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	300
Normal birth weight	0	0.0	-	2,900

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	700
No	0	0.0	-	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,500	52.5	44.5 - 60.4	200	6.7	3.6 - 12.2	500	17.4	11.9 - 24.8	500	15.6	10.9 - 21.9	200	7.4	4.1 - 13.3	<50	0.4	0.1 - 1.4
No	200	79.0	53.9 - 92.4	<50	3.2	0.8 - 11.2	<50	3.9	1.0 - 13.7	<50	13.9	3.1 - 44.8	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	900	50.8	41.1 - 60.4	100	2.9	1.5 - 5.7	400	24.3	16.4 - 34.5	300	15.4	10.0 - 23.1	100	6.1	2.6 - 13.9	<50	0.4	0.1 - 2.4
No	900	61.0	49.0 - 71.8	200	10.6	5.0 - 21.2	100	6.8	2.7 - 16.0	200	13.6	7.4 - 23.6	100	7.6	3.2 - 17.1	<50	0.3	0.1 - 1.8

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,900
No	0	0.0	-	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	0	0.0	-	1,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,500	59.6	53.0 - 65.8	200	4.7	2.5 - 8.5	700	16.4	12.2 - 21.7	500	11.9	8.3 - 16.7	300	6.9	4.4 - 10.9	<50	0.5	0.2 - 1.4

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	44.0	34.5 - 54.0	<50	5.5	2.5 - 12.0	200	25.7	17.9 - 35.5	100	11.8	6.7 - 20.0	100	10.7	5.8 - 18.7	<50	2.3	0.6 - 7.9
Honolulu	1,800	63.3	54.1 - 71.7	100	4.9	2.1 - 10.8	400	14.2	8.9 - 21.8	300	11.0	6.5 - 18.2	200	6.6	3.4 - 12.5	0	0.0	-
Kauai	100	62.1	47.8 - 74.6	<50	2.9	0.5 - 14.6	<50	7.7	2.9 - 19.2	<50	19.6	10.5 - 33.5	<50	7.7	2.9 - 19.2	0	0.0	-
Maui	300	57.6	48.1 - 66.6	<50	3.3	1.2 - 8.9	100	20.3	13.8 - 28.9	100	14.1	8.6 - 22.1	<50	3.5	1.3 - 9.3	<50	1.2	0.2 - 6.6

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	4,200

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	700
Honolulu	0	0.0	-	2,900
Kauai	0	0.0	-	200
Maui	0	0.0	-	500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	500	55.0	41.1 - 68.1	<50	4.5	1.4 - 13.8	100	14.5	7.3 - 26.7	100	14.9	7.3 - 28.0	100	11.2	4.9 - 23.4	0	0.0	-
Native Hawaiian	800	54.9	44.6 - 64.9	100	6.2	2.7 - 13.4	300	20.7	13.7 - 30.1	200	10.0	5.9 - 16.4	100	6.8	3.5 - 12.8	<50	1.3	0.5 - 3.8
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	500	74.0	56.5 - 86.2	0	0.0	-	100	14.5	6.5 - 29.1	100	9.5	2.6 - 29.1	<50	2.0	0.5 - 7.2	0	0.0	-
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	300	61.1	41.2 - 77.9	100	10.4	2.7 - 32.6	<50	5.8	1.2 - 23.2	100	21.9	10.0 - 41.5	<50	0.7	0.1 - 4.1	0	0.0	-

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	800	59.7	47.8 - 70.6	100	5.8	2.2 - 14.1	200	14.9	8.7 - 24.2	200	16.3	9.4 - 26.9	<50	3.3	1.1 - 9.5	0	0.0	-
25-34	1,200	58.2	48.7 - 67.1	100	5.2	2.2 - 11.8	400	18.2	11.8 - 27.0	200	9.8	5.6 - 16.6	200	7.6	4.2 - 13.6	<50	1.0	0.3 - 2.9
35+	300	73.5	54.2 - 86.7	0	0.0	-	<50	4.8	1.8 - 11.9	<50	4.6	1.8 - 11.3	100	17.1	6.2 - 39.1	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,000
Native Hawaiian	0	0.0	-	1,500
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	600
Japanese	n/r	n/r	n/r	400
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	300
20-24	0	0.0	-	1,400
25-34	0	0.0	-	2,100
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,100	55.7	45.8 - 65.2	100	5.1	2.3 - 11.0	400	20.9	13.9 - 30.2	200	9.8	5.7 - 16.5	200	8.0	4.0 - 15.5	<50	0.4	0.1 - 2.4
Female	1,400	62.9	54.1 - 70.9	100	4.3	1.7 - 10.7	300	12.6	8.3 - 18.6	300	13.6	8.5 - 21.1	100	6.0	3.3 - 10.6	<50	0.6	0.2 - 2.1

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,000	59.4	49.0 - 69.0	100	7.2	3.2 - 15.5	200	12.3	7.1 - 20.4	200	11.5	6.2 - 20.2	200	9.2	4.7 - 17.0	<50	0.4	0.1 - 2.6
No	1,500	59.7	51.1 - 67.7	100	2.9	1.2 - 7.0	500	19.4	13.6 - 26.9	300	12.1	7.8 - 18.4	100	5.3	2.8 - 9.9	<50	0.5	0.1 - 2.0

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	1,000	53.3	43.9 - 62.5	100	5.1	2.1 - 12.0	300	17.9	12.4 - 25.3	300	16.3	10.5 - 24.6	100	6.1	3.4 - 10.9	<50	1.2	0.4 - 3.3
131-185%	500	62.0	46.1 - 75.8	100	7.3	2.4 - 20.4	100	12.1	5.5 - 24.6	100	10.4	4.3 - 23.1	100	8.1	2.7 - 21.8	0	0.0	-
186+%	900	67.0	54.6 - 77.4	<50	3.2	0.9 - 11.4	200	15.4	8.3 - 26.9	100	6.1	2.2 - 15.4	100	8.3	3.6 - 18.0	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	1,900
Female	0	0.0	-	2,200

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	0	0.0	-	2,400

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	1,800
131-185%	0	0.0	-	800
186+%	0	0.0	-	1,300

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	600	54.5	41.9 - 66.5	<50	4.3	1.1 - 15.0	100	14.5	8.8 - 23.1	200	23.2	14.2 - 35.4	<50	3.5	1.5 - 8.0	0	0.0	-
\$10,000-\$24,999	500	53.1	40.1 - 65.8	<50	2.7	1.1 - 6.7	200	24.2	15.3 - 36.1	100	7.4	3.2 - 16.5	100	10.5	4.8 - 21.1	<50	2.1	0.7 - 6.0
\$25,000-\$49,999	800	63.7	50.5 - 75.1	100	6.8	2.4 - 17.8	200	17.3	9.3 - 30.0	100	7.8	3.1 - 18.3	100	4.4	1.7 - 11.2	0	0.0	-
>=\$50,000	500	69.7	53.4 - 82.2	<50	5.5	1.5 - 18.7	<50	5.1	1.4 - 16.4	100	7.3	2.2 - 21.2	100	12.4	4.8 - 28.2	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	200	47.8	37.2 - 58.6	<50	2.2	0.6 - 7.4	100	20.1	12.3 - 31.1	100	14.8	8.5 - 24.4	<50	13.5	7.6 - 22.9	<50	1.6	0.3 - 8.7
Normal birth weight	2,300	60.7	53.5 - 67.4	200	4.9	2.6 - 9.2	600	16.1	11.6 - 21.9	400	11.6	7.8 - 16.9	200	6.3	3.6 - 10.7	<50	0.4	0.1 - 1.4

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	8.3	3.7 - 17.6	<50	0.8	0.1 - 4.9	300	27.2	17.7 - 39.2	300	36.0	24.6 - 49.3	200	26.9	16.9 - 39.9	<50	0.8	0.1 - 4.9
No	2,300	73.6	66.3 - 79.8	200	5.9	3.1 - 10.9	400	13.7	9.2 - 19.9	200	5.1	2.6 - 9.5	<50	1.3	0.4 - 4.3	<50	0.4	0.1 - 1.5

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	0	0.0	-	1,000
\$10,000-\$24,999	0	0.0	-	1,000
\$25,000-\$49,999	0	0.0	-	1,200
>=\$50,000	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	400
Normal birth weight	0	0.0	-	3,800

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	900
No	0	0.0	-	3,200

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,900	52.8	45.7 - 59.8	200	5.3	2.8 - 9.8	700	19.3	14.4 - 25.3	500	13.9	9.7 - 19.5	300	8.1	5.1 - 12.7	<50	0.6	0.2 - 1.7
No	500	98.5	94.9 - 99.6	<50	1.5	0.4 - 5.1	0	0.0	-	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,400	59.3	50.7 - 67.3	100	3.9	1.7 - 8.7	500	19.5	13.8 - 26.7	300	12.6	7.9 - 19.6	100	4.1	2.2 - 7.6	<50	0.6	0.2 - 2.2
No	1,000	60.3	49.8 - 70.0	100	5.9	2.4 - 13.8	200	12.0	6.6 - 20.9	200	10.9	6.3 - 18.3	200	10.5	5.5 - 19.1	<50	0.3	0.1 - 1.9

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,600
No	0	0.0	-	600

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,400
No	0	0.0	-	1,700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,000	46.3	40.1 - 52.7	300	7.2	4.3 - 11.9	900	20.2	15.5 - 26.0	700	16.7	12.3 - 22.2	300	7.1	4.6 - 10.7	100	1.6	0.5 - 4.9

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	43.7	35.0 - 52.8	<50	1.9	0.5 - 6.6	200	25.0	18.0 - 33.8	100	17.6	11.6 - 25.8	100	9.6	5.3 - 16.8	<50	1.1	0.2 - 6.3
Honolulu	1,300	46.1	37.2 - 55.2	300	8.9	4.8 - 16.0	600	19.5	13.1 - 28.0	500	17.0	11.1 - 25.1	200	5.5	2.6 - 11.3	100	2.1	0.6 - 7.3
Kauai	100	49.2	37.3 - 61.1	<50	4.1	1.2 - 12.6	<50	16.3	9.2 - 27.2	100	26.4	17.2 - 38.4	<50	4.1	1.2 - 12.6	0	0.0	-
Maui	300	50.8	41.4 - 60.1	<50	6.7	3.3 - 13.3	100	19.0	12.7 - 27.5	100	10.1	5.6 - 17.3	100	13.4	8.2 - 21.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.8	0.2 - 3.9	4,400

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	<50	1.1	0.2 - 6.3	800
Honolulu	<50	1.0	0.1 - 6.4	2,900
Kauai	0	0.0	-	200
Maui	0	0.0	-	500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	500	54.6	40.5 - 68.0	100	8.2	3.0 - 20.1	100	13.2	6.2 - 26.1	100	15.1	6.7 - 30.6	100	9.0	4.1 - 18.3	0	0.0	-
Native Hawaiian	700	40.7	31.7 - 50.3	100	7.1	3.2 - 15.0	400	24.8	17.5 - 33.9	300	18.0	12.0 - 26.0	100	7.7	4.0 - 14.3	<50	1.7	0.3 - 10.9
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	400	55.6	39.5 - 70.7	100	12.1	4.0 - 31.4	100	13.6	5.9 - 28.2	100	11.9	5.0 - 25.5	100	6.8	2.2 - 19.4	0	0.0	-
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	200	40.1	23.7 - 59.0	<50	4.5	0.7 - 25.2	100	18.8	7.3 - 40.6	100	23.7	10.5 - 45.1	0	0.0	-	<50	6.5	1.4 - 25.8

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	100	41.3	21.3 - 64.7	<50	15.7	4.9 - 40.2	<50	8.2	3.0 - 20.4	100	19.2	5.7 - 48.4	<50	10.6	4.3 - 23.6	<50	2.6	0.4 - 14.6
20-24	600	40.6	30.5 - 51.6	100	8.8	3.5 - 20.2	400	24.1	16.2 - 34.4	300	19.0	11.8 - 29.1	100	7.5	3.6 - 14.9	0	0.0	-
25-34	900	48.8	39.5 - 58.2	100	5.4	2.5 - 11.2	400	19.7	12.9 - 29.0	300	17.1	11.0 - 25.7	100	4.4	2.1 - 9.2	100	3.0	0.8 - 10.8
35+	300	56.6	38.3 - 73.3	<50	4.5	0.7 - 25.2	100	17.9	7.4 - 37.4	<50	7.3	2.0 - 22.6	100	13.0	4.7 - 31.4	<50	0.7	0.1 - 3.9

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	0	0.0	-	1,700
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	800
Japanese	n/r	n/r	n/r	300
Other	<50	6.5	1.4 - 25.8	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	<50	2.6	0.4 - 14.6	300
20-24	0	0.0	-	1,600
25-34	<50	1.5	0.2 - 9.4	1,900
35+	0	0.0	-	600

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,100	47.4	38.6 - 56.2	200	7.6	3.8 - 14.7	500	23.2	16.2 - 32.1	300	15.5	10.2 - 22.8	100	4.7	3.0 - 7.4	<50	1.6	0.3 - 7.4
Female	1,000	45.3	36.4 - 54.5	100	6.9	3.1 - 14.4	400	17.1	11.5 - 24.7	400	18.0	11.6 - 26.8	200	9.5	5.2 - 16.8	<50	1.5	0.3 - 8.0

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,100	53.2	43.3 - 62.9	100	4.0	1.5 - 10.0	300	16.6	10.5 - 25.4	400	20.3	13.0 - 30.3	100	5.6	2.4 - 12.7	<50	0.2	0.0 - 1.1
No	1,000	40.5	32.6 - 48.9	200	10.0	5.4 - 17.7	600	23.3	16.8 - 31.4	300	13.6	9.3 - 19.5	200	8.3	5.2 - 13.0	100	2.8	0.8 - 8.8

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	700	36.6	28.3 - 45.7	200	8.1	3.9 - 16.0	500	22.4	15.6 - 31.1	400	19.8	13.6 - 27.8	200	8.4	5.0 - 13.9	100	2.9	0.7 - 10.4
131-185%	400	52.0	36.1 - 67.6	100	8.2	2.1 - 27.2	200	21.1	10.7 - 37.3	100	15.9	6.8 - 32.7	<50	2.8	0.9 - 8.0	0	0.0	-
186+%	800	57.8	46.0 - 68.8	100	5.8	2.2 - 14.1	200	17.0	10.0 - 27.6	200	13.2	6.6 - 24.9	100	5.9	2.2 - 14.7	<50	0.3	0.0 - 1.6

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,200
Female	<50	1.7	0.4 - 7.8	2,100

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,000
No	<50	1.6	0.3 - 7.0	2,400

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	1.8	0.4 - 8.2	2,000
131-185%	0	0.0	-	800
186+%	0	0.0	-	1,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	400	36.1	25.5 - 48.4	100	8.0	2.9 - 20.3	300	23.6	14.7 - 35.8	200	18.6	11.8 - 28.1	100	9.6	5.3 - 17.0	<50	0.7	0.1 - 4.3
\$10,000-\$24,999	400	38.7	26.8 - 52.1	100	7.2	2.4 - 19.9	200	20.4	11.3 - 34.1	200	20.8	11.2 - 35.5	100	6.6	2.5 - 16.7	100	6.2	1.6 - 20.9
\$25,000-\$49,999	600	47.5	35.6 - 59.7	100	8.4	3.2 - 20.0	300	20.0	12.2 - 31.0	300	20.8	12.1 - 33.5	<50	3.3	1.6 - 6.6	0	0.0	-
>=\$50,000	600	66.5	51.2 - 79.0	<50	4.8	1.4 - 15.5	100	15.6	7.2 - 30.7	<50	4.8	1.4 - 15.5	100	7.8	2.4 - 22.4	<50	0.5	0.1 - 2.5

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	200	50.8	40.8 - 60.8	<50	6.8	3.2 - 14.0	100	19.6	12.4 - 29.4	100	15.5	9.2 - 24.8	<50	6.4	3.0 - 13.4	<50	1.0	0.2 - 5.3
Normal birth weight	1,800	45.9	39.1 - 52.9	300	7.3	4.1 - 12.5	800	20.3	15.2 - 26.6	700	16.8	12.1 - 22.8	300	7.1	4.5 - 11.2	100	1.6	0.5 - 5.4

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	10.3	4.8 - 20.9	100	6.7	2.5 - 16.6	400	26.2	17.2 - 37.8	400	31.1	21.4 - 42.8	300	18.4	11.4 - 28.3	100	4.8	1.5 - 14.1
No	1,800	64.9	57.1 - 71.9	200	7.8	4.2 - 13.9	500	16.9	11.8 - 23.5	300	8.9	5.3 - 14.5	<50	1.6	0.8 - 3.1	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	<50	3.3	0.7 - 14.0	1,100
\$10,000-\$24,999	0	0.0	-	900
\$25,000-\$49,999	0	0.0	-	1,300
>=\$50,000	0	0.0	-	900

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	400
Normal birth weight	<50	0.9	0.2 - 4.3	4,000

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.6	0.5 - 11.2	1,400
No	0	0.0	-	2,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,600	40.9	34.3 - 47.7	300	8.2	4.9 - 13.5	800	21.8	16.6 - 28.1	700	18.2	13.5 - 24.2	300	8.0	5.2 - 12.2	100	1.8	0.6 - 5.5
No	400	96.0	88.5 - 98.7	0	0.0	-	<50	4.0	1.3 - 11.5	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	900	38.3	30.7 - 46.5	200	9.0	4.8 - 16.2	500	22.3	16.2 - 29.9	400	17.0	11.7 - 24.2	300	10.4	6.5 - 16.2	100	2.7	0.8 - 8.7
No	1,100	57.7	47.3 - 67.4	100	3.7	1.3 - 10.3	300	18.3	11.4 - 28.0	300	15.4	9.2 - 24.8	100	3.1	1.1 - 8.4	<50	0.2	0.0 - 1.1

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.0	0.2 - 4.4	3,800
No	0	0.0	-	400

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.3	0.1 - 2.0	2,400
No	<50	1.5	0.2 - 9.6	1,900

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	2,300	48.8	42.8 - 54.8	200	4.8	2.7 - 8.3	900	19.7	15.3 - 25.0	800	16.0	12.1 - 20.9	400	9.0	6.0 - 13.4	<50	1.0	0.3 - 3.6

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	43.5	34.9 - 52.6	<50	4.1	1.6 - 9.8	200	21.9	15.3 - 30.4	200	19.8	13.5 - 28.0	100	10.7	6.3 - 17.7	0	0.0	-
Honolulu	1,500	48.1	39.5 - 56.8	200	5.2	2.5 - 10.7	600	20.1	14.0 - 28.0	500	14.6	9.5 - 22.0	300	10.0	5.8 - 16.7	<50	1.0	0.1 - 6.5
Kauai	100	49.1	38.2 - 60.1	<50	5.0	1.9 - 12.8	100	25.2	16.6 - 36.3	<50	13.6	7.5 - 23.2	<50	3.5	1.0 - 11.2	<50	3.5	1.0 - 11.2
Maui	300	60.0	50.8 - 68.5	<50	3.3	1.2 - 9.0	100	12.6	7.6 - 20.0	100	19.1	12.9 - 27.4	<50	4.0	1.6 - 9.4	<50	1.0	0.2 - 5.9

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.7	0.1 - 4.3	4,700

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	800
Honolulu	<50	1.0	0.1 - 6.5	3,100
Kauai	0	0.0	-	300
Maui	0	0.0	-	600

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	800	69.1	57.0 - 79.1	<50	3.8	1.2 - 11.1	100	11.8	6.1 - 21.6	100	9.4	4.5 - 18.6	<50	2.6	0.5 - 11.7	<50	0.3	0.1 - 1.9
Native Hawaiian	600	31.7	24.3 - 40.2	100	6.4	3.1 - 12.5	500	27.6	20.0 - 36.8	400	21.1	14.5 - 29.7	200	13.1	7.7 - 21.6	0	0.0	-
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	300	56.6	37.8 - 73.7	<50	6.2	0.9 - 32.1	100	12.7	4.6 - 30.6	100	12.6	5.1 - 28.1	100	11.8	4.0 - 30.3	0	0.0	-
Japanese	300	50.2	31.5 - 68.8	<50	6.1	0.9 - 31.5	100	17.7	7.3 - 36.8	100	23.2	10.4 - 44.0	<50	1.7	0.3 - 9.9	<50	1.2	0.2 - 6.8
Other	300	47.9	30.7 - 65.7	<50	0.8	0.1 - 4.7	100	18.4	7.8 - 37.4	100	13.1	5.2 - 29.5	100	14.5	5.5 - 33.1	<50	5.2	0.8 - 27.9

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	300	46.1	29.2 - 64.0	100	9.4	3.0 - 26.3	100	23.6	11.2 - 43.0	100	12.3	4.8 - 28.1	<50	3.1	1.0 - 9.1	<50	5.4	0.8 - 28.7
20-24	600	48.0	37.0 - 59.3	<50	3.0	1.4 - 6.3	300	24.9	16.2 - 36.4	200	13.1	7.5 - 21.8	100	10.7	5.1 - 20.9	<50	0.3	0.1 - 1.5
25-34	1,200	49.9	41.4 - 58.4	100	5.2	2.2 - 12.0	400	18.5	12.8 - 26.0	400	17.3	11.7 - 24.8	200	8.9	4.8 - 15.9	<50	0.3	0.0 - 1.5
35+	200	48.9	31.7 - 66.4	<50	2.6	0.9 - 7.3	<50	7.2	3.4 - 14.5	100	22.0	10.0 - 41.6	100	12.1	4.3 - 29.5	<50	1.0	0.2 - 5.5

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	2.8	0.4 - 16.8	1,100
Native Hawaiian	0	0.0	-	1,900
Chinese	n/r	n/r	n/r	200
Filipino	0	0.0	-	500
Japanese	0	0.0	-	500
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	600
20-24	0	0.0	-	1,300
25-34	0	0.0	-	2,300
35+	<50	6.1	0.9 - 31.7	500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	1,300	52.3	43.8 - 60.6	100	4.6	2.1 - 10.0	400	15.2	10.1 - 22.3	400	14.4	9.6 - 21.2	300	11.9	7.1 - 19.3	<50	1.5	0.3 - 7.3
Female	1,000	45.1	36.7 - 53.7	100	5.0	2.3 - 10.6	600	24.6	17.8 - 32.9	400	17.7	12.0 - 25.3	100	5.9	3.0 - 11.3	<50	0.4	0.1 - 1.3

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	62.5	53.0 - 71.1	100	3.9	1.6 - 9.2	300	16.2	10.4 - 24.6	300	13.2	7.9 - 21.3	100	4.0	1.7 - 9.0	<50	0.2	0.0 - 1.1
No	1,100	39.2	31.9 - 46.9	200	5.5	2.7 - 10.8	600	22.2	16.3 - 29.5	500	18.0	12.9 - 24.5	300	12.6	7.9 - 19.4	<50	1.5	0.4 - 6.2

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	900	37.2	29.4 - 45.7	100	6.3	3.0 - 12.7	500	22.5	16.1 - 30.5	400	18.1	12.6 - 25.3	300	13.9	8.6 - 21.9	<50	2.0	0.5 - 7.3
131-185%	300	40.5	26.7 - 56.0	<50	5.3	1.4 - 18.0	200	29.2	16.4 - 46.5	100	14.4	6.6 - 28.6	<50	6.2	1.6 - 21.5	0	0.0	-
186+%	900	74.3	63.9 - 82.6	<50	2.8	0.7 - 10.0	100	9.3	5.1 - 16.5	100	9.3	4.4 - 18.6	100	4.3	1.7 - 10.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,500
Female	<50	1.4	0.2 - 8.6	2,300

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,000
No	<50	1.1	0.2 - 7.2	2,800

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,300
131-185%	<50	4.3	0.6 - 23.8	700
186+%	0	0.0	-	1,300

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	400	29.3	19.2 - 42.1	100	12.1	5.8 - 23.3	300	25.0	15.9 - 37.1	200	18.3	10.5 - 29.9	200	14.8	7.6 - 26.9	<50	0.5	0.1 - 2.9
\$10,000-\$24,999	600	46.9	36.3 - 57.8	0	0.0	-	200	17.0	9.8 - 27.9	200	18.5	12.0 - 27.6	100	11.9	5.9 - 22.6	<50	3.2	0.7 - 13.4
\$25,000-\$49,999	500	50.8	37.9 - 63.6	<50	2.7	1.1 - 6.1	300	27.1	16.7 - 40.7	100	12.6	6.2 - 23.9	100	6.9	2.3 - 18.9	0	0.0	-
>=\$50,000	700	74.3	61.4 - 84.0	100	5.9	1.7 - 18.8	100	7.6	3.5 - 15.7	100	8.7	3.4 - 20.4	<50	3.5	1.6 - 7.5	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	200	43.4	33.9 - 53.4	<50	5.6	2.6 - 11.6	100	19.8	13.2 - 28.6	100	18.1	11.2 - 27.8	100	13.2	7.9 - 21.3	0	0.0	-
Normal birth weight	2,100	49.7	43.2 - 56.2	200	4.8	2.6 - 8.6	800	19.2	14.5 - 24.9	700	15.9	11.7 - 21.2	400	8.7	5.5 - 13.6	<50	1.1	0.3 - 4.0

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	300	16.9	10.2 - 26.6	100	3.2	1.0 - 9.6	300	19.5	13.0 - 28.3	600	35.3	26.4 - 45.5	400	20.7	13.3 - 30.6	<50	2.6	0.7 - 9.5
No	2,000	67.5	59.9 - 74.2	200	5.6	2.9 - 10.6	600	20.0	14.4 - 27.1	100	4.6	2.4 - 8.7	100	2.3	0.9 - 5.8	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	0	0.0	-	1,200
\$10,000-\$24,999	<50	2.5	0.4 - 15.1	1,200
\$25,000-\$49,999	0	0.0	-	1,000
>=\$50,000	0	0.0	-	900

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	400
Normal birth weight	<50	0.7	0.1 - 4.7	4,300

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.8	0.3 - 11.1	1,700
No	0	0.0	-	2,900

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,700	42.0	35.7 - 48.6	200	5.4	3.0 - 9.4	900	21.9	16.9 - 27.9	700	18.4	13.9 - 23.9	400	10.6	7.0 - 15.6	<50	1.0	0.2 - 4.3
No	600	89.9	79.1 - 95.4	<50	0.7	0.1 - 4.0	<50	6.5	2.1 - 18.1	<50	2.0	0.5 - 7.5	0	0.0	-	<50	0.9	0.2 - 5.3

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	43.9	36.4 - 51.7	100	4.5	2.2 - 8.9	600	20.9	15.2 - 27.9	500	19.9	14.5 - 26.6	200	8.0	4.7 - 13.3	<50	1.7	0.4 - 6.3
No	1,100	55.1	45.4 - 64.5	100	5.2	2.2 - 12.0	400	18.3	11.9 - 27.1	200	11.1	6.2 - 19.0	200	10.3	5.4 - 18.7	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.8	0.1 - 5.0	4,000
No	0	0.0	-	600

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.2	0.2 - 7.5	2,700
No	0	0.0	-	2,100

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	1,400	37.9	32.8 - 43.3	200	4.6	2.8 - 7.6	800	20.4	16.3 - 25.2	800	21.1	16.9 - 26.0	500	14.5	11.0 - 18.9	<50	0.9	0.3 - 2.5

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	200	33.0	21.4 - 47.2	<50	4.4	1.2 - 15.5	100	22.9	13.1 - 37.0	100	24.2	14.0 - 38.7	100	15.3	7.7 - 28.4	0	0.0	-
Honolulu	1,000	38.9	32.7 - 45.4	100	5.2	2.9 - 9.1	500	19.2	14.5 - 25.0	500	20.5	15.7 - 26.3	400	14.0	9.9 - 19.3	<50	1.3	0.4 - 3.7
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	200	38.8	24.9 - 54.7	<50	2.9	0.4 - 16.7	100	20.4	10.4 - 36.1	100	26.1	14.1 - 43.0	100	11.9	4.7 - 27.2	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.7	0.2 - 2.5	3,700

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	<50	1.0	0.3 - 3.7	2,600
Kauai	n/r	n/r	n/r	100
Maui	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	45.2	34.6 - 56.3	100	7.1	3.1 - 15.4	100	13.8	7.8 - 23.3	100	12.4	6.7 - 21.6	200	20.1	12.7 - 30.3	<50	1.4	0.2 - 8.7
Native Hawaiian	400	24.8	17.7 - 33.7	100	5.7	2.6 - 11.7	300	21.0	14.5 - 29.6	500	30.9	23.0 - 40.0	200	16.6	10.8 - 24.7	0	0.0	-
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	200	47.6	33.8 - 61.8	0	0.0	-	100	21.4	11.9 - 35.5	100	16.7	8.4 - 30.2	<50	9.5	3.8 - 21.9	<50	2.4	0.4 - 13.9
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	300	55.3	41.5 - 68.3	<50	4.7	1.4 - 14.8	100	17.8	9.4 - 31.2	100	12.8	6.0 - 25.4	<50	7.8	2.7 - 20.6	<50	1.5	0.2 - 9.5

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	100	33.6	19.6 - 51.2	<50	3.0	0.5 - 17.2	100	17.5	8.1 - 34.1	100	20.3	9.7 - 37.6	100	17.3	7.7 - 34.5	<50	5.6	1.5 - 19.1
20-24	500	39.6	30.5 - 49.5	<50	2.1	0.6 - 7.5	200	20.8	13.7 - 30.2	300	27.9	19.8 - 37.8	100	9.6	5.2 - 17.2	0	0.0	-
25-34	600	36.6	29.4 - 44.5	100	6.2	3.2 - 11.7	400	23.0	16.8 - 30.5	300	19.3	13.7 - 26.4	200	14.1	9.3 - 20.8	0	0.0	-
35+	200	42.5	28.4 - 58.0	<50	6.4	1.9 - 19.3	<50	11.3	4.8 - 24.5	<50	10.6	4.2 - 24.4	100	26.9	15.1 - 43.2	<50	2.2	0.3 - 13.2

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	<50	1.0	0.1 - 6.2	1,500
Chinese	n/r	n/r	n/r	<50
Filipino	<50	2.4	0.4 - 13.9	400
Japanese	n/r	n/r	n/r	300
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	<50	2.6	0.4 - 15.3	400
20-24	0	0.0	-	1,200
25-34	<50	0.8	0.1 - 5.2	1,700
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	800	41.6	34.6 - 49.0	100	5.2	2.7 - 9.6	400	18.8	13.6 - 25.4	400	17.8	12.8 - 24.4	300	16.0	11.2 - 22.3	<50	0.6	0.1 - 3.8
Female	600	33.5	26.3 - 41.5	100	4.0	1.7 - 8.9	400	22.2	16.1 - 29.8	400	24.9	18.5 - 32.6	200	12.8	8.3 - 19.4	<50	1.2	0.3 - 4.3

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	600	37.7	30.4 - 45.6	100	5.6	2.8 - 10.7	300	19.7	14.1 - 26.9	300	20.6	14.8 - 28.0	300	15.1	10.2 - 21.7	<50	1.3	0.3 - 4.7
No	800	38.0	31.1 - 45.5	100	3.8	1.8 - 8.0	400	20.9	15.3 - 27.8	400	21.4	15.8 - 28.3	300	14.1	9.5 - 20.4	<50	0.5	0.1 - 3.3

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	600	29.0	22.4 - 36.5	<50	2.2	0.8 - 5.9	500	23.3	17.3 - 30.7	500	25.1	18.9 - 32.5	400	18.2	13.0 - 25.1	<50	1.7	0.6 - 4.8
131-185%	200	38.2	25.6 - 52.6	<50	2.2	0.3 - 13.3	100	16.9	8.5 - 30.8	100	27.2	16.3 - 41.7	100	12.8	5.6 - 26.6	0	0.0	-
186+%	500	53.2	43.1 - 63.0	100	6.0	2.6 - 13.3	200	17.6	11.2 - 26.6	100	11.3	6.2 - 19.7	100	11.9	6.7 - 20.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,000
Female	<50	1.5	0.4 - 5.4	1,700

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	<50	1.2	0.3 - 4.6	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	0.5	0.1 - 3.5	1,900
131-185%	<50	2.7	0.4 - 15.7	500
186+%	0	0.0	-	1,000

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	200	27.1	17.9 - 38.8	<50	1.5	0.2 - 9.0	100	16.3	9.3 - 27.0	300	35.0	24.6 - 47.0	200	17.7	10.3 - 28.7	<50	1.2	0.2 - 7.6
\$10,000-\$24,999	400	36.8	27.7 - 46.8	100	4.8	2.0 - 11.3	300	24.6	16.9 - 34.4	200	21.0	14.1 - 30.2	100	10.9	6.1 - 18.8	<50	1.8	0.5 - 6.8
\$25,000-\$49,999	300	42.1	31.6 - 53.3	<50	1.5	0.2 - 8.9	200	20.2	12.5 - 31.0	100	11.3	5.8 - 20.6	200	23.3	14.9 - 34.6	0	0.0	-
>=\$50,000	300	47.3	35.4 - 59.5	<50	7.2	2.8 - 17.2	100	18.7	11.0 - 30.2	100	16.4	8.9 - 28.5	100	10.3	4.8 - 20.5	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	1,300	38.6	33.3 - 44.2	100	4.2	2.4 - 7.2	700	21.2	16.8 - 26.3	700	20.6	16.3 - 25.7	500	13.8	10.2 - 18.2	<50	0.9	0.3 - 2.7

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	7.9	4.4 - 13.8	<50	2.5	0.9 - 6.6	400	23.4	16.9 - 31.5	500	34.0	26.4 - 42.5	500	28.5	21.5 - 36.9	<50	2.0	0.7 - 5.8
No	1,300	60.3	53.0 - 67.1	100	6.2	3.5 - 10.9	400	18.1	13.1 - 24.3	200	11.4	7.5 - 17.0	100	4.1	2.0 - 8.1	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	<50	1.2	0.2 - 7.6	900
\$10,000-\$24,999	0	0.0	-	1,200
\$25,000-\$49,999	<50	1.7	0.3 - 10.6	800
>=\$50,000	0	0.0	-	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	<50	0.7	0.2 - 2.7	3,500

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.6	0.4 - 5.8	1,600
No	0	0.0	-	2,100

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,300	36.9	31.8 - 42.5	200	4.9	2.9 - 8.0	700	19.8	15.6 - 24.7	800	21.4	17.1 - 26.5	500	15.4	11.7 - 20.0	<50	0.9	0.3 - 2.7
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	800	36.1	29.4 - 43.4	100	4.5	2.3 - 8.8	300	15.7	10.9 - 22.0	500	25.0	19.1 - 32.0	400	17.6	12.7 - 24.0	<50	0.6	0.1 - 3.6
No	600	40.0	32.3 - 48.2	100	4.9	2.3 - 10.3	400	27.8	20.9 - 35.9	200	16.2	10.9 - 23.5	100	8.8	5.0 - 14.9	<50	1.3	0.4 - 4.9

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.7	0.2 - 2.7	3,500
No	n/r	n/r	n/r	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.5	0.1 - 3.1	2,200
No	<50	0.9	0.1 - 6.0	1,500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	1,500	37.4	32.5 - 42.6	200	6.3	4.2 - 9.4	800	21.0	16.9 - 25.8	800	20.5	16.5 - 25.1	500	12.3	9.2 - 16.3	100	2.0	0.9 - 4.3

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	200	28.5	18.1 - 41.8	<50	6.4	2.2 - 17.4	100	20.3	11.2 - 33.9	200	32.8	21.5 - 46.6	100	12.0	5.7 - 23.7	0	0.0	-
Honolulu	1,000	37.4	31.5 - 43.7	200	6.1	3.7 - 9.9	600	22.0	17.0 - 27.9	500	18.3	13.8 - 23.7	300	12.6	8.8 - 17.6	100	3.0	1.4 - 6.4
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	200	47.2	32.2 - 62.7	<50	7.9	2.7 - 21.0	100	16.3	7.2 - 32.8	100	14.1	6.1 - 29.3	100	14.5	6.4 - 29.6	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.4	0.1 - 2.0	3,900

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	<50	0.7	0.1 - 3.0	2,600
Kauai	n/r	n/r	n/r	200
Maui	0	0.0	-	500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	41.5	32.0 - 51.8	100	5.9	2.5 - 12.9	100	14.4	8.6 - 23.2	200	20.3	13.2 - 29.7	200	16.9	10.5 - 26.0	<50	1.1	0.2 - 6.6
Native Hawaiian	300	24.3	17.3 - 33.1	100	6.1	2.8 - 12.6	400	26.3	18.7 - 35.6	300	23.2	16.2 - 32.0	200	15.2	9.7 - 23.1	100	3.9	1.5 - 9.6
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	200	47.7	34.9 - 60.8	100	10.2	4.5 - 21.6	100	14.4	7.2 - 26.5	100	25.4	15.7 - 38.4	<50	2.3	0.4 - 13.5	0	0.0	-
Japanese	200	53.0	36.8 - 68.6	<50	5.7	1.5 - 19.6	100	26.5	14.2 - 44.0	<50	11.4	4.5 - 26.2	<50	3.3	0.5 - 18.9	0	0.0	-
Other	200	40.4	27.5 - 54.8	<50	5.2	2.0 - 12.5	100	22.6	12.9 - 36.5	100	14.7	7.0 - 28.4	100	13.8	6.3 - 27.4	<50	2.6	0.4 - 15.3

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
20-24	600	38.9	30.8 - 47.7	100	7.7	4.2 - 13.5	300	20.3	14.1 - 28.3	300	19.9	13.9 - 27.8	200	11.3	6.8 - 18.3	<50	1.9	0.5 - 6.9
25-34	600	36.7	29.6 - 44.4	100	4.9	2.5 - 9.5	300	17.2	11.9 - 24.2	400	23.5	17.5 - 30.9	200	13.6	8.9 - 20.2	100	3.1	1.2 - 7.6
35+	200	54.4	38.1 - 69.8	<50	6.2	1.6 - 21.0	100	14.5	6.5 - 29.3	<50	11.3	4.4 - 26.0	100	13.6	5.4 - 30.0	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,000
Native Hawaiian	<50	1.0	0.1 - 6.2	1,400
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	500
Japanese	0	0.0	-	400
Other	<50	0.7	0.1 - 3.8	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	400
20-24	0	0.0	-	1,400
25-34	<50	1.0	0.2 - 4.6	1,700
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	700	36.8	30.0 - 44.1	100	7.0	4.1 - 11.7	500	23.3	17.5 - 30.4	400	20.5	15.1 - 27.2	200	10.9	7.0 - 16.6	<50	1.4	0.4 - 5.0
Female	700	38.0	31.1 - 45.5	100	5.6	3.0 - 10.2	400	18.7	13.3 - 25.5	400	20.5	15.1 - 27.2	300	13.8	9.3 - 19.9	100	2.7	1.1 - 6.8

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	700	45.0	37.3 - 52.9	100	6.0	3.2 - 11.1	300	17.4	12.1 - 24.4	300	19.7	14.1 - 26.9	200	10.2	6.2 - 16.2	<50	1.5	0.4 - 5.5
No	700	31.9	25.7 - 38.7	100	6.6	3.9 - 10.9	500	23.7	18.0 - 30.4	500	21.0	15.9 - 27.3	300	13.9	9.6 - 19.6	100	2.4	0.9 - 6.0

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	500	27.1	21.0 - 34.2	100	5.6	3.0 - 10.1	500	27.0	20.6 - 34.4	400	22.2	16.6 - 29.0	300	14.1	9.6 - 20.3	100	3.4	1.5 - 7.7
131-185%	200	42.2	29.0 - 56.6	<50	5.0	1.3 - 17.0	100	13.2	6.0 - 26.6	100	22.7	12.7 - 37.2	100	14.8	7.0 - 28.5	<50	2.1	0.3 - 12.6
186+%	600	51.8	42.6 - 61.0	100	8.0	4.2 - 14.7	200	16.2	10.4 - 24.4	200	15.2	9.5 - 23.3	100	8.4	4.4 - 15.5	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	0.2	0.0 - 1.0	2,000
Female	<50	0.7	0.1 - 4.5	1,900

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.2	0.0 - 1.2	1,700
No	<50	0.6	0.1 - 3.9	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	0.7	0.1 - 4.3	2,000
131-185%	0	0.0	-	500
186+%	<50	0.3	0.1 - 1.7	1,200

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	200	22.6	14.9 - 32.6	100	5.1	2.1 - 11.7	300	31.3	21.9 - 42.5	200	21.4	14.0 - 31.2	100	11.6	6.3 - 20.3	100	6.8	2.9 - 14.8
\$10,000-\$24,999	300	33.1	24.2 - 43.3	100	6.0	2.5 - 13.9	200	21.1	13.7 - 31.0	200	20.6	13.4 - 30.4	200	19.2	12.1 - 29.1	0	0.0	-
\$25,000-\$49,999	400	41.6	31.5 - 52.4	100	7.8	3.8 - 15.5	200	19.5	12.3 - 29.5	200	20.3	12.9 - 30.4	100	9.2	4.6 - 17.7	<50	1.2	0.2 - 7.3
>=\$50,000	400	55.3	43.7 - 66.3	<50	6.1	2.4 - 14.8	100	11.9	6.2 - 21.6	100	18.6	11.1 - 29.6	100	8.0	3.5 - 17.3	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	1,400	39.7	34.5 - 45.1	200	6.9	4.6 - 10.3	700	19.6	15.5 - 24.5	700	19.8	15.8 - 24.6	400	11.3	8.2 - 15.4	100	2.2	1.0 - 4.7

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	4.5	2.1 - 9.3	100	4.1	1.8 - 9.2	400	25.5	18.6 - 33.9	600	36.0	28.3 - 44.5	400	24.6	17.9 - 32.7	100	4.2	1.8 - 9.4
No	1,400	58.9	52.2 - 65.4	200	7.8	4.9 - 12.1	400	18.1	13.4 - 24.0	200	10.3	6.9 - 15.2	100	4.3	2.2 - 8.2	<50	0.6	0.1 - 3.7

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	<50	1.3	0.2 - 8.4	1,000
\$10,000-\$24,999	0	0.0	-	1,000
\$25,000-\$49,999	<50	0.4	0.1 - 2.2	900
>=\$50,000	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	400
Normal birth weight	<50	0.5	0.1 - 2.2	3,600

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.1	0.2 - 5.0	1,500
No	0	0.0	-	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	33.7	28.8 - 39.0	200	6.8	4.5 - 10.0	800	21.9	17.5 - 26.9	800	21.9	17.7 - 26.7	500	13.2	9.8 - 17.4	100	2.2	1.0 - 4.6
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	700	33.5	27.1 - 40.7	100	5.3	2.8 - 9.6	500	23.8	17.9 - 30.9	500	22.1	16.6 - 28.8	200	11.4	7.5 - 17.0	100	3.2	1.4 - 7.2
No	700	41.9	34.5 - 49.6	100	7.9	4.6 - 13.1	300	17.1	12.0 - 23.8	300	19.6	14.1 - 26.6	200	12.5	8.1 - 18.9	<50	0.8	0.1 - 4.9

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.5	0.1 - 2.1	3,700
No	n/r	n/r	n/r	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.7	0.1 - 4.3	2,000
No	<50	0.2	0.0 - 1.1	1,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	1,500	36.6	31.7 - 41.8	300	6.2	4.0 - 9.4	800	19.2	15.3 - 23.8	900	20.6	16.5 - 25.3	600	14.6	11.2 - 18.8	100	2.8	1.5 - 5.5

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	300	40.1	28.1 - 53.3	<50	5.7	1.9 - 15.9	100	8.8	3.7 - 19.7	200	27.6	17.3 - 40.8	100	15.5	8.0 - 28.0	<50	2.3	0.4 - 13.9
Honolulu	1,000	35.4	29.6 - 41.8	200	7.1	4.4 - 11.4	500	18.9	14.3 - 24.5	600	20.6	15.8 - 26.3	400	15.0	10.9 - 20.2	100	3.1	1.4 - 6.5
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	100	29.8	17.4 - 46.1	<50	3.9	0.9 - 15.8	200	37.3	22.8 - 54.4	100	13.8	5.5 - 30.7	100	11.6	4.5 - 26.6	<50	3.7	0.6 - 20.4

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	4,100

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	700
Honolulu	0	0.0	-	2,800
Kauai	n/r	n/r	n/r	200
Maui	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	500	49.4	39.4 - 59.4	100	5.0	1.9 - 12.2	200	14.8	9.0 - 23.5	200	18.1	11.6 - 27.2	100	10.4	5.7 - 18.4	<50	2.3	0.6 - 8.3
Native Hawaiian	400	24.4	17.4 - 33.0	100	7.7	4.0 - 14.3	300	20.3	13.8 - 28.9	300	22.2	15.5 - 30.8	300	20.4	14.0 - 28.8	100	5.0	2.1 - 11.1
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	200	42.0	28.1 - 57.4	<50	7.3	2.5 - 19.7	100	26.1	15.0 - 41.4	100	19.5	9.9 - 34.7	<50	5.1	1.3 - 17.4	0	0.0	-
Japanese	200	52.0	35.4 - 68.1	<50	2.6	0.4 - 15.4	100	16.9	7.4 - 34.0	100	19.5	9.2 - 36.6	<50	9.1	3.0 - 24.3	0	0.0	-
Other	200	31.5	20.7 - 44.7	<50	5.6	1.7 - 16.7	100	19.6	11.0 - 32.6	100	22.6	13.0 - 36.4	100	18.2	10.3 - 30.3	<50	2.5	0.4 - 14.5

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	32.9	19.7 - 49.6	<50	9.0	3.0 - 23.7	100	21.6	11.3 - 37.3	100	24.3	13.0 - 40.9	100	12.1	4.8 - 27.5	0	0.0	-
20-24	400	32.5	24.0 - 42.4	200	13.4	7.9 - 21.8	300	21.5	14.3 - 30.9	200	14.7	8.9 - 23.3	200	14.4	8.7 - 22.9	<50	3.6	1.2 - 10.2
25-34	700	36.1	29.2 - 43.7	<50	2.1	0.7 - 5.5	400	18.3	13.0 - 25.0	500	25.4	19.2 - 32.7	300	14.4	9.8 - 20.6	100	3.7	1.6 - 8.4
35+	200	54.7	39.4 - 69.2	<50	0.9	0.2 - 5.0	100	13.9	6.1 - 28.8	<50	11.3	4.4 - 26.0	100	19.1	9.4 - 34.8	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,100
Native Hawaiian	0	0.0	-	1,500
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	400
Japanese	0	0.0	-	400
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	500
20-24	0	0.0	-	1,200
25-34	0	0.0	-	2,000
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	900	40.5	33.6 - 47.8	100	5.2	2.7 - 9.8	400	19.7	14.4 - 26.3	400	17.0	12.1 - 23.4	300	15.6	11.0 - 21.7	<50	2.0	0.7 - 5.9
Female	600	32.3	25.6 - 39.9	100	7.3	4.2 - 12.5	400	18.6	13.3 - 25.5	500	24.5	18.4 - 31.9	300	13.5	9.0 - 19.8	100	3.7	1.6 - 8.5

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	800	43.0	35.7 - 50.6	100	6.3	3.5 - 11.1	300	17.4	12.4 - 24.1	400	19.7	14.2 - 26.6	200	12.2	8.1 - 18.0	<50	1.3	0.4 - 4.9
No	700	31.3	24.9 - 38.5	100	6.1	3.3 - 11.0	500	20.6	15.2 - 27.3	500	21.3	15.8 - 28.1	400	16.6	11.7 - 23.0	100	4.1	1.9 - 8.6

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	500	26.6	20.2 - 34.2	100	7.6	4.2 - 13.3	400	20.1	14.5 - 27.2	400	22.3	16.3 - 29.7	400	19.3	13.7 - 26.4	100	4.1	1.8 - 9.2
131-185%	300	41.5	29.4 - 54.8	100	7.6	3.0 - 18.2	100	16.3	8.3 - 29.5	200	24.6	15.0 - 37.4	100	10.0	4.4 - 21.4	0	0.0	-
186+%	600	49.0	39.8 - 58.3	<50	3.2	1.3 - 7.7	200	16.6	10.7 - 24.9	200	16.0	10.0 - 24.4	100	12.0	7.3 - 19.2	<50	3.1	1.1 - 8.8

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,200
Female	0	0.0	-	2,000

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,900
No	0	0.0	-	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,000
131-185%	0	0.0	-	700
186+%	0	0.0	-	1,200

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	200	23.1	15.1 - 33.7	100	8.4	3.9 - 17.1	200	17.6	10.7 - 27.7	200	22.8	14.7 - 33.7	200	21.8	13.9 - 32.3	100	6.2	2.5 - 14.9
\$10,000-\$24,999	400	36.1	26.8 - 46.5	100	5.8	2.3 - 13.9	200	21.0	13.7 - 30.9	200	18.0	11.1 - 27.7	200	17.7	10.9 - 27.3	<50	1.5	0.2 - 9.2
\$25,000-\$49,999	400	39.2	29.6 - 49.8	100	7.3	3.5 - 14.7	200	17.8	10.9 - 27.7	300	26.5	18.3 - 36.7	100	8.0	3.8 - 15.8	<50	1.2	0.2 - 7.3
>=\$50,000	400	53.1	41.1 - 64.8	<50	2.0	0.5 - 7.8	100	15.6	8.6 - 26.5	100	12.6	6.3 - 23.6	100	13.1	7.1 - 23.0	<50	3.6	1.0 - 12.7

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	1,500	38.7	33.5 - 44.1	200	5.9	3.8 - 9.2	700	18.5	14.5 - 23.2	800	19.7	15.6 - 24.6	500	14.2	10.7 - 18.5	100	3.1	1.6 - 5.9

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	8.6	5.0 - 14.5	100	4.5	2.0 - 9.8	300	19.3	13.5 - 26.9	500	30.8	23.6 - 39.1	500	30.6	23.4 - 38.9	100	6.1	3.0 - 12.0
No	1,400	56.8	49.8 - 63.5	200	7.4	4.4 - 12.0	500	18.7	13.8 - 24.8	300	13.3	9.2 - 19.0	100	3.3	1.6 - 6.6	<50	0.5	0.1 - 3.3

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	0	0.0	-	1,000
\$10,000-\$24,999	0	0.0	-	1,100
\$25,000-\$49,999	0	0.0	-	1,000
>=\$50,000	0	0.0	-	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	0	0.0	-	3,800

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700
No	0	0.0	-	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,300	34.2	29.2 - 39.6	200	5.9	3.8 - 9.2	700	19.2	15.2 - 24.0	900	22.0	17.7 - 26.9	600	15.6	12.0 - 20.1	100	3.0	1.6 - 5.8
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	700	31.4	25.1 - 38.5	100	6.4	3.6 - 11.2	400	18.7	13.6 - 25.1	500	22.9	17.2 - 29.6	400	16.6	11.9 - 22.8	100	4.0	1.9 - 8.5
No	800	42.7	35.2 - 50.5	100	6.0	3.1 - 11.1	400	20.3	14.6 - 27.4	300	18.1	12.8 - 25.1	200	11.5	7.4 - 17.5	<50	1.4	0.4 - 5.2

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,900
No	n/r	n/r	n/r	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,300
No	0	0.0	-	1,800

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	1,500	37.8	33.0 - 42.8	200	4.3	2.7 - 7.0	800	21.2	17.4 - 25.7	900	22.8	18.7 - 27.5	400	9.2	6.6 - 12.7	100	3.5	2.0 - 6.2

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	200	39.9	27.4 - 53.8	0	0.0	-	100	19.9	11.0 - 33.4	200	33.4	21.8 - 47.4	<50	4.0	1.1 - 13.9	<50	2.8	0.6 - 11.6
Honolulu	1,100	38.5	32.8 - 44.6	100	3.9	2.1 - 7.0	600	21.6	17.1 - 27.0	600	20.8	16.2 - 26.2	300	9.8	6.7 - 14.2	100	4.5	2.4 - 8.2
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	100	30.3	18.1 - 46.1	100	12.2	4.8 - 27.6	100	22.5	11.9 - 38.5	100	21.4	11.3 - 36.8	<50	11.2	3.9 - 28.2	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	1.1	0.4 - 2.8	3,900

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	<50	0.8	0.2 - 3.1	2,700
Kauai	n/r	n/r	n/r	200
Maui	<50	2.4	0.4 - 14.1	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	46.3	36.0 - 57.0	100	7.8	3.6 - 15.7	100	16.1	9.6 - 25.7	200	16.9	10.3 - 26.4	100	7.8	3.6 - 15.7	<50	4.1	1.4 - 11.3
Native Hawaiian	500	30.9	23.5 - 39.5	100	3.4	1.3 - 8.5	300	20.5	14.4 - 28.3	500	30.1	22.7 - 38.7	200	10.4	6.1 - 17.2	100	3.9	1.5 - 9.6
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	200	34.6	23.8 - 47.3	<50	1.8	0.3 - 10.5	200	32.6	22.1 - 45.2	100	21.3	12.8 - 33.3	<50	7.6	3.0 - 17.8	0	0.0	-
Japanese	200	44.9	31.1 - 59.4	<50	7.9	2.7 - 21.0	100	18.9	10.0 - 32.8	100	15.8	7.5 - 30.1	<50	10.2	4.1 - 23.5	<50	2.4	0.4 - 13.9
Other	200	39.3	26.5 - 53.8	<50	0.8	0.2 - 4.3	100	24.3	14.2 - 38.3	100	19.8	11.0 - 33.0	<50	7.5	2.6 - 20.1	<50	6.0	1.6 - 19.9

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	100	35.9	21.9 - 52.7	<50	3.0	0.5 - 16.9	100	23.2	12.3 - 39.6	100	21.6	10.9 - 38.2	100	13.4	5.3 - 30.0	<50	3.0	0.5 - 16.9
20-24	600	42.1	33.8 - 50.9	<50	1.2	0.2 - 7.3	300	23.3	16.7 - 31.4	300	18.9	12.8 - 26.9	100	10.0	5.8 - 16.6	<50	3.1	1.0 - 8.7
25-34	600	37.0	30.0 - 44.5	100	6.6	3.7 - 11.6	400	20.3	14.9 - 27.1	500	26.6	20.4 - 34.0	100	6.5	3.6 - 11.6	<50	2.2	0.8 - 5.8
35+	100	28.2	16.2 - 44.3	<50	6.7	2.1 - 19.6	100	16.0	7.6 - 30.6	100	21.1	10.9 - 36.7	100	13.7	6.0 - 28.3	<50	11.7	4.1 - 29.3

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	<50	1.2	0.2 - 7.2	900
Native Hawaiian	<50	0.8	0.1 - 5.0	1,600
Chinese	n/r	n/r	n/r	<50
Filipino	<50	2.0	0.3 - 12.0	500
Japanese	0	0.0	-	400
Other	<50	2.3	0.3 - 13.3	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	400
20-24	<50	1.5	0.4 - 5.6	1,400
25-34	<50	0.7	0.1 - 4.5	1,700
35+	<50	2.6	0.4 - 15.3	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	800	38.4	31.6 - 45.6	100	5.1	2.7 - 9.5	400	20.5	15.3 - 26.9	400	20.9	15.6 - 27.4	200	8.0	4.8 - 13.0	100	5.4	2.8 - 10.2
Female	700	37.2	30.5 - 44.4	100	3.6	1.7 - 7.5	400	21.9	16.6 - 28.5	500	24.7	18.9 - 31.8	200	10.3	6.6 - 15.8	<50	1.6	0.5 - 5.3

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	700	47.2	39.3 - 55.2	100	5.0	2.3 - 10.3	300	20.8	15.1 - 28.0	300	16.3	11.1 - 23.3	100	6.6	3.6 - 11.7	<50	2.7	1.0 - 7.1
No	700	31.4	25.5 - 37.9	100	3.9	2.1 - 7.3	500	21.5	16.5 - 27.4	600	27.3	21.7 - 33.7	300	10.9	7.3 - 16.1	100	4.1	2.0 - 8.2

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	600	30.7	24.6 - 37.6	100	4.6	2.3 - 8.7	500	21.5	16.3 - 27.8	600	26.3	20.5 - 33.1	200	11.1	7.3 - 16.6	100	4.2	2.0 - 8.7
131-185%	100	40.6	25.1 - 58.3	0	5.4	1.2 - 21.4	100	30.3	17.0 - 48.0	100	17.3	7.6 - 34.5	0	6.4	1.7 - 21.2	0	0.0	-
186+%	600	52.3	43.3 - 61.2	<50	3.9	1.5 - 9.5	200	19.0	12.9 - 27.1	200	14.1	8.7 - 21.9	100	6.7	3.4 - 12.7	<50	3.2	1.2 - 8.3

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	1.7	0.6 - 4.9	2,000
Female	<50	0.6	0.1 - 3.5	1,900

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.4	0.4 - 5.3	1,600
No	<50	0.9	0.2 - 3.3	2,300

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	1.6	0.5 - 4.6	2,100
131-185%	0	0.0	-	300
186+%	<50	0.9	0.1 - 5.4	1,200

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	300	23.9	16.7 - 33.0	<50	4.1	1.6 - 10.3	200	21.2	14.5 - 29.9	300	29.5	21.4 - 39.2	200	14.3	8.6 - 22.7	100	5.1	2.0 - 12.4
\$10,000-\$24,999	400	34.3	25.6 - 44.2	<50	3.7	1.4 - 9.7	300	24.9	17.3 - 34.3	200	23.5	16.1 - 33.0	100	8.4	4.3 - 16.0	<50	3.9	1.3 - 11.0
\$25,000-\$49,999	400	51.6	40.4 - 62.5	100	6.3	2.5 - 15.0	200	19.2	11.8 - 29.5	100	14.5	8.2 - 24.4	100	7.0	3.0 - 15.2	<50	1.5	0.2 - 9.2
>=\$50,000	400	52.9	40.9 - 64.6	<50	3.3	0.9 - 11.8	100	19.6	11.7 - 30.8	100	15.1	8.0 - 26.7	<50	5.4	2.0 - 13.7	<50	2.1	0.5 - 8.5

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	1,400	38.5	33.5 - 43.8	200	4.6	2.8 - 7.5	800	21.4	17.3 - 26.0	800	22.9	18.7 - 27.8	300	8.2	5.7 - 11.7	100	3.5	1.9 - 6.3

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	<50	2.5	0.8 - 7.4	<50	2.6	1.0 - 6.9	300	23.1	16.8 - 31.0	600	43.7	35.4 - 52.3	200	17.3	11.7 - 24.6	100	8.5	4.6 - 14.9
No	1,400	59.0	52.5 - 65.2	100	4.9	2.7 - 8.7	500	20.3	15.6 - 26.0	200	10.2	6.9 - 14.9	100	4.5	2.4 - 8.4	<50	0.7	0.1 - 4.2

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	<50	1.8	0.5 - 6.5	1,200
\$10,000-\$24,999	<50	1.2	0.2 - 7.5	1,000
\$25,000-\$49,999	0	0.0	-	800
>=\$50,000	<50	1.5	0.2 - 9.4	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	300
Normal birth weight	<50	0.9	0.3 - 2.7	3,600

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.3	0.8 - 6.6	1,400
No	<50	0.4	0.1 - 2.8	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,300	35.6	30.7 - 40.8	100	3.7	2.1 - 6.3	800	22.1	18.0 - 26.8	900	24.1	19.8 - 29.0	400	9.8	7.1 - 13.6	100	3.5	1.9 - 6.3
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	800	36.0	29.6 - 42.9	100	5.5	3.1 - 9.8	400	19.9	15.0 - 26.0	500	22.3	17.0 - 28.7	200	9.7	6.3 - 14.8	100	5.0	2.6 - 9.5
No	700	39.2	32.0 - 46.8	100	3.0	1.2 - 6.9	400	23.4	17.6 - 30.6	400	23.3	17.3 - 30.7	100	8.7	5.2 - 14.4	<50	1.8	0.5 - 5.7

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.2	0.5 - 3.0	3,600
No	n/r	n/r	n/r	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.6	0.5 - 4.5	2,200
No	<50	0.6	0.1 - 3.8	1,700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	1,600	40.7	36.0 - 45.5	200	4.4	2.8 - 6.8	800	20.6	16.9 - 24.8	800	20.6	17.0 - 24.9	500	12.3	9.4 - 15.8	<50	0.7	0.2 - 2.1

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	200	36.7	26.0 - 48.9	<50	5.7	1.9 - 15.5	200	24.2	15.3 - 36.2	200	26.9	17.6 - 38.8	<50	5.0	1.8 - 13.0	<50	1.4	0.2 - 8.7
Honolulu	1,000	40.3	34.7 - 46.2	100	4.1	2.4 - 7.0	500	18.8	14.6 - 23.8	500	20.1	15.7 - 25.4	400	15.3	11.4 - 20.1	<50	0.7	0.2 - 2.7
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	200	40.6	28.2 - 54.3	<50	6.0	2.1 - 16.3	100	24.3	14.3 - 38.2	100	18.5	10.1 - 31.2	<50	8.6	3.6 - 19.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.7	0.3 - 2.2	3,900

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	700
Honolulu	<50	0.8	0.2 - 2.9	2,600
Kauai	n/r	n/r	n/r	200
Maui	<50	1.9	0.3 - 11.2	500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	300	40.2	31.0 - 50.2	<50	5.7	2.5 - 12.5	100	16.1	10.0 - 24.8	200	20.7	13.8 - 29.9	100	16.1	10.0 - 24.8	<50	1.1	0.2 - 7.0
Native Hawaiian	600	37.7	30.1 - 46.0	100	4.3	2.0 - 9.0	300	22.4	16.1 - 30.1	400	25.9	19.3 - 33.7	100	9.0	5.3 - 14.9	0	0.0	-
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	200	40.9	30.0 - 52.8	<50	3.1	0.8 - 10.7	200	31.2	21.4 - 43.0	100	14.6	8.1 - 25.0	<50	6.6	2.7 - 15.6	0	0.0	-
Japanese	300	63.9	49.6 - 76.1	<50	2.0	0.3 - 11.8	<50	8.9	3.5 - 20.7	100	14.4	6.8 - 27.8	<50	8.9	3.5 - 20.7	<50	2.0	0.3 - 11.8
Other	200	30.0	19.5 - 43.2	<50	5.6	1.8 - 16.2	100	22.2	13.3 - 34.7	100	16.6	8.8 - 29.2	100	23.8	14.2 - 37.2	<50	1.7	0.3 - 10.4

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	32.3	20.7 - 46.6	<50	7.4	2.5 - 19.6	100	27.8	17.3 - 41.3	100	27.8	17.2 - 41.6	<50	3.0	0.5 - 17.1	0	0.0	-
20-24	500	38.3	30.8 - 46.5	<50	1.6	0.5 - 5.3	300	22.5	16.3 - 30.1	400	26.1	19.5 - 34.0	100	10.0	6.1 - 16.1	<50	0.7	0.1 - 4.2
25-34	800	47.8	40.4 - 55.2	100	6.4	3.6 - 10.9	300	17.1	12.1 - 23.6	200	13.5	9.2 - 19.4	200	13.5	9.2 - 19.5	<50	1.2	0.3 - 4.3
35+	100	31.2	19.4 - 46.1	<50	2.3	0.4 - 13.3	100	18.9	10.3 - 32.1	100	21.1	11.5 - 35.5	100	26.5	15.5 - 41.6	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	800
Native Hawaiian	<50	0.7	0.1 - 4.6	1,500
Chinese	n/r	n/r	n/r	<50
Filipino	<50	3.5	1.0 - 12.1	500
Japanese	0	0.0	-	500
Other	0	0.0	-	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	<50	1.8	0.3 - 10.4	500
20-24	<50	0.8	0.1 - 5.0	1,400
25-34	<50	0.6	0.1 - 3.5	1,600
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	800	37.9	31.8 - 44.4	100	5.4	3.1 - 9.0	500	22.5	17.5 - 28.5	400	17.2	12.7 - 22.8	300	15.2	11.1 - 20.6	<50	0.9	0.2 - 3.3
Female	800	43.9	37.0 - 51.0	100	3.2	1.4 - 7.1	300	18.3	13.4 - 24.4	400	24.7	19.1 - 31.5	200	8.8	5.5 - 13.8	<50	0.5	0.1 - 3.3

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	900	45.2	38.8 - 51.8	100	4.1	2.2 - 7.5	400	19.2	14.6 - 25.0	400	17.4	13.0 - 23.0	300	13.1	9.2 - 18.2	<50	0.9	0.2 - 3.4
No	700	35.6	29.1 - 42.7	100	4.7	2.4 - 8.8	400	22.0	16.7 - 28.5	500	24.2	18.6 - 30.9	200	11.4	7.6 - 16.8	<50	0.5	0.1 - 3.2

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	700	37.2	30.7 - 44.1	100	3.6	1.8 - 7.0	400	20.3	15.2 - 26.5	500	24.0	18.5 - 30.5	300	13.5	9.3 - 19.1	0	0.0	-
131-185%	200	38.4	26.8 - 51.6	<50	1.7	0.3 - 10.4	100	23.1	13.9 - 36.0	100	20.3	12.0 - 32.3	100	14.6	7.7 - 26.0	<50	1.7	0.3 - 10.5
186+%	500	49.8	41.1 - 58.6	100	7.5	3.9 - 14.0	200	18.2	12.4 - 25.9	100	12.9	7.9 - 20.2	100	9.9	5.7 - 16.4	<50	1.7	0.5 - 6.3

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	<50	1.0	0.3 - 3.5	2,100
Female	<50	0.5	0.1 - 3.1	1,800

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,000
No	<50	1.6	0.5 - 4.5	1,900

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	<50	1.5	0.5 - 4.3	1,900
131-185%	0	0.0	-	500
186+%	0	0.0	-	1,100

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<\$10,000	300	33.7	24.5 - 44.2	<50	2.8	1.0 - 8.0	200	24.5	16.7 - 34.5	200	25.1	17.0 - 35.3	100	10.6	5.7 - 18.9	0	0.0	-
\$10,000-\$24,999	500	39.4	31.6 - 47.7	100	4.1	1.9 - 8.9	200	17.9	12.4 - 25.3	300	22.5	16.3 - 30.2	200	14.6	9.6 - 21.6	<50	1.4	0.4 - 5.2
\$25,000-\$49,999	400	49.7	39.5 - 60.0	<50	5.1	2.0 - 12.2	200	18.4	11.7 - 27.8	100	13.5	7.8 - 22.3	100	13.3	7.5 - 22.4	0	0.0	-
>=\$50,000	300	47.6	35.8 - 59.7	<50	6.9	2.6 - 16.9	100	19.4	11.4 - 31.1	100	15.2	8.3 - 26.2	100	9.2	4.5 - 18.0	<50	1.6	0.3 - 9.9

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	26.4	13.9 - 44.4	<50	2.8	0.4 - 15.7	100	26.7	14.1 - 44.6	100	28.6	15.2 - 47.2	<50	12.2	4.5 - 29.2	<50	3.3	0.5 - 18.6
Normal birth weight	1,500	41.8	36.9 - 46.8	200	4.5	2.8 - 7.1	700	20.1	16.4 - 24.4	700	20.0	16.3 - 24.4	400	12.3	9.3 - 16.0	<50	0.5	0.1 - 1.9

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	10.4	6.3 - 16.7	100	4.2	2.0 - 8.8	300	20.3	14.6 - 27.6	500	34.4	27.0 - 42.6	400	26.6	20.1 - 34.3	<50	2.0	0.7 - 5.7
No	1,400	58.5	52.5 - 64.3	100	4.5	2.6 - 7.7	500	20.5	16.0 - 25.9	300	12.3	8.9 - 16.8	100	4.1	2.2 - 7.5	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2004-2011)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<\$10,000	<50	3.3	1.1 - 9.2	900
\$10,000-\$24,999	0	0.0	-	1,300
\$25,000-\$49,999	0	0.0	-	800
>=\$50,000	0	0.0	-	600

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	300
Normal birth weight	<50	0.8	0.3 - 2.3	3,600

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	2.1	0.7 - 5.8	1,400
No	0	0.0	-	2,500

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,400	38.0	33.3 - 42.9	200	4.5	2.8 - 7.0	800	21.3	17.5 - 25.7	800	21.4	17.6 - 25.9	500	13.2	10.1 - 17.0	<50	0.8	0.3 - 2.2
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	800	38.6	32.5 - 45.1	100	3.5	1.8 - 6.7	500	21.5	16.6 - 27.4	500	22.8	17.8 - 28.9	300	12.2	8.5 - 17.2	0	0.0	-
No	700	43.6	36.5 - 50.9	100	5.0	2.6 - 9.3	300	19.0	13.9 - 25.4	300	18.6	13.5 - 25.0	200	12.2	8.2 - 17.9	<50	1.7	0.6 - 4.8

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.8	0.3 - 2.3	3,600
No	n/r	n/r	n/r	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	1.3	0.5 - 3.9	2,200
No	0	0.0	-	1,700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	1,500	37.4	32.4 - 42.8	100	3.0	1.8 - 4.8	700	18.0	14.3 - 22.4	1,100	25.5	21.2 - 30.3	600	15.1	11.6 - 19.5	<50	1.0	0.3 - 3.1

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	200	28.1	21.8 - 35.4	<50	7.2	4.0 - 12.8	100	16.9	11.8 - 23.5	200	32.9	25.9 - 40.8	100	14.9	10.2 - 21.3	0	0.0	-
Honolulu	1,100	39.2	32.4 - 46.5	<50	1.4	0.5 - 4.4	600	19.6	14.7 - 25.7	700	22.7	17.3 - 29.4	500	15.8	11.2 - 21.8	<50	1.2	0.3 - 4.4
Kauai	100	43.8	29.1 - 59.7	<50	1.8	0.3 - 9.3	0	0.0	-	100	37.3	23.6 - 53.3	<50	17.1	8.2 - 32.2	0	0.0	-
Maui	100	36.1	27.0 - 46.4	<50	7.7	3.9 - 14.6	100	16.8	10.7 - 25.4	100	27.7	19.7 - 37.4	<50	10.0	5.5 - 17.5	<50	1.8	0.3 - 9.9

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	4,100

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	0	0.0	-	2,900
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	45.1	32.7 - 58.2	<50	4.3	1.4 - 12.8	100	14.4	7.5 - 25.9	200	21.1	12.4 - 33.4	100	12.8	6.6 - 23.3	<50	2.4	0.4 - 14.3
Native Hawaiian	500	32.0	27.3 - 37.0	100	3.8	2.4 - 6.1	300	21.3	17.3 - 26.0	400	25.9	21.7 - 30.7	300	16.1	12.6 - 20.4	<50	0.8	0.2 - 2.7
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	300	36.6	23.7 - 51.8	<50	2.0	0.6 - 7.1	200	24.8	13.7 - 40.7	100	20.5	11.5 - 34.0	100	15.0	6.7 - 30.4	<50	1.0	0.2 - 6.0
Japanese	200	49.7	31.8 - 67.6	0	0.0	-	100	14.1	5.2 - 33.0	100	30.3	16.4 - 49.0	<50	6.0	1.2 - 24.2	0	0.0	-
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	28.2	18.1 - 41.3	<50	1.4	0.4 - 4.5	100	19.7	10.2 - 34.7	200	37.1	24.9 - 51.2	100	13.6	6.9 - 25.0	0	0.0	-
20-24	500	37.2	29.4 - 45.7	<50	3.2	1.7 - 5.9	300	24.9	17.9 - 33.4	300	21.9	15.6 - 29.9	200	12.3	8.2 - 17.9	<50	0.5	0.1 - 3.1
25-34	700	39.5	31.5 - 48.2	100	3.7	1.7 - 7.8	200	13.0	8.8 - 18.8	500	24.8	18.4 - 32.6	300	17.3	11.5 - 25.2	<50	1.6	0.4 - 7.1
35+	200	42.0	24.8 - 61.4	<50	0.9	0.2 - 4.9	100	14.9	5.7 - 33.7	100	23.6	12.8 - 39.4	100	17.2	6.7 - 37.5	<50	1.4	0.2 - 8.2

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	1,000
Native Hawaiian	0	0.0	-	1,600
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	700
Japanese	0	0.0	-	500
Other	n/r	n/r	n/r	400

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	600
20-24	0	0.0	-	1,400
25-34	0	0.0	-	1,800
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	800	39.9	32.8 - 47.4	100	4.0	2.1 - 7.4	400	18.0	13.2 - 24.0	500	24.8	19.2 - 31.3	300	12.0	7.9 - 17.8	<50	1.3	0.3 - 6.2
Female	700	34.9	27.9 - 42.6	<50	1.9	0.9 - 3.7	400	18.0	12.7 - 24.9	500	26.2	19.9 - 33.6	400	18.4	13.1 - 25.3	<50	0.7	0.2 - 2.4

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	900	42.7	34.7 - 51.1	100	3.3	1.6 - 7.0	400	18.0	12.6 - 25.0	400	21.3	15.2 - 29.0	300	13.0	8.5 - 19.4	<50	1.7	0.5 - 6.3
No	700	32.4	26.4 - 39.1	100	2.6	1.5 - 4.5	400	18.0	13.3 - 23.9	600	29.5	23.8 - 35.8	400	17.2	12.4 - 23.5	<50	0.3	0.1 - 1.9

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	700	29.9	24.2 - 36.3	100	2.6	1.6 - 4.4	400	18.8	14.2 - 24.5	700	27.9	22.4 - 34.2	500	19.0	14.1 - 25.1	<50	1.8	0.6 - 5.4
131-185%	300	48.8	33.5 - 64.3	<50	5.1	1.1 - 21.2	100	11.5	5.3 - 22.9	100	22.6	12.1 - 38.2	100	12.1	4.8 - 27.4	0	0.0	-
186+%	400	52.2	38.6 - 65.5	<50	4.3	2.0 - 9.0	100	19.6	10.9 - 32.7	100	18.6	10.0 - 31.8	<50	5.4	1.6 - 16.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,100
Female	0	0.0	-	2,000

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,000
No	0	0.0	-	2,100

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,400
131-185%	0	0.0	-	600
186+%	0	0.0	-	700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	300	21.1	15.7 - 27.7	100	3.5	2.0 - 6.0	300	18.1	12.9 - 24.8	500	32.3	25.3 - 40.3	400	23.7	17.3 - 31.5	<50	1.3	0.5 - 3.6
\$15,001-\$25,000	300	46.3	33.3 - 59.8	<50	1.6	0.4 - 6.1	100	21.3	12.1 - 34.8	100	22.2	12.8 - 35.7	100	8.5	3.5 - 19.5	0	0.0	-
\$25,001-\$40,000	400	49.6	36.7 - 62.5	<50	3.9	1.0 - 14.7	100	13.9	7.2 - 25.0	100	17.6	10.6 - 27.8	100	12.2	5.7 - 24.2	<50	2.8	0.4 - 16.6
>=\$40,001	400	45.5	33.2 - 58.4	<50	3.3	1.4 - 7.5	200	18.8	10.8 - 30.5	200	24.9	15.2 - 37.9	100	7.5	2.8 - 19.0	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	42.4	24.1 - 63.1	<50	4.3	1.1 - 15.4	<50	5.6	1.9 - 15.9	100	34.6	18.9 - 54.6	<50	13.0	5.6 - 27.4	0	0.0	-
Normal birth weight	1,400	37.2	31.9 - 42.7	100	2.9	1.7 - 4.8	700	18.6	14.7 - 23.3	1,000	24.9	20.5 - 29.9	600	15.3	11.6 - 19.9	<50	1.1	0.3 - 3.3

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	200	10.3	5.6 - 18.3	<50	1.2	0.5 - 3.1	300	18.4	12.9 - 25.5	700	41.3	33.3 - 49.7	400	26.2	19.3 - 34.6	<50	2.6	0.8 - 7.9
No	1,400	56.3	49.3 - 63.0	100	4.2	2.4 - 7.2	400	17.5	12.8 - 23.5	300	14.0	9.9 - 19.6	200	8.0	4.9 - 12.7	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	0	0.0	-	1,500
\$15,001-\$25,000	0	0.0	-	600
\$25,001-\$40,000	0	0.0	-	800
>=\$40,001	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	200
Normal birth weight	0	0.0	-	3,900

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,600
No	0	0.0	-	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	33.4	28.1 - 39.1	100	2.0	1.2 - 3.2	600	18.0	14.0 - 22.8	1,000	27.9	23.0 - 33.3	600	17.6	13.6 - 22.6	<50	1.0	0.3 - 3.7
No	300	90.1	72.7 - 96.9	<50	1.2	0.2 - 6.5	<50	8.7	2.4 - 27.0	0	0.0	-	0	0.0	-	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	700	30.5	24.6 - 37.1	<50	2.1	1.2 - 3.7	400	18.2	13.7 - 23.9	600	28.4	22.6 - 35.0	400	18.9	14.0 - 25.0	<50	1.9	0.6 - 5.6
No	900	46.2	37.8 - 54.8	100	4.0	1.9 - 8.0	300	17.8	12.2 - 25.3	400	21.5	15.5 - 28.9	200	10.5	6.2 - 17.2	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,500
No	0	0.0	-	400

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,300
No	0	0.0	-	1,900

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	1,600	42.4	37.0 - 48.1	200	4.8	2.9 - 7.8	500	13.7	10.5 - 17.8	800	22.1	17.9 - 26.9	600	15.7	12.1 - 20.2	<50	0.8	0.3 - 1.8

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	200	32.9	25.9 - 40.8	<50	1.7	0.6 - 4.4	100	14.3	10.0 - 20.1	200	32.3	25.4 - 40.0	100	18.8	13.4 - 25.8	0	0.0	-
Honolulu	1,200	46.3	38.8 - 54.0	100	5.1	2.7 - 9.6	300	12.6	8.5 - 18.4	500	19.4	14.0 - 26.2	400	14.8	10.1 - 21.0	<50	1.0	0.4 - 2.5
Kauai	100	32.9	20.2 - 48.7	<50	8.0	2.8 - 20.5	<50	10.6	4.3 - 24.0	100	28.3	16.9 - 43.4	<50	18.4	9.1 - 33.5	<50	1.9	0.3 - 9.5
Maui	100	35.2	25.7 - 46.0	<50	5.4	2.2 - 13.0	100	22.0	14.0 - 32.7	100	21.2	13.6 - 31.4	100	16.3	9.6 - 26.2	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	<50	0.5	0.1 - 3.4	3,800

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	<50	0.7	0.1 - 4.9	2,600
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	49.6	36.5 - 62.6	100	10.7	4.9 - 21.9	<50	4.3	1.5 - 12.3	200	18.1	9.6 - 31.5	200	17.2	9.3 - 29.8	0	0.0	-
Native Hawaiian	500	31.4	26.5 - 36.6	100	4.0	2.4 - 6.7	300	18.6	14.7 - 23.1	400	25.6	21.2 - 30.6	300	18.4	14.5 - 23.1	<50	2.0	0.9 - 4.6
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	300	66.9	50.5 - 80.0	<50	1.1	0.2 - 6.5	<50	9.5	3.6 - 22.4	100	10.9	4.6 - 23.7	100	11.7	4.5 - 27.2	0	0.0	-
Japanese	300	58.9	39.3 - 76.1	0	0.0	-	100	15.3	5.7 - 35.2	100	18.2	8.3 - 35.4	<50	7.5	2.1 - 23.6	0	0.0	-
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	41.3	26.9 - 57.4	<50	3.2	1.1 - 9.1	100	19.9	12.1 - 31.0	100	23.7	12.6 - 40.1	<50	11.8	6.2 - 21.3	0	0.0	-
20-24	600	39.8	31.3 - 49.0	100	3.5	1.5 - 8.2	200	17.0	11.6 - 24.2	300	22.9	16.4 - 31.0	200	16.4	10.4 - 24.9	<50	0.4	0.1 - 2.6
25-34	800	45.5	36.9 - 54.4	100	6.7	3.4 - 13.0	200	11.3	6.7 - 18.6	300	19.1	13.6 - 26.3	200	15.1	9.9 - 22.2	<50	1.1	0.4 - 3.1
35+	100	39.8	23.0 - 59.4	<50	1.8	0.3 - 10.6	<50	2.5	0.7 - 8.1	100	31.9	15.8 - 54.0	100	21.8	11.7 - 36.9	<50	2.2	0.3 - 12.2

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	0	0.0	-	1,500
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	500
Japanese	0	0.0	-	400
Other	n/r	n/r	n/r	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	400
20-24	0	0.0	-	1,400
25-34	<50	1.2	0.2 - 7.6	1,700
35+	0	0.0	-	300

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	700	38.0	30.6 - 46.1	100	5.0	2.4 - 10.1	300	17.7	12.7 - 24.3	500	25.7	19.2 - 33.5	200	12.5	8.6 - 18.0	<50	1.0	0.4 - 2.9
Female	900	46.7	38.8 - 54.7	100	4.5	2.3 - 8.8	200	9.8	6.3 - 15.2	400	18.5	13.7 - 24.6	400	18.8	13.3 - 26.0	<50	0.6	0.1 - 2.2

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	900	47.4	38.7 - 56.2	100	6.3	3.2 - 12.0	200	10.7	6.2 - 17.9	400	21.0	14.4 - 29.6	200	13.4	8.9 - 19.8	<50	1.2	0.5 - 3.0
No	700	37.9	31.0 - 45.2	100	3.3	1.6 - 6.7	300	16.5	12.4 - 21.6	500	23.1	18.3 - 28.6	400	17.9	12.8 - 24.4	<50	0.4	0.1 - 2.3

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	800	39.9	33.0 - 47.3	100	3.0	1.7 - 5.1	300	13.3	9.3 - 18.9	500	23.8	18.9 - 29.7	400	19.3	14.0 - 26.0	<50	0.6	0.2 - 2.2
131-185%	300	41.8	29.3 - 55.4	100	8.6	3.4 - 20.4	100	16.4	9.0 - 28.0	200	25.3	14.3 - 40.8	100	7.1	3.2 - 15.2	<50	0.8	0.1 - 4.6
186+%	400	59.7	45.2 - 72.8	<50	4.6	1.3 - 15.6	100	10.8	4.8 - 22.5	100	9.9	3.7 - 23.9	100	14.4	7.0 - 27.3	<50	0.5	0.1 - 2.8

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	1,900
Female	<50	1.0	0.1 - 6.5	1,900

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,800
No	<50	1.0	0.1 - 6.4	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,000
131-185%	0	0.0	-	800
186+%	0	0.0	-	700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	400	32.4	25.0 - 40.7	<50	2.4	1.1 - 5.2	200	13.9	9.2 - 20.4	300	24.9	18.9 - 32.2	300	24.4	17.3 - 33.3	<50	0.5	0.1 - 2.9
\$15,001-\$25,000	500	67.1	54.6 - 77.6	<50	1.8	0.6 - 5.1	100	7.4	3.8 - 14.0	100	15.8	8.9 - 26.5	100	7.8	3.4 - 17.1	0	0.0	-
\$25,001-\$40,000	300	34.0	23.1 - 46.8	100	7.9	3.1 - 18.6	200	17.3	9.6 - 29.0	300	30.0	19.2 - 43.6	100	10.2	5.2 - 19.0	<50	0.7	0.1 - 4.2
>=\$40,001	400	56.0	42.3 - 68.8	<50	6.5	2.6 - 15.6	100	13.3	6.5 - 25.3	100	9.3	3.5 - 22.5	100	13.6	6.7 - 25.6	<50	1.4	0.4 - 5.0

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Normal birth weight	1,500	43.2	37.5 - 49.1	200	5.0	3.0 - 8.3	500	14.3	10.8 - 18.6	800	21.5	17.3 - 26.4	500	14.7	11.2 - 19.1	<50	0.7	0.3 - 1.7

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	8.5	4.3 - 15.9	100	4.3	1.6 - 10.8	100	9.0	6.0 - 13.3	500	36.0	28.0 - 44.7	500	40.1	31.5 - 49.2	<50	2.2	1.0 - 5.0
No	1,400	61.0	53.8 - 67.8	100	4.9	2.7 - 8.9	400	16.9	12.2 - 23.0	300	14.6	10.1 - 20.6	100	2.5	1.5 - 4.3	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	<50	1.5	0.2 - 9.4	1,300
\$15,001-\$25,000	0	0.0	-	700
\$25,001-\$40,000	0	0.0	-	900
>=\$40,001	0	0.0	-	700

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	200
Normal birth weight	<50	0.6	0.1 - 3.7	3,500

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,300
No	0	0.0	-	2,400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,200	37.6	31.8 - 43.7	100	4.6	2.6 - 7.8	500	15.3	11.6 - 19.9	800	23.1	18.6 - 28.3	600	18.0	13.9 - 23.0	<50	0.9	0.4 - 2.1
No	200	74.0	53.4 - 87.6	<50	6.5	1.0 - 33.1	<50	2.4	0.7 - 8.0	<50	15.1	5.8 - 33.8	<50	2.1	0.3 - 12.0	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	900	39.2	32.2 - 46.6	<50	2.3	0.9 - 5.4	400	17.6	12.9 - 23.6	500	23.3	17.7 - 29.9	400	17.1	12.3 - 23.2	<50	0.6	0.2 - 2.1
No	700	45.6	37.0 - 54.5	100	8.3	4.5 - 14.7	100	8.7	5.1 - 14.4	300	20.9	14.8 - 28.6	200	14.2	9.2 - 21.3	<50	1.1	0.4 - 3.2

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	<50	0.6	0.1 - 4.0	3,300
No	0	0.0	-	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,200
No	<50	1.2	0.2 - 7.9	1,600

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	1,300	35.2	31.1 - 39.6	200	5.7	3.9 - 8.3	600	16.9	14.0 - 20.3	1,000	26.0	22.3 - 30.0	500	14.1	11.4 - 17.3	100	2.1	1.2 - 3.6

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	200	36.9	29.4 - 45.0	<50	1.6	0.4 - 5.5	100	18.9	13.3 - 26.1	100	25.7	19.4 - 33.1	100	15.2	10.3 - 22.0	<50	1.7	0.7 - 4.5
Honolulu	900	35.9	30.4 - 41.7	200	6.7	4.3 - 10.4	400	15.5	11.9 - 20.0	700	25.7	20.8 - 31.1	400	14.3	10.9 - 18.7	<50	1.9	0.8 - 4.3
Kauai	100	27.8	16.9 - 42.1	<50	6.5	2.1 - 18.1	<50	11.8	5.3 - 24.3	100	43.7	30.5 - 57.7	<50	8.8	3.6 - 20.0	<50	1.5	0.3 - 7.6
Maui	100	33.0	24.2 - 43.1	<50	4.7	1.9 - 11.0	100	26.0	17.8 - 36.1	100	18.3	12.1 - 26.8	100	13.8	8.1 - 22.5	<50	4.2	1.8 - 9.4

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	3,800

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	0	0.0	-	2,600
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	400	49.0	38.8 - 59.3	<50	5.6	2.2 - 13.7	100	9.9	5.5 - 17.0	200	19.5	12.3 - 29.5	100	16.0	10.1 - 24.4	0	0.0	-
Native Hawaiian	400	28.2	24.5 - 32.2	100	5.3	3.7 - 7.6	300	17.8	14.7 - 21.3	400	29.3	25.6 - 33.4	200	15.4	12.6 - 18.8	100	4.0	2.7 - 6.1
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	200	32.6	21.9 - 45.4	<50	4.4	1.0 - 17.3	100	19.6	11.9 - 30.6	200	29.7	19.1 - 43.1	100	13.7	6.6 - 26.0	0	0.0	-
Japanese	100	46.4	29.1 - 64.7	<50	11.0	3.2 - 31.7	100	23.6	10.8 - 44.2	<50	16.7	6.8 - 35.7	<50	2.2	0.4 - 12.6	0	0.0	-
Other	200	29.4	17.6 - 44.8	<50	5.3	1.7 - 15.6	100	17.5	9.6 - 29.9	200	30.8	18.8 - 46.2	100	13.5	6.3 - 26.8	<50	3.5	0.5 - 19.7

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	200	33.6	24.3 - 44.4	<50	2.7	0.9 - 7.4	100	25.2	17.7 - 34.7	100	22.4	15.5 - 31.1	100	13.1	7.5 - 22.0	<50	3.0	1.3 - 6.8
20-24	500	36.6	29.9 - 43.8	100	5.2	3.0 - 8.8	300	17.7	13.2 - 23.3	400	28.9	22.6 - 36.1	200	10.6	7.5 - 14.9	<50	1.0	0.4 - 2.3
25-34	500	34.9	28.4 - 41.9	100	7.5	4.1 - 13.4	200	14.1	9.9 - 19.8	300	23.4	18.1 - 29.8	300	18.1	13.1 - 24.4	<50	2.0	1.1 - 3.6
35+	100	33.5	20.8 - 49.2	<50	4.5	1.5 - 12.2	<50	12.6	4.7 - 29.7	100	30.5	18.1 - 46.7	<50	12.9	5.8 - 26.2	<50	6.0	0.9 - 30.4

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	800
Native Hawaiian	0	0.0	-	1,500
Chinese	n/r	n/r	n/r	100
Filipino	0	0.0	-	600
Japanese	0	0.0	-	300
Other	0	0.0	-	600

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	500
20-24	0	0.0	-	1,400
25-34	0	0.0	-	1,500
35+	0	0.0	-	300

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	700	33.0	27.6 - 38.9	100	5.2	3.1 - 8.6	400	19.7	15.3 - 25.1	600	27.0	22.0 - 32.7	300	14.0	10.6 - 18.4	<50	1.0	0.5 - 1.9
Female	600	37.9	31.9 - 44.4	100	6.4	3.7 - 10.9	200	13.5	10.4 - 17.2	400	24.7	19.6 - 30.6	200	14.1	10.2 - 19.3	100	3.4	1.7 - 6.9

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	600	35.8	29.5 - 42.7	100	7.9	4.6 - 13.0	300	16.5	12.1 - 22.1	500	26.1	20.6 - 32.6	200	13.5	9.7 - 18.5	<50	0.2	0.0 - 1.0
No	700	34.7	29.5 - 40.2	100	3.7	2.4 - 5.8	300	17.3	13.8 - 21.6	500	25.8	21.2 - 31.0	300	14.6	11.1 - 19.1	100	3.8	2.1 - 6.7

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	600	30.3	25.3 - 35.7	100	6.2	3.8 - 10.0	300	16.4	12.8 - 20.8	600	28.1	23.1 - 33.6	300	16.3	12.5 - 20.8	100	2.7	1.8 - 4.2
131-185%	200	30.5	21.7 - 41.0	100	9.3	4.6 - 18.1	100	15.0	8.9 - 24.2	200	29.8	21.4 - 39.8	100	15.4	9.3 - 24.3	0	0.0	-
186+%	400	58.8	48.3 - 68.6	<50	1.7	0.5 - 5.8	100	17.7	11.2 - 26.8	100	13.7	7.9 - 22.7	100	7.5	3.8 - 14.3	<50	0.6	0.1 - 3.2

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,100
Female	0	0.0	-	1,700

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,800
No	0	0.0	-	2,000

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,000
131-185%	0	0.0	-	800
186+%	0	0.0	-	700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	400	32.8	26.2 - 40.1	<50	2.1	1.0 - 4.3	200	18.3	13.4 - 24.6	300	26.4	20.5 - 33.3	200	16.1	11.5 - 22.1	100	4.3	2.0 - 9.0
\$15,001-\$25,000	200	26.7	19.2 - 35.9	100	10.7	5.8 - 19.0	100	14.2	8.9 - 21.7	300	35.2	25.8 - 45.9	100	11.2	7.0 - 17.4	<50	2.0	0.9 - 4.7
\$25,001-\$40,000	200	32.4	23.5 - 42.7	100	7.1	3.6 - 13.5	100	15.9	10.3 - 23.8	200	27.1	19.4 - 36.6	100	16.4	10.0 - 25.6	<50	1.2	0.4 - 3.8
>=\$40,001	400	50.6	41.0 - 60.1	100	6.0	2.2 - 15.3	100	16.5	10.4 - 25.2	100	14.1	9.2 - 21.1	100	12.4	7.7 - 19.4	<50	0.4	0.1 - 2.1

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	32.4	20.0 - 47.8	<50	3.9	1.4 - 10.0	100	21.1	12.2 - 33.9	100	25.1	13.6 - 41.6	<50	14.7	7.7 - 26.2	<50	2.9	0.9 - 9.3
Normal birth weight	1,200	35.5	31.2 - 40.0	200	5.8	3.9 - 8.6	600	16.6	13.6 - 20.1	900	26.0	22.2 - 30.2	500	14.0	11.2 - 17.4	100	2.0	1.1 - 3.7

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	7.3	4.6 - 11.6	100	3.5	1.6 - 7.5	300	18.7	14.0 - 24.5	600	40.4	34.0 - 47.1	400	25.5	20.3 - 31.5	100	4.6	2.5 - 8.3
No	1,200	55.4	49.4 - 61.2	200	7.4	4.8 - 11.3	300	14.8	11.3 - 19.1	300	15.8	11.9 - 20.7	100	6.2	3.8 - 10.1	<50	0.4	0.1 - 1.3

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	0	0.0	-	1,200
\$15,001-\$25,000	0	0.0	-	700
\$25,001-\$40,000	0	0.0	-	800
>=\$40,001	0	0.0	-	900

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	300
Normal birth weight	0	0.0	-	3,500

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,500
No	0	0.0	-	2,200

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,100	32.5	28.3 - 37.0	200	4.9	3.2 - 7.3	600	16.7	13.7 - 20.3	900	27.8	23.8 - 32.2	500	15.9	12.8 - 19.5	100	2.2	1.2 - 4.0
No	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	600	29.5	24.8 - 34.8	100	6.1	3.8 - 9.6	300	16.9	13.3 - 21.2	600	28.0	23.2 - 33.3	400	17.3	13.5 - 22.0	<50	2.1	1.3 - 3.5
No	700	41.7	34.9 - 48.9	100	5.3	2.8 - 9.8	300	17.1	12.6 - 22.8	400	23.5	18.0 - 30.0	200	10.4	7.1 - 15.0	<50	2.0	0.7 - 6.0

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,300
No	n/r	n/r	n/r	200

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,100
No	0	0.0	-	1,700

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Totals	1,400	38.3	34.1 - 42.8	200	4.1	2.7 - 6.3	700	19.2	15.8 - 23.1	800	20.8	17.5 - 24.5	600	16.0	13.0 - 19.5	100	1.6	0.9 - 2.8

County	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Hawaii	200	33.9	26.6 - 41.9	<50	1.2	0.4 - 4.0	100	17.0	11.8 - 23.8	100	22.9	16.8 - 30.5	100	22.5	16.2 - 30.2	<50	2.6	0.9 - 7.2
Honolulu	1,000	38.9	33.2 - 44.9	100	4.7	2.8 - 7.8	500	20.7	16.2 - 26.2	500	19.7	15.5 - 24.7	400	15.4	11.6 - 20.2	<50	0.6	0.2 - 1.6
Kauai	100	37.8	25.7 - 51.7	<50	3.5	1.0 - 11.2	<50	15.6	8.0 - 28.3	100	30.6	19.2 - 45.0	<50	9.2	3.7 - 21.0	<50	3.2	0.5 - 17.1
Maui	200	42.3	32.1 - 53.2	<50	5.4	2.2 - 12.4	100	14.9	8.6 - 24.5	100	18.3	11.4 - 28.0	100	13.2	7.6 - 22.0	<50	6.0	2.4 - 14.1

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

State	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Totals	0	0.0	-	3,700

County	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Hawaii	0	0.0	-	600
Honolulu	0	0.0	-	2,500
Kauai	0	0.0	-	200
Maui	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Caucasian	300	36.3	27.4 - 46.3	<50	2.1	0.7 - 5.9	200	19.2	12.6 - 28.1	200	19.2	12.6 - 28.1	200	21.6	14.3 - 31.3	<50	1.6	0.4 - 5.4
Native Hawaiian	500	36.9	32.5 - 41.4	100	4.7	3.1 - 7.0	200	17.2	14.0 - 20.9	300	23.7	20.0 - 27.9	200	15.7	12.6 - 19.4	<50	1.8	0.9 - 3.7
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	200	29.1	19.1 - 41.7	<50	6.2	1.6 - 20.5	100	24.1	13.9 - 38.5	100	22.5	13.4 - 35.2	100	16.8	9.3 - 28.4	<50	1.3	0.2 - 7.7
Japanese	200	60.7	44.0 - 75.3	<50	5.4	1.3 - 19.9	100	18.8	8.6 - 36.2	<50	10.3	4.2 - 23.2	<50	4.8	1.7 - 13.0	0	0.0	-
Other	200	38.1	23.7 - 54.8	<50	2.7	0.7 - 9.4	100	19.7	9.6 - 36.1	100	21.4	10.5 - 38.5	100	15.3	6.8 - 31.1	<50	2.9	0.8 - 10.1

PRAMS Age Group	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<20	300	42.6	32.8 - 52.9	<50	2.8	1.1 - 6.8	100	18.0	10.9 - 28.1	200	24.8	17.0 - 34.8	100	11.8	7.7 - 17.8	0	0.0	-
20-24	500	37.0	30.7 - 43.8	<50	3.3	1.3 - 8.0	300	20.5	15.3 - 27.0	300	22.5	17.2 - 29.0	200	15.2	10.7 - 20.9	<50	1.5	0.6 - 3.5
25-34	500	37.7	30.3 - 45.7	100	5.9	3.2 - 10.8	300	20.5	14.8 - 27.7	200	17.4	12.6 - 23.7	200	16.0	11.1 - 22.6	<50	2.5	1.1 - 5.4
35+	100	37.0	24.6 - 51.4	<50	3.3	1.1 - 9.1	100	12.9	5.4 - 27.5	100	18.6	10.4 - 30.8	100	26.0	15.0 - 41.2	<50	2.3	0.6 - 8.1

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

DOH Race-Ethnicity	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Caucasian	0	0.0	-	900
Native Hawaiian	0	0.0	-	1,400
Chinese	n/r	n/r	n/r	<50
Filipino	0	0.0	-	600
Japanese	0	0.0	-	400
Other	0	0.0	-	500

PRAMS Age Group	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<20	0	0.0	-	700
20-24	0	0.0	-	1,200
25-34	0	0.0	-	1,300
35+	0	0.0	-	400

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Male	800	37.7	32.2 - 43.6	100	5.0	2.9 - 8.4	400	17.7	13.3 - 23.1	400	20.1	16.0 - 24.8	400	17.9	13.7 - 23.0	<50	1.7	0.8 - 3.5
Female	700	39.1	32.7 - 45.9	100	3.1	1.6 - 6.1	400	21.0	16.0 - 27.1	400	21.6	16.5 - 27.8	200	13.6	9.8 - 18.6	<50	1.5	0.7 - 3.4

Married	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	700	39.6	33.2 - 46.5	100	3.1	1.6 - 5.9	400	20.4	15.3 - 26.5	300	17.9	13.6 - 23.3	300	18.1	13.4 - 24.0	<50	0.9	0.3 - 2.7
No	700	37.2	31.8 - 43.0	100	5.1	2.9 - 8.8	300	18.1	13.8 - 23.4	400	23.5	18.9 - 28.9	300	13.7	10.4 - 17.9	<50	2.3	1.2 - 4.3

Poverty Level	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
0-130%	700	36.1	30.8 - 41.8	100	5.0	3.0 - 8.3	300	14.0	10.7 - 18.2	500	24.8	20.3 - 29.9	300	17.4	13.8 - 21.7	100	2.6	1.5 - 4.6
131-185%	200	30.6	21.6 - 41.4	<50	5.9	2.8 - 12.0	200	31.6	21.2 - 44.1	100	17.7	11.4 - 26.4	100	14.3	7.2 - 26.4	0	0.0	-
186+%	500	50.5	40.3 - 60.7	<50	0.7	0.2 - 2.3	200	21.9	14.5 - 31.7	100	14.1	8.0 - 23.7	100	12.7	7.2 - 21.4	0	0.0	-

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Infant Gender	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Male	0	0.0	-	2,000
Female	0	0.0	-	1,700

Married	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,800
No	0	0.0	-	1,900

Poverty Level	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
0-130%	0	0.0	-	2,000
131-185%	0	0.0	-	500
186+%	0	0.0	-	900

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
<=\$15,000	400	31.5	25.5 - 38.3	100	3.7	1.7 - 7.6	200	16.5	11.9 - 22.3	400	27.6	22.0 - 34.0	200	18.0	13.8 - 23.1	<50	2.7	1.4 - 5.3
\$15,001-\$25,000	200	38.7	29.0 - 49.5	<50	6.9	3.0 - 15.0	100	16.1	9.6 - 25.9	100	19.1	12.5 - 28.0	100	18.2	11.2 - 28.2	<50	1.0	0.2 - 5.7
\$25,001-\$40,000	200	36.3	27.3 - 46.2	<50	4.6	2.3 - 8.9	200	25.9	17.1 - 37.3	100	16.9	10.6 - 25.8	100	15.1	9.0 - 24.2	<50	1.3	0.3 - 4.7
>=\$40,001	400	53.8	43.2 - 64.1	<50	1.3	0.5 - 3.3	200	21.5	14.3 - 31.0	100	13.2	7.3 - 22.6	100	10.2	5.1 - 19.3	0	0.0	-

Birthweight	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Low birth weight	100	28.4	16.2 - 44.7	<50	1.4	0.3 - 7.6	100	21.1	10.9 - 37.0	100	20.2	12.0 - 32.1	100	27.4	16.0 - 42.9	<50	1.4	0.3 - 7.6
Normal birth weight	1,300	39.3	34.8 - 43.9	100	4.3	2.8 - 6.7	600	19.1	15.6 - 23.3	700	21.0	17.5 - 25.0	500	14.6	11.6 - 18.1	100	1.7	0.9 - 2.9

Smoke 3rd Trimester	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	100	7.7	4.6 - 12.6	<50	2.5	0.9 - 6.9	200	16.4	11.7 - 22.4	500	37.7	30.9 - 45.0	400	31.7	25.1 - 39.0	100	4.1	2.3 - 7.2
No	1,300	58.2	52.4 - 63.7	100	5.1	3.2 - 8.1	500	20.4	16.0 - 25.8	200	10.2	7.4 - 14.0	100	5.9	3.9 - 8.6	<50	0.2	0.0 - 1.0

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Income (2000-2003)	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
<=\$15,000	0	0.0	-	1,400
\$15,001-\$25,000	0	0.0	-	600
\$25,001-\$40,000	0	0.0	-	700
>=\$40,001	0	0.0	-	800

Birthweight	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	300
Normal birth weight	0	0.0	-	3,400

Smoke 3rd Trimester	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,400
No	0	0.0	-	2,200

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	1,100	33.9	29.6 - 38.6	100	4.6	3.0 - 7.0	600	19.9	16.3 - 24.1	700	22.5	18.8 - 26.6	600	17.3	14.0 - 21.2	100	1.8	1.1 - 3.2
No	200	77.5	59.6 - 89.0	<50	1.1	0.2 - 6.2	<50	14.3	5.0 - 34.7	<50	2.9	0.8 - 9.3	<50	4.2	1.2 - 13.7	0	0.0	-

WIC During Pregnancy	None (0 cigarettes)			Less than 1 cigarette			1 to 5 cigarettes			6 to 10 cigarettes			11 to 20 cigarettes			21 to 40 cigarettes		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
Yes	700	33.7	28.6 - 39.2	100	3.5	1.8 - 6.9	400	19.7	15.4 - 24.9	500	24.0	19.8 - 28.7	300	17.0	13.4 - 21.4	<50	2.1	1.1 - 3.9
No	700	44.2	37.2 - 51.4	100	4.8	2.9 - 8.1	300	18.6	13.5 - 24.9	300	16.8	11.8 - 23.2	200	14.6	10.1 - 20.7	<50	1.1	0.4 - 3.0

PRAMS Health Indicator Report - Number of cigarettes smoked per avg day now- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Smoke Before Pregnant	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	3,200
No	0	0.0	-	300

WIC During Pregnancy	41 cigarettes or more			Weighted Total Responses
	#	%	C.I.(95%)	#
Yes	0	0.0	-	2,100
No	0	0.0	-	1,600