

**PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Smoke now (3-6 months after birth)	Smoke now (3-6 months after birth)

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/10/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	2,300	13.7	12.3 - 15.2	14,400	86.3	84.8 - 87.7	16,600
2001	2,500	15.0	13.5 - 16.5	13,900	85.0	83.5 - 86.5	16,400
2002	2,200	13.0	11.4 - 14.9	14,600	87.0	85.1 - 88.6	16,800
2003	2,600	14.8	13.1 - 16.8	14,800	85.2	83.2 - 86.9	17,400
2004	2,300	13.1	11.7 - 14.7	15,300	86.9	85.3 - 88.3	17,700
2005	2,400	14.1	12.5 - 15.8	14,800	85.9	84.2 - 87.5	17,300
2006	2,600	14.3	12.6 - 16.2	15,700	85.7	83.8 - 87.4	18,300
2007	2,500	13.3	11.7 - 15.0	16,000	86.7	85.0 - 88.3	18,500
2008	2,300	12.4	10.9 - 14.1	16,300	87.6	85.9 - 89.1	18,600
2009	2,400	13.4	11.4 - 15.7	15,600	86.6	84.3 - 88.6	18,000
2010	2,300	12.7	10.7 - 15.0	16,100	87.3	85.0 - 89.3	18,500
2011	1,700	9.1	7.5 - 11.0	16,800	90.9	89.0 - 92.5	18,500
2012	1,400	8.0	6.4 - 10.0	16,500	92.0	90.0 - 93.6	17,900
2013	1,700	9.2	7.4 - 11.4	16,500	90.8	88.6 - 92.6	18,100

**PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,700	9.2	7.4 - 11.4	16,500	90.8	88.6 - 92.6	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	12.3	9.0 - 16.7	2,000	87.7	83.3 - 91.0	2,300
Honolulu	1,200	8.8	6.5 - 11.9	11,900	91.2	88.1 - 93.5	13,000
Kauai	100	8.1	5.6 - 11.6	700	91.9	88.4 - 94.4	800
Maui	200	8.2	5.6 - 11.8	1,800	91.8	88.2 - 94.4	2,000

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	7.6	4.8 - 11.9	4,400	92.4	88.1 - 95.2	4,700
Native Hawaiian	700	12.5	9.1 - 17.0	4,800	87.5	83.0 - 90.9	5,400
Chinese	<50	5.2	1.4 - 18.1	800	94.8	81.9 - 98.6	900
Filipino	200	5.2	2.5 - 10.5	2,800	94.8	89.5 - 97.5	2,900
Japanese	100	6.5	2.4 - 16.6	1,700	93.5	83.4 - 97.6	1,800
Other	300	13.1	7.4 - 22.1	2,000	86.9	77.9 - 92.6	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	8.8	3.3 - 21.5	800	91.2	78.5 - 96.7	900
20-24	600	13.8	9.4 - 19.7	3,500	86.2	80.3 - 90.6	4,000
25-34	800	7.9	5.7 - 10.9	9,000	92.1	89.1 - 94.3	9,800
35+	300	7.5	4.2 - 12.9	3,200	92.5	87.1 - 95.8	3,400

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.7	7.1 - 13.1	8,000	90.3	86.9 - 92.9	8,800
Female	800	8.7	6.4 - 11.8	8,500	91.3	88.2 - 93.6	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	5.9	4.0 - 8.5	10,900	94.1	91.5 - 96.0	11,500
No	1,000	14.9	11.5 - 19.3	5,600	85.1	80.7 - 88.5	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	13.7	10.4 - 17.8	5,800	86.3	82.2 - 89.6	6,700
131-185%	200	8.4	4.2 - 16.2	2,200	91.6	83.8 - 95.8	2,500
186+%	300	4.1	2.3 - 7.0	7,000	95.9	93.0 - 97.7	7,300

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	800	18.5	13.7 - 24.5	3,400	81.5	75.5 - 86.3	4,200
\$17,001-\$26,000	300	14.2	8.6 - 22.6	2,100	85.8	77.4 - 91.4	2,400
\$26,001-\$51,000	200	4.7	2.4 - 9.1	3,700	95.3	90.9 - 97.6	3,900
>=\$51,001	200	3.5	1.9 - 6.6	5,900	96.5	93.4 - 98.1	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	12.8	9.7 - 16.7	1,200	87.2	83.3 - 90.3	1,300
Normal birth weight	1,500	8.9	7.0 - 11.3	15,300	91.1	88.7 - 93.0	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	80.8	67.4 - 89.5	200	19.2	10.5 - 32.6	1,000
No	800	5.0	3.5 - 6.9	16,300	95.0	93.1 - 96.5	17,100

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	49.4	41.2 - 57.5	1,700	50.6	42.5 - 58.8	3,300
No	<50	0.3	0.1 - 1.4	14,800	99.7	98.6 - 99.9	14,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	13.3	10.2 - 17.1	6,900	86.7	82.9 - 89.8	8,000
No	600	5.7	3.8 - 8.4	9,500	94.3	91.6 - 96.2	10,000

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,400	8.0	6.4 - 10.0	16,500	92.0	90.0 - 93.6	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	10.3	7.4 - 14.1	2,000	89.7	85.9 - 92.6	2,300
Honolulu	1,000	7.6	5.6 - 10.3	12,000	92.4	89.7 - 94.4	12,900
Kauai	100	10.2	6.8 - 14.9	700	89.8	85.1 - 93.2	800
Maui	100	7.0	4.8 - 10.1	1,800	93.0	89.9 - 95.2	1,900

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	4.4	2.5 - 7.8	4,000	95.6	92.2 - 97.5	4,200
Native Hawaiian	800	15.3	11.3 - 20.4	4,300	84.7	79.6 - 88.7	5,000
Chinese	<50	1.3	0.3 - 5.0	1,000	98.7	95.0 - 99.7	1,000
Filipino	200	5.2	2.8 - 9.2	3,100	94.8	90.8 - 97.2	3,200
Japanese	100	4.1	1.1 - 13.4	1,500	95.9	86.6 - 98.9	1,500
Other	200	8.0	4.5 - 13.9	2,700	92.0	86.1 - 95.5	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.2	1.6 - 15.8	1,000	94.8	84.2 - 98.4	1,000
20-24	400	9.8	6.2 - 14.9	3,200	90.2	85.1 - 93.8	3,600
25-34	900	8.6	6.4 - 11.4	9,200	91.4	88.6 - 93.6	10,100
35+	200	5.1	2.8 - 9.3	3,100	94.9	90.7 - 97.2	3,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	7.3	5.2 - 10.0	8,200	92.7	90.0 - 94.8	8,900
Female	800	8.7	6.4 - 11.7	8,300	91.3	88.3 - 93.6	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	4.0	2.7 - 6.0	10,600	96.0	94.0 - 97.3	11,100
No	1,000	14.4	11.1 - 18.6	5,900	85.6	81.4 - 88.9	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	12.8	9.7 - 16.8	5,600	87.2	83.2 - 90.3	6,400
131-185%	200	6.0	3.2 - 11.1	2,800	94.0	88.9 - 96.8	3,000
186+%	200	3.2	1.8 - 5.9	6,600	96.8	94.1 - 98.2	6,800

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	600	14.0	9.8 - 19.5	3,400	86.0	80.5 - 90.2	4,000
\$17,001-\$26,000	200	10.7	6.6 - 17.0	2,000	89.3	83.0 - 93.4	2,200
\$26,001-\$51,000	300	6.7	4.0 - 11.1	4,100	93.3	88.9 - 96.0	4,400
>=\$51,001	200	2.9	1.4 - 5.8	5,700	97.1	94.2 - 98.6	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	11.2	8.1 - 15.3	1,100	88.8	84.7 - 91.9	1,200
Normal birth weight	1,300	7.8	6.1 - 9.9	15,400	92.2	90.1 - 93.9	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	94.5	88.4 - 97.5	<50	5.5	2.5 - 11.6	700
No	700	4.3	3.1 - 5.9	16,400	95.7	94.1 - 96.9	17,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	47.5	39.6 - 55.5	1,500	52.5	44.5 - 60.4	2,900
No	100	0.4	0.1 - 1.2	15,000	99.6	98.8 - 99.9	15,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.5	7.9 - 13.7	7,200	89.5	86.3 - 92.1	8,100
No	600	5.7	3.9 - 8.3	9,200	94.3	91.7 - 96.1	9,700

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,700	9.1	7.5 - 11.0	16,800	90.9	89.0 - 92.5	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	15.4	12.0 - 19.6	2,000	84.6	80.4 - 88.0	2,400
Honolulu	1,000	7.9	5.9 - 10.5	12,200	92.1	89.5 - 94.1	13,300
Kauai	100	7.2	4.6 - 11.2	800	92.8	88.8 - 95.4	900
Maui	200	10.6	8.0 - 13.9	1,800	89.4	86.1 - 92.0	2,000

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.7	6.5 - 14.3	4,000	90.3	85.7 - 93.5	4,400
Native Hawaiian	700	13.2	10.1 - 17.1	4,600	86.8	82.9 - 89.9	5,300
Chinese	<50	3.1	1.2 - 7.8	700	96.9	92.2 - 98.8	700
Filipino	200	4.8	2.5 - 9.1	3,200	95.2	90.9 - 97.5	3,300
Japanese	200	8.5	4.1 - 16.6	1,700	91.5	83.4 - 95.9	1,900
Other	200	7.7	4.1 - 13.8	2,600	92.3	86.2 - 95.9	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	13.2	7.8 - 21.6	900	86.8	78.4 - 92.2	1,100
20-24	600	13.0	9.3 - 17.9	3,800	87.0	82.1 - 90.7	4,400
25-34	900	8.7	6.6 - 11.5	9,000	91.3	88.5 - 93.4	9,900
35+	100	3.7	1.8 - 7.4	3,100	96.3	92.6 - 98.2	3,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.1	6.9 - 11.9	8,600	90.9	88.1 - 93.1	9,400
Female	800	9.2	7.0 - 11.9	8,200	90.8	88.1 - 93.0	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.1	4.5 - 8.4	10,800	93.9	91.6 - 95.5	11,500
No	1,000	14.1	11.1 - 17.7	6,000	85.9	82.3 - 88.9	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	12.6	9.9 - 16.0	5,800	87.4	84.0 - 90.1	6,600
131-185%	300	11.5	7.3 - 17.7	2,400	88.5	82.3 - 92.7	2,800
186+%	400	5.5	3.6 - 8.3	7,600	94.5	91.7 - 96.4	8,100

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	13.8	9.9 - 18.9	2,900	86.2	81.1 - 90.1	3,400
\$10,000-\$24,999	500	13.4	9.7 - 18.4	3,000	86.6	81.6 - 90.3	3,400
\$25,000-\$49,999	400	9.7	6.3 - 14.5	4,100	90.3	85.5 - 93.7	4,500
>=\$50,000	200	3.8	2.2 - 6.7	6,000	96.2	93.3 - 97.8	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	14.4	10.8 - 19.0	1,100	85.6	81.0 - 89.2	1,300
Normal birth weight	1,500	8.7	7.1 - 10.8	15,600	91.3	89.2 - 92.9	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	91.7	82.4 - 96.3	100	8.3	3.7 - 17.6	900
No	800	4.8	3.6 - 6.4	16,600	95.2	93.6 - 96.4	17,500

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	47.2	40.2 - 54.3	1,900	52.8	45.7 - 59.8	3,600
No	<50	0.1	0.0 - 0.2	14,900	99.9	99.8 - 100.0	14,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	11.8	9.3 - 14.9	7,400	88.2	85.1 - 90.7	8,400
No	700	6.8	4.9 - 9.4	9,400	93.2	90.6 - 95.1	10,100

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,300	12.7	10.7 - 15.0	16,100	87.3	85.0 - 89.3	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	18.3	14.6 - 22.8	1,900	81.7	77.2 - 85.4	2,300
Honolulu	1,600	11.8	9.2 - 14.9	11,800	88.2	85.1 - 90.8	13,400
Kauai	100	12.0	8.6 - 16.3	700	88.0	83.7 - 91.4	800
Maui	300	12.8	9.9 - 16.4	1,700	87.2	83.6 - 90.1	2,000

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.6	6.3 - 14.3	4,000	90.4	85.7 - 93.7	4,500
Native Hawaiian	1,000	17.7	14.0 - 22.1	4,600	82.3	77.9 - 86.0	5,500
Chinese	<50	3.4	1.3 - 8.4	700	96.6	91.6 - 98.7	800
Filipino	300	10.2	6.3 - 16.1	3,000	89.8	83.9 - 93.7	3,300
Japanese	200	14.1	7.9 - 24.0	1,500	85.9	76.0 - 92.1	1,700
Other	300	12.6	7.5 - 20.3	2,400	87.4	79.7 - 92.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	16.3	9.4 - 26.8	900	83.7	73.2 - 90.6	1,100
20-24	900	20.7	15.9 - 26.6	3,500	79.3	73.4 - 84.1	4,500
25-34	1,000	10.5	8.0 - 13.5	8,500	89.5	86.5 - 92.0	9,500
35+	200	7.3	4.1 - 12.4	3,100	92.7	87.6 - 95.9	3,400

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	12.7	10.0 - 15.9	8,100	87.3	84.1 - 90.0	9,300
Female	1,200	12.8	10.0 - 16.2	8,000	87.2	83.8 - 90.0	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.2	6.1 - 10.9	10,600	91.8	89.1 - 93.9	11,500
No	1,400	20.2	16.5 - 24.5	5,600	79.8	75.5 - 83.5	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	19.8	16.0 - 24.3	5,200	80.2	75.7 - 84.0	6,400
131-185%	400	12.4	7.8 - 19.3	2,600	87.6	80.7 - 92.2	3,000
186+%	600	7.5	5.2 - 10.8	7,200	92.5	89.2 - 94.8	7,800

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	700	21.2	16.1 - 27.4	2,700	78.8	72.6 - 83.9	3,400
\$10,000-\$24,999	600	17.8	12.5 - 24.6	2,600	82.2	75.4 - 87.5	3,200
\$25,000-\$49,999	700	14.8	10.7 - 20.1	3,900	85.2	79.9 - 89.3	4,600
>=\$50,000	300	4.6	2.7 - 7.7	5,900	95.4	92.3 - 97.3	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	14.6	11.1 - 19.1	1,100	85.4	80.9 - 88.9	1,300
Normal birth weight	2,200	12.6	10.5 - 15.1	14,900	87.4	84.9 - 89.5	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	89.7	79.1 - 95.2	100	10.3	4.8 - 20.9	1,400
No	1,000	5.9	4.5 - 7.6	15,900	94.1	92.4 - 95.5	16,900

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	59.1	52.3 - 65.7	1,600	40.9	34.3 - 47.7	3,800
No	<50	0.1	0.0 - 0.3	14,500	99.9	99.7 - 100.0	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	18.3	15.0 - 22.2	6,600	81.7	77.8 - 85.0	8,100
No	800	7.9	5.7 - 10.7	9,400	92.1	89.3 - 94.3	10,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,400	13.4	11.4 - 15.7	15,600	86.6	84.3 - 88.6	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	500	18.8	15.1 - 23.2	1,900	81.2	76.8 - 84.9	2,400
Honolulu	1,600	12.7	10.0 - 15.8	11,100	87.3	84.2 - 90.0	12,700
Kauai	100	15.0	11.1 - 20.0	700	85.0	80.0 - 88.9	800
Maui	200	11.0	8.4 - 14.5	1,900	89.0	85.5 - 91.6	2,100

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.9	5.2 - 11.9	3,900	92.1	88.1 - 94.8	4,200
Native Hawaiian	1,300	22.0	17.8 - 26.9	4,500	78.0	73.1 - 82.2	5,800
Chinese	<50	4.1	0.8 - 18.4	700	95.9	81.6 - 99.2	700
Filipino	200	6.8	3.9 - 11.7	2,900	93.2	88.3 - 96.1	3,100
Japanese	300	15.9	9.4 - 25.9	1,300	84.1	74.1 - 90.6	1,600
Other	300	12.3	7.5 - 19.6	2,200	87.7	80.4 - 92.5	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	16.9	10.5 - 26.1	1,500	83.1	73.9 - 89.5	1,800
20-24	700	16.9	12.6 - 22.4	3,400	83.1	77.6 - 87.4	4,100
25-34	1,200	12.8	10.1 - 16.1	7,900	87.2	83.9 - 89.9	9,100
35+	300	8.4	5.1 - 13.5	2,800	91.6	86.5 - 94.9	3,000

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	12.1	9.5 - 15.2	8,500	87.9	84.8 - 90.5	9,700
Female	1,200	14.9	11.9 - 18.5	7,100	85.1	81.5 - 88.1	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.9	5.1 - 9.3	9,900	93.1	90.7 - 94.9	10,600
No	1,700	22.7	18.8 - 27.1	5,700	77.3	72.9 - 81.2	7,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	22.3	18.2 - 27.1	5,000	77.7	72.9 - 81.8	6,400
131-185%	400	16.0	10.6 - 23.4	2,300	84.0	76.6 - 89.4	2,700
186+%	300	4.5	3.0 - 6.6	6,900	95.5	93.4 - 97.0	7,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	27.2	20.8 - 34.7	2,300	72.8	65.3 - 79.2	3,100
\$10,000-\$24,999	700	17.2	12.7 - 22.9	3,100	82.8	77.1 - 87.3	3,800
\$25,000-\$49,999	500	13.5	9.3 - 19.1	3,100	86.5	80.9 - 90.7	3,600
>=\$50,000	200	3.8	2.3 - 6.1	5,800	96.2	93.9 - 97.7	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	17.1	13.4 - 21.6	1,100	82.9	78.4 - 86.6	1,300
Normal birth weight	2,200	13.0	10.9 - 15.4	14,500	87.0	84.6 - 89.1	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	83.1	73.4 - 89.8	300	16.9	10.2 - 26.6	1,700
No	1,000	5.9	4.5 - 7.7	15,300	94.1	92.3 - 95.5	16,300

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	58.0	51.4 - 64.3	1,700	42.0	35.7 - 48.6	4,000
No	100	0.5	0.2 - 1.0	13,900	99.5	99.0 - 99.8	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	19.9	16.4 - 23.9	6,000	80.1	76.1 - 83.6	7,500
No	900	8.9	6.7 - 11.8	9,500	91.1	88.2 - 93.3	10,400

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,300	12.4	10.9 - 14.1	16,300	87.6	85.9 - 89.1	18,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	16.6	12.0 - 22.6	2,000	83.4	77.4 - 88.0	2,400
Honolulu	1,600	11.9	10.1 - 13.9	11,600	88.1	86.1 - 89.9	13,100
Kauai	100	8.9	4.2 - 18.0	800	91.1	82.0 - 95.8	900
Maui	300	12.4	8.3 - 18.1	1,900	87.6	81.9 - 91.7	2,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	10.7	8.0 - 14.0	3,900	89.3	86.0 - 92.0	4,400
Native Hawaiian	1,100	21.3	17.5 - 25.6	4,100	78.7	74.4 - 82.5	5,200
Chinese	<50	3.5	1.7 - 7.4	600	96.5	92.6 - 98.3	600
Filipino	200	6.7	4.6 - 9.8	3,200	93.3	90.2 - 95.4	3,500
Japanese	200	10.9	7.0 - 16.6	1,800	89.1	83.4 - 93.0	2,000
Other	300	9.2	6.1 - 13.6	2,700	90.8	86.4 - 93.9	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	18.0	12.1 - 25.8	1,200	82.0	74.2 - 87.9	1,500
20-24	700	17.2	13.5 - 21.7	3,400	82.8	78.3 - 86.5	4,000
25-34	1,100	11.4	9.4 - 13.8	8,500	88.6	86.2 - 90.6	9,600
35+	200	7.1	4.7 - 10.5	3,200	92.9	89.5 - 95.3	3,400

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	12.1	10.0 - 14.4	8,600	87.9	85.6 - 90.0	9,700
Female	1,100	12.8	10.6 - 15.4	7,700	87.2	84.6 - 89.4	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.0	7.4 - 10.9	10,600	91.0	89.1 - 92.6	11,700
No	1,300	18.1	15.2 - 21.5	5,700	81.9	78.5 - 84.8	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	19.8	16.7 - 23.3	5,600	80.2	76.7 - 83.3	7,000
131-185%	300	12.6	8.8 - 17.7	2,300	87.4	82.3 - 91.2	2,600
186+%	500	6.0	4.5 - 8.0	7,300	94.0	92.0 - 95.5	7,800

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	19.8	15.4 - 25.2	2,500	80.2	74.8 - 84.6	3,200
\$10,000-\$24,999	700	18.5	14.7 - 23.1	3,200	81.5	76.9 - 85.3	4,000
\$25,000-\$49,999	500	11.4	8.5 - 15.1	3,700	88.6	84.9 - 91.5	4,200
>=\$50,000	400	5.6	4.0 - 7.8	5,900	94.4	92.2 - 96.0	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	15.3	9.6 - 23.5	1,100	84.7	76.5 - 90.4	1,200
Normal birth weight	2,100	12.2	10.7 - 14.0	15,200	87.8	86.0 - 89.3	17,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	92.1	86.2 - 95.6	100	7.9	4.4 - 13.8	1,600
No	800	5.0	4.0 - 6.2	16,200	95.0	93.8 - 96.0	17,000

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	63.1	57.5 - 68.2	1,300	36.9	31.8 - 42.5	3,500
No	100	0.6	0.3 - 1.3	15,000	99.4	98.7 - 99.7	15,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	17.4	14.7 - 20.5	6,500	82.6	79.5 - 85.3	7,900
No	900	8.7	7.0 - 10.6	9,600	91.3	89.4 - 93.0	10,500

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,500	13.3	11.7 - 15.0	16,000	86.7	85.0 - 88.3	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	18.1	13.4 - 24.0	2,000	81.9	76.0 - 86.6	2,500
Honolulu	1,600	12.8	11.0 - 14.8	11,200	87.2	85.2 - 89.0	12,800
Kauai	100	12.4	7.1 - 20.7	900	87.6	79.3 - 92.9	1,100
Maui	200	11.0	7.2 - 16.6	1,900	89.0	83.4 - 92.8	2,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	14.2	11.1 - 18.1	3,600	85.8	81.9 - 88.9	4,200
Native Hawaiian	1,100	20.9	17.2 - 25.3	4,000	79.1	74.7 - 82.8	5,000
Chinese	<50	3.3	1.6 - 7.0	700	96.7	93.0 - 98.4	700
Filipino	300	7.9	5.6 - 11.2	3,200	92.1	88.8 - 94.4	3,400
Japanese	200	9.0	5.6 - 14.2	2,000	91.0	85.8 - 94.4	2,200
Other	300	10.4	7.3 - 14.6	2,700	89.6	85.4 - 92.7	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	19.5	13.3 - 27.7	1,400	80.5	72.3 - 86.7	1,700
20-24	900	19.2	15.6 - 23.3	3,700	80.8	76.7 - 84.4	4,600
25-34	1,100	11.8	9.8 - 14.2	7,900	88.2	85.8 - 90.2	9,000
35+	200	5.4	3.4 - 8.6	3,000	94.6	91.4 - 96.6	3,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	13.3	11.1 - 15.8	8,300	86.7	84.2 - 88.9	9,500
Female	1,200	13.2	11.0 - 15.8	7,800	86.8	84.2 - 89.0	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.9	6.4 - 9.7	10,600	92.1	90.3 - 93.6	11,500
No	1,500	22.0	18.9 - 25.6	5,400	78.0	74.4 - 81.1	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,500	21.2	18.0 - 24.7	5,400	78.8	75.3 - 82.0	6,900
131-185%	300	10.9	7.5 - 15.6	2,400	89.1	84.4 - 92.5	2,700
186+%	600	7.6	5.8 - 9.8	7,000	92.4	90.2 - 94.2	7,500

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	25.5	20.4 - 31.2	2,300	74.5	68.8 - 79.6	3,100
\$10,000-\$24,999	700	17.3	13.6 - 21.7	3,200	82.7	78.3 - 86.4	3,900
\$25,000-\$49,999	500	12.8	9.8 - 16.5	3,700	87.2	83.5 - 90.2	4,200
>=\$50,000	300	5.8	4.1 - 8.1	5,700	94.2	91.9 - 95.9	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	19.4	13.5 - 27.1	1,200	80.6	72.9 - 86.5	1,500
Normal birth weight	2,200	12.7	11.1 - 14.5	14,800	87.3	85.5 - 88.9	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	95.5	90.7 - 97.9	100	4.5	2.1 - 9.3	1,500
No	1,000	5.7	4.7 - 7.0	16,000	94.3	93.0 - 95.3	16,900

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	66.3	61.0 - 71.2	1,200	33.7	28.8 - 39.0	3,700
No	<50	0.2	0.0 - 0.6	14,800	99.8	99.4 - 100.0	14,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	17.7	15.0 - 20.9	6,300	82.3	79.1 - 85.0	7,700
No	1,000	9.9	8.1 - 12.0	9,400	90.1	88.0 - 91.9	10,500

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,600	14.3	12.6 - 16.2	15,700	85.7	83.8 - 87.4	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	18.8	13.6 - 25.3	1,800	81.2	74.7 - 86.4	2,200
Honolulu	1,800	13.5	11.6 - 15.7	11,500	86.5	84.3 - 88.4	13,300
Kauai	100	11.1	5.5 - 20.9	800	88.9	79.1 - 94.5	900
Maui	300	16.0	10.9 - 22.8	1,600	84.0	77.2 - 89.1	1,900

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.5	9.5 - 16.2	3,800	87.5	83.8 - 90.5	4,300
Native Hawaiian	1,200	23.4	19.4 - 28.0	3,800	76.6	72.0 - 80.6	5,000
Chinese	<50	2.0	0.7 - 5.2	600	98.0	94.8 - 99.3	600
Filipino	300	7.7	5.2 - 11.2	3,100	92.3	88.8 - 94.8	3,400
Japanese	200	9.4	5.8 - 14.8	1,900	90.6	85.2 - 94.2	2,100
Other	400	15.4	11.3 - 20.6	2,400	84.6	79.4 - 88.7	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	21.6	15.0 - 30.1	1,200	78.4	69.9 - 85.0	1,500
20-24	800	18.8	15.0 - 23.2	3,600	81.2	76.8 - 85.0	4,500
25-34	1,300	14.0	11.7 - 16.7	7,700	86.0	83.3 - 88.3	8,900
35+	200	5.9	3.7 - 9.2	3,200	94.1	90.8 - 96.3	3,400

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	13.8	11.6 - 16.5	8,100	86.2	83.5 - 88.4	9,400
Female	1,300	14.8	12.4 - 17.6	7,600	85.2	82.4 - 87.6	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.2	7.6 - 11.2	10,500	90.8	88.8 - 92.4	11,600
No	1,500	23.2	19.7 - 27.0	5,100	76.8	73.0 - 80.3	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	22.5	19.0 - 26.3	4,900	77.5	73.7 - 81.0	6,400
131-185%	400	16.1	11.6 - 22.0	2,000	83.9	78.0 - 88.4	2,400
186+%	600	7.5	5.8 - 9.6	7,600	92.5	90.4 - 94.2	8,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	25.8	20.6 - 31.8	2,300	74.2	68.2 - 79.4	3,100
\$10,000-\$24,999	700	18.2	14.2 - 23.0	3,100	81.8	77.0 - 85.8	3,800
\$25,000-\$49,999	600	14.6	11.3 - 18.6	3,700	85.4	81.4 - 88.7	4,300
>=\$50,000	300	5.6	3.9 - 7.8	5,600	94.4	92.2 - 96.1	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	17.5	11.9 - 25.1	1,300	82.5	74.9 - 88.1	1,500
Normal birth weight	2,300	14.0	12.3 - 16.0	14,400	86.0	84.0 - 87.7	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	91.4	85.5 - 95.0	100	8.6	5.0 - 14.5	1,700
No	1,000	6.3	5.1 - 7.7	15,500	93.7	92.3 - 94.9	16,600

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	65.8	60.4 - 70.8	1,300	34.2	29.2 - 39.6	3,900
No	100	0.4	0.2 - 1.0	14,400	99.6	99.0 - 99.8	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	20.5	17.4 - 23.9	6,100	79.5	76.1 - 82.6	7,700
No	1,000	10.0	8.2 - 12.1	9,300	90.0	87.9 - 91.8	10,300

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,400	14.1	12.5 - 15.8	14,800	85.9	84.2 - 87.5	17,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	15.2	10.9 - 20.9	1,900	84.8	79.1 - 89.1	2,200
Honolulu	1,700	13.3	11.5 - 15.3	10,900	86.7	84.7 - 88.5	12,600
Kauai	100	16.0	9.0 - 26.8	600	84.0	73.2 - 91.0	700
Maui	300	17.5	12.2 - 24.4	1,400	82.5	75.6 - 87.8	1,700

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.7	9.6 - 16.6	3,300	87.3	83.4 - 90.4	3,700
Native Hawaiian	1,100	22.2	18.4 - 26.6	3,800	77.8	73.4 - 81.6	4,900
Chinese	<50	1.7	0.7 - 4.4	600	98.3	95.6 - 99.3	600
Filipino	300	10.9	8.1 - 14.5	2,800	89.1	85.5 - 91.9	3,200
Japanese	200	10.4	7.1 - 15.0	2,100	89.6	85.0 - 92.9	2,300
Other	300	10.9	7.7 - 15.3	2,300	89.1	84.7 - 92.3	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	17.9	12.2 - 25.6	1,200	82.1	74.4 - 87.8	1,500
20-24	800	18.7	15.1 - 23.0	3,400	81.3	77.0 - 84.9	4,200
25-34	1,100	12.7	10.6 - 15.1	7,500	87.3	84.9 - 89.4	8,600
35+	300	9.5	6.6 - 13.5	2,700	90.5	86.5 - 93.4	3,000

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	13.7	11.5 - 16.2	7,600	86.3	83.8 - 88.5	8,800
Female	1,200	14.5	12.2 - 17.1	7,200	85.5	82.9 - 87.8	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	7.6	6.1 - 9.4	10,200	92.4	90.6 - 93.9	11,000
No	1,600	25.4	22.0 - 29.1	4,700	74.6	70.9 - 78.0	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	23.5	20.1 - 27.1	4,700	76.5	72.9 - 79.9	6,200
131-185%	200	10.4	6.7 - 15.7	1,700	89.6	84.3 - 93.3	1,800
186+%	600	7.3	5.7 - 9.4	7,200	92.7	90.6 - 94.3	7,800

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	900	30.3	25.0 - 36.2	2,000	69.7	63.8 - 75.0	2,900
\$10,000-\$24,999	700	18.9	15.1 - 23.4	2,900	81.1	76.6 - 84.9	3,600
\$25,000-\$49,999	400	9.6	7.0 - 13.0	3,600	90.4	87.0 - 93.0	4,000
>=\$50,000	300	5.8	4.1 - 8.1	5,100	94.2	91.9 - 95.9	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	17.5	11.6 - 25.7	1,000	82.5	74.3 - 88.4	1,300
Normal birth weight	2,200	13.8	12.2 - 15.6	13,800	86.2	84.4 - 87.8	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	97.5	92.6 - 99.2	<50	2.5	0.8 - 7.4	1,400
No	1,000	6.3	5.2 - 7.7	14,800	93.7	92.3 - 94.8	15,800

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	64.4	59.2 - 69.3	1,300	35.6	30.7 - 40.8	3,600
No	<50	0.3	0.1 - 0.8	13,500	99.7	99.2 - 99.9	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	18.9	16.1 - 22.1	5,900	81.1	77.9 - 83.9	7,300
No	1,000	10.7	8.9 - 12.9	8,600	89.3	87.1 - 91.1	9,600

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,300	13.1	11.7 - 14.7	15,300	86.9	85.3 - 88.3	17,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	18.6	14.1 - 24.3	1,800	81.4	75.7 - 85.9	2,200
Honolulu	1,500	12.1	10.4 - 13.9	11,300	87.9	86.1 - 89.6	12,800
Kauai	100	9.9	5.2 - 18.1	700	90.1	81.9 - 94.8	800
Maui	300	15.3	10.9 - 20.9	1,500	84.7	79.1 - 89.1	1,800

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.6	9.9 - 16.0	3,400	87.4	84.0 - 90.1	3,900
Native Hawaiian	900	19.4	16.0 - 23.3	3,900	80.6	76.7 - 84.0	4,900
Chinese	<50	4.4	2.8 - 6.8	600	95.6	93.2 - 97.2	700
Filipino	300	9.1	6.7 - 12.1	3,000	90.9	87.9 - 93.3	3,300
Japanese	200	7.4	4.7 - 11.5	2,100	92.6	88.5 - 95.3	2,300
Other	400	14.5	10.7 - 19.3	2,300	85.5	80.7 - 89.3	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	26.4	19.6 - 34.6	1,000	73.6	65.4 - 80.4	1,300
20-24	900	19.4	16.0 - 23.3	3,600	80.6	76.7 - 84.0	4,400
25-34	800	9.7	8.0 - 11.8	7,800	90.3	88.2 - 92.0	8,600
35+	300	8.4	6.0 - 11.7	3,100	91.6	88.3 - 94.0	3,400

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	13.7	11.7 - 15.9	8,300	86.3	84.1 - 88.3	9,600
Female	1,000	12.5	10.4 - 14.9	7,000	87.5	85.1 - 89.6	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.0	7.6 - 10.7	11,300	91.0	89.3 - 92.4	12,400
No	1,200	22.8	19.4 - 26.5	4,100	77.2	73.5 - 80.6	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,200	19.0	16.2 - 22.2	5,200	81.0	77.8 - 83.8	6,400
131-185%	300	15.8	11.6 - 21.1	1,800	84.2	78.9 - 88.4	2,100
186+%	500	7.0	5.5 - 8.9	7,200	93.0	91.1 - 94.5	7,700

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	22.0	17.5 - 27.3	2,100	78.0	72.7 - 82.5	2,700
\$10,000-\$24,999	800	18.5	15.2 - 22.3	3,500	81.5	77.7 - 84.8	4,300
\$25,000-\$49,999	400	9.2	6.9 - 12.1	4,000	90.8	87.9 - 93.1	4,400
>=\$50,000	300	6.1	4.4 - 8.4	4,600	93.9	91.6 - 95.6	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	19.6	13.3 - 27.8	900	80.4	72.2 - 86.7	1,100
Normal birth weight	2,100	12.7	11.2 - 14.3	14,500	87.3	85.7 - 88.8	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	89.6	83.3 - 93.7	100	10.4	6.3 - 16.7	1,400
No	1,000	6.3	5.2 - 7.5	15,200	93.7	92.5 - 94.8	16,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	62.0	57.1 - 66.7	1,400	38.0	33.3 - 42.9	3,600
No	<50	0.3	0.1 - 0.7	14,000	99.7	99.3 - 99.9	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	17.1	14.7 - 19.9	6,500	82.9	80.1 - 85.3	7,800
No	900	9.9	8.3 - 11.9	8,500	90.1	88.1 - 91.7	9,500

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,600	14.8	13.1 - 16.8	14,800	85.2	83.2 - 86.9	17,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	500	23.0	19.5 - 27.1	1,500	77.0	72.9 - 80.5	2,000
Honolulu	1,800	13.8	11.6 - 16.3	11,000	86.2	83.7 - 88.4	12,700
Kauai	100	12.8	8.6 - 18.6	700	87.2	81.4 - 91.4	800
Maui	300	14.1	11.2 - 17.6	1,600	85.9	82.4 - 88.8	1,800

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	14.0	10.2 - 19.1	3,200	86.0	80.9 - 89.8	3,700
Native Hawaiian	1,100	23.0	20.6 - 25.7	3,600	77.0	74.3 - 79.4	4,700
Chinese	<50	3.2	0.5 - 18.7	700	96.8	81.3 - 99.5	700
Filipino	400	11.4	7.9 - 16.2	3,400	88.6	83.8 - 92.1	3,900
Japanese	200	12.2	7.4 - 19.4	1,700	87.8	80.6 - 92.6	2,000
Other	300	11.3	6.9 - 18.1	2,100	88.7	81.9 - 93.1	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	26.3	19.5 - 34.4	1,200	73.7	65.6 - 80.5	1,600
20-24	800	20.8	17.0 - 25.1	3,200	79.2	74.9 - 83.0	4,100
25-34	1,100	12.6	10.3 - 15.3	7,700	87.4	84.7 - 89.7	8,800
35+	200	7.4	4.7 - 11.4	2,800	92.6	88.6 - 95.3	3,000

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	13.7	11.5 - 16.2	8,000	86.3	83.8 - 88.5	9,200
Female	1,300	16.2	13.5 - 19.2	6,800	83.8	80.8 - 86.5	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	10.1	8.2 - 12.4	10,300	89.9	87.6 - 91.8	11,500
No	1,400	24.0	20.7 - 27.7	4,500	76.0	72.3 - 79.3	5,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,700	21.7	18.7 - 24.9	6,000	78.3	75.1 - 81.3	7,700
131-185%	300	11.2	7.4 - 16.6	2,300	88.8	83.4 - 92.6	2,500
186+%	300	6.4	4.4 - 9.3	5,100	93.6	90.7 - 95.6	5,400

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,200	27.9	23.7 - 32.6	3,000	72.1	67.4 - 76.3	4,200
\$15,001-\$25,000	300	15.6	11.0 - 21.8	1,900	84.4	78.2 - 89.0	2,200
\$25,001-\$40,000	400	12.9	9.2 - 17.8	2,800	87.1	82.2 - 90.8	3,200
>=\$40,001	500	6.9	4.9 - 9.6	6,200	93.1	90.4 - 95.1	6,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	11.5	7.3 - 17.8	1,100	88.5	82.2 - 92.7	1,200
Normal birth weight	2,400	15.1	13.2 - 17.1	13,700	84.9	82.9 - 86.8	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	89.7	81.7 - 94.4	200	10.3	5.6 - 18.3	1,600
No	1,100	6.8	5.5 - 8.3	14,600	93.2	91.7 - 94.5	15,700

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	66.6	60.9 - 71.9	1,200	33.4	28.1 - 39.1	3,500
No	<50	0.3	0.1 - 0.8	13,600	99.7	99.2 - 99.9	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	21.4	18.5 - 24.8	5,800	78.6	75.2 - 81.5	7,300
No	1,000	10.0	8.0 - 12.3	9,000	90.0	87.7 - 92.0	10,000

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,200	13.0	11.4 - 14.9	14,600	87.0	85.1 - 88.6	16,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	21.0	17.7 - 24.7	1,500	79.0	75.3 - 82.3	2,000
Honolulu	1,400	11.4	9.4 - 13.8	11,000	88.6	86.2 - 90.6	12,500
Kauai	100	18.4	13.1 - 25.3	600	81.6	74.7 - 86.9	700
Maui	200	13.6	10.4 - 17.5	1,500	86.4	82.5 - 89.6	1,700

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.9	9.0 - 18.2	3,100	87.1	81.8 - 91.0	3,500
Native Hawaiian	1,000	22.0	19.6 - 24.7	3,600	78.0	75.3 - 80.4	4,600
Chinese	<50	3.2	0.5 - 18.9	600	96.8	81.1 - 99.5	600
Filipino	200	4.9	2.9 - 8.1	3,200	95.1	91.9 - 97.1	3,400
Japanese	200	7.4	4.3 - 12.5	2,200	92.6	87.5 - 95.7	2,400
Other	400	15.6	9.9 - 23.8	1,900	84.4	76.2 - 90.1	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	15.7	11.1 - 21.8	1,300	84.3	78.2 - 88.9	1,500
20-24	900	21.0	17.0 - 25.5	3,300	79.0	74.5 - 83.0	4,100
25-34	900	10.7	8.6 - 13.3	7,500	89.3	86.7 - 91.4	8,400
35+	200	6.6	4.0 - 10.5	2,500	93.4	89.5 - 96.0	2,700

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	13.8	11.5 - 16.5	7,200	86.2	83.5 - 88.5	8,400
Female	1,000	12.2	10.1 - 14.8	7,400	87.8	85.2 - 89.9	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.4	6.7 - 10.6	10,500	91.6	89.4 - 93.3	11,500
No	1,200	22.9	19.6 - 26.5	4,100	77.1	73.5 - 80.4	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,200	18.7	15.9 - 21.9	5,300	81.3	78.1 - 84.1	6,500
131-185%	500	13.7	9.6 - 19.1	3,000	86.3	80.9 - 90.4	3,400
186+%	300	5.0	3.2 - 7.7	5,100	95.0	92.3 - 96.8	5,300

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	900	26.6	22.1 - 31.7	2,400	73.4	68.3 - 77.9	3,300
\$15,001-\$25,000	200	9.1	6.2 - 13.0	2,200	90.9	87.0 - 93.8	2,500
\$25,001-\$40,000	600	16.5	12.2 - 21.8	3,000	83.5	78.2 - 87.8	3,600
>=\$40,001	300	4.9	3.3 - 7.2	6,100	95.1	92.8 - 96.7	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	13.6	8.1 - 22.1	1,000	86.4	77.9 - 91.9	1,100
Normal birth weight	2,000	12.8	11.2 - 14.7	13,600	87.2	85.3 - 88.8	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	91.5	84.1 - 95.7	100	8.5	4.3 - 15.9	1,300
No	900	6.0	4.8 - 7.5	14,500	94.0	92.5 - 95.2	15,400

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	62.4	56.3 - 68.2	1,200	37.6	31.8 - 43.7	3,300
No	100	0.6	0.3 - 1.2	13,200	99.4	98.8 - 99.7	13,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	18.9	16.0 - 22.3	5,700	81.1	77.7 - 84.0	7,000
No	900	8.8	7.1 - 11.0	8,900	91.2	89.0 - 92.9	9,800

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,500	15.0	13.5 - 16.5	13,900	85.0	83.5 - 86.5	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	20.0	16.7 - 23.9	1,500	80.0	76.1 - 83.3	1,800
Honolulu	1,700	13.7	12.0 - 15.6	10,400	86.3	84.4 - 88.0	12,100
Kauai	200	21.8	16.1 - 28.8	600	78.2	71.2 - 83.9	700
Maui	300	15.6	12.4 - 19.4	1,400	84.4	80.6 - 87.6	1,700

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	11.8	9.0 - 15.4	3,100	88.2	84.6 - 91.0	3,500
Native Hawaiian	1,100	23.9	21.9 - 26.1	3,400	76.1	73.9 - 78.1	4,400
Chinese	<50	5.5	1.7 - 16.6	700	94.5	83.4 - 98.3	700
Filipino	400	11.4	8.4 - 15.3	3,100	88.6	84.7 - 91.6	3,500
Japanese	200	7.5	4.4 - 12.5	1,900	92.5	87.5 - 95.6	2,000
Other	400	17.4	12.6 - 23.6	1,900	82.6	76.4 - 87.4	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	22.6	18.2 - 27.7	1,200	77.4	72.3 - 81.8	1,600
20-24	900	21.9	18.7 - 25.4	3,300	78.1	74.6 - 81.3	4,200
25-34	1,000	12.2	10.3 - 14.4	7,000	87.8	85.6 - 89.7	7,900
35+	200	8.0	5.4 - 11.7	2,500	92.0	88.3 - 94.6	2,700

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	16.8	14.6 - 19.2	6,900	83.2	80.8 - 85.4	8,300
Female	1,100	13.1	11.3 - 15.2	7,000	86.9	84.8 - 88.7	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	10.5	9.0 - 12.4	9,800	89.5	87.6 - 91.0	11,000
No	1,300	24.0	21.2 - 27.0	4,100	76.0	73.0 - 78.8	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,400	22.9	20.3 - 25.8	4,700	77.1	74.2 - 79.7	6,100
131-185%	500	14.8	11.7 - 18.5	3,000	85.2	81.5 - 88.3	3,600
186+%	300	5.4	4.0 - 7.3	5,200	94.6	92.7 - 96.0	5,500

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	800	24.9	21.2 - 29.0	2,500	75.1	71.0 - 78.8	3,300
\$15,001-\$25,000	500	23.5	18.9 - 28.8	1,700	76.5	71.2 - 81.1	2,200
\$25,001-\$40,000	500	14.7	11.8 - 18.2	3,000	85.3	81.8 - 88.2	3,500
>=\$40,001	400	6.7	5.2 - 8.7	6,000	93.3	91.3 - 94.8	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	17.2	12.2 - 23.7	900	82.8	76.3 - 87.8	1,100
Normal birth weight	2,300	14.8	13.4 - 16.5	13,000	85.2	83.5 - 86.6	15,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	92.7	88.4 - 95.4	100	7.3	4.6 - 11.6	1,500
No	1,000	6.6	5.6 - 7.9	13,800	93.4	92.1 - 94.4	14,800

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	67.5	63.0 - 71.7	1,100	32.5	28.3 - 37.0	3,300
No	100	0.6	0.3 - 1.2	12,700	99.4	98.8 - 99.7	12,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	21.0	18.6 - 23.6	5,400	79.0	76.4 - 81.4	6,900
No	1,000	10.5	8.9 - 12.5	8,500	89.5	87.5 - 91.1	9,500

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,300	13.7	12.3 - 15.2	14,400	86.3	84.8 - 87.7	16,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	21.2	17.6 - 25.2	1,500	78.8	74.8 - 82.4	1,900
Honolulu	1,500	12.3	10.6 - 14.2	10,800	87.7	85.8 - 89.4	12,300
Kauai	100	21.0	15.1 - 28.5	500	79.0	71.5 - 84.9	700
Maui	200	12.6	9.6 - 16.3	1,500	87.4	83.7 - 90.4	1,700

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	13.8	10.9 - 17.3	3,400	86.2	82.7 - 89.1	4,000
Native Hawaiian	900	19.9	18.0 - 22.1	3,600	80.1	77.9 - 82.0	4,400
Chinese	<50	1.9	0.5 - 6.5	600	98.1	93.5 - 99.5	700
Filipino	400	11.5	8.4 - 15.6	3,000	88.5	84.4 - 91.6	3,400
Japanese	200	7.8	4.7 - 12.7	1,800	92.2	87.3 - 95.3	2,000
Other	300	12.8	8.6 - 18.6	1,900	87.2	81.4 - 91.4	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	23.9	18.9 - 29.7	1,300	76.1	70.3 - 81.1	1,800
20-24	800	20.0	16.9 - 23.5	3,100	80.0	76.5 - 83.1	3,900
25-34	800	10.2	8.5 - 12.3	7,200	89.8	87.7 - 91.5	8,000
35+	200	8.4	5.9 - 11.8	2,700	91.6	88.2 - 94.1	2,900

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	14.7	12.8 - 16.9	7,300	85.3	83.1 - 87.2	8,600
Female	1,000	12.6	10.7 - 14.7	7,100	87.4	85.3 - 89.3	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.4	8.0 - 11.0	10,500	90.6	89.0 - 92.0	11,600
No	1,200	23.5	20.5 - 26.7	3,900	76.5	73.3 - 79.5	5,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	18.1	15.9 - 20.5	5,700	81.9	79.5 - 84.1	7,000
131-185%	300	15.7	12.0 - 20.4	1,900	84.3	79.6 - 88.0	2,200
186+%	500	7.3	5.5 - 9.7	5,700	92.7	90.3 - 94.5	6,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	900	24.8	21.4 - 28.5	2,900	75.2	71.5 - 78.6	3,800
\$15,001-\$25,000	400	14.6	11.3 - 18.7	2,200	85.4	81.3 - 88.7	2,600
\$25,001-\$40,000	400	13.8	10.7 - 17.7	2,700	86.2	82.3 - 89.3	3,100
>=\$40,001	400	6.0	4.4 - 8.0	5,900	94.0	92.0 - 95.6	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	18.6	13.3 - 25.3	900	81.4	74.7 - 86.7	1,100
Normal birth weight	2,000	13.2	11.8 - 14.8	13,400	86.8	85.2 - 88.2	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	92.3	87.4 - 95.4	100	7.7	4.6 - 12.6	1,400
No	900	6.2	5.2 - 7.3	14,200	93.8	92.7 - 94.8	15,200

PRAMS Health Indicator Report - Smoke now (3-6 months after birth)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	66.1	61.4 - 70.4	1,100	33.9	29.6 - 38.6	3,200
No	100	0.5	0.2 - 1.0	13,200	99.5	99.0 - 99.8	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	18.7	16.5 - 21.2	5,900	81.3	78.8 - 83.5	7,300
No	900	9.8	8.1 - 11.8	8,400	90.2	88.2 - 91.9	9,400