

**PRAMS Health Indicator Report - Smoking 3 months before pregnancy- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Smoking 3 months before pregnancy	Smoking 3 months before pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/10/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Smoking 3 months before pregnancy- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	3,400	20.2	18.5 - 22.0	13,200	79.8	78.0 - 81.5	16,600
2001	3,400	20.8	19.2 - 22.6	12,800	79.2	77.4 - 80.8	16,200
2002	3,300	19.8	17.7 - 22.0	13,300	80.2	78.0 - 82.3	16,600
2003	3,600	20.8	18.7 - 23.0	13,600	79.2	77.0 - 81.3	17,200
2004	3,600	20.6	18.9 - 22.5	14,000	79.4	77.5 - 81.1	17,600
2005	3,600	21.2	19.2 - 23.2	13,600	78.8	76.8 - 80.8	17,200
2006	3,900	21.2	19.2 - 23.3	14,400	78.8	76.7 - 80.8	18,300
2007	3,700	19.8	18.0 - 21.8	14,800	80.2	78.2 - 82.0	18,500
2008	3,500	18.9	17.1 - 20.9	15,100	81.1	79.1 - 82.9	18,600
2009	4,000	22.4	19.9 - 25.1	14,000	77.6	74.9 - 80.1	18,000
2010	3,800	20.9	18.5 - 23.6	14,500	79.1	76.4 - 81.5	18,400
2011	3,600	19.3	16.9 - 21.9	14,900	80.7	78.1 - 83.1	18,400
2012	2,900	16.1	13.9 - 18.6	15,000	83.9	81.4 - 86.1	17,900
2013	3,300	18.2	15.6 - 21.0	14,900	81.8	79.0 - 84.4	18,200

**PRAMS Health Indicator Report - Smoking 3 months before pregnancy- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,300	18.2	15.6 - 21.0	14,900	81.8	79.0 - 84.4	18,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	500	21.9	17.5 - 27.0	1,800	78.1	73.0 - 82.5	2,300
Honolulu	2,300	17.6	14.3 - 21.5	10,800	82.4	78.5 - 85.7	13,100
Kauai	100	16.9	13.2 - 21.5	700	83.1	78.5 - 86.8	800
Maui	400	18.2	14.3 - 22.9	1,600	81.8	77.1 - 85.7	2,000

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	11.9	8.3 - 16.9	4,200	88.1	83.1 - 91.7	4,700
Native Hawaiian	1,400	25.0	20.2 - 30.5	4,100	75.0	69.5 - 79.8	5,500
Chinese	100	11.9	4.8 - 26.5	800	88.1	73.5 - 95.2	900
Filipino	400	14.4	9.2 - 21.9	2,500	85.6	78.1 - 90.8	2,900
Japanese	300	14.1	7.5 - 25.0	1,500	85.9	75.0 - 92.5	1,800
Other	600	24.8	16.8 - 35.1	1,800	75.2	64.9 - 83.2	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	18.8	9.9 - 32.8	700	81.2	67.2 - 90.1	900
20-24	1,000	25.3	19.3 - 32.4	3,000	74.7	67.6 - 80.7	4,000
25-34	1,700	17.6	14.2 - 21.5	8,100	82.4	78.5 - 85.8	9,800
35+	400	11.3	7.2 - 17.3	3,000	88.7	82.7 - 92.8	3,400

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,500	16.3	13.1 - 20.3	7,400	83.7	79.7 - 86.9	8,900
Female	1,800	19.9	16.2 - 24.2	7,400	80.1	75.8 - 83.8	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	12.5	9.7 - 15.9	10,100	87.5	84.1 - 90.3	11,500
No	1,900	28.1	23.4 - 33.3	4,800	71.9	66.7 - 76.6	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,700	25.3	20.8 - 30.4	5,000	74.7	69.6 - 79.2	6,700
131-185%	400	17.6	11.1 - 26.7	2,000	82.4	73.3 - 88.9	2,500
186+%	800	11.7	8.5 - 15.8	6,400	88.3	84.2 - 91.5	7,300

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	1,300	30.9	24.7 - 37.9	2,900	69.1	62.1 - 75.3	4,200
\$17,001-\$26,000	500	21.0	14.3 - 29.8	1,900	79.0	70.2 - 85.7	2,400
\$26,001-\$51,000	700	17.0	12.0 - 23.5	3,200	83.0	76.5 - 88.0	3,900
>=\$51,001	600	9.9	6.8 - 14.2	5,500	90.1	85.8 - 93.2	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	21.9	17.9 - 26.4	1,000	78.1	73.6 - 82.1	1,300
Normal birth weight	3,000	17.9	15.2 - 20.9	13,800	82.1	79.1 - 84.8	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	100.0	-	0	0.0	-	1,000
No	2,300	13.3	11.0 - 16.0	14,900	86.7	84.0 - 89.0	17,100

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	21.8	17.9 - 26.2	6,300	78.2	73.8 - 82.1	8,000
No	1,500	15.0	11.8 - 18.9	8,500	85.0	81.1 - 88.2	10,000

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,900	16.1	13.9 - 18.6	15,000	83.9	81.4 - 86.1	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	500	20.6	16.6 - 25.3	1,800	79.4	74.7 - 83.4	2,300
Honolulu	1,900	14.8	11.9 - 18.2	11,000	85.2	81.8 - 88.1	12,900
Kauai	200	23.8	18.7 - 29.8	600	76.2	70.2 - 81.3	800
Maui	300	16.3	12.8 - 20.5	1,600	83.7	79.5 - 87.2	1,900

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	14.1	10.0 - 19.4	3,600	85.9	80.6 - 90.0	4,200
Native Hawaiian	1,300	25.3	20.3 - 31.0	3,800	74.7	69.0 - 79.7	5,100
Chinese	100	10.9	4.9 - 22.3	900	89.1	77.7 - 95.1	1,000
Filipino	400	11.6	7.7 - 17.1	2,800	88.4	82.9 - 92.3	3,200
Japanese	200	10.0	5.0 - 19.1	1,400	90.0	80.9 - 95.0	1,500
Other	400	13.2	8.7 - 19.6	2,500	86.8	80.4 - 91.3	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	16.1	8.4 - 28.8	900	83.9	71.2 - 91.6	1,000
20-24	700	20.3	15.0 - 26.8	2,900	79.7	73.2 - 85.0	3,600
25-34	1,800	17.5	14.4 - 21.1	8,300	82.5	78.9 - 85.6	10,100
35+	200	7.1	4.5 - 11.0	3,000	92.9	89.0 - 95.5	3,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	14.6	11.7 - 18.2	7,600	85.4	81.8 - 88.3	8,900
Female	1,600	17.6	14.3 - 21.3	7,500	82.4	78.7 - 85.7	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	9.4	7.2 - 12.1	10,000	90.6	87.9 - 92.8	11,100
No	1,900	27.0	22.7 - 31.8	5,000	73.0	68.2 - 77.3	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,500	23.0	18.9 - 27.8	4,900	77.0	72.2 - 81.1	6,400
131-185%	400	12.5	8.2 - 18.5	2,600	87.5	81.5 - 91.8	3,000
186+%	700	10.4	7.4 - 14.4	6,100	89.6	85.6 - 92.6	6,800

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	1,000	25.5	20.0 - 31.8	3,000	74.5	68.2 - 80.0	4,000
\$17,001-\$26,000	400	18.7	13.0 - 26.1	1,800	81.3	73.9 - 87.0	2,200
\$26,001-\$51,000	700	15.9	11.6 - 21.4	3,700	84.1	78.6 - 88.4	4,400
>=\$51,001	500	8.8	5.9 - 12.9	5,300	91.2	87.1 - 94.1	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	18.9	14.8 - 23.8	1,000	81.1	76.2 - 85.2	1,200
Normal birth weight	2,700	15.9	13.6 - 18.6	14,000	84.1	81.4 - 86.4	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	100.0	-	0	0.0	-	700
No	2,100	12.4	10.4 - 14.8	15,000	87.6	85.2 - 89.6	17,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	19.4	16.0 - 23.3	6,500	80.6	76.7 - 84.0	8,100
No	1,300	13.2	10.4 - 16.6	8,500	86.8	83.4 - 89.6	9,700

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,600	19.3	16.9 - 21.9	14,900	80.7	78.1 - 83.1	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	600	26.0	21.7 - 30.8	1,800	74.0	69.2 - 78.3	2,400
Honolulu	2,400	18.1	15.0 - 21.7	10,800	81.9	78.3 - 85.0	13,200
Kauai	100	13.3	9.6 - 18.2	700	86.7	81.8 - 90.4	900
Maui	400	21.8	18.2 - 25.9	1,500	78.2	74.1 - 81.8	2,000

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	17.1	12.8 - 22.5	3,700	82.9	77.5 - 87.2	4,400
Native Hawaiian	1,400	26.1	21.4 - 31.4	3,800	73.9	68.6 - 78.6	5,200
Chinese	100	7.7	3.0 - 18.5	700	92.3	81.5 - 97.0	700
Filipino	500	15.7	11.0 - 22.1	2,800	84.3	77.9 - 89.0	3,300
Japanese	400	20.2	13.1 - 29.9	1,500	79.8	70.1 - 86.9	1,900
Other	500	17.0	11.3 - 24.6	2,300	83.0	75.4 - 88.7	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	21.1	14.1 - 30.4	800	78.9	69.6 - 85.9	1,000
20-24	1,100	25.8	20.3 - 32.1	3,200	74.2	67.9 - 79.7	4,400
25-34	1,800	18.5	15.3 - 22.1	8,100	81.5	77.9 - 84.7	9,900
35+	400	12.5	8.3 - 18.4	2,800	87.5	81.6 - 91.7	3,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,700	18.0	14.8 - 21.7	7,700	82.0	78.3 - 85.2	9,400
Female	1,900	20.7	17.3 - 24.6	7,100	79.3	75.4 - 82.7	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	12.5	10.1 - 15.4	10,100	87.5	84.6 - 89.9	11,500
No	2,100	30.6	26.0 - 35.6	4,800	69.4	64.4 - 74.0	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,500	23.0	19.2 - 27.4	5,100	77.0	72.6 - 80.8	6,600
131-185%	700	26.0	19.0 - 34.5	2,000	74.0	65.5 - 81.0	2,800
186+%	1,200	14.4	11.2 - 18.3	6,900	85.6	81.7 - 88.8	8,100

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	900	26.8	21.0 - 33.5	2,400	73.2	66.5 - 79.0	3,300
\$10,000-\$24,999	800	23.0	17.6 - 29.3	2,600	77.0	70.7 - 82.4	3,400
\$25,000-\$49,999	1,100	24.8	19.5 - 31.0	3,400	75.2	69.0 - 80.5	4,500
>=\$50,000	600	9.9	6.9 - 14.1	5,600	90.1	85.9 - 93.1	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	24.5	20.0 - 29.7	1,000	75.5	70.3 - 80.0	1,300
Normal birth weight	3,200	19.0	16.4 - 21.8	13,800	81.0	78.2 - 83.6	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	100.0	-	0	0.0	-	900
No	2,600	15.0	12.8 - 17.6	14,900	85.0	82.4 - 87.2	17,500

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	24.7	20.9 - 28.8	6,300	75.3	71.2 - 79.1	8,300
No	1,500	14.9	12.0 - 18.4	8,600	85.1	81.6 - 88.0	10,100

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,800	20.9	18.5 - 23.6	14,500	79.1	76.4 - 81.5	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	700	30.3	25.7 - 35.2	1,600	69.7	64.8 - 74.3	2,300
Honolulu	2,600	19.2	16.1 - 22.9	10,700	80.8	77.1 - 83.9	13,300
Kauai	200	19.2	15.0 - 24.3	700	80.8	75.7 - 85.0	800
Maui	400	22.2	18.5 - 26.5	1,500	77.8	73.5 - 81.5	2,000

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	17.7	13.3 - 23.2	3,700	82.3	76.8 - 86.7	4,500
Native Hawaiian	1,500	27.3	22.7 - 32.4	4,000	72.7	67.6 - 77.3	5,500
Chinese	100	14.6	6.4 - 29.9	700	85.4	70.1 - 93.6	800
Filipino	700	19.9	14.5 - 26.8	2,600	80.1	73.2 - 85.5	3,300
Japanese	300	19.6	12.3 - 29.8	1,400	80.4	70.2 - 87.7	1,700
Other	500	17.1	11.3 - 25.1	2,200	82.9	74.9 - 88.7	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	27.3	17.8 - 39.4	800	72.7	60.6 - 82.2	1,100
20-24	1,400	31.9	26.1 - 38.4	3,000	68.1	61.6 - 73.9	4,400
25-34	1,700	17.9	14.8 - 21.5	7,800	82.1	78.5 - 85.2	9,500
35+	400	12.7	8.5 - 18.6	2,900	87.3	81.4 - 91.5	3,300

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	2,000	21.3	17.9 - 25.1	7,300	78.7	74.9 - 82.1	9,300
Female	1,900	20.6	17.2 - 24.5	7,200	79.4	75.5 - 82.8	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	15.0	12.2 - 18.2	9,700	85.0	81.8 - 87.8	11,400
No	2,100	30.8	26.4 - 35.6	4,800	69.2	64.4 - 73.6	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,800	28.4	23.9 - 33.3	4,600	71.6	66.7 - 76.1	6,400
131-185%	700	22.6	16.5 - 30.2	2,300	77.4	69.8 - 83.5	3,000
186+%	1,200	15.4	12.1 - 19.4	6,600	84.6	80.6 - 87.9	7,800

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,000	30.0	24.0 - 36.8	2,400	70.0	63.2 - 76.0	3,400
\$10,000-\$24,999	900	26.5	20.3 - 33.7	2,400	73.5	66.3 - 79.7	3,200
\$25,000-\$49,999	1,100	24.8	19.6 - 30.9	3,400	75.2	69.1 - 80.4	4,600
>=\$50,000	700	11.5	8.4 - 15.6	5,500	88.5	84.4 - 91.6	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	24.9	20.4 - 29.9	1,000	75.1	70.1 - 79.6	1,300
Normal birth weight	3,500	20.7	18.1 - 23.6	13,500	79.3	76.4 - 81.9	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	100.0	-	0	0.0	-	1,400
No	2,400	14.2	12.1 - 16.6	14,500	85.8	83.4 - 87.9	16,900

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	27.4	23.5 - 31.7	5,800	72.6	68.3 - 76.5	8,000
No	1,600	15.5	12.6 - 19.0	8,600	84.5	81.0 - 87.4	10,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	4,000	22.4	19.9 - 25.1	14,000	77.6	74.9 - 80.1	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	700	29.2	24.7 - 34.1	1,700	70.8	65.9 - 75.3	2,400
Honolulu	2,700	20.9	17.6 - 24.7	10,000	79.1	75.3 - 82.4	12,700
Kauai	200	24.8	19.9 - 30.3	600	75.2	69.7 - 80.1	800
Maui	500	22.7	19.0 - 27.0	1,600	77.3	73.0 - 81.0	2,100

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	900	20.7	16.1 - 26.2	3,400	79.3	73.8 - 83.9	4,200
Native Hawaiian	1,700	30.1	25.4 - 35.2	4,100	69.9	64.8 - 74.6	5,800
Chinese	100	16.8	7.3 - 34.3	600	83.2	65.7 - 92.7	700
Filipino	400	13.5	9.1 - 19.6	2,700	86.5	80.4 - 90.9	3,200
Japanese	400	25.9	17.4 - 36.6	1,200	74.1	63.4 - 82.6	1,600
Other	500	18.4	12.3 - 26.5	2,000	81.6	73.5 - 87.7	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	29.0	20.4 - 39.3	1,300	71.0	60.7 - 79.6	1,800
20-24	1,200	28.8	23.2 - 35.2	2,900	71.2	64.8 - 76.8	4,100
25-34	1,900	21.1	17.8 - 24.9	7,100	78.9	75.1 - 82.2	9,000
35+	400	13.7	9.4 - 19.5	2,600	86.3	80.5 - 90.6	3,000

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	2,000	21.2	17.9 - 24.9	7,600	78.8	75.1 - 82.1	9,700
Female	2,000	23.9	20.2 - 28.0	6,400	76.1	72.0 - 79.8	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	14.5	11.8 - 17.6	9,000	85.5	82.4 - 88.2	10,600
No	2,500	33.7	29.2 - 38.5	4,900	66.3	61.5 - 70.8	7,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,100	32.5	27.7 - 37.6	4,300	67.5	62.4 - 72.3	6,400
131-185%	600	23.0	16.9 - 30.5	2,100	77.0	69.5 - 83.1	2,700
186+%	900	13.0	10.1 - 16.5	6,300	87.0	83.5 - 89.9	7,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,100	35.8	28.6 - 43.6	2,000	64.2	56.4 - 71.4	3,100
\$10,000-\$24,999	1,100	28.7	23.2 - 35.0	2,700	71.3	65.0 - 76.8	3,800
\$25,000-\$49,999	700	20.3	15.5 - 26.3	2,900	79.7	73.7 - 84.5	3,600
>=\$50,000	700	12.2	9.1 - 16.2	5,300	87.8	83.8 - 90.9	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	24.0	19.7 - 29.0	1,000	76.0	71.0 - 80.3	1,300
Normal birth weight	3,700	22.2	19.5 - 25.1	13,000	77.8	74.9 - 80.5	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	97.9	89.9 - 99.6	<50	2.1	0.4 - 10.1	1,700
No	2,300	14.3	12.2 - 16.8	13,900	85.7	83.2 - 87.8	16,300

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	30.6	26.5 - 35.1	5,200	69.4	64.9 - 73.5	7,500
No	1,800	16.9	13.9 - 20.4	8,600	83.1	79.6 - 86.1	10,400

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,500	18.9	17.1 - 20.9	15,100	81.1	79.1 - 82.9	18,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	500	21.8	16.6 - 28.1	1,900	78.2	71.9 - 83.4	2,400
Honolulu	2,400	18.6	16.5 - 21.0	10,700	81.4	79.0 - 83.5	13,100
Kauai	100	12.6	6.9 - 22.1	800	87.4	77.9 - 93.1	900
Maui	400	19.8	14.7 - 26.2	1,700	80.2	73.8 - 85.3	2,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	18.4	14.9 - 22.5	3,600	81.6	77.5 - 85.1	4,400
Native Hawaiian	1,400	27.0	22.8 - 31.5	3,800	73.0	68.5 - 77.2	5,200
Chinese	<50	7.1	4.3 - 11.6	600	92.9	88.4 - 95.7	600
Filipino	400	12.6	9.5 - 16.4	3,000	87.4	83.6 - 90.5	3,500
Japanese	300	13.8	9.5 - 19.8	1,700	86.2	80.2 - 90.5	2,000
Other	600	19.0	14.6 - 24.3	2,400	81.0	75.7 - 85.4	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	26.1	19.1 - 34.6	1,100	73.9	65.4 - 80.9	1,500
20-24	1,100	26.1	21.7 - 31.0	3,000	73.9	69.0 - 78.3	4,000
25-34	1,700	17.4	15.0 - 20.1	8,000	82.6	79.9 - 85.0	9,600
35+	400	11.5	8.5 - 15.4	3,100	88.5	84.6 - 91.5	3,400

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,900	19.4	16.9 - 22.1	7,900	80.6	77.9 - 83.1	9,800
Female	1,600	18.4	15.8 - 21.3	7,200	81.6	78.7 - 84.2	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	13.1	11.2 - 15.2	10,100	86.9	84.8 - 88.8	11,700
No	2,000	28.7	25.1 - 32.5	5,000	71.3	67.5 - 74.9	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,900	27.0	23.5 - 30.8	5,100	73.0	69.2 - 76.5	7,000
131-185%	500	18.9	14.3 - 24.5	2,100	81.1	75.5 - 85.7	2,600
186+%	900	11.8	9.7 - 14.3	6,900	88.2	85.7 - 90.3	7,800

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	25.3	20.4 - 31.0	2,400	74.7	69.0 - 79.6	3,200
\$10,000-\$24,999	1,200	29.3	24.7 - 34.4	2,800	70.7	65.6 - 75.3	4,000
\$25,000-\$49,999	800	18.6	15.0 - 22.8	3,400	81.4	77.2 - 85.0	4,200
>=\$50,000	600	9.3	7.2 - 11.9	5,700	90.7	88.1 - 92.8	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	20.1	13.5 - 28.8	1,000	79.9	71.2 - 86.5	1,200
Normal birth weight	3,300	18.8	17.0 - 20.9	14,100	81.2	79.1 - 83.0	17,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	100.0	-	0	0.0	-	1,600
No	1,900	11.3	9.8 - 13.0	15,100	88.7	87.0 - 90.2	17,000

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	25.6	22.4 - 29.1	5,900	74.4	70.9 - 77.6	7,900
No	1,400	13.7	11.7 - 16.1	9,000	86.3	83.9 - 88.3	10,500

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,700	19.8	18.0 - 21.8	14,800	80.2	78.2 - 82.0	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	600	24.8	19.4 - 31.2	1,800	75.2	68.8 - 80.6	2,500
Honolulu	2,400	18.9	16.8 - 21.3	10,400	81.1	78.7 - 83.2	12,800
Kauai	200	20.5	13.5 - 29.8	800	79.5	70.2 - 86.5	1,100
Maui	400	18.9	13.8 - 25.2	1,800	81.1	74.8 - 86.2	2,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	900	22.2	18.3 - 26.6	3,300	77.8	73.4 - 81.7	4,200
Native Hawaiian	1,400	27.1	23.0 - 31.7	3,700	72.9	68.3 - 77.0	5,000
Chinese	<50	5.9	3.4 - 10.2	600	94.1	89.8 - 96.6	700
Filipino	500	13.3	10.2 - 17.2	3,000	86.7	82.8 - 89.8	3,400
Japanese	400	16.9	12.2 - 23.0	1,800	83.1	77.0 - 87.8	2,200
Other	500	16.9	12.9 - 21.9	2,500	83.1	78.1 - 87.1	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	24.2	17.4 - 32.6	1,300	75.8	67.4 - 82.6	1,700
20-24	1,400	29.4	25.2 - 34.1	3,300	70.6	65.9 - 74.8	4,600
25-34	1,600	17.5	15.1 - 20.2	7,400	82.5	79.8 - 84.9	9,000
35+	300	10.0	7.1 - 14.0	2,900	90.0	86.0 - 92.9	3,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,900	19.7	17.1 - 22.5	7,600	80.3	77.5 - 82.9	9,500
Female	1,800	19.9	17.3 - 22.8	7,200	80.1	77.2 - 82.7	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	13.0	11.2 - 15.2	10,000	87.0	84.8 - 88.8	11,500
No	2,200	31.0	27.3 - 34.8	4,800	69.0	65.2 - 72.7	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,900	28.0	24.5 - 31.8	5,000	72.0	68.2 - 75.5	6,900
131-185%	400	16.1	12.0 - 21.3	2,300	83.9	78.7 - 88.0	2,700
186+%	1,100	14.5	12.1 - 17.3	6,400	85.5	82.7 - 87.9	7,500

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,000	31.7	26.2 - 37.7	2,100	68.3	62.3 - 73.8	3,100
\$10,000-\$24,999	900	24.2	20.0 - 29.1	2,900	75.8	70.9 - 80.0	3,900
\$25,000-\$49,999	900	20.6	16.9 - 24.9	3,400	79.4	75.1 - 83.1	4,200
>=\$50,000	700	11.4	9.1 - 14.3	5,400	88.6	85.7 - 90.9	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	22.6	16.2 - 30.5	1,200	77.4	69.5 - 83.8	1,500
Normal birth weight	3,300	19.6	17.6 - 21.6	13,600	80.4	78.4 - 82.4	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	99.2	95.1 - 99.9	<50	0.8	0.1 - 4.9	1,500
No	2,100	12.6	11.0 - 14.3	14,800	87.4	85.7 - 89.0	16,900

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	25.0	21.9 - 28.5	5,700	75.0	71.5 - 78.1	7,700
No	1,700	15.8	13.7 - 18.3	8,800	84.2	81.7 - 86.3	10,500

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,900	21.2	19.2 - 23.3	14,400	78.8	76.7 - 80.8	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	700	30.3	24.0 - 37.5	1,500	69.7	62.5 - 76.0	2,200
Honolulu	2,600	19.5	17.2 - 21.9	10,700	80.5	78.1 - 82.8	13,300
Kauai	200	23.3	14.8 - 34.7	700	76.7	65.3 - 85.2	900
Maui	400	22.1	16.3 - 29.3	1,500	77.9	70.7 - 83.7	1,900

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	900	21.8	18.0 - 26.3	3,400	78.2	73.7 - 82.0	4,300
Native Hawaiian	1,500	29.8	25.3 - 34.6	3,500	70.2	65.4 - 74.7	5,000
Chinese	<50	2.6	1.1 - 6.0	600	97.4	94.0 - 98.9	600
Filipino	400	12.7	9.4 - 16.8	2,900	87.3	83.2 - 90.6	3,400
Japanese	400	18.0	12.9 - 24.4	1,700	82.0	75.6 - 87.1	2,100
Other	600	21.8	17.0 - 27.5	2,300	78.2	72.5 - 83.0	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	31.8	23.9 - 41.0	1,000	68.2	59.0 - 76.1	1,500
20-24	1,200	26.0	21.7 - 30.8	3,300	74.0	69.2 - 78.3	4,500
25-34	1,900	20.7	18.0 - 23.8	7,100	79.3	76.2 - 82.0	8,900
35+	400	11.4	8.3 - 15.3	3,000	88.6	84.7 - 91.7	3,400

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	2,000	21.5	18.7 - 24.5	7,300	78.5	75.5 - 81.3	9,400
Female	1,900	20.9	18.2 - 24.0	7,100	79.1	76.0 - 81.8	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	14.6	12.6 - 16.9	9,900	85.4	83.1 - 87.4	11,600
No	2,200	32.7	28.8 - 36.9	4,500	67.3	63.1 - 71.2	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,900	29.4	25.6 - 33.6	4,500	70.6	66.4 - 74.4	6,400
131-185%	700	27.6	21.8 - 34.1	1,800	72.4	65.9 - 78.2	2,400
186+%	1,100	13.0	10.8 - 15.6	7,100	87.0	84.4 - 89.2	8,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,000	32.5	26.8 - 38.7	2,100	67.5	61.3 - 73.2	3,100
\$10,000-\$24,999	1,000	27.3	22.6 - 32.5	2,800	72.7	67.5 - 77.4	3,800
\$25,000-\$49,999	1,000	22.9	18.9 - 27.5	3,400	77.1	72.5 - 81.1	4,300
>=\$50,000	600	10.3	8.0 - 13.1	5,300	89.7	86.9 - 92.0	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	20.5	14.4 - 28.3	1,200	79.5	71.7 - 85.6	1,600
Normal birth weight	3,600	21.3	19.3 - 23.6	13,100	78.7	76.4 - 80.7	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	100.0	-	0	0.0	-	1,700
No	2,200	13.1	11.4 - 14.9	14,400	86.9	85.1 - 88.6	16,600

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	29.1	25.6 - 32.8	5,400	70.9	67.2 - 74.4	7,700
No	1,600	15.6	13.3 - 18.1	8,700	84.4	81.9 - 86.7	10,300

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,600	21.2	19.2 - 23.2	13,600	78.8	76.8 - 80.8	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	500	24.9	19.4 - 31.4	1,700	75.1	68.6 - 80.6	2,200
Honolulu	2,500	20.0	17.9 - 22.4	10,000	80.0	77.6 - 82.1	12,600
Kauai	200	23.4	14.9 - 34.9	600	76.6	65.1 - 85.1	700
Maui	400	23.5	17.4 - 30.8	1,300	76.5	69.2 - 82.6	1,700

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	21.6	17.6 - 26.2	2,900	78.4	73.8 - 82.4	3,700
Native Hawaiian	1,500	30.3	25.9 - 35.0	3,400	69.7	65.0 - 74.1	4,800
Chinese	<50	4.0	2.2 - 7.4	600	96.0	92.6 - 97.8	600
Filipino	500	15.7	12.4 - 19.8	2,700	84.3	80.2 - 87.6	3,200
Japanese	400	18.0	13.6 - 23.4	1,900	82.0	76.6 - 86.4	2,300
Other	400	17.1	13.0 - 22.2	2,100	82.9	77.8 - 87.0	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	27.9	20.9 - 36.3	1,100	72.1	63.7 - 79.1	1,500
20-24	1,300	30.2	25.8 - 34.9	2,900	69.8	65.1 - 74.2	4,200
25-34	1,600	18.9	16.4 - 21.7	7,000	81.1	78.3 - 83.6	8,600
35+	300	11.5	8.3 - 15.7	2,600	88.5	84.3 - 91.7	2,900

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,800	20.8	18.2 - 23.7	7,000	79.2	76.3 - 81.8	8,800
Female	1,800	21.5	18.8 - 24.5	6,600	78.5	75.5 - 81.2	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	12.8	11.0 - 15.0	9,600	87.2	85.0 - 89.0	11,000
No	2,200	35.8	31.9 - 39.8	4,000	64.2	60.2 - 68.1	6,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,000	32.3	28.6 - 36.3	4,200	67.7	63.7 - 71.4	6,100
131-185%	300	17.5	12.6 - 23.7	1,500	82.5	76.3 - 87.4	1,800
186+%	1,100	13.6	11.3 - 16.2	6,700	86.4	83.8 - 88.7	7,800

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,100	37.7	32.1 - 43.8	1,800	62.3	56.2 - 67.9	2,900
\$10,000-\$24,999	1,000	28.2	23.7 - 33.2	2,600	71.8	66.8 - 76.3	3,600
\$25,000-\$49,999	700	18.3	14.7 - 22.5	3,300	81.7	77.5 - 85.3	4,000
>=\$50,000	600	10.8	8.4 - 13.7	4,800	89.2	86.3 - 91.6	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	23.2	16.3 - 31.8	1,000	76.8	68.2 - 83.7	1,200
Normal birth weight	3,300	21.0	19.1 - 23.1	12,600	79.0	76.9 - 80.9	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	99.2	94.7 - 99.9	<50	0.8	0.1 - 5.3	1,400
No	2,200	14.1	12.4 - 15.9	13,500	85.9	84.1 - 87.6	15,800

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	27.8	24.5 - 31.3	5,200	72.2	68.7 - 75.5	7,300
No	1,600	16.4	14.2 - 18.9	8,000	83.6	81.1 - 85.8	9,600

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,600	20.6	18.9 - 22.5	14,000	79.4	77.5 - 81.1	17,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	600	26.6	21.3 - 32.8	1,600	73.4	67.2 - 78.7	2,200
Honolulu	2,500	19.2	17.2 - 21.3	10,400	80.8	78.7 - 82.8	12,800
Kauai	200	21.6	14.1 - 31.8	600	78.4	68.2 - 85.9	800
Maui	400	23.1	17.8 - 29.4	1,400	76.9	70.6 - 82.2	1,800

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	19.9	16.5 - 23.8	3,100	80.1	76.2 - 83.5	3,900
Native Hawaiian	1,400	29.2	25.2 - 33.5	3,400	70.8	66.5 - 74.8	4,800
Chinese	<50	5.9	4.0 - 8.5	600	94.1	91.5 - 96.0	700
Filipino	500	13.8	11.0 - 17.3	2,900	86.2	82.7 - 89.0	3,300
Japanese	400	18.7	14.3 - 24.1	1,900	81.3	75.9 - 85.7	2,300
Other	500	19.8	15.5 - 25.0	2,100	80.2	75.0 - 84.5	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	36.8	29.0 - 45.4	800	63.2	54.6 - 71.0	1,300
20-24	1,300	29.5	25.5 - 33.8	3,100	70.5	66.2 - 74.5	4,400
25-34	1,500	17.1	14.9 - 19.6	7,100	82.9	80.4 - 85.1	8,600
35+	400	11.7	8.8 - 15.4	3,000	88.3	84.6 - 91.2	3,400

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	2,000	20.7	18.3 - 23.3	7,600	79.3	76.7 - 81.7	9,600
Female	1,700	20.6	18.0 - 23.4	6,400	79.4	76.6 - 82.0	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	15.3	13.5 - 17.3	10,500	84.7	82.7 - 86.5	12,400
No	1,700	33.3	29.5 - 37.4	3,500	66.7	62.6 - 70.5	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,800	28.3	25.0 - 31.8	4,600	71.7	68.2 - 75.0	6,400
131-185%	500	25.7	20.4 - 31.7	1,600	74.3	68.3 - 79.6	2,100
186+%	1,000	12.8	10.8 - 15.2	6,700	87.2	84.8 - 89.2	7,700

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	800	30.6	25.4 - 36.4	1,900	69.4	63.6 - 74.6	2,700
\$10,000-\$24,999	1,300	29.1	25.1 - 33.4	3,100	70.9	66.6 - 74.9	4,300
\$25,000-\$49,999	800	17.0	13.9 - 20.6	3,700	83.0	79.4 - 86.1	4,400
>=\$50,000	500	10.8	8.5 - 13.6	4,400	89.2	86.4 - 91.5	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	25.9	18.7 - 34.6	800	74.1	65.4 - 81.3	1,100
Normal birth weight	3,400	20.3	18.5 - 22.2	13,200	79.7	77.8 - 81.5	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	99.0	93.7 - 99.8	<50	1.0	0.2 - 6.3	1,400
No	2,200	13.8	12.2 - 15.4	14,000	86.2	84.6 - 87.8	16,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	25.8	23.0 - 28.9	5,800	74.2	71.1 - 77.0	7,800
No	1,600	16.7	14.5 - 19.1	7,900	83.3	80.9 - 85.5	9,500

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,600	20.8	18.7 - 23.0	13,600	79.2	77.0 - 81.3	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	500	28.1	24.2 - 32.3	1,400	71.9	67.7 - 75.8	1,900
Honolulu	2,500	19.9	17.2 - 22.8	10,100	80.1	77.2 - 82.8	12,600
Kauai	200	20.9	15.4 - 27.6	700	79.1	72.4 - 84.6	800
Maui	400	19.4	15.9 - 23.5	1,500	80.6	76.5 - 84.1	1,800

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	21.3	16.5 - 27.1	2,900	78.7	72.9 - 83.5	3,700
Native Hawaiian	1,400	30.2	27.4 - 33.1	3,200	69.8	66.9 - 72.6	4,600
Chinese	<50	3.2	0.5 - 18.7	700	96.8	81.3 - 99.5	700
Filipino	600	16.7	12.5 - 22.0	3,200	83.3	78.0 - 87.5	3,900
Japanese	400	21.4	14.7 - 30.0	1,500	78.6	70.0 - 85.3	2,000
Other	300	13.4	8.6 - 20.3	2,100	86.6	79.7 - 91.4	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	33.8	26.3 - 42.3	1,000	66.2	57.7 - 73.7	1,500
20-24	1,200	30.1	25.7 - 35.0	2,800	69.9	65.0 - 74.3	4,000
25-34	1,500	17.4	14.7 - 20.6	7,200	82.6	79.4 - 85.3	8,700
35+	300	11.4	7.8 - 16.3	2,600	88.6	83.7 - 92.2	3,000

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,800	19.6	16.9 - 22.6	7,300	80.4	77.4 - 83.1	9,100
Female	1,800	22.1	19.0 - 25.4	6,300	77.9	74.6 - 81.0	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	15.2	12.9 - 17.9	9,700	84.8	82.1 - 87.1	11,400
No	1,900	31.7	28.0 - 35.7	4,000	68.3	64.3 - 72.0	5,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,100	27.5	24.2 - 31.0	5,500	72.5	69.0 - 75.8	7,600
131-185%	400	16.3	11.7 - 22.4	2,100	83.7	77.6 - 88.3	2,500
186+%	700	12.2	9.3 - 16.0	4,800	87.8	84.0 - 90.7	5,400

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,300	32.3	27.8 - 37.2	2,800	67.7	62.8 - 72.2	4,100
\$15,001-\$25,000	600	25.6	19.8 - 32.4	1,600	74.4	67.6 - 80.2	2,200
\$25,001-\$40,000	600	20.3	15.6 - 26.1	2,500	79.7	73.9 - 84.4	3,100
>=\$40,001	700	10.9	8.4 - 14.2	5,900	89.1	85.8 - 91.6	6,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	16.2	10.5 - 24.0	1,000	83.8	76.0 - 89.5	1,200
Normal birth weight	3,400	21.1	19.0 - 23.4	12,600	78.9	76.6 - 81.0	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	100.0	-	0	0.0	-	1,600
No	2,000	12.5	10.8 - 14.5	13,600	87.5	85.5 - 89.2	15,600

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	28.1	24.7 - 31.7	5,200	71.9	68.3 - 75.3	7,200
No	1,500	15.6	13.1 - 18.4	8,400	84.4	81.6 - 86.9	9,900

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,300	19.8	17.7 - 22.0	13,300	80.2	78.0 - 82.3	16,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	600	28.5	24.6 - 32.7	1,400	71.5	67.3 - 75.4	1,900
Honolulu	2,200	18.0	15.4 - 20.9	10,000	82.0	79.1 - 84.6	12,200
Kauai	200	26.0	19.7 - 33.6	500	74.0	66.4 - 80.3	700
Maui	400	20.5	16.7 - 24.8	1,400	79.5	75.2 - 83.3	1,700

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	22.4	17.3 - 28.5	2,700	77.6	71.5 - 82.7	3,500
Native Hawaiian	1,300	28.7	26.0 - 31.6	3,200	71.3	68.4 - 74.0	4,500
Chinese	<50	4.1	0.9 - 17.3	600	95.9	82.7 - 99.1	600
Filipino	400	12.8	9.0 - 17.8	2,900	87.2	82.2 - 91.0	3,400
Japanese	300	14.1	9.2 - 21.2	2,000	85.9	78.8 - 90.8	2,400
Other	400	18.6	12.4 - 26.8	1,900	81.4	73.2 - 87.6	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	22.8	16.7 - 30.2	1,200	77.2	69.8 - 83.3	1,500
20-24	1,300	32.4	27.6 - 37.7	2,700	67.6	62.3 - 72.4	4,000
25-34	1,400	16.1	13.4 - 19.2	7,000	83.9	80.8 - 86.6	8,400
35+	300	10.8	7.3 - 15.5	2,400	89.2	84.5 - 92.7	2,700

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,600	19.4	16.6 - 22.6	6,700	80.6	77.4 - 83.4	8,300
Female	1,700	20.2	17.3 - 23.4	6,700	79.8	76.6 - 82.7	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	13.2	11.0 - 15.8	9,800	86.8	84.2 - 89.0	11,300
No	1,800	33.9	29.9 - 38.2	3,500	66.1	61.8 - 70.1	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,800	28.3	24.7 - 32.1	4,600	71.7	67.9 - 75.3	6,400
131-185%	600	18.3	13.8 - 24.0	2,700	81.7	76.0 - 86.2	3,400
186+%	600	10.5	7.7 - 14.0	4,800	89.5	86.0 - 92.3	5,300

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,200	36.7	31.5 - 42.3	2,100	63.3	57.7 - 68.5	3,300
\$15,001-\$25,000	600	24.7	18.9 - 31.7	1,800	75.3	68.3 - 81.1	2,400
\$25,001-\$40,000	700	19.9	15.3 - 25.5	2,800	80.1	74.5 - 84.7	3,500
>=\$40,001	600	9.1	6.9 - 12.0	5,800	90.9	88.0 - 93.1	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	19.6	12.6 - 29.3	900	80.4	70.7 - 87.4	1,100
Normal birth weight	3,000	19.7	17.6 - 22.0	12,400	80.3	78.0 - 82.4	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	99.4	96.6 - 99.9	<50	0.6	0.1 - 3.4	1,300
No	1,900	12.4	10.7 - 14.4	13,300	87.6	85.6 - 89.3	15,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	27.4	23.9 - 31.3	5,000	72.6	68.7 - 76.1	6,900
No	1,400	14.5	12.2 - 17.2	8,300	85.5	82.8 - 87.8	9,700

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,400	20.8	19.2 - 22.6	12,800	79.2	77.4 - 80.8	16,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	500	28.8	24.8 - 33.1	1,300	71.2	66.9 - 75.2	1,800
Honolulu	2,300	19.3	17.2 - 21.5	9,700	80.7	78.5 - 82.8	12,000
Kauai	200	26.9	20.5 - 34.4	500	73.1	65.6 - 79.5	700
Maui	400	21.0	17.3 - 25.3	1,300	79.0	74.7 - 82.7	1,700

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	700	20.6	16.9 - 25.0	2,800	79.4	75.0 - 83.1	3,500
Native Hawaiian	1,300	30.7	28.5 - 33.1	3,000	69.3	66.9 - 71.5	4,300
Chinese	100	8.4	3.3 - 19.5	700	91.6	80.5 - 96.7	700
Filipino	500	15.3	11.8 - 19.6	2,900	84.7	80.4 - 88.2	3,400
Japanese	300	12.8	8.8 - 18.3	1,800	87.2	81.7 - 91.2	2,000
Other	500	21.7	16.2 - 28.4	1,700	78.3	71.6 - 83.8	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	30.5	25.1 - 36.5	1,000	69.5	63.5 - 74.9	1,500
20-24	1,300	31.2	27.4 - 35.2	2,800	68.8	64.8 - 72.6	4,100
25-34	1,400	17.4	15.1 - 19.9	6,500	82.6	80.1 - 84.9	7,900
35+	300	9.6	6.9 - 13.2	2,400	90.4	86.8 - 93.1	2,600

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,800	22.4	19.9 - 25.0	6,400	77.6	75.0 - 80.1	8,200
Female	1,500	19.3	17.0 - 21.7	6,400	80.7	78.3 - 83.0	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	15.0	13.2 - 17.1	9,300	85.0	82.9 - 86.8	10,900
No	1,700	33.0	29.8 - 36.4	3,500	67.0	63.6 - 70.2	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,800	30.0	27.0 - 33.2	4,200	70.0	66.8 - 73.0	6,000
131-185%	700	19.5	15.9 - 23.5	2,800	80.5	76.5 - 84.1	3,500
186+%	600	11.6	9.4 - 14.3	4,800	88.4	85.7 - 90.6	5,400

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,100	33.6	29.4 - 38.2	2,100	66.4	61.8 - 70.6	3,200
\$15,001-\$25,000	600	29.0	24.1 - 34.5	1,500	71.0	65.5 - 75.9	2,200
\$25,001-\$40,000	700	20.1	16.7 - 24.0	2,800	79.9	76.0 - 83.3	3,500
>=\$40,001	800	12.2	10.0 - 14.7	5,600	87.8	85.3 - 90.0	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	21.8	16.1 - 28.7	800	78.2	71.3 - 83.9	1,000
Normal birth weight	3,100	20.8	19.1 - 22.7	12,000	79.2	77.3 - 80.9	15,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	99.5	98.3 - 99.8	<50	0.5	0.2 - 1.7	1,500
No	1,900	12.8	11.3 - 14.3	12,800	87.2	85.7 - 88.7	14,700

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	27.3	24.6 - 30.2	4,900	72.7	69.8 - 75.4	6,800
No	1,500	16.1	14.1 - 18.4	7,800	83.9	81.6 - 85.9	9,400

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	3,400	20.2	18.5 - 22.0	13,200	79.8	78.0 - 81.5	16,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	500	29.1	25.1 - 33.5	1,300	70.9	66.5 - 74.9	1,900
Honolulu	2,200	18.1	16.1 - 20.3	10,100	81.9	79.7 - 83.9	12,300
Kauai	200	33.4	26.3 - 41.4	500	66.6	58.6 - 73.7	700
Maui	400	20.1	16.4 - 24.4	1,400	79.9	75.6 - 83.6	1,700

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	800	19.7	16.2 - 23.7	3,200	80.3	76.3 - 83.8	4,000
Native Hawaiian	1,300	29.0	26.7 - 31.3	3,100	71.0	68.7 - 73.3	4,400
Chinese	<50	3.7	1.5 - 8.9	600	96.3	91.1 - 98.5	700
Filipino	500	14.9	11.4 - 19.3	2,900	85.1	80.7 - 88.6	3,400
Japanese	400	18.5	13.3 - 25.0	1,600	81.5	75.0 - 86.7	2,000
Other	400	18.1	13.1 - 24.5	1,800	81.9	75.5 - 86.9	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	37.5	31.6 - 43.7	1,100	62.5	56.3 - 68.4	1,700
20-24	1,100	29.0	25.4 - 32.9	2,800	71.0	67.1 - 74.6	3,900
25-34	1,200	15.1	12.9 - 17.6	6,800	84.9	82.4 - 87.1	8,000
35+	400	12.0	9.0 - 15.9	2,600	88.0	84.1 - 91.0	2,900

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,800	21.5	19.2 - 24.0	6,700	78.5	76.0 - 80.8	8,500
Female	1,500	18.8	16.5 - 21.4	6,500	81.2	78.6 - 83.5	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	14.0	12.2 - 15.9	10,000	86.0	84.1 - 87.8	11,600
No	1,700	34.5	31.1 - 38.1	3,300	65.5	61.9 - 68.9	5,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,800	25.9	23.3 - 28.6	5,100	74.1	71.4 - 76.7	6,900
131-185%	500	21.2	16.9 - 26.2	1,700	78.8	73.8 - 83.1	2,200
186+%	800	13.6	11.0 - 16.6	5,300	86.4	83.4 - 89.0	6,200

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	1,300	33.1	29.2 - 37.2	2,500	66.9	62.8 - 70.8	3,800
\$15,001-\$25,000	600	21.3	17.4 - 25.8	2,000	78.7	74.2 - 82.6	2,600
\$25,001-\$40,000	600	20.5	16.8 - 24.8	2,500	79.5	75.2 - 83.2	3,100
>=\$40,001	700	11.6	9.3 - 14.4	5,500	88.4	85.6 - 90.7	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	22.9	17.0 - 30.1	800	77.1	69.9 - 83.0	1,100
Normal birth weight	3,100	19.9	18.1 - 21.7	12,300	80.1	78.3 - 81.9	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	98.0	93.2 - 99.5	<50	2.0	0.5 - 6.8	1,400
No	1,900	12.8	11.4 - 14.4	13,200	87.2	85.6 - 88.6	15,100

PRAMS Health Indicator Report - Smoking 3 months before pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	25.9	23.4 - 28.6	5,400	74.1	71.4 - 76.6	7,200
No	1,500	15.8	13.7 - 18.2	7,900	84.2	81.8 - 86.3	9,300