

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Smoking during last 3 months of pregnancy	Smoking during last 3 months of pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/10/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	1,400	8.4	7.3 - 9.6	15,300	91.6	90.4 - 92.7	16,700
2001	1,600	9.5	8.4 - 10.8	14,900	90.5	89.2 - 91.6	16,400
2002	1,400	8.1	6.8 - 9.6	15,400	91.9	90.4 - 93.2	16,800
2003	1,600	9.3	7.9 - 11.0	15,800	90.7	89.0 - 92.1	17,400
2004	1,400	8.1	6.9 - 9.4	16,200	91.9	90.6 - 93.1	17,600
2005	1,400	8.4	7.1 - 9.8	15,800	91.6	90.2 - 92.9	17,200
2006	1,700	9.4	8.0 - 11.0	16,600	90.6	89.0 - 92.0	18,300
2007	1,500	8.4	7.1 - 9.8	17,000	91.6	90.2 - 92.9	18,500
2008	1,600	8.5	7.3 - 10.0	17,000	91.5	90.0 - 92.7	18,600
2009	1,700	9.6	7.9 - 11.7	16,300	90.4	88.3 - 92.1	18,000
2010	1,400	7.8	6.2 - 9.8	16,900	92.2	90.2 - 93.8	18,400
2011	900	5.0	3.9 - 6.4	17,500	95.0	93.6 - 96.1	18,400
2012	700	4.2	3.1 - 5.6	17,200	95.8	94.4 - 96.9	17,900
2013	1,000	5.6	4.2 - 7.2	17,100	94.4	92.8 - 95.8	18,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	5.6	4.2 - 7.2	17,100	94.4	92.8 - 95.8	18,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.3	6.4 - 13.2	2,100	90.7	86.8 - 93.6	2,300
Honolulu	600	4.6	3.0 - 6.9	12,500	95.4	93.1 - 97.0	13,100
Kauai	100	7.2	4.8 - 10.5	800	92.8	89.5 - 95.2	800
Maui	100	7.1	4.7 - 10.5	1,800	92.9	89.5 - 95.3	2,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	3.5	1.8 - 6.7	4,600	96.5	93.3 - 98.2	4,700
Native Hawaiian	500	9.4	6.6 - 13.3	5,000	90.6	86.7 - 93.4	5,500
Chinese	<50	1.2	0.4 - 3.3	900	98.8	96.7 - 99.6	900
Filipino	100	3.2	1.2 - 8.4	2,800	96.8	91.6 - 98.8	2,900
Japanese	<50	2.5	0.6 - 10.8	1,800	97.5	89.2 - 99.4	1,800
Other	200	7.4	3.6 - 14.6	2,200	92.6	85.4 - 96.4	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	5.1	1.0 - 21.5	800	94.9	78.5 - 99.0	900
20-24	300	7.2	4.5 - 11.3	3,800	92.8	88.7 - 95.5	4,000
25-34	500	5.2	3.5 - 7.5	9,300	94.8	92.5 - 96.5	9,800
35+	200	4.9	2.4 - 9.8	3,300	95.1	90.2 - 97.6	3,400

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.7	3.1 - 7.0	8,500	95.3	93.0 - 96.9	8,900
Female	600	6.4	4.5 - 9.1	8,700	93.6	90.9 - 95.5	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	2.9	1.7 - 4.9	11,200	97.1	95.1 - 98.3	11,500
No	700	10.1	7.5 - 13.7	5,900	89.9	86.3 - 92.5	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	9.8	7.2 - 13.1	6,000	90.2	86.9 - 92.8	6,700
131-185%	100	3.4	1.1 - 9.7	2,400	96.6	90.3 - 98.9	2,500
186+%	200	2.1	1.0 - 4.3	7,100	97.9	95.7 - 99.0	7,300

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Income (2012+)							
<=\$17,000	500	12.4	8.7 - 17.4	3,700	87.6	82.6 - 91.3	4,200
\$17,001-\$26,000	200	9.7	5.4 - 16.6	2,200	90.3	83.4 - 94.6	2,400
\$26,001-\$51,000	100	1.7	0.6 - 4.2	3,800	98.3	95.8 - 99.4	3,900
>=\$51,001	100	2.2	1.0 - 4.9	6,000	97.8	95.1 - 99.0	6,200

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	100	8.6	6.0 - 12.1	1,200	91.4	87.9 - 94.0	1,300
Normal birth weight	900	5.3	3.9 - 7.1	15,900	94.7	92.9 - 96.1	16,800

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke Before Pregnant							
Yes	1,000	30.7	24.0 - 38.4	2,300	69.3	61.6 - 76.0	3,300
No	0	0.0	-	14,900	100.0	-	14,900

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	7.2	5.2 - 9.8	7,400	92.8	90.2 - 94.8	8,000
No	400	4.3	2.7 - 6.8	9,600	95.7	93.2 - 97.3	10,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	700	4.2	3.1 - 5.6	17,200	95.8	94.4 - 96.9	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	7.2	4.8 - 10.7	2,100	92.8	89.3 - 95.2	2,300
Honolulu	400	3.4	2.2 - 5.4	12,500	96.6	94.6 - 97.8	12,900
Kauai	100	6.3	3.8 - 10.4	800	93.7	89.6 - 96.2	800
Maui	100	4.4	2.6 - 7.2	1,800	95.6	92.8 - 97.4	1,900

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	1.6	0.6 - 4.3	4,100	98.4	95.7 - 99.4	4,200
Native Hawaiian	400	8.2	5.6 - 12.0	4,600	91.8	88.0 - 94.4	5,000
Chinese	<50	1.3	0.3 - 5.0	1,000	98.7	95.0 - 99.7	1,000
Filipino	100	3.3	1.5 - 7.1	3,100	96.7	92.9 - 98.5	3,200
Japanese	<50	1.7	0.2 - 10.6	1,500	98.3	89.4 - 99.8	1,500
Other	100	4.0	1.7 - 9.0	2,800	96.0	91.0 - 98.3	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	0.9	0.3 - 3.1	1,000	99.1	96.9 - 99.7	1,000
20-24	100	4.2	2.2 - 7.6	3,400	95.8	92.4 - 97.8	3,600
25-34	500	5.1	3.5 - 7.3	9,600	94.9	92.7 - 96.5	10,100
35+	100	2.4	1.1 - 5.1	3,100	97.6	94.9 - 98.9	3,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	3.5	2.2 - 5.5	8,600	96.5	94.5 - 97.8	8,900
Female	400	4.8	3.2 - 7.1	8,600	95.2	92.9 - 96.8	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	2.0	1.2 - 3.5	10,800	98.0	96.5 - 98.8	11,100
No	500	7.6	5.3 - 10.7	6,300	92.4	89.3 - 94.7	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	7.0	4.9 - 10.0	5,900	93.0	90.0 - 95.1	6,400
131-185%	100	4.1	1.8 - 8.7	2,900	95.9	91.3 - 98.2	3,000
186+%	100	1.7	0.7 - 3.9	6,700	98.3	96.1 - 99.3	6,800

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Income (2012+)							
<=\$17,000	300	8.6	5.6 - 13.1	3,700	91.4	86.9 - 94.4	4,000
\$17,001-\$26,000	100	4.6	2.4 - 8.6	2,100	95.4	91.4 - 97.6	2,200
\$26,001-\$51,000	200	4.2	2.2 - 7.8	4,200	95.8	92.2 - 97.8	4,400
>=\$51,001	100	1.5	0.5 - 4.3	5,700	98.5	95.7 - 99.5	5,800

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	100	6.4	4.0 - 10.0	1,100	93.6	90.0 - 96.0	1,200
Normal birth weight	700	4.0	2.9 - 5.5	16,000	96.0	94.5 - 97.1	16,700

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke Before Pregnant							
Yes	700	25.9	19.6 - 33.3	2,100	74.1	66.7 - 80.4	2,900
No	0	0.0	-	15,000	100.0	-	15,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	6.0	4.3 - 8.5	7,600	94.0	91.5 - 95.7	8,100
No	300	2.7	1.5 - 4.6	9,500	97.3	95.4 - 98.5	9,700

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	5.0	3.9 - 6.4	17,500	95.0	93.6 - 96.1	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	8.9	6.3 - 12.4	2,200	91.1	87.6 - 93.7	2,400
Honolulu	500	4.1	2.8 - 6.1	12,700	95.9	93.9 - 97.2	13,200
Kauai	100	6.1	3.7 - 9.9	800	93.9	90.1 - 96.3	900
Maui	100	6.1	4.2 - 8.8	1,800	93.9	91.2 - 95.8	2,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	4.7	2.7 - 8.2	4,200	95.3	91.8 - 97.3	4,400
Native Hawaiian	400	8.5	6.1 - 11.7	4,800	91.5	88.3 - 93.9	5,200
Chinese	<50	2.9	1.1 - 7.3	700	97.1	92.7 - 98.9	700
Filipino	100	2.3	0.8 - 6.3	3,300	97.7	93.7 - 99.2	3,300
Japanese	<50	2.5	0.7 - 8.2	1,900	97.5	91.8 - 99.3	1,900
Other	100	4.6	2.2 - 9.6	2,700	95.4	90.4 - 97.8	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.3	3.3 - 15.5	900	92.7	84.5 - 96.7	1,000
20-24	300	7.4	4.7 - 11.6	4,000	92.6	88.4 - 95.3	4,400
25-34	400	4.4	3.1 - 6.1	9,400	95.6	93.9 - 96.9	9,900
35+	100	3.0	1.3 - 7.0	3,100	97.0	93.0 - 98.7	3,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.6	3.2 - 6.6	9,000	95.4	93.4 - 96.8	9,400
Female	500	5.4	3.8 - 7.7	8,500	94.6	92.3 - 96.2	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.1	2.0 - 4.6	11,200	96.9	95.4 - 98.0	11,500
No	600	8.3	6.1 - 11.3	6,300	91.7	88.7 - 93.9	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.8	5.7 - 10.7	6,100	92.2	89.3 - 94.3	6,600
131-185%	100	3.9	1.9 - 8.0	2,700	96.1	92.0 - 98.1	2,800
186+%	300	3.1	1.8 - 5.4	7,800	96.9	94.6 - 98.2	8,100

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	9.5	6.3 - 14.0	3,000	90.5	86.0 - 93.7	3,300
\$10,000-\$24,999	300	8.3	5.3 - 12.8	3,100	91.7	87.2 - 94.7	3,400
\$25,000-\$49,999	100	2.5	1.3 - 4.8	4,400	97.5	95.2 - 98.7	4,500
>=\$50,000	200	2.7	1.3 - 5.4	6,000	97.3	94.6 - 98.7	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	10.7	7.6 - 14.8	1,200	89.3	85.2 - 92.4	1,300
Normal birth weight	800	4.6	3.4 - 6.1	16,300	95.4	93.9 - 96.6	17,100

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	26.1	20.6 - 32.4	2,600	73.9	67.6 - 79.4	3,600
No	0	0.0	-	14,900	100.0	-	14,900

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	6.9	5.0 - 9.4	7,700	93.1	90.6 - 95.0	8,300
No	300	3.5	2.3 - 5.2	9,700	96.5	94.8 - 97.7	10,100

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,400	7.8	6.2 - 9.8	16,900	92.2	90.2 - 93.8	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	10.4	7.6 - 14.1	2,100	89.6	85.9 - 92.4	2,300
Honolulu	1,000	7.2	5.2 - 9.9	12,300	92.8	90.1 - 94.8	13,300
Kauai	100	8.6	5.8 - 12.5	700	91.4	87.5 - 94.2	800
Maui	200	9.0	6.6 - 12.2	1,800	91.0	87.8 - 93.4	2,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.7	4.1 - 11.0	4,200	93.3	89.0 - 95.9	4,500
Native Hawaiian	600	11.0	8.1 - 14.9	4,900	89.0	85.1 - 91.9	5,500
Chinese	<50	5.1	0.7 - 27.3	700	94.9	72.7 - 99.3	800
Filipino	200	5.3	2.6 - 10.3	3,100	94.7	89.7 - 97.4	3,300
Japanese	100	6.3	2.4 - 15.7	1,600	93.7	84.3 - 97.6	1,700
Other	200	8.1	4.2 - 15.1	2,500	91.9	84.9 - 95.8	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	10.5	5.2 - 20.2	1,000	89.5	79.8 - 94.8	1,100
20-24	500	11.1	7.4 - 16.3	4,000	88.9	83.7 - 92.6	4,400
25-34	700	7.2	5.2 - 9.9	8,800	92.8	90.1 - 94.8	9,500
35+	100	4.3	2.1 - 8.9	3,200	95.7	91.1 - 97.9	3,300

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	7.3	5.2 - 10.0	8,600	92.7	90.0 - 94.8	9,300
Female	800	8.4	6.1 - 11.5	8,300	91.6	88.5 - 93.9	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.0	3.4 - 7.3	10,900	95.0	92.7 - 96.6	11,500
No	900	12.5	9.4 - 16.4	6,100	87.5	83.6 - 90.6	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	13.5	10.2 - 17.7	5,500	86.5	82.3 - 89.8	6,400
131-185%	200	5.7	2.8 - 11.2	2,800	94.3	88.8 - 97.2	3,000
186+%	300	4.5	2.7 - 7.3	7,400	95.5	92.7 - 97.3	7,800

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	13.7	9.6 - 19.1	2,900	86.3	80.9 - 90.4	3,400
\$10,000-\$24,999	300	10.8	6.5 - 17.2	2,900	89.2	82.8 - 93.5	3,200
\$25,000-\$49,999	400	8.4	5.3 - 13.0	4,200	91.6	87.0 - 94.7	4,600
>=\$50,000	200	3.2	1.7 - 6.1	6,000	96.8	93.9 - 98.3	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.9	3.7 - 9.2	1,300	94.1	90.8 - 96.3	1,300
Normal birth weight	1,400	8.0	6.3 - 10.1	15,600	92.0	89.9 - 93.7	17,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	37.4	30.9 - 44.4	2,400	62.6	55.6 - 69.1	3,800
No	0	0.0	-	14,500	100.0	-	14,500

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	11.2	8.5 - 14.6	7,100	88.8	85.4 - 91.5	8,000
No	500	5.0	3.3 - 7.5	9,700	95.0	92.5 - 96.7	10,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,700	9.6	7.9 - 11.7	16,300	90.4	88.3 - 92.1	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	15.4	12.0 - 19.6	2,000	84.6	80.4 - 88.0	2,400
Honolulu	1,100	8.9	6.7 - 11.8	11,600	91.1	88.2 - 93.3	12,700
Kauai	100	10.1	6.9 - 14.6	800	89.9	85.4 - 93.1	800
Maui	100	7.2	5.1 - 10.1	1,900	92.8	89.9 - 94.9	2,100

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	5.0	2.9 - 8.5	4,000	95.0	91.5 - 97.1	4,200
Native Hawaiian	900	14.8	11.4 - 19.1	4,900	85.2	80.9 - 88.6	5,800
Chinese	100	8.9	2.6 - 26.7	700	91.1	73.3 - 97.4	700
Filipino	200	5.5	3.0 - 10.1	3,000	94.5	89.9 - 97.0	3,200
Japanese	200	12.8	7.0 - 22.4	1,400	87.2	77.6 - 93.0	1,600
Other	200	8.9	4.7 - 16.1	2,300	91.1	83.9 - 95.3	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	9.2	4.8 - 17.0	1,600	90.8	83.0 - 95.2	1,800
20-24	500	11.9	8.2 - 17.0	3,600	88.1	83.0 - 91.8	4,100
25-34	800	9.4	7.1 - 12.3	8,200	90.6	87.7 - 92.9	9,000
35+	200	7.7	4.5 - 12.9	2,800	92.3	87.1 - 95.5	3,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.7	7.3 - 12.7	8,700	90.3	87.3 - 92.7	9,700
Female	800	9.6	7.2 - 12.6	7,500	90.4	87.4 - 92.8	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.8	2.6 - 5.7	10,200	96.2	94.3 - 97.4	10,600
No	1,300	17.9	14.4 - 22.1	6,100	82.1	77.9 - 85.6	7,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	17.3	13.5 - 21.7	5,300	82.7	78.3 - 86.5	6,400
131-185%	200	8.2	4.7 - 14.1	2,500	91.8	85.9 - 95.3	2,700
186+%	200	3.0	1.8 - 5.1	7,000	97.0	94.9 - 98.2	7,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	700	22.1	16.1 - 29.6	2,400	77.9	70.4 - 83.9	3,100
\$10,000-\$24,999	500	11.8	8.3 - 16.7	3,400	88.2	83.3 - 91.7	3,800
\$25,000-\$49,999	300	7.6	4.7 - 12.1	3,300	92.4	87.9 - 95.3	3,600
>=\$50,000	200	2.5	1.3 - 4.7	5,800	97.5	95.3 - 98.7	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	10.2	7.3 - 14.2	1,200	89.8	85.8 - 92.7	1,300
Normal birth weight	1,600	9.5	7.6 - 11.6	15,100	90.5	88.4 - 92.4	16,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	42.2	35.8 - 48.8	2,300	57.8	51.2 - 64.2	4,000
No	<50	0.3	0.1 - 1.3	13,900	99.7	98.7 - 99.9	14,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	15.2	12.1 - 18.9	6,300	84.8	81.1 - 87.9	7,500
No	600	5.8	4.0 - 8.4	9,800	94.2	91.6 - 96.0	10,400

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,600	8.5	7.3 - 10.0	17,000	91.5	90.0 - 92.7	18,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	11.2	7.5 - 16.5	2,200	88.8	83.5 - 92.5	2,400
Honolulu	1,100	8.3	6.8 - 10.0	12,000	91.7	90.0 - 93.2	13,100
Kauai	100	8.7	4.1 - 17.7	800	91.3	82.3 - 95.9	900
Maui	200	7.2	4.2 - 12.1	2,000	92.8	87.9 - 95.8	2,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.4	5.3 - 10.4	4,000	92.6	89.6 - 94.7	4,400
Native Hawaiian	700	14.2	11.1 - 18.0	4,400	85.8	82.0 - 88.9	5,200
Chinese	<50	2.6	1.1 - 6.0	600	97.4	94.0 - 98.9	600
Filipino	100	4.0	2.4 - 6.6	3,300	96.0	93.4 - 97.6	3,500
Japanese	200	8.1	4.7 - 13.5	1,900	91.9	86.5 - 95.3	2,000
Other	200	7.3	4.6 - 11.4	2,800	92.7	88.6 - 95.4	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	14.2	9.0 - 21.6	1,300	85.8	78.4 - 91.0	1,500
20-24	400	10.2	7.4 - 14.0	3,600	89.8	86.0 - 92.6	4,000
25-34	700	7.6	5.9 - 9.6	8,900	92.4	90.4 - 94.1	9,600
35+	200	6.9	4.6 - 10.3	3,200	93.1	89.7 - 95.4	3,400

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.3	6.6 - 10.4	8,900	91.7	89.6 - 93.4	9,700
Female	800	8.8	7.0 - 11.1	8,100	91.2	88.9 - 93.0	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	5.6	4.3 - 7.2	11,000	94.4	92.8 - 95.7	11,700
No	900	13.5	10.9 - 16.6	6,000	86.5	83.4 - 89.1	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	15.7	12.9 - 18.9	5,900	84.3	81.1 - 87.1	7,000
131-185%	200	8.0	5.1 - 12.4	2,400	92.0	87.6 - 94.9	2,600
186+%	200	3.0	2.0 - 4.5	7,600	97.0	95.5 - 98.0	7,800

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	18.0	13.7 - 23.2	2,600	82.0	76.8 - 86.3	3,200
\$10,000-\$24,999	500	12.6	9.4 - 16.6	3,500	87.4	83.4 - 90.6	4,000
\$25,000-\$49,999	300	6.9	4.7 - 10.0	3,900	93.1	90.0 - 95.3	4,200
>=\$50,000	200	2.9	1.8 - 4.6	6,000	97.1	95.4 - 98.2	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	12.0	7.0 - 19.6	1,100	88.0	80.4 - 93.0	1,200
Normal birth weight	1,400	8.3	7.0 - 9.8	15,900	91.7	90.2 - 93.0	17,400

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	45.2	39.7 - 50.9	1,900	54.8	49.1 - 60.3	3,500
No	0	0.0	-	15,100	100.0	-	15,100

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	12.5	10.2 - 15.3	6,900	87.5	84.7 - 89.8	7,900
No	600	5.5	4.2 - 7.1	9,900	94.5	92.9 - 95.8	10,500

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,500	8.4	7.1 - 9.8	17,000	91.6	90.2 - 92.9	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	9.8	6.4 - 14.7	2,200	90.2	85.3 - 93.6	2,500
Honolulu	1,100	8.4	6.9 - 10.2	11,700	91.6	89.8 - 93.1	12,800
Kauai	100	6.8	3.2 - 14.0	1,000	93.2	86.0 - 96.8	1,100
Maui	200	7.2	4.2 - 12.1	2,000	92.8	87.9 - 95.8	2,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.9	5.6 - 11.1	3,900	92.1	88.9 - 94.4	4,200
Native Hawaiian	700	14.2	11.0 - 18.0	4,300	85.8	82.0 - 89.0	5,000
Chinese	<50	2.0	0.8 - 5.4	700	98.0	94.6 - 99.2	700
Filipino	200	4.8	3.1 - 7.6	3,300	95.2	92.4 - 96.9	3,400
Japanese	100	6.1	3.4 - 10.8	2,000	93.9	89.2 - 96.6	2,200
Other	200	6.3	3.9 - 10.0	2,800	93.7	90.0 - 96.1	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.5	6.0 - 17.7	1,500	89.5	82.3 - 94.0	1,700
20-24	500	10.2	7.6 - 13.5	4,200	89.8	86.5 - 92.4	4,600
25-34	800	8.4	6.7 - 10.5	8,300	91.6	89.5 - 93.3	9,000
35+	100	4.5	2.6 - 7.6	3,000	95.5	92.4 - 97.4	3,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.6	6.9 - 10.8	8,700	91.4	89.2 - 93.1	9,500
Female	700	8.1	6.3 - 10.2	8,300	91.9	89.8 - 93.7	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.6	3.5 - 6.1	11,000	95.4	93.9 - 96.5	11,500
No	1,000	14.5	11.9 - 17.7	6,000	85.5	82.3 - 88.1	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	14.0	11.4 - 17.1	5,900	86.0	82.9 - 88.6	6,900
131-185%	200	8.7	5.7 - 13.0	2,500	91.3	87.0 - 94.3	2,700
186+%	300	3.9	2.7 - 5.7	7,300	96.1	94.3 - 97.3	7,500

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	17.0	12.8 - 22.2	2,500	83.0	77.8 - 87.2	3,100
\$10,000-\$24,999	500	11.6	8.6 - 15.5	3,400	88.4	84.5 - 91.4	3,900
\$25,000-\$49,999	300	7.7	5.4 - 10.9	3,900	92.3	89.1 - 94.6	4,200
>=\$50,000	200	3.3	2.1 - 5.2	5,900	96.7	94.8 - 97.9	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	12.3	7.6 - 19.4	1,400	87.7	80.6 - 92.4	1,500
Normal birth weight	1,400	8.0	6.7 - 9.5	15,600	92.0	90.5 - 93.3	17,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	41.9	36.6 - 47.4	2,100	58.1	52.6 - 63.4	3,700
No	<50	0.1	0.0 - 0.5	14,800	99.9	99.5 - 100.0	14,800

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	12.5	10.2 - 15.3	6,700	87.5	84.7 - 89.8	7,700
No	500	5.1	3.8 - 6.7	9,900	94.9	93.3 - 96.2	10,500

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,700	9.4	8.0 - 11.0	16,600	90.6	89.0 - 92.0	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	15.7	11.0 - 22.0	1,900	84.3	78.0 - 89.0	2,200
Honolulu	1,100	8.3	6.8 - 10.1	12,200	91.7	89.9 - 93.2	13,300
Kauai	100	8.1	3.5 - 17.5	800	91.9	82.5 - 96.5	900
Maui	200	10.4	6.4 - 16.5	1,700	89.6	83.5 - 93.6	1,900

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.7	4.6 - 9.6	4,000	93.3	90.4 - 95.4	4,300
Native Hawaiian	800	16.6	13.1 - 20.8	4,200	83.4	79.2 - 86.9	5,000
Chinese	<50	1.3	0.4 - 4.3	600	98.7	95.7 - 99.6	600
Filipino	200	4.8	2.9 - 7.8	3,200	95.2	92.2 - 97.1	3,400
Japanese	100	5.8	3.1 - 10.6	2,000	94.2	89.4 - 96.9	2,100
Other	300	10.6	7.2 - 15.2	2,600	89.4	84.8 - 92.8	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.1	7.2 - 19.6	1,300	87.9	80.4 - 92.8	1,500
20-24	500	11.1	8.1 - 14.9	4,000	88.9	85.1 - 91.9	4,500
25-34	900	9.8	7.8 - 12.1	8,100	90.2	87.9 - 92.2	8,900
35+	200	4.9	2.9 - 8.0	3,200	95.1	92.0 - 97.1	3,400

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	9.0	7.1 - 11.3	8,500	91.0	88.7 - 92.9	9,400
Female	900	9.8	7.8 - 12.2	8,100	90.2	87.8 - 92.2	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.2	4.0 - 6.8	11,000	94.8	93.2 - 96.0	11,600
No	1,100	16.6	13.6 - 20.1	5,600	83.4	79.9 - 86.4	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	17.4	14.3 - 21.0	5,300	82.6	79.0 - 85.7	6,400
131-185%	200	7.6	4.7 - 12.1	2,200	92.4	87.9 - 95.3	2,400
186+%	300	3.9	2.7 - 5.6	7,900	96.1	94.4 - 97.3	8,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	20.8	16.1 - 26.5	2,400	79.2	73.5 - 83.9	3,100
\$10,000-\$24,999	500	12.6	9.3 - 16.9	3,300	87.4	83.1 - 90.7	3,800
\$25,000-\$49,999	300	7.1	4.9 - 10.2	4,000	92.9	89.8 - 95.1	4,300
>=\$50,000	200	3.2	2.0 - 5.1	5,700	96.8	94.9 - 98.0	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	12.8	8.0 - 19.8	1,400	87.2	80.2 - 92.0	1,600
Normal birth weight	1,500	9.1	7.7 - 10.7	15,200	90.9	89.3 - 92.3	16,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	44.2	38.8 - 49.7	2,200	55.8	50.3 - 61.2	3,900
No	0	0.0	-	14,400	100.0	-	14,400

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	13.8	11.2 - 16.8	6,600	86.2	83.2 - 88.8	7,700
No	600	6.2	4.8 - 8.0	9,700	93.8	92.0 - 95.2	10,300

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,400	8.4	7.1 - 9.8	15,800	91.6	90.2 - 92.9	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	10.8	7.2 - 15.9	2,000	89.2	84.1 - 92.8	2,200
Honolulu	1,000	7.9	6.5 - 9.6	11,600	92.1	90.4 - 93.5	12,600
Kauai	100	10.3	4.8 - 20.8	700	89.7	79.2 - 95.2	700
Maui	100	7.8	4.5 - 13.4	1,600	92.2	86.6 - 95.5	1,700

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.7	5.3 - 10.9	3,500	92.3	89.1 - 94.7	3,700
Native Hawaiian	600	12.1	9.2 - 15.7	4,200	87.9	84.3 - 90.8	4,800
Chinese	<50	1.1	0.4 - 3.7	600	98.9	96.3 - 99.6	600
Filipino	200	6.0	4.0 - 9.0	3,000	94.0	91.0 - 96.0	3,200
Japanese	200	7.7	4.9 - 12.0	2,100	92.3	88.0 - 95.1	2,300
Other	200	7.6	5.0 - 11.6	2,300	92.4	88.4 - 95.0	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.9	2.9 - 11.6	1,400	94.1	88.4 - 97.1	1,500
20-24	500	11.5	8.6 - 15.1	3,700	88.5	84.9 - 91.4	4,200
25-34	600	7.6	5.9 - 9.6	7,900	92.4	90.4 - 94.1	8,600
35+	200	7.4	4.9 - 11.1	2,700	92.6	88.9 - 95.1	3,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.9	7.1 - 11.0	8,000	91.1	89.0 - 92.9	8,800
Female	700	7.8	6.1 - 9.9	7,800	92.2	90.1 - 93.9	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.7	3.6 - 6.2	10,500	95.3	93.8 - 96.4	11,000
No	900	14.7	12.0 - 17.9	5,300	85.3	82.1 - 88.0	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	14.5	11.8 - 17.6	5,300	85.5	82.4 - 88.2	6,200
131-185%	100	6.7	3.9 - 11.4	1,700	93.3	88.6 - 96.1	1,800
186+%	300	4.3	3.0 - 6.0	7,400	95.7	94.0 - 97.0	7,800

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	20.2	15.7 - 25.5	2,300	79.8	74.5 - 84.3	2,900
\$10,000-\$24,999	400	10.4	7.6 - 14.1	3,200	89.6	85.9 - 92.4	3,600
\$25,000-\$49,999	200	5.8	3.8 - 8.6	3,800	94.2	91.4 - 96.2	4,000
>=\$50,000	200	3.4	2.1 - 5.3	5,200	96.6	94.7 - 97.9	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	13.1	7.9 - 20.8	1,100	86.9	79.2 - 92.1	1,200
Normal birth weight	1,300	8.0	6.7 - 9.5	14,700	92.0	90.5 - 93.3	16,000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	39.0	33.9 - 44.3	2,200	61.0	55.7 - 66.1	3,600
No	<50	0.1	0.0 - 0.6	13,500	99.9	99.4 - 100.0	13,600

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	12.4	10.1 - 15.2	6,400	87.6	84.8 - 89.9	7,300
No	500	5.6	4.2 - 7.3	9,100	94.4	92.7 - 95.8	9,600

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,400	8.1	6.9 - 9.4	16,200	91.9	90.6 - 93.1	17,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	12.4	8.7 - 17.4	1,900	87.6	82.6 - 91.3	2,200
Honolulu	900	7.4	6.1 - 8.9	11,900	92.6	91.1 - 93.9	12,800
Kauai	<50	6.1	2.4 - 14.7	700	93.9	85.3 - 97.6	800
Maui	200	8.3	5.3 - 12.8	1,700	91.7	87.2 - 94.7	1,800

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.8	4.8 - 9.5	3,600	93.2	90.5 - 95.2	3,900
Native Hawaiian	600	12.4	9.6 - 15.8	4,200	87.6	84.2 - 90.4	4,800
Chinese	<50	1.9	1.0 - 3.8	600	98.1	96.2 - 99.0	700
Filipino	200	4.6	3.0 - 7.0	3,200	95.4	93.0 - 97.0	3,300
Japanese	200	7.0	4.4 - 11.1	2,100	93.0	88.9 - 95.6	2,300
Other	200	8.7	5.8 - 12.8	2,400	91.3	87.2 - 94.2	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.5	7.0 - 18.4	1,100	88.5	81.6 - 93.0	1,300
20-24	500	12.1	9.4 - 15.6	3,900	87.9	84.4 - 90.6	4,400
25-34	500	6.4	5.0 - 8.1	8,000	93.6	91.9 - 95.0	8,600
35+	200	5.6	3.6 - 8.5	3,200	94.4	91.5 - 96.4	3,400

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.2	7.5 - 11.1	8,700	90.8	88.9 - 92.5	9,600
Female	500	6.7	5.2 - 8.7	7,500	93.3	91.3 - 94.8	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	5.8	4.7 - 7.2	11,700	94.2	92.8 - 95.3	12,400
No	700	13.4	10.7 - 16.6	4,500	86.6	83.4 - 89.3	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	13.2	10.7 - 16.0	5,600	86.8	84.0 - 89.3	6,400
131-185%	200	7.8	5.0 - 12.1	1,900	92.2	87.9 - 95.0	2,100
186+%	300	3.4	2.4 - 4.8	7,500	96.6	95.2 - 97.6	7,700

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	14.2	10.5 - 19.0	2,300	85.8	81.0 - 89.5	2,700
\$10,000-\$24,999	500	11.4	8.7 - 14.6	3,800	88.6	85.4 - 91.3	4,300
\$25,000-\$49,999	300	6.0	4.2 - 8.5	4,200	94.0	91.5 - 95.8	4,400
>=\$50,000	100	2.7	1.6 - 4.5	4,800	97.3	95.5 - 98.4	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	15.9	10.4 - 23.6	900	84.1	76.4 - 89.6	1,100
Normal birth weight	1,300	7.6	6.4 - 8.9	15,300	92.4	91.1 - 93.6	16,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	38.7	33.9 - 43.7	2,200	61.3	56.3 - 66.1	3,600
No	<50	0.1	0.0 - 0.7	14,000	99.9	99.3 - 100.0	14,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	10.5	8.5 - 12.8	7,000	89.5	87.2 - 91.5	7,800
No	600	6.3	4.9 - 8.0	8,900	93.7	92.0 - 95.1	9,500

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,600	9.3	7.9 - 11.0	15,800	90.7	89.0 - 92.1	17,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	13.7	10.9 - 17.1	1,700	86.3	82.9 - 89.1	2,000
Honolulu	1,100	8.8	7.1 - 11.0	11,600	91.2	89.0 - 92.9	12,700
Kauai	100	9.5	5.9 - 14.9	800	90.5	85.1 - 94.1	900
Maui	200	8.3	6.0 - 11.3	1,700	91.7	88.7 - 94.0	1,800

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	10.5	7.0 - 15.3	3,300	89.5	84.7 - 93.0	3,700
Native Hawaiian	700	14.0	12.0 - 16.3	4,000	86.0	83.7 - 88.0	4,700
Chinese	<50	3.2	0.5 - 18.7	700	96.8	81.3 - 99.5	700
Filipino	300	8.1	5.2 - 12.4	3,600	91.9	87.6 - 94.8	3,900
Japanese	100	4.3	1.9 - 9.2	1,900	95.7	90.8 - 98.1	2,000
Other	200	6.7	3.5 - 12.5	2,200	93.3	87.5 - 96.5	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	14.0	8.8 - 21.5	1,300	86.0	78.5 - 91.2	1,600
20-24	500	13.2	10.3 - 16.8	3,600	86.8	83.2 - 89.7	4,100
25-34	700	8.4	6.5 - 10.9	8,000	91.6	89.1 - 93.5	8,800
35+	100	4.3	2.5 - 7.4	2,900	95.7	92.6 - 97.5	3,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.3	6.6 - 10.4	8,400	91.7	89.6 - 93.4	9,200
Female	900	10.5	8.4 - 13.2	7,300	89.5	86.8 - 91.6	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.4	4.9 - 8.3	10,700	93.6	91.7 - 95.1	11,400
No	900	15.0	12.4 - 18.2	5,100	85.0	81.8 - 87.6	6,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	13.8	11.4 - 16.6	6,600	86.2	83.4 - 88.6	7,700
131-185%	200	7.6	4.4 - 12.7	2,300	92.4	87.3 - 95.6	2,500
186+%	200	3.4	2.0 - 5.8	5,200	96.6	94.2 - 98.0	5,400

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	800	18.4	14.9 - 22.6	3,400	81.6	77.4 - 85.1	4,200
\$15,001-\$25,000	200	10.2	6.5 - 15.8	2,000	89.8	84.2 - 93.5	2,200
\$25,001-\$40,000	200	6.4	4.0 - 10.1	3,000	93.6	89.9 - 96.0	3,200
>=\$40,001	300	4.4	2.8 - 6.8	6,300	95.6	93.2 - 97.2	6,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	8.6	4.9 - 14.7	1,100	91.4	85.3 - 95.1	1,200
Normal birth weight	1,500	9.4	7.9 - 11.1	14,600	90.6	88.9 - 92.1	16,200

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	44.4	38.7 - 50.2	2,000	55.6	49.8 - 61.3	3,500
No	0	0.0	-	13,600	100.0	-	13,600

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	13.9	11.4 - 16.9	6,300	86.1	83.1 - 88.6	7,300
No	600	6.0	4.5 - 7.9	9,400	94.0	92.1 - 95.5	10,000

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,400	8.1	6.8 - 9.6	15,400	91.9	90.4 - 93.2	16,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	12.7	10.0 - 16.0	1,700	87.3	84.0 - 90.0	2,000
Honolulu	900	7.2	5.6 - 9.1	11,500	92.8	90.9 - 94.4	12,400
Kauai	100	13.5	8.8 - 20.1	600	86.5	79.9 - 91.2	700
Maui	100	7.2	5.1 - 10.2	1,600	92.8	89.8 - 94.9	1,700

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	9.2	5.9 - 14.0	3,200	90.8	86.0 - 94.1	3,500
Native Hawaiian	600	14.2	12.1 - 16.5	3,900	85.8	83.5 - 87.9	4,600
Chinese	<50	0.9	0.1 - 5.4	600	99.1	94.6 - 99.9	600
Filipino	100	3.3	1.7 - 6.3	3,300	96.7	93.7 - 98.3	3,400
Japanese	100	4.6	2.1 - 9.6	2,300	95.4	90.4 - 97.9	2,400
Other	200	7.0	3.5 - 13.3	2,100	93.0	86.7 - 96.5	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.1	6.2 - 15.9	1,400	89.9	84.1 - 93.8	1,500
20-24	500	12.2	9.1 - 16.1	3,600	87.8	83.9 - 90.9	4,100
25-34	600	6.7	5.1 - 8.7	7,800	93.3	91.3 - 94.9	8,400
35+	100	5.0	2.9 - 8.6	2,600	95.0	91.4 - 97.1	2,700

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	7.0	5.5 - 8.8	7,800	93.0	91.2 - 94.5	8,400
Female	800	9.2	7.2 - 11.7	7,600	90.8	88.3 - 92.8	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.1	3.8 - 6.7	10,900	94.9	93.3 - 96.2	11,500
No	800	14.6	11.8 - 17.9	4,600	85.4	82.1 - 88.2	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	13.4	10.9 - 16.4	5,600	86.6	83.6 - 89.1	6,500
131-185%	200	6.1	3.7 - 10.1	3,200	93.9	89.9 - 96.3	3,400
186+%	100	2.8	1.5 - 5.0	5,200	97.2	95.0 - 98.5	5,300

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	700	20.8	16.6 - 25.8	2,600	79.2	74.2 - 83.4	3,300
\$15,001-\$25,000	100	5.4	3.2 - 8.8	2,300	94.6	91.2 - 96.8	2,400
\$25,001-\$40,000	300	7.4	4.8 - 11.3	3,400	92.6	88.7 - 95.2	3,600
>=\$40,001	200	2.8	1.6 - 4.6	6,200	97.2	95.4 - 98.4	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	10.5	6.4 - 16.8	1,000	89.5	83.2 - 93.6	1,100
Normal birth weight	1,200	7.8	6.5 - 9.3	14,400	92.2	90.7 - 93.5	15,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	40.9	35.2 - 46.8	1,900	59.1	53.2 - 64.8	3,200
No	<50	0.1	0.0 - 0.3	13,300	99.9	99.7 - 100.0	13,300

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	11.5	9.2 - 14.1	6,200	88.5	85.9 - 90.8	7,000
No	600	5.7	4.3 - 7.5	9,100	94.3	92.5 - 95.7	9,700

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,600	9.5	8.4 - 10.8	14,900	90.5	89.2 - 91.6	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	14.7	11.8 - 18.1	1,500	85.3	81.9 - 88.2	1,800
Honolulu	1,000	8.3	7.0 - 9.9	11,100	91.7	90.1 - 93.0	12,200
Kauai	100	15.7	10.9 - 22.1	600	84.3	77.9 - 89.1	700
Maui	200	9.9	7.3 - 13.2	1,500	90.1	86.8 - 92.7	1,700

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.2	5.1 - 10.1	3,200	92.8	89.9 - 94.9	3,500
Native Hawaiian	700	16.4	14.7 - 18.4	3,700	83.6	81.6 - 85.3	4,400
Chinese	<50	4.6	1.2 - 16.2	700	95.4	83.8 - 98.8	700
Filipino	200	6.7	4.5 - 9.9	3,200	93.3	90.1 - 95.5	3,500
Japanese	100	3.5	1.5 - 8.0	2,000	96.5	92.0 - 98.5	2,000
Other	200	10.9	7.1 - 16.3	2,000	89.1	83.7 - 92.9	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	13.7	10.4 - 17.8	1,300	86.3	82.2 - 89.6	1,600
20-24	600	13.2	10.7 - 16.2	3,700	86.8	83.8 - 89.3	4,200
25-34	600	8.1	6.5 - 9.9	7,300	91.9	90.1 - 93.5	7,900
35+	100	5.5	3.6 - 8.5	2,500	94.5	91.5 - 96.4	2,700

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	11.1	9.4 - 13.2	7,400	88.9	86.8 - 90.6	8,300
Female	600	7.9	6.5 - 9.5	7,500	92.1	90.5 - 93.5	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.4	5.2 - 7.8	10,300	93.6	92.2 - 94.8	11,000
No	900	15.8	13.5 - 18.5	4,600	84.2	81.5 - 86.5	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	14.7	12.6 - 17.1	5,200	85.3	82.9 - 87.4	6,200
131-185%	300	8.5	6.2 - 11.4	3,300	91.5	88.6 - 93.8	3,600
186+%	200	3.2	2.2 - 4.8	5,300	96.8	95.2 - 97.8	5,500

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	600	17.3	14.2 - 21.0	2,800	82.7	79.0 - 85.8	3,300
\$15,001-\$25,000	300	13.8	10.4 - 18.1	1,900	86.2	81.9 - 89.6	2,200
\$25,001-\$40,000	300	8.6	6.5 - 11.4	3,200	91.4	88.6 - 93.5	3,500
>=\$40,001	300	4.0	2.8 - 5.6	6,200	96.0	94.4 - 97.2	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	11.6	7.8 - 17.0	900	88.4	83.0 - 92.2	1,100
Normal birth weight	1,400	9.4	8.2 - 10.7	13,900	90.6	89.3 - 91.8	15,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	44.0	39.5 - 48.6	1,900	56.0	51.4 - 60.5	3,300
No	<50	0.1	0.0 - 0.2	12,800	99.9	99.8 - 100.0	12,800

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	12.9	11.1 - 15.0	6,000	87.1	85.0 - 88.9	6,900
No	700	7.0	5.6 - 8.7	8,800	93.0	91.3 - 94.4	9,500

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,400	8.4	7.3 - 9.6	15,300	91.6	90.4 - 92.7	16,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	15.0	11.9 - 18.6	1,600	85.0	81.4 - 88.1	1,900
Honolulu	900	7.6	6.3 - 9.1	11,500	92.4	90.9 - 93.7	12,400
Kauai	100	7.9	4.6 - 13.1	600	92.1	86.9 - 95.4	700
Maui	100	7.7	5.4 - 10.9	1,600	92.3	89.1 - 94.6	1,700

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.0	4.9 - 9.8	3,700	93.0	90.2 - 95.1	4,000
Native Hawaiian	600	14.1	12.3 - 16.0	3,800	85.9	84.0 - 87.7	4,400
Chinese	<50	0.9	0.2 - 5.5	600	99.1	94.5 - 99.8	700
Filipino	300	7.6	5.1 - 11.2	3,100	92.4	88.8 - 94.9	3,400
Japanese	100	3.5	1.7 - 7.4	1,900	96.5	92.6 - 98.3	2,000
Other	200	7.5	4.3 - 12.6	2,000	92.5	87.4 - 95.7	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.4	7.4 - 14.5	1,600	89.6	85.5 - 92.6	1,800
20-24	500	12.0	9.6 - 14.9	3,500	88.0	85.1 - 90.4	4,000
25-34	600	7.1	5.6 - 8.9	7,400	92.9	91.1 - 94.4	8,000
35+	200	5.9	3.9 - 8.9	2,800	94.1	91.1 - 96.1	2,900

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.9	8.3 - 11.8	7,700	90.1	88.2 - 91.7	8,600
Female	600	6.8	5.5 - 8.5	7,500	93.2	91.5 - 94.5	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	5.6	4.5 - 6.9	10,900	94.4	93.1 - 95.5	11,600
No	800	14.8	12.5 - 17.5	4,300	85.2	82.5 - 87.5	5,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	12.8	11.0 - 14.9	6,100	87.2	85.1 - 89.0	7,000
131-185%	100	6.5	4.2 - 10.1	2,000	93.5	89.9 - 95.8	2,200
186+%	200	4.0	2.6 - 6.0	5,900	96.0	94.0 - 97.4	6,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	700	18.1	15.2 - 21.4	3,100	81.9	78.6 - 84.8	3,800
\$15,001-\$25,000	200	6.6	4.5 - 9.5	2,500	93.4	90.5 - 95.5	2,600
\$25,001-\$40,000	300	8.4	6.0 - 11.8	2,900	91.6	88.2 - 94.0	3,100
>=\$40,001	200	2.9	1.8 - 4.6	6,100	97.1	95.4 - 98.2	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	12.5	8.4 - 18.1	900	87.5	81.9 - 91.6	1,100
Normal birth weight	1,200	8.0	6.9 - 9.3	14,200	92.0	90.7 - 93.1	15,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	40.7	36.1 - 45.4	1,900	59.3	54.6 - 63.9	3,300
No	<50	0.2	0.1 - 0.7	13,200	99.8	99.3 - 99.9	13,200

PRAMS Health Indicator Report - Smoking during last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	11.5	9.8 - 13.5	6,500	88.5	86.5 - 90.2	7,300
No	600	6.0	4.7 - 7.7	8,800	94.0	92.3 - 95.3	9,400