

**PRAMS Health Indicator Report - Smoking cessation during pregnancy- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Smoking cessation during pregnancy	Smoking cessation during pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/14/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Smoking cessation during pregnancy- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	1,900	59.3	54.6 - 63.9	1,300	40.7	36.1 - 45.4	3,300
2001	1,900	56.0	51.4 - 60.5	1,500	44.0	39.5 - 48.6	3,300
2002	1,900	59.1	53.2 - 64.8	1,300	40.9	35.2 - 46.8	3,200
2003	2,000	55.6	49.8 - 61.3	1,600	44.4	38.7 - 50.2	3,500
2004	2,200	61.3	56.3 - 66.1	1,400	38.7	33.9 - 43.7	3,600
2005	2,200	61.0	55.7 - 66.1	1,400	39.0	33.9 - 44.3	3,600
2006	2,200	55.8	50.3 - 61.2	1,700	44.2	38.8 - 49.7	3,900
2007	2,100	58.1	52.6 - 63.4	1,500	41.9	36.6 - 47.4	3,700
2008	1,900	54.8	49.1 - 60.3	1,600	45.2	39.7 - 50.9	3,500
2009	2,300	57.8	51.2 - 64.2	1,700	42.2	35.8 - 48.8	4,000
2010	2,400	62.6	55.6 - 69.1	1,400	37.4	30.9 - 44.4	3,800
2011	2,600	73.9	67.6 - 79.4	900	26.1	20.6 - 32.4	3,600
2012	2,100	74.1	66.7 - 80.4	700	25.9	19.6 - 33.3	2,900
2013	2,300	69.3	61.6 - 76.0	1,000	30.7	24.0 - 38.4	3,300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,300	69.3	61.6 - 76.0	1,000	30.7	24.0 - 38.4	3,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	57.7	45.3 - 69.2	200	42.3	30.8 - 54.7	500
Honolulu	1,700	74.0	63.2 - 82.5	600	26.0	17.5 - 36.8	2,300
Kauai	100	57.5	44.1 - 69.8	100	42.5	30.2 - 55.9	100
Maui	200	59.6	46.1 - 71.7	100	40.4	28.3 - 53.9	300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	70.2	51.3 - 84.1	200	29.8	15.9 - 48.7	600
Native Hawaiian	800	62.1	50.4 - 72.5	500	37.9	27.5 - 49.6	1,400
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	300	77.5	52.8 - 91.4	100	22.5	8.6 - 47.2	400
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	n/r	n/r	n/r	n/r	n/r	n/r	600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	200
20-24	700	71.4	57.7 - 82.1	300	28.6	17.9 - 42.3	1,000
25-34	1,200	70.6	59.9 - 79.4	500	29.4	20.6 - 40.1	1,700
35+	200	56.8	33.7 - 77.3	200	43.2	22.7 - 66.3	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	71.2	59.8 - 80.4	400	28.8	19.6 - 40.2	1,400
Female	1,200	67.8	57.1 - 77.0	600	32.2	23.0 - 42.9	1,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	76.6	64.1 - 85.7	300	23.4	14.3 - 35.9	1,400
No	1,200	63.6	53.4 - 72.6	700	36.4	27.4 - 46.6	1,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	61.3	50.7 - 70.9	700	38.7	29.1 - 49.3	1,700
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	400
186+%	700	82.3	66.8 - 91.5	200	17.7	8.5 - 33.2	800

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	800	59.6	46.9 - 71.2	500	40.4	28.8 - 53.1	1,300
\$17,001-\$26,000	300	54.0	34.1 - 72.8	200	46.0	27.2 - 65.9	500
\$26,001-\$51,000	600	90.2	76.7 - 96.3	100	9.8	3.7 - 23.3	700
>=\$51,001	500	77.6	57.7 - 89.8	100	22.4	10.2 - 42.3	600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	60.8	49.5 - 71.1	100	39.2	28.9 - 50.5	300
Normal birth weight	2,100	70.3	61.9 - 77.5	900	29.7	22.5 - 38.1	3,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,000	100.0	-	1,000
No	2,300	100.0	-	0	0.0	-	2,300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	69.3	61.6 - 76.0	1,000	30.7	24.0 - 38.4	3,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	67.0	56.9 - 75.7	600	33.0	24.3 - 43.1	1,700
No	1,100	71.1	58.6 - 81.1	400	28.9	18.9 - 41.4	1,500

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,100	74.1	66.7 - 80.4	700	25.9	19.6 - 33.3	2,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	65.0	52.8 - 75.4	200	35.0	24.6 - 47.2	500
Honolulu	1,500	76.7	65.7 - 84.9	400	23.3	15.1 - 34.3	1,900
Kauai	100	73.2	59.8 - 83.4	100	26.8	16.6 - 40.2	200
Maui	200	72.7	59.4 - 82.9	100	27.3	17.1 - 40.6	300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	88.5	72.8 - 95.7	100	11.5	4.3 - 27.2	600
Native Hawaiian	900	67.4	55.5 - 77.4	400	32.6	22.6 - 44.5	1,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	300	70.9	49.0 - 86.1	100	29.1	13.9 - 51.0	400
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	300	69.7	46.3 - 86.0	100	30.3	14.0 - 53.7	400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	200
20-24	600	79.3	65.0 - 88.8	100	20.7	11.2 - 35.0	700
25-34	1,200	71.1	60.8 - 79.6	500	28.9	20.4 - 39.2	1,800
35+	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	75.9	64.9 - 84.4	300	24.1	15.6 - 35.1	1,300
Female	1,200	72.6	62.2 - 81.1	400	27.4	18.9 - 37.8	1,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	78.0	65.1 - 87.1	200	22.0	12.9 - 34.9	1,000
No	1,300	71.9	62.5 - 79.8	500	28.1	20.2 - 37.5	1,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	69.6	59.2 - 78.3	400	30.4	21.7 - 40.8	1,500
131-185%	200	66.6	43.4 - 83.8	100	33.4	16.2 - 56.6	400
186+%	600	83.9	67.0 - 93.1	100	16.1	6.9 - 33.0	700

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	700	66.1	52.8 - 77.2	300	33.9	22.8 - 47.2	1,000
\$17,001-\$26,000	300	75.5	58.3 - 87.2	100	24.5	12.8 - 41.7	400
\$26,001-\$51,000	500	73.0	56.0 - 85.2	200	27.0	14.8 - 44.0	700
>=\$51,001	400	82.8	60.1 - 93.9	100	17.2	6.1 - 39.9	500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	65.5	51.7 - 77.1	100	34.5	22.9 - 48.3	200
Normal birth weight	2,000	74.8	66.8 - 81.5	700	25.2	18.5 - 33.2	2,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	700	100.0	-	700
No	2,100	100.0	-	0	0.0	-	2,100

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	74.1	66.7 - 80.4	700	25.9	19.6 - 33.3	2,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	68.8	58.7 - 77.3	500	31.2	22.7 - 41.3	1,600
No	1,000	79.8	67.8 - 88.1	300	20.2	11.9 - 32.2	1,300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,600	73.9	67.6 - 79.4	900	26.1	20.6 - 32.4	3,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	65.4	54.9 - 74.5	200	34.6	25.5 - 45.1	600
Honolulu	1,900	77.3	68.2 - 84.5	500	22.7	15.5 - 31.8	2,400
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	300	72.1	62.2 - 80.3	100	27.9	19.7 - 37.8	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	72.5	57.3 - 83.9	200	27.5	16.1 - 42.7	800
Native Hawaiian	900	67.3	57.0 - 76.2	400	32.7	23.8 - 43.0	1,400
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	400	85.2	65.7 - 94.6	100	14.8	5.4 - 34.3	500
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	400
Other	n/r	n/r	n/r	n/r	n/r	n/r	500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	200
20-24	800	71.1	58.3 - 81.3	300	28.9	18.7 - 41.7	1,100
25-34	1,400	76.3	67.9 - 83.1	400	23.7	16.9 - 32.1	1,800
35+	300	75.7	53.7 - 89.3	100	24.3	10.7 - 46.3	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	74.1	64.8 - 81.7	400	25.9	18.3 - 35.2	1,700
Female	1,400	73.7	64.6 - 81.1	500	26.3	18.9 - 35.4	1,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	75.7	65.5 - 83.6	400	24.3	16.4 - 34.5	1,400
No	1,500	72.7	64.2 - 79.8	600	27.3	20.2 - 35.8	2,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	66.1	56.4 - 74.6	500	33.9	25.4 - 43.6	1,500
131-185%	600	85.0	71.1 - 92.9	100	15.0	7.1 - 28.9	700
186+%	900	78.2	65.6 - 87.1	300	21.8	12.9 - 34.4	1,200

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	64.3	51.3 - 75.5	300	35.7	24.5 - 48.7	900
\$10,000-\$24,999	500	63.7	49.5 - 75.8	300	36.3	24.2 - 50.5	800
\$25,000-\$49,999	1,000	90.0	81.4 - 94.9	100	10.0	5.1 - 18.6	1,100
>=\$50,000	400	73.0	53.6 - 86.3	200	27.0	13.7 - 46.4	600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	56.4	44.7 - 67.5	100	43.6	32.5 - 55.3	300
Normal birth weight	2,400	75.7	68.7 - 81.5	800	24.3	18.5 - 31.3	3,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	900	100.0	-	900
No	2,600	100.0	-	0	0.0	-	2,600

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	73.9	67.6 - 79.4	900	26.1	20.6 - 32.4	3,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	72.0	63.4 - 79.2	600	28.0	20.8 - 36.6	2,000
No	1,100	76.8	66.7 - 84.5	300	23.2	15.5 - 33.3	1,500

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,400	62.6	55.6 - 69.1	1,400	37.4	30.9 - 44.4	3,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	500	65.7	56.2 - 74.1	200	34.3	25.9 - 43.8	700
Honolulu	1,600	62.8	52.7 - 71.9	1,000	37.2	28.1 - 47.3	2,600
Kauai	100	55.2	41.8 - 67.9	100	44.8	32.1 - 58.2	200
Maui	300	59.2	48.9 - 68.8	200	40.8	31.2 - 51.1	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	61.9	46.0 - 75.6	300	38.1	24.4 - 54.0	800
Native Hawaiian	900	59.6	49.4 - 69.1	600	40.4	30.9 - 50.6	1,500
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	500	74.1	55.7 - 86.7	200	25.9	13.3 - 44.3	700
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	n/r	n/r	n/r	n/r	n/r	n/r	500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	61.5	38.2 - 80.4	100	38.5	19.6 - 61.8	300
20-24	900	65.2	53.1 - 75.7	500	34.8	24.3 - 46.9	1,400
25-34	1,000	59.6	49.2 - 69.2	700	40.4	30.8 - 50.8	1,700
35+	300	66.7	44.4 - 83.4	100	33.3	16.6 - 55.6	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	65.8	56.2 - 74.3	700	34.2	25.7 - 43.8	2,000
Female	1,100	59.2	49.0 - 68.7	800	40.8	31.3 - 51.0	1,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	66.5	55.4 - 76.1	600	33.5	23.9 - 44.6	1,700
No	1,300	59.4	50.4 - 67.9	900	40.6	32.1 - 49.6	2,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	52.5	42.8 - 62.1	900	47.5	37.9 - 57.2	1,800
131-185%	500	74.8	56.5 - 87.1	200	25.2	12.9 - 43.5	700
186+%	800	70.8	57.5 - 81.3	300	29.2	18.7 - 42.5	1,200

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	54.3	41.8 - 66.3	500	45.7	33.7 - 58.2	1,000
\$10,000-\$24,999	500	59.7	44.1 - 73.6	300	40.3	26.4 - 55.9	900
\$25,000-\$49,999	800	66.1	52.4 - 77.5	400	33.9	22.5 - 47.6	1,100
>=\$50,000	500	71.9	54.6 - 84.5	200	28.1	15.5 - 45.4	700

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	77.3	66.4 - 85.5	100	22.7	14.5 - 33.6	300
Normal birth weight	2,200	61.2	53.6 - 68.3	1,400	38.8	31.7 - 46.4	3,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,400	100.0	-	1,400
No	2,400	100.0	-	0	0.0	-	2,400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	62.6	55.6 - 69.1	1,400	37.4	30.9 - 44.4	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	59.2	50.4 - 67.5	900	40.8	32.5 - 49.6	2,200
No	1,100	67.6	55.9 - 77.5	500	32.4	22.5 - 44.1	1,600

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,300	57.8	51.2 - 64.2	1,700	42.2	35.8 - 48.8	4,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	47.1	37.7 - 56.8	400	52.9	43.2 - 62.3	700
Honolulu	1,600	58.5	48.9 - 67.5	1,100	41.5	32.5 - 51.1	2,700
Kauai	100	59.2	46.7 - 70.5	100	40.8	29.5 - 53.3	200
Maui	300	69.3	59.3 - 77.8	100	30.7	22.2 - 40.7	500

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	700	75.7	62.2 - 85.5	200	24.3	14.5 - 37.8	900
Native Hawaiian	900	50.5	41.0 - 60.0	900	49.5	40.0 - 59.0	1,700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	300	59.0	38.5 - 76.8	200	41.0	23.2 - 61.5	400
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	400
Other	200	51.7	31.2 - 71.6	200	48.3	28.4 - 68.8	500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	68.1	48.2 - 83.0	200	31.9	17.0 - 51.8	500
20-24	700	61.4	49.0 - 72.4	500	38.6	27.6 - 51.0	1,200
25-34	1,100	55.9	46.4 - 65.1	800	44.1	34.9 - 53.6	1,900
35+	200	43.6	26.2 - 62.7	200	56.4	37.3 - 73.8	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	56.0	46.6 - 65.0	900	44.0	35.0 - 53.4	2,000
Female	1,200	59.7	50.3 - 68.4	800	40.3	31.6 - 49.7	2,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	73.4	63.1 - 81.7	400	26.6	18.3 - 36.9	1,500
No	1,200	48.3	40.1 - 56.7	1,300	51.7	43.3 - 59.9	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	47.1	38.1 - 56.3	1,100	52.9	43.7 - 61.9	2,100
131-185%	400	69.1	52.1 - 82.2	200	30.9	17.8 - 47.9	600
186+%	700	76.8	64.1 - 86.0	200	23.2	14.0 - 35.9	900

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	38.5	26.8 - 51.7	700	61.5	48.3 - 73.2	1,100
\$10,000-\$24,999	600	58.7	46.6 - 69.9	500	41.3	30.1 - 53.4	1,100
\$25,000-\$49,999	500	66.7	51.9 - 78.8	200	33.3	21.2 - 48.1	700
>=\$50,000	600	79.4	65.2 - 88.8	200	20.6	11.2 - 34.8	700

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	57.6	46.2 - 68.2	100	42.4	31.8 - 53.8	300
Normal birth weight	2,200	58.3	51.2 - 65.2	1,500	41.7	34.8 - 48.8	3,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700	100.0	-	1,700
No	2,300	100.0	-	0	0.0	-	2,300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	57.8	51.2 - 64.2	1,700	42.2	35.8 - 48.8	4,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	52.0	43.7 - 60.2	1,100	48.0	39.8 - 56.3	2,300
No	1,100	65.5	54.5 - 75.0	600	34.5	25.0 - 45.5	1,800

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,900	54.8	49.1 - 60.3	1,600	45.2	39.7 - 50.9	3,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	48.7	34.2 - 63.4	300	51.3	36.6 - 65.8	500
Honolulu	1,400	55.6	48.9 - 62.2	1,100	44.4	37.8 - 51.1	2,400
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	300	63.6	46.8 - 77.6	200	36.4	22.4 - 53.2	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	59.6	48.2 - 70.1	300	40.4	29.9 - 51.8	800
Native Hawaiian	700	47.4	38.1 - 56.8	700	52.6	43.2 - 61.9	1,400
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	68.3	53.5 - 80.1	100	31.7	19.9 - 46.5	400
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	300	61.6	47.1 - 74.3	200	38.4	25.7 - 52.9	600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	45.6	29.4 - 62.8	200	54.4	37.2 - 70.6	400
20-24	600	60.7	50.2 - 70.3	400	39.3	29.7 - 49.8	1,100
25-34	1,000	56.6	48.4 - 64.5	700	43.4	35.5 - 51.6	1,700
35+	200	39.9	25.8 - 56.0	200	60.1	44.0 - 74.2	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	57.2	49.5 - 64.6	800	42.8	35.4 - 50.5	1,900
Female	800	52.0	43.6 - 60.2	800	48.0	39.8 - 56.4	1,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	57.2	48.8 - 65.2	700	42.8	34.8 - 51.2	1,500
No	1,100	52.9	45.2 - 60.4	900	47.1	39.6 - 54.8	2,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	41.8	34.3 - 49.8	1,100	58.2	50.2 - 65.7	1,900
131-185%	300	57.7	42.6 - 71.4	200	42.3	28.6 - 57.4	500
186+%	700	74.8	64.6 - 82.8	200	25.2	17.2 - 35.4	900

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	29.1	19.4 - 41.2	600	70.9	58.8 - 80.6	800
\$10,000-\$24,999	700	57.2	47.1 - 66.7	500	42.8	33.3 - 52.9	1,200
\$25,000-\$49,999	500	62.9	51.0 - 73.4	300	37.1	26.6 - 49.0	800
>=\$50,000	400	68.7	55.3 - 79.5	200	31.3	20.5 - 44.7	600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	300
Normal birth weight	1,800	55.9	50.0 - 61.6	1,400	44.1	38.4 - 50.0	3,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,600	100.0	-	1,600
No	1,900	100.0	-	0	0.0	-	1,900

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	54.8	49.1 - 60.3	1,600	45.2	39.7 - 50.9	3,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	51.0	43.4 - 58.6	1,000	49.0	41.4 - 56.6	2,000
No	900	60.2	51.6 - 68.3	600	39.8	31.7 - 48.4	1,400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,100	58.1	52.6 - 63.4	1,500	41.9	36.6 - 47.4	3,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	400	60.4	46.4 - 72.8	200	39.6	27.2 - 53.6	600
Honolulu	1,400	56.1	49.3 - 62.6	1,100	43.9	37.4 - 50.7	2,400
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	300	61.9	44.7 - 76.5	200	38.1	23.5 - 55.3	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	64.2	53.4 - 73.8	300	35.8	26.2 - 46.6	900
Native Hawaiian	700	47.7	38.4 - 57.1	700	52.3	42.9 - 61.6	1,400
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	66.1	51.8 - 78.0	200	33.9	22.0 - 48.2	500
Japanese	200	63.9	45.7 - 78.8	100	36.1	21.2 - 54.3	400
Other	300	62.7	47.9 - 75.5	200	37.3	24.5 - 52.1	500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	400
20-24	900	65.5	56.5 - 73.5	500	34.5	26.5 - 43.5	1,400
25-34	800	52.7	44.5 - 60.7	700	47.3	39.3 - 55.5	1,600
35+	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	56.7	48.9 - 64.2	800	43.3	35.8 - 51.1	1,900
Female	1,100	59.5	51.6 - 66.9	700	40.5	33.1 - 48.4	1,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	64.5	56.2 - 72.1	500	35.5	27.9 - 43.8	1,500
No	1,200	53.6	46.3 - 60.7	1,000	46.4	39.3 - 53.7	2,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	50.0	42.3 - 57.6	1,000	50.0	42.4 - 57.7	1,900
131-185%	200	49.0	33.9 - 64.3	200	51.0	35.7 - 66.1	400
186+%	800	72.8	63.2 - 80.7	300	27.2	19.3 - 36.8	1,100

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	46.4	35.7 - 57.4	500	53.6	42.6 - 64.3	1,000
\$10,000-\$24,999	500	53.3	42.4 - 63.9	400	46.7	36.1 - 57.6	900
\$25,000-\$49,999	500	62.6	51.4 - 72.5	300	37.4	27.5 - 48.6	900
>=\$50,000	500	71.0	58.5 - 81.0	200	29.0	19.0 - 41.5	700

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	300
Normal birth weight	2,000	59.4	53.6 - 64.9	1,300	40.6	35.1 - 46.4	3,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,500	100.0	-	1,500
No	2,100	100.0	-	0	0.0	-	2,100

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	58.1	52.6 - 63.4	1,500	41.9	36.6 - 47.4	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	50.7	43.1 - 58.3	900	49.3	41.7 - 56.9	1,900
No	1,100	67.8	59.7 - 74.9	500	32.2	25.1 - 40.3	1,700

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,200	55.8	50.3 - 61.2	1,700	44.2	38.8 - 49.7	3,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	48.1	35.1 - 61.4	300	51.9	38.6 - 64.9	700
Honolulu	1,500	57.5	50.8 - 64.0	1,100	42.5	36.0 - 49.2	2,600
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	200	52.8	36.3 - 68.8	200	47.2	31.2 - 63.7	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	700	69.5	58.9 - 78.4	300	30.5	21.6 - 41.1	900
Native Hawaiian	700	44.3	35.3 - 53.6	800	55.7	46.4 - 64.7	1,500
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	62.0	46.2 - 75.7	200	38.0	24.3 - 53.8	400
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	400
Other	300	51.5	38.0 - 64.8	300	48.5	35.2 - 62.0	600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	61.9	45.1 - 76.2	200	38.1	23.8 - 54.9	500
20-24	700	57.4	46.9 - 67.3	500	42.6	32.7 - 53.1	1,200
25-34	1,000	52.9	45.0 - 60.7	900	47.1	39.3 - 55.0	1,900
35+	200	57.3	40.7 - 72.4	200	42.7	27.6 - 59.3	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	58.2	50.4 - 65.5	800	41.8	34.5 - 49.6	2,000
Female	1,000	53.3	45.4 - 61.1	900	46.7	38.9 - 54.6	1,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	64.2	56.2 - 71.6	600	35.8	28.4 - 43.8	1,700
No	1,100	49.3	41.8 - 56.8	1,100	50.7	43.2 - 58.2	2,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	41.0	33.2 - 49.2	1,100	59.0	50.8 - 66.8	1,900
131-185%	500	72.4	59.3 - 82.5	200	27.6	17.5 - 40.7	700
186+%	700	70.1	60.2 - 78.4	300	29.9	21.6 - 39.8	1,100

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	35.8	25.7 - 47.3	600	64.2	52.7 - 74.3	1,000
\$10,000-\$24,999	600	53.9	43.1 - 64.3	500	46.1	35.7 - 56.9	1,000
\$25,000-\$49,999	700	69.1	58.4 - 78.0	300	30.9	22.0 - 41.6	1,000
>=\$50,000	400	69.0	55.7 - 79.8	200	31.0	20.2 - 44.3	600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	300
Normal birth weight	2,000	57.4	51.7 - 63.0	1,500	42.6	37.0 - 48.3	3,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,700	100.0	-	1,700
No	2,200	100.0	-	0	0.0	-	2,200

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	55.8	50.3 - 61.2	1,700	44.2	38.8 - 49.7	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	52.6	45.2 - 60.0	1,100	47.4	40.0 - 54.8	2,200
No	1,000	60.0	51.6 - 67.9	600	40.0	32.1 - 48.4	1,600

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,200	61.0	55.7 - 66.1	1,400	39.0	33.9 - 44.3	3,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	56.6	42.6 - 69.5	200	43.4	30.5 - 57.4	500
Honolulu	1,500	61.4	55.1 - 67.5	1,000	38.6	32.5 - 44.9	2,500
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	300	66.6	49.7 - 80.2	100	33.4	19.8 - 50.3	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	67.2	55.9 - 76.7	300	32.8	23.3 - 44.1	800
Native Hawaiian	900	60.0	50.9 - 68.5	600	40.0	31.5 - 49.1	1,500
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	61.7	48.6 - 73.3	200	38.3	26.7 - 51.4	500
Japanese	200	57.0	41.8 - 71.0	200	43.0	29.0 - 58.2	400
Other	200	55.2	40.5 - 69.1	200	44.8	30.9 - 59.5	400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	79.0	62.6 - 89.4	100	21.0	10.6 - 37.4	400
20-24	800	61.8	52.6 - 70.2	500	38.2	29.8 - 47.4	1,300
25-34	1,000	60.7	52.7 - 68.2	600	39.3	31.8 - 47.3	1,600
35+	100	38.0	23.2 - 55.5	200	62.0	44.5 - 76.8	300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	58.4	50.8 - 65.6	800	41.6	34.4 - 49.2	1,800
Female	1,200	63.7	56.0 - 70.7	700	36.3	29.3 - 44.0	1,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	63.9	55.4 - 71.7	500	36.1	28.3 - 44.6	1,400
No	1,300	59.2	52.3 - 65.7	900	40.8	34.3 - 47.7	2,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	55.6	48.3 - 62.8	900	44.4	37.2 - 51.7	2,000
131-185%	200	61.4	43.8 - 76.4	100	38.6	23.6 - 56.2	300
186+%	700	69.8	60.2 - 77.9	300	30.2	22.1 - 39.8	1,100

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	47.0	37.2 - 57.0	600	53.0	43.0 - 62.8	1,100
\$10,000-\$24,999	600	63.1	53.0 - 72.2	400	36.9	27.8 - 47.0	1,000
\$25,000-\$49,999	500	70.1	58.4 - 79.7	200	29.9	20.3 - 41.6	700
>=\$50,000	400	68.6	55.6 - 79.2	200	31.4	20.8 - 44.4	600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	300
Normal birth weight	2,100	62.5	57.0 - 67.7	1,300	37.5	32.3 - 43.0	3,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,400	100.0	-	1,400
No	2,200	100.0	-	0	0.0	-	2,200

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	61.0	55.7 - 66.1	1,400	39.0	33.9 - 44.3	3,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	56.1	48.9 - 63.2	900	43.9	36.8 - 51.1	2,000
No	1,000	66.1	58.1 - 73.3	500	33.9	26.7 - 41.9	1,600

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,200	61.3	56.3 - 66.1	1,400	38.7	33.9 - 43.7	3,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	55.9	43.2 - 68.0	300	44.1	32.0 - 56.8	600
Honolulu	1,500	61.4	55.3 - 67.2	900	38.6	32.8 - 44.7	2,500
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	300	64.2	49.8 - 76.4	200	35.8	23.6 - 50.2	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	65.9	55.6 - 74.8	300	34.1	25.2 - 44.4	800
Native Hawaiian	800	57.5	48.9 - 65.7	600	42.5	34.3 - 51.1	1,400
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	66.7	54.1 - 77.2	200	33.3	22.8 - 45.9	500
Japanese	300	65.8	50.9 - 78.2	100	34.2	21.8 - 49.1	400
Other	300	56.2	42.6 - 69.0	200	43.8	31.0 - 57.4	500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	71.6	57.3 - 82.6	100	28.4	17.4 - 42.7	500
20-24	800	58.8	50.2 - 66.9	500	41.2	33.1 - 49.8	1,300
25-34	900	62.7	54.9 - 69.8	500	37.3	30.2 - 45.1	1,500
35+	200	52.1	37.2 - 66.5	200	47.9	33.5 - 62.8	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	56.4	49.6 - 63.0	900	43.6	37.0 - 50.4	2,000
Female	1,100	67.2	59.8 - 73.9	500	32.8	26.1 - 40.2	1,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	62.0	55.2 - 68.4	700	38.0	31.6 - 44.8	1,900
No	1,100	60.6	53.1 - 67.6	700	39.4	32.4 - 46.9	1,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	54.3	47.0 - 61.4	800	45.7	38.6 - 53.0	1,800
131-185%	400	69.5	56.6 - 80.0	200	30.5	20.0 - 43.4	500
186+%	700	73.5	64.5 - 80.8	300	26.5	19.2 - 35.5	1,000

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	53.5	42.7 - 64.0	400	46.5	36.0 - 57.3	800
\$10,000-\$24,999	800	62.1	53.6 - 70.0	500	37.9	30.0 - 46.4	1,300
\$25,000-\$49,999	500	64.7	53.7 - 74.3	300	35.3	25.7 - 46.3	800
>=\$50,000	400	74.8	62.2 - 84.2	100	25.2	15.8 - 37.8	500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	38.5	22.9 - 57.1	200	61.5	42.9 - 77.1	300
Normal birth weight	2,100	63.2	58.0 - 68.1	1,200	36.8	31.9 - 42.0	3,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,400	100.0	-	1,400
No	2,200	100.0	-	0	0.0	-	2,200

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	61.3	56.3 - 66.1	1,400	38.7	33.9 - 43.7	3,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	60.2	53.4 - 66.7	800	39.8	33.3 - 46.6	2,000
No	1,000	62.3	54.7 - 69.3	600	37.7	30.7 - 45.3	1,600

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,000	55.6	49.8 - 61.3	1,600	44.4	38.7 - 50.2	3,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	55.0	46.5 - 63.3	200	45.0	36.7 - 53.5	500
Honolulu	1,400	55.1	47.3 - 62.7	1,100	44.9	37.3 - 52.7	2,500
Kauai	100	60.4	43.6 - 75.1	100	39.6	24.9 - 56.4	200
Maui	200	58.0	46.8 - 68.3	100	42.0	31.7 - 53.2	300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	49.8	35.8 - 63.8	400	50.2	36.2 - 64.2	800
Native Hawaiian	700	54.9	49.2 - 60.5	600	45.1	39.5 - 50.8	1,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	52.2	36.8 - 67.2	300	47.8	32.8 - 63.2	600
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	400
Other	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	59.4	43.9 - 73.2	200	40.6	26.8 - 56.1	500
20-24	700	56.3	47.3 - 64.9	500	43.7	35.1 - 52.7	1,200
25-34	800	52.6	43.2 - 61.7	700	47.4	38.3 - 56.8	1,500
35+	200	61.5	41.8 - 78.1	100	38.5	21.9 - 58.2	300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	59.0	50.9 - 66.6	700	41.0	33.4 - 49.1	1,800
Female	900	52.3	44.1 - 60.5	800	47.7	39.5 - 55.9	1,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	57.7	48.6 - 66.3	700	42.3	33.7 - 51.4	1,700
No	1,000	53.7	46.3 - 60.9	800	46.3	39.1 - 53.7	1,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	50.7	43.6 - 57.9	1,000	49.3	42.1 - 56.4	2,000
131-185%	200	53.6	35.9 - 70.4	200	46.4	29.6 - 64.1	400
186+%	500	71.6	57.0 - 82.7	200	28.4	17.3 - 43.0	700

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	600	44.3	36.0 - 52.8	700	55.7	47.2 - 64.0	1,300
\$15,001-\$25,000	300	61.7	46.6 - 74.8	200	38.3	25.2 - 53.4	600
\$25,001-\$40,000	400	67.3	52.9 - 79.1	200	32.7	20.9 - 47.1	600
>=\$40,001	400	59.8	45.5 - 72.6	300	40.2	27.4 - 54.5	700

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	200
Normal birth weight	1,900	56.0	50.0 - 61.8	1,500	44.0	38.2 - 50.0	3,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,600	100.0	-	1,600
No	2,000	100.0	-	0	0.0	-	2,000

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	55.6	49.8 - 61.3	1,600	44.4	38.7 - 50.2	3,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	50.3	43.0 - 57.6	1,000	49.7	42.4 - 57.0	2,000
No	1,000	63.0	53.7 - 71.4	600	37.0	28.6 - 46.3	1,500

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,900	59.1	53.2 - 64.8	1,300	40.9	35.2 - 46.8	3,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	55.9	47.4 - 64.1	200	44.1	35.9 - 52.6	500
Honolulu	1,300	59.7	51.4 - 67.6	900	40.3	32.4 - 48.6	2,100
Kauai	100	47.3	32.2 - 63.0	100	52.7	37.0 - 67.8	200
Maui	200	65.9	54.9 - 75.4	100	34.1	24.6 - 45.1	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	60.2	45.5 - 73.3	300	39.8	26.7 - 54.5	800
Native Hawaiian	600	50.7	44.9 - 56.5	600	49.3	43.5 - 55.1	1,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	71.2	53.0 - 84.4	100	28.8	15.6 - 47.0	400
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	n/r	n/r	n/r	n/r	n/r	n/r	400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	55.4	39.1 - 70.5	200	44.6	29.5 - 60.9	300
20-24	800	63.9	54.3 - 72.5	500	36.1	27.5 - 45.7	1,300
25-34	700	56.7	47.1 - 65.8	600	43.3	34.2 - 52.9	1,300
35+	200	53.1	34.2 - 71.2	100	46.9	28.8 - 65.8	300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	63.2	55.1 - 70.5	600	36.8	29.5 - 44.9	1,600
Female	900	55.2	46.7 - 63.5	700	44.8	36.5 - 53.3	1,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	62.7	53.3 - 71.3	600	37.3	28.7 - 46.7	1,500
No	1,000	56.0	48.5 - 63.2	800	44.0	36.8 - 51.5	1,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	51.8	44.2 - 59.3	800	48.2	40.7 - 55.8	1,800
131-185%	400	69.8	54.3 - 81.8	200	30.2	18.2 - 45.7	600
186+%	400	72.4	56.3 - 84.2	100	27.6	15.8 - 43.7	500

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	500	42.8	34.2 - 51.8	700	57.2	48.2 - 65.8	1,200
\$15,001-\$25,000	400	78.7	65.7 - 87.7	100	21.3	12.3 - 34.3	600
\$25,001-\$40,000	400	64.1	49.9 - 76.1	300	35.9	23.9 - 50.1	700
>=\$40,001	400	68.7	53.8 - 80.5	200	31.3	19.5 - 46.2	600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	200
Normal birth weight	1,800	60.5	54.4 - 66.3	1,200	39.5	33.7 - 45.6	2,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,300	100.0	-	1,300
No	1,900	100.0	-	0	0.0	-	1,900

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	59.1	53.2 - 64.8	1,300	40.9	35.2 - 46.8	3,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	59.1	51.4 - 66.3	800	40.9	33.7 - 48.6	1,900
No	800	59.1	49.7 - 67.9	500	40.9	32.1 - 50.3	1,300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,900	56.0	51.4 - 60.5	1,500	44.0	39.5 - 48.6	3,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	51.3	42.8 - 59.7	300	48.7	40.3 - 57.2	500
Honolulu	1,300	58.4	52.3 - 64.3	1,000	41.6	35.7 - 47.7	2,300
Kauai	100	48.5	33.9 - 63.2	100	51.5	36.8 - 66.1	200
Maui	200	51.2	40.5 - 61.7	200	48.8	38.3 - 59.5	300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	65.2	54.2 - 74.8	200	34.8	25.2 - 45.8	700
Native Hawaiian	600	47.6	43.1 - 52.1	700	52.4	47.9 - 56.9	1,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	300	56.8	43.1 - 69.5	200	43.2	30.5 - 56.9	500
Japanese	200	72.3	50.0 - 87.2	100	27.7	12.8 - 50.0	300
Other	300	53.4	37.7 - 68.5	200	46.6	31.5 - 62.3	500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	56.9	45.9 - 67.2	200	43.1	32.8 - 54.1	500
20-24	800	59.9	52.4 - 67.0	500	40.1	33.0 - 47.6	1,300
25-34	700	53.3	45.9 - 60.6	600	46.7	39.4 - 54.1	1,400
35+	100	49.6	33.4 - 65.8	100	50.4	34.2 - 66.6	300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	51.9	45.5 - 58.2	900	48.1	41.8 - 54.5	1,800
Female	900	60.9	54.3 - 67.1	600	39.1	32.9 - 45.7	1,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	57.7	50.6 - 64.5	700	42.3	35.5 - 49.4	1,600
No	900	54.4	48.5 - 60.2	800	45.6	39.8 - 51.5	1,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	52.9	46.9 - 58.8	800	47.1	41.2 - 53.1	1,800
131-185%	400	57.7	46.9 - 67.8	300	42.3	32.2 - 53.1	700
186+%	400	71.6	60.8 - 80.4	200	28.4	19.6 - 39.2	600

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	600	51.5	43.6 - 59.3	500	48.5	40.7 - 56.4	1,100
\$15,001-\$25,000	300	55.2	44.8 - 65.2	300	44.8	34.8 - 55.2	600
\$25,001-\$40,000	400	56.5	46.4 - 66.1	300	43.5	33.9 - 53.6	700
>=\$40,001	500	66.4	56.3 - 75.2	300	33.6	24.8 - 43.7	800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	45.8	31.6 - 60.8	100	54.2	39.2 - 68.4	200
Normal birth weight	1,800	56.7	51.9 - 61.4	1,300	43.3	38.6 - 48.1	3,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,500	100.0	-	1,500
No	1,900	100.0	-	0	0.0	-	1,900

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	56.0	51.4 - 60.5	1,500	44.0	39.5 - 48.6	3,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	53.6	47.8 - 59.4	900	46.4	40.6 - 52.2	1,800
No	900	58.9	51.5 - 65.9	600	41.1	34.1 - 48.5	1,500

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,900	59.3	54.6 - 63.9	1,300	40.7	36.1 - 45.4	3,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	50.3	41.7 - 58.9	300	49.7	41.1 - 58.3	500
Honolulu	1,300	59.5	53.1 - 65.6	900	40.5	34.4 - 46.9	2,200
Kauai	200	77.9	64.5 - 87.2	<50	22.1	12.8 - 35.5	200
Maui	200	60.4	49.0 - 70.8	100	39.6	29.2 - 51.0	300

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	64.4	53.7 - 73.9	300	35.6	26.1 - 46.3	800
Native Hawaiian	700	53.5	48.5 - 58.3	600	46.5	41.7 - 51.5	1,200
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	300	51.5	37.5 - 65.3	200	48.5	34.7 - 62.5	500
Japanese	300	80.4	63.5 - 90.7	100	19.6	9.3 - 36.5	400
Other	200	57.2	39.4 - 73.4	200	42.8	26.6 - 60.6	400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	72.3	62.3 - 80.4	200	27.7	19.6 - 37.7	600
20-24	700	61.3	53.9 - 68.3	400	38.7	31.7 - 46.1	1,100
25-34	600	52.7	44.3 - 60.9	600	47.3	39.1 - 55.7	1,200
35+	200	51.5	36.6 - 66.2	200	48.5	33.8 - 63.4	400

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	54.1	47.8 - 60.3	800	45.9	39.7 - 52.2	1,800
Female	1,000	65.8	58.7 - 72.2	500	34.2	27.8 - 41.3	1,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	59.5	52.3 - 66.4	600	40.5	33.6 - 47.7	1,600
No	1,000	59.0	52.8 - 65.0	700	41.0	35.0 - 47.2	1,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	51.4	45.6 - 57.2	800	48.6	42.8 - 54.4	1,700
131-185%	300	67.6	54.7 - 78.2	100	32.4	21.8 - 45.3	400
186+%	600	72.7	61.3 - 81.7	200	27.3	18.3 - 38.7	800

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	600	47.4	40.3 - 54.5	600	52.6	45.5 - 59.7	1,200
\$15,001-\$25,000	400	68.2	57.3 - 77.3	200	31.8	22.7 - 42.7	500
\$25,001-\$40,000	400	57.8	46.6 - 68.2	300	42.2	31.8 - 53.4	600
>=\$40,001	600	76.7	65.1 - 85.3	200	23.3	14.7 - 34.9	700

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	47.6	32.3 - 63.3	100	52.4	36.7 - 67.7	200
Normal birth weight	1,800	60.6	55.7 - 65.4	1,200	39.4	34.6 - 44.3	3,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	1,300	100.0	-	1,300
No	1,900	100.0	-	0	0.0	-	1,900

PRAMS Health Indicator Report - Smoking cessation during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	59.3	54.6 - 63.9	1,300	40.7	36.1 - 45.4	3,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	56.6	50.8 - 62.2	800	43.4	37.8 - 49.2	1,800
No	900	62.7	54.9 - 70.0	500	37.3	30.0 - 45.1	1,500