

**PRAMS Health Indicator Report - Smoking - relapsed post-partum- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Smoking - relapsed post-partum	Smoking - relapsed post-partum

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/14/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - Smoking - relapsed post-partum- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001	n/r	n/r	n/r	n/r	n/r	n/r	<50
2002	n/r	n/r	n/r	n/r	n/r	n/r	<50
2003	n/r	n/r	n/r	n/r	n/r	n/r	<50
2004	1,000	44.6	38.4 - 51.0	1,200	55.4	49.0 - 61.6	2,200
2005	1,000	43.3	36.8 - 50.2	1,300	56.7	49.8 - 63.2	2,200
2006	1,000	45.4	38.2 - 52.7	1,200	54.6	47.3 - 61.8	2,200
2007	900	44.6	37.7 - 51.8	1,200	55.4	48.2 - 62.3	2,100
2008	800	39.1	32.0 - 46.7	1,200	60.9	53.3 - 68.0	1,900
2009	900	38.5	30.4 - 47.2	1,400	61.5	52.8 - 69.6	2,300
2010	1,000	40.7	32.7 - 49.3	1,400	59.3	50.7 - 67.3	2,400
2011	800	31.6	24.3 - 40.0	1,800	68.4	60.0 - 75.7	2,600
2012	700	31.3	23.2 - 40.9	1,500	68.7	59.1 - 76.8	2,100
2013	800	35.4	26.3 - 45.7	1,500	64.6	54.3 - 73.7	2,300

**PRAMS Health Indicator Report - Smoking - relapsed post-partum- for the State of Hawaii, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	35.4	26.3 - 45.7	1,500	64.6	54.3 - 73.7	2,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	37.0	23.2 - 53.4	200	63.0	46.6 - 76.8	300
Honolulu	600	36.7	25.1 - 50.1	1,100	63.3	49.9 - 74.9	1,700
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	37.8	19.0 - 61.1	200	62.2	38.9 - 81.0	400
Native Hawaiian	300	32.5	19.8 - 48.3	600	67.5	51.7 - 80.2	800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	n/r	n/r	n/r	n/r	n/r	n/r	400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	100
20-24	300	40.3	23.8 - 59.3	400	59.7	40.7 - 76.2	700
25-34	400	32.7	21.0 - 47.1	800	67.3	52.9 - 79.0	1,200
35+	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	41.8	28.1 - 56.9	600	58.2	43.1 - 71.9	1,000
Female	400	30.1	19.0 - 44.1	900	69.9	55.9 - 81.0	1,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	35.1	22.1 - 50.7	700	64.9	49.3 - 77.9	1,100
No	400	35.7	23.8 - 49.7	800	64.3	50.3 - 76.2	1,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	38.9	25.8 - 53.9	600	61.1	46.1 - 74.2	1,000
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	300
186+%	200	26.5	13.3 - 45.9	500	73.5	54.1 - 86.7	700

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	400	46.1	29.4 - 63.7	400	53.9	36.3 - 70.6	800
\$17,001-\$26,000	n/r	n/r	n/r	n/r	n/r	n/r	300
\$26,001-\$51,000	100	22.8	10.4 - 42.8	500	77.2	57.2 - 89.6	600
>=\$51,001	100	23.8	9.9 - 47.1	400	76.2	52.9 - 90.1	500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	33.8	22.2 - 47.7	100	66.2	52.3 - 77.8	200
Normal birth weight	700	35.5	25.7 - 46.7	1,400	64.5	53.3 - 74.3	2,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	800	35.4	26.3 - 45.7	1,500	64.6	54.3 - 73.7	2,300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	35.4	26.3 - 45.7	1,500	64.6	54.3 - 73.7	2,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	43.8	30.9 - 57.7	700	56.2	42.3 - 69.1	1,200
No	300	24.3	13.6 - 39.5	800	75.7	60.5 - 86.4	1,100

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	700	31.3	23.2 - 40.9	1,500	68.7	59.1 - 76.8	2,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	25.7	15.3 - 39.8	200	74.3	60.2 - 84.7	300
Honolulu	500	34.4	23.2 - 47.7	1,000	65.6	52.3 - 76.8	1,500
Kauai	<50	21.9	11.7 - 37.2	100	78.1	62.8 - 88.3	100
Maui	100	24.9	14.4 - 39.3	200	75.1	60.7 - 85.6	200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	21.5	10.2 - 39.9	400	78.5	60.1 - 89.8	500
Native Hawaiian	400	42.5	28.0 - 58.4	500	57.5	41.6 - 72.0	900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	100
Other	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	200
20-24	200	35.9	20.2 - 55.2	400	64.1	44.8 - 79.8	600
25-34	400	29.1	19.0 - 41.8	900	70.9	58.2 - 81.0	1,200
35+	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	31.6	20.2 - 45.7	700	68.4	54.3 - 79.8	1,000
Female	400	31.1	20.2 - 44.5	800	68.9	55.5 - 79.8	1,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	21.2	11.3 - 36.3	600	78.8	63.7 - 88.7	800
No	500	37.5	26.7 - 49.7	800	62.5	50.3 - 73.3	1,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	38.3	26.3 - 52.0	600	61.7	48.0 - 73.7	1,000
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	200
186+%	100	17.2	6.9 - 37.0	500	82.8	63.0 - 93.1	600

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	200	34.0	20.0 - 51.5	400	66.0	48.5 - 80.0	700
\$17,001-\$26,000	100	42.3	22.4 - 65.2	200	57.7	34.8 - 77.6	300
\$26,001-\$51,000	100	23.1	10.0 - 44.9	400	76.9	55.1 - 90.0	500
>=\$51,001	n/r	n/r	n/r	n/r	n/r	n/r	400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	43.5	28.6 - 59.6	100	56.5	40.4 - 71.4	100
Normal birth weight	600	30.4	21.8 - 40.7	1,400	69.6	59.3 - 78.2	2,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	700	31.3	23.2 - 40.9	1,500	68.7	59.1 - 76.8	2,100

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	31.3	23.2 - 40.9	1,500	68.7	59.1 - 76.8	2,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	34.3	23.1 - 47.6	700	65.7	52.4 - 76.9	1,100
No	300	26.3	15.9 - 40.4	800	73.7	59.6 - 84.1	1,000

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	31.6	24.3 - 40.0	1,800	68.4	60.0 - 75.7	2,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	42.9	30.9 - 55.7	200	57.1	44.3 - 69.1	400
Honolulu	600	29.6	20.2 - 41.2	1,300	70.4	58.8 - 79.8	1,900
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	100	32.4	22.4 - 44.3	200	67.6	55.7 - 77.6	300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	41.5	25.2 - 59.8	300	58.5	40.2 - 74.8	600
Native Hawaiian	300	31.4	20.2 - 45.4	600	68.6	54.6 - 79.8	900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	100	19.9	8.9 - 38.9	400	80.1	61.1 - 91.1	400
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	100
20-24	300	32.1	20.1 - 47.2	500	67.9	52.8 - 79.9	800
25-34	500	34.9	24.2 - 47.4	900	65.1	52.6 - 75.8	1,400
35+	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	35.3	24.1 - 48.3	800	64.7	51.7 - 75.9	1,300
Female	400	28.3	19.5 - 39.2	1,000	71.7	60.8 - 80.5	1,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	36.3	24.5 - 50.0	700	63.7	50.0 - 75.5	1,100
No	400	28.3	19.7 - 38.9	1,100	71.7	61.1 - 80.3	1,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	34.9	24.5 - 47.0	700	65.1	53.0 - 75.5	1,000
131-185%	200	34.3	19.1 - 53.6	400	65.7	46.4 - 80.9	600
186+%	200	24.7	13.6 - 40.7	700	75.3	59.3 - 86.4	900

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	28.5	16.6 - 44.5	400	71.5	55.5 - 83.4	600
\$10,000-\$24,999	200	38.5	24.0 - 55.4	300	61.5	44.6 - 76.0	500
\$25,000-\$49,999	300	32.6	20.3 - 47.8	700	67.4	52.2 - 79.7	1,000
>=\$50,000	100	21.7	8.9 - 44.1	400	78.3	55.9 - 91.1	400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	33.5	20.3 - 49.9	100	66.5	50.1 - 79.7	200
Normal birth weight	800	31.5	23.7 - 40.4	1,700	68.5	59.6 - 76.3	2,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	800	31.6	24.3 - 40.0	1,800	68.4	60.0 - 75.7	2,600

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	31.6	24.3 - 40.0	1,800	68.4	60.0 - 75.7	2,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	32.5	23.4 - 43.2	1,000	67.5	56.8 - 76.6	1,500
No	300	30.1	19.1 - 44.0	800	69.9	56.0 - 80.9	1,100

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	40.7	32.7 - 49.3	1,400	59.3	50.7 - 67.3	2,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	39.9	29.2 - 51.7	300	60.1	48.3 - 70.8	500
Honolulu	700	42.7	31.4 - 54.8	900	57.3	45.2 - 68.6	1,600
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	100	33.3	22.1 - 46.8	200	66.7	53.2 - 77.9	300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	31.0	16.0 - 51.3	300	69.0	48.7 - 84.0	500
Native Hawaiian	300	38.8	27.4 - 51.7	500	61.2	48.3 - 72.6	900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	200	34.3	18.3 - 54.9	300	65.7	45.1 - 81.7	500
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	200
20-24	500	50.3	36.7 - 63.9	500	49.7	36.1 - 63.3	900
25-34	300	33.7	22.6 - 46.9	700	66.3	53.1 - 77.4	1,000
35+	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	41.6	30.6 - 53.4	800	58.4	46.6 - 69.4	1,300
Female	400	39.8	28.6 - 52.2	700	60.2	47.8 - 71.4	1,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	37.1	25.4 - 50.6	700	62.9	49.4 - 74.6	1,100
No	600	44.0	33.5 - 55.0	700	56.0	45.0 - 66.5	1,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	48.2	35.8 - 60.8	500	51.8	39.2 - 64.2	900
131-185%	200	44.8	26.5 - 64.7	300	55.2	35.3 - 73.5	500
186+%	300	32.0	20.0 - 46.9	600	68.0	53.1 - 80.0	800

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	48.3	31.8 - 65.1	300	51.7	34.9 - 68.2	500
\$10,000-\$24,999	300	52.7	36.1 - 68.7	200	47.3	31.3 - 63.9	500
\$25,000-\$49,999	300	42.4	27.8 - 58.5	400	57.6	41.5 - 72.2	800
>=\$50,000	100	22.9	10.9 - 42.1	400	77.1	57.9 - 89.1	500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	47.3	35.1 - 59.8	100	52.7	40.2 - 64.9	300
Normal birth weight	900	40.0	31.2 - 49.5	1,300	60.0	50.5 - 68.8	2,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	1,000	40.7	32.7 - 49.3	1,400	59.3	50.7 - 67.3	2,400

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	40.7	32.7 - 49.3	1,400	59.3	50.7 - 67.3	2,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	44.3	34.0 - 55.2	700	55.7	44.8 - 66.0	1,300
No	400	34.8	23.1 - 48.7	700	65.2	51.3 - 76.9	1,100

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	38.5	30.4 - 47.2	1,400	61.5	52.8 - 69.6	2,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	33.2	21.5 - 47.5	200	66.8	52.5 - 78.5	300
Honolulu	600	41.0	29.7 - 53.3	900	59.0	46.7 - 70.3	1,600
Kauai	<50	36.4	23.1 - 52.2	100	63.6	47.8 - 76.9	100
Maui	100	32.6	22.3 - 44.9	200	67.4	55.1 - 77.7	300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	21.3	11.2 - 36.7	500	78.7	63.3 - 88.8	700
Native Hawaiian	500	53.0	40.1 - 65.5	400	47.0	34.5 - 59.9	900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	400
20-24	300	38.8	24.9 - 54.8	400	61.2	45.2 - 75.1	700
25-34	400	38.8	27.5 - 51.4	700	61.2	48.6 - 72.5	1,100
35+	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	31.2	21.3 - 43.2	800	68.8	56.8 - 78.7	1,100
Female	500	45.5	33.7 - 57.8	600	54.5	42.2 - 66.3	1,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	29.7	19.5 - 42.4	800	70.3	57.6 - 80.5	1,100
No	600	46.6	35.2 - 58.3	600	53.4	41.7 - 64.8	1,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	45.7	33.3 - 58.7	500	54.3	41.3 - 66.7	1,000
131-185%	300	60.0	40.8 - 76.5	200	40.0	23.5 - 59.2	400
186+%	100	17.0	9.2 - 29.1	600	83.0	70.9 - 90.8	700

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	57.3	37.4 - 75.1	200	42.7	24.9 - 62.6	400
\$10,000-\$24,999	200	37.7	23.7 - 54.2	400	62.3	45.8 - 76.3	600
\$25,000-\$49,999	200	49.5	32.1 - 67.0	200	50.5	33.0 - 67.9	500
>=\$50,000	100	18.3	8.5 - 35.1	500	81.7	64.9 - 91.5	600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	40.6	27.7 - 54.9	100	59.4	45.1 - 72.3	200
Normal birth weight	800	38.3	29.7 - 47.7	1,300	61.7	52.3 - 70.3	2,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	900	38.5	30.4 - 47.2	1,400	61.5	52.8 - 69.6	2,300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	38.5	30.4 - 47.2	1,400	61.5	52.8 - 69.6	2,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	37.1	26.9 - 48.7	700	62.9	51.3 - 73.1	1,200
No	500	39.8	28.0 - 53.0	700	60.2	47.0 - 72.0	1,100

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	39.1	32.0 - 46.7	1,200	60.9	53.3 - 68.0	1,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	300
Honolulu	500	35.6	27.6 - 44.4	900	64.4	55.6 - 72.4	1,400
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	<50
Maui	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	32.0	20.0 - 47.0	300	68.0	53.0 - 80.0	500
Native Hawaiian	400	55.6	41.8 - 68.6	300	44.4	31.4 - 58.2	700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	100
Other	100	22.3	10.5 - 41.4	300	77.7	58.6 - 89.5	300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	200
20-24	200	38.5	26.6 - 52.0	400	61.5	48.0 - 73.4	600
25-34	400	40.5	30.6 - 51.4	600	59.5	48.6 - 69.4	1,000
35+	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	34.1	25.3 - 44.2	700	65.9	55.8 - 74.7	1,100
Female	400	45.5	34.5 - 56.9	500	54.5	43.1 - 65.5	800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	40.0	29.9 - 51.0	500	60.0	49.0 - 70.1	900
No	400	38.3	28.8 - 48.8	700	61.7	51.2 - 71.2	1,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	46.3	34.6 - 58.4	400	53.7	41.6 - 65.4	800
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	300
186+%	200	30.9	20.9 - 43.0	500	69.1	57.0 - 79.1	700

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	n/r	n/r	n/r	n/r	n/r	n/r	200
\$10,000-\$24,999	300	39.9	27.7 - 53.4	400	60.1	46.6 - 72.3	700
\$25,000-\$49,999	200	39.1	26.1 - 53.7	300	60.9	46.3 - 73.9	500
>=\$50,000	100	33.8	20.6 - 50.0	300	66.2	50.0 - 79.4	400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	100
Normal birth weight	700	39.2	32.0 - 47.0	1,100	60.8	53.0 - 68.0	1,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	800	39.1	32.0 - 46.7	1,200	60.9	53.3 - 68.0	1,900

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	39.1	32.0 - 46.7	1,200	60.9	53.3 - 68.0	1,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	40.8	30.9 - 51.5	600	59.2	48.5 - 69.1	1,000
No	300	38.3	28.4 - 49.3	500	61.7	50.7 - 71.6	900

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	44.6	37.7 - 51.8	1,200	55.4	48.2 - 62.3	2,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	58.8	41.4 - 74.3	200	41.2	25.7 - 58.6	400
Honolulu	600	43.6	35.1 - 52.4	800	56.4	47.6 - 64.9	1,400
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	42.6	30.2 - 56.0	300	57.4	44.0 - 69.8	600
Native Hawaiian	400	56.0	42.4 - 68.8	300	44.0	31.2 - 57.6	700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	100	38.6	23.2 - 56.7	200	61.4	43.3 - 76.8	300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	200
20-24	400	49.4	38.4 - 60.5	500	50.6	39.5 - 61.6	900
25-34	300	38.4	28.3 - 49.6	500	61.6	50.4 - 71.7	800
35+	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	43.5	33.8 - 53.7	600	56.5	46.3 - 66.2	1,100
Female	500	45.8	36.1 - 55.8	600	54.2	44.2 - 63.9	1,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	41.2	31.5 - 51.6	600	58.8	48.4 - 68.5	1,000
No	600	47.5	37.9 - 57.3	600	52.5	42.7 - 62.1	1,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	54.4	43.6 - 64.8	400	45.6	35.2 - 56.4	1,000
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	200
186+%	300	35.8	25.8 - 47.2	500	64.2	52.8 - 74.2	800

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	59.9	43.8 - 74.2	200	40.1	25.8 - 56.2	500
\$10,000-\$24,999	200	48.4	34.1 - 62.9	300	51.6	37.1 - 65.9	500
\$25,000-\$49,999	200	39.3	26.8 - 53.3	300	60.7	46.7 - 73.2	500
>=\$50,000	200	32.6	20.7 - 47.3	300	67.4	52.7 - 79.3	500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	200
Normal birth weight	800	42.7	35.6 - 50.2	1,100	57.3	49.8 - 64.4	2,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	900	44.6	37.7 - 51.8	1,200	55.4	48.2 - 62.3	2,100

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	44.6	37.7 - 51.8	1,200	55.4	48.2 - 62.3	2,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	46.0	35.8 - 56.7	500	54.0	43.3 - 64.2	1,000
No	500	44.7	35.4 - 54.5	600	55.3	45.5 - 64.6	1,100

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	45.4	38.2 - 52.7	1,200	54.6	47.3 - 61.8	2,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	300
Honolulu	700	50.0	41.2 - 58.8	700	50.0	41.2 - 58.8	1,500
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	36.2	24.9 - 49.4	400	63.8	50.6 - 75.1	700
Native Hawaiian	400	56.3	42.2 - 69.4	300	43.7	30.6 - 57.8	600
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	200	54.0	35.5 - 71.5	100	46.0	28.5 - 64.5	300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	300
20-24	400	53.9	40.3 - 66.9	300	46.1	33.1 - 59.7	700
25-34	400	45.3	35.0 - 56.0	500	54.7	44.0 - 65.0	1,000
35+	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	43.2	33.7 - 53.3	700	56.8	46.7 - 66.3	1,200
Female	500	47.9	37.3 - 58.6	500	52.1	41.4 - 62.7	1,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	48.2	38.3 - 58.2	600	51.8	41.8 - 61.7	1,100
No	500	42.5	32.3 - 53.4	600	57.5	46.6 - 67.7	1,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	49.9	37.4 - 62.5	400	50.1	37.5 - 62.6	800
131-185%	200	50.4	35.2 - 65.5	200	49.6	34.5 - 64.8	500
186+%	300	40.5	29.5 - 52.5	400	59.5	47.5 - 70.5	700

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	n/r	n/r	n/r	n/r	n/r	n/r	300
\$10,000-\$24,999	200	44.0	30.4 - 58.6	300	56.0	41.4 - 69.6	600
\$25,000-\$49,999	400	51.4	38.5 - 64.0	300	48.6	36.0 - 61.5	700
>=\$50,000	200	35.9	22.8 - 51.6	300	64.1	48.4 - 77.2	400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	100
Normal birth weight	900	44.2	36.9 - 51.8	1,100	55.8	48.2 - 63.1	2,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	1,000	45.4	38.2 - 52.7	1,200	54.6	47.3 - 61.8	2,200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	45.4	38.2 - 52.7	1,200	54.6	47.3 - 61.8	2,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	47.9	37.9 - 58.0	600	52.1	42.0 - 62.1	1,200
No	400	43.6	33.4 - 54.4	500	56.4	45.6 - 66.6	1,000

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	43.3	36.8 - 50.2	1,300	56.7	49.8 - 63.2	2,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	300
Honolulu	700	42.3	34.6 - 50.5	900	57.7	49.5 - 65.4	1,500
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	32.7	21.3 - 46.7	400	67.3	53.3 - 78.7	500
Native Hawaiian	500	52.7	41.2 - 64.0	400	47.3	36.0 - 58.8	900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	200	49.8	33.9 - 65.7	200	50.2	34.3 - 66.1	300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	300
20-24	300	39.4	28.8 - 51.1	500	60.6	48.9 - 71.2	800
25-34	400	42.4	32.9 - 52.4	600	57.6	47.6 - 67.1	1,000
35+	n/r	n/r	n/r	n/r	n/r	n/r	100

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	38.8	29.7 - 48.7	700	61.2	51.3 - 70.3	1,100
Female	500	47.6	38.4 - 56.9	600	52.4	43.1 - 61.6	1,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	33.9	24.7 - 44.6	600	66.1	55.4 - 75.3	900
No	700	49.8	41.0 - 58.6	700	50.2	41.4 - 59.0	1,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	48.0	38.4 - 57.7	600	52.0	42.3 - 61.6	1,100
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	200
186+%	200	32.8	23.0 - 44.5	500	67.2	55.5 - 77.0	700

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	54.7	40.2 - 68.4	200	45.3	31.6 - 59.8	500
\$10,000-\$24,999	300	47.9	35.7 - 60.4	300	52.1	39.6 - 64.3	600
\$25,000-\$49,999	200	30.7	19.4 - 44.9	400	69.3	55.1 - 80.6	500
>=\$50,000	100	32.7	20.0 - 48.7	300	67.3	51.3 - 80.0	400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	100
Normal birth weight	900	43.0	36.3 - 50.0	1,200	57.0	50.0 - 63.7	2,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	1,000	43.3	36.8 - 50.2	1,300	56.7	49.8 - 63.2	2,200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	43.3	36.8 - 50.2	1,300	56.7	49.8 - 63.2	2,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	42.8	33.7 - 52.4	600	57.2	47.6 - 66.3	1,100
No	500	44.6	35.1 - 54.6	600	55.4	45.4 - 64.9	1,000

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	44.6	38.4 - 51.0	1,200	55.4	49.0 - 61.6	2,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	49.0	32.6 - 65.6	200	51.0	34.4 - 67.4	300
Honolulu	700	43.9	36.5 - 51.6	800	56.1	48.4 - 63.5	1,500
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	100
Maui	n/r	n/r	n/r	n/r	n/r	n/r	300

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	48.1	35.9 - 60.6	300	51.9	39.4 - 64.1	500
Native Hawaiian	400	47.5	36.6 - 58.6	400	52.5	41.4 - 63.4	800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	100	46.0	31.7 - 61.0	200	54.0	39.0 - 68.3	300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	200	57.2	39.4 - 73.3	100	42.8	26.7 - 60.6	300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	64.2	47.0 - 78.3	100	35.8	21.7 - 53.0	300
20-24	300	43.0	32.8 - 53.9	400	57.0	46.1 - 67.2	800
25-34	400	38.2	29.2 - 48.1	600	61.8	51.9 - 70.8	900
35+	n/r	n/r	n/r	n/r	n/r	n/r	200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	44.8	36.1 - 53.8	600	55.2	46.2 - 63.9	1,100
Female	500	44.5	35.8 - 53.5	600	55.5	46.5 - 64.2	1,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	41.5	33.3 - 50.2	700	58.5	49.8 - 66.7	1,200
No	500	48.2	39.0 - 57.5	500	51.8	42.5 - 61.0	1,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	42.6	33.3 - 52.4	600	57.4	47.6 - 66.7	1,000
131-185%	200	47.2	32.4 - 62.5	200	52.8	37.5 - 67.6	400
186+%	300	42.1	32.0 - 52.9	400	57.9	47.1 - 68.0	700

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	46.2	32.4 - 60.6	200	53.8	39.4 - 67.6	400
\$10,000-\$24,999	400	46.8	36.3 - 57.6	400	53.2	42.4 - 63.7	800
\$25,000-\$49,999	200	32.0	20.9 - 45.6	300	68.0	54.4 - 79.1	500
>=\$50,000	200	44.9	31.2 - 59.4	200	55.1	40.6 - 68.8	400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	100
Normal birth weight	1,000	44.8	38.5 - 51.4	1,200	55.2	48.6 - 61.5	2,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	1,000	44.6	38.4 - 51.0	1,200	55.4	49.0 - 61.6	2,200

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	44.6	38.4 - 51.0	1,200	55.4	49.0 - 61.6	2,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	46.0	37.5 - 54.7	700	54.0	45.3 - 62.5	1,200
No	400	41.6	32.8 - 51.1	600	58.4	48.9 - 67.2	1,000

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	n/r	n/r	n/r	n/r	n/r	n/r	<50

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Honolulu	n/r	n/r	n/r	n/r	n/r	n/r	<50

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	<50
35+	n/r	n/r	n/r	n/r	n/r	n/r	<50

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	n/r	n/r	n/r	n/r	n/r	n/r	<50

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	<50

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
\$15,001-\$25,000	n/r	n/r	n/r	n/r	n/r	n/r	<50

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Normal birth weight	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	n/r	n/r	n/r	n/r	n/r	n/r	<50

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	<50

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	n/r	n/r	n/r	n/r	n/r	n/r	<50
Native Hawaiian	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
25-34	n/r	n/r	n/r	n/r	n/r	n/r	<50

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Female	n/r	n/r	n/r	n/r	n/r	n/r	<50

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50
No	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	<50
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	<50

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	n/r	n/r	n/r	n/r	n/r	n/r	<50
\$25,001-\$40,000	n/r	n/r	n/r	n/r	n/r	n/r	<50

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Normal birth weight	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50
No	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	n/r	n/r	n/r	n/r	n/r	n/r	<50

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	<50
Honolulu	n/r	n/r	n/r	n/r	n/r	n/r	<50
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	<50

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Native Hawaiian	n/r	n/r	n/r	n/r	n/r	n/r	<50
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	n/r	n/r	n/r	n/r	n/r	n/r	<50
20-24	n/r	n/r	n/r	n/r	n/r	n/r	<50
25-34	n/r	n/r	n/r	n/r	n/r	n/r	<50

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	n/r	n/r	n/r	n/r	n/r	n/r	<50
Female	n/r	n/r	n/r	n/r	n/r	n/r	<50

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
No	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	<50

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	n/r	n/r	n/r	n/r	n/r	n/r	<50
\$15,001-\$25,000	n/r	n/r	n/r	n/r	n/r	n/r	<50

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Normal birth weight	n/r	n/r	n/r	n/r	n/r	n/r	<50

PRAMS Health Indicator Report - Smoking - relapsed post-partum- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	n/r	n/r	n/r	n/r	n/r	n/r	<50