

YRBS Health Indicator Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Chronic Diseases

Asthma	2005	2007	2009	2013
Asthma prevalence - current (Youth)	Yes	Yes	Yes	Yes
Asthma prevalence - lifetime (Youth)	Yes	Yes	Yes	Yes

Health Indicator Category: Family Planning

Sexual Behavior	2001	2003	2005	2007	2009	2011	2013
Doctor discussed ways to prevent pregnancy				Yes	Yes		
Doctor discussed ways to prevent STD/HIV/AIDS				Yes	Yes		
Heterosexual			Yes	Yes	Yes	Yes	Yes
Sex (curr) - alcohol/drug use b/f last time	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Sex (curr) - used birth control last intercourse		Yes	Yes	Yes	Yes	Yes	Yes
Sex (curr) - used condom during last time		Yes	Yes	Yes	Yes	Yes	Yes
Sex (ever) - used condom during last time	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Sex intercourse - anal sex, ever				Yes	Yes	Yes	
Sex intercourse - before age 13	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Sex intercourse - currently active (past 3 months)		Yes	Yes	Yes	Yes	Yes	Yes
Sex intercourse - ever	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Sex intercourse - ever but not currently active		Yes	Yes	Yes	Yes	Yes	Yes
Sex intercourse - oral sex, ever				Yes	Yes	Yes	
Sex intercourse - with 4+ persons during life		Yes	Yes	Yes	Yes	Yes	Yes
Sex - never had, not in last 3 months, or used condom		Yes	Yes	Yes	Yes	Yes	Yes
Sex - parents discuss what to do or not do				Yes	Yes	Yes	
Sexual orientation (3 categories)			Yes	Yes	Yes	Yes	Yes

YRBS Health Indicator Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Healthy Lifestyles

Driver Information	2013
Text or email while driving, past 30 days	Yes

General Health	2013
Dentist visit, past 12 months	Yes
Doctor check-up, past 12 months	Yes
Sleep - 8+ hours, average school night	Yes
Sleep - number of hours, average school night	Yes
Sunscreen - most of or all of the time	Yes

Helmets	2001	2003	2005	2007	2009	2011
Helmet never/rarely worn on bicycle, past 12 months	Yes	Yes	Yes	Yes	Yes	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Chronic Diseases

Sub Category: Asthma

Health Indicator	Health Indicator Description	Health Indicator Response
Asthma prevalence - current (Youth)	Students who currently have asthma	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Asthma prevalence - lifetime (Youth)	Students who had ever been told by a doctor or nurse that they had asthma	Yes
		No

Health Indicator Category: Family Planning

Sub Category: Sexual Behavior

Health Indicator	Health Indicator Description	Health Indicator Response
Doctor discussed ways to prevent pregnancy	Students who responded that a doctor or nurse had discussed ways to prevent pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Doctor discussed ways to prevent STD/HIV/AIDS	Students who responded that a doctor or nurse had discussed ways to prevent sexually transmitted diseases (STDs) and AIDS or HIV infection with them	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Family Planning

Sub Category: Sexual Behavior

Health Indicator	Health Indicator Description	Health Indicator Response
Heterosexual	Students who responded that they are sexually attracted to the opposite sex	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex (curr) - alcohol/drug use b/f last time	Students who drank alcohol or used drugs before they had sexual intercourse the last time, among students who had sexual intercourse during the past 3 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex (curr) - used birth control last intercourse	Students who used birth control pills, condoms, Depo-provera, Nuva Ring, Implanon, or any IUD, to prevent pregnancy, among students who had sexual intercourse during the past 3 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex (curr) - used condom during last time	Students who responded that they or their partner used condoms the last time they had sexual intercourse, among students who had sexual intercourse during the past 3 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex (ever) - used condom during last time	Students who responded that they or their partner used condoms the last time they had sexual intercourse, among students who have ever had sexual intercourse	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex intercourse - anal sex, ever	Students who have ever had anal sex	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Family Planning

Sub Category: Sexual Behavior

		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex intercourse - before age 13	Students who had sexual intercourse for the first time before age 13	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex intercourse - currently active (past 3 months)	Students who had sexual intercourse with one or more people during the past three months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex intercourse - ever	Students who ever had sexual intercourse	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex intercourse - ever but not currently active	Students who have ever had sexual intercourse but have not had sexual intercourse during the past three months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex intercourse - oral sex, ever	Students who have ever had oral sex	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Family Planning

Sub Category: Sexual Behavior

Sex intercourse - with 4+ persons during life	Students who had sexual intercourse with four or more people during their life	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex - never had, not in last 3 months, or used cond	Students who have never had sex, haven't had sex in the last three months, or used a condom the last time they had sex	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex - parents discuss what to do or not do	Students whose parents or other adults in their family have ever talked with them about what they expect them to do or not to do when it comes to sex	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sexual orientation (3 categories)	Sexual orientation - heterosexual, homosexual or bisexual	Heterosexual
		Bisexual
		Homosexual

Health Indicator Category: Healthy Lifestyles

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Driver Information

Health Indicator	Health Indicator Description	Health Indicator Response
Text or email while driving, past 30 days	Students who texted or e-mailed while driving a car or other vehicle during the past 30 days	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: General Health

Health Indicator	Health Indicator Description	Health Indicator Response
Dentist visit, past 12 months	Students who have seen a dentist for a check-up, exam, teeth cleaning, or other dental work, during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Doctor check-up, past 12 months	Students who have seen a doctor or nurse for a check-up or physical exam when they were not sick or injured, during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sleep - 8+ hours, average school night	Students who, on an average school night, get at least 8 hours of sleep	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sleep - number of hours, average school night	Hours of sleep on an average school night	6-7 hours
		8+ hours
		5 hours or less
Health Indicator	Health Indicator Description	Health Indicator Response
Sunscreen - most of or all of the time	Students who wear sunscreen with SPF 15 or higher most of or all of the time	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Helmets

Health Indicator	Health Indicator Description	Health Indicator Response
Helmet never/rarely worn on bicycle, past 12 month	Students who never or rarely wore a helmet when they rode a bicycle during the past 12 months	Yes
		No

Sub Category: Nutrition

Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - 100% fruit juice, past 7 days	Students who drank 100% fruit juices such as orange juice, apple juice, or grape juice one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - 5+ fruit/veggie per day, past 7 days	Students who ate fruits and vegetables five or more times per day during the past seven days (Youth)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - 5+ fruit/veggie per day, past 7 days	Students who ate fruits and vegetables five or more times per day during the past seven days (Youth) (2013+)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - any carrots, past 7 days	Students who ate carrots one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Nutrition

Consumption - any fruit, past 7 days	Students who ate fruit one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - any green salad, past 7 days	Students who ate green salad one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - any potato, past 7 days	Students who ate potatoes one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - any soda, past 7 days	Students who drank soda one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - any vegetables, past 7 days	Students who ate other vegetables one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - daily frequency of fruit (Youth)	Daily frequency of fruit consumption, including 100% fruit juice (Youth)	<1 time per day or never
		1 to <3 times per day

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Nutrition

		3+ times per day
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - daily frequency of veg (Youth)	Daily frequency of vegetable consumption (Youth)	<1 time per day or never
		1 to <3 times per day
		3+ times per day
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - daily frequency of veg (Youth) (2013)	Daily frequency of vegetable consumption, including dark green vegetables, orange vegetables and legumes (Youth) (2013+)	<1 time per day or never
		1 to <3 times per day
		3+ times per day
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - milk, 3+ per day, past 7 days	Students who drank three or more glasses of milk per day during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - soda each day, in past 7 days	Students who drank sodas one or more times per day during the past seven days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - weekly frequency of breakfast (Youth)	Weekly frequency of breakfast consumption (Youth)	All 7 days

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Nutrition

		1-3 days
		Zero days
		4-6 days
Health Indicator	Health Indicator Description	Health Indicator Response
Eat 2+ fruits and 3+ vegetables per day (Youth)	Eat 2+ fruits and 3+ vegetables per day (Youth)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Eat 2+ fruits and 3+ vegetables per day (Youth) (2013+)	Eat 2+ fruits and 3+ vegetables per day (Youth) (2013+)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Eat 2 or more fruits per day (Youth)	Eat 2 or more fruits per day (Youth)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Eat 3 or more vegetables per day (Youth)	Eat 3 or more vegetables per day (Youth)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Eat 3 or more vegetables per day (Youth) (2013+)	Eat 3 or more vegetables per day (Youth) (2013+)	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Nutrition

		No
--	--	----

Sub Category: Physical Activity

Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - 60+ min, 0 of past 7 days	Students who were physically active for a total of 60 minutes or more per day on none of the past seven days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - 60+ min, 5+ of past 7 days	Students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - 60+ min, 7 of past 7 days	Students who were physically active for a total of 60 minutes or more per day on all of the past seven days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - any PE during avg school week	Students who attended physical education (PE) class one or more days during an average school week	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - attended PE daily	Students who attended physical education (PE) classes daily during an average school week	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Physical Activity

Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - sports teams, past 12 months	Students who played on one or more sports teams during the past 12 months	Yes
		No

Sub Category: Seat Belts

Health Indicator	Health Indicator Description	Health Indicator Response
Seat belt never or rarely worn in car	Students who never or rarely wore a seat belt when riding in a car	Yes
		No

Sub Category: Weight Control

Health Indicator	Health Indicator Description	Health Indicator Response
Any disordered eating behavior, ever	Students who ever fasted, vomited, or took laxatives, diet pills, powders, or liquids without a doctor's advice, to lose weight or to keep from gaining weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Obese (>=95%ile BMI for age and sex)	Students who are obese	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Overweight (>=85%ile & <95%ile BMI for age & sex)	Students who are overweight	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Weight Control

Health Indicator	Health Indicator Description	Health Indicator Response
		No
Overweight or obese (>=85%ile BMI for age & sex)	Students who are overweight or obese	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Overweight - student self described	Students who described themselves as slightly or very overweight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Trying to lose weight	Students who were trying to lose weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by eating less, ever	Students who ever ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by exercise, ever	Students who ever exercised to lose weight or to keep from gaining weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Weight Control

Weight control by fasting, ever	Students who ever went without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by unprescribed drug use, ever	Students who ever took some diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by vomiting or laxatives, ever	Students who ever vomited or took laxatives to lose weight or to keep from gaining weight	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: HIV/AIDS

Sub Category: HIV/AIDS

Health Indicator	Health Indicator Description	Health Indicator Response
HIV - AIDS/HIV education in school, ever	Students who have ever been taught about AIDS or HIV infection in school	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
HIV - parents/adults talked about AIDS or HIV, ever	Students who have ever talked about AIDS or HIV infection with their parents or other adults in their family	Yes
		No

Health Indicator Category: Home Life

Sub Category: Home life

Health Indicator	Health Indicator Description	Health Indicator Response
Have an adult or teacher to talk to (HS)	Students who have an adult or teacher they can talk to about things that are important to them, either at home or at school	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Home life - have an adult to talk to (HS)	High school students who have an adult to talk to about things that are important to them	Yes
		No

Sub Category: Home Life

Health Indicator	Health Indicator Description	Health Indicator Response
------------------	------------------------------	---------------------------

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Home Life

Sub Category: Home Life

Hours of screentime on avg school day	Number of hours students watched TV or played video games or used a computer for something that was not school work, per day on an average school day	<1 hour per day or none
		1 to <3 hours per day
		3 to <5 hours per day
		5+ hours per day
Health Indicator	Health Indicator Description	Health Indicator Response
Hours of TV watched on avg school day	Number of hours students watched TV per day on an average school day	<1 hour per day or none
		1 to <3 hours per day
		3 to <5 hours per day
		5+ hours per day
Health Indicator	Health Indicator Description	Health Indicator Response
Hours of video games played on avg school day	Number of hours students played video or computer games or used a computer for something that was not school work per day on an average school day	<1 hour per day or none
		1 to <3 hours per day
		3 to <5 hours per day
		5+ hours per day
Health Indicator	Health Indicator Description	Health Indicator Response
Plays video games 3+ hours on avg school day	Students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Home Life

Sub Category: Home Life

		No
Health Indicator	Health Indicator Description	Health Indicator Response
Screentime - not more than 2hrs per day	Students who watched TV or played video games or used a computer for something that was not school work, for not more than 2 hours per day, on an average school day	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
TV time - 2hrs per day or less	Students who watched TV for 2 hours per day or less, on an average school day	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Video or computers - 2hrs per day or less	Students who played video or computer games or used a computer for something that was not school work for 2 hours per day or less, on an average school day	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Watch TV 3+ hours on avg school day	Students who watched three hours or more of TV per day on an average school day	Yes
		No

Health Indicator Category: Injuries

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Injuries

Sub Category: Fighting

Health Indicator	Health Indicator Description	Health Indicator Response
Injured in fight and treated by doctor, past 12 months	Students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical fight, past 12 months	Students who were in a physical fight one or more times during the past 12 months	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Injuries

Sub Category: Intimate Partner Violence

Health Indicator	Health Indicator Description	Health Indicator Response
Forced to do sexual things, past 12 months (HS)	Students who have been forced by partner to do sexual things they did not want to do during the past 12 months (Including kissing, touching, or being physically forced to have sexual intercourse)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Forced to have sexual intercourse ever	Students who have ever been physically forced to have sexual intercourse when they did not want to	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Had boy/girl friend, past 12 months	Students who had a boyfriend or girlfriend during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physically abused by BF/GF, past 12 months	Students whose boyfriend or girlfriend ever hit, slapped, or physically hurt them on purpose during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physically abused by their date, past 12 months	Students who were physically hurt on purpose by someone they were dating or going out with during the past 12 months	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Injuries

Sub Category: Weapons

Health Indicator	Health Indicator Description	Health Indicator Response
Weapon - carried any, past 30 days	Students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	Yes
		No

Health Indicator Category: Mental Health

Sub Category: Depression

Health Indicator	Health Indicator Description	Health Indicator Response
Depression in past 12 months	Students who ever felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Mental Health

Sub Category: Suicide

Health Indicator	Health Indicator Description	Health Indicator Response
Suicide - attempted, past 12 months	Students who tried to kill themselves during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Suicide - attempt result in injury/tx, past 12 months	Students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Suicide - plan, past 12 months	Students who made a plan about how they would kill themselves during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Suicide - thoughts, past 12 months	Students who seriously considered attempting suicide during the past 12 months	Yes
		No

Health Indicator Category: School

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: School

Sub Category: Felt Unsafe

Health Indicator	Health Indicator Description	Health Indicator Response
Skipped school b/c felt unsafe, past 30 days	Students who did not go to school because they felt they would be unsafe at school or on their way to or from school, on one or more of the past 30 days	Yes
		No

Sub Category: Fighting

Health Indicator	Health Indicator Description	Health Indicator Response
Fought at school, past 12 months	Students who were in a physical fight on school property one or more times during the past 12 months	Yes
		No

Sub Category: Harassment and school

Health Indicator	Health Indicator Description	Health Indicator Response
Bullied electronically, past 12 months	Students who had been electronically (through e-mail, chat rooms, instant messaging, web sites or texting) bullied during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Bullied on school property or electronically, past 12 months	Students who had been bullied on school property or electronically during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Bullied on school property, past 12 months	Students who had been bullied on school property during the past 12 months	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: School

Sub Category: Harassment and school

Health Indicator	Health Indicator Description	Health Indicator Response
		No
Harassed-called gay, lesbian or bisexual at school,	Students who were harassed one or more times, because someone thought they were gay, lesbian, or bisexual during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Harassed on Internet or email, past 12 months	Students who responded that someone had tried to hurt them by saying mean things (things that hurt their feelings) to them or about them on the Internet or email during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Harassed physically at school, past 12 months	Students who responded that someone tried to hurt them by hitting, punching, or kicking them while on school property one or more times during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Harassed verbally at school, past 12 months	Students who responded that someone tried to hurt them by saying mean things to them (things that hurt their feelings) while on school property one or more times during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Harassment and bullying is a problem at school	Students who strongly agree or agree that harassment and bullying by other students is a problem at their school	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: School

Sub Category: Harassment and school

Property stolen/damaged at school, past 12 months	Students whose property was stolen or deliberately damaged on school property one or more times during the past 12 months	Yes
		No

Sub Category: Risk Factors

Health Indicator	Health Indicator Description	Health Indicator Response
Grades in school mostly A's or B's	Students who would describe their grades in school in the past 12 months as mostly A's and B's	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Grades in school mostly D's or F's	Students who would describe their grades in school in the past 12 months as mostly D's and F's	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
How likely to complete high school	How likely is it that you will complete high school	Probably will
		Not sure
		Definitely will
		Probably will not
		Definitely will not
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: School

Sub Category: Risk Factors

How likely to complete post high school program	How likely is it that you will complete a post high school program such as a vocational training program, military service, community college or 4-year college?	Probably will
		Not sure
		Definitely will
		Probably will not
		Definitely will not
Health Indicator	Health Indicator Description	Health Indicator Response
School - teacher/adult can talk to if have problem	Students who have at least one teacher or other adult in school that they can talk to if they have a problem	Yes
		No

Sub Category: Weapons

Health Indicator	Health Indicator Description	Health Indicator Response
Weapon - carried on school property, past 30 days	Students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weapon - threatened/injured with at school, past 12	Students who have been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	Yes
		No

Health Indicator Category: Substance Abuse

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Sub Category: Alcohol Consumption

Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - binge drinking, boys (Youth)	Male students who had five or more drinks of alcohol in a row, that is, within a couple of hours on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - binge drinking, girls (Youth)	Female students who had four or more drinks of alcohol in a row, that is, within a couple of hours on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - binge drinking (Youth)	Students who had five or more drinks of alcohol in a row, that is, within a couple of hours on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - current drinker (Youth)	Students who had at least one drink of alcohol on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - drove after drinking, past 30 days	Students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - ever drank (Youth)	Students who had at least one drink of alcohol on one or more days during their life	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Sub Category: Alcohol Consumption

		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - first drink before age 13	Students who had at least one drink of alcohol before age 13	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - most drinks in a row, past 30 days	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is within a couple of hours?	No drinks
		10+ drinks
		6-9 drinks
		1-2 drinks
		3-5 drinks
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - on school property, past 30 days	Students who had at least one drink of alcohol on school property on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - passenger drinking driver, past 30 days	Students who rode in a car or other vehicle driven by someone who had been drinking alcohol during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Sub Category: Alcohol Consumption

Alcohol - usual source, past 30 days	How students usually got the alcohol they drank in the past 30 days	<input type="checkbox"/> Took it from store or family member <input type="checkbox"/> Some other way <input type="checkbox"/> Someone gave it to me <input type="checkbox"/> Gave someone else money to buy <input type="checkbox"/> Bought it in a store or gas station <input type="checkbox"/> Bought it at a restaurant or bar <input type="checkbox"/> Bought it at public event
---	---	---

Sub Category: Drug Use

Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - cocaine (incl. crack or freebase), ever	Students who have ever used some form of cocaine, including powder, crack, or freebase	<input type="checkbox"/> Yes <input type="checkbox"/> No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - cocaine (incl. crack or freebase), past 30 days	Students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days	<input type="checkbox"/> Yes <input type="checkbox"/> No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - drove after using, past 30 days	Students who drove a car or other vehicle when they had been under the influence of marijuana or another drug one or more times during the past 30 days	<input type="checkbox"/> Yes <input type="checkbox"/> No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Sub Category: Drug Use

		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - ecstasy, ever	Students who have ever used ecstasy (also called MDMA)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - hallucinogenics, ever	Students who have ever used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - inhalants, ever	Students who have ever sniffed glue, breathed the contents of aerosol spray cans, or inhaled some paints or sprays to get high	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - inhalants, past 30 days	Students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - marijuana at school, past 30 days	Students who used marijuana on school property one or more times during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - marijuana, ever	Students who used marijuana one or more times during their life	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Sub Category: Drug Use

Health Indicator	Health Indicator Description	Health Indicator Response
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - marijuana, first use before age 13	Students who tried marijuana for the first time before age 13	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - marijuana, past 30 days	Students who used marijuana one or more times during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - methamphetamines (speed, ice), ever	Students who have used methamphetamines (also called speed, crystal, crank, or ice) one or more times during their life	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - offered/sold/received at school, past 12 months	Students who have been offered, sold, or given an illegal drug on school property during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - OTC to get high, past 30 days	Students who have taken over-the-counter drugs to get high one or more times during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - rx drug without md rx, ever	Students who have taken a prescription drug such as OxyContin, Vicodin, tranquilizers, Valium, Xanax, or Ritalin without a doctor's prescription one or more times during their life	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Sub Category: Drug Use

		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - rx drug without md rx, past 30 days	Students who had taken a prescription drug such as OxyContin, Vicodin, tranquilizers, Valium, Xanax, or Ritalin without a doctor's prescription one or more times during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - steroids without prescription, ever	Students who have ever taken steroid pills or shots without a doctor's prescription	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Never used illicit drugs	Students who have never used any illicit drugs (marijuana, crack, other forms of cocaine, heroin, or use of other opiates, stimulants, barbituates, or tranquilizers not under a doctor's orders)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Never used illicit drugs (including hallucinogens) (2013+)	Students who have never used any illicit drugs (marijuana, LSD, other hallucinogens, crack, other forms of cocaine, heroin, or use of other opiates, stimulants, barbituates, or tranquilizers not under a doctor's orders) (2013+)	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Sub Category: Substance Abuse

Health Indicator	Health Indicator Description	Health Indicator Response
CRAFFT score among all students	CRAFFT score among all students	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
CRAFFT score among students currently using alcohol	CRAFFT score among students who have used alcohol, marijuana, or other illegal drugs during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Current alcohol or marijuana use, past 30 days	Students who used alcohol or marijuana during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Substance abuse - in car when driver high, past 30 days	Students who have ridden in a car driven by someone, including themselves, who was high or had been using alcohol or drugs during the past 30 days	Yes
		No

Health Indicator Category: Tobacco Use

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools

Health Indicator Category: Tobacco Use

Sub Category: Cessation

Health Indicator	Health Indicator Description	Health Indicator Response
Smoke cigarettes - tried to quit, past 12 months	Students who tried to quit smoking cigarettes during the past 12 months	Yes
		No

Sub Category: Prevalence

Health Indicator	Health Indicator Description	Health Indicator Response
Smoke cigarettes - current (Youth)	Students who smoked cigarettes on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoke cigarettes - ever (Youth)	Students who ever tried cigarette smoking, even one or two puffs	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoke cigarettes - first cigarette before age 13	Students who smoked a whole cigarette for the first time before age 13	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoke cigarettes - frequent (Youth)	Students who smoked cigarettes on 20 or more of the past 30 days	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

High Schools
Middle Schools

Health Indicator Category: Chronic Diseases

Sub Category: Asthma

Health Indicator	Health Indicator Description	Health Indicator Response
Asthma prevalence - current (Youth)	Students who currently have asthma	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Asthma prevalence - lifetime (Youth)	Students who had ever been told by a doctor or nurse that they had asthma	Yes
		No

Health Indicator Category: Family Planning

Sub Category: Sexual Behavior

Health Indicator	Health Indicator Description	Health Indicator Response
Doctor discussed ways to prevent pregnancy	Students who responded that a doctor or nurse had discussed ways to prevent pregnancy	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Doctor discussed ways to prevent STD/HIV/AIDS	Students who responded that a doctor or nurse had discussed ways to prevent sexually transmitted diseases (STDs) and AIDS or HIV infection with them	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Family Planning

Sub Category: Sexual Behavior

Sex (ever) - used condom during last time	Students who responded that they or their partner used condoms the last time they had sexual intercourse, among students who have ever had sexual intercourse	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex intercourse - before age 13	Students who had sexual intercourse for the first time before age 13	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex intercourse - currently active (past 3 months)	Students who had sexual intercourse with one or more people during the past three months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex intercourse - ever	Students who ever had sexual intercourse	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex intercourse - with 4+ persons during life	Students who had sexual intercourse with four or more people during their life	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sex - parents discuss what to do or not do	Students whose parents or other adults in their family have ever talked with them about what they expect them to do or not to do when it comes to sex	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Family Planning

Sub Category: Sexual Behavior

Health Indicator Category: Healthy Lifestyles

Sub Category: General Health

Health Indicator	Health Indicator Description	Health Indicator Response
Dentist visit, past 12 months	Students who have seen a dentist for a check-up, exam, teeth cleaning, or other dental work, during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Doctor check-up, past 12 months	Students who have seen a doctor or nurse for a check-up or physical exam when they were not sick or injured, during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sleep - 8+ hours, average school night	Students who, on an average school night, get at least 8 hours of sleep	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Sleep - number of hours, average school night	Hours of sleep on an average school night	6-7 hours
		8+ hours
		5 hours or less

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Helmets

Health Indicator	Health Indicator Description	Health Indicator Response
Helmet never/rarely worn on bicycle, past 12 month	Students who never or rarely wore a helmet when they rode a bicycle during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Helmet never/rarely worn - popular activities	Students who, when involved in other popular activities such as riding a skateboard, rollerblading, or riding a scooter, never or rarely wore a helmet	Yes
		No

Sub Category: Nutrition

Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - 100% fruit juice, past 7 days	Students who drank 100% fruit juices such as orange juice, apple juice, or grape juice one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - 5+ fruit/veggie per day, past 7 days (Youth)	Students who ate fruits and vegetables five or more times per day during the past seven days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - any carrots, past 7 days	Students who ate carrots one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Nutrition

Consumption - any fruit, past 7 days	Students who ate fruit one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - any green salad, past 7 days	Students who ate green salad one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - any potato, past 7 days	Students who ate potatoes one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - any soda, past 7 days	Students who drank soda one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - any vegetables, past 7 days	Students who ate other vegetables one or more times during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - daily frequency of fruit (Youth)	Daily frequency of fruit consumption, including 100% fruit juice (Youth)	<1 time per day or never
		1 to <3 times per day

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Nutrition

		3+ times per day
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - daily frequency of veg (Youth)	Daily frequency of vegetable consumption (Youth)	<1 time per day or never
		1 to <3 times per day
		3+ times per day
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - milk, 3+ per day, past 7 days	Students who drank three or more glasses of milk per day during the past 7 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - soda each day, in past 7 days	Students who drank sodas one or more times per day during the past seven days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Consumption - weekly frequency of breakfast (Youth)	Weekly frequency of breakfast consumption (Youth)	All 7 days
		1-3 days
		Zero days
		4-6 days
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Nutrition

Eat 2+ fruits and 3+ vegetables per day (Youth)	Eat 2+ fruits and 3+ vegetables per day (Youth)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Eat 2 or more fruits per day (Youth)	Eat 2 or more fruits per day (Youth)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Eat 3 or more vegetables per day (Youth)	Eat 3 or more vegetables per day (Youth)	Yes
		No

Sub Category: Physical Activity

Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - 60+ min, 0 of past 7 days	Students who were physically active for a total of 60 minutes or more per day on none of the past seven days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - 60+ min, 5+ of past 7 days	Students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - 60+ min, 7 of past 7 days	Students who were physically active for a total of 60 minutes or more per day on all of the past seven days	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Physical Activity

Health Indicator	Health Indicator Description	Health Indicator Response
		No
Physical activity - any PE during avg school week	Students who attended physical education (PE) class one or more days during an average school week	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - attended PE daily	Students who attended physical education (PE) classes daily during an average school week	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical activity - sports teams, past 12 months	Students who played on one or more sports teams during the past 12 months	Yes
		No

Sub Category: Seat Belts

Health Indicator	Health Indicator Description	Health Indicator Response
Seat belt never or rarely worn in car	Students who never or rarely wore a seat belt when riding in a car	Yes
		No

Sub Category: Weight Control

Health Indicator	Health Indicator Description	Health Indicator Response
------------------	------------------------------	---------------------------

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Weight Control

Any disordered eating behavior, ever	Students who ever fasted, vomited, or took laxatives, diet pills, powders, or liquids without a doctor's advice, to lose weight or to keep from gaining weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Any disordered eating behavior, past 30 days	Students who fasted, vomited, or took laxatives, diet pills, powders, or liquids without a doctor's advice, to lose weight or to keep from gaining weight during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Obese (>=95%ile BMI for age and sex)	Students who are obese	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Overweight (>=85%ile & <95%ile BMI for age & sex)	Students who are overweight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Overweight or obese (>=85%ile BMI for age & sex)	Students who are overweight or obese	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Overweight - student self described	Students who described themselves as slightly or very overweight	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Weight Control

Health Indicator	Health Indicator Description	Health Indicator Response
Trying to lose weight	Students who were trying to lose weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by eating less, ever	Students who ever ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by eating less, past 30 days	Students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by exercise, ever	Students who ever exercised to lose weight or to keep from gaining weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by exercise, past 30 days	Students who exercised to lose weight or to keep from gaining weight during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by fasting, ever	Students who ever went without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Healthy Lifestyles

Sub Category: Weight Control

		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by fasting, past 30 days	Students who went without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by unprescribed drug use, ever	Students who ever took some diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by unprescribed drug use, past 30 d	Students who took some diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by vomiting or laxatives, ever	Students who ever vomited or took laxatives to lose weight or to keep from gaining weight	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weight control by vomiting or laxatives, past 30 day	Students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: HIV/AIDS

Sub Category: HIV/AIDS

Health Indicator	Health Indicator Description	Health Indicator Response
HIV - AIDS/HIV education in school, ever	Students who have ever been taught about AIDS or HIV infection in school	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
HIV - parents/adults talked about AIDS or HIV, ever	Students who have ever talked about AIDS or HIV infection with their parents or other adults in their family	Yes
		No

Health Indicator Category: Home Life

Sub Category: Home life

Health Indicator	Health Indicator Description	Health Indicator Response
Home life - have an adult to talk to (MS)	Middle school students who have an adult to talk to about things that are important to them	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Home life - have non-parent adult to talk to (MS)	Middle school students who have an adult other than their parents to talk to about things that are important to them	Yes
		No

Sub Category: Home Life

Health Indicator	Health Indicator Description	Health Indicator Response
------------------	------------------------------	---------------------------

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Home Life

Sub Category: Home Life

Hours of screentime on avg school day	Number of hours students watched TV or played video games or used a computer for something that was not school work, per day on an average school day	<1 hour per day or none
		1 to <3 hours per day
		3 to <5 hours per day
		5+ hours per day
Health Indicator	Health Indicator Description	Health Indicator Response
Hours of TV watched on avg school day	Number of hours students watched TV per day on an average school day	<1 hour per day or none
		1 to <3 hours per day
		3 to <5 hours per day
		5+ hours per day
Health Indicator	Health Indicator Description	Health Indicator Response
Hours of video games played on avg school day	Number of hours students played video or computer games or used a computer for something that was not school work per day on an average school day	<1 hour per day or none
		1 to <3 hours per day
		3 to <5 hours per day
		5+ hours per day
Health Indicator	Health Indicator Description	Health Indicator Response
Plays video games 3+ hours on avg school day	Students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Home Life

Sub Category: Home Life

		No
Health Indicator	Health Indicator Description	Health Indicator Response
Screentime - not more than 2hrs per day	Students who watched TV or played video games or used a computer for something that was not school work, for not more than 2 hours per day, on an average school day	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
TV time - 2hrs per day or less	Students who watched TV for 2 hours per day or less, on an average school day	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Video or computers - 2hrs per day or less	Students who played video or computer games or used a computer for something that was not school work for 2 hours per day or less, on an average school day	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Watch TV 3+ hours on avg school day	Students who watched three hours or more of TV per day on an average school day	Yes
		No

Health Indicator Category: Injuries

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Injuries

Sub Category: Fighting

Health Indicator	Health Indicator Description	Health Indicator Response
Injured in fight and treated by doctor, past 12 months	Students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physical fight, past 12 months	Students who were in a physical fight one or more times during the past 12 months	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Injuries

Sub Category: Intimate Partner Violence

Health Indicator	Health Indicator Description	Health Indicator Response
Forced to do sexual things, ever (MS)	Students who have ever been forced by partner to do sexual things they did not want to do (Including kissing, touching, or being physically forced to have sexual intercourse)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Forced to have sexual intercourse ever	Students who have ever been physically forced to have sexual intercourse when they did not want to	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Had boy/girl friend, past 12 months	Students who had a boyfriend or girlfriend during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physically abused by BF/GF, past 12 months	Students whose boyfriend or girlfriend ever hit, slapped, or physically hurt them on purpose during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Physically abused by their date, past 12 months	Students who were physically hurt on purpose by someone they were dating or going out with during the past 12 months	Yes
		No

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Injuries

Sub Category: Weapons

Health Indicator	Health Indicator Description	Health Indicator Response
Weapon - carried any, past 30 days	Students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	Yes
		No

Health Indicator Category: Mental Health

Sub Category: Depression

Health Indicator	Health Indicator Description	Health Indicator Response
Depression in past 12 months	Students who ever felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	Yes
		No

Sub Category: Suicide

Health Indicator	Health Indicator Description	Health Indicator Response
Suicide - attempted, ever	Students who ever tried to kill themselves	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Suicide - attempted, past 12 months	Students who tried to kill themselves during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Mental Health

Sub Category: Suicide

Suicide - attemp result in injury/tx, past 12 months	Students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Suicide - plan, ever	Students who ever made a plan about how they would kill themselves	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Suicide - plan, past 12 months	Students who made a plan about how they would kill themselves during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Suicide - thoughts, ever	Students who ever seriously thought about killing themselves	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Suicide - thoughts, past 12 months	Students who seriously considered attempting suicide during the past 12 months	Yes
		No

Health Indicator Category: School

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: School

Sub Category: Felt Unsafe

Health Indicator	Health Indicator Description	Health Indicator Response
Skipped school b/c felt unsafe, past 30 days	Students who did not go to school because they felt they would be unsafe at school or on their way to or from school, on one or more of the past 30 days	Yes
		No

Sub Category: Fighting

Health Indicator	Health Indicator Description	Health Indicator Response
Fought at school, past 12 months	Students who were in a physical fight on school property one or more times during the past 12 months	Yes
		No

Sub Category: Harassment and school

Health Indicator	Health Indicator Description	Health Indicator Response
Bullied electronically, ever	Students who had ever been electronically bullied (through e-mail, chat rooms, instant messaging, web sites or texting)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Bullied on school property, ever	Students who had ever been bullied on school property	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Harassed-called gay, lesbian or bisexual at school,	Students who were harassed one or more times, because someone thought they were gay, lesbian, or bisexual during the past 12 months	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: School

Sub Category: Harassment and school

		No
Health Indicator	Health Indicator Description	Health Indicator Response
Harassed on Internet or email, past 12 months	Students who responded that someone had tried to hurt them by saying mean things (things that hurt their feelings) to them or about them on the Internet or email during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Harassed physically at school, past 12 months	Students who responded that someone tried to hurt them by hitting, punching, or kicking them while on school property one or more times during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Harassed verbally at school, past 12 months	Students who responded that someone tried to hurt them by saying mean things to them (things that hurt their feelings) while on school property one or more times during the past 12 months	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Harassment and bullying is a problem at school	Students who strongly agree or agree that harassment and bullying by other students is a problem at their school	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Property stolen/damaged at school, past 12 months	Students whose property was stolen or deliberately damaged on school property one or more times during the past 12 months	Yes
		No

Sub Category: Risk Factors

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: School

Sub Category: Risk Factors

Health Indicator	Health Indicator Description	Health Indicator Response
Grades in school mostly A's or B's	Students who would describe their grades in school in the past 12 months as mostly A's and B's	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Grades in school mostly D's or F's	Students who would describe their grades in school in the past 12 months as mostly D's and F's	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
How likely to complete high school	How likely is it that you will complete high school	Probably will
		Not sure
		Definitely will
		Probably will not
		Definitely will not
Health Indicator	Health Indicator Description	Health Indicator Response
How likely to complete post high school program	How likely is it that you will complete a post high school program such as a vocational training program, military service, community college or 4-year college?	Probably will
		Not sure
		Definitely will

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: School

Sub Category: Risk Factors

		Probably will not
		Definitely will not
Health Indicator	Health Indicator Description	Health Indicator Response
School - teacher/adult can talk to if have problem	Students who have at least one teacher or other adult in school that they can talk to if they have a problem	Yes
		No

Sub Category: Weapons

Health Indicator	Health Indicator Description	Health Indicator Response
Weapon - carried on school property, past 30 days	Students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Weapon - threatened/injured with at school, past 12	Students who have been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	Yes
		No

Health Indicator Category: Substance Abuse

Sub Category: Alcohol Consumption

Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - binge drinking (Youth)	Students who had five or more drinks of alcohol in a row, that is, within a couple of hours on one or more of the past 30 days	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Substance Abuse

Sub Category: Alcohol Consumption

		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - current drinker (Youth)	Students who had at least one drink of alcohol on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - ever drank (Youth)	Students who had at least one drink of alcohol on one or more days during their life	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - first drink before age 13	Students who had at least one drink of alcohol before age 13	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - on school property, past 30 days	Students who had at least one drink of alcohol on school property on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Alcohol - passenger drinking driver, past 30 days	Students who rode in a car or other vehicle driven by someone who had been drinking alcohol during the past 30 days	Yes
		No

Sub Category: Drug Use

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Substance Abuse

Sub Category: Drug Use

Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - cocaine (incl. crack or freebase), ever	Students who have ever used some form of cocaine, including powder, crack, or freebase	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - ecstasy, ever	Students who have ever used ecstasy (also called MDMA)	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - inhalants, ever	Students who have ever sniffed glue, breathed the contents of aerosol spray cans, or inhaled some paints or sprays to get high	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - inhalants, past 30 days	Students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - marijuana at school, past 30 days	Students who used marijuana on school property one or more times during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Drug use - marijuana, ever	Students who used marijuana one or more times during their life	Yes

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Substance Abuse

Sub Category: Drug Use

Health Indicator	Health Indicator Description	Health Indicator Response
		No
Drug use - marijuana, first use before age 13	Students who tried marijuana for the first time before age 13	Yes
		No
Drug use - marijuana, past 30 days	Students who used marijuana one or more times during the past 30 days	Yes
		No
Drug use - methamphetamines (speed, ice), ever	Students who have used methamphetamines (also called speed, crystal, crank, or ice) one or more times during their life	Yes
		No
Drug use - offered/sold/received at school, past 12 months	Students who have been offered, sold, or given an illegal drug on school property during the past 12 months	Yes
		No
Drug use - rx drug without md rx, ever	Students who have taken a prescription drug such as OxyContin, Vicodin, tranquilizers, Valium, Xanax, or Ritalin without a doctor's prescription one or more times during their life	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Substance Abuse

Sub Category: Drug Use

Drug use - steroids without prescription, ever	Students who have ever taken steroid pills or shots without a doctor's prescription	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Never used illicit drugs	Students who have never used any illicit drugs (marijuana, crack, other forms of cocaine, heroin, or use of other opiates, stimulants, barbituates, or tranquilizers not under a doctor's orders)	Yes
		No

Sub Category: Substance Abuse

Health Indicator	Health Indicator Description	Health Indicator Response
Current alcohol or marijuana use, past 30 days	Students who used alcohol or marijuana during the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Substance abuse - passenger when driver high, ever	Students who have ever ridden in a car driven by someone who had been high on marijuana or other illegal drugs (MS)	Yes
		No

Health Indicator Category: Tobacco Use

YRBS Health Indicator Descriptions, by School Type, Category, and sub-Category

Middle Schools

Health Indicator Category: Tobacco Use

Sub Category: Cessation

Health Indicator	Health Indicator Description	Health Indicator Response
Smoke cigarettes - tried to quit, past 12 months	Students who tried to quit smoking cigarettes during the past 12 months	Yes
		No

Sub Category: Prevalence

Health Indicator	Health Indicator Description	Health Indicator Response
Smoke cigarettes - current (Youth)	Students who smoked cigarettes on one or more of the past 30 days	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoke cigarettes - ever (Youth)	Students who ever tried cigarette smoking, even one or two puffs	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoke cigarettes - first cigarette before age 13	Students who smoked a whole cigarette for the first time before age 13	Yes
		No
Health Indicator	Health Indicator Description	Health Indicator Response
Smoke cigarettes - frequent (Youth)	Students who smoked cigarettes on 20 or more of the past 30 days	Yes
		No

**YRBS Health Indicator Descriptions,
by School Type, Category, and sub-Category**

Middle Schools

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Chronic Diseases

Asthma	2005	2007	2009	2013
Asthma prevalence - current (Youth)	QN87	QN87	QN87	QN113
Asthma prevalence - lifetime (Youth)	QN86	QN86	QN86	QN86

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Family Planning

Sexual Behavior	2001	2003	2005	2007	2009
Doctor discussed ways to prevent pregnancy				QN103	QN105
Doctor discussed ways to prevent STD/HIV/AIDS				QN104	QN106
Heterosexual			Derived	Derived	Derived
Sex (curr) - alcohol/drug use b/f last time	Derived	QN62	QN61	QN62	QN62
Sex (curr) - used birth control last intercourse		Derived	Derived	Derived	Derived
Sex (curr) - used condom during last time		QN63	QN62	QN63	QN63
Sex (ever) - used condom during last time	Q63	Q63	Q62	Q63	Q63
Sex intercourse - anal sex, ever				QN99	QN102
Sex intercourse - before age 13	Q59	QN59	QN58	QN59	QN59
Sex intercourse - currently active (past 3 months)		QN61	QN60	QN61	QN61
Sex intercourse - ever	Q58	QN58	QN57	QN58	QN58
Sex intercourse - ever but not currently active		Derived	Derived	Derived	Derived
Sex intercourse - oral sex, ever				QN98	QN101
Sex intercourse - with 4+ persons during life		QN60	QN59	QN60	QN60
Sex - never had, not in last 3 months, or used condo		Derived	Derived	Derived	Derived
Sex - parents discuss what to do or not do				QN105	QN107
Sexual orientation (3 categories)			Derived	Derived	Derived

Health Indicator Category: Healthy Lifestyles

Driver Information	2013
Text or email while driving, past 30 days	QN12

Sexual Behavior	2011	2013
Doctor discussed ways to prevent pregnancy		
Doctor discussed ways to prevent STD/HIV/AIDS		
Heterosexual	Derived	Derived
Sex (curr) - alcohol/drug use b/f last time	QN64	QN63
Sex (curr) - used birth control last intercourse	Derived	Derived
Sex (curr) - used condom during last time	QN65	QN64
Sex (ever) - used condom during last time	Q65	Q64
Sex intercourse - anal sex, ever	QN101	
Sex intercourse - before age 13	QN61	QN60
Sex intercourse - currently active (past 3 months)	QN63	QN62
Sex intercourse - ever	QN60	QN59
Sex intercourse - ever but not currently active	Derived	Derived
Sex intercourse - oral sex, ever	QN100	
Sex intercourse - with 4+ persons during life	QN62	QN61
Sex - never had, not in last 3 months, or used condo	Derived	Derived
Sex - parents discuss what to do or not do	QN108	
Sexual orientation (3 categories)	Derived	Derived

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Healthy Lifestyles

General Health	2013
Dentist visit, past 12 months	QN115
Doctor check-up, past 12 months	QN114
Sleep - 8+ hours, average school night	QN117
Sleep - number of hours, average school night	Q117
Sunscreen - most of or all of the time	QN123

Helmets	2001	2003	2005	2007	2009
Helmet never/rarely worn on bicycle, past 12 months	Q9	Q8	QN8	QN8	QN8

Helmets	2011
Helmet never/rarely worn on bicycle, past 12 months	QN8

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Healthy Lifestyles

Nutrition	2001	2003	2005	2007	2009
Consumption - 100% fruit juice, past 7 days	Q73	QN73	QN71	QN72	QN72
Consumption - 5+ fruit/veggie per day, past 7 days (QNFRVG	QNFRVG	QNFRVG	QNFRVG
Consumption - 5+ fruit/veggie per day, past 7 days (
Consumption - any carrots, past 7 days	Q77	QN77	QN75	QN76	QN76
Consumption - any fruit, past 7 days	Q74	QN74	QN72	QN73	QN73
Consumption - any green salad, past 7 days	Q75	QN75	QN73	QN74	QN74
Consumption - any potato, past 7 days	Q76	QN76	QN74	QN75	QN75
Consumption - any soda, past 7 days			Q98	Q78	Q78
Consumption - any vegetables, past 7 days	Q78	QN78	QN76	QN77	QN77
Consumption - daily frequency of fruit (Youth)	Derived	Derived	Derived	Derived	Derived
Consumption - daily frequency of veg (Youth)	Derived	Derived	Derived	Derived	Derived
Consumption - daily frequency of veg (Youth) (2013-					
Consumption - milk, 3+ per day, past 7 days	Q79	QN79	QN77	QN79	QN79
Consumption - soda each day, in past 7 days			QN98	QN78	QN78
Consumption - weekly frequency of breakfast (Youth)					
Eat 2+ fruits and 3+ vegetables per day (Youth)	Derived	Derived	Derived	Derived	Derived
Eat 2+ fruits and 3+ vegetables per day (Youth) (2013-					
Eat 2 or more fruits per day (Youth)	Derived	Derived	Derived	Derived	Derived
Eat 3 or more vegetables per day (Youth)	Derived	Derived	Derived	Derived	Derived
Eat 3 or more vegetables per day (Youth) (2013+)					

Nutrition	2011	2013
Consumption - 100% fruit juice, past 7 days	QN72	QN71
Consumption - 5+ fruit/veggie per day, past 7 days (QNFRVG	
Consumption - 5+ fruit/veggie per day, past 7 days (Derived
Consumption - any carrots, past 7 days	QN76	
Consumption - any fruit, past 7 days	QN73	QN72
Consumption - any green salad, past 7 days	QN74	
Consumption - any potato, past 7 days	QN75	
Consumption - any soda, past 7 days	Q78	Q77
Consumption - any vegetables, past 7 days	QN77	
Consumption - daily frequency of fruit (Youth)	Derived	Derived
Consumption - daily frequency of veg (Youth)	Derived	
Consumption - daily frequency of veg (Youth) (2013-		Derived
Consumption - milk, 3+ per day, past 7 days	QN104	QN78
Consumption - soda each day, in past 7 days	QN78	QN77
Consumption - weekly frequency of breakfast (Youth)		Q79
Eat 2+ fruits and 3+ vegetables per day (Youth)	Derived	
Eat 2+ fruits and 3+ vegetables per day (Youth) (2013-		Derived
Eat 2 or more fruits per day (Youth)	Derived	Derived
Eat 3 or more vegetables per day (Youth)	Derived	
Eat 3 or more vegetables per day (Youth) (2013+)		Derived

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Healthy Lifestyles

Physical Activity	2001	2003	2005	2007	2009
Physical activity - 60+ min, 0 of past 7 days			Q80	Q80	Q80
Physical activity - 60+ min, 5+ of past 7 days			QN80	QN80	QN80
Physical activity - 60+ min, 7 of past 7 days			Q80	Q80	Q80
Physical activity - any PE during avg school week		QN84	QN82	QN83	QN83
Physical activity - attended PE daily	Q84	QNDLYPE	QNDLYPE	QNDLYPE	QNDLYPE
Physical activity - sports teams, past 12 months			QN99		

Seat Belts	2001	2003	2005
Seat belt never or rarely worn in car	Q10	QN9	QN9

Weight Control	2001	2003	2005	2007	2009
Any disordered eating behavior, ever		Derived	Derived	Derived	Derived
Obese (>=95%ile BMI for age and sex)		QNOVWGT	QNOVWGT	QNOVWGT	QNOBESE
Overweight (>=85%ile & <95%ile BMI for age & sex)		QNROVWGT	QNROVWGT	QNROVWGT	QNOWT
Overweight or obese (>=85%ile BMI for age & sex)			Derived	Derived	Derived
Overweight - student self described	Q66	QN66	QN64	QN65	QN65
Trying to lose weight	Q67	QN67	QN65	QN66	QN66
Weight control by eating less, ever	Q69	QN69	QN67	QN68	QN68
Weight control by exercise, ever	Q68	QN68	QN66	QN67	QN67
Weight control by fasting, ever	Q70	QN70	QN68	QN69	QN69
Weight control by unprescribed drug use, ever	Q71	QN71	QN69	QN70	QN70
Weight control by vomiting or laxatives, ever	Q72	QN72	QN70	QN71	QN71

Physical Activity	2011	2013
Physical activity - 60+ min, 0 of past 7 days	Q79	Q80
Physical activity - 60+ min, 5+ of past 7 days	QN79	QN80
Physical activity - 60+ min, 7 of past 7 days	Q79	Q80
Physical activity - any PE during avg school week	QN82	QN83
Physical activity - attended PE daily	QNDLYPE	QNDLYPE
Physical activity - sports teams, past 12 months		

Weight Control	2011	2013
Any disordered eating behavior, ever	Derived	Derived
Obese (≥ 95 th percentile BMI for age and sex)	QNOBESE	QNOBESE
Overweight (≥ 85 th percentile & < 95 th percentile BMI for age & sex)	QNOWT	QNOWT
Overweight or obese (≥ 85 th percentile BMI for age & sex)	Derived	Derived
Overweight - student self described	QN67	QN66
Trying to lose weight	QN68	
Weight control by eating less, ever		
Weight control by exercise, ever		
Weight control by fasting, ever	QN69	QN68
Weight control by unprescribed drug use, ever	QN70	QN69
Weight control by vomiting or laxatives, ever	QN71	QN70

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: HIV/AIDS

HIV/AIDS	2001	2003	2005	2007	2009
HIV - AIDS/HIV education in school, ever	Q87	QN87	QN85	QN85	QN85
HIV - parents/adults talked about AIDS or HIV, ever		QN89	QN101		

Health Indicator Category: Home Life

Home life	2007	2009	2011	2013
Have an adult or teacher to talk to (HS)		Derived	Derived	Derived
Home life - have an adult to talk to (HS)	QN106	QN109	QN110	QN119

Home Life	2001	2003	2005	2007	2009
Hours of screentime on avg school day				Derived	Derived
Hours of TV watched on avg school day	Q83	Q83	Q81	Q81	Q81
Hours of video games played on avg school day				Q82	Q82
Plays video games 3+ hours on avg school day				QN82	QN82
Screentime - not more than 2hrs per day				Derived	Derived
TV time - 2hrs per day or less	Q83	Q83	Q81	Q81	Q81
Video or computers - 2hrs per day or less				Q82	Q82
Watch TV 3+ hours on avg school day	Q83	QN83	QN81	QN81	QN81

HIV/AIDS	2011	2013
HIV - AIDS/HIV education in school, ever	QN84	QN85
HIV - parents/adults talked about AIDS or HIV, ever		

Home Life	2011	2013
Hours of screentime on avg school day	Derived	Derived
Hours of TV watched on avg school day	Q80	Q81
Hours of video games played on avg school day	Q81	Q82
Plays video games 3+ hours on avg school day	QN81	QN82
Screentime - not more than 2hrs per day	Derived	Derived
TV time - 2hrs per day or less	Q80	Q81
Video or computers - 2hrs per day or less	Q81	Q82
Watch TV 3+ hours on avg school day	QN80	QN81

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Injuries

Fighting	2001	2003	2005	2007	2009
Injured in fight and treated by doctor, past 12 month			QN19	QN19	QN18
Physical fight, past 12 months	Q18	QN18	QN18	QN18	QN17

Intimate Partner Violence	2001	2003	2005	2007	2009
Forced to do sexual things, past 12 months (HS)					
Forced to have sexual intercourse ever	Q22	QN22	QN22	QN22	QN21
Had boy/girl friend, past 12 months				QN89	QN91
Physically abused by BF/GF, past 12 months	Q21	QN21	QN89	QN21	QN20
Physically abused by their date, past 12 months					

Weapons	2001	2003	2005	2007	2009
Weapon - carried any, past 30 days	Q13	QN12	QN12	QN12	QN12

Fighting	2011	2013
Injured in fight and treated by doctor, past 12 month		QN19
Physical fight, past 12 months	QN17	QN18

Intimate Partner Violence	2011	2013
Forced to do sexual things, past 12 months (HS)		QN23
Forced to have sexual intercourse ever	QN21	QN21
Had boy/girl friend, past 12 months	QN89	
Physically abused by BF/GF, past 12 months	QN20	
Physically abused by their date, past 12 months		QN22

Weapons	2011	2013
Weapon - carried any, past 30 days	QN12	QN13

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Mental Health

Depression	2001	2003	2005	2007	2009
Depression in past 12 months	Q23	QN23	QN23	QN23	QN23

Suicide	2001	2003	2005	2007	2009
Suicide - attempted, past 12 months	Q26	QN26	QN26	QN26	QN26
Suicide - attmpt result in injury/tx, past 12 months	Q27	QN27	QN27	QN27	QN27
Suicide - plan, past 12 months	Q25	QN25	QN25	QN25	QN25
Suicide - thoughts, past 12 months	Q24	QN24	QN24	QN24	QN24

Health Indicator Category: School

Felt Unsafe	2001	2003	2005	2007	2009
Skipped school b/c felt unsafe, past 30 days	Q16	QN15	QN15	QN15	QN15

Fighting	2001	2003	2005	2007	2009
Fought at school, past 12 months	Q20	QN20	QN20	QN20	QN19

Depression	2011	2013
Depression in past 12 months	QN24	QN26

Suicide	2011	2013
Suicide - attempted, past 12 months	QN27	QN29
Suicide - attempt result in injury/tx, past 12 months	QN28	QN30
Suicide - plan, past 12 months	QN26	QN28
Suicide - thoughts, past 12 months	QN25	QN27

Felt Unsafe	2011	2013
Skipped school b/c felt unsafe, past 30 days	QN15	QN16

Fighting	2011
Fought at school, past 12 months	QN19

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: School

Harassment and school	2003	2005	2007	2009	2011
Bullied electronically, past 12 months					QN23
Bullied on school property or electronically, past 12 months					
Bullied on school property, past 12 months					QN22
Harassed-called gay, lesbian or bisexual at school, past 12 months		QN92	QN93	QN94	
Harassed on Internet or email, past 12 months			QN92	QN93	
Harassed physically at school, past 12 months		QN90	QN90	QN92	
Harassed verbally at school, past 12 months		QN91	QN91		
Harassment and bullying is a problem at school			QN94	QN95	
Property stolen/damaged at school, past 12 months	QN17	QN17	QN17	QN90	

Risk Factors	2001	2003	2007	2009	2011
Grades in school mostly A's or B's	Q7	Q7		Q88	Q88
Grades in school mostly D's or F's	Q7	Q7		QN88	Q88
How likely to complete high school			Q108	Q110	
How likely to complete post high school program			Q109	Q111	Q112
School - teacher/adult can talk to if have problem				QN108	QN109

Weapons	2001	2003	2005	2007	2009
Weapon - carried on school property, past 30 days	Q15	QN14	QN14	QN14	QN14
Weapon - threatened/injured with at school, past 12 months	Q17	QN16	QN16	QN16	QN16

Health Indicator Category: Substance Abuse

Harassment and school	2013
Bullied electronically, past 12 months	QN25
Bullied on school property or electronically, past 12	Derived
Bullied on school property, past 12 months	QN24
Harassed-called gay, lesbian or bisexual at school, p	
Harassed on Internet or email, past 12 months	
Harassed physically at school, past 12 months	
Harassed verbally at school, past 12 months	
Harassment and bullying is a problem at school	
Property stolen/damaged at school, past 12 months	

Risk Factors	2013
Grades in school mostly A's or B's	Q88
Grades in school mostly D's or F's	Q88
How likely to complete high school	
How likely to complete post high school program	Q122
School - teacher/adult can talk to if have problem	QN118

Weapons	2011
Weapon - carried on school property, past 30 days	QN14
Weapon - threatened/injured with at school, past 12	QN16

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Substance Abuse

Alcohol Consumption	2001	2003	2005	2007	2009
Alcohol - binge drinking, boys (Youth)					
Alcohol - binge drinking, girls (Youth)					
Alcohol - binge drinking (Youth)	Q43	QN42	QN42	QN42	QN42
Alcohol - current drinker (Youth)	Q42	QN41	QN41	QN41	QN41
Alcohol - drove after drinking, past 30 days		QN11	QN11	QN11	QN11
Alcohol - ever drank (Youth)		QN39	QN39	QN39	QN39
Alcohol - first drink before age 13	Q41	QN40	QN40	QN40	QN40
Alcohol - most drinks in a row, past 30 days					
Alcohol - on school property, past 30 days	Q44	QN43	QN43	QN44	QN44
Alcohol - passenger drinking driver, past 30 days	Q11	QN10	QN10	QN10	QN10
Alcohol - usual source, past 30 days				Q43	Q43

Alcohol Consumption	2011	2013
Alcohol - binge drinking, boys (Youth)		Q45
Alcohol - binge drinking, girls (Youth)		Q45
Alcohol - binge drinking (Youth)	QN43	QN44
Alcohol - current drinker (Youth)	QN42	QN43
Alcohol - drove after drinking, past 30 days		
Alcohol - ever drank (Youth)	Q41	Q42
Alcohol - first drink before age 13	QN41	QN42
Alcohol - most drinks in a row, past 30 days		Q45
Alcohol - on school property, past 30 days	QN45	QN91
Alcohol - passenger drinking driver, past 30 days		
Alcohol - usual source, past 30 days	Q44	Q46

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Substance Abuse

Drug Use	2001	2003	2005	2007	2009
Drug use - cocaine (incl. crack or freebase), ever	Q49	QN48	QN48	QN49	QN49
Drug use - cocaine (incl. crack or freebase), past 30	Q50	QN49	QN49	QN50	
Drug use - drove after using, past 30 days				QN88	QN89
Drug use - ecstasy, ever		QN54	QN53	QN54	QN54
Drug use - hallucinogenics, ever					
Drug use - inhalants, ever	Q51		QN50	QN51	QN51
Drug use - inhalants, past 30 days	Q52	QN51	QN93		
Drug use - marijuana at school, past 30 days	Q48	QN47	QN47	QN48	QN48
Drug use - marijuana, ever	Q45	QN44	QN44	QN45	QN45
Drug use - marijuana, first use before age 13	Q46	QN45	QN45	QN46	QN46
Drug use - marijuana, past 30 days	Q47	QN46	QN46	QN47	QN47
Drug use - methamphetamines (speed, ice), ever	Q54	QN53	QN52	QN53	QN53
Drug use - offered/sold/received at school, past 12 m	Q57	QN57	QN56	QN57	QN57
Drug use - OTC to get high, past 30 days				QN96	QN98
Drug use - rx drug without md rx, ever					
Drug use - rx drug without md rx, past 30 days				QN97	QN99
Drug use - steroids without prescription, ever	Q55	QN55	QN54	QN55	QN55
Never used illicit drugs					
Never used illicit drugs (including hallucinogens) (2)					

Drug Use	2011	2013
Drug use - cocaine (incl. crack or freebase), ever	QN50	QN50
Drug use - cocaine (incl. crack or freebase), past 30		
Drug use - drove after using, past 30 days		
Drug use - ecstasy, ever	QN55	QN54
Drug use - hallucinogenics, ever		QN95
Drug use - inhalants, ever	QN52	QN51
Drug use - inhalants, past 30 days		
Drug use - marijuana at school, past 30 days	QN49	QN94
Drug use - marijuana, ever	Q47	Q48
Drug use - marijuana, first use before age 13	QN47	QN48
Drug use - marijuana, past 30 days	QN48	QN49
Drug use - methamphetamines (speed, ice), ever	QN54	QN53
Drug use - offered/sold/received at school, past 12 m	QN59	QN58
Drug use - OTC to get high, past 30 days		
Drug use - rx drug without md rx, ever	QN57	QN56
Drug use - rx drug without md rx, past 30 days		
Drug use - steroids without prescription, ever		
Never used illicit drugs	Derived	Derived
Never used illicit drugs (including hallucinogens) (2)		Derived

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

High Schools

Health Indicator Category: Substance Abuse

Substance Abuse	2003	2005	2007	2009	2011
CRAFFT score among all students					
CRAFFT score among students currently using alcohol					
Current alcohol or marijuana use, past 30 days	Derived	Derived	Derived	Derived	Derived
Substance abuse - in car when driver high, past 30 days					

Health Indicator Category: Tobacco Use

Cessation	2001	2003	2007	2009	2011
Smoke cigarettes - tried to quit, past 12 months	Q36	Q35	Q35	Q35	Q36

Prevalence	2001	2003	2005	2007	2009
Smoke cigarettes - current (Youth)	Q30	QN30	QN30	QN30	QN30
Smoke cigarettes - ever (Youth)	Q28	QN28			
Smoke cigarettes - first cigarette before age 13	Q29	QN29			
Smoke cigarettes - frequent (Youth)	Q30	QNFRCIG	QNFRCIG	QNFRCIG	QNFRCIG

Substance Abuse	2013
CRAFFT score among all students	Derived
CRAFFT score among students currently using alco	Derived
Current alcohol or marijuana use, past 30 days	Derived
Substance abuse - in car when driver high, past 30 d	QN96

Prevalence	2011	2013
Smoke cigarettes - current (Youth)	QN31	QN33
Smoke cigarettes - ever (Youth)	QN29	
Smoke cigarettes - first cigarette before age 13	Q30	Q32
Smoke cigarettes - frequent (Youth)	QNFRCIG	QNFRCIG

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: Chronic Diseases

Asthma	2005	2007	2009
Asthma prevalence - current (Youth)	QN87	QN49	QN50
Asthma prevalence - lifetime (Youth)	QN86	QN48	QN49

Health Indicator Category: Family Planning

Sexual Behavior	2001	2003	2005	2007	2009
Doctor discussed ways to prevent pregnancy				QN81	QN84
Doctor discussed ways to prevent STD/HIV/AIDS				QN82	QN85
Sex (ever) - used condom during last time	Q38	Q37	Q62	Q34	Q35
Sex intercourse - before age 13		Q82	Q97	Q32	Q33
Sex intercourse - currently active (past 3 months)			QN60		
Sex intercourse - ever		QN34	QN57	QN31	QN32
Sex intercourse - with 4+ persons during life			QN59	Q33	Q34
Sex - parents discuss what to do or not do				QN83	QN86

Health Indicator Category: Healthy Lifestyles

Sexual Behavior	2011	2013
Doctor discussed ways to prevent pregnancy		
Doctor discussed ways to prevent STD/HIV/AIDS		
Sex (ever) - used condom during last time	Q37	Q37
Sex intercourse - before age 13	Q35	Q35
Sex intercourse - currently active (past 3 months)		
Sex intercourse - ever	QN34	QN34
Sex intercourse - with 4+ persons during life	Q36	Q36
Sex - parents discuss what to do or not do	QN91	

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: Healthy Lifestyles

General Health	2013
Dentist visit, past 12 months	QN92
Doctor check-up, past 12 months	QN91
Sleep - 8+ hours, average school night	QN94
Sleep - number of hours, average school night	Q94

Helmets	2001	2003	2005	2007	2009
Helmet never/rarely worn on bicycle, past 12 months	Q9	Q50	QN8	QN6	QN6
Helmet never/rarely worn - popular activities	Q51	QN51	Q89	QN7	QN7

Helmets	2011	2013
Helmet never/rarely worn on bicycle, past 12 months	QN6	QN6
Helmet never/rarely worn - popular activities	QN7	QN7

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: Healthy Lifestyles

Nutrition	2003	2005	2007	2013
Consumption - 100% fruit juice, past 7 days	QN92	QN71		
Consumption - 5+ fruit/veggie per day, past 7 days (QNFRVG		
Consumption - any carrots, past 7 days	QN96	QN75		
Consumption - any fruit, past 7 days	QN93	QN72		
Consumption - any green salad, past 7 days	QN94	QN73		
Consumption - any potato, past 7 days	QN95	QN74		
Consumption - any soda, past 7 days	QN99	Q99	Q77	
Consumption - any vegetables, past 7 days	QN97	QN76		
Consumption - daily frequency of fruit (Youth)	Derived	Derived		
Consumption - daily frequency of veg (Youth)	Derived	Derived		
Consumption - milk, 3+ per day, past 7 days	QN98	QN77	QN78	
Consumption - soda each day, in past 7 days	Q99	QN99	QN77	
Consumption - weekly frequency of breakfast (Youth)				Q43
Eat 2+ fruits and 3+ vegetables per day (Youth)	Derived	Derived		
Eat 2 or more fruits per day (Youth)	Derived	Derived		
Eat 3 or more vegetables per day (Youth)	Derived	Derived		

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: Healthy Lifestyles

Physical Activity	2005	2007	2009	2011	2013
Physical activity - 60+ min, 0 of past 7 days	Q80	Q42	Q43	Q43	Q44
Physical activity - 60+ min, 5+ of past 7 days	QN80	QN42	QN43	QN43	QN44
Physical activity - 60+ min, 7 of past 7 days	Q80	Q42	Q43	Q43	Q44
Physical activity - any PE during avg school week	QN82	QN45	QN46	QN46	QN47
Physical activity - attended PE daily	QNDLYPE	QNDLYPE	QNDLYPE	QNDLYPE	QNDLYPE
Physical activity - sports teams, past 12 months	QN100	QN46	QN47	QN47	QN48

Seat Belts	2001	2003	2005
Seat belt never or rarely worn in car	Q8	QN8	QN9

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: Healthy Lifestyles

Weight Control	2001	2003	2005	2007	2009
Any disordered eating behavior, ever			Derived	Derived	Derived
Any disordered eating behavior, past 30 days		Derived			
Obese ($\geq 95^{\text{th}}$ ile BMI for age and sex)		QNOVWGT	QNOVWGT		
Overweight ($\geq 85^{\text{th}}$ ile & $< 95^{\text{th}}$ ile BMI for age & sex)		QNROVWGT	QNROVWGT		
Overweight or obese ($\geq 85^{\text{th}}$ ile BMI for age & sex)			Derived		
Overweight - student self described	Q39	QN38	QN64	QN35	QN36
Trying to lose weight	Q40	QN39	QN65	QN36	QN37
Weight control by eating less, ever			QN67	QN38	QN39
Weight control by eating less, past 30 days	Q89	QN88			
Weight control by exercise, ever			QN66	QN37	QN38
Weight control by exercise, past 30 days	Q88	QN87			
Weight control by fasting, ever			QN68	QN39	QN40
Weight control by fasting, past 30 days		QN89			
Weight control by unprescribed drug use, ever			QN69	QN40	QN41
Weight control by unprescribed drug use, past 30 days	Q90	QN90			
Weight control by vomiting or laxatives, ever	Q45		QN70	QN41	QN42
Weight control by vomiting or laxatives, past 30 days		QN91			

Weight Control	2011	2013
Any disordered eating behavior, ever	Derived	Derived
Any disordered eating behavior, past 30 days		
Obese (≥ 95 th percentile BMI for age and sex)		
Overweight (≥ 85 th percentile & < 95 th percentile BMI for age & sex)		
Overweight or obese (≥ 85 th percentile BMI for age & sex)		
Overweight - student self described	QN38	QN38
Trying to lose weight	QN39	QN39
Weight control by eating less, ever	QN89	
Weight control by eating less, past 30 days		
Weight control by exercise, ever	QN88	
Weight control by exercise, past 30 days		
Weight control by fasting, ever	QN40	QN40
Weight control by fasting, past 30 days		
Weight control by unprescribed drug use, ever	QN41	QN41
Weight control by unprescribed drug use, past 30 days		
Weight control by vomiting or laxatives, ever	QN42	QN42
Weight control by vomiting or laxatives, past 30 days		

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: HIV/AIDS

HIV/AIDS	2001	2003	2005	2007	2009
HIV - AIDS/HIV education in school, ever	Q50	QN49	QN85	QN47	QN48
HIV - parents/adults talked about AIDS or HIV, ever	Q83	QN81	QN102		

Health Indicator Category: Home Life

Home life	2007	2009	2011	2013
Home life - have an adult to talk to (MS)			QN93	QN96
Home life - have non-parent adult to talk to (MS)	QN84	QN88		

Home Life	2003	2005	2007	2009	2011
Hours of screentime on avg school day			Derived	Derived	Derived
Hours of TV watched on avg school day	Q46	Q81	Q43	Q44	Q44
Hours of video games played on avg school day			Q44	Q82	Q45
Plays video games 3+ hours on avg school day			QN44	QN82	QN82
Screentime - not more than 2hrs per day			Derived	Derived	Derived
TV time - 2hrs per day or less	Q46	Q81	Q43	Q44	Q44
Video or computers - 2hrs per day or less			Q44	Q82	Q45
Watch TV 3+ hours on avg school day	QN46	QN81	QN43	QN44	QN44

HIV/AIDS	2011	2013
HIV - AIDS/HIV education in school, ever	QN48	QN49
HIV - parents/adults talked about AIDS or HIV, ever		

Home Life	2013
Hours of screentime on avg school day	Derived
Hours of TV watched on avg school day	Q45
Hours of video games played on avg school day	Q46
Plays video games 3+ hours on avg school day	QN82
Screentime - not more than 2hrs per day	Derived
TV time - 2hrs per day or less	Q45
Video or computers - 2hrs per day or less	Q46
Watch TV 3+ hours on avg school day	QN45

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: Injuries

Fighting	2001	2003	2005	2011	2013
Injured in fight and treated by doctor, past 12 month			QN19	QN59	QN60
Physical fight, past 12 months	Q59	QN60	QN18	QN57	QN58

Intimate Partner Violence	2001	2003	2005	2007	2009
Forced to do sexual things, ever (MS)					
Forced to have sexual intercourse ever	Q63	QN63	QN22	QN58	QN60
Had boy/girl friend, past 12 months				QN56	QN58
Physically abused by BF/GF, past 12 months	Q62	QN62	QN90	QN57	QN59
Physically abused by their date, past 12 months					

Weapons	2005
Weapon - carried any, past 30 days	QN12

Intimate Partner Violence	2011	2013
Forced to do sexual things, ever (MS)		QN63
Forced to have sexual intercourse ever	QN62	QN61
Had boy/girl friend, past 12 months	QN60	
Physically abused by BF/GF, past 12 months	QN61	
Physically abused by their date, past 12 months		QN62

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: Mental Health

Depression	2003	2005	2007	2009
Depression in past 12 months	QN64	QN23	QN64	QN66

Suicide	2001	2003	2005	2007	2009
Suicide - attempted, ever	Q17	QN17			
Suicide - attempted, past 12 months			QN26	QN67	QN69
Suicide - attmpt result in injury/tx, past 12 months			QN27	QN68	QN70
Suicide - plan, ever	Q16	QN16			
Suicide - plan, past 12 months			QN25	QN66	QN68
Suicide - thoughts, ever	Q15	QN15			
Suicide - thoughts, past 12 months			QN24	QN65	QN67

Health Indicator Category: School

Felt Unsafe	2001	2003	2005	2007	2009
Skipped school b/c felt unsafe, past 30 days	Q58	QN59	QN15	QN52	QN54

Fighting	2001	2003	2005	2007	2009
Fought at school, past 12 months	Q60	QN61	QN20	QN55	QN57

Suicide	2011	2013
Suicide - attempted, ever	QN17	QN17
Suicide - attempted, past 12 months		
Suicide - attmpt result in injury/tx, past 12 months		
Suicide - plan, ever	QN16	QN16
Suicide - plan, past 12 months		
Suicide - thoughts, ever	QN15	QN15
Suicide - thoughts, past 12 months		

Felt Unsafe	2011	2013
Skipped school b/c felt unsafe, past 30 days	QN55	QN56

Fighting	2011	2013
Fought at school, past 12 months	QN57	QN58

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: School

Harassment and school	2001	2003	2005	2007	2009
Bullied electronically, ever					
Bullied on school property, ever					
Harassed-called gay, lesbian or bisexual at school, p			QN93	QN62	QN64
Harassed on Internet or email, past 12 months				QN61	QN63
Harassed physically at school, past 12 months			QN91	QN59	QN61
Harassed verbally at school, past 12 months			QN92	QN60	QN62
Harassment and bullying is a problem at school				QN63	QN65
Property stolen/damaged at school, past 12 months	Q56	QN57	QN17	QN54	QN56

Risk Factors	2001	2003	2007	2009	2011
Grades in school mostly A's or B's	Q7	Q7		Q51	Q52
Grades in school mostly D's or F's	Q7	Q7		QN51	Q52
How likely to complete high school			Q85	Q89	Q95
How likely to complete post high school program			Q86	Q90	
School - teacher/adult can talk to if have problem				QN87	QN87

Weapons	2001	2003	2005	2007	2009
Weapon - carried on school property, past 30 days	Q55	QN55	QN14		
Weapon - threatened/injured with at school, past 12		QN56		QN53	QN55

Health Indicator Category: Substance Abuse

Harassment and school	2011	2013
Bullied electronically, ever	QN14	QN14
Bullied on school property, ever	QN13	QN13
Harassed-called gay, lesbian or bisexual at school, p		
Harassed on Internet or email, past 12 months		
Harassed physically at school, past 12 months		
Harassed verbally at school, past 12 months		
Harassment and bullying is a problem at school	Q63	Q65
Property stolen/damaged at school, past 12 months		

Risk Factors	2013
Grades in school mostly A's or B's	Q52
Grades in school mostly D's or F's	Q52
How likely to complete high school	Q98
How likely to complete post high school program	
School - teacher/adult can talk to if have problem	QN86

Weapons	2011	2013
Weapon - carried on school property, past 30 days		
Weapon - threatened/injured with at school, past 12	QN56	QN56

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: Substance Abuse

Alcohol Consumption	2001	2003	2005	2007	2009
Alcohol - binge drinking (Youth)	Q69	QN69	QN42		
Alcohol - current drinker (Youth)		QN68	QN41	QN69	QN71
Alcohol - ever drank (Youth)			QN39	QN24	QN25
Alcohol - first drink before age 13					Q26
Alcohol - on school property, past 30 days		QN70	QN43	QN70	QN72
Alcohol - passenger drinking driver, past 30 days	Q52	QN52	QN10		

Drug Use	2001	2003	2005	2007	2009
Drug use - cocaine (incl. crack or freebase), ever	Q74	QN74	QN48	QN28	QN29
Drug use - ecstasy, ever	Q78	QN77	QN53	QN75	QN77
Drug use - inhalants, ever	Q75	QN75	QN50	QN29	QN30
Drug use - inhalants, past 30 days			QN96	QN73	QN75
Drug use - marijuana at school, past 30 days	Q72	QN73	QN47	QN72	QN74
Drug use - marijuana, ever	Q70	Q71	QN44	QN26	QN27
Drug use - marijuana, first use before age 13			Q95	Q27	Q28
Drug use - marijuana, past 30 days	Q71	QN72	QN46	QN71	QN73
Drug use - methamphetamines (speed, ice), ever	Q79	QN78	QN52	QN74	QN76
Drug use - offered/sold/received at school, past 12 months	Q82	QN80	QN56	QN76	QN79
Drug use - rx drug without md rx, ever					QN78
Drug use - steroids without prescription, ever	Q76	QN76	QN54	QN30	QN31
Never used illicit drugs					Derived

Alcohol Consumption	2011	2013
Alcohol - binge drinking (Youth)	QN71	QN71
Alcohol - current drinker (Youth)	QN69	QN69
Alcohol - ever drank (Youth)	Q27	Q27
Alcohol - first drink before age 13	Q27	Q27
Alcohol - on school property, past 30 days	QN70	QN70
Alcohol - passenger drinking driver, past 30 days		

Drug Use	2011	2013
Drug use - cocaine (incl. crack or freebase), ever	QN30	QN30
Drug use - ecstasy, ever	QN78	QN78
Drug use - inhalants, ever	QN31	QN31
Drug use - inhalants, past 30 days	QN76	QN76
Drug use - marijuana at school, past 30 days	QN75	QN75
Drug use - marijuana, ever	Q29	Q29
Drug use - marijuana, first use before age 13	Q29	Q29
Drug use - marijuana, past 30 days	QN74	QN74
Drug use - methamphetamines (speed, ice), ever	QN77	QN77
Drug use - offered/sold/received at school, past 12 n	QN79	QN79
Drug use - rx drug without md rx, ever	QN33	QN33
Drug use - steroids without prescription, ever		
Never used illicit drugs	Derived	Derived

YRBS Health Indicator and Survey Item Documentation Report, by School Type, Category, sub-Category and Year

Middle Schools

Health Indicator Category: Substance Abuse

Substance Abuse	2003	2005	2007	2009	2011
Current alcohol or marijuana use, past 30 days	Derived	Derived	Derived	Derived	Derived
Substance abuse - passenger when driver high, ever					

Health Indicator Category: Tobacco Use

Cessation	2001	2003
Smoke cigarettes - tried to quit, past 12 months	Q66	Q66

Prevalence	2001	2003	2005	2007	2009
Smoke cigarettes - current (Youth)	Q20	QN20	QN30	QN18	QN19
Smoke cigarettes - ever (Youth)	Q18	QN18			
Smoke cigarettes - first cigarette before age 13		Q19			
Smoke cigarettes - frequent (Youth)	Q20	QNFRCIG	QNFRCIG	QNFRCIG	QNFRCIG

Substance Abuse	2013
Current alcohol or marijuana use, past 30 days	Derived
Substance abuse - passenger when driver high, ever	QN53

Prevalence	2011	2013
Smoke cigarettes - current (Youth)	QN20	QN20
Smoke cigarettes - ever (Youth)		
Smoke cigarettes - first cigarette before age 13		
Smoke cigarettes - frequent (Youth)	QNFRCIG	QNFRCIG