

## Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

*Note: Weighted counts rounded to the nearest hundred; weighted percentages, positive responses only; public high school and middle school data; n/r (Not Reportable) - Unweighted respondents less than 35*

*The weighted data is not available for middle school for 2000 or high school for 2003. Questions for certain health indicators were not asked in all years.*

*Below are the indicators included in this report, with their long description.*

YTS Health Indicator	Health Ind Desc
Cigarette smoker - frequent	Frequent smoker - smoked cigarettes on 20+ of the last 30 days
Cigar smoker - frequent	Frequent cigar smokers - smoked cigars on 20+ of the last 30 days
SLT user - frequent	Frequent smokeless tobacco (SLT) users - used SLT on 20+ of the last 30 days
Bidis smoker - frequent	Frequent bidis smokers - smoked bidis on 20+ of the last 30 days
Pipe smoker - frequent	Frequent pipe smokers - smoked pipes on 20+ of the last 30 days

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access YTS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access Hawai'i Data Guide](#)

*For questions about this report, please contact The Hawaii Health Data Warehouse*

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x 15**

## Frequent Tobacco Use by School Type, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015


*Note: Weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### High Schools

	YTS Year	Percent
Cigarette smoker - frequent	2000	10.3%
	2005	3.9%
	2007	3.0%
	2009	3.8%
	2011	2.9%
	2013	2.1%
	2015	2.0%

	YTS Year	Percent
Cigar smoker - frequent	2000	0.8%
	2005	0.4%
	2007	0.7%
	2009	0.8%
	2011	0.1%
	2013	0.5%
	2015	0.6%

	YTS Year	Percent
SLT user - frequent	2000	0.8%
	2005	0.5%
	2007	1.0%
	2009	1.3%
	2011	0.5%
	2013	0.7%
	2015	0.7%



**Frequent Tobacco Use by School Type,  
for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

	YTS Year	Percent
Bidis smoker - frequent	2000	0.8%
	2005	0.4%
	2007	0.4%
	2009	0.7%
	2011	0.2%
	2013	0.5%
	2015	0.5%

	YTS Year	Percent
Pipe smoker - frequent	2000	0.6%
	2005	0.7%
	2007	0.5%
	2009	1.0%
	2011	0.4%
	2013	1.2%
	2015	0.8%

## Frequent Tobacco Use by School Type, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015


*Note: Weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### Middle Schools

	YTS Year	Percent
Cigarette smoker - frequent	2003	0.9%
	2005	1.1%
	2007	0.6%
	2009	0.4%
	2011	0.7%
	2013	0.3%
	2015	0.3%

	YTS Year	Percent
Cigar smoker - frequent	2003	0.3%
	2005	0.2%
	2007	0.4%
	2009	0.1%
	2011	0.5%
	2013	0.2%
	2015	0.3%

	YTS Year	Percent
SLT user - frequent	2003	0.3%
	2005	0.3%
	2007	0.2%
	2009	0.2%
	2011	0.4%
	2013	0.4%
	2015	0.4%



**Frequent Tobacco Use by School Type,  
for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

	YTS Year	Percent
Bidis smoker - frequent	2003	0.3%
	2005	0.3%
	2007	0.7%
	2009	0.1%
	2011	0.2%
	2013	0.3%
	2015	0.3%

	YTS Year	Percent
Pipe smoker - frequent	2003	0.5%
	2005	0.6%
	2007	0.4%
	2009	0.1%
	2011	0.2%
	2013	0.4%
	2015	0.6%

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2015**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	800	2.0%	1.0 - 2.9	300	0.6%	0.2 - 1.1	300	0.7%	0.2 - 1.1	200	0.5%	0.2 - 0.9	300	0.8%	0.4 - 1.1

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	600	2.8%	1.1 - 4.6	200	0.8%	0.1 - 1.6	200	0.8%	0.2 - 1.4	100	0.5%	0.1 - 0.9	200	0.7%	0.3 - 1.2
<b>Female</b>	200	1.2%	0.4 - 1.9	100	0.4%	0.0 - 0.8	100	0.6%	0.0 - 1.2	100	0.5%	0.0 - 1.1	100	0.7%	0.1 - 1.2

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>9th Grade</b>	100	0.9%	0.1 - 1.7	100	0.7%	0.0 - 1.6	100	1.2%	0.2 - 2.2	100	0.5%	0.1 - 1.0	100	0.8%	0.1 - 1.5
<b>10th Grade</b>	100	0.7%	0.0 - 1.6	<50	0.1%	0.0 - 0.3	100	0.7%	0.0 - 1.7	<50	0.5%	0.0 - 1.1	100	0.9%	0.0 - 2.0
<b>11th Grade</b>	200	2.2%	0.7 - 3.6	100	0.7%	0.0 - 1.5	<50	0.2%	0.0 - 0.6	100	0.6%	0.0 - 1.4	100	1.3%	0.3 - 2.4
<b>12th Grade</b>	400	4.5%	0.9 - 8.2	100	1.1%	0.0 - 2.2	100	0.6%	0.0 - 1.3	<50	0.5%	0.0 - 1.1	<50	0.1%	0.0 - 0.3

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2015**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	100	1.5%	0.2 - 2.8	<50	0.9%	0.0 - 2.0	<50	0.2%	0.0 - 0.6	<50	0.9%	0.0 - 1.7	<50	0.7%	0.0 - 1.5
<b>Native Hawaiian</b>	300	4.0%	0.9 - 7.1	<50	0.1%	0.0 - 0.3	<50	0.3%	0.0 - 0.8	<50	0.2%	0.0 - 0.5	200	2.4%	0.5 - 4.4
<b>Chinese</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Filipino</b>	100	1.4%	0.4 - 2.3	<50	0.2%	0.0 - 0.7	<50	0.2%	0.0 - 0.7	<50	0.4%	0.0 - 0.9	100	0.5%	0.0 - 1.1
<b>Japanese</b>	100	2.0%	0.0 - 4.3	<50	1.4%	0.0 - 3.2	<50	1.2%	0.0 - 2.9	<50	1.4%	0.0 - 3.3	<50	0.8%	0.0 - 2.1
<b>Black</b>	100	7.7%	0.0 - 16.6	100	6.0%	0.0 - 13.5	100	6.2%	0.0 - 14.0	<50	1.2%	0.0 - 3.5	<50	1.7%	0.0 - 4.3
<b>Other Pacific Islander</b>	<50	1.5%	0.0 - 3.6	<50	0.3%	0.0 - 0.9	100	4.3%	0.1 - 8.6	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Other</b>	100	1.6%	0.0 - 3.5	<50	0.3%	0.0 - 0.8	<50	0.1%	0.0 - 0.2	100	0.6%	0.0 - 1.3	<50	0.1%	0.0 - 0.3

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2013**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	800	2.1%	1.0 - 3.2	200	0.5%	0.1 - 0.9	300	0.7%	0.2 - 1.3	200	0.5%	0.1 - 0.9	500	1.2%	0.6 - 1.8

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	600	2.9%	1.2 - 4.6	100	0.7%	0.0 - 1.3	200	0.9%	0.0 - 1.8	100	0.6%	0.0 - 1.2	300	1.7%	0.3 - 3.1
<b>Female</b>	300	1.3%	0.2 - 2.4	100	0.3%	0.0 - 1.0	100	0.6%	0.0 - 1.4	100	0.4%	0.0 - 1.1	100	0.7%	0.0 - 1.4

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>9th Grade</b>	100	0.8%	0.0 - 2.4	0	0.0%	0.0 - 0.0	100	0.5%	0.0 - 1.4	0	0.0%	0.0 - 0.0	<50	0.3%	0.0 - 0.9
<b>10th Grade</b>	300	2.8%	1.2 - 4.5	<50	0.4%	0.0 - 1.3	100	1.2%	0.0 - 2.7	<50	0.4%	0.0 - 1.3	200	1.6%	0.0 - 3.5
<b>11th Grade</b>	200	2.0%	0.0 - 4.0	<50	0.4%	0.0 - 1.0	<50	0.2%	0.0 - 0.6	<50	0.1%	0.0 - 0.4	100	0.6%	0.0 - 1.6
<b>12th Grade</b>	200	2.6%	0.1 - 5.2	100	1.3%	0.0 - 3.0	100	1.1%	0.0 - 2.6	100	1.5%	0.0 - 3.1	200	2.3%	0.4 - 4.1



**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2013**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	100	2.3%	0.0 - 4.5	0	0.0%	0.0 - 0.0	<50	0.2%	0.0 - 0.6	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Native Hawaiian</b>	100	2.0%	0.0 - 4.4	0	0.0%	0.0 - 0.0	<50	0.1%	0.0 - 0.3	0	0.0%	0.0 - 0.0	100	1.4%	0.0 - 3.4
<b>Chinese</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Filipino</b>	100	0.8%	0.0 - 1.9	100	0.8%	0.0 - 1.9	<50	0.5%	0.0 - 1.4	<50	0.5%	0.0 - 1.4	100	1.2%	0.0 - 2.7
<b>Japanese</b>	100	2.1%	0.0 - 5.3	<50	0.1%	0.0 - 0.4	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.1%	0.0 - 0.4
<b>Black</b>	100	7.6%	0.0 - 17.2	<50	3.5%	0.0 - 10.8	<50	3.5%	0.0 - 10.8	<50	3.6%	0.0 - 10.9	<50	4.0%	0.0 - 11.4
<b>Other Pacific Islander</b>	100	2.6%	0.0 - 8.0	0	0.0%	0.0 - 0.0	100	4.6%	0.0 - 10.8	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Other</b>	200	2.1%	0.0 - 4.5	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.3%	0.2 - 0.5	100	1.5%	0.0 - 3.3

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2011**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	1,300	2.9%	1.6 - 4.3	100	0.1%	0.0 - 0.3	200	0.5%	0.0 - 0.9	100	0.2%	0.0 - 0.4	200	0.4%	0.0 - 0.8

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	800	3.6%	1.7 - 5.4	<50	0.1%	0.0 - 0.4	100	0.7%	0.0 - 1.5	100	0.3%	0.0 - 0.7	100	0.6%	0.0 - 1.3
<b>Female</b>	500	2.4%	1.1 - 3.7	<50	0.2%	0.0 - 0.5	100	0.3%	0.0 - 0.7	<50	0.1%	0.0 - 0.2	<50	0.2%	0.0 - 0.5

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>9th Grade</b>	<50	0.4%	0.0 - 0.9	0	0.0%	0.0 - 0.0	100	0.4%	0.0 - 1.0	0	0.0%	0.0 - 0.0	<50	0.2%	0.0 - 0.7
<b>10th Grade</b>	200	1.6%	0.0 - 3.2	<50	0.2%	0.0 - 0.6	100	0.8%	0.0 - 2.2	0	0.0%	0.0 - 0.0	<50	0.1%	0.0 - 0.3
<b>11th Grade</b>	400	4.3%	0.8 - 7.8	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.4%	0.0 - 1.1	<50	0.3%	0.0 - 0.8
<b>12th Grade</b>	600	6.5%	3.2 - 9.7	<50	0.4%	0.0 - 1.1	100	0.7%	0.0 - 1.5	<50	0.4%	0.0 - 1.1	100	1.2%	0.0 - 2.7

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2011**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	100	1.6%	0.0 - 3.5	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	100	1.7%	0.0 - 3.9
<b>Native Hawaiian</b>	600	7.7%	2.5 - 12.9	0	0.0%	0.0 - 0.0	<50	0.5%	0.0 - 1.6	0	0.0%	0.0 - 0.0	<50	0.1%	0.0 - 0.2
<b>Chinese</b>	<50	1.1%	0.0 - 2.7	0	0.0%	0.0 - 0.0	<50	1.1%	0.0 - 3.5	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Filipino</b>	200	1.7%	0.3 - 3.2	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.3%	0.0 - 0.8	0	0.0%	0.0 - 0.0
<b>Japanese</b>	<50	0.4%	0.0 - 1.1	<50	0.3%	0.0 - 1.0	<50	0.3%	0.0 - 1.0	<50	0.3%	0.0 - 1.0	<50	0.3%	0.0 - 1.0
<b>Black</b>	<50	0.7%	0.0 - 2.2	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Other Pacific Islander</b>	200	8.0%	0.0 - 16.3	0	0.0%	0.0 - 0.0	<50	1.5%	0.0 - 3.8	0	0.0%	0.0 - 0.0	<50	0.2%	0.0 - 0.5
<b>Other</b>	100	1.5%	0.0 - 3.6	0	0.0%	0.0 - 0.0	<50	0.7%	0.0 - 2.0	0	0.0%	0.0 - 0.0	<50	0.4%	0.0 - 1.1

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2009**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	1,900	3.8%	2.5 - 5.2	400	0.8%	0.0 - 1.5	700	1.3%	0.5 - 2.2	400	0.7%	0.2 - 1.3	500	1.0%	0.4 - 1.7

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	1,100	4.5%	3.0 - 5.9	400	1.5%	0.1 - 3.0	500	2.0%	0.9 - 3.1	300	1.2%	0.3 - 2.2	500	1.8%	0.7 - 3.0
<b>Female</b>	800	3.2%	1.3 - 5.2	<50	0.0%	0.0 - 0.1	200	0.6%	0.0 - 1.4	<50	0.2%	0.0 - 0.5	<50	0.2%	0.0 - 0.4

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>9th Grade</b>	400	2.5%	0.4 - 4.5	<50	0.3%	0.0 - 0.8	100	0.9%	0.0 - 2.2	100	0.7%	0.0 - 1.8	200	1.1%	0.0 - 2.4
<b>10th Grade</b>	300	2.4%	0.2 - 4.6	200	1.3%	0.0 - 2.7	100	1.2%	0.0 - 3.7	200	1.4%	0.0 - 2.9	200	1.3%	0.0 - 2.8
<b>11th Grade</b>	400	3.5%	1.3 - 5.7	100	0.9%	0.4 - 1.4	200	1.6%	0.0 - 3.5	100	0.7%	0.0 - 1.5	100	1.2%	0.0 - 2.8
<b>12th Grade</b>	800	7.1%	3.7 - 10.4	100	0.8%	0.0 - 2.4	200	1.9%	0.1 - 3.6	0	0.0%	0.0 - 0.0	100	0.4%	0.0 - 1.4

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2009**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	200	3.1%	0.0 - 6.2	<50	0.7%	0.0 - 2.3	100	1.0%	0.0 - 2.5	100	1.1%	0.0 - 3.0	<50	0.7%	0.0 - 2.3
<b>Native Hawaiian</b>	500	4.3%	1.0 - 7.7	<50	0.4%	0.0 - 1.1	100	0.6%	0.0 - 1.7	<50	0.3%	0.0 - 0.8	<50	0.3%	0.0 - 0.9
<b>Chinese</b>	100	2.6%	0.0 - 7.6	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Filipino</b>	300	2.7%	0.7 - 4.8	100	0.8%	0.0 - 2.3	0	0.0%	0.0 - 0.0	<50	0.1%	0.0 - 0.3	100	0.6%	0.0 - 1.6
<b>Japanese</b>	300	3.8%	1.0 - 6.7	0	0.0%	0.0 - 0.0	<50	0.7%	0.0 - 2.0	<50	0.3%	0.0 - 0.9	<50	0.3%	0.0 - 0.9
<b>Black</b>	100	12.2%	0.0 - 26.6	<50	1.1%	0.0 - 3.4	<50	1.1%	0.0 - 3.3	100	7.7%	0.0 - 21.4	100	7.6%	0.0 - 21.2
<b>Other Pacific Islander</b>	300	8.1%	1.4 - 14.8	200	4.4%	0.0 - 10.0	400	9.6%	3.4 - 15.8	100	2.9%	0.0 - 7.6	200	4.4%	0.0 - 10.0
<b>Other</b>	100	2.1%	0.0 - 4.5	0	0.0%	0.0 - 0.0	100	2.4%	0.0 - 6.3	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2007**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	1,700	3.0%	1.9 - 4.1	400	0.7%	0.1 - 1.4	500	1.0%	0.1 - 1.8	200	0.4%	0.0 - 0.9	300	0.5%	0.1 - 1.0

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	700	2.6%	1.0 - 4.1	400	1.3%	0.1 - 2.6	500	1.9%	0.3 - 3.4	200	0.7%	0.0 - 1.4	200	0.7%	0.0 - 1.5
<b>Female</b>	1,000	3.4%	1.8 - 5.1	<50	0.1%	0.0 - 0.3	0	0.0%	0.0 - 0.0	<50	0.1%	0.0 - 0.3	100	0.2%	0.0 - 0.6

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>9th Grade</b>	100	0.5%	0.0 - 1.3	200	1.5%	0.0 - 3.3	300	1.9%	0.0 - 4.2	100	0.8%	0.0 - 1.9	200	1.1%	0.0 - 2.6
<b>10th Grade</b>	400	3.0%	0.8 - 5.2	<50	0.4%	0.0 - 1.1	<50	0.4%	0.0 - 1.1	0	0.0%	0.0 - 0.0	<50	0.4%	0.0 - 1.1
<b>11th Grade</b>	700	4.9%	2.0 - 7.8	100	0.7%	0.0 - 1.7	100	0.8%	0.0 - 2.1	<50	0.2%	0.0 - 0.6	<50	0.2%	0.0 - 0.6
<b>12th Grade</b>	500	4.5%	1.7 - 7.3	<50	0.2%	0.0 - 0.7	100	0.6%	0.0 - 1.8	100	0.8%	0.0 - 1.9	<50	0.2%	0.0 - 0.7

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2007**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	300	4.4%	1.0 - 7.8	100	1.6%	0.0 - 3.9	100	2.0%	0.0 - 4.9	100	1.4%	0.0 - 3.4	100	1.7%	0.0 - 4.4
<b>Native Hawaiian</b>	400	4.4%	1.0 - 7.8	100	0.7%	0.0 - 2.2	100	0.8%	0.0 - 2.3	100	0.7%	0.0 - 2.3	0	0.0%	0.0 - 0.0
<b>Chinese</b>	100	2.4%	0.0 - 6.4	<50	1.2%	0.0 - 3.8	0	0.0%	0.0 - 0.0	<50	1.2%	0.0 - 3.8	<50	1.2%	0.0 - 3.8
<b>Filipino</b>	400	2.7%	0.8 - 4.6	100	0.5%	0.0 - 1.4	100	0.5%	0.0 - 1.4	100	0.4%	0.0 - 1.2	100	0.5%	0.0 - 1.4
<b>Japanese</b>	0	0.0%	0.0 - 0.0	100	0.7%	0.0 - 2.2	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Black</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Other Pacific Islander</b>	100	2.4%	0.0 - 6.1	0	0.0%	0.0 - 0.0	200	3.2%	0.0 - 7.1	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Other</b>	200	4.2%	0.4 - 8.0	100	1.4%	0.0 - 3.4	100	2.2%	0.0 - 4.7	0	0.0%	0.0 - 0.0	<50	0.9%	0.0 - 2.7

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2005**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	3,000	3.9%	2.9 - 4.8	300	0.4%	0.0 - 0.8	400	0.5%	0.1 - 0.9	400	0.4%	0.1 - 0.8	600	0.7%	0.3 - 1.1

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	1,600	3.9%	2.3 - 5.6	300	0.6%	0.0 - 1.3	300	0.7%	0.0 - 1.4	400	0.9%	0.3 - 1.5	500	1.2%	0.5 - 1.9
<b>Female</b>	1,400	3.7%	2.3 - 5.1	100	0.2%	0.0 - 0.5	100	0.3%	0.0 - 0.7	0	0.0%	0.0 - 0.0	100	0.1%	0.0 - 0.4

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>9th Grade</b>	400	1.8%	0.5 - 3.2	200	0.8%	0.0 - 1.7	100	0.5%	0.0 - 1.2	200	0.7%	0.0 - 1.6	200	0.7%	0.0 - 1.6
<b>10th Grade</b>	700	3.5%	1.3 - 5.8	0	0.0%	0.0 - 0.0	100	0.3%	0.0 - 0.8	100	0.3%	0.0 - 1.0	100	0.7%	0.0 - 1.7
<b>11th Grade</b>	700	3.9%	3.0 - 4.8	0	0.0%	0.0 - 0.0	100	0.4%	0.0 - 0.9	0	0.0%	0.0 - 0.0	100	0.6%	0.0 - 1.4
<b>12th Grade</b>	1,100	6.1%	2.5 - 9.6	100	0.3%	0.0 - 0.9	200	0.9%	0.0 - 2.3	100	0.3%	0.0 - 0.9	100	0.3%	0.0 - 0.9



**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2005**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	600	4.6%	1.5 - 7.7	<50	0.1%	0.0 - 0.4	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.3%	0.0 - 0.9
<b>Native Hawaiian</b>	800	5.1%	1.8 - 8.5	0	0.0%	0.0 - 0.0	200	1.0%	0.0 - 2.2	100	0.4%	0.0 - 1.2	100	0.4%	0.0 - 1.2
<b>Chinese</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Filipino</b>	800	4.2%	1.1 - 7.4	200	1.0%	0.0 - 2.1	100	0.8%	0.0 - 1.6	100	0.7%	0.0 - 1.6	200	0.9%	0.0 - 2.0
<b>Japanese</b>	200	1.5%	0.0 - 3.1	100	0.5%	0.0 - 1.4	0	0.0%	0.0 - 0.0	100	0.8%	0.0 - 2.0	100	1.1%	0.3 - 1.9
<b>Black</b>	100	3.0%	0.0 - 9.8	100	3.0%	0.0 - 9.8	100	3.0%	0.0 - 9.7	100	4.4%	0.0 - 12.0	100	3.0%	0.0 - 9.7
<b>Other Pacific Islander</b>	100	2.2%	0.0 - 5.4	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.7%	0.0 - 2.1
<b>Other</b>	300	6.1%	3.2 - 9.0	0	0.0%	0.0 - 0.0	<50	0.7%	0.0 - 2.2	0	0.0%	0.0 - 0.0	100	0.9%	0.0 - 2.4

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2000**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	5,100	10.3%	8.0 - 12.7	400	0.8%	0.3 - 1.3	400	0.8%	0.2 - 1.4	400	0.8%	0.2 - 1.4	300	0.6%	0.2 - 1.0

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	2,400	9.4%	6.2 - 12.6	200	0.7%	0.0 - 1.3	300	1.4%	0.2 - 2.5	200	0.6%	0.0 - 1.5	100	0.5%	0.1 - 1.0
<b>Female</b>	2,600	11.2%	8.3 - 14.0	100	0.5%	0.0 - 1.0	100	0.2%	0.0 - 0.6	100	0.4%	0.0 - 0.9	100	0.4%	0.0 - 1.0

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>9th Grade</b>	900	6.1%	1.9 - 10.4	200	1.3%	0.0 - 2.8	<50	0.3%	0.0 - 0.8	200	1.6%	0.0 - 3.3	100	0.8%	0.0 - 1.9
<b>10th Grade</b>	1,100	8.7%	4.5 - 12.8	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.3%	0.0 - 0.8	0	0.0%	0.0 - 0.0
<b>11th Grade</b>	1,400	12.2%	9.7 - 14.7	100	1.3%	0.0 - 2.5	200	1.8%	0.0 - 3.7	100	0.6%	0.0 - 1.5	100	0.9%	0.0 - 2.0
<b>12th Grade</b>	1,700	16.1%	12.9 - 19.3	100	0.6%	0.0 - 1.3	100	1.4%	0.3 - 2.4	100	0.6%	0.0 - 1.1	100	0.8%	0.1 - 1.5

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**High Schools**

**2000**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	700	10.4%	5.4 - 15.5	100	1.0%	0.0 - 2.9	0	0.0%	0.0 - 0.0	100	1.2%	0.0 - 3.2	100	1.2%	0.0 - 3.2
<b>Native Hawaiian</b>	1,300	13.1%	8.1 - 18.0	<50	0.3%	0.0 - 1.0	100	0.6%	0.0 - 1.3	100	0.6%	0.0 - 1.4	100	0.8%	0.0 - 1.9
<b>Chinese</b>	100	5.7%	0.6 - 10.9	100	3.4%	0.0 - 8.5	0	0.0%	0.0 - 0.0	100	2.4%	0.0 - 7.2	0	0.0%	0.0 - 0.0
<b>Filipino</b>	800	11.1%	6.9 - 15.2	<50	0.6%	0.0 - 1.6	100	0.8%	0.0 - 2.0	<50	0.4%	0.0 - 1.2	<50	0.4%	0.0 - 1.2
<b>Japanese</b>	100	5.4%	0.0 - 11.8	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Black</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Other Pacific Islander</b>	800	8.5%	3.0 - 13.9	0	0.0%	0.0 - 0.0	200	2.2%	0.0 - 4.7	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Other</b>	600	9.4%	4.5 - 14.3	100	1.6%	0.0 - 3.3	100	1.0%	0.0 - 2.5	100	0.9%	0.0 - 2.2	100	1.6%	0.0 - 3.3

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2015**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	100	0.3%	0.1 - 0.5	100	0.3%	0.1 - 0.6	100	0.4%	0.1 - 0.7	100	0.3%	0.1 - 0.6	200	0.6%	0.2 - 1.0

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	100	0.4%	0.0 - 0.8	100	0.4%	0.0 - 0.8	<50	0.4%	0.0 - 0.7	100	0.6%	0.1 - 1.1	100	0.8%	0.2 - 1.4
<b>Female</b>	<50	0.1%	0.0 - 0.3	<50	0.2%	0.0 - 0.5	100	0.5%	0.0 - 1.0	<50	0.1%	0.0 - 0.2	100	0.4%	0.0 - 0.9

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>6th Grade</b>	<50	0.6%	0.0 - 1.5	<50	0.9%	0.0 - 1.9	<50	0.5%	0.0 - 1.2	<50	0.2%	0.0 - 0.8	<50	0.9%	0.0 - 1.9
<b>7th Grade</b>	<50	0.1%	0.0 - 0.3	0	0.0%	0.0 - 0.0	<50	0.1%	0.0 - 0.3	<50	0.2%	0.0 - 0.5	<50	0.3%	0.0 - 0.7
<b>8th Grade</b>	<50	0.2%	0.0 - 0.5	<50	0.3%	0.0 - 0.7	100	0.7%	0.1 - 1.4	100	0.6%	0.0 - 1.1	100	0.8%	0.0 - 1.6

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2015**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	<50	0.2%	0.0 - 0.7	0	0.0%	0.0 - 0.0	<50	0.2%	0.0 - 0.7	0	0.0%	0.0 - 0.0	<50	0.2%	0.0 - 0.7
<b>Native Hawaiian</b>	<50	0.7%	0.0 - 1.7	<50	0.5%	0.0 - 1.4	<50	0.4%	0.0 - 0.8	<50	0.6%	0.0 - 1.5	<50	0.9%	0.0 - 2.3
<b>Chinese</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Filipino</b>	<50	0.2%	0.0 - 0.6	<50	0.2%	0.0 - 0.6	<50	0.2%	0.0 - 0.7	<50	0.2%	0.0 - 0.7	<50	0.5%	0.0 - 1.4
<b>Japanese</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.6%	0.0 - 1.9
<b>Black</b>	<50	3.5%	0.3 - 6.6	<50	7.3%	0.1 - 14.4	<50	7.3%	1.2 - 13.5	<50	2.3%	0.0 - 5.1	<50	4.3%	0.0 - 8.6
<b>Other Pacific Islander</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	1.1%	0.0 - 3.1	<50	0.8%	0.0 - 2.2	<50	0.8%	0.0 - 2.1
<b>Other</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.3%	0.0 - 0.8	<50	0.4%	0.0 - 1.0

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2013**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	100	0.3%	0.0 - 0.6	100	0.2%	0.0 - 0.4	100	0.4%	0.0 - 0.7	100	0.3%	0.0 - 0.7	100	0.4%	0.0 - 0.9

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	100	0.5%	0.0 - 1.0	<50	0.2%	0.0 - 0.4	<50	0.1%	0.0 - 0.2	100	0.4%	0.0 - 1.1	100	0.4%	0.0 - 1.0
<b>Female</b>	<50	0.1%	0.0 - 0.4	<50	0.2%	0.0 - 0.5	100	0.6%	0.0 - 1.1	<50	0.2%	0.0 - 0.5	100	0.4%	0.0 - 1.0

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>6th Grade</b>	<50	0.3%	0.0 - 0.8	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>7th Grade</b>	<50	0.3%	0.0 - 0.9	<50	0.1%	0.0 - 0.5	<50	0.4%	0.0 - 0.9	<50	0.4%	0.0 - 1.1	100	0.5%	0.0 - 1.3
<b>8th Grade</b>	<50	0.4%	0.0 - 1.0	<50	0.4%	0.1 - 0.7	<50	0.5%	0.0 - 1.0	<50	0.5%	0.0 - 0.9	100	0.6%	0.0 - 1.3

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2013**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.6%	0.0 - 1.9	<50	0.6%	0.0 - 1.9	<50	0.6%	0.0 - 1.9
<b>Native Hawaiian</b>	<50	0.5%	0.0 - 1.6	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.5%	0.0 - 1.5
<b>Chinese</b>	<50	1.7%	0.0 - 5.3	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Filipino</b>	<50	0.2%	0.0 - 0.7	<50	0.4%	0.0 - 0.9	<50	0.2%	0.0 - 0.5	<50	0.2%	0.0 - 0.5	<50	0.2%	0.0 - 0.5
<b>Japanese</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Black</b>	<50	2.4%	0.0 - 6.9	<50	2.6%	1.5 - 3.7	<50	3.0%	0.0 - 6.8	<50	2.8%	0.0 - 6.3	<50	1.4%	0.0 - 4.2
<b>Other Pacific Islander</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.5%	0.0 - 1.5	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Other</b>	<50	0.3%	0.0 - 0.8	<50	0.3%	0.0 - 0.8	<50	0.6%	0.0 - 1.4	0	0.0%	0.0 - 0.0	<50	0.3%	0.0 - 0.8

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2011**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	200	0.7%	0.3 - 1.0	100	0.5%	0.0 - 0.9	100	0.4%	0.1 - 0.7	100	0.2%	0.0 - 0.5	100	0.2%	0.0 - 0.5

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	200	1.2%	0.5 - 1.9	100	0.8%	0.0 - 1.7	<50	0.3%	0.0 - 0.6	100	0.4%	0.0 - 1.0	<50	0.4%	0.0 - 0.9
<b>Female</b>	<50	0.1%	0.0 - 0.4	<50	0.1%	0.0 - 0.3	100	0.6%	0.0 - 1.2	0	0.0%	0.0 - 0.0	<50	0.0%	0.0 - 0.1

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>6th Grade</b>	0	0.0%	0.0 - 0.0	100	1.2%	0.0 - 2.9	<50	0.2%	0.0 - 0.7	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>7th Grade</b>	<50	0.3%	0.0 - 0.8	<50	0.0%	0.0 - 0.1	<50	0.1%	0.0 - 0.2	<50	0.0%	0.0 - 0.1	<50	0.1%	0.0 - 0.2
<b>8th Grade</b>	100	1.4%	0.7 - 2.1	<50	0.5%	0.0 - 1.1	100	0.8%	0.0 - 1.6	100	0.5%	0.0 - 1.2	<50	0.5%	0.0 - 1.1



**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2011**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	<50	1.1%	0.0 - 3.3	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Native Hawaiian</b>	<50	0.7%	0.0 - 1.8	100	1.6%	0.0 - 3.7	0	0.0%	0.0 - 0.0	100	0.9%	0.0 - 2.2	<50	0.5%	0.0 - 1.5
<b>Chinese</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Filipino</b>	<50	0.1%	0.0 - 0.3	<50	0.0%	0.0 - 0.1	<50	0.1%	0.0 - 0.3	<50	0.0%	0.0 - 0.1	<50	0.1%	0.0 - 0.2
<b>Japanese</b>	<50	0.7%	0.0 - 2.0	<50	0.7%	0.0 - 1.9	<50	0.7%	0.0 - 2.0	0	0.0%	0.0 - 0.0	<50	0.7%	0.0 - 1.9
<b>Black</b>	<50	3.9%	0.0 - 10.4	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Other Pacific Islander</b>	<50	1.4%	0.0 - 4.4	0	0.0%	0.0 - 0.0	<50	1.3%	0.0 - 3.3	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Other</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	100	2.5%	0.0 - 6.1	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2009**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	100	0.4%	0.0 - 0.8	<50	0.1%	0.0 - 0.3	100	0.2%	0.0 - 0.6	<50	0.1%	0.0 - 0.3	<50	0.1%	0.0 - 0.3

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	<50	0.1%	0.0 - 0.4	<50	0.2%	0.0 - 0.6	100	0.4%	0.0 - 1.1	<50	0.3%	0.0 - 0.6	<50	0.2%	0.0 - 0.6
<b>Female</b>	100	0.6%	0.0 - 1.3	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>6th Grade</b>	<50	0.2%	0.0 - 0.6	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>7th Grade</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.4%	0.0 - 1.1	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>8th Grade</b>	100	0.8%	0.0 - 1.8	<50	0.3%	0.0 - 0.7	<50	0.2%	0.0 - 0.6	<50	0.4%	0.0 - 0.8	<50	0.3%	0.0 - 0.8

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2009**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	0	0.0%	0.0 - 0.0	<50	1.0%	0.0 - 2.8	0	0.0%	0.0 - 0.0	<50	0.3%	0.0 - 0.9	<50	1.0%	0.0 - 2.8
<b>Native Hawaiian</b>	100	0.9%	0.0 - 2.2	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.4%	0.0 - 1.2	0	0.0%	0.0 - 0.0
<b>Chinese</b>	0	0.0%	0.0 - 0.0	<50	0.8%	0.0 - 2.5	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Filipino</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.3%	0.0 - 0.9	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Japanese</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.4%	0.0 - 1.3	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Black</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	4.2%	0.0 - 13.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Other Pacific Islander</b>	<50	1.8%	0.0 - 5.4	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Other</b>	<50	0.4%	0.0 - 1.3	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.4%	0.0 - 1.3	<50	0.4%	0.0 - 1.3

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2007**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	200	0.6%	0.2 - 1.0	200	0.4%	0.0 - 0.8	100	0.2%	0.0 - 0.6	300	0.7%	0.0 - 1.3	200	0.4%	0.0 - 0.8

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	100	0.6%	0.0 - 1.4	100	0.5%	0.0 - 1.1	100	0.3%	0.0 - 0.9	200	0.8%	0.0 - 1.6	100	0.6%	0.0 - 1.4
<b>Female</b>	100	0.5%	0.0 - 1.2	100	0.3%	0.0 - 0.6	<50	0.2%	0.0 - 0.5	100	0.5%	0.0 - 1.1	<50	0.2%	0.0 - 0.5

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>6th Grade</b>	100	1.1%	0.1 - 2.1	100	0.4%	0.0 - 1.3	100	0.4%	0.0 - 1.3	100	0.4%	0.0 - 1.3	100	0.4%	0.0 - 1.4
<b>7th Grade</b>	<50	0.1%	0.0 - 0.4	100	0.5%	0.0 - 1.2	0	0.0%	0.0 - 0.0	100	0.4%	0.0 - 1.3	0	0.0%	0.0 - 0.0
<b>8th Grade</b>	100	0.6%	0.0 - 1.2	<50	0.2%	0.0 - 0.4	<50	0.3%	0.0 - 0.8	100	1.1%	0.0 - 2.2	100	0.8%	0.0 - 1.7

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2007**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	1.1%	0.0 - 3.3	<50	1.1%	0.0 - 3.3
<b>Native Hawaiian</b>	<50	0.3%	0.0 - 1.0	0	0.0%	0.0 - 0.0	<50	0.3%	0.0 - 1.1	<50	0.3%	0.0 - 1.0	<50	0.3%	0.0 - 1.0
<b>Chinese</b>	0	0.0%	0.0 - 0.0	100	3.0%	0.0 - 8.1	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Filipino</b>	<50	0.3%	0.0 - 0.7	<50	0.2%	0.0 - 0.5	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0
<b>Japanese</b>	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.8%	0.0 - 2.5	0	0.0%	0.0 - 0.0
<b>Black</b>	0	0.0%	0.0 - 0.0	<50	0.8%	0.0 - 2.6	<50	0.8%	0.0 - 2.6	<50	1.8%	0.0 - 4.4	<50	0.8%	0.0 - 2.6
<b>Other Pacific Islander</b>	100	2.4%	0.0 - 7.5	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	1.2%	0.0 - 3.8	<50	1.3%	0.0 - 3.9
<b>Other</b>	100	2.2%	0.0 - 5.2	100	1.4%	0.0 - 4.2	100	1.4%	0.0 - 4.0	100	2.8%	0.0 - 8.1	100	1.4%	0.0 - 4.1

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2005**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	500	1.1%	0.1 - 2.1	100	0.2%	0.0 - 0.5	100	0.3%	0.0 - 0.6	100	0.3%	0.0 - 0.5	300	0.6%	0.1 - 1.1

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	300	1.3%	0.0 - 3.0	100	0.3%	0.0 - 0.6	100	0.4%	0.1 - 0.8	100	0.3%	0.0 - 0.7	200	0.8%	0.0 - 1.7
<b>Female</b>	200	1.0%	0.0 - 2.0	<50	0.2%	0.0 - 0.5	<50	0.2%	0.0 - 0.4	<50	0.2%	0.0 - 0.5	100	0.4%	0.0 - 0.8

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>6th Grade</b>	<50	0.5%	0.0 - 1.8	<50	0.3%	0.0 - 1.0	<50	0.3%	0.0 - 1.0	<50	0.3%	0.0 - 1.0	<50	0.5%	0.0 - 1.8
<b>7th Grade</b>	100	0.4%	0.1 - 0.7	<50	0.2%	0.0 - 0.5	100	0.4%	0.0 - 0.9	100	0.4%	0.0 - 0.8	200	0.9%	0.0 - 1.8
<b>8th Grade</b>	400	2.1%	0.0 - 4.2	<50	0.3%	0.0 - 0.6	<50	0.2%	0.0 - 0.5	<50	0.2%	0.0 - 0.4	100	0.3%	0.0 - 0.7

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2005**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	<50	0.7%	0.0 - 1.8	<50	0.3%	0.0 - 0.9	<50	0.6%	0.0 - 1.8	<50	0.3%	0.0 - 0.9	100	1.3%	0.0 - 2.9
<b>Native Hawaiian</b>	100	1.4%	0.0 - 3.4	<50	0.5%	0.0 - 1.3	100	0.7%	0.0 - 1.5	<50	0.3%	0.0 - 1.0	<50	0.5%	0.0 - 1.3
<b>Chinese</b>	<50	1.3%	0.0 - 4.0	<50	1.3%	0.0 - 3.9	<50	1.3%	0.0 - 3.9	<50	1.3%	0.0 - 3.9	<50	1.3%	0.0 - 3.9
<b>Filipino</b>	<50	0.4%	0.0 - 1.0	<50	0.1%	0.0 - 0.3	<50	0.1%	0.0 - 0.3	<50	0.1%	0.0 - 0.3	<50	0.3%	0.0 - 0.7
<b>Japanese</b>	<50	0.5%	0.0 - 1.6	0	0.0%	0.0 - 0.0	<50	0.3%	0.0 - 1.0	<50	0.4%	0.0 - 1.2	0	0.0%	0.0 - 0.0
<b>Black</b>	<50	2.5%	0.0 - 6.3	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	2.2%	0.0 - 6.8
<b>Other Pacific Islander</b>	100	2.3%	0.0 - 6.9	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	1.4%	0.0 - 4.5
<b>Other</b>	100	2.1%	0.0 - 4.4	0	0.0%	0.0 - 0.0	0	0.0%	0.0 - 0.0	<50	0.4%	0.0 - 1.1	<50	0.7%	0.0 - 1.6

**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2003**

State	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Totals</b>	400	0.9%	0.7 - 1.2	100	0.3%	0.2 - 0.4	100	0.3%	0.2 - 0.5	100	0.3%	0.2 - 0.5	200	0.5%	0.4 - 0.7

Gender	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Male</b>	200	0.9%	0.6 - 1.2	100	0.3%	0.1 - 0.5	100	0.4%	0.2 - 0.5	100	0.5%	0.3 - 0.7	200	0.7%	0.5 - 1.0
<b>Female</b>	200	1.0%	0.6 - 1.3	100	0.3%	0.1 - 0.4	100	0.3%	0.1 - 0.5	<50	0.2%	0.1 - 0.3	100	0.3%	0.1 - 0.4

Grade Level	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>6th Grade</b>	100	0.6%	0.3 - 0.8	<50	0.3%	0.1 - 0.5	100	0.4%	0.1 - 0.6	<50	0.3%	0.1 - 0.4	100	0.4%	0.2 - 0.6
<b>7th Grade</b>	100	0.4%	0.2 - 0.7	<50	0.0%	0.0 - 0.1	<50	0.1%	0.0 - 0.3	<50	0.3%	0.1 - 0.5	<50	0.3%	0.1 - 0.5
<b>8th Grade</b>	200	1.8%	1.3 - 2.3	100	0.6%	0.3 - 0.9	100	0.5%	0.2 - 0.7	100	0.5%	0.2 - 0.8	100	0.9%	0.5 - 1.2



**Frequent Tobacco Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015**

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

**Middle Schools**

**2003**

DOH Race-Ethnicity	Cigarette smoker - frequent			Cigar smoker - frequent			SLT user - frequent			Bidis smoker - frequent			Pipe smoker - frequent		
	#	%	CI	#	%	CI	#	%	CI	#	%	CI	#	%	CI
<b>Caucasian</b>	<50	0.5%	0.0 - 0.9	<50	0.4%	0.0 - 0.8	<50	0.4%	0.0 - 0.8	<50	0.4%	0.0 - 0.7	<50	0.8%	0.2 - 1.3
<b>Native Hawaiian</b>	100	1.3%	0.8 - 1.8	<50	0.2%	0.0 - 0.4	<50	0.2%	0.0 - 0.4	<50	0.4%	0.1 - 0.6	100	0.6%	0.2 - 0.9
<b>Chinese</b>	<50	0.2%	0.0 - 0.6	<50	0.4%	0.0 - 1.1	0	0.0%	0.0 - 0.0	<50	0.2%	0.0 - 0.5	<50	0.2%	0.0 - 0.5
<b>Filipino</b>	100	0.6%	0.2 - 0.9	<50	0.2%	0.0 - 0.4	<50	0.2%	0.0 - 0.4	<50	0.2%	0.0 - 0.4	100	0.5%	0.2 - 0.8
<b>Japanese</b>	<50	0.2%	0.0 - 0.5	<50	0.1%	0.0 - 0.2	<50	0.2%	0.0 - 0.6	<50	0.3%	0.0 - 0.7	<50	0.2%	0.0 - 0.4
<b>Black</b>	<50	2.1%	0.5 - 3.7	<50	1.2%	0.1 - 2.2	<50	0.4%	0.0 - 1.0	<50	0.8%	0.0 - 1.9	<50	1.1%	0.0 - 2.3
<b>Other Pacific Islander</b>	100	2.2%	0.9 - 3.5	<50	0.3%	0.0 - 0.8	<50	0.9%	0.1 - 1.7	<50	0.5%	0.0 - 1.1	<50	0.7%	0.0 - 1.4
<b>Other</b>	100	1.3%	0.6 - 2.1	<50	0.5%	0.0 - 1.0	<50	0.5%	0.0 - 1.1	<50	0.3%	0.0 - 0.6	<50	0.6%	0.2 - 1.1